Canadian Community Health Survey (CCHS)

Annual Component - Share file, 2016

Derived Variable (DV) Specifications

Statistics Canada Statistique Canada

Canada

Table of Contents

ADL **Activities of Daily Living (2 DVs)**

1) ADLDVIHS - Instrumental activity of daily living index - home support 1
2) ADLDVIPC - Instrumental activity of daily living index - personal care 2

ALC **Alcohol use (1 DV)**

1) ALCDVTTM - Type of drinker (12 months) 3

ALW **Alcohol use during the past week (4 DVs)**

1) ALWDVWKY - Weekly consumption 4
2) ALWDVDLY - Average daily alcohol consumption 4
3) ALWDVLTR - Increased long term risk due to drinking 5
4) ALWDVSTR - Increased short term risks due to drinking 5

CCC **Chronic conditions (1 DV)**

1) CCCDVDIA - Diabetes type 7

CHP **Contacts with health professionals (1 DV)**

1) CHPDVMDC - Number of consultations with medical doctor/pediatrician or other specialists 8

DEP **Depression (2 DVs)**

1) DEPDVPHQ - Depression severity scale 9
2) DEPDVSEV - Depression scale - severity of depression 10

DHH **Dwelling and household variables (10 DVs)**

1) DHHDVYKD - Number of persons in household less than 16 years of age 11
2) DHHDVOKD - Number of persons in household 16 or 17 years of age 11
3) DHHDV611 - Number of persons in household between 6 and 11 years of age 12
4) DHHDVECF - Economic family status (household type) 12
5) DHHDVL12 - Number of persons in household less than 12 years of age 15
6) DHHDVL18 - Number of persons in household less than 18 years of age 15
7) DHHDVLE5 - Number of persons 5 years or less in household 16
8) DHHDVAOS - Age of spouse 16
9) DHHDVHSZ - Household size 16
10) DHHDVLVG - Living / family arrangement of selected respondent 17

DRG **Drug use (13 DVs)**

1) DRGDVLCA - Marijuana or hashish drug use - lifetime (including "one time only" use) 19
2) DRGDVLCM - Marijuana or hashish drug use - lifetime (excluding "one time only" use) 19

3) DRGDVLCO - Cocaine drug use - lifetime 19
4) DRGDVLAM - Amphetamine / speed drug use - lifetime 20
5) DRGDVLEX - Ecstasy drug use - lifetime 20
6) DRGDVLHA - Hallucinogens drug use - lifetime 20
7) DRGDVLGL - Glue, gasoline, or other solvent use - lifetime 21
8) DRGDVINJ - Illicit drug injection - lifetime 21
9) DRGDVYA - Any illicit drug use - 12 month (including "one time only" use of marijuana or hashish) 22
10) DRGDVYCM - Marijuana or hashish drug use - 12 month (excluding "one time only" use) 22
11) DRGDVYAC - Any illicit drug use - 12 month (excluding "one time only" use of marijuana or hashish) 23
12) DRGDVLA - Any illicit drug use - lifetime (including "one time only" use of marijuana or hashish) 23
13) DRGDVLAC - Any illicit drug use - lifetime (excluding "one time only" use of marijuana or hashish) 24

DRM **Drug use methods (2 DVs)**

1) DRMDVLA - Any illicit drug use - lifetime 25
2) DRMDVLAY - Any illicit drug use - 12 months 25

FDC **Food choices (3 DVs)**

1) FDCDVAVD - Avoids certain foods for certain content reasons 27
2) FDCDVCAH - Chooses or avoids certain foods because of certain health concerns 27
3) FDCDVCHO - Chooses certain foods for certain content reasons 28

FSC **Food security (3 DVs)**

1) FSCDVAFS - Food security - adult status 31
2) FSCDVCFS - Food security - child status 31
3) FSCDVHFS - Household food security status - modified version 32

FVC **Fruit and vegetable consumption (8 DVs)**

1) FVCDVJUI - Daily consumption - pure fruit juice 35
2) FVCDVFRU - Daily consumption - fruit 35
3) FVCDVGRN - Daily consumption - dark green vegetables 36
4) FVCDVORA - Daily consumption - orange-coloured vegetables 36
5) FVCDVPOT - Daily consumption - potatoes 37
6) FVCDVVEG - Daily consumption - other vegetables 37
7) FVCDVTOT - Daily consumption - fruits and vegetables 38
8) FVCDVGDT - Grouping of total daily consumption - fruits and vegetables 38

GEN **General health (3 DVs)**

1) GENDVHDI - Perceived health 39
2) GENDVMHI - Perceived mental health 39

3) GENDVSWL - Satisfaction with life in general 39

GEO **Geography variables (15 DVs)**

1) GEODVCMA - 2011 Census metropolitan area (CMA) 41
2) GEODVD11 - 2011 Census dissemination area (DA) 42
3) GEODVPC - Postal code 42
4) GEODVBHA - British Columbia Health Authority (BCHA) 42
5) GEODVLHN - Ontario local health integration network 43
6) GEODVFED - 2011 Census federal electoral district (FED) 43
7) GEODVCSD - 2011 Census subdivision (CSD) 43
8) GEODVCD - 2011 Census division (CD) 43
9) GEODVSAT - Statistical area classification type (SAT) 44
10) GEODVPG - Peer group 44
11) GEODVUR - Population centre or rural area type 45
12) GEODVUR2 - Population centre or rural area type - grouped 46
13) GEODVASZ - Alberta subzone 46
14) GEODVPSZ - Population centre or rural area classification 46
15) GEODVHR4 - Health region 47

HMC **Home care services (1 DV)**

1) HMCDVVRH - Received home care 48

HWT **Height and weight (8 DVs)**

1) HWTDVHTM - Height (metres) - self-reported 49
2) HWTDVWTK - Weight (kilograms) - self-reported 51
3) HWTDVBMI - Body mass index (self-reported) 51
4) HWTDVCOL - BMI classification for children aged 12 to 17 (self-reported) - Cole classification system 52
5) HWTDVISW - BMI classification for adults aged 18 and over (self-reported) - international standard 55
6) HWTDVWHO - BMI classification for children aged 12 to 17 (self-reported) - WHO classification system 56
7) HWTDVCOR - Body mass index (adjusted) 61
8) HWTDVBCC - BMI classification for adults aged 18 and over (adjusted) - international standard 61

INC **Income (5 DVs)**

1) INCFSH - Household income source flag 65
2) INCFSP - Personal income source flag 65
3) INCDVSCA - Distribution of household income - national level (excluding territories) 66
4) INCDVSPR - Distribution of household income - provincial level 66
5) INCDVSRS - Distribution of household income - health region level 67

INJ **Injuries (4 DVs)**

1) INJDVCAU - Cause of injury 68
2) INJDVCBP - Cause of injury by place of occurrence 68
3) INJDVSTT - Injury status 73
4) INJDVTBS - Type of injury by body site 74

LBF **Labour force (5 DVs)**

1) LBFDVWSS - Working status last week 80
2) LBFDVING - Industry group 80
3) LBFDVOCG - Occupation group 81
4) LBFDVHPW - Total usual hours worked per week 82
5) LBFDVPFT - Full-time/part-time working status (for total usual hours) 82

MEX **Maternal experiences (5 DVs)**

1) MEXDVWBK - Weight before pregnancy (in kilograms) 85
2) MEXDVWGK - Weight gained during pregnancy (in kilograms) 85
3) MEXDVBM6 - Exclusively breastfed for 6 months (or more) 86
4) MEXDVLBM - Length of exclusive breastfeeding 87
5) MEXDVVTD - Child received vitamin D 89

NDE **Nicotine dependence (1 DV)**

1) NDEDVFTT - Fagerström tolerance score 91

PAA **Physical activities - Adults 18 years and older (22 DVs)**

1) PAADVTRV - Active transportation minutes per week 93
2) PAADVATR - Average minutes per day of active transportation 93
3) PAADVREC - Recreational activity minutes per week 94
4) PAADVARC - Average minutes per day of recreational activities 94
5) PAADVOTH - Other activity minutes per week 95
6) PAADVATH - Average minutes per day of other activities 95
7) PAADVMVA - Total minutes of moderate to vigorous activity - last 7 days 95
8) PAADVAC2 - Alternate physical activity indicator 96
9) PAADVACV - Physical activity indicator 97
10) PAADVVIG - Total minutes of vigorous activity - last 7 days 97
11) PAADVVOL - Volume of weekly activity done in the past 7 days (METs*minutes/week) 98
12) PAADVWHO - Physically active, based on WHO guidelines 98
13) PAADVMON - Was physically active on Monday 99
14) PAADVTUE - Was physically active on Tuesday 99

15) PAADVWED - Was physically active on Wednesday 100
16) PAADVTHU - Was physically active on Thursday 100
17) PAADVFRI - Was physically active on Friday 101
18) PAADVSAT - Was physically active on Saturday 101
19) PAADVSUN - Was physically active on Sunday 102
20) PAADVDYS - Number of active days - last 7 days 102
21) PAADVWKD - Number of weekdays active 103
22) PAADVWND - Number of weekend days active 103

PAY **Physical Activities for Youth (23 DVs)**

1) PAYDVTTR - Total minutes of active transportation - last 7 days 107
2) PAYDVTSC - Total minutes of physical activities at school or camp - last 5 weekdays 108
3) PAYDVADL - Total minutes of physical activities during leisure - last 7 days 109
4) PAYDVTOA - Total minutes of other activities - last 7 days 110
5) PAYDVTMN - Total physical activity minutes - Monday 110
6) PAYDVTTU - Total physical activity minutes - Tuesday 112
7) PAYDVTWD - Total physical activity minutes - Wednesday 114
8) PAYDVTTH - Total physical activity minutes - Thursday 116
9) PAYDVTFR - Total physical activity minutes - Friday 118
10) PAYDVTST - Total physical activity minutes - Saturday 120
11) PAYDVTSN - Total physical activity minutes - Sunday 122
12) PAYDVDYS - Total days physically active 124
13) PAYDVMNS - Total minutes of youth physical activity - last 7 days 125
14) PAYDVAVG - Average number of minutes of physical activity per active day 125
15) PAYDVTWK - Total weekday physical activity minutes - last 7 days 126
16) PAYDVTWN - Total weekend physical activity minutes - last 7 days 126
17) PAYDVDPG - Number of days meeting or exceeding physical activity guidelines 126
18) PAYDVPAI - Youth physical activity indicator 127
19) PAYDVVIG - Total minutes of vigorous physical activity - youth - last 7 days 128
20) PAYDVWK1 - Physical activity - special weekly guideline 1 128
21) PAYDVWK2 - Physical activity - special weekly guideline 2 129
22) PAYDVWK3 - Physical activity - special weekly guideline 3 131
23) PAYDVPAG - Physical activity - meet Canadian Physical Activity Guidelines with 3 or more vigorous-intensity activities - last 7 days 132

SAC **Sedentary activities (2 DVs)**

1) SACDVTER - Total number of hours per week spent in sedentary activities (excluding reading) 134
2) SACDVTOT - Total number of hours per week spent in sedentary activities 134

SAM **Sample variables (2 DVs)**

1) SAMDVSHR - Permission to share data 136
2) SAMDVLNK - Permission to link 137

SCA **Smoking cessation methods (1 DV)**

1) SCADVQUI - Attempted/successful quitting 138

SDC **Socio-demographic characteristics (9 DVs)**

1) SDCDVCB - Country of birth - grouped 139
2) SDCDVIMM - Immigrant flag 139
3) SDCDVRES - Length of time in Canada since immigration 140
4) SDCDVALI - Age at time respondent first became a landed immigrant in Canada 140
5) SDCDVABT - Aboriginal identity 140
6) SDCDVCGT - Cultural/racial background 141
7) SDCDVLHM - Language(s) spoken most often at home 144
8) SDCDVFL1 - Language first learned at home in childhood and still understood - mother tongue 145
9) SDCDVFLS - First official language spoken 146

SMK **Smoking (3 DVs)**

1) SMKDVSTY - Smoking status (type 2) - traditional definition 149
2) SMKDVYCS - Number of years smoked daily (current daily smokers only) 149
3) SMKDVSTP - Number of years since stopped smoking completely 150

SPS **Social Provisions (6 DVs)**

1) SPSDVGUI - Social provisions scale - guidance 151
2) SPSDVINT - Social provisions scale - social integration 152
3) SPSDVATT - Social provisions scale - attachment 152
4) SPSDVWOR - Social provisions scale - reassurance of worth 152
5) SPSDVALL - Social provisions scale - reliable alliance 153
6) SPSDVCON - Social provisions overall scale 153

SSB **Sun safety behaviours (1 DV)**

1) SSBDVPRT - Respondent protects self from sun 155

SXB **Sexual behaviours (3 DVs)**

1) SXBDVPRT - Total number of sexual partners last 12 months 156
2) SXBDVSTI - Ever been tested for an STI, other than through blood donation 156
3) SXBDVTST - Most recent test for sexually transmitted infections (STI) 157

TAL **Tobacco Products Alternatives (1 DV)**

1) TALDVUSE - Alternative tobacco product usage 158

UPE **Use of protective equipment (3 DVs)**

1) UPEDVILS - Wears protective equipment when in-line skating 159
2) UPEDVSNB - Wears protective equipment when snowboarding 159
3) UPEDVSKB - Wears protective equipment when skateboarding 160

WST **Work stress (7 DVs)**

1) WSTDVSKI - Derived work stress scale - decision latitude: skill discretion 161
2) WSTDVPSY - Derived work stress scale - psychological demands 162
3) WSTDVJIN - Derived work stress scale - job insecurity 162
4) WSTDVPHY - Derived work stress scale - physical exertion 163
5) WSTDVAUT - Derived work stress scale - decision latitude: decision authority 163
6) WSTDVJST - Derived work stress scale - job strain 164
7) WSTDVSOC - Derived work stress scale - social support 165

WTM **Waiting times (9 DVs)**

1) WTMDVCN - Number of waiting days to receive non-emergency surgery - surgery not done 166
2) WTMDVCO - Number of waiting days to receive non-emergency surgery - surgery done 166
3) WTMDVCA - Number of acceptable waiting days to receive non-emergency surgery 167
4) WTMDVSN - Number of waiting days to see a medical specialist - didn't see specialist 167
5) WTMDVSO - Number of waiting days to see a medical specialist - saw specialist 168
6) WTMDVSA - Number of acceptable waiting days to see a medical specialist 168
7) WTMDVTN - Number of waiting days for diagnostic test - test not done 169
8) WTMDVTO - Number of waiting days for diagnostic test - test done 169
9) WTMDVTA - Number of acceptable waiting days for diagnostic test 170

Activities of Daily Living (2 DVs)

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
ADLT005			
(ADL_005 - 1)	ADL_005 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_005	ADL_005 > 4	Carry through cases of RF, DK, NS	
ADLT010			
(ADL_010 - 1)	ADL_010 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_010	ADL_010 > 4	Carry through cases of RF, DK, NS	
ADLT015			
(ADL_015 - 1)	ADL_015 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_015	ADL_015 > 4	Carry through cases of RF, DK, NS	
ADLT020			
(ADL_020 - 1)	ADL_020 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_020	ADL_020 > 4	Carry through cases of RF, DK, NS	
ADLT025			
(ADL_025 - 1)	ADL_025 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_025	ADL_025 > 4	Carry through cases of RF, DK, NS	
ADLT030			
(ADL_030 - 1)	ADL_030 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_030	ADL_030 > 4	Carry through cases of RF, DK, NS	

1) Instrumental activity of daily living index - home support

Variable name: ADLDVIHS

Based on: ADL_005, ADL_010, ADL_015, ADL_030

Description: This variable uses an index to discern the degree to which an individual has difficulty engaging in activities of daily living tied to home support: meal preparation, shopping, housekeeping, and bill payments. This index ranges from 0 (no difficulty with daily living) to 12 (unable to do any of four daily activities).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DOADL = 2	Module not selected	NA
99	ADLT005 = (DK, RF, NS) or ADLT010 = (DK, RF, NS) or ADLT015 = (DK, RF, NS) or ADLT030 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
ADLT005+ ADLT010+ ADLT015+ ADLT030	ADLT005 <= 3 and ADLT010 <= 3 and ADLT015 <= 3 and ADLT030 <= 3	Obtained ADLDVIHS Score for daily activities related to home support	(min: 0; max: 12)

2) Instrumental activity of daily living index - personal care

Variable name: ADLDVIPC

Based on: ADL_020, ADL_025

Description: This variable uses an index to discern the degree to which an individual has difficulty engaging in activities of daily living tied to personal care and mobility: bathing, dressing, eating or taking medication and moving inside the house. This index ranges from 0 (no difficulty with daily living) to 6 (unable to do any of five daily activities).

Specifications

Value	Condition(s)	Description	Notes
96	DOADL =2	Module not selected	NA
99	ADLT020 = (DK, RF, NS) or ADLT025 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
ADLT020+ ADLT025	ADLT020 <= 3 and ADLT025 <= 3	Obtained ADLDVIPC Score for daily activities related to personal care and mobility	(min: 0; max: 6)

Alcohol use (1 DV)

1) Type of drinker (12 months)

Variable name: ALCDVTTM

Based on: ALC_005, ALC_010, ALC_015

Description: This variable indicates the type of drinker the respondent is based on his/her drinking habits in the past 12 months.

Note: ALCDVTTM was created to allow the classification of all respondents according to their drinking habits in the past 12 months.

Specifications

Value	Condition(s)	Description	Notes
6	DOALC = 2	Module not selected	NA
9	ALC_005 = (DK,RF,NS) or ALC_010 = (DK,RF,NS) or ALC_015 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	2 <= ALC_015 <= 7	Regular drinker	
2	ALC_015 = 1	Occasional drinker	
3	ALC_005 = 2 or ALC_010 = 2	Did not drink in the last 12 months	

Alcohol use during the past week (4 DVs)

1) Weekly consumption

Variable name: ALWDVWKY

Based on: ALC_005, ALC_010, ALW_005, ALW_010, ALW_015, ALW_020, ALW_025, ALW_030, ALW_035, ALW_040

Description: This variable indicates the total number of drinks consumed in the week prior to the interview.

Note: Respondents who did not have at least one drink in the past 12 months were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
996	DOALW = 2	Module not selected	NA
996	ALC_005 = 2 or ALC_010=2	Population exclusions	NA
0	ALW_005 = 2	Has not had a drink in past week	
999	ALW_005 = (DK, RF, NS) or ALW_010 = (DK, RF, NS) or ALW_015 = (DK, RF, NS) or ALW_020 = (DK, RF, NS) or ALW_025 = (DK, RF, NS) or ALW_030 = (DK, RF, NS) or ALW_035 = (DK, RF, NS) or ALW_040 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
ALW_010 + ALW_015 + ALW_020 + ALW_025 + ALW_030 + ALW_035 + ALW_040	(0 <= ALW_010 < 100) and (0 <= ALW_015 < 100) and (0 <= ALW_020 < 100) and (0 <= ALW_025 < 100) and (0 <= ALW_030 < 100) and (0 <= ALW_035 < 100) and (0 <= ALW_040 < 100)	Number of drinks consumed in past week	(min: 0; max: 693)

2) Average daily alcohol consumption

Variable name: ALWDVDLY

Based on: ALWDVWKY

Description: This variable indicates the average number of drinks the respondent consumed per day in the week prior to the interview.

Note: Respondents who did not have at least one drink in the last 12 months were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
996	DOALW = 2	Module not selected	NA
996	ALWDVWKY = NA	Population exclusions	NA
999	ALWDVWKY = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
ALWDVWKY / 7	ALWDVWKY < 694	Average daily alcohol consumption	(Rounded to integer) (min: 0; max: 99)

3) Increased long term risk due to drinking

Variable name: ALWDVLTR

Based on: DHH_SEX, ALC_005, ALC_010, ALW_005, ALW_010, ALW_015, ALW_020, ALW_025, ALW_030, ALW_035, ALW_040, ALWDVWKY

Description: This variable indicates if the respondent has increased long term health risks due to their drinking habits, according to Canada's Low-Risk Alcohol Drinking Guidelines.

Note: The classification of drinkers according to their long term health risks comes from guidelines in Alcohol and Health in Canada: A Summary of Evidence and Guidelines for Low-risk Drinking, and is based on the alcohol consumption reported over the past week. Long-term or chronic risks include liver disease and certain cancers.

Specifications

Value	Condition(s)	Description	Notes
6	DOALW = 2	Module not selected	NA
6	ALC_005 = 2	Population exclusions - has not drank in lifetime	NA
9	ALC_005 = (DK, RF, NS) or ALC_010 = (DK, RF, NS) or ALW_005 = (DK, RF, NS) or ALW_010 = (DK, RF, NS) or ALW_015 = (DK, RF, NS) or ALW_020 = (DK, RF, NS) or ALW_025 = (DK, RF, NS) or ALW_030 = (DK, RF, NS) or ALW_035 = (DK, RF, NS) or ALW_040 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	DHH_SEX = 1 and (ALW_010 = (4:995) or ALW_015 = (4:995) or ALW_020 = (4:995) or ALW_025 = (4:995) or ALW_030 = (4:995) or ALW_035 = (4:995) or ALW_040 = (4:995) or ALWDVWKY = (16:995)) or DHH_SEX = 2 and (ALW_010 = (3:995) or ALW_015 = (3:995) or ALW_020 = (3:995) or ALW_025 = (3:995) or ALW_030 = (3:995) or ALW_035 = (3:995) or ALW_040 = (3:995) or ALWDVWKY = (11:995))	Increased long term health risk due to drinking	
2	ALW_005 = 2 or ALC_010 = 2 or (DHH_SEX = 1 and ALW_010 =< 3 and ALW_015 =< 3 and ALW_020 =< 3 and ALW_025 =< 3 and ALW_030 =< 3 and ALW_035 =< 3 and ALW_040 =< 3 and ALWDVWKY <= 15) or (DHH_SEX = 2 and ALW_010 =< 2 and ALW_015 =< 2 and ALW_020 =< 2 and ALW_025 =< 2 and ALW_030 =< 2 and ALW_035 =< 2 and ALW_040 =< 2 and ALWDVWKY <= 10)	No increased long term heath risk due to drinking	Includes those who did not drink in past 7 days or past 12 months

4) Increased short term risks due to drinking

Variable name: ALWDVSTR

Based on: DHH_SEX, ALC_005, ALC_010, ALW_005, ALW_010, ALW_015, ALW_020, ALW_025, ALW_030, ALW_035, ALW_040, ALWDVWKY

Description: This variable indicates if the respondent has increased short term health risks due to their drinking habits, according to

Canada's Low-Risk Alcohol Drinking Guidelines.

Note: The classification of drinkers according to their short term health risks comes from guidelines in Alcohol and Health in Canada: A Summary of Evidence and Guidelines for Low-risk Drinking, and is based on the alcohol consumption reported over the past week. Short-term or acute risks include injury and overdose.

Specifications

Value	Condition(s)	Description	Notes
6	DOALW = 2	Module not selected	NA
6	ALC_005 = 2	Population exclusions - has not drank in lifetime	NA
9	ALC_005 = (DK, RF, NS) or ALW_005 = (DK, RF, NS) or ALW_010 = (DK, RF, NS) or ALW_015 = (DK, RF, NS) or ALW_020 = (DK, RF, NS) or ALW_025 = (DK, RF, NS) or ALW_030 = (DK, RF, NS) or ALW_035 = (DK, RF, NS) or ALW_040 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	DHH_SEX = 1 and (ALW_010 = (5:995) or ALW_015 = (5:995) or ALW_020 = (5:995) or ALW_025 = (5:995) or ALW_030 = (5:995) or ALW_035 = (5:995) or ALW_040 = (5:995) or ALWDVWKY = (16:995)) or DHH_SEX = 2 and (ALW_010 = (4:995) or ALW_015 = (4:995) or ALW_020 = (4:995) or ALW_025 = (4:995) or ALW_030 = (4:995) or ALW_035 = (4:995) or ALW_040 = (4:995) or ALWDVWKY = (11:995))	Increased short term health risks due to drinking	
2	ALW_005 = 2 or ALC_010 = 2 or (DHH_SEX = 1 and ALW_010 =< 4 and ALW_015 =< 4 and ALW_020 =< 4 and ALW_025 =< 4 and ALW_030 =< 4 and ALW_035 =< 4 and ALW_040 =< 4 and ALWDVWKY =< 15) or (DHH_SEX = 2 and ALW_010 =< 3 and ALW_015 =< 3 and ALW_020 =< 3 and ALW_025 =< 3 and ALW_030 =< 3 and ALW_035 =< 3 and ALW_040 =< 3 and ALWDVWKY =< 10)	No increased short term risk from due to drinking	Includes those who did not drink in past 7 days or past 12 months

Chronic conditions (1 DV)

1) Diabetes type

Variable name: CCCDVDIA

Based on: DHH_AGE, DHH_SEX, CCC_095, CCC_100, CCC_105, CCC_110, CCC_115, CCC_120, CCC_125

Description: This variable classifies diabetes as Type 1, Type 2, or Gestational, using the Ng-Dasgupta-Johnson algorithm (Health Reports, 19(1), March 2008).

Specifications

Value	Condition(s)	Description	Notes
6	DOCCC = 2	Module not selected	NA
6	CCC_095 > 1	Population exclusions	NA
9	(CCC_105 = (DK,RF,NS) or CCC_110 = (DK,RF,NS) or CCC_115 = (DK,RF,NS) or CCC_095 = (DK,RF,NS) or CCC_100 = (DK,RF,NS) or CCC_120 = (DK,RF,NS) or CCC_125 = (DK,RF,NS)) and (CCC_105 = (2,NA,DK,RF,NS) or CCC_110 = (1,NA,DK,RF,NS))	At least one required question was not answered (don't know, refusal, not stated). Also, if CCC_105 and CCC_110 are not answered, gestational diabetes cannot be derived	NS
1	(DHH_SEX = 1 and CCC_095 = 1 and CCC_120 = 1 and CCC_125 = 2 and (CCC_115 <=3 and (DHH_AGE < 30 or CCC_100 < 30))) or (DHH_SEX = 2 and CCC_095 = 1 and CCC_110 = (1,NA) and CCC_120 = 1 and CCC_125 = 2 and (CCC_115 <=3 and (DHH_AGE < 30 or CCC_100 < 30)))	Type 1 diabetes	
2	CCC_095 = 1 and (CCC_120 = 2 or CCC_100 >= 30 or CCC_115 > 3 or CCC_125 = 1 or (CCC_120 = 1 and (CCC_100 >= 30 or CCC_115 > 3))) and (CCC_105 = (2,NA,DK,RF,NS) or CCC_110 = (1,NA,DK,RF,NS))	Type 2 diabetes	
3	CCC_095 = 1 and DHH_SEX = 2 and CCC_105 = 1 and CCC_110 = 2	Gestational diabetes	

Contacts with health professionals (1 DV)

1) Number of consultations with medical doctor/pediatrician or other specialists

Variable name: CHPDVMDC

Based on: CHP_045, CHP_065

Description: This variable indicates the number of times respondents have seen or talked to a family doctor or a specialist in the last 12 months.

Specifications

Value	Condition(s)	Description	Notes
996	DOCHP = 2	Module not selected	NA
999	CHP_045 = (DK, RF, NS) or CHP_065 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
CHP_045 + CHP_065	(0 <= CHP_045 <= 366) and (0 <= CHP_065 <= 300)	Number of consultations with medical doctor	(min: 0; max: 666)

Depression (2 DVs)

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
DEPT005			
(DEP_005 - 1)	DEP_005 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
DEPT010			
(DEP_010 - 1)	DEP_010 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
DEPT015			
(DEP_015 - 1)	DEP_015 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
DEPT020			
(DEP_020 - 1)	DEP_020 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
DEPT025			
(DEP_025 - 1)	DEP_025 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
DEPT030			
(DEP_030 - 1)	DEP_030 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
DEPT035			
(DEP_035 - 1)	DEP_035 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
DEPT040			
(DEP_040 – 1)	DEP_040 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
DEPT045			
(DEP_045 - 1)	DEP_045 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	

1) Depression severity scale

Variable name: DEPDVPHQ

Based on: ADM_PRX, DEP_005, DEP_010, DEP_015, DEP_020, DEP_025, DEP_030, DEP_035, DEP_040, DEP_045

Description: This variable indicates the severity of a respondent's depression, using a 9 item scale. This scale corresponds to the Patient Health Questionnaire (PHQ-9). A higher score indicates more severe depression.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DODEP = 2	Module not selected	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	DEP_005 = (DK, RF, NS) or DEP_010 = (DK, RF, NS) or DEP_015 = (DK, RF, NS) or DEP_020 = (DK, RF, NS) or DEP_025 = (DK, RF, NS) or DEP_030 = (DK, RF, NS) or DEP_035 = (DK, RF, NS) or DEP_040 = (DK, RF, NS) or DEP_045 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	

DEPT005 + DEPT010 + DEPT015 + DEPT020 + DEPT025 + DEPT030 + DEPT035 + DEPT040 + DEPT045	(0 <= DEPT005 <= 3) and (0 <= DEPT010 <= 3) and (0 <= DEPT015 <= 3) and (0 <= DEPT020 <= 3) and (0 <= DEPT025 <= 3) and (0 <= DEPT030 <= 3) and (0 <= DEPT035 <= 3) and (0 <= DEPT040 <= 3) and (0 <= DEPT045 <= 3)	Score obtained on the depression scale (PHQ-9)	(min: 0; max: 27)

2) Depression scale - severity of depression

Variable name: DEPDVSEV

Based on: ADM_PRX, DEPDVPHQ

Description: This variable classifies the respondent's degree of depression based their score obtained on the Patient Health Questionnaire (PHQ-9) depression scale.

Specifications

Value	Condition(s)	Description	Notes
6	DODEP = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
9	DEPDVPHQ = NS	Required question was not answered (don't know, refusal, not stated)	NS
0	DEPDVPHQ = 0	No Depression	
1	1 <= DEPDVPHQ <=4	Minimal Depression	
2	5 <= DEPDVPHQ <= 9	Mild Depression	
3	10 <= DEPDVPHQ <= 14	Moderate Depression	
4	15 <= DEPDVPHQ <= 19	Moderately Severe Depression	
5	20 <= DEPDVPHQ <= 27	Severe Depression	

Dwelling and household variables (10 DVs)

1) Number of persons in household less than 16 years of age

Variable name: DHHDVYKD

Based on: DHH_AGE, PERSONID, SAMPLEID

Description: This variable indicates the number of people living within a household whose age is less than 16 years old.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONID's that have a DHH_AGE value of less than 16 within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
Total number of PERSONID's with each SAMPLEID	DHH_AGE <= 15 (Member file)	Number of persons under 16 in a household	(min: 0; max: 40)

2) Number of persons in household 16 or 17 years of age

Variable name: DHHDVOKD

Based on: DHH_AGE, PERSONID, SAMPLEID, RELATIONSHIP, DHHDVHSZ, DHHDVLVG

Description: This variable indicates the number of people living within a household whose age is 16 or 17 years old and whose relationship to at least one adult living within the household is child, grandchild, child-in-law, or niece or nephew.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONID's that have a DHH_AGE value of 16 or 17 and who have an older relative in the household within each SAMPLEID.

In 2015, the full set of relationships between all household members was dropped from collection for most household types. Instead, only relationships between the selected respondent and other household members were collected. Some complicated households still provided the full set of relationships (when DHHDVLVG=2,10).

From the partial set of relationships, it is still possible to count for DHHDVOKD, though in some rare instances it may classify a 16 or 17 year old who is independent to be a child rather than a young adult.

Specifications

Value	Condition(s)	Description	Notes
0	DHHDVHSZ = 1	Unattached individual living alone	Respondents aged 16-17 are considered adults
Total number of PERSONID's with each SAMPLEID	(DHHDVHSZ = 2 or DHHDVLVG= (2, 10)) and DHH_AGE = (16, 17) [Member file] and RELATIONSHIP = (50, 51, 52, 53, 80, 100, 112, 123) [Relation files]	Number of persons aged 16 or 17 in a household whose relationship with at least one adult of the household is child, grandchild, child-in-law, or niece or nephew	All relations are available for DHHDVLVG=2,10
DHHDVOKD + 1	DHH_AGE = (16, 17) for selected respondent and their RELATIONSHIP with at least one household member = (50, 51, 52, 53, 80, 100, 112, 123, DK, RF, NS) [Relation files]	Since selected respondent has an older relative living in the household, the respondent is considered as a child	

Total number of PERSONID's with each SAMPLEID	DHH_AGE= (16, 17) for the person who is not the selected respondent and their RELATIONSHIP with selected respondent = (40, 41, 42, 43, 60, 61, 62, 63, 64, 65, 70, 90, 121, DK, RF, NS) [Relation files]	Number of persons aged 16 or 17 in a household to whom the selected respondent is a parent, sibling, foster parent, grandparent or uncle or aunt

3) Number of persons in household between 6 and 11 years of age

Variable name: DHHDV611

Based on: DHH_AGE, SAMPLEID, PERSONID

Description: This variable indicates the number of people living within a household whose age is between 6 and 11 years old.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONID's that have a DHH_AGE value from 6 to 11 within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
Total number of PERSONID's with each SAMPLEID	(6 <= DHH_AGE <= 11) (Member file)	Number of persons 6 to 11 in a household	(min: 0; max: 40)

4) Economic family status (household type)

Variable name: DHHDVECF

Based on: DHHDVLVG, DHHTREL and DHHTREL2 for all household members, DHH_AGE and DHH_SEX for all household members, DHHDVHSZ

Description: This variable identifies the family relationships within the household. Economic family refers to a group of two or more persons who live in the same dwelling and are related to each other by blood, marriage, common-law or adoption. A couple may be of opposite or same sex. Foster children are included in this derived variable (but excluded from the target population) because this variable applies to all household members, not just the selected respondent.

Note: The necessary data is collected using a set of relationship codes that define a link between the selected respondent and each person in a household.

From these relationships, the living/family arrangement of the selected respondent (DHHDVLVG) was derived in the collection application. If the DHHDVLVG was derived as 2 or 10, all remaining relationships between other household members were collected.

DHHDVECF is derived using a combination of the living/family arrangement variable, ages of persons in the household, DHH_SEX of all persons in the household, and all of the relationships that the selected respondent indicated having with the other household members. In the case when DHHDVLVG=2 or 10, all relationships of each person in a household to each other person are also used in creating DHHDVECF.

Temporary Reformat

Value	Condition(s)	Description	Notes
DHHTREL2			
Z	RF, NS	Not Stated	Relationship Codes
A	40, 41, 42, 43	Parental (40 = Father/Mother, 41 = Birth Father/Mother, 42 = Step Father/Mother, 43 = Adoptive Father/Mother)	Relationship Codes

L	60, 61, 62, 63, 64, 65, 70, 80, 90, 100, 110, 111,112, 113, 114, 120, 121, 122, 123, 124, 260, 261,262, 263	Other (60 = Brother/Sister, 61 = Full Sister/Brother,62 = Half Sister/Brother, 63 = Step Sister/Brother,64 = Adopted Sister/Brother, 65 = Foster Sister/Brother, 70 = Foster Parent, 80 = Foster Child, 90 = Grandparent, 100 = Grandchild, 110 = In-Law, 111 = Father/Mother-in-law, 112 = Son/Daughter-in-law, 113 = Brother/Sister-in-law,114 = Other in-law, 120 = Other Related, 121 = Uncle/Aunt, 122 = Cousin, 123 = Nephew/Niece, 124 = Other Relative, 260 = Unrelated, 261 = Boyfriend/Girlfriend, 262 = Roommate, 263 = Other Unrelated)	Relationship Codes
M	50, 51, 52, 53 (Sorted by age)	Child (50 = Son/Daughter, 51 = Birth Child, 52 = Step Child, 53 = Adopted Child)	Relationship Codes
X	10, 20	Spouse (10 = Husband/Wife, 20 = Common Law Partner)	Relationship Codes
Y	251	Single	Relationship Codes

Specifications

Value	Condition(s)	Description	Notes
99	Any DHHTREL = Z1 or any DHHTREL2 = Z	Not Stated	NS
1	DHHDVHSZ = 1	Unattached Individual. Unattached individual living alone. (Household size = 1)	
2	DHHDVLVG = 2 and all DHHTREL2 for all household members = (L,Y)	Unattached Individual Living With Others. Unattached individuals living together. There cannot be a marital/common-law or parental relationship with another household member, but other relationships such as siblings are permitted.	
3	DHHDVLVG = 3	Couple Alone Married or C/L with no children. No other relationships are permitted. (Household size = 2)	
4	DHHDVLVG = (2, 10) and DHHDVHSZ > 2 and at least 2 household members must have an DHHTREL2 = X and DHHTREL2 for all household members <> (A, M)	Couple With No Children, Others. Married or C/L with no children. There can be no parent/child relationships. Other relationships are permitted.	
5	(DHHDVLVG = 4 and DHH_AGE < 25 for at least one household member with DHHTREL = A1) or (DHHDVLVG = 8 and DHH_AGE < 25 for selected respondent) or (DHHDVLVG = 9 and (DHH_AGE < 25 for selected respondent or DHH_AGE < 25 for at least one household member with DHHTREL = C1))	Couple With Children less than 25. Married or C/L couple with at least one partner being the parent of at least one child less than 25 years old in the household. No other relationships in the household are permitted.	
6	DHHDVLVG = (2, 10) and at least 2 household members must have an DHHTREL2 = X and at least one of which must have an DHHTREL2 = A. At least one other household member must have DHHTREL2 = M with the above household member and of these at least one is DHH_AGE < 25.	Couple With Children less than 25, Others. Married or C/L couple with at least one partner being the parent of at least one child less than 25 years old in the household. Other relationships in the household are permitted.	
7	(DHHDVLVG = 4 and DHH_AGE >= 25 for all household members with DHHTREL=A1) or (DHHDVLVG = 8 and DHH_AGE >= 25 for selected respondent) or (DHHDVLVG = 9 and DHH_AGE >= 25 for selected respondent and for all household members with DHHTREL = C1)	Couple With All Children aged 25 or older. Married or C/L couple with all children in the household aged 25 or older. No other relationships in the household are permitted.	

8	DHHDVLVG = (2, 10) and DHHDVHSZ > 2 and at least 2 household members must have an DHHTREL = X and at least one of which must have an DHHTREL = A. At least one other household member must have DHHTREL = M with the above household member and of these DHH_AGE >= 25	Couple With All Children aged 25 or older, Others. Married or C/L couple with all children in the household aged 25 or older. Other relationships in the household are permitted.
9	(DHHDVLVG = 5 and DHH_SEX = 2 for selected respondent and DHH_AGE < 25 for at least one household member with DHHTREL = A1) or (DHHDVLVG = 6 and DHH_AGE < 25 for selected respondent and DHH_SEX = 2 for other household member) or (DHHDVLVG = 7 and (DHH_AGE < 25 for selected respondent or DHH_AGE < 25 for at least one household member with DHHTREL = C1) and DHH_SEX = 2 for household member with DHHTREL = B1)	Female Lone Parent With Children less than 25. At least one child in the household must be less than 25 years old. No other relationships in the household are permitted.
10	DHHDVLVG = (2, 10) and DHHDVHSZ > 1 and one household member must have DHHTREL = A and DHH_SEX = 2. At least one other household member must have DHHTREL = M with the above household member and of these at least one DHH_AGE < 25	Female Lone Parent With Children less than 25, Others. At least one child in the household must be less than 25 years old. Other relationships in the household are permitted.
11	(DHHDVLVG = 5 and DHH_SEX = 2 for selected respondent and DHH_AGE >= 25 for all household members with DHHTREL = A1) or (DHHDVLVG = 6 and DHH_AGE >= 25 for selected respondent and DHH_SEX = 2 for other household member) or (DHHDVLVG = 7 and DHH_AGE >= 25 for selected respondent and DHH_AGE >= 25 for all household members with DHHTREL = C1 and DHH_SEX = 2 for household member with DHHTREL = B1)	Female Lone Parent With All Children aged 25 or older. All children in the household must be aged 25 or older. No other relationships in the household are permitted.
12	DHHDVLVG = (2, 10) and DHHDVHSZ > 1 and one household member must have DHHTREL = A and DHH_SEX = 2. At least one other household member must have DHHTREL = M with the above household member and of these DHH_AGE >= 25.	Female Lone Parent With All Children aged 25 or older, Others. All children in the household must be aged 25 or older. Other relationships in the household are permitted.
13	(DHHDVLVG = 5 and DHH_SEX = 1 for selected respondent and DHH_AGE < 25 for at least one household member with DHHTREL = A1) or (DHHDVLVG = 6 and DHH_AGE < 25 for selected respondent and DHH_SEX = 1 for other household members in household) or (DHHDVLVG = 7 and (DHH_AGE < 25 for selected respondent or DHH_AGE < 25 for at least one household member with DHHTREL = C1) and DHH_SEX = 1 for household member with DHHTREL = B1)	Male Lone Parent With Children less than 25. At least one child in the household must be less than 25 years old. No other relationships in the household are permitted.
14	DHHDVLVG = (2, 10) and DHHDVHSZ > 1 and one household member must have DHHTREL = A and DHH_SEX = 1. At least one other household member must have DHHTREL = M with the above household member and of these at least one DHH_AGE < 25.	Male Lone Parent With Children less than 25, Others. At least one child in the household must be less than 25 years old. Other relationships in the household are permitted.

15	(DHHDVLVG = 5 and DHH_SEX = 1 for selected respondent and DHH_AGE >= 25 for all household members with DHHTREL = A1) or (DHHDVLVG = 6 and DHH_AGE >= 25 for selected respondent and DHH_SEX = 1 for other household member in household) or (DHHDVLVG = 7 and DHH_AGE >= 25 for selected respondent and DHH_AGE >= 25 for all household members with DHHTREL = C1 and DHH_SEX = 1 for houshold member with DHHTREL = B1)	Male Lone Parent With All Children aged 25 or older. All children in the household must be aged 25 or older. No other relationships in the household are permitted.	
16	DHHDVLVG = (2, 10) and DHHDVHSZ > 1 and one household member must have DHHTREL = A and DHH_SEX = 1. At least one other household member must have DHHTREL = M with the above household member and of these DHH_AGE >= 25.	Male Lone Parent With All Children aged 25 or older, Others. All children in the household must be aged 25 or older. Other relationships in the household are permitted.	
17	Else	Other Family Type All other household types	DHHDVLVG must only be 2 or 10.

Reference: The standard classification Economic family status now includes foster children under 18 years of age. They were previously classified as persons not in economic families.

5) Number of persons in household less than 12 years of age

Variable name: DHHDVL12

Based on: DHH_AGE, SAMPLEID, PERSONID

Description: This variable indicates the number of people living within a household whose age is less than 12 years old.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONID's that have a DHH_AGE value less than 12 within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
Total number of PERSONID's with each SAMPLEID	DHH_AGE < 12 (Member file)	Number of persons under 12 in a household	(min: 0; max: 40)

6) Number of persons in household less than 18 years of age

Variable name: DHHDVL18

Based on: DHHDVYKD, DHHDVOKD

Description: This variable indicates the number of people living within a household whose age is less than 18 and whose relationship to at least one adult living within the household is a child, including step children, adopted children or foster children.

Note: Prior to 2015, this variable was derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONID's that have a DHH_AGE less than 18 and whose RELATIONSHIP value is (50, 51, 52, 53, 80) within each SAMPLEID.

In 2015, due to the change in the set of relationships collected, this variable will now be derived by adding the number of people aged 15 or younger (DHHDVYKD) to the number of people aged 16 or 17 living with an older relative (DHHDVOKD).

Specifications

Value	Condition(s)	Description	Notes

DHHDVYKD + DHHDVOKD	Number of persons aged less than 18 in a household whose relationship with at least one adult of the household is a child, including step children, or adopted children.	(min: 0; max: 40)

7) Number of persons 5 years or less in household

Variable name: DHHDVLE5

Based on: DHH_AGE, SAMPLEID, PERSONID

Description: This variable indicates the number of people living within a household whose age is 5 years old or less.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONID's that have a DHH_AGE value less than 6 within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
Total number of PERSONID's with each SAMPLEID	DHH_AGE <= 5 (Member file)	Number of persons under 6 in a household	(min: 0; max: 40)

8) Age of spouse

Variable name: DHHDVAOS

Based on: DHH_AGE, SAMPLEID, PERSONID, RELATIONSHIP

Description: This variable indicates the age of a respondent's spouse.

Note: This variable is derived by sorting the household roster by SAMPLEID and PERSONID and showing the DHH_AGE of the PERSONID that has a relationship of spouse with the respondent within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
999	(RELATIONSHIP = 10 or 20) and (DHH_AGE (of spouse) = null)	Age of spouse not stated	NS
996	(RELATIONSHIP <> 10 or 20) and (DHH_AGE (of spouse) = null)	Population exclusion	NA
DHH_Age of PERSONID (spouse) within each SAMPLEID	(RELATIONSHIP = 10 or 20)	Age of respondent's spouse. Spouse is defined as husband/wife or common law partner.	(max: 121)

9) Household size

Variable name: DHHDVHSZ

Based on: SAMPLEID, PERSONID

Description: This variable indicates the number of people living within a household.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONID's within each SAMPLEID.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
Total number of PERSONID's with each SAMPLEID	Sort the file (Member file) by SAMPLEID and PERSONID	Number of persons in a household	(min: 1; max: 20)

01) Living / family arrangement of selected respondent

Variable name: DHHDVLVG

Based on: DHHTREL of selected respondent and DHHDVHSZ

Description: This variable identifies the family relationships between the selected respondent and the rest of the household.

Note: The necessary data is collected using a set of relationship codes that define a link between the selected respondent and each person in a household. All relationships with the selected respondent within each sample (relationship of selected respondent to each other person within the household) are used in creating this variable.

Prior to 2015, all relationships between all household members were collected. Starting in 2015, to reduce response burden, only the relationships with the selected respondent were collected for most households. The variable DHHDVLVG was derived during collection. If the variable had the code 2 (Unattached individual living with others) or 10 (Other), then all relationships were collected. They were collected to aid in the derivation of DHHDVECF (see note for that DV).

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
DHHTREL			
Z1	NS	Not Stated	Relationship Codes
A1	40, 41, 42, 43	Parental (40 = Father/Mother, 41 = Birth Father/Mother, 42 = Step Father/Mother, 43 = Adoptive Father/Mother)	Relationship Codes
B1	50, 51, 52, 53	Child (50 = Son/Daughter, 51 = Birth Child, 52 = Step Child, 53 = Adopted Child)	Relationship Codes
C1	60, 61, 62, 63, 64	Sibling (60 = Brother/Sister, 61 = Full Sister/Brother,62 = Half Sister/Brother, 63 = Step Sister/Brother, 64 = Adopted Sister/Brother)	Relationship Codes
K1	90, 100, 110, 111, 112, 113, 114, 120, 121, 122, 123, 124	Other relative (90 = Grandparent, 100 = Grandchild, 110 = In-Law, 111= Father/Mother-in-law, 112 = Son/Daughter-in-law, 113 = Brother/Sister-in-law, 114 = Other in-law, 120 = Other Related, 121 = Uncle/Aunt, 122 = Cousin, 123 = Nephew/Niece, 124 = Other Relative)	Relationship Codes
L1	65, 70, 80, 260, 261, 262, 263	Non-relative (65 = Foster Sister/Brother, 70 = Foster Parent, 80 = Foster Child, 260 = Unrelated, 261 = Boyfriend/Girlfriend, 262 = Room-mate, 263 = Other Unrelated)	Relationship Codes
X1	10, 20	Spouse/Partner (10 = Husband/Wife, 20 = Common Law Partner)	Relationship Codes

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
99	Any DHHTREL = Z1	Not Stated	NS

1	DHHDVHSZ = 1	Unattached individual living alone. Lives alone. (Household size=1)
2	All DHHTREL <> X1 and A1	Unattached individual living with others. Selected respondent lives with others. He cannot have a marital/common-law or parental relationship with another household member but other relationships such as siblings are allowed.
3	DHHDVHSZ = 2 and DHHTREL = X1	Individual living with spouse/partner. Selected respondent lives with spouse/partner only. (Household size=2)
4	DHHDVHSZ > 2 and One DHHTREL = X1 and all other DHHTREL = A1	Parent living with spouse/partner and child(ren). Selected respondent lives with spouse/partner and child(ren).
5	All DHHTREL = A1	Single parent living with child(ren). Selected respondent lives with child(ren). No other relationships in the household are permitted.
6	DHHDVHSZ = 2 and DHHTREL = B1	Selected respondent is a child living with a single parent. (Household size=2)
7	DHHDVHSZ > 2 and One DHHTREL = B1 and all other DHHTREL = C1	Selected respondent is a child living with a single parent and siblings.
8	DHHDVHSZ = 3 and All DHHTREL = B1	Selected respondent is a child living with two parents. (Household size = 3)
9	DHHDVHSZ > 3 and Two DHHTREL = B1 and all other DHHTREL = C1	Selected respondent is a child living with two parents and siblings.
10	Else	Other Lives in a household composition not classified above.

Drug use (13 DVs)

1) Marijuana or hashish drug use - lifetime (including "one time only" use)

Variable name: DRGDVLCA

Based on: ADM_PRX, DRG_005

Description: This variable indicates whether respondents have ever used marijuana or hashish.

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRG_005 = (1, 2)	Has used marijuana	
2	DRG_005 = 3	Has never used marijuana	
9	DRG_005 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

2) Marijuana or hashish drug use - lifetime (excluding "one time only" use)

Variable name: DRGDVLCM

Based on: ADM_PRX, DRG_005

Description: This variable indicates whether respondents have used marijuana or hashish more than just once.

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRG_005 = 2	Has used marijuana more than once	
2	DRG_005 = (1,3)	Has not used marijuana more than once	
9	DRG_005 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

3) Cocaine drug use - lifetime

Variable name: DRGDVLCO

Based on: ADM_PRX, DRG_020

Description: This variable indicates whether respondents have ever used cocaine or crack.

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA

9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRG_020 = (1, 2)	Has used cocaine or crack	
2	DRG_020 = 3	Has never used cocaine or crack	
9	DRG_020 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

4) Amphetamine / speed drug use - lifetime

Variable name: DRGDVLAM

Based on: DRG_030

Description: This variable indicates whether respondents have ever used amphetamines (speed).

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRG_030 = (1, 2)	Has used amphetamines	
2	DRG_030 = 3	Has never used amphetamines	
9	DRG_030 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

5) Ecstasy drug use - lifetime

Variable name: DRGDVLEX

Based on: ADM_PRX, DRG_040

Description: This variable indicates whether respondents have ever used MDMA (ecstasy) or similar drugs.

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRG_040 = (1, 2)	Has used MDMA (ecstasy)	
2	DRG_040 = 3	Has never used MDMA (ecstasy)	
9	DRG_040 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

6) Hallucinogens drug use - lifetime

Variable name: DRGDVLHA

Based on: ADM_PRX, DRG_050

Description: This variable indicates whether respondents have ever used hallucinogens, PCP, or LSD (acid).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRG_050 = (1, 2)	Has used hallucinogens, PCP, or LSD (acid)	
2	DRG_050 = 3	Has never used hallucinogens, PCP, or LSD (acid)	
9	DRG_050 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

7) Glue, gasoline, or other solvent use - lifetime

Variable name: DRGDVLGL

Based on: ADM_PRX, DRG_060

Description: This variable indicates whether respondents have ever sniffed glue, gasoline, or other solvents.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRG_060 = (1, 2)	Has sniffed glue, gasoline or other solvents	
2	DRG_060 = 3	Has never sniffed glue, gasoline or other solvents	
9	DRG_060 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

8) Illicit drug injection - lifetime

Variable name: DRGDVINJ

Based on: ADM_PRX, DRG_070

Description: This variable indicates whether respondents have ever injected drugs not prescribed by a doctor.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRG_070 = (1, 2)	Has injected drugs	
2	DRG_070 = 3	Has never injected drugs	
9	DRG_070 = (DK, RF, NS)	The required question was not answered (don't know, refusal, not stated)	NS

9) Any illicit drug use - 12 month (including "one time only" use of marijuana or hashish)

Variable name: DRGDVYA

Based on: ADM_PRX, DRG_010, DRG_025, DRG_035, DRG_045, DRG_055, DRG_065, DRG_075

Description: This variable indicates whether respondents used any of the drugs listed in the past 12 months. Includes one time use of marijuana or hashish.

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRG_010 = 1 or DRG_025 = 1 or DRG_035 = 1 or DRG_045 = 1 or DRG_055 = 1 or DRG_065 = 1 or DRG_075 = 1	Respondent has used at least one of the drugs listed, in the past 12 months, including "one time only" use of marijuana or hashish.	
2	DRG_010 = (2, NA) and DRG_025 = (2, NA) and DRG_035 = (2, NA) and DRG_045 = (2, NA) and DRG_055 = (2, NA) and DRG_065 = (2, NA) and DRG_075 = (2, NA)	Respondent has not used drugs listed in the past 12 months.	
9	DRG_010 = (DK, RF, NS) or DRG_025 = (DK, RF, NS) or DRG_035 = (DK, RF, NS) or DRG_045 = (DK, RF, NS) or DRG_055 = (DK, RF, NS) or DRG_065 = (DK, RF, NS) or DRG_075 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

01) Marijuana or hashish drug use - 12 month (excluding "one time only" use)

Variable name: DRGDVYCM

Based on: ADM_PRX, DRG_005, DRG_010

Description: This variable indicates whether respondents have used marijuana or hashish in the past year, excluding one time use in lifetime.

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRG_005 = 2 and DRG_010 = 1	Has used marijuana in the past 12 months and has used marijuana more than once in his/her lifetime	
2	(DRG_005 = 1 and DRG_010 = 1) or DRG_010 = (2, NA)	Has not used marijuana more than once	
9	DRG_010 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

01) Any illicit drug use - 12 month (excluding "one time only" use of marijuana or hashish)

Variable name: DRGDVYAC

Based on: ADM_PRX, DRGDVYCM, DRG_025, DRG_035, DRG_045, DRG_055, DRG_065, DRG_075

Description: This variable indicates whether respondents used any of the drugs listed in the past 12 months. Excludes one time use of marijuana or hashish.

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRGDVYCM = 1 or DRG_025 = 1 or DRG_035 = 1 or DRG_045 = 1 or DRG_055 = 1 or DRG_065 = 1 or DRG_075 = 1	Has used at least 1 of 8 drugs, excluding "one time only" use of marijuana or hashish	
2	DRGDVYCM = 2 and DRG_025 = (2, NA) and DRG_035 = (2, NA) and DRG_045 = (2, NA) and DRG_055 = (2, NA) and DRG_065 = (2, NA) and DRG_075 = (2, NA)	Has not used drugs listed in the past 12 months, excluding "one time only" lifetime use of marijuana or hashish	
9	DRGDVYCM = NS or DRG_025 = (DK, RF, NS) or DRG_035 = (DK, RF, NS) or DRG_045 = (DK, RF, NS) or DRG_055 = (DK, RF, NS) or DRG_065 = (DK, RF, NS) or DRG_075 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

01) Any illicit drug use - lifetime (including "one time only" use of marijuana or hashish)

Variable name: DRGDVLA

Based on: ADM_PRX, DRGDVLCA, DRGDVLCO, DRGDVLAM, DRGDVLEX, DRGDVLHA, DRGDVLGL, DRGDVINJ

Description: This variable indicates whether respondents have ever used any of the drugs listed. Includes one time use of marijuana or hashish.

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS

1	DRGDVLCA = 1 or DRGDVLCO = 1 or DRGDVLAM = 1 or DRGDVLEX = 1 or DRGDVLHA = 1 or DRGDVLGL = 1 or DRGDVINJ = 1	Has used at least 1 of 8 drugs in lifetime, including "one time only" use of marijuana or hashish	
2	DRGDVLCA = 2 and DRGDVLCO = 2 and DRGDVLAM = 2 and DRGDVLEX = 2 and DRGDVLHA = 2 and DRGDVLGL = 2 and DRGDVINJ = 2	Has never used drugs listed	
9	DRGDVLCA = NS or DRGDVLCO = NS or DRGDVLAM = NS or DRGDVLEX = NS or DRGDVLHA = NS or DRGDVLGL = NS or DRGDVINJ = NS	At least one required question was not answered (don't know, refusal, not stated)	NS

01) Any illicit drug use - lifetime (excluding "one time only" use of marijuana or hashish)

Variable name: DRGDVLAC

Based on: ADM_PRX, DRGDVLCM, DRGDVLCO, DRGDVLAM, DRGDVLEX, DRGDVLHA, DRGDVLGL, DRGDVINJ

Description: This variable indicates whether respondents have ever used any of the drugs listed. Excludes one time use of marijuana or hashish.

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRGDVLCM = 1 or DRGDVLCO = 1 or DRGDVLAM = 1 or DRGDVLEX = 1 or DRGDVLHA = 1 or DRGDVLGL = 1 or DRGDVINJ = 1	Has used at least 1 of 8 drugs, excluding "one time only" use of marijuana or hashish	
2	DRGDVLCM = 2 and DRGDVLCO = 2 and DRGDVLAM = 2 and DRGDVLEX = 2 and DRGDVLHA = 2 and DRGDVLGL = 2 and DRGDVINJ = 2	Has never used drugs listed, excluding one time use of marijuana or hashish	
9	DRGDVLCM = NS or DRGDVLCO = NS or DRGDVLAM = NS or DRGDVLEX = NS or DRGDVLHA = NS or DRGDVLGL = NS or DRGDVINJ = NS	At least one required question was not answered (don't know, refusal, not stated)	NS

Drug use methods (2 DVs)

1) Any illicit drug use - lifetime

Variable name: DRMDVLA

Based on: ADM_PRX, DRM_005, DRM_015, DRM_025, DRM_040

Description: This variable indicates whether the respondent has ever smoked illicit drugs, snorted or sniffed them, took them orally, or used a needle to inject or be injected with a drug not prescribed by a doctor.

Specifications

Value	Condition(s)	Description	Notes
6	DODRM = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRM_005 = 1 or DRM_015 = 1 or DRM_025 = 1 or DRM_040 = 1	Has taken illicit drugs using at least 1 of the 4 methods listed	
2	DRM_005 = 2 and DRM_015 = 2 and DRM_025 = 2 and DRM_040 = 2	Has never taken illicit drugs using any of the 4 methods listed	
9	DRM_005 = (DK, RF, NS) or DRM_015 = (DK, RF, NS) or DRM_025 = (DK, RF, NS) or DRM_040 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

2) Any illicit drug use - 12 months

Variable name: DRMDVLAY

Based on: ADM_PRX, DRM_010, DRM_020, DRM_030, DRM_045

Description: This variable indicates whether the respondent has smoked illicit drugs, snorted or sniffed them, took them orally, or used a needle to inject or be injected with a drug not prescribed by a doctor in the past 12 months.

Specifications

Value	Condition(s)	Description	Notes
6	DODRM = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRM_010 = 1 or DRM_020 = 1 or DRM_030 = 1 or DRM_045 = 1 or	Has taken illicit drugs using at least 1 of 4 methods listed in the past 12 months	
2	DRM_010 = (2, NA) and DRM_020 = (2, NA) and DRM_030 = (2, NA) and DRM_045 = (2, NA)	Has not taken illicit drugs in the past 12 months using any of the 4 methods listed	
9	DRM_010 = (DK, RF, NS) or DRM_020 = (DK, RF, NS) or DRM_030 = (DK, RF, NS) or DRM_045 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

Food choices (3 DVs)

1) Avoids certain foods for certain content reasons

Variable name: FDCDVAVD

Based on: ADM_PRX, FDC_040, FDC_045, FDC_050, FDC_055, FDC_060

Description: This variable indicates whether the respondent avoids certain foods because of concerns about fat, the type of fat, salt, cholesterol or calorie content.

Specifications

Value	Condition(s)	Description	Notes
6	DOFDC = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	FDC_040 = 1 or FDC_045 = 1 or FDC_050 = 1 or FDC_055 = 1 or FDC_060 = 1	Avoids certain foods because of concerns about fat, the type of fat, salt, cholesterol or calorie content	
2	FDC_040 = 2 and FDC_045 = 2 and FDC_050 = 2 and FDC_055 = 2 and FDC_060 = 2	Does not avoid certain foods because of concerns about fat, the type of fat, salt, cholesterol and calorie content	
9	FDC_040 = (DK, RF, NS) or FDC_045 = (DK, RF, NS) or FDC_050 = (DK, RF, NS) or FDC_055 = (DK, RF, NS) or FDC_060 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

2) Chooses or avoids certain foods because of certain health concerns

Variable name: FDCDVCAH

Based on: ADM_PRX, FDC_005, FDC_010, FDC_015, FDC_020

Description: This variable indicates whether the respondent chooses or avoids certain types of foods because of one or more of the following health concerns: body weight, heart disease, cancer, and osteoporosis.

Specifications

Value	Condition(s)	Description	Notes
6	DOFDC = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	FDC_005 = 1 or FDC_010 = 1 or FDC_015 = 1 or FDC_020 = 1	Choose or avoids certain foods because of health concerns related to body weight, heart disease, cancer or osteoporosis	
2	FDC_005 = 2 and FDC_010 = 2 and FDC_015 = 2 and FDC_020 = 2	Does not choose or avoid certain foods because of health concerns related to body weight, heart disease, cancer, osteoporosis	

9	FDC_005 = (DK, RF, NS) or FDC_010 = (DK, RF, NS) or FDC_015 = (DK, RF, NS) or FDC_020 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

3) Chooses certain foods for certain content reasons

Variable name: FDCDVCHO

Based on: ADM_PRX, FDC_025, FDC_030, FDC_035

Description: This variable indicates whether the respondent chooses certain foods because of fat, fibre, or calcium content.

Specifications

Value	Condition(s)	Description	Notes
6	DOFDC = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	FDC_025 = 1 or FDC_030 = 1 or FDC_035 = 1	Chooses certain foods because of fat, fibre or calcium content	
2	FDC_025 = 2 and FDC_030 = 2 and FDC_035 = 2	Does not choose certain foods because of concerns about fat, fibre and calcium content	
9	FDC_025 = (DK, RF, NS) or FDC_030 = (DK, RF, NS) or FDC_035 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

Food security (3 DVs)

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
DHHTDKS			
1	DHHDVYKD <> 0 or DHHDVOKD <> 0	Set value to 1 to indicate households WITH children (aged less than 18)	
0	DHHDVYKD = 0 and DHHDVOKD = 0	Set value to 0 to indicate households WITHOUT children (aged less than 18)	
FSCT010			
0	FSC_010 = 3 and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_010 = (1,2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT015			
0	FSC_015 = 3 and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_015 = (1,2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT020			
0	FSC_020 = 3 and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_020 = (1,2) and DOFSC = 1	Set the value to 1 if respondent did provide a "affirmative" response to food security questions.	
FSCT025			
0	FSC_025 = (3,NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_025 = (1,2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT030			
0	FSC_030 = (3,NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_030 = (1,2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT035			
0	FSC_035 = (3,NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_035 = (1,2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT040			
0	FSC_040 = (2,NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_040 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT045			
0	FSC_045 = (3,NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_045 = (1, 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT050			
0	FSC_050 = (2,NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_050 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT055			
0	FSC_055 = (2,NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_055 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	

FSCT060			
0	FSC_060 = (2,NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_060 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT065			
0	FSC_065 = (2,NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_065 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT070			
0	FSC_070 = (3,NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_070 = (1,2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT075			
0	FSC_075 = (2,NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_075 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT080			
0	FSC_080 = (2,NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_080 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide a "affirmative" response to food security questions.	
FSCT085			
0	FSC_085 = (3,NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_085 = (1,2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT090			
0	FSC_090 = (2,NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_090 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT095			
0	FSC_095 = (2,NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_095 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCTASUM			
FSCT010 + FSCT015 + FSCT020 + FSCT040 + FSCT045 + FSCT050 + FSCT055 + FSCT060 + FSCT065 + FSCT070	All	Sum of all temporary variables for adults to be used in determining the level of household food insecurity. Total will range from 0 to 10.	(Min: 0; Max: 10)
FSCTCSUM			
FSCT025 + FSCT030 + FSCT035 + FSCT075 + FSCT080 + FSCT085 + FSCT090 + FSCT095	All	Sum of all temporary variables for children to be used in determining the level of household food insecurity. Total will range from 0 to 8.	(Min: 0; Max: 8)

1) Food security - adult status

Variable name: FSCDVAFS

Based on: FSC_010, FSC_015, FSC_020, FSC_040, FSC_045, FSC_050, FSC_055, FSC_060, FSC_065, FSC_070, FSCTASUM

Description: This variable is based on a set of 10 adult-referenced questions and describes the food security situation of the adult members of the household in the previous 12 months. It captures three kinds of situations:

1 - Food secure: No, or one, indication of difficulty with income-related food access.
2 - Moderately food insecure: indication of compromise in quality and/or quantity of food consumed (2 to 5 affirmative responses).
3 - Severely food insecure: indication of reduced food intake and disrupted eating patterns (>= 6 affirmative responses)

This variable is adopted from the Health Canada model of food security status.

Note: This variable does not necessarily reflect the experience of all adult members in the household. When using the person weights (WTS_M), this variable reflects the number of people living in households with food insecurity among the adult members of the household. When using the household weights (WTS_MHH), this variable reflects the number of households with food insecurity among the adult members of the household.

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

This derived variable was introduced in 2010.

Internet site: http://www.hc-sc.gc.ca/fn-an/surveill/nutrition/commun/insecurit/status-situation-eng.php

Specifications

Value	Condition(s)	Description	Notes
6	DOFSC = 2	Module not selected	NA
9	FSC_010 = (DK,RF,NS) or FSC_015 = (DK,RF,NS) or FSC_020 = (DK,RF,NS) or FSC_040 = (DK,RF,NS) or FSC_045 = (DK,RF,NS) or FSC_050 = (DK,RF,NS) or FSC_055 = (DK,RF,NS) or FSC_060 = (DK,RF,NS) or FSC_065 = (DK,RF,NS) or FSC_070 = (DK,RF,NS) or PMKPROXY = 2	At least one required question was not answered (don't know, refusal, not stated)	NS
0	(FSCTASUM >= 0 and FSCTASUM <= 1)	Food secure	
1	(FSCTASUM >= 2 and FSCTASUM <= 5)	Moderately food insecure	
2	(FSCTASUM >= 6 and FSCTASUM <= 10)	Severely food insecure	

Reference: The model for FSCDVAFS is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004)-Income-Related Household Food Security in Canada".

2) Food security - child status

Variable name: FSCDVCFS

Based on: FSC_025, FSC_030, FSC_035, FSC_075, FSC_080, FSC_085, FSC_090, FSC_095, FSCTCSUM, DHHDVYKD, DHHDVOKD

Description: This variable is based on a set of 8 child-referenced questions and describes the food security situation of the child (less than

18 years old) members of the household in the previous 12 months. It captures three kinds of situations:

1 - Food secure: No, or one, indication of difficulty with income-related food access.
2 - Moderately food insecure: indication of compromise in quality and/or quantity of food consumed (2 to 4 affirmative responses).
3 - Severely food insecure: indication of reduced food intake and disrupted eating patterns (>= 5 affirmative responses)

This variable is adopted from the Health Canada model of food security status.

Note: This variable is only defined for households with individuals who are either aged 15 or less (DHHDVYKD=1), or aged 16 or 17 (DHHDVOKD=1) and who are the child, foster child, grandchild, child-in-law, niece or nephew of another household member. This variable does not necessarily reflect the experience of all child members in the household. When using the person weights (WTS_M), this variable reflects the number of people living in households with food insecurity among the child members of the household. When using the household weights (WTS_MHH), this variable reflects the number of households with food insecurity among the child members of the household.

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

Internet site: http://www.hc-sc.gc.ca/fn-an/surveill/nutrition/commun/insecurit/status-situation-eng.php

Specifications

Value	Condition(s)	Description	Notes
6	DHHTDKS = 0	Population exclusions (households without children less than 18 years of age)	NA
6	DOFSC = 2	Module not selected	NA
9	FSC_025 = (DK,RF,NS) or FSC_030 = (DK,RF,NS) or FSC_035 = (DK,RF,NS) or FSC_075 = (DK,RF,NS) or FSC_080 = (DK,RF,NS) or FSC_085 = (DK,RF,NS) or FSC_090 = (DK,RF,NS) or FSC_095 = (DK,RF,NS) or PMKPROXY = 2	At least one required question was not answered (don't know, refusal, not stated) or the person most knowledgeable about the household was not available to answer questions for respondents aged 17 or younger.	NS
0	DHHTDKS = 1 and (FSCTCSUM >= 0 and FSCTCSUM <= 1)	Food secure	
1	DHHTDKS = 1 and (FSCTCSUM >= 2 and FSCTCSUM <= 4)	Moderately food insecure	
2	DHHTDKS = 1 and (FSCTCSUM >= 5 and FSCTCSUM <= 8)	Severely food insecure	

Reference: The model for FSCDVCFS is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004)-Income-Related Household Food Security in Canada".

3) Household food security status - modified version

Variable name: FSCDVHFS

Based on: FSC_010, FSC_015, FSC_020, FSC_025, FSC_030, FSC_035, FSC_040, FSC_045, FSC_050, FSC_055, FSC_060, FSC_065, FSC_070, FSC_075, FSC_080, FSC_085, FSC_090, FSC_095, FSCTASUM, FSCTCSUM, DHHDVYKD, DHHDVOKD

Description: This variable is based on a set of 18 questions and describes the food security situation of the household in the previous 12 months. It captures three kinds of situations:

1 - Food secure: No, or one, indication of difficulty with income-related food access.
2 - Moderately food insecure: Indication of compromise in quality and/or quantity of food consumed.
3 - Severely food insecure: Indication of reduced food intake and disrupted eating patterns.

This variable is adopted from the Health Canada model of food security status.

Note: When using the person weight (WTS_M), this variable reflects the number of people living the household with food insecurity. When using the household weight (WTS_MHH), this variable reflects the number of households with food insecurity.

Households with children are defined as households with individuals who are either aged 15 or less (DHHDVYKD=1), or aged 16 or 17 (DHHDVOKD=1) and who are the child, foster child, grandchild, child-in-law, niece or nephew of another household member.

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

Internet site: http://www.hc-sc.gc.ca/fn-an/surveill/nutrition/commun/insecurit/status-situation-eng.php

Specifications

Value	Condition(s)	Description	Notes
6	DOFSC = 2	Module not selected	NA
9	FSC_010 = (DK,RF,NS) or FSC_015 = (DK,RF,NS) or FSC_020 = (DK,RF,NS) or FSC_025 = (DK,RF,NS) or FSC_030 = (DK,RF,NS) or FSC_035 = (DK,RF,NS) or FSC_040 = (DK,RF,NS) or FSC_045 = (DK,RF,NS) or FSC_050 = (DK,RF,NS) or FSC_055 = (DK,RF,NS) or FSC_060 = (DK,RF,NS) or FSC_065 = (DK,RF,NS) or FSC_070 = (DK,RF,NS) or FSC_075 = (DK,RF,NS) or FSC_080 = (DK,RF,NS) or FSC_085 = (DK,RF,NS) or FSC_090 = (DK,RF,NS) or FSC_095 = (DK,RF,NS) or PMKProxy = 2	At least one required question was not answered (don't know, refusal, not stated) or the person most knowledgeable about the household was not available to answer questions for respondents aged 17 or younger.	NS
0	(DHHTDKS = 1 and (FSCTASUM >=0 and FSCTASUM <= 1) and (FSCTCSUM >=0 and FSCTCSUM <= 1)) or (DHHTDKS = 0 and (FSCTASUM >= 0 and FSCTASUM <= 1))	Food secure	
1	(DHHTDKS = 1 and (FSCTASUM >= 2 and FSCTASUM <= 5) and (FSCTCSUM >= 2 and FSCTCSUM <= 4)) or (DHHTDKS = 1 and (((FSCTASUM >= 2 and FSCTASUM <= 5) and (FSCTCSUM <= 4)) or ((FSCTASUM <= 5) and (FSCTCSUM >= 2 and FSCTCSUM <= 4)))) or (DHHTDKS = 0 and (FSCTASUM >= 2 and FSCTASUM <= 5))	Moderately food insecure	
2	(DHHTDKS = 1 and ((FSCTASUM >= 6 and FSCTASUM <= 10) or (FSCTCSUM >= 5 and FSCTCSUM <= 8))) or (DHHTDKS = 0 and (FSCTASUM >= 6 and FSCTASUM <= 10))	Severely food insecure	

Reference: The model for FSCDVHFS is adopted from the Health Canada model of food security status levels published by Health Canada in 2007.

For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004)-Income-Related Household Food Security in Canada".

Fruit and vegetable consumption (8 DVs)

1) Daily consumption - pure fruit juice

Variable name: FVCDVJUI

Based on: ADM_PRX, FVC_005, FVC_005A

Description: This variable indicates the usual number of times per day the respondent drinks pure fruit juice.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.9	ADM_PRX = 1	Module not asked - proxy interview	NS
999.9	FVC_005 = (DK, RF, NS) or FVC_005A = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
FVC_005	FVC_005A = 1	Number of times/day	
FVC_005 / 7	FVC_005A = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
FVC_005 / 30	FVC_005A = 3	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	FVC_005 = 0	Did not drink pure fruit juice in the last month	

2) Daily consumption - fruit

Variable name: FVCDVFRU

Based on: ADM_PRX, FVC_010, FVC_010A

Description: This variable indicates the usual number of times per day the respondent consumes fruit, including frozen, dried or canned, but excluding fruit juices.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.9	ADM_PRX = 1	Module not asked - proxy interview	NS
999.9	FVC_010 = (DK, RF, NS) or FVC_010A = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
FVC_010	FVC_010A = 1	Number of times/day	
FVC_010 / 7	FVC_010A = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
FVC_010 / 30	FVC_010A = 3	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	FVC_010 = 0	Did not eat fruit in the last month	

3) Daily consumption - dark green vegetables

Variable name: FVCDVGRN

Based on: ADM_PRX, FVC_015, FVC_015A

Description: This variable indicates the number of times per day the respondent consumes dark green vegetables, such as broccoli, green beans, peas and green peppers or dark leafy greens including romaine or spinach, frozen or canned vegetables and vegetables cooked into meals.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.9	ADM_PRX = 1	Module not asked - proxy interview	NS
999.9	FVC_015 = (DK, RF, NS) or FVC_015A = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
FVC_015	FVC_015A = 1	Number of times/day	
FVC_015 / 7	FVC_015A = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
FVC_015 / 30	FVC_015A = 3	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	FVC_015 = 0	Did not eat green vegetables in the last month	

4) Daily consumption - orange-coloured vegetables

Variable name: FVCDVORA

Based on: ADM_PRX, FVC_020, FVC_020A

Description: This variable indicates the usual number of times per day the respondent consumes orange-coloured vegetables such as carrots, orange bell pepper, sweet potatoes, pumpkin or squash, including frozen or canned vegetables and vegetables that were cooked in meals.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.9	ADM_PRX = 1	Module not asked - proxy interview	NS
999.9	FVC_020 = (DK, RF, NS) or FVC_020A = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
FVC_020	FVC_020A = 1	Number of times/day	
FVC_020 / 7	FVC_020A = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
FVC_020 / 30	FVC_020A = 3	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	FVC_020 = 0	Did not eat orange vegetables in the last month	

5) Daily consumption - potatoes

Variable name: FVCDVPOT

Based on: ADM_PRX, FVC_025, FVC_025A

Description: This variable indicates the usual number of times per day the respondent consumes potatoes that are not deep fried.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.9	ADM_PRX = 1	Module not asked - proxy interview	NS
999.9	FVC_025 = (DK, RF, NS) or FVC_025 = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
FVC_025	FVC_025A = 1	Number of times/day	
FVC_025 / 7	FVC_025A = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
FVC_025 / 30	FVC_025A = 3	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	FVC_025 = 0	Did not eat potatoes in the last month	

6) Daily consumption - other vegetables

Variable name: FVCDVVEG

Based on: ADM_PRX, FVC_030, FVC_030A

Description: This variable indicates the respondent's usual daily consumption of other vegetables such as cucumber, celery, corn, cabbage, and vegetable juice. This variable excludes the dark green and orange-colored vegetables taken in consideration in FVCDVGRN and FVCDVORA and the potatoes taken in consideration FVCDVPOT.

Note: In this question, the CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.9	ADM_PRX = 1	Module not asked -proxy interview	NS
999.9	FVC_030 = (DK, RF, NS) or FVC_030A = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
FVC_030	FVC_030A = 1	Number of times/day	
FVC_030 / 7	FVC_030A = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
FVC_030 / 30	FVC_030A = 3	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	FVC_030 = 0	Did not eat other vegetables in the last month	

7) Daily consumption - fruits and vegetables

Variable name: FVCDVTOT

Based on: ADM_PRX, FVCDVJUI, FVCDVFRU, FVCDVGRN, FVCDVPOT, FVCDVORA, FVCDVVEG

Description: The following variable represents the respondent's total daily consumption of fruits and vegetables.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
9999.9	ADM_PRX = 1	Module not asked - proxy interview	NS
9999.9	FVCDVJUI = NS or FVCDVFRU = NS or FVCDVGRN = NS or FVCDVPOT = NS or FVCDVORA = NS or FVCDVVEG = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
FVCDVJUI + FVCDVFRU + FVCDVGRN + FVCDVPOT + FVCDVORA + FVCDVVEG	(0 <= FVCDVJUI <= 300) and (0 <= FVCDVFRU <= 300) and (0 <= FVCDVGRN <= 300) and (0 <= FVCDVPOT <= 300) and (0 <= FVCDVORA <= 300) and (0 <= FVCDVVEG <= 300)	Total number of times the respondent eats fruits and vegetables	(min:0.0; max:1800.0)

8) Grouping of total daily consumption - fruits and vegetables

Variable name: FVCDVGDT

Based on: ADM_PRX, FVCDVTOT

Description: This variable classifies the respondent based on the total number of times per day he/she eats fruits and vegetables.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
9	ADM_PRX = 1	Module not asked - proxy interview	NS
9	FVCDVTOT = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
1	FVCDVTOT < 5	Eats fruits and vegetables less than 5 times per day.	
2	(5 <= FVCDVTOT <= 10)	Eats fruits and vegetables between 5 and 10 times per day	
3	FVCDVTOT > 10	Eats fruits and vegetables more than 10 times per day	

General health (3 DVs)

1) Perceived health

Variable name: GENDVHDI

Based on: GEN_005

Description: This variable indicates the respondent's health status based on his/her own judgement or his/her proxy. Higher scores indicate positive perceived health status.

Specifications

Value	Condition(s)	Description	Notes
9	GEN_005 = (DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
0	GEN_005 = 5	Poor	
1	GEN_005 = 4	Fair	
2	GEN_005 = 3	Good	
3	GEN_005 = 2	Very good	
4	GEN_005 = 1	Excellent	

2) Perceived mental health

Variable name: GENDVMHI

Based on: ADM_PRX, GEN_015

Description: This variable indicates the respondent's mental health status based on his/her own judgement. Higher scores indicate positive perceived mental health status.

Specifications

Value	Condition(s)	Description	Notes
9	ADM_PRX = 1	Module not asked - proxy interview	NS
9	GEN_015 = (DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
0	GEN_015 = 5	Poor	
1	GEN_015 = 4	Fair	
2	GEN_015 = 3	Good	
3	GEN_015 = 2	Very good	
4	GEN_015 = 1	Excellent	

3) Satisfaction with life in general

Variable name: GENDVSWL

Based on: ADM_PRX, GEN_010

Description: This variable groups the 11-point scale used in GEN_010 to rate a respondent's satisfaction with life into 5 categories.

Specifications

Value	Condition(s)	Description	Notes
9	ADM_PRX = 1	Question not asked - proxy interview	NS
9	GEN_010 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	(GEN_010 >= 9 and GEN_010 <= 10)	Very Satisfied	
2	GEN_010 >= 6 and GEN_010 <= 8)	Satisfied	
3	GEN_010 = 5	Neither satisfied nor dissatisfied	
4	(GEN_010 >= 2 and GEN_010 <= 4)	Dissatisfied	
5	(GEN_010 >= 0 and GEN_010 <= 1)	Very Dissatisfied	

Geography variables (15 DVs)

The Postal Code Conversion File (PCCF+) was used in the derivation of the geographic variables. All geographic variables use the geography from the 2011 Census.

1) 2011 Census metropolitan area (CMA)

Variable name: GEODVCMA

Based on: GEODVPC

Description: The general concept of a census metropolitan area (CMA) is one of a very large urban population centre, together with adjacent urban and rural areas which have a high degree of economic and social integration with that population centre. A CMA is delineated around a population centre (called the urbanized core and having a population of at least 100,000, based on the previous census). There are 33 CMAs according to the 2011 Census definition. When a postal code is not in a CMA, this variable is equal to 000.

Specifications

Value	Condition(s)	Description	Notes
000		No CMA assigned	
001		St. John's	
205		Halifax	
305		Moncton	
310		Saint John	
408		Saguenay	
421		Québec	
433		Sherbrooke	
442		Trois-Rivières	
462		Montréal	
505		Ottawa-Gatineau	
521		Kingston	
529		Peterborough	
532		Oshawa	
535		Toronto	
537		Hamilton	
539		St. Catherines - Niagara	
541		Kitchener-Cambridge-Waterloo	
543		Brantford	
550		Guelph	
555		London	
559		Windsor	
568		Barrie	
580		Greater Sudbury / Grand Sudbury	
595		Thunder Bay	
602		Winnipeg	
705		Regina	

725	Saskatoon
825	Calgary
835	Edmonton
915	Kelowna
932	Abbotsford
933	Vancouver
935	Victoria

2) 2011 Census dissemination area (DA)

Variable name: GEODVD11

Based on: GEODVPC

Description: The dissemination area (DA) is a small, relatively stable geographic unit composed of one or more dissemination blocks. It is the smallest standard geographic area for which all census data are disseminated. DAs cover all the territory of Canada. GEODVD11 is based on the Postal Code Conversion File (PCCF+), which provides a correspondence between the postal code and Statistics Canada's standard geographical areas for which census data and other statistics are produced. It is composed of the two digit province/territory code, the two digit census division code and the four digit dissemination area code. When the postal code corresponds to more than one DA, the case is assigned probabilistically, taking into account population totals.

3) Postal code

Variable name: GEODVPC

Based on: Respondent address information

Description: The Canadian postal code offers a unique reference system which provides a means of identifying a mail delivery location. It is composed of six alpha-numeric characters, in the form of "ANA NAN", where "A" represents a letter of the alphabet and "N" a number. The first character of a postal code (allocated in alphabetic sequence from east to west across Canada) represents a province or territory or a major sector entirely within a province. GEODVPC is derived from the respondent’s available address information.

Note: If a respondent's postal code is missing or invalid, it is usually imputed through a donor imputation process, although other imputation methods are sometimes used. The donor is chosen from the same geographical area, with as much precision as possible, as the unit with the missing or invalid postal code.

4) British Columbia Health Authority (BCHA)

Variable name: GEODVBHA

Based on: GEODVPC

Description: This variable is a four digit number that identifies the 5 Health Authorities for British Columbia. It is equal to 9996 (for not applicable) anywhere else. This variable is derived using the information available on the survey frame at the time of sampling and the geographic information provided by the respondent.

5) Ontario local health integration network

Variable name: GEODVLHN

Based on: GEO_PRV, GEODVPC

Description: This variable is a four digit number that identifies sub-provincial health areas of Ontario. It is equal to 9996 everywhere outside Ontario. Data in Ontario are provided for two levels of geography: Public Health Units (PHU) and the Local Health Integration Networks (LHIN). As of 2015, the LHIN given on the CCHS file is the "statistical" LHIN. Statistical LHINS are formed by reclassifying a small percentage of units from one LHIN to another where the PHU-LHIN intersections are particularly small. This reclassification facilitates estimation at the PHU and LHIN level from one set of weights.

6) 2011 Census federal electoral district (FED)

Variable name: GEODVFED

Based on: GEODVD11

Description: A federal electoral district refers to any place or territorial area entitled to elect a representative member to serve in the House of Commons (Source: Canada Elections Act, 1990). There are 308 FEDs in Canada, and the FEDs used for the 2011 Census are based on the 2003 Representation Order. The first two digits identify the province or territory.

7) 2011 Census subdivision (CSD)

Variable name: GEODVCSD

Based on: GEODVD11

Description: The Census Subdivision is the general term applied to municipalities (as determined by provincial legislation) or their equivalent, e.g., Indian reserves, Indian settlements and unorganized territories. In Newfoundland and Labrador, Nova Scotia and British Columbia, the term also describes geographic areas that have been created by Statistics Canada in co-operation with the provinces as equivalents for municipalities.

8) 2011 Census division (CD)

Variable name: GEODVCD

Based on: GEODVD11

Description: The Census Division refers to geographic areas established by provincial law, which are intermediate geographic areas between the census subdivision and the province (e.g., divisions, counties, regional districts, regional municipalities and seven other types of geographic areas made up of groups of census subdivisions). In Newfoundland and Labrador, Manitoba, Saskatchewan and Alberta, provincial law does not provide for these administrative geographic areas. Therefore, census divisions have been created by Statistics Canada in co-operation with these provinces.

9) Statistical area classification type (SAT)

Variable name: GEODVSAT

Based on: GEODVCSD

Description: The Statistical Area Classification (SAC) groups census subdivisions (CSDs) according to whether they are a component of a census metropolitan area (CMA), a census agglomeration (CA), a census metropolitan area and census agglomeration influenced zone (strong MIZ, moderate MIZ, weak MIZ or no MIZ), or the territories (Northwest Territories, Yukon and Nunavut). A SAC code type is assigned to each CSD. The SAC is used for data dissemination purposes.

Specifications

Value	Condition(s)	Description	Notes
1		CMA	
2		Tracted CA	
3		Non-tracted CA	
4		Strongly influenced zone	
5		Moderately influenced zone	
6		Weakly influenced zone	
7		Non-influenced zone	
8		Territories	

01) Peer group

Variable name: GEODVPG

Based on: GEODVHR4

Description: The health regions have been classified into 9 like clusters or "Peer Groups", for the purposes of meaningful analysis in comparing similar regions across the country.

Note: The distribution of the Health Regions into Peer Groups changed slightly in 2015, so comparisons with previous cycles over time are not advised given the changes in the structure of the Peer Groups. As the territories are not included on one year files, the Peer Groups F and I are comprised only of their provincial health region components on annual releases.

Specifications

Value	Condition(s)	Description	Notes
1	GEODVHR4= 1204, 1302, 2403, 2413, 3527, 3537, 3544, 3546, 3568, 4601, 5913, 5933, 5941	Health Region Peer Group A: Population centres with high population density and rural mix from coast to coast. High percentage of visible minority population; Low percentage of Aboriginal population; Average employment rate.	
2	GEODVHR4= 2407, 2414, 2415, 2416, 3530, 3536, 3551, 3560, 3565, 3566, 4605, 4704, 4706, 4710, 4831, 4832, 4833, 4834, 5921	Health Region Peer Group B: Mainly population centres with moderate population density. Average percentage of visible minority population; High employment rate.	

3	GEODVHR4= 1011, 1100, 1202, 1301, 1303, 2401, 2402, 2404, 2405, 2408, 2409, 2410, 3531, 3538, 3541, 3542, 3547, 3549, 3555, 3556, 3561, 3562, 3563, 4708, 4709, 5912, 5914, 5942, 5943, 5951, 5952	Health Region Peer Group C: Population centres and rural mix from coast to coast. Average percentage of visible minority population; High percentage of Aboriginal population.
4	GEODVHR4= 2412, 3533, 3534, 3535, 3539, 3543, 3552, 3554, 3557, 3558, 4602, 4603, 4701, 4702, 4703, 4705, 4707, 5911	Health Region Peer Group D: Mainly rural regions in Ontario and the Prairies. Low percentage of visible minority population; Average percentage of Aboriginal population.
5	GEODVHR4= 1012, 1013, 1014, 1201, 1203, 1304, 1305, 1306, 1307, 2411, 3526, 3540	Health Region Peer Group E: Mainly rural eastern regions. Low percentage of visible minority population; Low employment rate.
6	GEODVHR4= 4604, 4714, 6201	Health Region Peer Group F: Northern and remote regions. Very high Aboriginal population; Very low percentage of visible minority population.
7	GEODVHR4= 2406, 3595, 5932	Health Region Peer Group G: Largest metro centres with an average population density of 4,211 people per square kilometre. Very low Aboriginal population; High percentage of visible minority population.
8	GEODVHR4= 3553, 3570, 5922, 5923, 5931	Health Region Peer Group H: Mainly population centres in Ontario and British Columbia with high population density. Low Aboriginal population; Very high percentage of visible minority population.
9	GEODVHR4= 4835, 5953, 6001, 6101	Health Region Peer Group I: Mainly rural and remote regions in the Western provinces and the Territories. Average percentage of visible minority population; High percentage of Aboriginal population; High employment rate.

Reference: A more detailed discussion on the rationale and methods involved in the development of peer groups is available in the following publication: Health Region (2014) Peer Groups Working Paper (PDF) which can be viewed in the "Health regions and peer groups" section of the online publication "Health Indicators", Statistics Canada catalogue number 82-221-X.

01) Population centre or rural area type

Variable name: GEODVUR

Based on: GEODVPC

Description: This variable identifies whether the respondent lives in a population centre or a rural area within or outside of a census metropolitan area (CMA) or census agglomeration (CA). Population centres are those continuously built-up areas having a population concentration of 1,000 or more and a population density of 400 or more per square kilometre based on 2011 Census population counts.

A CMA or CA can have two types of cores: the core and the secondary core. The core is the population centre with the highest population, around which a CMA or a CA is delineated. The core must have a population (based on the 2011 Census) of at least 50,000 persons in the case of a CMA, or at least 10,000 persons in the case of a CA. The secondary core is a population centre within a CMA that has at least 10,000 persons and was the core of a CA that has been merged with an adjacent CMA. The term 'fringe' includes all population centres within a CMA or CA that have less than 10,000 persons and are not contiguous with the core or secondary core. All territory within a CMA or CA that is not classified as a core or fringe is classified as rural area.

Specifications

Value	Condition(s)	Description	Notes
1		Core	
2		Fringe	

3	Rural area inside of a CMA or CA
4	Population centre outside of a CMA and CA
5	Rural area outside of a CMA or CA
6	Secondary core

01) Population centre or rural area type - grouped

Variable name: GEODVUR2

Based on: GEODVUR

Description: This variable is a grouping of GEODVUR into 2 categories (Population Centre and Rural Area).

Specifications

Value	Condition(s)	Description	Notes
1	GEODVUR = 1, 2, 4 or 6	Population Centre	
2	GEODVUR = 3 or 5	Rural Area	

01) Alberta subzone

Variable name: GEODVASZ

Based on: GEODVPC

Description: This variable is a six digit number that identifies the subzones for Alberta. It is equal to 999996 (for not applicable) anywhere else. This variable is derived using boundary file provided by Alberta and the geographic information provided by the respondent.

01) Population centre or rural area classification

Variable name: GEODVPSZ

Based on: GEODVPC

Description: This variable identifies whether the respondent lives in a population centre or rural area, and the size of the population centre if applicable.

Specifications

Value	Condition(s)	Description	Notes
1		Rural area (less than 1,000)	
2		Small population centre (1,000 to 29,999)	
3		Medium population centre (30,000 to 99,999)	
4		Large urban population centre (100,000 or greater)	

01) Health region

Variable name: GEODVHR4

Based on: GEODVPC

Description: This variable is a four digit number that identifies the health region. Health regions refer to health administrative areas defined by the provincial ministries of health. For complete Canadian coverage, each of the northern territories represents its own health region. This variable is derived using the information available on the survey frame at the time of sampling and the geographic information provided by the respondent.

Note: More details on health regions can be found in the "Health regions and peer groups" section of the online publication "Health Indicators", Statistics Canada, catalogue number 82-221-X. Correspondence files (linking health regions to latest census geographic codes) and digital boundary files are also available in the online publication "Health regions: Boundaries and Correspondence with Census Geography", Statistics Canada, catalogue number 82-402-X.

Home care services (1 DV)

1) Received home care

Variable name: HMCDVVRH

Based on: DHH_AGE, HMC_005A, HMC_005B, HMC_005C, HMC_005D, HMC_005E, HMC_005F

Description: This variable indicates whether a household member received some form of home care service (whether the cost of the service was covered or not by government) in the past 12 months.

Starting 2015, this variable represent households where at least one member received home care services, rather than the respondent.

Note: Respondents less than 18 years old were excluded from the population.

When using the person weight (WTS_M), this variable reflects the number of people living in households who received some form of home care service. When using the household weights (WTS_MHH), this variable reflects the number of households where at least one member received some form of home care service.

Specifications

Value	Condition(s)	Description	Notes
6	DOHMC = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
2	HMC_005F = 1	No one in the household received any home care services in past 12 months	
1	HMC_005A = 1 or HMC_005B = 1 or HMC_005C = 1 or HMC_005D = 1 or HMC_005E = 1	Received some home care in past 12 months	
9	HMC_005A = (DK, RF, NS) or HMC_005B = (DK, RF, NS) or HMC_005C = (DK, RF, NS) or HMC_005D = (DK, RF, NS) or HMC_005E = (DK, RF, NS) or HMC_005F = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

Height and weight (8 DVs)

1) Height (metres) - self-reported

Variable name: HWTDVHTM

Based on: ADM_PRX, HWT_005, HWT_020, HWT_025, HWT_030, HWT_035, MAC_025

Description: This variable indicates the respondent's self-reported height in metres.

Note: For example, an individual who reported being 5 feet and 8 inches will have a height of 1.727 metres. The 1.727 is the midpoint of the range (1.715-1.739) around the height 5 feet and 8 inches. The range values were calculated as follows for an individual who is 5'8": LOWER LIMIT: Take the exact value in metres for a person who is 5'7" and average it with the value for 5'8". UPPER LIMIT: Take the exact value in metres for a person who is 5'9" and average it with the value for 5'8" then subtract 0.001 from it.

Specifications

Value	Condition(s)	Description	Notes
9.996	MAC_025 = 1	Population exclusion - Pregnant women	NA
9.999	ADM_PRX = 1	Module not asked - proxy interview	NS
9.999	HWT_005 = (DK, RF, NS) or HWT_020 = (DK, RF, NS) or HWT_025 = (DK, RF, NS) or HWT_030 = (DK, RF, NS) or HWT_035 = (DK, RF, NS) or ADM_PRX = 1	At least one required question was not answered (don't know, refusal, not stated)	NS
0.888	HWT_005 = (0,1,2)	0.901 metres or shorter	
0.914	HWT_005 = 3 and HWT_020 = 0	0.902 to 0.926 metres	
0.940	HWT_005 = 3 and HWT_020 = 1	0.927 to 0.952 metres	
0.965	HWT_005 = 3 and HWT_020 = 2	0.953 to 0.977 metres	
0.991	HWT_005 = 3 and HWT_020 = 3	0.978 to 1.002 metres	
1.016	HWT_005 = 3 and HWT_020 = 4	1.003 to 1.028 metres	
1.041	HWT_005 = 3 and HWT_020 = 5	1.029 to 1.053 metres	
1.067	HWT_005 = 3 and HWT_020 = 6	1.054 to 1.079 metres	
1.092	HWT_005 = 3 and HWT_020 = 7	1.080 to 1.104 metres	
1.118	HWT_005 = 3 and HWT_020 = 8	1.105 to 1.129 metres	
1.143	HWT_005 = 3 and HWT_020 = 9	1.130 to 1.155 metres	
1.168	HWT_005 = 3 and HWT_020 = 10	1.156 to 1.180 metres	
1.194	HWT_005 = 3 and HWT_020 = 11	1.181 to 1.206 metres	
1.219	HWT_005 = 4 and HWT_025 = 0	1.207 to 1.231 metres	

1.245	HWT_005 = 4 and HWT_025 = 1	1.232 to 1.256 metres
1.270	HWT_005 = 4 and HWT_025 = 2	1.257 to 1.282 metres
1.295	HWT_005 = 4 and HWT_025 = 3	1.283 to 1.307 metres
1.321	HWT_005 = 4 and HWT_025 = 4	1.308 to 1.333 metres
1.346	HWT_005 = 4 and HWT_025 = 5	1.334 to 1.358 metres
1.372	HWT_005 = 4 and HWT_025 = 6	1.359 to 1.383 metres
1.397	HWT_005 = 4 and HWT_025 = 7	1.384 to 1.409 metres
1.422	HWT_005 = 4 and HWT_025 = 8	1.410 to 1.434 metres
1.448	HWT_005 = 4 and HWT_025 = 9	1.435 to 1.460 metres
1.473	HWT_005 = 4 and HWT_025 = 10	1.461 to 1.485 metres
1.499	HWT_005 = 4 and HWT_025 = 11	1.486 to 1.510 metres
1.524	HWT_005 = 5 and HWT_030 = 0	1.511 to 1.536 metres
1.549	HWT_005 = 5 and HWT_030 = 1	1.537 to 1.561 metres
1.575	HWT_005 = 5 and HWT_030 = 2	1.562 to 1.587 metres
1.600	HWT_005 = 5 and HWT_030 = 3	1.588 to 1.612 metres
1.626	HWT_005 = 5 and HWT_030 = 4	1.613 to 1.637 metres
1.651	HWT_005 = 5 and HWT_030 = 5	1.638 to 1.663 metres
1.676	HWT_005 = 5 and HWT_030 = 6	1.664 to 1.688 metres
1.702	HWT_005 = 5 and HWT_030 = 7	1.689 to 1.714 metres
1.727	HWT_005 = 5 and HWT_030 = 8	1.715 to 1.739 metres
1.753	HWT_005 = 5 and HWT_030 = 9	1.740 to 1.764 metres
1.778	HWT_005 = 5 and HWT_030 = 10	1.765 to 1.790 metres
1.803	HWT_005 = 5 and HWT_030 = 11	1.791 to 1.815 metres
1.829	HWT_005 = 6 and HWT_035 = 0	1.816 to 1.841 metres
1.854	HWT_005 = 6 and HWT_035 = 1	1.842 to 1.866 metres
1.880	HWT_005 = 6 and HWT_035 = 2	1.867 to 1.891 metres

1.905	HWT_005 = 6 and HWT_035 = 3	1.892 to 1.917 metres
1.930	HWT_005 = 6 and HWT_035 = 4	1.918 to 1.942 metres
1.956	HWT_005 = 6 and HWT_035 = 5	1.943 to 1.968 metres
1.981	HWT_005 = 6 and HWT_035 = 6	1.969 to 1.993 metres
2.007	HWT_005 = 6 and HWT_035 = 7	1.994 to 2.018 metres
2.032	HWT_005 = 6 and HWT_035 = 8	2.019 to 2.044 metres
2.057	HWT_005 = 6 and HWT_035 = 9	2.045 to 2.069 metres
2.083	HWT_005 = 6 and HWT_035 = 10	2.070 to 2.095 metres
2.108	HWT_005 = 6 and HWT_035 = 11	2.096 to 2.120 metres
2.134	HWT_005 = 7	2.121 metres or taller

2) Weight (kilograms) - self-reported

Variable name: HWTDVWTK

Based on: ADM_PRX, HWT_040, HWT_045, MAC_025

Description: This variable indicates the respondent's self-reported weight in kilograms.

Note: This variable excludes female respondents who were pregnant.

Specifications

Value	Condition(s)	Description	Notes
999.96	MAC_025 = 1	Population exclusion - Pregnant women	NA
999.99	ADM_PRX = 1	Module not asked (proxy interview)	
999.99	HWT_040 = (DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
HWT_040	HWT_045 = 2	Weight in Kg	(rounded to two decimal places)
HWT_040 × 0.45	HWT_045 = 1	Weight in Kg converted from Lbs.	(rounded to two decimal places)

3) Body mass index (self-reported)

Variable name: HWTDVBMI

Based on: DHH_SEX, ADM_PRX, HWTDVHTM, HWTDVWTK, MAC_025

Description: The Body Mass Index (BMI) for this variable is based on self-reported height and weight. BMI is a comparison of "weight" relative to the "height" of respondents. BMI is calculated by dividing weight in kilograms by height in metres squared.
BMI = WEIGHT (KG) / HEIGHT (METRES) SQUARED

Note: BMI is not calculated for pregnant women. Although calculation of BMI is not recommended for lactating women, the index provided here is calculated for women who report that they are breastfeeding (MEX_110 = 1).

This BMI classification is created using "self-reported height" and "self-reported weight" variables. For an adjusted BMI derived variable, see HWTDVCOR.

Specifications

Value	Condition(s)	Description	Notes
999.96	MAC_025 = 1	Population exclusion - Pregnant women	NA
999.99	ADM_PRX = 1	Module not asked (proxy interview)	NS
999.99	DHH_SEX = 2 and MAC_025 = (DK, RF, NS)	Females who did not answer the pregnancy question (don't know, refusal, not stated)	NS
999.99	HWTDVHTM = NS or HWTDVWTK = NS	Respondents for whom a valid self-reported height and weight was not obtained	NS
999.96	(HWTDVHTM > 2.108 and HWTDVHTM < NA) or HWTDVHTM < .914	Population exclusion - The value for the respondent's height is out of range (less than 3 feet tall or greater than 6 feet 11 inches)	NA
HWTDVWTK / (HWTDVHTM × HWTDVHTM)	HWTDVHTM < NA and HWTDVWTK < NA	BMI calculated from both self-reported height and self-reported weight values	(Rounded to two decimal places)

4) BMI classification for children aged 12 to 17 (self-reported) - Cole classification system

Variable name: HWTDVCOL

Based on: DHH_AGE, DHH_SEX, DHH_DOB, DHH_MOB, DHH_YOB, ADM_YOI, ADM_MOI, ADM_DOI, HWTDVBMI, MAC_025

Description: This variable classifies children aged 12 to 17 (except female respondents aged 15 to 17 who were pregnant or did not answer the pregnancy question) as "obese", "overweight", "normal" or "thinness" according to the age-and-sex-specific BMI cut-off points as defined by Cole and Lobstein. The Cole-Lobstein cut-off points are based on pooled international data (Brazil, United Kingdom, Hong Kong, Netherlands, Singapore, and United States) for BMI and linked to the widely internationally accepted adult BMI cut-off points of 18.5 (Normal), 25 (overweight) and 30 (obese).

These cut-offs, released in 2012, are updates of the original cut-offs produced by Cole et. al in 2000.

Note: This variable excludes respondents who are 18 years old or over (216 months) or females who were pregnant.

Temporary Reformat

Value	Condition(s)	Description	Notes
AGET1			
DHHTAGM / 12	DHHTAGM < NA	Convert respondent's "age in months" to "age in years"	(Rounded to nearest 0.5)
DHHTAGM			
9999	(DHH_DOB = DK, R, NS) or (DHH_MOB = DK, R or NS) or (DHH_YOB = DK, R or NS)	A valid day of birth or month of birth or year of birth is not available for the respondent.	NS
Age in months	Interview date converted in months (ADM_YOI, ADM_MOI and ADM_DOI) - Date of birth converted in months (DHH_YOB, DHH_MOB and DHH_DOB)	Create respondent's age in months at time of the interview	(min:144; max:1224)

Specifications

Value	Condition(s)	Description	Notes
6	MAC_025 = 1 or HWTDVBMI = NA or DHH_AGE > 17	Population exclusion	NA

9	ADM_PRX = 1	Module not asked (proxy interview)	NS
9	HWTDVBMI = NS or MAC_025 = (DK, RF, NS) or DHHTAGM = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
4	(AGET1 = 12 and DHH_SEX = 1 and (NA > HWTDVBMI >= 26.02)) or (AGET1 = 12 and DHH_SEX = 2 and (NA > HWTDVBMI >= 26.47)) or (AGET1 = 12.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 26.45)) or (AGET1 = 12.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 27.05)) or (AGET1 = 13 and DHH_SEX = 1 and (NA > HWTDVBMI >= 26.87)) or (AGET1 = 13 and DHH_SEX = 2 and (NA > HWTDVBMI >= 27.57)) or (AGET1 = 13.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 27.26)) or (AGET1 = 13.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 28.03)) or (AGET1 = 14 and DHH_SEX = 1 and (NA > HWTDVBMI >= 27.64)) or (AGET1 = 14 and DHH_SEX = 2 and (NA > HWTDVBMI >= 28.42)) or (AGET1 = 14.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 28.00)) or (AGET1 = 14.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 28.74)) or (AGET1 = 15 and DHH_SEX = 1 and (NA > HWTDVBMI >= 28.32)) or (AGET1 = 15 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.01)) or (AGET1 = 15.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 28.61)) or (AGET1 = 15.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.22)) or (AGET1 = 16 and DHH_SEX = 1 and (NA > HWTDVBMI >= 28.89)) or (AGET1 = 16 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.40)) or (AGET1 = 16.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 29.15)) or (AGET1 = 16.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.55)) or (AGET1 = 17 and DHH_SEX = 1 and (NA > HWTDVBMI >= 29.43)) or (AGET1 = 17 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.70)) or (AGET1 = 17.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 29.71)) or (AGET1 = 17.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.85)) or (AGET1 = 18 and DHH_SEX = 1 and (NA > HWTDVBMI >= 30.00)) or (AGET1 = 18 and DHH_SEX = 2 and (NA > HWTDVBMI >= 30.00))	Obese	

3	(AGET1 = 12 and DHH_SEX = 1 and (21.20 <= HWTDVBMI < 26.02)) or (AGET1 = 12 and DHH_SEX = 2 and (21.59 <= HWTDVBMI < 26.47)) or (AGET1 = 12.5 and DHH_SEX = 1 and (21.54 <= HWTDVBMI < 26.45)) or (AGET1 = 12.5 and DHH_SEX = 2 and (22.05 <= HWTDVBMI < 27.05)) or (AGET1 = 13 and DHH_SEX = 1 and (21.89 <= HWTDVBMI < 26.87)) or (AGET1 = 13 and DHH_SEX = 2 and (22.49 <= HWTDVBMI < 27.57)) or (AGET1 = 13.5 and DHH_SEX = 1 and (22.24 <= HWTDVBMI < 27.26)) or (AGET1 = 13.5 and DHH_SEX = 2 and (22.90 <= HWTDVBMI < 28.03)) or (AGET1 = 14 and DHH_SEX = 1 and (22.60 <= HWTDVBMI < 27.64)) or (AGET1 = 14 and DHH_SEX = 2 and (23.27 <= HWTDVBMI < 28.42)) or (AGET1 = 14.5 and DHH_SEX = 1 and (22.95 <= HWTDVBMI < 28.00)) or (AGET1 = 14.5 and DHH_SEX = 2 and (23.60 <= HWTDVBMI < 28.74)) or (AGET1 = 15 and DHH_SEX = 1 and (23.28 <= HWTDVBMI < 28.32)) or (AGET1 = 15 and DHH_SEX = 2 and (23.89 <= HWTDVBMI < 29.01)) or (AGET1 = 15.5 and DHH_SEX = 1 and (23.59 <= HWTDVBMI < 28.61)) or (AGET1 = 15.5 and DHH_SEX = 2 and (24.13 <= HWTDVBMI < 29.22)) or (AGET1 = 16 and DHH_SEX = 1 and (23.89 <= HWTDVBMI < 28.89)) or (AGET1 = 16 and DHH_SEX = 2 and (24.34 <= HWTDVBMI < 29.40)) or (AGET1 = 16.5 and DHH_SEX = 1 and (24.18 <= HWTDVBMI < 29.15)) or (AGET1 = 16.5 and DHH_SEX = 2 and (24.53 <= HWTDVBMI < 29.55)) or (AGET1 = 17 and DHH_SEX = 1 and (24.46 <= HWTDVBMI < 29.43)) or (AGET1 = 17 and DHH_SEX = 2 and (24.70 <= HWTDVBMI < 29.70)) or (AGET1 = 17.5 and DHH_SEX = 1 and (24.73 <= HWTDVBMI < 29.71)) or (AGET1 = 17.5 and DHH_SEX = 2 and (24.85 <= HWTDVBMI < 29.85)) or (AGET1 = 18 and DHH_SEX = 1 and (25.00 <= HWTDVBMI < 30.00)) or (AGET1 = 18 and DHH_SEX = 2 and (25.00 <= HWTDVBMI < 30.00))	Overweight

2	(AGET1 = 12 and DHH_SEX = 1 and (15.36 <= HWTDVBMI < 21.20)) or (AGET1 = 12 and DHH_SEX = 2 and (15.59 <= HWTDVBMI < 21.59)) or (AGET1 = 12.5 and DHH_SEX = 1 and (15.59 <= HWTDVBMI < 21.54)) or (AGET1 = 12.5 and DHH_SEX = 2 and (15.91 <= HWTDVBMI < 22.05)) or (AGET1 = 13 and DHH_SEX = 1 and (15.84 <= HWTDVBMI < 21.89)) or (AGET1 = 13 and DHH_SEX = 2 and (16.23 <= HWTDVBMI < 22.49)) or (AGET1 = 13.5 and DHH_SEX = 1 and (16.11 <= HWTDVBMI < 22.24)) or (AGET1 = 13.5 and DHH_SEX = 2 and (16.55 <= HWTDVBMI < 22.90)) or (AGET1 = 14 and DHH_SEX = 1 and (16.39 <= HWTDVBMI < 22.60)) or (AGET1 = 14 and DHH_SEX = 2 and (16.86 <= HWTDVBMI < 23.27)) or (AGET1 = 14.5 and DHH_SEX = 1 and (16.68 <= HWTDVBMI < 22.95)) or (AGET1 = 14.5 and DHH_SEX = 2 and (17.16 <= HWTDVBMI < 23.60)) or (AGET1 = 15 and DHH_SEX = 1 and (16.98 <= HWTDVBMI < 23.28)) or (AGET1 = 15 and DHH_SEX = 2 and (17.43 <= HWTDVBMI < 23.89)) or (AGET1 = 15.5 and DHH_SEX = 1 and (17.26 <= HWTDVBMI < 23.59)) or (AGET1 = 15.5 and DHH_SEX = 2 and (17.68 <= HWTDVBMI < 24.13)) or (AGET1 = 16 and DHH_SEX = 1 and (17.53 <= HWTDVBMI < 23.89)) or (AGET1 = 16 and DHH_SEX = 2 and (17.90 <= HWTDVBMI < 24.34)) or (AGET1 = 16.5 and DHH_SEX = 1 and (17.79 <= HWTDVBMI < 24.18)) or (AGET1 = 16.5 and DHH_SEX = 2 and (18.08 <= HWTDVBMI < 24.53)) or (AGET1 = 17 and DHH_SEX = 1 and (18.04 <= HWTDVBMI < 24.46)) or (AGET1 = 17 and DHH_SEX = 2 and (18.24 <= HWTDVBMI < 24.70)) or (AGET1 = 17.5 and DHH_SEX = 1 and (18.28 <= HWTDVBMI < 24.73)) or (AGET1 = 17.5 and DHH_SEX = 2 and (18.38 <= HWTDVBMI < 24.85)) or (AGET1 = 18 and DHH_SEX = 1 and (18.50 <= HWTDVBMI < 25.00)) or (AGET1 = 18 and DHH_SEX = 2 and (18.50 <= HWTDVBMI < 25.00))	Normal
1	Else	Thinness

Reference: For more information about the Cole BMI classification system, see Extended international (IOTF) body mass index cut-offs for thinness, overweight and obesity, by T. J. Cole and T. Lobstein, published in Pediatric Obesity, Volume: 7, March 2012, and Establishing a Standard Definition for Child Overweight and Obesity Worldwide - International survey, by Tim J Cole, Mary C Bellizzi, Katherine M. Flegal, William H Dietz, published in British Medical Journal, Volume: 320, May 2000.

5) BMI classification for adults aged 18 and over (self-reported) - international standard

Variable name: HWTDVISW

Based on: DHH_AGE, HWTDVBMI, MAC_025

Description: This variable assigns adult respondents aged 18 and over (except pregnant women) to one of the following categories, according to their Body Mass Index (BMI): underweight; acceptable weight; overweight; obese class I; obese class II; and, obese class III. Here, the BMI categories are adopted from a body weight classification system recommended by Health

Canada and the World Health Organization (WHO) which has been widely used internationally.

Note: According to Health Canada, this BMI classification system can be used as a screening tool to identify weight-related health risks at the population and individual levels. The following health risks are associated with each of the BMI categories for adults aged 18 and over:

normal weight = least health risk;
underweight and overweight = increased health risk;
obese class I = high health risk;
obese class II = very high health risk;
obese class III = extremely high health risk

At the population level, the BMI classification system can be used to compare body weight patterns and related health risks within and between populations and to establish population trends in body weight patterns. The classification should be used with caution at the individual level because the health risk associated with each BMI category varies considerably between individuals. Particular caution should be used when classifying: youth who have not attained growth maturity, adults who are naturally very lean, very muscular adults, some ethnic and racial groups, and adults over 65 years of age.

This variable excludes female respondents aged 18 to 55 who were pregnant or did not answer the pregnancy question (i.e. MAC_025 = don't know, refusal, not stated).

Internet site: http ://www.hc-sc.gc.ca/hpfb-dgpsa/onpp-bppn/weight_book_f.pdf

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 18 or MAC_025 = 1 or HWTDVBMI = NA	Population exclusions	NA
99	HWTDVBMI = NS or MAC_025 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HWTDVBMI < 18.50	Underweight	
2	(18.50 <= HWTDVBMI <= 24.99)	Normal weight	
3	(25.00 <= HWTDVBMI <= 29.99)	Overweight	
4	(30.00 <= HWTDVBMI <= 34.99)	Obese - Class I	
5	(35.00 <= HWTDVBMI <= 39.99)	Obese - Class II	
6	HWTDVBMI >= 40.00	Obese - Class III	

Reference: For more detailed information see Canadian Guidelines for Body Weight Classification in Adults, Health Canada, 2003

6) BMI classification for children aged 12 to 17 (self-reported) - WHO classification system

Variable name: HWTDVWHO

Based on: ADM_PRX, DHH_AGE, DHH_SEX, DHH_DOB, DHH_MOB, DHH_YOB, ADM_YOI, ADM_MOI, ADM_DOI, HWTDVBMI, MAC_025, DHHTAGM, AGET1

Description: This variable classifies children aged 12 to 17 (except female respondents aged 15 to 17 who were pregnant or did not answer the pregnancy question) as "obese", "overweight", "normal" or "thinness" according to the age-and-sex specific BMI cut-off points as defined by the World Health Organization.

In 2007, the WHO produced growth references for children aged 5 to 19 years using data from NHES II and III and NHANES I. The WHO BMI growth curves for 5- to 19-year-olds were constructed to ensure a smooth transition from the WHO standard for 0- to 5-year-olds. Based on these growth curves, the WHO recommends that children whose BMI is more than two standard deviations (SDs) above the mean should be considered obese, and those whose BMI is between one and two SDs above the mean, overweight. At all ages, the WHO cut-off points yield higher percentages of boys and girls classified as overweight/obese than do the IOTF or CDC cut-off points.

Note: This variable excludes respondents who are greater than 6 feet 11 inches (2.108 metres) or females who were pregnant.

Reference: For more information about the WHO BMI classification system, see Development of a WHO growth reference for school-aged children and adolescents, by Mercedes de Onis, Adelheid W Onyango, Elaine Borghi, Amani Siyam, Chizuru

Nishidaa & Jonathan Siekmanna, published in Bulletin of the World Health Organization, Sept 2007;85:660-667.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	MAC_025 = 1 or HWTDVBMI = NA or DHH_AGE > 17	Population exclusion	NA
9	ADM_PRX = 1	Module not asked (proxy interview)	
9	HWTDVBMI = NS or MAC_025 = (DK, RF, NS) or DHHTAGM = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
4	(AGET1 = 12 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 23.58)) or (AGET1 = 12 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 24.97)) or (AGET1 = 12.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 24.17)) or (AGET1 = 12.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 25.60)) or (AGET1 = 13 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 24.76)) or (AGET1 = 13 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 26.21)) or (AGET1 = 13.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 25.35)) or (AGET1 = 13.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 26.79)) or (AGET1 = 14 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 25.92)) or (AGET1 = 14 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 27.32)) or (AGET1 = 14.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 26.46)) or (AGET1 = 14.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 27.80)) or (AGET1 = 15 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 26.97)) or (AGET1 = 15 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 28.22)) or (AGET1 = 15.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 27.44)) or (AGET1 = 15.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 28.58)) or (AGET1 = 16 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 27.88)) or (AGET1 = 16 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 28.87)) or (AGET1 = 16.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 28.27)) or (AGET1 = 16.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 29.11)) or (AGET1 = 17 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 28.63)) or (AGET1 = 17 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 29.28)) or (AGET1 = 17.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 28.95)) or (AGET1 = 17.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 29.42)) or (AGET1 = 18 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 29.24)) or (AGET1 = 18 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 29.52))	Obese (Greater or equal to 2 standard deviations above the mean for the child's age in months, and sex)	

3	(AGET1 = 12 and DHH_SEX = 1 and (HWTDVBMI >= 19.95 and HWTDVBMI < 23.58)) or (AGET1 = 12 and DHH_SEX = 2 and (HWTDVBMI >= 20.81 and HWTDVBMI < 24.97)) or (AGET1 = 12.5 and DHH_SEX = 1 and (HWTDVBMI >= 20.38 and HWTDVBMI < 24.17)) or (AGET1 = 12.5 and DHH_SEX = 2 and (HWTDVBMI >= 21.31 and HWTDVBMI < 25.60)) or (AGET1 = 13 and DHH_SEX = 1 and (HWTDVBMI >= 20.83 and HWTDVBMI < 24.76)) or (AGET1 = 13 and DHH_SEX = 2 and (HWTDVBMI >= 21.80 and HWTDVBMI < 26.21)) or (AGET1 = 13.5 and DHH_SEX = 1 and (HWTDVBMI >= 21.30 and HWTDVBMI < 25.35)) or (AGET1 = 13.5 and DHH_SEX = 2 and (HWTDVBMI >= 22.28 and HWTDVBMI < 26.79)) or (AGET1 = 14 and DHH_SEX = 1 and (HWTDVBMI >= 21.77 and HWTDVBMI < 25.92)) or (AGET1 = 14 and DHH_SEX = 2 and (HWTDVBMI >= 22.73 and HWTDVBMI < 27.32)) or (AGET1 = 14.5 and DHH_SEX = 1 and (HWTDVBMI >= 22.24 and HWTDVBMI < 26.46)) or (AGET1 = 14.5 and DHH_SEX = 2 and (HWTDVBMI >= 23.15 and HWTDVBMI < 27.80)) or (AGET1 = 15 and DHH_SEX = 1 and (HWTDVBMI >= 22.69 and HWTDVBMI < 26.97)) or (AGET1 = 15 and DHH_SEX = 2 and (HWTDVBMI >= 23.51 and HWTDVBMI < 28.22)) or (AGET1 = 15.5 and DHH_SEX = 1 and (HWTDVBMI >= 23.12 and HWTDVBMI < 27.44)) or (AGET1 = 15.5 and DHH_SEX = 2 and (HWTDVBMI >= 23.83 and HWTDVBMI < 28.58)) or (AGET1 = 16 and DHH_SEX = 1 and (HWTDVBMI >= 23.53 and HWTDVBMI < 27.88)) or (AGET1 = 16 and DHH_SEX = 2 and (HWTDVBMI >= 24.10 and HWTDVBMI < 28.87)) or (AGET1 = 16.5 and DHH_SEX = 1 and (HWTDVBMI >= 23.91 and HWTDVBMI < 28.27)) or (AGET1 = 16.5 and DHH_SEX = 2 and (HWTDVBMI >= 24.32 and HWTDVBMI < 29.11)) or (AGET1 = 17 and DHH_SEX = 1 and (HWTDVBMI >= 24.27 and HWTDVBMI < 28.63)) or (AGET1 = 17 and DHH_SEX = 2 and (HWTDVBMI >= 24.50 and HWTDVBMI < 29.28)) or (AGET1 = 17.5 and DHH_SEX = 1 and (HWTDVBMI >= 24.60 and HWTDVBMI < 28.95)) or (AGET1 = 17.5 and DHH_SEX = 2 and (HWTDVBMI >= 24.65 and HWTDVBMI < 29.42)) or (AGET1 = 18 and DHH_SEX = 1 and	Overweight (Greater or equal to 1 standard deviation but less than 2 standard deviations above the mean for the child's age in months, and sex)

(HWTDVBMI >= 24.91 and HWTDVBMI < 29.24))
or
(AGET1 = 18 and DHH_SEX = 2 and
(HWTDVBMI >= 24.77 and HWTDVBMI < 29.52))

2	(AGET1 = 12 and DHH_SEX = 1 and (HWTDVBMI >= 14.45 and HWTDVBMI < 19.95)) or (AGET1 = 12 and DHH_SEX = 2 and (HWTDVBMI >= 14.39 and HWTDVBMI < 20.81)) or (AGET1 = 12.5 and DHH_SEX = 1 and (HWTDVBMI >= 14.68 and HWTDVBMI < 20.38)) or (AGET1 = 12.5 and DHH_SEX = 2 and (HWTDVBMI >= 14.66 and HWTDVBMI < 21.31)) or (AGET1 = 13 and DHH_SEX = 1 and (HWTDVBMI >= 14.94 and HWTDVBMI < 20.83)) or (AGET1 = 13 and DHH_SEX = 2 and (HWTDVBMI >= 14.94 and HWTDVBMI < 21.80)) or (AGET1 = 13.5 and DHH_SEX = 1 and (HWTDVBMI >= 15.20 and HWTDVBMI < 21.30)) or (AGET1 = 13.5 and DHH_SEX = 2 and (HWTDVBMI >= 15.20 and HWTDVBMI < 22.28)) or (AGET1 = 14 and DHH_SEX = 1 and (HWTDVBMI >= 15.48 and HWTDVBMI < 21.77)) or (AGET1 = 14 and DHH_SEX = 2 and (HWTDVBMI >= 15.45 and HWTDVBMI < 22.73)) or (AGET1 = 14.5 and DHH_SEX = 1 and (HWTDVBMI >= 15.75 and HWTDVBMI < 22.24)) or (AGET1 = 14.5 and DHH_SEX = 2 and (HWTDVBMI >= 15.67 and HWTDVBMI < 23.15)) or (AGET1 = 15 and DHH_SEX = 1 and (HWTDVBMI >= 16.01 and HWTDVBMI < 22.69)) or (AGET1 = 15 and DHH_SEX = 2 and (HWTDVBMI >= 15.87 and HWTDVBMI < 23.51)) or (AGET1 = 15.5 and DHH_SEX = 1 and (HWTDVBMI >= 16.27 and HWTDVBMI < 23.12)) or (AGET1 = 15.5 and DHH_SEX = 2 and (HWTDVBMI >= 16.04 and HWTDVBMI < 23.83)) or (AGET1 = 16 and DHH_SEX = 1 and (HWTDVBMI >= 16.51 and HWTDVBMI < 23.53)) or (AGET1 = 16 and DHH_SEX = 2 and (HWTDVBMI >= 16.17 and HWTDVBMI < 24.10)) or (AGET1 = 16.5 and DHH_SEX = 1 and (HWTDVBMI >= 16.73 and HWTDVBMI < 23.91)) or (AGET1 = 16.5 and DHH_SEX = 2 and (HWTDVBMI >= 16.28 and HWTDVBMI < 24.32)) or (AGET1 = 17 and DHH_SEX = 1 and (HWTDVBMI >= 16.93 and HWTDVBMI < 24.27)) or (AGET1 = 17 and DHH_SEX = 2 and (HWTDVBMI >= 16.35 and HWTDVBMI < 24.50)) or (AGET1 = 17.5 and DHH_SEX = 1 and (HWTDVBMI >= 17.12 and HWTDVBMI < 24.60)) or (AGET1 = 17.5 and DHH_SEX = 2 and (HWTDVBMI >= 16.41 and HWTDVBMI < 24.65)) or (AGET1 = 18 and DHH_SEX = 1 and	Normal (Greater than or equal to 2 standard deviations below the mean and less than 1 standard deviation above the mean for the child's age in months, and sex)

	(HWTDVBMI >= 17.28 and HWTDVBMI < 24.91)) or (AGET1 = 18 and DHH_SEX = 2 and (HWTDVBMI >= 16.45 and HWTDVBMI < 24.77))	
1	Else	Thinness (Less than 2 standard deviations below the mean for the child's age in months, and sex)

7) Body mass index (adjusted)

Variable name: HWTDVCOR

Based on: DHH_AGE, DHH_SEX, ADM_PRX, HWTDVBMI, MAC_025

Description: This variable indicates the respondent's adjusted body mass index by applying a correction equation.

Note: This BMI classification is created using "self-reported height" and "self-reported weight" variables.

A systematic review of the literature concluded that the use of self-reported data among adults underestimates weight and overestimates height, resulting in lower estimates of obesity than those obtained from measured data (Connor Gorber et al. 2007). Obesity estimates based on the CCHS are subject to these biases (Shields et al. 2008b). Using data from the 2005 Canadian Community Health Survey (CCHS) subsample, where both measured and self-reported values were collected, correction equations have been developed (Connor Gorber et al. 2008). These correction equations have been successfully applied to both 2005 and 2008 self-reported CCHS data to produce more accurate estimates of obesity (Connor Gorber et al. 2008; Shields et al. 2011). Differences between corrected estimates of obesity from the CCHS and measured estimates from the Canadian Health Measures Survey will be monitored over time to determine if the bias in self-reported values is changing and if new correction equations need to be developed.

Specifications

Value	Condition(s)	Description	Notes
999.96	DHH_AGE < 18 or MAC_025 = 1 or HWTDVBMI = NA	Population exclusions	NA
999.99	ADM_PRX = 1	Module not asked (proxy interview)	NS
999.99	DHH_SEX=2 and MAC_025 = (DK, RF, NS)	Females who did not answer the pregnancy question (don't know, refusal, not stated)	
999.99	HWTDVHTM = NS or HWTDVWTK = NS or HWTDVBMI = NS	Respondents for whom a valid self-reported height and weight was not obtained	
-1.07575 + 1.07592*HWTDVBMI	DHH_SEX = 1	Male BMI adjustment	(Rounded to two decimal places)
-0.12374 + 1.05129*HWTDVBMI	DHH_SEX = 2	Female BMI adjustment	(Rounded to two decimal places)

Reference: 1. Connor Gorber S, Shields M, Tremblay MS, McDowell I. The feasibility of establishing correction factors to adjust selfreported estimates of obesity. Health Reports (Statistics Canada, Catalogue 82-003) 2008; 19(3): 71-82.
2. Connor Gorber S, Tremblay M, Moher D, Gorber B. A comparison of direct vs. self-report measures for assessing height, weight and body mass index: a systematic review. Obesity Reviews 2007; 8(4): 307-26.
3. Shields M, Connor Gorber S, Tremblay MS. Effects of measurement on obesity and morbidity. Health Reports (Statistics Canada, Catalogue 82-003) 2008a; 19(2): 77-84.
4. Shields M, Connor Gorber S, Tremblay MS. Estimates of obesity based on self-report versus direct measures. Health Reports (Statistics Canada, Catalogue 82-003) 2008b; 19(2): 61-76.
5. Shields M, Gorber SC, Janssen I, Tremblay MS. Bias in self-reported estimates of obesity in Canadian health surveys: an update on correction equations for adults. Health Reports 2011; 22(3): 35-45.

8) BMI classification for adults aged 18 and over (adjusted) - international standard

Variable name: HWTDVBCC

Based on: DHH_AGE, ADM_PRX, HWTDVCOR, MAC_025

Description: This variable uses the respondent's adjusted BMI, calculated in HWTDVCOR, to assign adult respondents aged 18 and over (except pregnant women) to one of the following categories: underweight; acceptable weight; overweight; obese class I; obese class II; and, obese class III. Here, the BMI categories are adopted from a body weight classification system recommended by Health Canada and the World Health Organization (WHO) which has been widely used internationally.

Note: According to Health Canada, this BMI classification system can be used as a screening tool to identify weight-related health risks at the population and individual levels. The following health risks are associated with each of the BMI categories for adults aged 18 and over:

normal weight = least health risk;
underweight and overweight = increased health risk;
obese class I = high health risk;
obese class II = very high health risk;
obese class III = extremely high health risk

At the population level, the BMI classification system can be used to compare body weight patterns and related health risks within and between populations and to establish population trends in body weight patterns. The classification should be used with caution at the individual level because the health risk associated with each BMI category varies considerably between individuals. Particular caution should be used when classifying: youth who have not attained growth maturity, adults who are naturally very lean, very muscular adults, some ethnic and racial groups, and adults over 65 years of age.

This variable excludes female respondents aged 18 to 55 who were pregnant or did not answer the pregnancy question (i.e. MAC_025 = don't know, refusal, not stated).

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 18 or MAC_025 = 1 or HWTDVBMI = NA	Population exclusions	NA
99	ADM_PRX = 1	Module not asked (proxy interview)	NS
99	HWTDVCOR = NS or MAC_025 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated	NS
1	HWTDVCOR < 18.50	Underweight	
2	(18.50 <= HWTDVCOR <= 24.99)	Normal weight	
3	(25.00 <= HWTDVCOR <= 29.99)	Overweight	
4	(30.00 <= HWTDVCOR <= 34.99)	Obese - Class I	
5	(35.00 <= HWTDVCOR <= 39.99)	Obese - Class II	
6	HWTDVCOR >= 40.00	Obese - Class III	

Income (5 DVs)

Temporary variables: INCTSRAT, INCTSADR, INCTSINC, INCTLIC
(Temporary variables are not disseminated on the share file.)

INCTSRAT is a temporary variable used in the calculation of the adjusted household income ratio (INCTSADR). It is the ratio between the total income of the respondent's household and the before-tax low income cut-off (LICO) corresponding to the number of persons in the household and the size of the community. The low income cut-off is the threshold at which a family would typically spend a larger portion of its income than the average family on the necessities of food, shelter and clothing.

INCTSRAT is produced in two separate steps. A summary of those steps is provided below.

Step 1: Low income cut-offs for each family and community size were obtained for the 2014 reference year from the Canadian Income Survey.

A low income cut-off was linked to all respondents (INCTLIC). This cut-off corresponded to the size of the respondent's household (DHHDVHSZ) and the size of the community in which the respondent lives (GEOTPSZ). Therefore, respondents were assigned one of the 35 possible combinations that exist (7 household size groups times 5 community size groups). For instance, the INCTLIC variable of a respondent living in a household size of 3 people and in an urban community with a population of 47,000 people would be 31,866.

Step 2: Individual ratios of household income to the low income cut-off are calculated for each household within each household and community size using the DHHDVHSZ household size variable and the GEOTPSZ community size variable. Ratios are calculated by dividing household income (INCTSINC) by the corresponding low income cut-off (INCTLIC).

INCTSADR, the adjusted household income ratio, is obtained by dividing INCTSRAT by the highest ratio for all survey respondents. This results in ratios ranging from 0 to 1.

Missing household income (INCT020) due to either respondent refusal or lack of knowledge is imputed using statistical techniques.

The flag INCFSH indicates whether household income variable (INCT020) is reported or imputed. The flag INCFSP indicates the same information for personal income variable (INCT040). See the document 'CCHS_2016_Income_Tax_Data' for more information.

Ref.: Low income cut-offs (INCTLIC) were taken from : Statistics Canada, "Income Research Paper Series", Low income lines, 2013-2014, Table 2: Low income cut-offs (1992 base) before tax. Catalogue no. 75F0002M No. 2, December 2015.

Temporary Reformat

Value	Condition(s)	Description	Notes
GEOTPSZ			
1	GEODVUR = 0	Rural Area	
2	Size of the population centre (or CMA) < 30,000	Population Centre less than 30,000 people	
3	30,000 <= Size of the population centre (or CMA) < 100,000	Population Centre 30,000 to 99,999 people	
4	100,000 <= Size of the population centre (or CMA) < 500,000	Population Centre 100,000 to 499,999 people	
5	Size of the population centre (or CMA) >= 500,000	Population Centre 500,000 people or more	
INCTLIC			
16,747	DHHDVHSZ = 1 and GEOTPSZ = 1	LICO when the household size = 1 and population size group = rural area	
20,849	DHHDVHSZ = 2 and GEOTPSZ = 1	LICO when the household size = 2 and population size group = rural area	
25,630	DHHDVHSZ = 3 and GEOTPSZ = 1	LICO when the household size = 3 and population size group = rural area	
31,120	DHHDVHSZ = 4 and GEOTPSZ = 1	LICO when the household size = 4 and population size group = rural area	
35,294	DHHDVHSZ = 5 and GEOTPSZ = 1	LICO when the household size = 5 and population size group = rural area	
39,808	DHHDVHSZ = 6 and GEOTPSZ = 1	LICO when the number of persons in household = 6 and population size group = rural area	
44,319	DHHDVHSZ >= 7 and GEOTPSZ = 1	LICO when the household size >= 7 and population size group = rural area	
19,053	DHHDVHSZ = 1 and GEOTPSZ = 2	LICO when the household size = 1 and population size group = urban area - less than 30,000 people	
23,718	DHHDVHSZ = 2 and GEOTPSZ = 2	LICO when the household size = 2 and population size group = urban area - less than 30,000 people	

29,158	DHHDVHSZ = 3 and GEOTPSZ = 2	LICO when the household size = 3 and population size group = urban area - less than 30,000 people	
35,403	DHHDVHSZ = 4 and GEOTPSZ = 2	LICO when the household size = 4 and population size group = urban area - less than 30,000 people	
40,153	DHHDVHSZ = 5 and GEOTPSZ = 2	LICO when the household size = 5 and population size group = urban area - less than 30,000 people	
45,287	DHHDVHSZ = 6 and GEOTPSZ = 2	LICO when the household size = 6 and population size group = urban area - less than 30,000 people	
50,420	DHHDVHSZ >= 7 and GEOTPSZ = 2	LICO when the household size >= 7 and population size group = urban area - less than 30,000 people	
20,822	DHHDVHSZ = 1 and GEOTPSZ = 3	LICO when the household size = 1 and population size group = urban area - 30,000 to 99,999 people	
25,921	DHHDVHSZ = 2 and GEOTPSZ = 3	LICO when the household size = 2 and population size group = urban area - 30,000 to 99,999 people	
31,866	DHHDVHSZ = 3 and GEOTPSZ = 3	LICO when the household size = 3 and population size group = urban area - 30,000 to 99,999 people	
38,691	DHHDVHSZ = 4 and GEOTPSZ = 3	LICO when the household size = 4 and population size group = urban area - 30,000 to 99,999 people	
43,883	DHHDVHSZ = 5 and GEOTPSZ = 3	LICO when the household size = 5 and population size group = urban area - 30,000 to 99,999 people	
49,493	DHHDVHSZ = 6 and GEOTPSZ = 3	LICO when the household size = 6 and population size group = urban area - 30,000 to 99,999 people	
55,103	DHHDVHSZ >= 7 and GEOTPSZ = 3	LICO when the household size >= 7 and population size group = urban area - 30,000 to 99,999 people	
20,952	DHHDVHSZ = 1 and GEOTPSZ = 4	LICO when the household size = 1 and population size group = urban area - 100,000 to 499,999 people	
26,082	DHHDVHSZ = 2 and GEOTPSZ = 4	LICO when the household size = 2 and population size group = urban area - 100,000 to 499,999 people	
32,065	DHHDVHSZ = 3 and GEOTPSZ = 4	LICO when the household size = 3 and population size group = urban area - 100,000 to 499,999 people	
38,931	DHHDVHSZ = 4 and GEOTPSZ = 4	LICO when the household size = 4 and population size group = urban area - 100,000 to 499,999 people	
44,154	DHHDVHSZ = 5 and GEOTPSZ = 4	LICO when the household size = 5 and population size group = urban area - 100,000 to 499,999 people	
49,800	DHHDVHSZ = 6 and GEOTPSZ = 4	LICO when the household size = 6 and population size group = urban area - 100,000 to 499,999 people	
55,444	DHHDVHSZ >= 7 and GEOTPSZ = 4	LICO when the household size => 7 and population size group = urban area - 100,000 to 499,999 people	
24,328	DHHDVHSZ = 1 and GEOTPSZ = 5	LICO when the household size = 1 and population size group = urban area - 500,000 people or more	
30,286	DHHDVHSZ = 2 and GEOTPSZ = 5	LICO when the household size = 2 and population size group = urban area - 500,000 people or more	
37,234	DHHDVHSZ = 3 and GEOTPSZ = 5	LICO when the household size = 3 and population size group = urban area - 500,000 people or more	
45,206	DHHDVHSZ = 4 and GEOTPSZ = 5	LICO when the household size = 4 and population size group = urban area - 500,000 people or more	
51,272	DHHDVHSZ = 5 and GEOTPSZ = 5	LICO when the household size = 5 and population size group = urban area - 500,000 people or more	
57,826	DHHDVHSZ = 6 and GEOTPSZ = 5	LICO when the household size = 6 and population size group = urban area - 500,000 people or more	
64,381	DHHDVHSZ >= 7 and GEOTPSZ = 5	LICO when the household size >= 7 and population size group = urban area - 500,000 people or more	
INCTSADR			
9.999999996	INCTSRAT = NA	Residents of territories excluded	NA (9 decimal places)
9.999999999	INCTSRAT = NS	This ratio cannot be calculated because the household income was not stated.	NS (9 decimal places)
INCTSRAT / Max value of all respondents	INCTSRAT < NA	Ratio between 0 and 1 corresponding to the household income and the corresponding low income cut-off divided by the highest ratio for all respondents.	(Rounded to 9 decimal places) (Min 0; Max 1)
INCTSINC			

99999996	GEO_PRV = (60, 61, 62)	Residents of Territories excluded	
99999999	INCT020 = NS	None of the income questions were stated	
0	INCT020 <= 0	No income or income loss	Value of 0 assigned when income loss reported
INCT020	0 < INCT020 < NA	Specific and positive household income	
INCTSRAT			
9999.999999996	INCTSINC = NA	Residents of territories excluded	9 decimals
9999.999999999	INCTSINC = NS	The ratio cannot be calculated because the household income was not stated	9 decimals
INCTSINC / INCTLIC	INCTSINC <> (NA,NS)	Individual ratio of household income to the low income cut-off corresponding to the size of the household and the size of the community. The maximum ratio is based on the maximum household income accepted, which is $90,000,000	9 decimals; min: 0, max: 5530

1) Household income source flag

Variable name: INCFSH

Based on: INCT020

Description: This flag indicates whether the value in INCT020 (total household income) was reported by the respondent, imputed from a donor or imputed from an income model.

See the document 'CCHS_2016_Income_Tax_Data' for more information.

Specifications

Value	Condition(s)	Description	Notes
1		Reported by respondent	
2		Imputed from a donor	
3		Imputed from an income model	

2) Personal income source flag

Variable name: INCFSP

Based on: DHH_AGE, DHHDVHSZ, INCT040

Description: This flag indicates whether the value in INCT040 (total household income) was reported by the respondent, imputed from a donor or imputed from an income model. The personal income has been set to 'Not applicable' for respondents who live in a one person household or who are aged 12-17.

See the document 'CCHS_2016_Income_Tax_Data' for more information.

Specifications

Value	Condition(s)	Description	Notes
1		Reported by respondent	
2		Imputed from a donor	
3		Imputed from an income model	
6	DHH_AGE < 18 or DHHDVHSZ = 1	Not applicable	NA

3) Distribution of household income - national level (excluding territories)

Variable name: INCDVSCA

Based on: GEO_PRV, INCTSADR

Description: This derived variable is a distribution of respondents in quintiles (five categories including approximately the same percentage of residents for each province) based on their value for INCTSADR, ie. the adjusted ratio of their total household income to the low income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents.

Note: Quintiles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for all 10 provinces irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal and don't know are excluded). Boundaries are determined in order to derive quintiles from the total weighted number of cases for which derived variables are calculated. The Territories are excluded from this derived variable.

Specifications

Value	Condition(s)	Description	Notes
6	GEO_PRV = (60, 61, 62)	Not applicable	NA
9	INCTSADR = NS	Not stated	NS
1	First 20% of respondents from ascending list of adjusted ratios (INCTSADR)	Quintile 1	
2	Second 20% of respondents from ascending list of adjusted ratios (INCTSADR)	Quintile 2	
3	Third 20% of respondents from ascending list of adjusted ratios (INCTSADR)	Quintile 3	
4	Fourth 20% of respondents from ascending list of adjusted ratios (INCTSADR)	Quintile 4	
5	Fifth 20% of respondents from ascending list of adjusted ratios (INCTSADR)	Quintile 5	

4) Distribution of household income - provincial level

Variable name: INCDVSPR

Based on: GEO_PRV, INCTSADR

Description: This derived variable is a distribution of residents of each province in quintiles (five categories including approximately the same percentage of residents for each province) based on their value for INCTSADR, ie. the adjusted ratio of their total household income to the low income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents in the same province. The Territories are excluded from this derived variable.

Note: Quitiles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for each of the 10 provinces irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal, etc. are excluded). Boundaries are determined in order to derive quintiles from the total weighted number of cases for which derived variables are calculated.

The INCDVSPR values are based on a distribution of adjusted ratios for the residents of each of the 10 provinces. This variable should therefore be used in conjunction with the variable for the province of residence (GEO_PRV).

Specifications

Value	Condition(s)	Description	Notes
6	GEO_PRV = (60, 61, 62)	Not applicable	NA
9	INCTSADR = NS	Not stated	NS

1	First 20% of respondents by province from the ascending list of adjusted ratios (INCTSADR)	Quintile 1
2	Second 20% of respondents by province from the ascending list of adjusted ratios (INCTSADR)	Quintile 2
3	Third 20% of respondents by province from the ascending list of adjusted ratios (INCTSADR)	Quintile 3
4	Fourth 20% of respondents by province from the ascending list of adjusted ratios (INCTSADR)	Quintile 4
5	Fifth 20% of respondents by province from the ascending list of adjusted ratios (INCTSADR)	Quintile 5

5) Distribution of household income - health region level

Variable name: INCDVSRS

Based on: GEO_PRV, GEODVHR4, INCTSADR

Description: This derived variable is a distribution of residents of each health region in quintiles (five categories including approximately the same percentage of residents for each province) based on their value for INCTSADR, ie. the adjusted ratio of their total household income to the low income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents in the same health region. The Territories are excluded from this derived variable.

Note: Quintiles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for each of the health regions irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal, etc. are excluded). Boundaries are determined in order to derive quintiles from the total weighted number of cases for which derived variables are calculated.

The INCDVSRS values are based on a distribution of adjusted ratios for the residents of each of the health regions. This variable should therefore be used in conjunction with the variable for the health region province of residence (GEODVHR4).

Specifications

Value	Condition(s)	Description	Notes
6	GEO_PRV = (60, 61, 62)	Not applicable	NA
9	INCTSADR = NS	Not stated	NS
1	First 20% of respondents by HR from the ascending list of adjusted ratios (INCTSADR)	Quintile 1	
2	Second 20% of respondents by HR from the ascending list of adjusted ratios (INCTSADR)	Quintile 2	
3	Third 20% of respondents by HR from the ascending list of adjusted ratios (INCTSADR)	Quintile 3	
4	Fourth 20% of respondents by HR from the ascending list of adjusted ratios (INCTSADR)	Quintile 4	
5	Fifth 20% of respondents by HR from the ascending list of adjusted ratios (INCTSADR)	Quintile 5	

Injuries (4 DVs)

1) Cause of injury

Variable name: INJDVCAU

Based on: INJ_030, INJ_070, INJ_080

Description: This variable categorizes the respondent's cause of injury.

Note: Respondents who did not suffer any injuries in the 12 months before the interview have been excluded from the population. Respondents who indicated "poisoning" in INJ_050 are also excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
96	DOINJ = 2	Module not selected	NA
96	INJ_030 = 2 or INJ_070 = NA	Population exclusion	NA
99	INJ_070 = (2, DK, RF, NS) and INJ_080 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	INJ_070 = 1	Fall (excluding transport)	
2	INJ_080 = 1	Transportation accident	
3	INJ_080 = 2	Accidentally bumped, pushed, bitten, etc. by person or animal	
4	INJ_080 = 3	Accidentally struck or crushed	
5	INJ_080 = 4	Accidental contact - sharp object, tool, machine	
6	INJ_080 = 5	Smoke, fire, flames	
7	INJ_080 = 6	Accidental contact - hot object, liquid or gas	
8	INJ_080 = 7	Extreme weather or natural disaster	
9	INJ_080 = 8	Overexertion or strenuous movement	
10	INJ_080 = 9	Physical assault	
11	INJ_080 = 10	Intentional Self-Inflicted Injury	
12	INJ_080 = 11	Other	

2) Cause of injury by place of occurrence

Variable name: INJDVCBP

Based on: INJ_030, INJ_060, INJDVCAU

Description: This variable categorizes cause of injury by its place of occurrence.

Note: This variable was derived by creating a matrix between all possible answers in the derived variable INJDVCAU (cause of injury) with all possible answers in question INJ_060 (place of occurrence). The 'Other cause of injury' category can include such accidents as those caused by electrical current, firearms, and ski-lifts. Respondents who did not suffer any injuries in the 12 months before the interview have been excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
9996	DOINJ = 2	Module not selected	NA

9996	INJ_030 = 2 or INJDVCAU = NA	Population exclusion	NA
9999	INJ_060 = (DK, RF, NS) or INJDVCAU = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
100	INJDVCAU = 1 and INJ_060 = 1	Fall - Home	
110	INJDVCAU = 1 and INJ_060 = 2	Fall - Residential institution	
120	INJDVCAU = 1 and INJ_060 = 3	Fall - School, college, university (excluding sports areas)	
130	INJDVCAU = 1 and INJ_060 = 6	Fall - Other institution	
141	INJDVCAU = 1 and INJ_060 = 4	Fall - Sports or athletics area of school, college, university	
142	INJDVCAU = 1 and INJ_060 = 5	Fall - Other sports or athletics area (excluding school, college, university)	
150	INJDVCAU = 1 and INJ_060 = 7	Fall - Street, highway, sidewalk	
160	INJDVCAU = 1 and INJ_060 = 8	Fall - Commercial area	
170	INJDVCAU = 1 and INJ_060 = 9	Fall - Industrial, construction area	
180	INJDVCAU = 1 and INJ_060 = 10	Fall - Farm	
191	INJDVCAU = 1 and INJ_060 = 11	Fall - Countryside, forest, lake, ocean, mountains, prairie, etc.	
192	INJDVCAU = 1 and INJ_060 = 12	Fall - Other place	
200	INJDVCAU = 2 and INJ_060 = 1	Transportation - Home	
210	INJDVCAU = 2 and INJ_060 = 2	Transportation - Residential institution	
220	INJDVCAU = 2 and INJ_060 = 3	Transportation - School, college, university (excluding sports areas)	
230	INJDVCAU=2 and INJ_060=6	Transportation - Other institution	
241	INJDVCAU = 2 and INJ_060 = 4	Transportation - Sports or athletics area of school, college, university	
242	INJDVCAU = 2 and INJ_060 = 5	Transportation - Other sports or athletics area (excluding school, college, university)	
250	INJDVCAU = 2 and INJ_060 = 7	Transportation - Street, highway, sidewalk	
260	INJDVCAU = 2 and INJ_060 = 8	Transportation - Commercial area	
270	INJDVCAU = 2 and INJ_060 = 9	Transportation - Industrial, construction area	
280	INJDVCAU = 2 and INJ_060 = 10	Transportation - Farm	
291	INJDVCAU = 2 and INJ_060 = 11	Transportation - Countryside, forest, lake, ocean, mountains, prairie, etc.	
292	INJDVCAU = 2 and INJ_060 = 12	Transportation - Other place	
300	INJDVCAU = 3 and INJ_060 = 1	Bump, push, bite - Home	
310	INJDVCAU = 3 and INJ_060 = 2	Bump, push, bite - Residential institution	
320	INJDVCAU = 3 and INJ_060 = 3	Bump, push, bite - School, college, university (excluding sports areas)	
330	INJDVCAU = 3 and INJ_060 = 6	Bump, push, bite - Other institution	
341	INJDVCAU = 3 and INJ_060 = 4	Bump, push, bite - Sports or athletics area of school, college, university	
342	INJDVCAU = 3 and INJ_060 = 5	Bump, push, bite - Other sports or athletics area (excluding school, college, university)	
350	INJDVCAU = 3 and INJ_060 = 7	Bump, push, bite - Street, highway, sidewalk	
360	INJDVCAU = 3 and INJ_060 = 8	Bump, push, bite - Commercial area	

370	INJDVCAU = 3 and INJ_060 = 9	Bump, push, bite - Industrial, construction area
380	INJDCAU = 3 and INJ_060 = 10	Bump, push, bite - Farm
391	INJDVCAU = 3 and INJ_060 = 11	Bump, push, bite - Countryside, forest, lake, ocean, mountains, prairie, etc.
392	INJDVCAU = 3 and INJ_060 = 12	Bump, push, bite - Other place
400	INJDVCAU = 4 and INJ_060 = 1	Struck, crushed (object) - Home
410	INJDVCAU = 4 and INJ_060 = 2	Struck, crushed (object) - Residential institution
420	INJDVCAU = 4 and INJ_060 = 3	Struck, crushed (object) - School, college, university (excluding sports areas)
430	INJDVCAU = 4 and INJ_060 = 6	Struck, crushed (object) - Other institution
441	INJDVCAU = 4 and INJ_060 = 4	Struck, crushed (object) - Sports or athletics area of school, college, university
442	INJDVCAU = 4 and INJ_060 = 5	Struck, crushed (object) - Other sports or athletics area (excluding school, college, university)
450	INJDVCAU = 4 and INJ_060 = 7	Struck, crushed (object) - Street, highway, sidewalk
460	INJDVCAU = 4 and INJ_060 = 8	Struck, crushed (object) - Commercial area
470	INJDVCAU = 4 and INJ_060 = 9	Struck, crushed (object) - Industrial, construction area
480	INJDVCAU = 4 and INJ_060 = 10	Struck, crushed (object) - Farm
491	INJDVCAU = 4 and INJ_060 = 11	Struck, crushed (object) - Countryside, forest, lake, ocean, mountains, prairie, etc.
492	INJDVCAU = 4 and INJ_060 = 12	Struck, crushed (object) - Other place
500	INJDVCAU = 5 and INJ_060 = 1	Contact, sharp object - Home
510	INJDVCAU = 5 and INJ_060 = 2	Contact, sharp object - Residential institution
520	INJDVCAU = 5 and INJ_060 = 3	Contact, sharp object - School, college, university (excluding sports areas)
530	INJDVCAU = 5 and INJ_060 = 6	Contact, sharp object - Other institution
541	INJDVCAU = 5 and INJ_060 = 4	Contact, sharp object - Sports or athletics area of school, college, university
542	INJDVCAU = 5 and INJ_060 = 5	Contact, sharp object - Other sports or athletics area (excluding school, college, university)
550	INJDVCAU = 5 and INJ_060 = 7	Contact, sharp object - Street, highway, sidewalk
560	INJDVCAU = 5 and INJ_060 = 8	Contact, sharp object - Commercial area
570	INJDVCAU = 5 and INJ_060 = 9	Contact, sharp object - Industrial, construction area
580	INJDVCAU = 5 and INJ_060 = 10	Contact, sharp object - Farm
591	INJDVCAU = 5 and INJ_060 = 11	Contact, sharp object - Countryside, forest, lake, ocean, mountains, prairie, etc.
592	INJDVCAU = 5 and INJ_060 = 12	Contact, sharp object - Other place
600	INJDVCAU = 6 and INJ_060 = 1	Smoke, fire, flames - Home
610	INJDVCAU = 6 and INJ_060 = 2	Smoke, fire, flames - Residential institution
620	INJDVCAU = 6 and INJ_060 = 3	Smoke, fire, flames - School, college, university (excluding sports areas)
630	INJDVCAU = 6 and INJ_060 = 6	Smoke, fire, flames - Other institution
641	INJDVCAU = 6 and INJ_060 = 4	Smoke, fire, flames - Sports or athletics area of school, college, university

642	INJDVCAU = 6 and INJ_060 = 5	Smoke, fire, flames - Other sports or athletics area (excluding school, college, university)
650	INJDVCAU = 6 and INJ_060 = 7	Smoke, fire, flames - Street, highway, sidewalk
660	INJDVCAU = 6 and INJ_060 = 8	Smoke, fire, flames - Commercial area
670	INJDVCAU = 6 and INJ_060 = 9	Smoke, fire, flames - Industrial, construction area
680	INJDVCAU = 6 and INJ_060 = 10	Smoke, fire, flames - Farm
691	INJDVCAU = 6 and INJ_060 = 11	Smoke, fire, flames - Countryside, forest, lake, ocean, mountains, prairie, etc.
692	INJDVCAU = 6 and INJ_060 = 12	Smoke, fire, flames - Other place
700	INJDVCAU = 7 and INJ_060 = 1	Contact, hot object, liquid or gas - Home
710	INJDVCAU = 7 and INJ_060 = 2	Contact, hot object, liquid or gas - Residential institution
720	INJDVCAU = 7 and INJ_060 = 3	Contact, hot object, liquid or gas - School, college, university (excluding sports areas)
730	INJDVCAU = 7 and INJ_060 = 6	Contact, hot object, liquid or gas - Other institution
741	INJDVCAU = 7 and INJ_060 = 4	Contact, hot object, liquid or gas - Sports or athletics area of school, college, university
742	INJDVCAU = 7 and INJ_060 = 5	Contact, hot object, liquid or gas - Other sports or athletics area (excluding school, college, university)
750	INJDVCAU = 7 and INJ_060 = 7	Contact, hot object, liquid or gas - Street, highway, sidewalk
760	INJDVCAU = 7 and INJ_060 = 8	Contact, hot object, liquid or gas - Commercial area
770	INJDVCAU = 7 and INJ_060 = 9	Contact, hot object, liquid or gas - Industrial, construction area
780	INJDVCAU = 7 and INJ_060 = 10	Contact, hot object, liquid or gas - Farm
791	INJDVCAU = 7 and INJ_060 = 11	Contact, hot object, liquid or gas - Countryside, forest, lake, ocean, mountains, prairie, etc.
792	INJDVCAU = 7 and INJ_060 = 12	Contact, hot object, liquid or gas - Other place
800	INJDVCAU = 8 and INJ_060 = 1	Weather, natural disaster - Home
810	INJDVCAU = 8 and INJ_060 = 2	Weather, natural disaster - Residential institution
820	INJDVCAU = 8 and INJ_060 = 3	Weather, natural disaster - School, college, university (excluding sports areas)
830	INJDVCAU = 8 and INJ_060 = 6	Weather, natural disaster - Other institution
841	INJDVCAU = 8 and INJ_060 = 4	Weather, natural disaster - Sports or athletics area of school, college, university
842	INJDVCAU = 8 and INJ_060 = 5	Weather, natural disaster - Other sports or athletics area (excluding school, college, university)
850	INJDVCAU = 8 and INJ_060 = 7	Weather, natural disaster - Street, highway, sidewalk
860	INJDVCAU = 8 and INJ_060 = 8	Weather, natural disaster - Commercial area
870	INJDVCAU = 8 and INJ_060 = 9	Weather, natural disaster - Industrial, construction area
880	INJDVCAU = 8 and INJ_060 = 10	Weather, natural disaster - Farm
891	INJDVCAU = 8 and INJ_060 = 11	Weather, natural disaster - Countryside, forest, lake, ocean, mountains, prairie, etc.
892	INJDVCAU = 8 and INJ_060 = 12	Weather, natural disaster - Other place
900	INJDVCAU = 9 and INJ_060 = 1	Overexertion, strenuous move - Home

910	INJDVCAU = 9 and INJ_060 = 2	Overexertion, strenuous move - Residential institution
920	INJDVCAU = 9 and INJ_060 = 3	Overexertion, strenuous move - School, college, university (excluding sports areas)
930	INJDVCAU = 9 and INJ_060 = 6	Overexertion, strenuous move - Other institution
941	INJDVCAU = 9 and INJ_060 = 4	Overexertion, strenuous move - Sports or athletics area of school, college, university
942	INJDVCAU = 9 and INJ_060 = 5	Overexertion, strenuous move - Other sports or athletics area (excluding school, college, university)
950	INJDVCAU =9 and INJ_060 = 7	Overexertion, strenuous move - Street, highway, sidewalk
960	INJDVCAU = 9 and INJ_060 = 8	Overexertion, strenuous move - Commercial area
970	INJDVCAU = 9 and INJ_060 = 9	Overexertion, strenuous move - Industrial, construction area
980	INJDVCAU = 9 and INJ_060 = 10	Overexertion, strenuous move - Farm
991	INJDVCAU = 9 and INJ_060 = 11	Overexertion, strenuous move - Countryside, forest, lake, ocean, mountains, prairie, etc.
992	INJDVCAU = 9 and INJ_060 = 12	Overexertion, strenuous move - Other place
1000	INJDVCAU = 10 and INJ_ 060 = 1	Assault - Home
1010	INJDVCAU = 10 and INJ_060 = 2	Assault - Residential institution
1020	INJDVCAU = 10 and INJ_060 = 3	Assault - School, college, university (excluding sports areas)
1030	INJDVCAU = 10 and INJ_060 = 6	Assault - Other institution
1041	INJDVCAU = 10 and INJ_060 = 4	Assault - Sports or athletics area of school, college, university
1042	INJDVCAU = 10 and INJ_060 = 5	Assault - Other sports or athletics area (excluding school, college, university)
1050	INJDVCAU = 10 and INJ_060 = 7	Assault - Street, highway, sidewalk
1060	INJDVCAU = 10 and INJ_060 = 8	Assault - Commercial area
1070	INJDVCAU = 10 and INJ_060 = 9	Assault - Industrial, construction area
1080	INJDVCAU = 10 and INJ_060 = 10	Assault - Farm
1091	INJDVCAU = 10 and INJ_060 = 11	Assault - Countryside, forest, lake, ocean, mountains, prairie, etc.
1092	INJDVCAU = 10 and INJ_060 = 12	Assault - Other place
1100	INJDVCAU = 11 and INJ_060 = 1	Intentional self-inflicted - Home
1110	INJDVCAU = 11 and INJ_060 = 2	Intentional self-inflicted - Residential Institution
1120	INJDVCAU = 11 and INJ_060 = 3	Intentional self-inflicted - School, college, university (excluding sports areas)
1130	INJDVCAU = 11 and INJ_060 = 6	Intentional self-inflicted - Other institution (e.g., church, hospital, theatre, civic building)
1141	INJDVCAU = 11 and INJ_060 = 4	Intentional self-inflicted - Sports or athletics area of school, college, university
1142	INJDVCAU = 11 and INJ_060 = 5	Intentional self-inflicted - Other sports or athletics area (exclude school sports areas)
1150	INJDVCAU = 11 and INJ_060 = 7	Intentional self-inflicted - Street, highway, sidewalk
1160	INJDVCAU = 11 and INJ_060 = 8	Intentional self-inflicted - Commercial area (e.g., store, restaurant, office building, transport terminal)

1170	INJDVCAU = 11 and INJ_060 = 9	Intentional self-inflicted - Industrial or construction area
1180	INJDVCAU = 11 and INJ_060 = 10	Intentional self-inflicted - Farm (exclude farmhouse and its surrounding area)
1191	INJDVCAU = 11 and INJ_060 = 11	Intentional self-inflicted - Countryside, forest, lake, ocean, mountains, prairie, etc.
1192	INJDVCAU = 11 and INJ_060 = 12	Intentional self-inflicted - Other
1200	INJDVCAU = 12 and INJ_060 = 1	Other cause - Home
1210	INJDVCAU = 12 and INJ_060 = 2	Other cause - Residential institution
1220	INJDVCAU = 12 and INJ_060 = 3	Other cause - School, college, university (excluding sports areas)
1230	INJDVCAU = 12 and INJ_060 = 6	Other cause - Other institution
1241	INJDVCAU = 12 and INJ_060 = 4	Other cause - Sports or athletics area of school, college, university
1242	INJDVCAU = 12 and INJ_060 = 5	Other cause - Other sports or athletics area (excluding school, college, university)
1250	INJDVCAU = 12 and INJ_060 = 7	Other cause - Street, highway, sidewalk
1260	INJDVCAU = 12 and INJ_060 = 8	Other cause - Commercial area
1270	INJDVCAU = 12 and INJ_060 = 9	Other cause - Industrial, construction area
1280	INJDVCAU = 12 and INJ_060 = 10	Other cause - Farm
1291	INJDVCAU = 12 and INJ_060 = 11	Other cause - Countryside, forest, lake, ocean, mountains, prairie, etc.
1292	INJDVCAU = 12 and INJ_060 = 12	Other cause - Other place

3) Injury status

Variable name: INJDVSTT

Based on: INJ_030, INJ_110

Description: This variable indicates the injury status of the respondent.

Specifications

Value	Condition(s)	Description	Notes
6	DOINJ = 2	Module not selected	NA
9	INJ_030 = (DK, RF, NS) or INJ_110 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	INJ_030 = 2 and INJ_110 = 2	No injuries	
1	INJ_030 = 1 and INJ_110 = 2	Activity-limiting injury only	
2	INJ_030 = 2 and INJ_110 = 1	Treated (non-activity limiting) injury only	
3	INJ_030 = 1 and INJ_110 = 1	Both activity-limiting and treated (non-activity limiting) injuries	

4) Type of injury by body site

Variable name: INJDVTBS

Based on: INJ_030, INJ_050, INJ_055

Description: This variable categorizes injury type by body parts.

Note: This variable was derived by creating a matrix between all possible answers in question INJ_050 (type of injury) with all possible answers in question INJ_055 (body part injured). Each combination in the matrix was given a unique code, except for those combinations that are deemed impossible (e.g. dislocation of the eyes).Note that the answer category « hand-wrist » is, since 2003, divided in two separate categories (INJ_055=7 and INJ_055=8). These have to be merged in order to compare the 2003 results with the preceding reference periods. Respondents who did not suffer injuries in the 12 months before the interview have been excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
9996	DOINJ = 2	Module not selected	NA
9996	INJ_030 = 2	Population exclusions	NA
9999	INJ_050 = (DK, RF, NS) or INJ_055 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
9999	(INJ_050 = (2, 4, 5) and INJ_055 = 2) or (INJ_050 = 4 and INJ_055 = 10)	Impossible combination (Fractures - Eyes Dislocation - Eyes Sprain or strain - Eyes Dislocation - Thigh)	NS
101	INJ_050 = 1 and INJ_055 = 1	Multiple injuries - Multiple sites	
102	INJ_050 = 1 and INJ_055 = 2	Multiple injuries - Eyes	
103	INJ_050 = 1 and INJ_055 = 3	Multiple injuries - Head (excl. eyes)	
104	INJ_050 = 1 and INJ_055 = 4	Multiple injuries - Neck	
105	INJ_050 = 1 and INJ_055 = 5	Multiple injuries - Shoulder, upper arm	
106	INJ_050 = 1 and INJ_055 = 6	Multiple injuries - Elbow, lower arm	
107	INJ_050 = 1 and INJ_055 = 7	Multiple injuries - Wrist	
108	INJ_050 = 1 and INJ_055 = 8	Multiple injuries - Hand	
109	INJ_050 = 1 and INJ_055 = 9	Multiple injuries - Hip	
110	INJ_050 = 1 and INJ_055 = 10	Multiple injuries - Thigh	
111	INJ_050 = 1 and INJ_055 = 11	Multiple injuries - Knee, lower leg	
112	INJ_050 = 1 and INJ_055 = 12	Multiple injuries - Ankle, foot	
113	INJ_050 = 1 and INJ_055 = 13	Multiple injuries - Upper back or upper spine	
114	INJ_050 = 1 and INJ_055 = 14	Multiple injuries - Lower back or lower spine	

115	INJ_050 = 1 and INJ_055 = 15	Multiple injuries - Chest (excl. back and spine)
116	INJ_050 = 1 and INJ_055 = 16	Multiple injuries - Abdomen or pelvis (excl. back and spine)
117	INJ_050 = 1 and INJ_055 =17	Multiple injuries - Other part of the body
201	INJ_050 = 2 and INJ_055 = 1	Fractures - Multiple sites
203	INJ_050 = 2 and INJ_055 = 3	Fractures - Head (excl. eyes)
204	INJ_050 = 2 and INJ_055 = 4	Fractures - Neck
205	INJ_050 = 2 and INJ_055 = 5	Fractures - Shoulder, upper arm
206	INJ_050 = 2 and INJ_055 = 6	Fractures - Elbow, lower arm
207	INJ_050 = 2 and INJ_055 = 7	Fractures - Wrist
208	INJ_050 = 2 and INJ_055 = 8	Fractures - Hand
209	INJ_050 = 2 and INJ_055 = 9	Fractures - Hip
210	INJ_050 = 2 and INJ_055 = 10	Fractures - Thigh
211	INJ_050 = 2 and INJ_055 = 11	Fractures - Knee, lower leg
212	INJ_050 = 2 and INJ_055 = 12	Fractures - Ankle, foot
213	INJ_050 = 2 and INJ_055 = 13	Fractures - Upper back or upper spine
214	INJ_050 = 2 and INJ_055 = 14	Fractures - Lower back or lower spine
215	INJ_050 = 2 and INJ_055 = 15	Fractures - Chest (excl. back and spine)
216	INJ_050 = 2 and INJ_055 = 16	Fractures - Abdomen or pelvis (excl. back and spine)
217	INJ_050 = 2 and INJ_055 = 17	Fractures - Other part of the body
301	INJ_050 = 3 and INJ_055 = 1	Burn or scald - Multiple sites
302	INJ_050 = 3 and INJ_055 = 2	Burn or scald - Eyes
303	INJ_050 = 3 and INJ_055 = 3	Burn or scald - Head (excl. eyes)
304	INJ_050 = 3 and INJ_055 = 4	Burn or scald - Neck
305	INJ_050 = 3 and INJ_055 = 5	Burn or scald - Shoulder, upper arm
306	INJ_050 = 3 and INJ_055 = 6	Burn or scald - Elbow, lower arm
307	INJ_050 = 3 and INJ_055 = 7	Burn or scald - Wrist

308	INJ_050 = 3 and INJ_055 = 8	Burn or scald - Hand
309	INJ_050 = 3 and INJ_055 = 9	Burn or scald - Hip
310	INJ_050 = 3 and INJ_055 = 10	Burn or scald - Thigh
311	INJ_050 = 3 and INJ_055 = 11	Burn or scald - Knee, lower leg
312	INJ_050 = 3 and INJ_055 = 12	Burn or scald - Ankle, foot
313	INJ_050 = 3 and INJ_055 = 13	Burn or scald - Upper back or upper spine
314	INJ_050 = 3 and INJ_055 = 14	Burn or scald - Lower back or lower spine
315	INJ_050 = 3 and INJ_055 = 15	Burn or scald - Chest (excl. back and spine)
316	INJ_050 = 3 and INJ_055 = 16	Burn or scald - Abdomen or pelvis (excl. back and spine)
317	INJ_050 = 3 and INJ_055 = 17	Burn or scald - Other part of the body
401	INJ_050 = 4 and INJ_055 = 1	Dislocation - Multiple sites
403	INJ_050 = 4 and INJ_055 = 3	Dislocation - Head (excl. eyes)
404	INJ_050 = 4 and INJ_055 = 4	Dislocation - Neck
405	INJ_050 = 4 and INJ_055 = 5	Dislocation - Shoulder, upper arm
406	INJ_050 = 4 and INJ_055 = 6	Dislocation - Elbow, lower arm
407	INJ_050 = 4 and INJ_055 = 7	Dislocation - Wrist
408	INJ_050 = 4 and INJ_055 = 8	Dislocation - Hand
409	INJ_050 = 4 and INJ_055 = 9	Dislocation - Hip
411	INJ_050 = 4 and INJ_055 = 11	Dislocation - Knee, lower leg
412	INJ_050 = 4 and INJ_055 = 12	Dislocation - Ankle, foot
413	INJ_050 = 4 and INJ_055 = 13	Dislocation - Upper back or upper spine
414	INJ_050 = 4 and INJ_055 = 14	Dislocation - Lower back or lower spine
415	INJ_050 = 4 and INJ_055 = 15	Dislocation - Chest (excl. back and spine)
416	INJ_050 = 4 and INJ_055 = 16	Dislocation - Abdomen or pelvis (excl. back and spine)
417	INJ_050=4 and INJ_055=17	Dislocation - Other part of the body
501	INJ_050 = 5 and INJ_055 = 1	Sprain or strain - Multiple sites

503	INJ_050 = 5 and INJ_055 = 3	Sprain or strain - Head (excl. eyes)
504	INJ_050 = 5 and INJ_055 = 4	Sprain or strain - Neck
505	INJ_050 = 5 and INJ_055 = 5	Sprain or strain - Shoulder, upper arm
506	INJ_050 = 5 and INJ_055 = 6	Sprain or strain - Elbow, lower arm
507	INJ_050 = 5 and INJ_055 = 7	Sprain or strain - Wrist
508	INJ_050 = 5 and INJ_055 = 8	Sprain or strain - Hand
509	INJ_050 = 5 and INJ_055 = 9	Sprain or strain - Hip
510	INJ_050 = 5 and INJ_055 = 10	Sprain or strain - Thigh
511	INJ_050 = 5 and INJ_055 = 11	Sprain or strain - Knee, lower leg
512	INJ_050 = 5 and INJ_055 = 12	Sprain or strain - Ankle, foot
513	INJ_050 = 5 and INJ_055 = 13	Sprain or strain - Upper back or upper spine
514	INJ_050 = 5 and INJ_055 = 14	Sprain or strain - Lower back or lower spine
515	INJ_050 = 5 and INJ_055 = 15	Sprain or strain - Chest (excl. back and spine)
516	INJ_050 = 5 and INJ_055 = 16	Sprain or strain - Abdomen or pelvis (excl. back and spine)
517	INJ_050=5 and INJ_055=17	Sprain or strain - Other part of the body
601	INJ_050 = 6 and INJ_055 = 1	Cut, puncture, bite - Multiple sites
602	INJ_050 = 6 and INJ_055 = 2	Cut, puncture, bite - Eyes
603	INJ_050 = 6 and INJ_055 = 3	Cut, puncture, bite - Head (excl. eyes)
604	INJ_050 = 6 and INJ_055 = 4	Cut, puncture, bite - Neck
605	INJ_050 = 6 and INJ_055 = 5	Cut, puncture, bite - Shoulder, upper arm
606	INJ_050 = 6 and INJ_055 = 6	Cut, puncture, bite - Elbow, lower arm
607	INJ_050 = 6 and INJ_055 = 7	Cut, puncture, bite - Wrist
608	INJ_050 = 6 and INJ_055 = 8	Cut, puncture, bite - Hand
609	INJ_050 = 6 and INJ_055 = 9	Cut, puncture, bite - Hip
610	INJ_050 = 6 and INJ_055 = 10	Cut, puncture, bite - Thigh
611	INJ_050 = 6 and INJ_055 = 11	Cut, puncture, bite - Knee, lower leg

612	INJ_050 = 6 and INJ_055 = 12	Cut, puncture, bite - Ankle, foot
613	INJ_050 = 6 and INJ_055 = 13	Cut, puncture, bite - Upper back or upper spine
614	INJ_050 = 6 and INJ_055 = 14	Cut, puncture, bite - Lower back or lower spine
615	INJ_050 = 6 and INJ_055 = 15	Cut, puncture, bite - Chest (excl. back and spine)
616	INJ_050 = 6 and INJ_055 = 16	Cut, puncture, bite - Abdomen or pelvis (excl. back and spine)
617	INJ_050=6 and INJ_055=17	Cut, puncture, bite - Other part of the body
701	INJ_050 = 7 and INJ_055 = 1	Scrape, bruise - Multiple sites
702	INJ_050 = 7 and INJ_055 = 2	Scrape, bruise - Eyes
703	INJ_050 = 7 and INJ_055 = 3	Scrape, bruise - Head (excl. eyes)
704	INJ_050 = 7 and INJ_055 = 4	Scrape, bruise - Neck
705	INJ_050 = 7 and INJ_055 = 5	Scrape, bruise - Shoulder, upper arm
706	INJ_050 = 7 and INJ_055 = 6	Scrape, bruise - Elbow, lower arm
707	INJ_050 = 7 and INJ_055 = 7	Scrape, bruise - Wrist
708	INJ_050 = 7 and INJ_055 = 8	Scrape, bruise - Hand
709	INJ_050 = 7 and INJ_055 = 9	Scrape, bruise - Hip
710	INJ_050 = 7 and INJ_055 = 10	Scrape, bruise - Thigh
711	INJ_050 = 7 and INJ_055 = 11	Scrape, bruise - Knee, lower leg
712	INJ_050 = 7 and INJ_055 = 12	Scrape, bruise - Ankle, foot
713	INJ_050 = 7 and INJ_055 = 13	Scrape, bruise - Upper back or upper spine
714	INJ_050 = 7 and INJ_055 = 14	Scrape, bruise - Lower back or lower spine
715	INJ_050 = 7 and INJ_055 = 15	Scrape, bruise - Chest (excl. back and spine)
716	INJ_050 = 7 and INJ_055 = 16	Scrape, bruise - Abdomen or pelvis (excl. back and spine)
717	INJ_050=7 and INJ_055=17	Scrape, bruise - Other part of the body
800	INJ_050 = 8	Concussion, brain injury - Head (excl. eyes)
900	INJ_050 = 9	Poisoning - Systemic effect
1000	INJ_050 = 10	Injury to internal organs
1101	INJ_050 = 11 and INJ_055 = 1	Other injury - Multiple sites

1102	INJ_050 = 11 and INJ_055 = 2	Other injury - Eyes
1103	INJ_050 = 11 and INJ_055 = 3	Other injury - Head (excluding eyes)
1104	INJ_050 = 11 and INJ_055 = 4	Other injury - Neck
1105	INJ_050 = 11 and INJ_055 = 5	Other injury - Shoulder, upper arm
1106	INJ_050 = 11 and INJ_055 = 6	Other injury - Elbow, lower arm
1107	INJ_050 = 11 and INJ_055 = 7	Other injury - Wrist
1108	INJ_050 = 11 and INJ_055 = 8	Other injury - Hand
1109	INJ_050 = 11 and INJ_055 = 9	Other injury - Hip
1110	INJ_050 = 11 and INJ_055 = 10	Other injury - Thigh
1111	INJ_050 = 11 and INJ_055 = 11	Other injury - Knee, lower leg
1112	INJ_050 = 11 and INJ_055 = 12	Other injury - Ankle, foot
1113	INJ_050 = 11 and INJ_055 = 13	Other injury - Upper back or upper spine
1114	INJ_050 = 11 and INJ_055 = 14	Other injury - Lower back or lower spine
1115	INJ_050 = 11 and INJ_055 = 15	Other injury - Chest (excluding back and spine)
1116	INJ_050 = 11 and INJ_055 = 16	Other injury - Abdomen or pelvis (excluding back and spine)
1117	INJ_050=11 and INJ_055=17	Other injury - Other part of the body

Labour force (5 DVs)

1) Working status last week

Variable name: LBFDVWSS

Based on: DHH_AGE, LBF_01, LBF_02

Description: This variable classifies the respondent based on his/her working status in the week prior to the interview.

Note: Respondents aged less than 15 or more than 75 years old have been excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
6	DHH_AGE < 15 or DHH_AGE > 75	Population exclusions	NA
1	LBF_01 = 1	Worked at a job or business	
2	LBF_02 = 1	Had a job but did not work (absent)	
3	LBF_02 = 2	Did not have a job	
9	LBF_02 = (DK, RF, NS) or LBF_01 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	

2) Industry group

Variable name: LBFDVING

Based on: DHH_AGE, LBFCSIC

Description: This variable indicates the industry group the respondent belongs to using the North American Industry Classification System (NAICS) 2012 at the 2-digit level.

Note: Respondents aged less than 15 years or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS 2016 questionnaire and look at the condition LMA6_C16.

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 15 or DHH_AGE > 75 or LBFCSIC = NA	Population exclusions	NA
99	LBFCSIC = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
01	1st 2 digits in LBFCSIC = 11	Agriculture, Forestry, Fishing and Hunting	
02	1st 2 digits in LBFCSIC = 21	Mining, Quarrying and Oil and Gas Extraction	
03	1st 2 digits in LBFCSIC = 22	Utilities	
04	1st 2 digits in LBFCSIC = 23	Construction	
05	1st 2 digits in LBFCSIC = 31 or 32 or 33	Manufacturing	
06	1st 2 digits in LBFCSIC = 41	Wholesale Trade	
07	1st 2 digits in LBFCSIC = 44 or 45	Retail Trade	

08	1st 2 digits in LBFCSIC = 48 or 49	Transportation and Warehousing
09	1st 2 digits in LBFCSIC = 51	Information and Cultural Industries
10	1st 2 digits in LBFCSIC = 52	Finance and Insurance
11	1st 2 digits in LBFCSIC = 53	Real Estate and Rental and Leasing
12	1st 2 digits in LBFCSIC = 54	Professional, Scientific and Technical Services
13	1st 2 digits in LBFCSIC = 55	Management of Companies and Enterprises
14	1st 2 digits in LBFCSIC = 56	Administrative and Support, Waste Management and Remediation Services
15	1st 2 digits in LBFCSIC = 61	Educational Services
16	1st 2 digits in LBFCSIC = 62	Health Care and Social Assistance
17	1st 2 digits in LBFCSIC = 71	Arts, Entertainment and Recreation
18	1st 2 digits in LBFCSIC = 72	Accommodation and Food Services
19	1st 2 digits in LBFCSIC = 81	Other Services (except Public Administration)
20	1st 2 digits in LBFCSIC = 91	Public Administration
95	LBFCSIC = XXXX	Could not be coded

3) Occupation group

Variable name: LBFDVOCG

Based on: DHH_AGE, LBFCSOC

Description: This variable indicates the occupation group the respondent belongs to using the National Occupational Classification (NOC) 2011 at the 1-digit level.

Note: Respondents aged less than 15 years or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS 2016 questionnaire and look at the condition LMA6_C16.

Temporary Reformat

Value	Condition(s)	Description	Notes
LBFTSOC			
1st digit in LBFCSOC	LBFCSOC <> (XXXX, DK, RF, NS, NA)		

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 15 or DHH_AGE > 75 or LBFCSOC = NA	Population exclusions	NA
99	LBFCSOC = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
01	LBFTSOC = 0	Management Occupations	
02	LBFTSOC = 1	Business, Finance and Administration Occupations	
03	LBFTSOC = 2	Natural and Applied Sciences and Related Occupations	

04	LBFTSOC = 3	Health Occupations
05	LBFTSOC = 4	Occupations in Social Science, Education, Government Service and Religion
06	LBFTSOC = 5	Occupations in Art, Culture, Recreation and Sport
07	LBFTSOC = 6	Sales and Service Occupations
08	LBFTSOC = 7	Trades, Transport and Equipment Operators and Related Occupations
09	LBFTSOC = 8	Occupations Unique to Primary Industry
10	LBFTSOC = 9	Occupations Unique to Processing, Manufacturing and Utilities
95	LBFCSOC = XXXX	Could not be coded

4) Total usual hours worked per week

Variable name: LBFDVHPW

Based on: DHH_AGE, LBF_16, LBF_035

Description: This continuous variable indicates the total number of hours the respondent worked per week.

Note: Respondents aged less than 15 years or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS 2016 questionnaire and look at the condition LMA6_C16.

Specifications

Value	Condition(s)	Description	Notes
996	DHH_AGE > 75 or DHH_AGE < 15 or LBF_16 = NA	Population exclusions	NA
999	LBF_16 = (DK, RF, NS) or LBF_035 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
LBF_16	LBF_16 < NA and LBF_035 = NA	Number of hours usually worked per week for respondents with one job	(rounded to an integer value) (min 0; max 168)
LBF_16 + LBF_035	LBF_16 < NA and LBF_035 < NA	Number of total hours usually worked per week for respondents with more than one job	(rounded to an integer value) (min 0; max 168)

5) Full-time/part-time working status (for total usual hours)

Variable name: LBFDVPFT

Based on: LBFDVHPW

Description: This variable indicates if the respondent works full-time or part-time.

Note: Respondents aged less than 15 years or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS 2016 questionnaire and look at the condition LMA6_C16.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	LBFDVHPW = NA	Population exclusions	NA
9	LBFDVHPW = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
1	LBFDVHPW >= 30	Full-time	
2	LBFDVHPW < 30	Part-time	

Maternal experiences (5 DVs)

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
MEXT115			
9999	MEX_115 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
9996	MEX_115 = NA	Still breastfeeding or giving breast milk to baby	NA
MEX_115	MEX_115A = 1	Length of time in days that respondent breastfed or gave breast milk to last baby.	
MEX_115 * 7	MEX_115A = 2	Length of time in days that respondent breastfed or gave breast milk to last baby.	
MEX_115 * 30	MEX_115A = 3	Length of time in days that respondent breastfed or gave breast milk to last baby.	
MEX_115 * 365	MEX_115A = 4	Length of time in days that respondent breastfed or gave breast milk to last baby.	
MEXT115A			
99	MEXT115 = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
96	MEXT115 = NA	Population exclusions	NA
01	MEXT115 < 7	Less than 1 week	
02	7 <= MEXT115 <= 29	1 week to less than one month	
03	30 <= MEXT115 <= 59	1 month to less than 2 months	
04	60 <= MEXT115 <= 89	2 months to less than 3 months	
05	90 <= MEXT115 <= 119	3 months to less than 4months	
06	120 <= MEXT115 <= 149	4 months to less than 5 months	
07	150 <= MEXT115 <= 179	5 months to less than 6 months	
08	MEXT115 >= 180	6 months or more	
MEXT155			
9999	MEX_155 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
9996	MEX_155 = NA	Liquids not introduced to feed.	NA
MEX_155	MEX_160 = 1	Age in days of baby when other liquids first added to feed.	
MEX_155 * 7	MEX_160 = 2	Age in days of baby when other liquids first added to feed.	
MEX_155 * 30	MEX_160 = 3	Age in days of baby when other liquids first added to feed.	
MEX_155 * 365	MEX_160 = 4	Age in days of baby when other liquids first added to feed.	
MEXT155A			
99	MEXT155 = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
96	MEXT155 = NA	Population exclusions	NA
01	MEXT155 < 7	Less than 1 week	
02	7 <= MEXT155 <= 29	1 week to less than one month	
03	30 <= MEXT155 <= 59	1 month to less than 2 months	
04	60 <= MEXT155 <= 89	2 months to less than 3 months	
05	90 <= MEXT155 <= 119	3 months to less than 4 months	
06	120 <= MEXT155 <= 149	4 months to less than 5 months	
07	150 <= MEXT155 <= 179	5 months to less than 6 months	

08	MEXT155 >= 180	6 months or more	
MEXT175			
9999	MEX_175 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
9996	MEX_175 = NA	Solid foods not introduced to feed.	NA
MEX_175	MEX_180 = 1	Age in days of baby when solids first added to feed.	
MEX_175 * 7	MEX_180 = 2	Age in days of baby when solids first added to feed.	
MEX_175 * 30	MEX_180 = 3	Age in days of baby when solids first added to feed.	
MEX_175 * 365	MEX_180 = 4	Age in days of baby when solids first added to feed.	
MEXT175A			
99	MEXT175 = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
96	MEXT175 = NA	Population exclusions	NA
01	MEXT175 < 7	Less than 1 week	
02	7 <= MEXT175 <= 29	1 week to less than one month	
03	30 <= MEXT175 <= 59	1 month to less than 2 months	
04	60 <= MEXT175 <= 89	2 months to less than 3 months	
05	90 <= MEXT175 <= 119	3 months to less than 4 months	
06	120 <= MEXT175 <= 149	4 months to less than 5 months	
07	150 <= MEXT175 <= 179	5 months to less than 6 months	
08	MEXT175 >= 180	6 months or more	

1) Weight before pregnancy (in kilograms)

Variable name: MEXDVWBK

Based on: DHH_SEX, DHH_AGE, ADM_PRX, MEX_010, MEX_070, MEX_N075

Description: This variable indicates the respondent's weight in kilograms before pregnancy.

Specifications

Value	Condition(s)	Description	Notes
999.96	DOMEX = 2 or DHH_SEX = 1 or DHH_AGE < 15 or DHH_AGE > 55 or MEX_010 = 2 or MEX_070 = NA	Population Exclusions	NA
999.99	ADM_PRX = 1	Module not asked - proxy interview	NS
999.99	MEX_010 = (DK, RF, NS) or MEX_070 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
MEX_070	MEX_N075 = 2	Weight in kilograms	(rounded to two decimal places)
MEX_070 * .45	MEX_N075 = 1	Weight converted from pounds to kilograms	(rounded to two decimal places)

2) Weight gained during pregnancy (in kilograms)

Variable name: MEXDVWGK

Based on: DHH_SEX, DHH_AGE, ADM_PRX, MEX_010, MEX_080, MEX_N085

Description: This variable indicates the respondent's weight gain in kilograms during pregnancy.

Specifications

Value	Condition(s)	Description	Notes
999.96	DOMEX = 2 or DHH_SEX = 1 or DHH_AGE < 15 or DHH_AGE > 55 or MEX_010 = 2 or MEX_080 = NA	Population exclusions	NA
999.99	ADM_PRX = 1	Module not asked - proxy interview	NS
999.99	MEX_010 = (DK, RF, NS) or MEX_080 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
MEX_080	MEX_N085 = 2	Weight in kilograms	(rounded to two decimal places)
MEX_080 * .45	MEX_N085 = 1	Weight converted from pounds to kilograms	(rounded to two decimal places)

3) Exclusively breastfed for 6 months (or more)

Variable name: MEXDVBM6

Based on: ADM_PRX, DHH_SEX, DHH_AGE, SXB_005, MEX_010, MEX_100, MEX_110, MEX_115, MEX_115A, MEX_155, MEX_160, MEX_175, MEX_180, MEXT115A, MEXT155A, MEXT175A

Description: This variable indicates whether the respondent exclusively breastfed or gave breast milk to her last baby for at least 6 months.

Note: Health Canada recommends exclusive breastfeeding for a period of up to 6 months. This variable indicates the number of mothers who followed this recommendation. Respondents who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old were excluded from the population. Since the variable is used to measure only the final duration of exclusive breastfeeding, mothers who still breastfed and who had not yet added any other liquid or solid foods to the baby's feeds are also excluded. Analysts can choose to collapse categories 2 and 3 to obtain all mothers who did not exclusively breastfeed or give breast milk for at least 6 months.

Category 1 indicates that the mother breastfed or gave breast milk to her last baby for at least 6 months and that liquids and solids were not introduced to the baby's feeds until after this point. Mothers may have continued breastfeeding non-exclusively after this point and would still fall under this category. There are two ways to meet this criteria:

1. Breastfeeding or feeding breast milk has ceased after 6 months and liquids were introduced only after 6 months or not at all and solids were introduced only after 6 months or not at all

2.The baby is 6 months old or more and breastfeeding or being fed breast milk is still occurring and liquids have been introduced only after 6 months or not at all and solids have been introduced only after 6 months or not at all.

Category 2 indicates that the mother did not breastfeed, or give breast milk to, her last baby exclusively for at least 6 months. This could be that breastfeeding or giving breast milk ended before 6 months, or that liquids or solids were introduced prior to 6 months (making that period non-exclusive).

Category 3 indicates that the mother did not breastfeed her last baby at all.

Specifications

Value	Condition(s)	Description	Notes
6	DOMEX = 2 or DHH_SEX = 1 or DHH_AGE < 15 or DHH_AGE > 55 or SXB_005 = 2 or MEX_010 = 2 or	Population exclusions	NA

	(MEX_110 = 1 and MEXT155 = NA and MEXT175A = NA)		
3	MEX_100 = 2	Has not breastfed her last baby at all	
9	ADM_PRX = 1	Module not asked - proxy interview	NS
9	(MEX_010 = NS or MEXT115A = NS or MEXT155A = NS or MEXT175A = NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	(((MEXT155A = 8 and MEXT175A = (8, NA)) or (MEXT155A = (8, NA) and MEXT175A = 8) or (MEXT155A = 8 and MEXT175A = 8)) and MEXT115A in (8, NA)) or (MEX_110 = 2 and MEXT155A = (8, NA) and MEXT175A = (8, NA) and MEXT115A = 8	Had exclusively breastfed her last baby for at least 6 months	
2	MEXT115A < 8 or MEXT155A < 8 or MEXT175A < 8	Had not exclusively breastfed her last baby for at least 6 months	

4) Length of exclusive breastfeeding

Variable name: MEXDVLBM

Based on: ADM_PRX, DHH_SEX, DHH_AGE, MEX_010, MEX_100, MEX_110, MEX_115, MEX_115A, MEX_155, MEX_160, MEX_175, MEX_180, MEXT115A, MEXT155A, MEXT175A

Description: This variable provides the length of time that the respondent exclusively breastfed or gave breast milk to her last baby.

Note: Respondents who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old were excluded from the population. Since the variable is used to measure only the final duration of exclusive breastfeeding, mothers who are still breastfeeding at the time of the interview and who had not yet added any other liquid or solid foods to the baby's feeds are also excluded.

Specifications

Value	Condition(s)	Description	Notes
96	DOMEX = 2 or DHH_SEX = 1 or DHH_AGE < 15 or DHH_AGE > 55 or MEX_010 = 2 or MEX_110 = NA or (MEX_110 = 1 and MEXT155A = NA and MEXT175A = NA)	Population exclusions	NA
99	ADM_PRX = 1	Module not asked - Proxy Interview	NS
99	MEXT115A = NS or MEXT155A = NS or MEXT175A = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	MEX_100 = 2	Has not breastfed or given breastmilk to last baby	

1	((MEXT155A = 1 or MEXT175A = 1) and (1 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 1 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 1)	Less than 1 week
2	((MEXT155A = 2 or MEXT175A = 2) and (2 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 2 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 2)	1 week to less than 1 month
3	((MEXT155A = 3 or MEXT175A = 3) and (3 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 3 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A= NA) and MEXT115A = 3)	1 month to less than 2 months
4	((MEXT155A = 4 or MEXT175A = 4) and (4 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 4 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 4)	2 months to less than 3 months
5	((MEXT155A = 5 or MEXT175A = 5) and (5 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 5 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 5)	3 months to less than 4 months
6	((MEXT155A = 6 or MEXT175A = 6) and (MEXT115A in (6,7,8) or MEXT115A = NA)) or (MEXT115A = 6 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A> MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 6)	4 months to less than 5 months

7	((MEXT155A = 7 or MEXT175A = 7) and (MEXT115A in (7,8) or MEXT115A = NA)) or (MEXT115A = 7 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 7)	5 months to less than 6 months
8	((MEXT155A = 8 or MEXT175A = 8) and (MEXT115A = 8 or MEXT115A = NA)) or (MEXT115A = 8 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 8)	6 months or more

5) Child received vitamin D

Variable name: MEXDVVTD

Based on: ADM_PRX, DHH_SEX, DHH_AGE, CHILDAGE, SXB_005, MEX_010, MEX_100, MEX_110, MEX_125, MEX_130

Description: This variable determines whether a breastfed baby has received Vitamin D supplements up until the age of 1 year old, continued to receive Vitamin D after 1 year old, or not at all.

Note: Mothers with babies under the age of 12 months at time of interview were not asked MEX_130 (received Vitamin D after 12 months). They will be coded to category 9, 0 or 1, depending on the answer to MEX_Q125.

Respondent who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old were excluded from the population. This variable also excludes mothers who did not breastfeed.

Specifications

Value	Condition(s)	Description	Notes
6	DOMEX = 2 or DHH_SEX = 1 or DHH_AGE < 15 or DHH_AGE > 55 or MEX_010 = 2 or SXB_005 = 2 or 996 > CHILDAGE >= 72	Population exclusions	NA
6	MEX_100 = 2	Population exclusions	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
9	MEX_010 = (DK, RF, NS) or MEX_100 = (DK, RF, NS) or MEX_110 = (DK, RF, NS) or MEX_125 = (DK, RF, NS) or MEX_130 = (DK, RF)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	(MEX_125 = 2 and MEX_130 = NA)	Baby never received vitamin D supplement	
1	(MEX_125 = 1 and MEX_130 = (2, NA))	Baby received vitamin D only when under 1 year old	

2	(MEX_125 = 1 and MEX_130 = 1)	Baby received vitamin D both when under 1 year old and when older than 1	Excluding mothers with babies less than 12 months old

Nicotine dependence (1 DV)

The items and scoring used to derive the Fagerström Tolerance Test are based on the work of Fagerström, Heatherton and Kozlowski. The test allows physicians to classify smokers according to a level of nicotine dependency and to identify those most likely to need nicotine replacement therapy. The measure combines an index of cigarette consumption and difficulty tolerating reduced nicotine levels.

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
NDETIND			
0		Initialize NDETIND to 0	This DV is used as a counter
NDETIND + 3	NDE_005 = 1	Compute value of NDETIND for Fagerström Tolerance Test	
NDETIND + 2	NDE_005 = 2	Compute value of NDETIND for Fagerström Tolerance Test	
NDETIND + 1	NDE_005 = 3	Compute value of NDETIND for Fagerström Tolerance Test	
NDETIND + 1	NDE_010 = 1	Compute value of NDETIND for Fagerström Tolerance Test	
NDETIND + 1	NDE_015 = 1	Compute value of NDETIND for Fagerström Tolerance Test	
NDETIND + 1	NDE_020 = 1	Compute value of NDETIND for Fagerström Tolerance Test	
NDETIND + 1	NDE_025 = 1	Compute value of NDETIND for Fagerström Tolerance Test	
NDETIND + 1	(11 <= SMK_045 <= 20)	Compute value of NDETIND for Fagerström Tolerance Test	
NDETIND + 2	(21 <= SMK_045 <= 30)	Compute value of NDETIND for Fagerström Tolerance Test	
NDETIND + 3	(31 <= SMK_045 <= NS)	Compute value of NDETIND for Fagerström Tolerance Test	

1) Fagerström tolerance score

Variable name: NDEDVFTT

Based on: ADM_PRX, SMK_005, SMK_045, NDE_005, NDE_010, NDE_015, NDE_020, NDE_025, NDETIND

Description: This variable classifies current daily smokers into categories, according to level of nicotine dependency. The measure combines an index of consumption (cigarettes per day) with difficulty tolerating reduced nicotine levels.

Note: Occasional smokers and non-smokers are excluded from the population.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DONDE = 2	Module not selected	NA
6	SMK_005 = (2, 3)	Population exclusion	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
9	SMK_005 = (DK, R, NS) or SMK_045 = (DK, R, NS) or NDE_005 = (DK, R, NS) or NDE_010 = (DK, R, NS) or NDE_015 = (DK, R, NS) or NDE_020 = (DK, R, NS) or NDE_025 = (DK, R, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	(0 <= NDETIND <= 2)	Very low dependence	
2	(3 <= NDETIND <= 4)	Low dependence	

3	NDETIND = 5	Medium dependence
4	(6 <= NDETIND <= 7)	High dependence
5	(8 <= NDETIND <= 10)	Very high dependence

Reference: Adapted from Fagerström, KO, Heatherton TF, Kozlowski LT. Nicotine addiction and its assessment. Ear Nose Throat J. 1991; 69: 763-765. Heatherton TF, Kozlowski LT, Frecker RC, Fagerström, KO. A Fagerström Test for Nicotine Dependence: A revision of the Fagerström Tolerance Questionnaire. British Journal of Addictions. 1991; 86: 1119-27.

Physical activities - Adults 18 years and older (22 DVs)

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
PAATOTH			
Number of Days Selected (Numerical)	PAA_070 = (1:7)	Counts the total number of days a respondent performed other physical activities in the last 7 days. E.g. 1 day = 1; 3 days = 3; 7 days = 7.	(min:1; max:7)
9	PAA_070 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAATREC			
Number of Days Selected (Numerical)	PAA_040 = (1:7)	Counts the total number of days a respondent performed recreational activities in the last 7 days. E.g. 1 day = 1; 3 days = 3; 7 days = 7.	(min:1; max:7)
9	PAA_040 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAATTRAV			
Number of Days Selected (Numerical)	PAA_010 = (1:7)	Counts the total number of days a respondent used active ways to get places in the last 7 days. E.g. 1 day = 1; 3 days = 3; 7 days = 7.	(min:1; max:7)
9	PAA_010 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

1) Active transportation minutes per week

Variable name: PAADVTRV

Based on: DHH_AGE, PAA_005, PAA_015, PAA_020

Description: This variable derives the total number of minutes spent traveling in active ways in the last 7 days before the interview.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
99996	DOPAA = 2	Module not selected	NA
99996	DHH_AGE < 18	Population exclusions	NA
0	PAA_005 = 2	No minutes of active transportation in the last 7 days	
PAA_015 * 60 + PAA_020	PAA_015 = (0:168) and PAA_020 = (0:9995)	Number of minutes of active transportation in the last 7 days	Min: 0; Max: 10080
99999	PAA_005 = (DK, RF, NS) or PAA_015 = (DK, RF, NS) or PAA_020 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

2) Average minutes per day of active transportation

Variable name: PAADVATR

Based on: DHH_AGE, PAADVTRV, PAA_010, PAATTRAV

Description: This derived variable determines the average number of minutes per day of active transportation in the last 7 days.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9999.6	DOPAA = 2	Module not selected	NA

9999.6	DHH_AGE < 18	Population exclusions	NA
9999.9	PAADVTRV = NS or PAATTRAV = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAADVTRV = 0	No active transportation last 7 days	
PAADVTRV / PAATTRAV	PAADVTRV = (1:10080) and PAATTRAV = (1:7)	Average active transportation minutes last 7 days	Rounded to 1 decimal place

3) Recreational activity minutes per week

Variable name: PAADVREC

Based on: DHH_AGE, PAA_030, PAA_035, PAA_045, PAA_050

Description: This derived variable represents the number minutes of moderate to vigorous recreational physical activity in the last 7 days before the interview.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAA = 2	Module not selected	NA
99996	DHH_AGE < 18	Population exclusions	NA
0	PAA_030=2 or PAA_035=2	No minutes of recreational physical activity in the last 7 days	
PAA_045 * 60 + PAA_050	PAA_045 = (0:168) and PAA_050 = (0:9995)	Number of minutes of recreational physical activity in the last 7 days	Min: 0; Max: 10080
99999	PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_045 = (DK, RF, NS) or PAA_050 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

4) Average minutes per day of recreational activities

Variable name: PAADVARC

Based on: DHH_AGE, PAADVREC, PAA_040, PAATREC

Description: This derived variable determines the average number of minutes per day of recreational activities in the last 7 days.

Note: Moderate exercise is defined in the Canadian Physical Activity Guidelines as a physical activity of moderate intensity causing harder breathing and sweating at least a little. The average is based on the total number of minutes of activity in the week divided by the number of days they were active.

Specifications

Value	Condition(s)	Description	Notes
9999.6	DOPAA = 2	Module not selected	NA
9999.6	DHH_AGE < 18	Population exclusions	NA
9999.9	PAADVREC = NS or PAATREC = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAADVREC = 0	No recreational activities in the last 7 days	
PAADVREC / PAATREC	PAADVREC = (1:10080) and PAATREC = (1:7)	Average minutes per day of recreational activities in the last 7 days	Rounded to 1 decimal place

5) Other activity minutes per week

Variable name: PAADVOTH

Based on: DHH_AGE, PAA_060, PAA_065, PAA_075, PAA_080

Description: This variable derives the total number of minutes of other moderate to vigorous physical activities in the last 7 days before the interview.

Note: Physical activity is considered to be moderate if it causes the participant to sweat at least a little and breathe harder.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAA = 2	Module not selected	NA
99996	DHH_AGE < 18	Population exclusions	NA
0	PAA_Q060 = 2 or PAA_Q065 = 2	No minutes of other physical activity in the last 7 days	
PAA_075 * 60 + PAA_080	PAA_075 = (0:168) and PAA_080 = (0:9995)	Number of minutes of other physical activity in the last 7 days	Min: 0; Max: 10080
99999	PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_075 = (DK, RF, NS) or PAA_080 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

6) Average minutes per day of other activities

Variable name: PAADVATH

Based on: DHH_AGE, PAADVOTH, PAA_070, PAATOTH

Description: This derived variable determines the average number of minutes per day of other physical activity in the last 7 days.

Specifications

Value	Condition(s)	Description	Notes
9999.6	DOPAA = 2	Module not selected	NA
9999.6	DHH_AGE < 18	Population exclusions	NA
9999.9	PAADVOTH = NS or PAATOTH = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAADVOTH = 0	No other physical activities in the last 7 days	
PAADVOTH / PAATOTH	PAADVOTH = (1:10080) and PAATOTH = (1:7)	Average minutes per day of other physical activities in the last 7 days	Rounded to 1 decimal place

7) Total minutes of moderate to vigorous activity - last 7 days

Variable name: PAADVMVA

Based on: DHH_AGE, PAA_005, PAA_015, PAA_020, PAA_030, PAA_035, PAA_045, PAA_050, PAA_060, PAA_065, PAA_075, PAA_080

Description: This derived variable represents the total number of minutes a respondent engaged in active transportation and moderate to vigorous recreational and other physical activities.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
99996	DOPAA = 2	Module not selected	NA
99996	DHH_AGE < 18	Population Exclusions	NA
99999	PAA_005 = (DK, RF, NS) or PAA_015 = (DK, RF, NS) or PAA_020 = (DK, RF, NS) or PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_045 = (DK, RF, NS) or PAA_050 = (DK, RF, NS) or PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_075 = (DK, RF, NS) or PAA_080 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAA_005 = 2 and (PAA_030 = 2 or PAA_035 = 2) and (PAA_060 = 2 or PAA_065 = 2)	No minutes of activity in the last 7 days (no active transportation and no moderate recreational or other activity)	
PAA_015*60 + PAA_020 + PAA_045*60 + PAA_050 + PAA_075*60 + PAA_080	PAA_015 = (0:168) and PAA_020 = (0:9995) and PAA_045 = (0:168) and PAA_050 = (0:9995) and PAA_075 = (0:168) and PAA_080 = (0:9995)	Number of minutes of active transport and moderate to vigorous physical activity	Min: 0; Max: 10080

8) Alternate physical activity indicator

Variable name: PAADVAC2

Based on: DHH_AGE, PAADVMVA

Description: This derived variable represents an alternate classification of physical activity for adults, based on the number of minutes of moderate to vigorous activity done in a week. This variable is similar to PAADVACV, but it breaks down those who were not above the threshold of 150 minutes per week into subcategories of their activity level.

Note: These levels of physical activity tend to be used more often internationally, so this DV may be favored over PAADVACV for international comparisons.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAADVMVA = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAADVMVA => 150	Active	
2	75 <= PAADVMVA < 150	Moderately active	
3	0 < PAADVMVA < 75	Somewhat active	
4	PAADVMVA = 0	Sedentary	

9) Physical activity indicator

Variable name: PAADVACV

Based on: DHH_AGE, PAADVMVA

Description: This derived variable indicates whether a respondent is physically active according to the Canadian Physical Activity Guidelines (CPAG).

Note: Physically active is defined by the Canadian Physical Activity Guidelines as having at least 150 minutes of moderate- to vigorous-intensity aerobic physical activity per week, in bouts of 10 minutes or more.

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAADVMVA = NS	At least one required question was not answered (not stated)	NS
1	PAADVMVA => 150	Physically active at or above recommended level from CPAG	
2	1 <= PAADVMVA <=149	Physically active below recommended level from CPAG	
3	PAADVMVA = 0	No physical activity minutes reported	

01) Total minutes of vigorous activity - last 7 days

Variable name: PAADVVIG

Based on: DHH_AGE, PAA_095, PAA_100, PAA_105, PAADVMVA

Description: This derived variable indicates the number of minutes of physical activity reported that was vigorous in the last 7 days.

Note: Vigorous exercise is defined in the Canadian Physical Activity Guidelines as activity that causes a person to be out of breath.

Inconsistencies with PAADVMVA (when PAADVVIG > PAADVMVA) were corrected by setting PAADVVIG to "not stated".

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAA = 2	Module not selected	NA
99996	DHH_AGE < 18	Population exclusions	NA
99999	PAA_095 = (DK, RF, NS) or PAA_100 = (DK, RF, NS) or PAA_105 = (DK, RF, NS) or PAADVMVA = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAA_095 = 2	No vigorous physical activity in last 7 days	
0	PAADVMVA = 0	No minutes of moderate to vigorous physical activity in last 7 days	
PAA_100*60 + PAA_105	PAA_095 = 1	Total minutes of vigorous physical activity in last 7 days.	(Min:1, Max: 10080)

01) Volume of weekly activity done in the past 7 days (METs*minutes/week)

Variable name: PAADVVOL

Based on: DHH_AGE, PAADVMVA, PAADVVIG

Description: This derived variable represents the volume of physical activity performed in the last seven days. It is measured in METs*minutes/week. A MET is a conceptual value that represents energy expended during physical activity. The volume of activity is calculated by multiplying the amount of minutes of activity (by level of intensity) by the MET value associated with that intensity.

Note: Physical activity at the moderate level is assumed to be 3 METs, while vigorous activity is 6 METs. A MET (metabolic equivalent) is the energy cost of activity expressed as kilocalories expended per kilogram of body weight per hour of activity.

Source: B.Nolin (2014). "ESCC 2015, VD globales, Adultes, Propositions", Institut national de santé publique du Québec.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAA = 2	Module not selected	NA
99996	DHH_AGE < 18	Population exclusions	NA
99999	PAADVMVA = (DK, RF, NS) or PAADVVIG = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAADVMVA = 0	Total weekly volume of activity was 0	No minutes of any activity
(PAADVMVA - PAADVVIG)*3 + (PAADVVIG)*6	(0 < PAADVMVA <= 10080) and (0 < PAADVVIG <= 10080)	Total weekly volume of activity	

01) Physically active, based on WHO guidelines

Variable name: PAADVWHO

Based on: DHH_AGE, PAADVVOL

Description: This derived variable classifies respondents according to the volume of physical activity they had performed in the past week (PAADVVOL). This classification uses levels of activity volume recommended by the World Health Organization (WHO).

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAADVVOL = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAADVVOL => 900	Active	
2	450 <= PAADVVOL < 900	Moderately active	
3	0 < PAADVVOL < 450	Somewhat Active	
4	PAADVVOL = 0	Sedentary	

01) Was physically active on Monday

Variable name: PAADVMON

Based on: DHH_AGE, PAA_005, PAA_010A, PAA_030, PAA_035, PAA_040A, PAA_060, PAA_065, PAA_070A

Description: Indicates whether a respondent travelled actively, engaged in a recreational activity or other activity on Monday

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAA_005 = (DK, RF, NS) or PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_010A = (DK, RF, NS) or PAA_040A = (DK, RF, NS) or PAA_070A = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAA_010A = 1 or PAA_040A = 1 or PAA_070A = 1	Performed physical activity on Monday	
0	(PAA_005 = 2 or PAA_010A = 2) and (PAA_030 = 2 or PAA_035 = 2 or PAA_040A = 2) and (PAA_060 = 2 or PAA_065 = 2 or PAA_070A = 2)	Did not perform physical activity on Monday	

01) Was physically active on Tuesday

Variable name: PAADVTUE

Based on: DHH_AGE, PAA_005, PAA_010B, PAA_030, PAA_035, PAA_040B, PAA_060, PAA_065, PAA_070B

Description: Indicates whether a respondent travelled actively, engaged in a recreational activity or other activity on Tuesday

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAA_005 = (DK, RF, NS) or PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_010B = (DK, RF, NS) or PAA_040B = (DK, RF, NS) or PAA_070B = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAA_010B = 1 or PAA_040B = 1 or PAA_070B = 1	Performed physical activity on Tuesday	
0	(PAA_005 = 2 or PAA_010B = 2) and (PAA_030 = 2 or PAA_035 = 2 or PAA_040B = 2) and (PAA_060 = 2 or PAA_065 = 2 or PAA_070B = 2)	Did not perform physical activity on Tuesday	

01) Was physically active on Wednesday

Variable name: PAADVWED

Based on: DHH_AGE, PAA_005, PAA_010C, PAA_030, PAA_035, PAA_040C, PAA_060, PAA_065, PAA_070C

Description: Indicates whether a respondent travelled actively, engaged in a recreational or other activity on Wednesday

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAA_005 = (DK, RF, NS) or PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_010C = (DK, RF, NS) or PAA_040C = (DK, RF, NS) or PAA_070C = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAA_010C = 1 or PAA_040C = 1 or PAA_070C = 1	Performed physical activity on Wednesday	
0	(PAA_005 = 2 or PAA_010C = 2) and (PAA_030 = 2 or PAA_035 = 2 or PAA_040C = 2) and (PAA_060 = 2 or PAA_065 = 2 or PAA_070C = 2)	Did not perform physical activity on Wednesday	

01) Was physically active on Thursday

Variable name: PAADVTHU

Based on: DHH_AGE, PAA_005, PAA_010D, PAA_030, PAA_035, PAA_040D, PAA_060, PAA_065, PAA_070D

Description: Indicates whether a respondent travelled actively, engaged in a recreational or other activity on Thursday

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAA_005 = (DK, RF, NS) or PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_010D = (DK, RF, NS) or PAA_040D = (DK, RF, NS) or PAA_070D = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAA_010D = 1 or PAA_040D = 1 or PAA_070D = 1	Performed physical activity on Thursday	

0	(PAA_005 = 2 or PAA_010D = 2) and (PAA_030 = 2 or PAA_035 = 2 or PAA_040D = 2) and (PAA_060 = 2 or PAA_065 = 2 or PAA_070D = 2)	Did not perform physical activity on Thursday

01) Was physically active on Friday

Variable name: PAADVFRI

Based on: DHH_AGE, PAA_005, PAA_010E, PAA_030, PAA_035, PAA_040E, PAA_060, PAA_065, PAA_070E

Description: Indicates whether a respondent travelled actively, engaged in a recreational activity or other activity on Friday

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAA_005 = (DK, RF, NS) or PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_010E = (DK, RF, NS) or PAA_040E = (DK, RF, NS) or PAA_070E = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAA_010E = 1 or PAA_040E = 1 or PAA_070E = 1	Performed physical activity on Friday	
0	(PAA_005 = 2 or PAA_010E = 2) and (PAA_030 = 2 or PAA_035 = 2 or PAA_040E = 2) and (PAA_060 = 2 or PAA_065 = 2 or PAA_070E = 2)	Did not perform physical activity on Friday	

01) Was physically active on Saturday

Variable name: PAADVSAT

Based on: DHH_AGE, PAA_005, PAA_010F, PAA_030, PAA_035, PAA_040F, PAA_060, PAA_065, PAA_070F

Description: Indicates whether a respondent travelled actively, engaged in a recreational or other activity on Saturday

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAA_005 = (DK, RF, NS) or PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_010F = (DK, RF, NS) or PAA_040F = (DK, RF, NS) or PAA_070F = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

1	PAA_010F = 1 or PAA_040F = 1 or PAA_070F = 1	Performed physical activity on Saturday
0	(PAA_005 = 2 or PAA_010F = 2) and (PAA_030 = 2 or PAA_035 = 2 or PAA_040F = 2) and (PAA_060 = 2 or PAA_065 = 2 or PAA_070F = 2)	Did not perform physical activity on Saturday

01) Was physically active on Sunday

Variable name: PAADVSUN

Based on: DHH_AGE, PAA_005, PAA_010G, PAA_030, PAA_035, PAA_040G, PAA_060, PAA_065, PAA_070G

Description: Indicates whether a respondent travelled actively, engaged in a recreational or other activity on Sunday

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAA_005 = (DK, RF, NS) or PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_010G = (DK, RF, NS) or PAA_040G = (DK, RF, NS) or PAA_070G = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAA_010G = 1 or PAA_040G = 1 or PAA_070G = 1	Performed physical activity on Sunday	
0	(PAA_005 = 2 or PAA_010G = 2) and (PAA_030 = 2 or PAA_035 = 2 or PAA_040G = 2) and (PAA_060 = 2 or PAA_065 = 2 or PAA_070G = 2)	Did not perform physical activity on Sunday	

01) Number of active days - last 7 days

Variable name: PAADVDYS

Based on: DHH_AGE, PAADVMON, PAADVTUE, PAADVWED, PAADVTHU, PAADVFRI, PAADVSAT, PAADVSUN

Description: This uses derived variables from Monday to Sunday for each type of physical activity to indicate the number of total days in the last 7 days the respondent was physically active

Note: The universe of this derived variable is individuals who have indicated physical activity.

Specifications

Value	Condition(s)	Description	Notes
96	DOPAA = 2	Module not selected	NA
96	DHH_AGE < 18	Population exclusions	NA

PAADVMON + PAADVTUE + PAADVWED + PAADVTHU + PAADVFRI + PAADVSAT + PAADVSUN	PAADVMON = (0:1) and PAADVTUE = (0:1) and PAADVWED = (0:1) and PAADVTHU = (0:1) and PAADVFRI = (0:1) and PAADVSAT = (0:1) and PAADVSUN = (0:1)	Number of days respondent was active in the last 7 days	(min:0; max: 7)
99	PAADVMON = (DK, RF, NS) or PAADVTUE = (DK, RF, NS) or PAADVWED = (DK, RF, NS) or PAADVTHU = (DK, RF, NS) or PAADVFRI = (DK, RF, NS) or PAADVSAT = (DK, RF, NS) or PAADVSUN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

01) Number of weekdays active

Variable name: PAADVWKD

Based on: DHH_AGE, PAADVMON, PAADVTUE, PAADVWED, PAADVTHU, PAADVFRI

Description: This uses derived variables from Monday to Friday for each type of physical activity to indicate the number of weekdays the respondent was physically active in the past 7 days before the interview.

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
PAADVMON + PAADVTUE + PAADVWED + PAADVTHU + PAADVFRI	PAADVMON = (0:1) and PAADVTUE = (0:1) and PAADVWED = (0:1) and PAADVTHU = (0:1) and PAADVFRI = (0:1)	Number of weekdays physically active last week	(min:0; max:5)
9	PAADVMON = (DK, RF, NS) or PAADVTUE = (DK, RF, NS) or PAADVWED = (DK, RF, NS) or PAADVTHU = (DK, RF, NS) or PAADVFRI = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

01) Number of weekend days active

Variable name: PAADVWND

Based on: DHH_AGE, PAADVSAT, PAADVSUN

Description: This uses derived variables from Saturday to Sunday for each type of physical activity to indicate the number of weekdays the respondent was physically active in the last 7 days.

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
PAADVSAT + PAADVSUN	PAADVSAT in (0:1) and PAADVSUN in (0:1)	Number of days physically active last weekend	(min:0; max: 2)

9	PAADVSAT = (DK, RF, NS) or PAADVSUN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

Physical Activities for Youth (23 DVs)

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
PAYT15A			
0	PAY_010 = 2	No minutes of active transportation in last 7 days	
PAY_15A*60 + PAY_15AN	PAY_010 = 1 and PAY_15A = (0:24) and PAY_15AN = (0:960)	Number of minutes of active transportation yesterday	
PAYT15B			
0	PAY_010 = 2	No minutes of active transportation in last 7 days	
PAY_15B*60 + PAY_15BN	PAY_010 = 1 and PAY_15B = (0:24) and PAY_15BN = (0:960)	Number of minutes of active transportation 2 days ago	
PAYT15C			
0	PAY_010 = 2	No minutes of active transportation in last 7 days	
PAY_15C*60 + PAY_15CN	PAY_010 = 1 and PAY_15C = (0:24) and PAY_15CN = (0:960)	Number of minutes of active transportation 3 days ago	
PAYT15D			
0	PAY_010 = 2	No minutes of active transportation in last 7 days	
PAY_15D*60 + PAY_15DN	PAY_010 = 1 and PAY_15D = (0:24) and PAY_15DN = (0:960)	Number of minutes of active transportation 4 days ago	
PAYT15E			
0	PAY_010 = 2	No minutes of active transportation in last 7 days	
PAY_15E*60 + PAY_15EN	PAY_010 = 1 and PAY_15E = (0:24) and PAY_15EN = (0:960)	Number of minutes of active transportation 5 days ago	
PAYT15F			
0	PAY_010 = 2	No minutes of active transportation in last 7 days	
PAY_15F*60 + PAY_15FN	PAY_010 = 1 and PAY_15F = (0:24) and PAY_15FN = (0:960)	Number of minutes of active transportation 6 days ago	
PAYT15G			
0	PAY_010 = 2	No minutes of active transportation in last 7 days	
PAY_15G*60 + PAY_15GN	PAY_010 = 1 and PAY_15G = (0:24) and PAY_15GN = (0:960)	Number of minutes of active transportation 7 days ago	
PAYT35A			
0	PAY_EDTE = (3,4,5,6,7) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2)	No minutes of recreational physical activity at school or day camp in last 7 days	
PAY_35A*60 + PAY_35AN	PAY_025 = 1 and PAY_030 = 1 and PAY_35A in (0:24) and PAY_35AN in (0:960) and PAY_EDTE in (3,4,5,6,7)	Number of minutes of recreational physical activity at school or day camp yesterday	
PAYT35B			
0	PAY_EDTE = (1,4,5,6,7) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2)	No minutes of recreational physical activity at school or day camp in last 7 days	
PAY_35B*60 + PAY_35BN	PAY_025 = 1 and PAY_030 = 1 and PAY_35B = (0:24) and PAY_35BN = (0:960) and PAY_EDTE = (1,4,5,6,7)	Number of minutes of recreational physical activity at school or day camp 2 days ago	
PAYT35C			
0	PAY_EDTE = (1,2,5,6,7) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2)	No minutes of recreational physical activity at school or day camp in last 7 days	
PAY_35C*60 + PAY_35CN	PAY_025 = 1 and PAY_030 = 1 and PAY_35C = (0:24) and PAY_35CN = (0:960) and PAY_EDTE = (1,2,5,6,7)	Number of minutes of recreational physical activity at school or day camp 3 days ago	
PAYT35D			
0	PAY_EDTE = (1,2,3,6,7) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2)	No minutes of recreational physical activity at school or day camp in last 7 days	
PAY_35D*60 + PAY_35DN	PAY_025 = 1 and PAY_030 = 1 and PAY_35D = (0:24) and PAY_35DN = (0:960) and PAY_EDTE = (1,2,3,6,7)	Number of minutes of recreational physical activity at school or day camp 4 days ago	

PAYT35E		
0	PAY_EDTE = (1,2,3,4,7) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2)	No minutes of recreational physical activity at school or day camp in last 7 days
PAY_35E*60 + PAY_35EN	PAY_025 = 1 and PAY_030 = 1 and PAY_35E = (0:24) and PAY_35EN = (0:960) and PAY_EDTE = (1,2,3,4,7)	Number of minutes of recreational physical activity at school or day camp 5 days ago
PAYT35F		
0	PAY_EDTE = (1,2,3,4,5) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2)	No minutes of recreational physical activity at school or day camp in last 7 days
PAY_35F*60 + PAY_35FN	PAY_025 = 1 and PAY_030 = 1 and PAY_35F = (0:24) and PAY_35FN = (0:960) and PAY_EDTE = (1,2,3,4,5)	Number of minutes of recreational physical activity at school or day camp 6 days ago
PAYT35G		
0	PAY_EDTE = (2,3,4,5,6) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2)	No minutes of recreational physical activity at school or day camp in last 7 days
PAY_35G*60 + PAY_35GN	PAY_025 = 1 and PAY_030 = 1 and PAY_35G = (0:24) and PAY_35GN = (0:960) and PAY_EDTE = (2,3,4,5,6)	Number of minutes of recreational physical activity at school or day camp 7 days ago
PAYT55A		
0	PAY_045 = 2 or PAY_050 = 2	No minutes of recreational physical activity during leisure in last 7 days
PAY_55A*60 + PAY_55AN	PAY_045 = 1 and PAY_050 = 1 and PAY_55A = (0:24) and PAY_55AN = (0:960)	Number of minutes of recreational physical activity during leisure yesterday
PAYT55B		
0	PAY_045 = 2 or PAY_050 = 2	No minutes of recreational physical activity during leisure in last 7 days
PAY_55B*60 + PAY_55BN	PAY_045 = 1 and PAY_050 = 1 and PAY_55B = (0:24) and PAY_55BN = (0:960)	Number of minutes of recreational physical activity during leisure 2 days ago
PAYT55C		
0	PAY_045 = 2 or PAY_050 = 2	No minutes of recreational physical activity during leisure in last 7 days
PAY_55C*60 + PAY_55CN	PAY_045 = 1 and PAY_050 = 1 and PAY_55C = (0:24) and PAY_55CN = (0:960)	Number of minutes of recreational physical activity during leisure 3 days ago
PAYT55D		
0	PAY_045 = 2 or PAY_050 = 2	No minutes of recreational physical activity during leisure in last 7 days
PAY_55D*60 + PAY_55DN	PAY_045 = 1 and PAY_050 = 1 and PAY_55D = (0:24) and PAY_55DN = (0:960)	Number of minutes of recreational physical activity during leisure 4 days ago
PAYT55E		
0	PAY_045 = 2 or PAY_050 = 2	No minutes of recreational physical activity during leisure in last 7 days
PAY_55E*60 + PAY_55EN	PAY_045 = 1 and PAY_050 = 1 and PAY_55E in (0:24) and PAY_55EN in (0:960)	Number of minutes of recreational physical activity during leisure 5 days ago
PAYT55F		
0	PAY_045 = 2 or PAY_050 = 2	No minutes of recreational physical activity during leisure in last 7 days
PAY_55F*60 + PAY_55FN	PAY_045 = 1 and PAY_050 = 1 and PAY_55F = (0:24) and PAY_55FN = (0:960)	Number of minutes of recreational physical activity during leisure 6 days ago
PAYT55G		
0	PAY_045 = 2 or PAY_050 = 2	No minutes of recreational physical activity during leisure in last 7 days
PAY_55G*60 + PAY_55GN	PAY_045 = 1 and PAY_050 = 1 and PAY_55G = (0:24) and PAY_55GN = (0:960)	Number of minutes of recreational physical activity during leisure 7 days ago
PAYT75A		
0	PAY_065 = 2 or PAY_070 = 2	No minutes of other physical activity in last 7 days
PAY_75A*60 + PAY_75AN	PAY_065 = 1 and PAY_070 = 1 and PAY_75A = (0:24) and PAY_75AN = (0:960)	Number of minutes of other physical activity yesterday
PAYT75B		
0	PAY_065 = 2 or PAY_070 = 2	No minutes of other physical activity in last 7 days

PAY_75B*60 + PAY_75BN	PAY_065 = 1 and PAY_070 = 1 and PAY_75B = (0:24) and PAY_75BN = (0:960)	Number of minutes of other physical activity 2 days ago
PAYT75C		
0	PAY_065 = 2 or PAY_070 = 2	No minutes of other physical activity in last 7 days
PAY_75C*60 + PAY_75CN	PAY_065 = 1 and PAY_070 = 1 and PAY_75C in (0:24) and PAY_75CN in (0:960)	Number of minutes of other physical activity 3 days ago
PAYT75D		
0	PAY_065 = 2 or PAY_070 = 2	No minutes of other physical activity in last 7 days
PAY_75D*60 + PAY_75DN	PAY_065 = 1 and PAY_070 = 1 and PAY_75D = (0:24) and PAY_75DN = (0:960)	Number of minutes of other physical activity 4 days ago
PAYT75E		
0	PAY_065 = 2 or PAY_070 = 2	No minutes of other physical activity in last 7 days
PAY_75E*60 + PAY_75EN	PAY_065 = 1 and PAY_070 = 1 and PAY_75E = (0:24) and PAY_75EN = (0:960)	Number of minutes of other physical activity 5 days ago
PAYT75F		
0	PAY_065 = 2 or PAY_070 = 2	No minutes of other physical activity in last 7 days
PAY_75F*60 + PAY_75FN	PAY_065 = 1 and PAY_070 = 1 and PAY_75F = (0:24) and PAY_75FN = (0:960)	Number of minutes of other physical activity 6 days ago
PAYT75G		
0	PAY_065 = 2 or PAY_070 = 2	No minutes of other physical activity in last 7 days
PAY_75G*60 + PAY_75GN	PAY_065 = 1 and PAY_070 = 1 and PAY_75G = (0:24) and PAY_75GN = (0:960)	Number of minutes of other physical activity 7 days ago

1) Total minutes of active transportation - last 7 days

Variable name: PAYDVTTR

Based on: DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G

Description: This variable derives the total number of minutes spent traveling in active ways in the last 7 days

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAY = 2	Module not selected	NA
99996	DHH_AGE > 17	Population exclusions	NA
99999	PAY_010 = (NSP, RF, ND) ou PAY_15A = (NSP, RF, ND) ou PAY_15AN = (NSP, RF, ND) ou PAY_15B = (NSP, RF, ND) ou PAY_15BN = (NSP, RF, ND) ou PAY_15C = (NSP, RF, ND) ou PAY_15CN = (NSP, RF, ND) ou PAY_15D = (NSP, RF, ND) ou PAY_15DN = (NSP, RF, ND) ou PAY_15E = (NSP, RF, ND) ou PAY_15EN = (NSP, RF, ND) ou PAY_15F = (NSP, RF, ND) ou PAY_15FN = (NSP, RF, ND) ou PAY_15G = (NSP, RF, ND) ou PAY_15GN = (NSP, RF, ND)	At least one required question was not answered (don't know, refusal, not stated)	NS

PAYT15A + PAYT15B + PAYT15C + PAYT15D + PAYT15E + PAYT15F + PAYT15G	PAY_EDTE = (1,2,3,4,5,6,7)	Number of minutes of active transportation in the last 7 days	(min: 1; max: 10080)

2) Total minutes of physical activities at school or camp - last 5 weekdays

Variable name: PAYDVTSC

Based on: DHH_AGE, PAY_EDTE, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G

Description: This variable derives the total number of minutes of moderate recreational physical activity during school or day camp in the last 5 weekdays.

Note: The questions about activity during school or day camps was not asked for Saturday and Sunday. This variable sums the number of minutes of moderate recreational activity during school or day camp from Monday to Friday.

Moderate exercise is defined in the Canadian Physical Activity Guidelines as activity that causes a person to breathe harder and sweat at least a little.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAY = 2	Module not selected	NA
99996	DHH_AGE > 17	Population exclusions	NA
99999	PAY_025 = (DK, RF, NS) or PAY_030 = (DK, RF, NS) or PAY_35A = (DK, RF, NS) or PAY_35AN = (DK, RF, NS) or PAY_35B = (DK, RF, NS) or PAY_35BN = (DK, RF, NS) or PAY_35C = (DK, RF, NS) or PAY_35CN = (DK, RF, NS) or PAY_35D = (DK, RF, NS) or PAY_35DN = (DK, RF, NS) or PAY_35E = (DK, RF, NS) or PAY_35EN = (DK, RF, NS) or PAY_35F = (DK, RF, NS) or PAY_35FN = (DK, RF, NS) or PAY_35G = (DK, RF, NS) or PAY_35GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT35B + PAYT35C + PAYT35D + PAYT35E + PAYT35F	PAY_EDTE = 1	Minutes of moderate recreational activity at school or day camp in last 5 weekdays	(min: 1; max: 7200)
PAYT35C + PAYT35D + PAYT35E + PAYT35F + PAYT35G	PAY_EDTE = 2	Minutes of moderate recreational activity at school or day camp in last 5 weekdays	(min: 1; max: 7200)
PAYT35A + PAYT35D + PAYT35E + PAYT35F + PAYT35G	PAY_EDTE = 3	Minutes of moderate recreational activity at school or day camp in last 5 weekdays	(min: 1; max: 7200)

PAYT35A + PAYT35B + PAYT35E + PAYT35F + PAYT35G	PAY_EDTE = 4	Minutes of moderate recreational activity at school or day camp in last 5 weekdays	(min: 1; max: 7200)
PAYT35A + PAYT35B + PAYT35C + PAYT35F + PAYT35G	PAY_EDTE = 5	Minutes of moderate recreational activity at school or day camp in last 5 weekdays	(min: 1; max: 7200)
PAYT35A + PAYT35B + PAYT35C + PAYT35D + PAYT35G	PAY_EDTE = 6	Minutes of moderate recreational activity at school or day camp in last 5 weekdays	(min: 1; max: 7200)
PAYT35A + PAYT35B + PAYT35C + PAYT35D + PAYT35E	PAY_EDTE = 7	Minutes of moderate recreational activity at school or day camp in last 5 weekdays	(min: 1; max: 7200)

3) Total minutes of physical activities during leisure - last 7 days

Variable name: PAYDVADL

Based on: DHH_AGE, PAY_EDTE, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G

Description: This variable derives the total number of minutes of moderate to vigorous recreational physical activity during leisure time in the last 7 days

Note: Moderate exercise is defined in the Canadian Physical Activity Guidelines as breathing harder and sweating at least a little.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAY = 2	Module not selected	NA
99996	DHH_AGE > 17	Population exclusions	NA
99999	PAY_045 = (DK, RF, NS) or PAY_050 = (DK, RF, NS) or PAY_55A = (DK, RF, NS) or PAY_55AN = (DK, RF, NS) or PAY_55B = (DK, RF, NS) or PAY_55BN = (DK, RF, NS) or PAY_55C = (DK, RF, NS) or PAY_55CN = (DK, RF, NS) or PAY_55D = (DK, RF, NS) or PAY_55DN = (DK, RF, NS) or PAY_55E = (DK, RF, NS) or PAY_55EN = (DK, RF, NS) or PAY_55F = (DK, RF, NS) or PAY_55FN = (DK, RF, NS) or PAY_55G = (DK, RF, NS) or PAY_55GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT55A + PAYT55B + PAYT55C + PAYT55D + PAYT55E + PAYT55F + PAYT55G	PAY_EDTE = (1,2,3,4,5,6,7)	Total minutes of activity during leisure in last 7 days	(min: 1; max: 10080)

4) Total minutes of other activities - last 7 days

Variable name: PAYDVTOA

Based on: DHH_AGE, PAY_EDTE, PAY_060, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, DHH_AGE, PAY_EDTE, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

Description: This variable derives the total number of minutes of other moderate to vigorous physical activities in the last 7 days

Note: Moderate exercise is defined in the Canadian Physical Activity Guidelines as activity that causes a person to breathe harder and sweat at least a little.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAY = 2	Module not selected	NA
99996	DHH_AGE > 17	Population exclusions	NA
99999	PAY_065 = (DK, RF, NS) or PAY_070 = (DK, RF, NS) or PAY_75A = (DK, RF, NS) or PAY_75AN = (DK, RF, NS) or PAY_75B = (DK, RF, NS) or PAY_75BN = (DK, RF, NS) or PAY_75C = (DK, RF, NS) or PAY_75CN = (DK, RF, NS) or PAY_75D = (DK, RF, NS) or PAY_75DN = (DK, RF, NS) or PAY_75E = (DK, RF, NS) or PAY_75EN = (DK, RF, NS) or PAY_75F = (DK, RF, NS) or PAY_75FN = (DK, RF, NS) or PAY_75G = (DK, RF, NS) or PAY_75GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT75A + PAYT75B + PAYT75C + PAYT75D + PAYT75E + PAYT75F + PAYT75G	PAY_EDTE = (1,2,3,4,5,6,7)	Total minutes of other physical activities last 7 days	(min: 1; max: 10080)

5) Total physical activity minutes - Monday

Variable name: PAYDVTMN

Based on: DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

Description: This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Monday

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA
9999	PAY_010 = (DK, RF, NS) or PAY_025 = (DK, RF, NS) or PAY_030 = (DK, RF, NS) or PAY_045 = (DK, RF, NS) or PAY_050 = (DK, RF, NS) or PAY_065 = (DK, RF, NS) or PAY_070 = (DK, RF, NS) or PAY_15A = (DK, RF, NS) or PAY_15AN = (DK, RF, NS) or PAY_35A = (DK, RF, NS) or PAY_35AN = (DK, RF, NS) or PAY_55A = (DK, RF, NS) or PAY_55AN = (DK, RF, NS) or PAY_75A = (DK, RF, NS) or PAY_75AN = (DK, RF, NS) or PAY_15B = (DK, RF, NS) or PAY_15BN = (DK, RF, NS) or PAY_35B = (DK, RF, NS) or PAY_35BN = (DK, RF, NS) or PAY_55B = (DK, RF, NS) or PAY_55BN = (DK, RF, NS) or PAY_75B = (DK, RF, NS) or PAY_75BN = (DK, RF, NS) or PAY_15C = (DK, RF, NS) or PAY_15CN = (DK, RF, NS) or PAY_35C = (DK, RF, NS) or PAY_35CN = (DK, RF, NS) or PAY_55C = (DK, RF, NS) or PAY_55CN = (DK, RF, NS) or PAY_75C = (DK, RF, NS) or PAY_75CN = (DK, RF, NS) or PAY_15D = (DK, RF, NS) or PAY_15DN = (DK, RF, NS) or PAY_35D = (DK, RF, NS) or PAY_35DN = (DK, RF, NS) or PAY_55D = (DK, RF, NS) or PAY_55DN = (DK, RF, NS) or PAY_75D = (DK, RF, NS) or PAY_75DN = (DK, RF, NS) or PAY_15E = (DK, RF, NS) or PAY_15EN = (DK, RF, NS) or PAY_35E = (DK, RF, NS) or PAY_35EN = (DK, RF, NS) or PAY_55E = (DK, RF, NS) or PAY_55EN = (DK, RF, NS) or PAY_75E = (DK, RF, NS) or PAY_75EN = (DK, RF, NS) or PAY_15F = (DK, RF, NS) or PAY_15FN = (DK, RF, NS) or PAY_35F = (DK, RF, NS) or PAY_35FN = (DK, RF, NS) or PAY_55F = (DK, RF, NS) or PAY_55FN = (DK, RF, NS) or PAY_75F = (DK, RF, NS) or PAY_75FN = (DK, RF, NS) or PAY_15G = (DK, RF, NS) or PAY_15GN = (DK, RF, NS) or PAY_35G = (DK, RF, NS) or PAY_35GN = (DK, RF, NS) or PAY_55G = (DK, RF, NS) or PAY_55GN = (DK, RF, NS) or PAY_75G = (DK, RF, NS) or PAY_75GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

PAYT15F + PAYT35F + PAYT55F + PAYT75F	PAY_EDTE = 1	Minutes of total activity - Monday	(min: 1; max: 1440)
PAYT15G + PAYT35G + PAYT55G + PAYT75G	PAY_EDTE = 2	Minutes of total activity - Monday	(min: 1; max: 1440)
PAYT15A + PAYT35A + PAYT55A + PAYT75A	PAY_EDTE = 3	Minutes of total activity - Monday	(min: 1; max: 1440)
PAYT15B + PAYT35B + PAYT55B + PAYT75B	PAY_EDTE = 4	Minutes of total activity - Monday	(min: 1; max: 1440)
PAYT15C + PAYT35C + PAYT55C + PAYT75C	PAY_EDTE = 5	Minutes of total activity - Monday	(min: 1; max: 1440)
PAYT15D + PAYT35D + PAYT55D + PAYT75D	PAY_EDTE = 6	Minutes of total activity - Monday	(min: 1; max: 1440)
PAYT15E + PAYT35E + PAYT55E + PAYT75E	PAY_EDTE = 7	Minutes of total activity - Monday	(min: 1; max: 1440)

6) Total physical activity minutes - Tuesday

Variable name: PAYDVTTU

Based on: DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN

Description: This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Tuesday

Specifications

Value	Condition(s)	Description	Notes
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA

9999	PAY_010 = (DK, RF, NS) or PAY_025 = (DK, RF, NS) or PAY_030 = (DK, RF, NS) or PAY_045 = (DK, RF, NS) or PAY_050 = (DK, RF, NS) or PAY_065 = (DK, RF, NS) or PAY_070 = (DK, RF, NS) or PAY_15A = (DK, RF, NS) or PAY_15AN = (DK, RF, NS) or PAY_35A = (DK, RF, NS) or PAY_35AN = (DK, RF, NS) or PAY_55A = (DK, RF, NS) or PAY_55AN = (DK, RF, NS) or PAY_75A = (DK, RF, NS) or PAY_75AN = (DK, RF, NS) or PAY_15B = (DK, RF, NS) or PAY_15BN = (DK, RF, NS) or PAY_35B = (DK, RF, NS) or PAY_35BN = (DK, RF, NS) or PAY_55B = (DK, RF, NS) or PAY_55BN = (DK, RF, NS) or PAY_75B = (DK, RF, NS) or PAY_75BN = (DK, RF, NS) or PAY_15C = (DK, RF, NS) or PAY_15CN = (DK, RF, NS) or PAY_35C = (DK, RF, NS) or PAY_35CN = (DK, RF, NS) or PAY_55C = (DK, RF, NS) or PAY_55CN = (DK, RF, NS) or PAY_75C = (DK, RF, NS) or PAY_75CN = (DK, RF, NS) or PAY_15D = (DK, RF, NS) or PAY_15DN = (DK, RF, NS) or PAY_35D = (DK, RF, NS) or PAY_35DN = (DK, RF, NS) or PAY_55D = (DK, RF, NS) or PAY_55DN = (DK, RF, NS) or PAY_75D = (DK, RF, NS) or PAY_75DN = (DK, RF, NS) or PAY_15E = (DK, RF, NS) or PAY_15EN = (DK, RF, NS) or PAY_35E = (DK, RF, NS) or PAY_35EN = (DK, RF, NS) or PAY_55E = (DK, RF, NS) or PAY_55EN = (DK, RF, NS) or PAY_75E = (DK, RF, NS) or PAY_75EN = (DK, RF, NS) or PAY_15F = (DK, RF, NS) or PAY_15FN = (DK, RF, NS) or PAY_35F = (DK, RF, NS) or PAY_35FN = (DK, RF, NS) or PAY_55F = (DK, RF, NS) or PAY_55FN = (DK, RF, NS) or PAY_75F = (DK, RF, NS) or PAY_75FN = (DK, RF, NS) or PAY_15G = (DK, RF, NS) or PAY_15GN = (DK, RF, NS) or PAY_35G = (DK, RF, NS) or PAY_35GN = (DK, RF, NS) or PAY_55G = (DK, RF, NS) or PAY_55GN = (DK, RF, NS) or PAY_75G = (DK, RF, NS) or PAY_75GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT15E + PAYT35E + PAYT55E + PAYT75E	PAY_EDTE = 1	Minutes of total activity - Tuesday	(min: 1; max: 1440)
PAYT15F + PAYT35F + PAYT55F + PAYT75F	PAY_EDTE = 2	Minutes of total activity - Tuesday	(min: 1; max: 1440)

PAYT15G + PAYT35G + PAYT55G + PAYT75G	PAY_EDTE = 3	Minutes of total activity - Tuesday	(min: 1; max: 1440)
PAYT15A + PAYT35A + PAYT55A + PAYT75A	PAY_EDTE = 4	Minutes of total activity - Tuesday	(min: 1; max: 1440)
PAYT15B + PAYT35B + PAYT55B + PAYT75B	PAY_EDTE = 5	Minutes of total activity - Tuesday	(min: 1; max: 1440)
PAYT15C + PAYT35C + PAYT55C + PAYT75C	PAY_EDTE = 6	Minutes of total activity - Tuesday	(min: 1; max: 1440)
PAYT15D + PAYT35D + PAYT55D + PAYT75D	PAY_EDTE = 7	Minutes of total activity - Tuesday	(min: 1; max: 1440)

7) Total physical activity minutes - Wednesday

Variable name: PAYDVTWD

Based on: DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

Description: This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Wednesday

Specifications

Value	Condition(s)	Description	Notes
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA

9999	PAY_010 = (DK, RF, NS) or PAY_025 = (DK, RF, NS) or PAY_030 = (DK, RF, NS) or PAY_045 = (DK, RF, NS) or PAY_050 = (DK, RF, NS) or PAY_065 = (DK, RF, NS) or PAY_070 = (DK, RF, NS) or PAY_15A = (DK, RF, NS) or PAY_15AN = (DK, RF, NS) or PAY_35A = (DK, RF, NS) or PAY_35AN = (DK, RF, NS) or PAY_55A = (DK, RF, NS) or PAY_55AN = (DK, RF, NS) or PAY_75A = (DK, RF, NS) or PAY_75AN = (DK, RF, NS) or PAY_15B = (DK, RF, NS) or PAY_15BN = (DK, RF, NS) or PAY_35B = (DK, RF, NS) or PAY_35BN = (DK, RF, NS) or PAY_55B = (DK, RF, NS) or PAY_55BN = (DK, RF, NS) or PAY_75B = (DK, RF, NS) or PAY_75BN = (DK, RF, NS) or PAY_15C = (DK, RF, NS) or PAY_15CN = (DK, RF, NS) or PAY_35C = (DK, RF, NS) or PAY_35CN = (DK, RF, NS) or PAY_55C = (DK, RF, NS) or PAY_55CN = (DK, RF, NS) or PAY_75C = (DK, RF, NS) or PAY_75CN = (DK, RF, NS) or PAY_15D = (DK, RF, NS) or PAY_15DN = (DK, RF, NS) or PAY_35D = (DK, RF, NS) or PAY_35DN = (DK, RF, NS) or PAY_55D = (DK, RF, NS) or PAY_55DN = (DK, RF, NS) or PAY_75D = (DK, RF, NS) or PAY_75DN = (DK, RF, NS) or PAY_15E = (DK, RF, NS) or PAY_15EN = (DK, RF, NS) or PAY_35E = (DK, RF, NS) or PAY_35EN = (DK, RF, NS) or PAY_55E = (DK, RF, NS) or PAY_55EN = (DK, RF, NS) or PAY_75E = (DK, RF, NS) or PAY_75EN = (DK, RF, NS) or PAY_15F = (DK, RF, NS) or PAY_15FN = (DK, RF, NS) or PAY_35F = (DK, RF, NS) or PAY_35FN = (DK, RF, NS) or PAY_55F = (DK, RF, NS) or PAY_55FN = (DK, RF, NS) or PAY_75F = (DK, RF, NS) or PAY_75FN = (DK, RF, NS) or PAY_15G = (DK, RF, NS) or PAY_15GN = (DK, RF, NS) or PAY_35G = (DK, RF, NS) or PAY_35GN = (DK, RF, NS) or PAY_55G = (DK, RF, NS) or PAY_55GN = (DK, RF, NS) or PAY_75G = (DK, RF, NS) or PAY_75GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT15D + PAYT35D + PAYT55D + PAYT75D	PAY_EDTE = 1	Minutes of total activity - Wednesday	(min: 1; max: 1440)
PAYT15E + PAYT35E + PAYT55E + PAYT75E	PAY_EDTE = 2	Minutes of total activity - Wednesday	(min: 1; max: 1440)

PAYT15F + PAYT35F + PAYT55F + PAYT75F	PAY_EDTE = 3	Minutes of total activity - Wednesday	(min: 1; max: 1440)
PAYT15G + PAYT35G + PAYT55G + PAYT75G	PAY_EDTE = 4	Minutes of total activity - Wednesday	(min: 1; max: 1440)
PAYT15A + PAYT35A + PAYT55A + PAYT75A	PAY_EDTE = 5	Minutes of total activity - Wednesday	(min: 1; max: 1440)
PAYT15B + PAYT35B + PAYT55B + PAYT75B	PAY_EDTE = 6	Minutes of total activity - Wednesday	(min: 1; max: 1440)
PAYT15C + PAYT35C + PAYT55C + PAYT75C	PAY_EDTE = 7	Minutes of total activity - Wednesday	(min: 1; max: 1440)

8) Total physical activity minutes - Thursday

Variable name: PAYDVTTH

Based on: DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

Description: This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Thursday

Specifications

Value	Condition(s)	Description	Notes
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA

9999	PAY_010 = (DK, RF, NS) or PAY_025 = (DK, RF, NS) or PAY_030 = (DK, RF, NS) or PAY_045 = (DK, RF, NS) or PAY_050 = (DK, RF, NS) or PAY_065 = (DK, RF, NS) or PAY_070 = (DK, RF, NS) or PAY_15A = (DK, RF, NS) or PAY_15AN = (DK, RF, NS) or PAY_35A = (DK, RF, NS) or PAY_35AN = (DK, RF, NS) or PAY_55A = (DK, RF, NS) or PAY_55AN = (DK, RF, NS) or PAY_75A = (DK, RF, NS) or PAY_75AN = (DK, RF, NS) or PAY_15B = (DK, RF, NS) or PAY_15BN = (DK, RF, NS) or PAY_35B = (DK, RF, NS) or PAY_35BN = (DK, RF, NS) or PAY_55B = (DK, RF, NS) or PAY_55BN = (DK, RF, NS) or PAY_75B = (DK, RF, NS) or PAY_75BN = (DK, RF, NS) or PAY_15C = (DK, RF, NS) or PAY_15CN = (DK, RF, NS) or PAY_35C = (DK, RF, NS) or PAY_35CN = (DK, RF, NS) or PAY_55C = (DK, RF, NS) or PAY_55CN = (DK, RF, NS) or PAY_75C = (DK, RF, NS) or PAY_75CN = (DK, RF, NS) or PAY_15D = (DK, RF, NS) or PAY_15DN = (DK, RF, NS) or PAY_35D = (DK, RF, NS) or PAY_35DN = (DK, RF, NS) or PAY_55D = (DK, RF, NS) or PAY_55DN = (DK, RF, NS) or PAY_75D = (DK, RF, NS) or PAY_75DN = (DK, RF, NS) or PAY_15E = (DK, RF, NS) or PAY_15EN = (DK, RF, NS) or PAY_35E = (DK, RF, NS) or PAY_35EN = (DK, RF, NS) or PAY_55E = (DK, RF, NS) or PAY_55EN = (DK, RF, NS) or PAY_75E = (DK, RF, NS) or PAY_75EN = (DK, RF, NS) or PAY_15F = (DK, RF, NS) or PAY_15FN = (DK, RF, NS) or PAY_35F = (DK, RF, NS) or PAY_35FN = (DK, RF, NS) or PAY_55F = (DK, RF, NS) or PAY_55FN = (DK, RF, NS) or PAY_75F = (DK, RF, NS) or PAY_75FN = (DK, RF, NS) or PAY_15G = (DK, RF, NS) or PAY_15GN = (DK, RF, NS) or PAY_35G = (DK, RF, NS) or PAY_35GN = (DK, RF, NS) or PAY_55G = (DK, RF, NS) or PAY_55GN = (DK, RF, NS) or PAY_75G = (DK, RF, NS) or PAY_75GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT15C + PAYT35C + PAYT55C + PAYT75C	PAY_EDTE = 1	Minutes of total activity - Thursday	(min: 1; max: 1440)
PAYT15D + PAYT35D + PAYT55D + PAYT75D	PAY_EDTE = 2	Minutes of total activity - Thursday	(min: 1; max: 1440)

PAYT15E + PAYT35E + PAYT55E + PAYT75E	PAY_EDTE = 3	Minutes of total activity - Thursday	(min: 1; max: 1440)
PAYT15F + PAYT35F + PAYT55F + PAYT75F	PAY_EDTE = 4	Minutes of total activity - Thursday	(min: 1; max: 1440)
PAYT15G + PAYT35G + PAYT55G + PAYT75G	PAY_EDTE = 5	Minutes of total activity - Thursday	(min: 1; max: 1440)
PAYT15A + PAYT35A + PAYT55A + PAYT75A	PAY_EDTE = 6	Minutes of total activity - Thursday	(min: 1; max: 1440)
PAYT15B + PAYT35B + PAYT55B + PAYT75B	PAY_EDTE = 7	Minutes of total activity - Thursday	(min: 1; max: 1440)

9) Total physical activity minutes - Friday

Variable name: PAYDVTFR

Based on: DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

Description: This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Friday

Specifications

Value	Condition(s)	Description	Notes
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA

9999	PAY_010 = (DK, RF, NS) or PAY_025 = (DK, RF, NS) or PAY_030 = (DK, RF, NS) or PAY_045 = (DK, RF, NS) or PAY_050 = (DK, RF, NS) or PAY_065 = (DK, RF, NS) or PAY_070 = (DK, RF, NS) or PAY_15A = (DK, RF, NS) or PAY_15AN = (DK, RF, NS) or PAY_35A = (DK, RF, NS) or PAY_35AN = (DK, RF, NS) or PAY_55A = (DK, RF, NS) or PAY_55AN = (DK, RF, NS) or PAY_75A = (DK, RF, NS) or PAY_75AN = (DK, RF, NS) or PAY_15B = (DK, RF, NS) or PAY_15BN = (DK, RF, NS) or PAY_35B = (DK, RF, NS) or PAY_35BN = (DK, RF, NS) or PAY_55B = (DK, RF, NS) or PAY_55BN = (DK, RF, NS) or PAY_75B = (DK, RF, NS) or PAY_75BN = (DK, RF, NS) or PAY_15C = (DK, RF, NS) or PAY_15CN = (DK, RF, NS) or PAY_35C = (DK, RF, NS) or PAY_35CN = (DK, RF, NS) or PAY_55C = (DK, RF, NS) or PAY_55CN = (DK, RF, NS) or PAY_75C = (DK, RF, NS) or PAY_75CN = (DK, RF, NS) or PAY_15D = (DK, RF, NS) or PAY_15DN = (DK, RF, NS) or PAY_35D = (DK, RF, NS) or PAY_35DN = (DK, RF, NS) or PAY_55D = (DK, RF, NS) or PAY_55DN = (DK, RF, NS) or PAY_75D = (DK, RF, NS) or PAY_75DN = (DK, RF, NS) or PAY_15E = (DK, RF, NS) or PAY_15EN = (DK, RF, NS) or PAY_35E = (DK, RF, NS) or PAY_35EN = (DK, RF, NS) or PAY_55E = (DK, RF, NS) or PAY_55EN = (DK, RF, NS) or PAY_75E = (DK, RF, NS) or PAY_75EN = (DK, RF, NS) or PAY_15F = (DK, RF, NS) or PAY_15FN = (DK, RF, NS) or PAY_35F = (DK, RF, NS) or PAY_35FN = (DK, RF, NS) or PAY_55F = (DK, RF, NS) or PAY_55FN = (DK, RF, NS) or PAY_75F = (DK, RF, NS) or PAY_75FN = (DK, RF, NS) or PAY_15G = (DK, RF, NS) or PAY_15GN = (DK, RF, NS) or PAY_35G = (DK, RF, NS) or PAY_35GN = (DK, RF, NS) or PAY_55G = (DK, RF, NS) or PAY_55GN = (DK, RF, NS) or PAY_75G = (DK, RF, NS) or PAY_75GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT15B + PAYT35B + PAYT55B + PAYT75B	PAY_EDTE = 1	Minutes of total activity - Friday	(min: 1; max: 1440)
PAYT15C + PAYT35C + PAYT55C + PAYT75C	PAY_EDTE = 2	Minutes of total activity - Friday	(min: 1; max: 1440)

PAYT15D + PAYT35D + PAYT55D + PAYT75D	PAY_EDTE = 3	Minutes of total activity - Friday	(min: 1; max: 1440)
PAYT15E + PAYT35E + PAYT55E + PAYT75E	PAY_EDTE = 4	Minutes of total activity - Friday	(min: 1; max: 1440)
PAYT15F + PAYT35F + PAYT55F + PAYT75F	PAY_EDTE = 5	Minutes of total activity - Friday	(min: 1; max: 1440)
PAYT15G + PAYT35G + PAYT55G + PAYT75G	PAY_EDTE = 6	Minutes of total activity - Friday	(min: 1; max: 1440)
PAYT15A + PAYT35A + PAYT55A + PAYT75A	PAY_EDTE = 7	Minutes of total activity - Friday	(min: 1; max: 1440)

01) Total physical activity minutes - Saturday

Variable name: PAYDVTST

Based on: DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

Description: This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Saturday

Note: The questions about activity during school or day camps was not asked for Saturday. This variable sums the number of minutes of active transportation, recreational activity during leisure and other activity.

Specifications

Value	Condition(s)	Description	Notes
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA

9999	PAY_010 = (DK, RF, NS) or PAY_025 = (DK, RF, NS) or PAY_030 = (DK, RF, NS) or PAY_045 = (DK, RF, NS) or PAY_050 = (DK, RF, NS) or PAY_065 = (DK, RF, NS) or PAY_070 = (DK, RF, NS) or PAY_15A = (DK, RF, NS) or PAY_15AN = (DK, RF, NS) or PAY_35A = (DK, RF, NS) or PAY_35AN = (DK, RF, NS) or PAY_55A = (DK, RF, NS) or PAY_55AN = (DK, RF, NS) or PAY_75A = (DK, RF, NS) or PAY_75AN = (DK, RF, NS) or PAY_15B = (DK, RF, NS) or PAY_15BN = (DK, RF, NS) or PAY_35B = (DK, RF, NS) or PAY_35BN = (DK, RF, NS) or PAY_55B = (DK, RF, NS) or PAY_55BN = (DK, RF, NS) or PAY_75B = (DK, RF, NS) or PAY_75BN = (DK, RF, NS) or PAY_15C = (DK, RF, NS) or PAY_15CN = (DK, RF, NS) or PAY_35C = (DK, RF, NS) or PAY_35CN = (DK, RF, NS) or PAY_55C = (DK, RF, NS) or PAY_55CN = (DK, RF, NS) or PAY_75C = (DK, RF, NS) or PAY_75CN = (DK, RF, NS) or PAY_15D = (DK, RF, NS) or PAY_15DN = (DK, RF, NS) or PAY_35D = (DK, RF, NS) or PAY_35DN = (DK, RF, NS) or PAY_55D = (DK, RF, NS) or PAY_55DN = (DK, RF, NS) or PAY_75D = (DK, RF, NS) or PAY_75DN = (DK, RF, NS) or PAY_15E = (DK, RF, NS) or PAY_15EN = (DK, RF, NS) or PAY_35E = (DK, RF, NS) or PAY_35EN = (DK, RF, NS) or PAY_55E = (DK, RF, NS) or PAY_55EN = (DK, RF, NS) or PAY_75E = (DK, RF, NS) or PAY_75EN = (DK, RF, NS) or PAY_15F = (DK, RF, NS) or PAY_15FN = (DK, RF, NS) or PAY_35F = (DK, RF, NS) or PAY_35FN = (DK, RF, NS) or PAY_55F = (DK, RF, NS) or PAY_55FN = (DK, RF, NS) or PAY_75F = (DK, RF, NS) or PAY_75FN = (DK, RF, NS) or PAY_15G = (DK, RF, NS) or PAY_15GN = (DK, RF, NS) or PAY_35G = (DK, RF, NS) or PAY_35GN = (DK, RF, NS) or PAY_55G = (DK, RF, NS) or PAY_55GN = (DK, RF, NS) or PAY_75G = (DK, RF, NS) or PAY_75GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT15A + PAYT55A + PAYT75A	PAY_EDTE = 1	Minutes of activity - Saturday	(min: 1; max: 1440)
PAYT15B + PAYT55B + PAYT75B	PAY_EDTE = 2	Minutes of activity - Saturday	(min: 1; max: 1440)

PAYT15C + PAYT55C + PAYT75C	PAY_EDTE = 3	Minutes of activity - Saturday	(min: 1; max: 1440)
PAYT15D + PAYT55D + PAYT75D	PAY_EDTE = 4	Minutes of activity - Saturday	(min: 1; max: 1440)
PAYT15E + PAYT55E + PAYT75E	PAY_EDTE = 5	Minutes of activity - Saturday	(min: 1; max: 1440)
PAYT15F + PAYT55F + PAYT75F	PAY_EDTE = 6	Minutes of activity - Saturday	(min: 1; max: 1440)
PAYT15G + PAYT55G + PAYT75G	PAY_EDTE = 7	Minutes of activity - Saturday	(min: 1; max: 1440)

01) Total physical activity minutes - Sunday

Variable name: PAYDVTSN

Based on: DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

Description: This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Sunday

Note: The questions about activity during school or day camps was not asked on Sundays. This variable sums the number of minutes of active transportation, recreational activity during leisure and other activity.

Specifications

Value	Condition(s)	Description	Notes
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA

9999	PAY_010 = (DK, RF, NS) or PAY_025 = (DK, RF, NS) or PAY_030 = (DK, RF, NS) or PAY_045 = (DK, RF, NS) or PAY_050 = (DK, RF, NS) or PAY_065 = (DK, RF, NS) or PAY_070 = (DK, RF, NS) or PAY_15A = (DK, RF, NS) or PAY_15AN = (DK, RF, NS) or PAY_35A = (DK, RF, NS) or PAY_35AN = (DK, RF, NS) or PAY_55A = (DK, RF, NS) or PAY_55AN = (DK, RF, NS) or PAY_75A = (DK, RF, NS) or PAY_75AN = (DK, RF, NS) or PAY_15B = (DK, RF, NS) or PAY_15BN = (DK, RF, NS) or PAY_35B = (DK, RF, NS) or PAY_35BN = (DK, RF, NS) or PAY_55B = (DK, RF, NS) or PAY_55BN = (DK, RF, NS) or PAY_75B = (DK, RF, NS) or PAY_75BN = (DK, RF, NS) or PAY_15C = (DK, RF, NS) or PAY_15CN = (DK, RF, NS) or PAY_35C = (DK, RF, NS) or PAY_35CN = (DK, RF, NS) or PAY_55C = (DK, RF, NS) or PAY_55CN = (DK, RF, NS) or PAY_75C = (DK, RF, NS) or PAY_75CN = (DK, RF, NS) or PAY_15D = (DK, RF, NS) or PAY_15DN = (DK, RF, NS) or PAY_35D = (DK, RF, NS) or PAY_35DN = (DK, RF, NS) or PAY_55D = (DK, RF, NS) or PAY_55DN = (DK, RF, NS) or PAY_75D = (DK, RF, NS) or PAY_75DN = (DK, RF, NS) or PAY_15E = (DK, RF, NS) or PAY_15EN = (DK, RF, NS) or PAY_35E = (DK, RF, NS) or PAY_35EN = (DK, RF, NS) or PAY_55E = (DK, RF, NS) or PAY_55EN = (DK, RF, NS) or PAY_75E = (DK, RF, NS) or PAY_75EN = (DK, RF, NS) or PAY_15F = (DK, RF, NS) or PAY_15FN = (DK, RF, NS) or PAY_35F = (DK, RF, NS) or PAY_35FN = (DK, RF, NS) or PAY_55F = (DK, RF, NS) or PAY_55FN = (DK, RF, NS) or PAY_75F = (DK, RF, NS) or PAY_75FN = (DK, RF, NS) or PAY_15G = (DK, RF, NS) or PAY_15GN = (DK, RF, NS) or PAY_35G = (DK, RF, NS) or PAY_35GN = (DK, RF, NS) or PAY_55G = (DK, RF, NS) or PAY_55GN = (DK, RF, NS) or PAY_75G = (DK, RF, NS) or PAY_75GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT15G + PAYT55G + PAYT75G	PAY_EDTE = 1	Minutes of total activity - Sunday	(min:0; max:1440)
PAYT15A + PAYT55A + PAYT75A	PAY_EDTE = 2	Minutes of total activity - Sunday	(min:0; max:1440)

PAYT15B + PAYT55B + PAYT75B	PAY_EDTE = 3	Minutes of total activity - Sunday	(min: 1; max: 1440)
PAYT15C + PAYT55C + PAYT75C	PAY_EDTE = 4	Minutes of total activity - Sunday	(min: 1; max: 1440)
PAYT15D + PAYT55D + PAYT75D	PAY_EDTE = 5	Minutes of total activity - Sunday	(min: 1; max: 1440)
PAYT15E + PAYT55E + PAYT75E	PAY_EDTE = 6	Minutes of total activity - Sunday	(min: 1; max: 1440)
PAYT15F + PAYT55F + PAYT75F	PAY_EDTE = 7	Minutes of total activity - Sunday	(min: 1; max: 1440)

01) Total days physically active

Variable name: PAYDVDYS

Based on: DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN, PAYTTDS

Description: This derived variable indicates the total number of days that the respondent did any physical activity in the last 7 days.

Note: This DV uses a temporary DV, PAYTTDS, that is also created and used in another DV, PAYDVWK3.

Temporary Reformat

Value	Condition(s)	Description	Notes
PAYTTDS			
PAYTTDS + 1	(1 <= PAYDVTMN <= 1440)	Performed physical activity on Monday	Initialize PAYTTDS to 0
PAYTTDS + 1	(1 <= PAYDVTTU <= 1440)	Performed physical activity on Tuesday	
PAYTTDS + 1	(1 <= PAYDVTWD <= 1440)	Performed physical activity on Wednesday	
PAYTTDS + 1	(1 <= PAYDVTTH <= 1440)	Performed physical activity on Thursday	
PAYTTDS + 1	(1 <= PAYDVTFR <= 1440)	Performed physical activity on Friday	
PAYTTDS + 1	(1 <= PAYDVTST <= 1440)	Performed physical activity on Saturday	
PAYTTDS + 1	(1 <= PAYDVTSN <= 1440)	Performed physical activity on Sunday	

Specifications

Value	Condition(s)	Description	Notes
96	DOPAY = 2	Module not selected	NA
96	DHH_AGE > 17	Population exclusions	NA
99	PAYDVTMN = NS or PAYDVTTU = NS or PAYDVTWD = NS or PAYDVTTH = NS or PAYDVTFR = NS or PAYDVTST = NS or PAYDVTSN = NS	At least one required question was not answered (don't know, refusal, not stated)	NS

0	PAYDVTMN = 0 and PAYDVTTU = 0 and PAYDVTWD = 0 and PAYDVTTH = 0 and PAYDVTFR = 0 and PAYDVTST = 0 and PAYDVTSN = 0	Respondent was not active in the last 7 days	
PAYTTDS	PAYTTDS > 0	Number of days respondent was active in the last 7 days	(Min: 1; Max: 7)

01) Total minutes of youth physical activity - last 7 days

Variable name: PAYDVMNS

Based on: DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN

Description: This derived variable represents the total number of minutes a respondent engaged in active transportation and moderate to vigorous recreational activities and other physical activities.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAY = 2	Module not selected	NA
99996	DHH_AGE > 17	Population exclusions	NA
99999	PAYDVTMN = (DK, RF, NS) or PAYDVTTU = (DK, RF, NS) or PAYDVTWD = (DK, RF, NS) or PAYDVTTH = (DK, RF, NS) or PAYDVTFR = (DK, RF, NS) or PAYDVTST = (DK, RF, NS) or PAYDVTSN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYDVTMN + PAYDVTTU + PAYDVTWD + PAYDVTTH + PAYDVTFR + PAYDVTST + PAYDVTSN	(0 <= PAYDVTMN <= 1440) and (0 <= PAYDVTTU <= 1440) and (0 <= PAYDVTWD <= 1440) and (0 <= PAYDVTTH <= 1440) and (0 <= PAYDVTFR <= 1440) and (0 <= PAYDVTST <= 1440) and (0 <= PAYDVTSN <= 1440)	Number of minutes of active transportation and moderate to vigorous physical activity	(min: 1; max: 10080)

01) Average number of minutes of physical activity per active day

Variable name: PAYDVAVG

Based on: DHH_AGE, PAYDVDYS, PAYDVMNS

Description: This derived variable indicates the average number of minutes of activity the respondent had in the last 7 days for each active day.

Note: The average is based on the total number of minutes of activity in the week divided by the number of days they were active.

Specifications

Value	Condition(s)	Description	Notes
9999.6	DOPAY = 2	Module not selected	NA
9999.6	DHH_AGE > 17	Population exclusions	NA

9999.9	PAYDVDYS = (DK, RF, NS) or (AYDVMNS = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAYDVMNS = 0	No physical activity minutes in the last 7 days	
PAYDVMNS / PAYDVDYS	PAYDVMNS = (1:10080) and PAYDVDYS = (1:7)	Average minutes per active day in the last 7 days	Rounded to 1 decimal place

01) Total weekday physical activity minutes - last 7 days

Variable name: PAYDVTWK

Based on: DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR

Description: Total number of physical activity minutes recorded on weekdays (Monday to Friday).

Specifications

Value	Condition(s)	Description	Notes
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA
9999	PAYDVTMN = (DK, RF, NS) or PAYDVTTU = (DK, RF, NS) or PAYDVTWD = (DK, RF, NS) or PAYDVTTH = (DK, RF, NS) or PAYDVTFR = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYDVTMN + PAYDVTTU + PAYDVTWD + PAYDVTTH + PAYDVTFR +	(0 <= PAYDVTMN <= 1440) and (0 <= PAYDVTTU <= 1440) and (0 <= PAYDVTWD <= 1440) and (0 <= PAYDVTTH <= 1440) and (0 <= PAYDVTFR <= 1440)	Number of minutes of moderate to vigorous physical activity Monday to Friday	(min: 0; max: 7200)

01) Total weekend physical activity minutes - last 7 days

Variable name: PAYDVTWN

Based on: DHH_AGE, PAYDVTST, PAYDVTSN

Description: Total number of physical activity minutes recorded on weekend (Saturday or Sunday).

Specifications

Value	Condition(s)	Description	Notes
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population Exclusions	NA
9999	PAYDVTST = (DK, RF, NS) or PAYDVTSN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYDVTST + PAYDVTSN	(0 <= PAYDVTST <= 1440) and (0 <= PAYDVTSN <= 1440)	Number of minutes of moderate to vigorous physical activity Saturday to Sunday	(min: 0; max: 2880)

01) Number of days meeting or exceeding physical activity guidelines

Variable name: PAYDVDPG

Based on: DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDV,TWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN, PAYTGUI

Description: This derived variable indicates the number of days where the recommended physical activity guidelines (CPAG) are met or exceeded.

Note: To meet the full guidelines set by the Canadian Physical Activity Guidelines, Canadians aged 12-17 are recommended to do 60 minutes of activity each day of the week. Thus, a respondent would be considered active under CPAG recommendations when this derived variable equals 7.

This DV uses a temporary DV, PAYTGUI, that is also created and used in another DV, PAYDVWK2.

Temporary Reformat

Value	Condition(s)	Description	Notes
PAYTGUI			
PAYTGUI + 1	(60 <= PAYDVTMN <= 1440)	Met Physical Activity Guidelines Monday	initialize PAYTGUI to 0
PAYTGUI + 1	(60 <= PAYDVTTU <= 1440)	Met Physical Activity Guidelines Tuesday	
PAYTGUI + 1	(60 <= PAYDVTWD <= 1440)	Met Physical Activity Guidelines Wednesday	
PAYTGUI + 1	(60 <= PAYDVTTH <= 1440)	Met Physical Activity Guidelines Thursday	
PAYTGUI + 1	(60 <= PAYDVTFR <= 1440)	Met Physical Activity Guidelines Friday	
PAYTGUI + 1	(60 <= PAYDVTST <= 1440)	Met Physical Activity Guidelines Saturday	
PAYTGUI + 1	(60 <= PAYDVTSN <= 1440)	Met Physical Activity Guidelines Sunday	

Specifications

Value	Condition(s)	Description	Notes
96	DOPAY = 2	Module not selected	NA
96	DHH_AGE > 17	Population exclusions	NA
99	(PAYDVTMN = DK, RF, NS) or (PAYDVTTU = DK, RF, NS) or (PAYDVTWD = DK, RF, NS) or (PAYDVTTH = DK, RF, NS) or (PAYDVTFR = DK, RF, NS) or (PAYDVTST = DK, RF, NS) or (PAYDVTSN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYTGUI	PAYTGUI in (0:7)	Number of days respondent met CPAG guidelines	(Min: 0; Max: 7)

01) Youth physical activity indicator

Variable name: PAYDVPAI

Based on: DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN

Description: This variable indicates whether a youth is physically active according to the Canadian Physical Activity Guidelines.

Note: Physical activity for youth aged 12-17 is defined as at least 60 minutes of moderate-to-vigorous physical activity each day. Moderate exercise is defined in the Canadian Physical Activity Guidelines as activity that causes a person to breathe harder and sweat at least a little.

Specifications

Value	Condition(s)	Description	Notes
6	DOPAY = 2	Module not selected	NA
6	DHH_AGE > 17	Population exclusions	NA

9	PAYDVTMN = NS or PAYDVTTU = NS or PAYDVTWD = NS or PAYDVTTH = NS or PAYDVTFR = NS or PAYDVTST = NS or PAYDVTSN = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAYDVTMN = 0 and PAYDVTTU = 0 and PAYDVTWD = 0 and PAYDVTTH = 0 and PAYDVTFR = 0 and PAYDVTST = 0 and PAYDVTSN = 0	No activity	
1	(60 <= PAYDVTMN <= 1440) and (60 <= PAYDVTTU <= 1440) and (60 <= PAYDVTWD <= 1440) and (60 <= PAYDVTTH <= 1440) and (60 <= PAYDVTFR <= 1440) and (60 <= PAYDVTST <= 1440) and (60 <= PAYDVTSN <= 1440)	Physically active according to the Canadian Physical Activity Guidelines.	
2	PAYDVTMN < 60 or PAYDVTTU < 60 or PAYDVTWD < 60 or PAYDVTTH < 60 or PAYDVTFR < 60 or PAYDVTST < 60 or PAYDVTSN < 60	Not physically active according to the Canadian Physical Activity Guidelines.	

01) Total minutes of vigorous physical activity - youth - last 7 days

Variable name: PAYDVVIG

Based on: DHH_AGE, PAYDVMNS, PAY_090, PAY_100, PAY_105

Description: This derived variable indicates the number of minutes of physical activity reported that was vigorous in the last 7 days.

Note: Vigorous exercise is defined in the Canadian Physical Activity Guidelines as activity that causes a person to be out of breath.

Inconsistencies with PAYDVMNS (when PAYDVVIG > PAYDVMNS) were corrected by setting PAYDVVIG to "not stated".

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAY = 2	Module not selected	NA
99996	DHH_AGE > 17	Population exclusions	NA
99999	PAY_090 = (DK, RF, NS) or PAY_100 = (DK, RF, NS) or PAY_105 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_090 = 2	No vigorous physical activity in last 7 days	
0	PAYDVMNS = 0	No minutes of moderate to vigorous physical activity in last 7 days	
PAY_100*60 + PAY_105	PAY_090 = 1	Total minutes of vigorous physical activity in last 7 days.	(min: 1; max: 10080)

01) Physical activity - special weekly guideline 1

Variable name: PAYDVWK1

Based on: DHH_AGE, PAYDVDYS, PAYDVMNS

Description: This variable, number one of three similar variables, indicates the level of moderate to vigorous physical activity for Canadian children aged 12 to 17. The levels have been recommended to Statistics Canada by Dr. B. Nolin of the Institut national de santé publique du Québec.

Note: The physical activity levels are based on the Canadian Physical Activity Guidelines (CPAG). Each level represents a range of achievement of meeting the total duration (minutes) of weekly guidelines.

Specifications

Value	Condition(s)	Description	Notes
6	DOPAY = 2	Module not selected	NA
6	DHH_AGE > 17	Population exclusions	NA
9	PAYDVDYS = (DK, RF, NS) or PAYDVMNS = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAYDVDYS >= 1 and PAYDVMNS >= 420	Level 1 (100% active)	
2	PAYDVDYS >= 1 and 210 <= PAYDVMNS < 420	Level 2 (>= 50% and < 100% active)	
3	PAYDVDYS >= 1 and 105 <= PAYDVMNS < 210	Level 3 (>= 25% and < 50% active)	
4	PAYDVDYS >= 1 and 0 < PAYDVMNS < 105	Level 4 (> 0% and < 25% active)	
5	PAYDVDYS = 0 and PAYDVMNS = 0	Level 5 (0% active)	

01) Physical activity - special weekly guideline 2

Variable name: PAYDVWK2

Based on: DHH_AGE, PAYDVDYS, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN, PAYTGUI, PAYTAB1, PAYTAB2, PAYTAB3

Description: This variable, number two of three similar variables, indicates the level of moderate to vigorous physical activity for Canadian children aged 12 to 17. The levels have been recommended to Statistics Canada by Dr. B. Nolin of the Institut national de santé publique du Québec.

Note: The physical activity levels are based on the Canadian Physical Activity Guidelines (CPAG). Each level is based on how many days the respondent was active, and how many minutes of activity they had on those days.

This DV uses a temporary DV, PAYTGUI, that is also created and used in another DV, PAYDVDPG.

Temporary Reformat

Value	Condition(s)	Description	Notes
PAYTAB1			
PAYTAB1 + 1	40 <= PAYDVTMN <= 1440	Performed at least 40 minutes of physical activity Monday	Initialize PAYTAB1 to 0
PAYTAB1 + 1	40 <= PAYDVTTU <= 1440	Performed at least 40 minutes of physical activity Tuesday	
PAYTAB1 + 1	40 <= PAYDVTWD <= 1440	Performed at least 40 minutes of physical activity Wednesday	
PAYTAB1 + 1	40 <= PAYDVTTH <= 1440	Performed at least 40 minutes of physical activity Thursday	

PAYTAB1 + 1	40 <= PAYDVTFR <= 1440	Performed at least 40 minutes of physical activity Friday	
PAYTAB1 + 1	40 <= PAYDVTST <= 1440	Performed at least 40 minutes of physical activity Saturday	
PAYTAB1 + 1	40 <= PAYDVTSN <= 1440	Performed at least 40 minutes of physical activity Sunday	
PAYTAB2			
PAYTAB2 + 1	20 <= PAYDVTMN <= 1440	Performed at least 20 minutes of physical activity Monday	Initialize PAYTAB2 to 0
PAYTAB2 + 1	20 <= PAYDVTTU <= 1440	Performed at least 20 minutes of physical activity Tuesday	
PAYTAB2 + 1	20 <= PAYDVTWD <= 1440	Performed at least 20 minutes of physical activity Wednesday	
PAYTAB2 + 1	20 <= PAYDVTTH <= 1440	Performed at least 20 minutes of physical activity Thursday	
PAYTAB2 + 1	20 <= PAYDVTFR <= 1440	Performed at least 20 minutes of physical activity Friday	
PAYTAB2 + 1	20 <= PAYDVTST <= 1440	Performed at least 20 minutes of physical activity Saturday	
PAYTAB2 + 1	20 <= PAYDVTSN <= 1440	Performed at least 20 minutes of physical activity Sunday	
PAYTAB3			
PAYTAB3 + 1	0 < PAYDVTMN <= 1440	Performed at least 1 minute of physical activity Monday	Initialize PAYTAB3 to 0
PAYTAB3 + 1	0 < PAYDVTTU <= 1440	Performed at least 1 minute of physical activity Tuesday	
PAYTAB3 + 1	0 < PAYDVTWD <= 1440	Performed at least 1 minute of physical activity Wednesday	
PAYTAB3 + 1	0 < PAYDVTTH <= 1440	Performed at least 1 minute of physical activity Thursday	
PAYTAB3 + 1	0 < PAYDVTFR <= 1440	Performed at least 1 minute of physical activity Friday	
PAYTAB3 + 1	0 < PAYDVTST <= 1440	Performed at least 1 minute of physical activity Saturday	
PAYTAB3 + 1	0 < PAYDVTSN <= 1440	Performed at least 1 minute of physical activity Sunday	
PAYTGUI			
PAYTGUI + 1	(60 <= PAYDVTMN <= 1440)	Met Physical Activity Guidelines Monday	Initialize PAYTGUI to 0
PAYTGUI + 1	(60 <= PAYDVTTU <= 1440)	Met Physical Activity Guidelines Tuesday	
PAYTGUI + 1	(60 <= PAYDVTWD <= 1440)	Met Physical Activity Guidelines Wednesday	
PAYTGUI + 1	(60 <= PAYDVTTH <= 1440)	Met Physical Activity Guidelines Thursday	
PAYTGUI + 1	(60 <= PAYDVTFR <= 1440)	Met Physical Activity Guidelines Friday	
PAYTGUI + 1	(60 <= PAYDVTST <= 1440)	Met Physical Activity Guidelines Saturday	
PAYTGUI + 1	(60 <= PAYDVTSN <= 1440)	Met Physical Activity Guidelines Sunday	

Specifications

Value	Condition(s)	Description	Notes
6	DOPAY = 2	Module not selected	NA

6	DHH_AGE > 17	Population exclusions	NA
9	PAYDVTMN = NS or PAYDVTTU = NS or PAYDVTWD = NS or PAYDVTTH = NS or PAYDVTFR = NS or PAYDVTST = NS or PAYDVTSN = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAYDVDYS = 7 and PAYTGUI = 7	Level 1 (7 days of activity and >= 60 minutes on each day active)	
2	5 <= PAYDVDYS and PAYTAB1 => 5	Level 2 (>= 5 days of activity and >=40 minutes on each day active)	
3	3 <= PAYDVDYS and PAYTAB2 => 3	Level 3 (>= 3 days of activity and >= 20 minutes on each day active)	
4	1 <= PAYDVDYS and PAYTAB3 => 1	Level 4 (>= 1 day of activity >= 1 minute on each day active)	
5	PAYDVDYS = 0	Level 5 (no active days, no minutes of activity on any day)	

01) Physical activity - special weekly guideline 3

Variable name: PAYDVWK3

Based on: DHH_AGE, PAYDVMNS, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN, PAYTTDS

Description: This variable, number three of three similar variables, indicates the level of moderate to vigorous physical activity for Canadian children aged 12 to 17. The levels have been recommended to Statistics Canada by Dr. B. Nolin of the Institut national de santé publique du Québec.

Note: The physical activity levels are based on the Canadian Physical Activity Guidelines (CPAG). Each level is based on the weekly total number of minutes of activity and on how many days the respondent was active.

This DV uses a temporary DV, PAYTTDS, that is also created and used in another DV, PAYDVDYS.

Temporary Reformat

Value	Condition(s)	Description	Notes
PAYTTDS			
PAYTTDS + 1	(1 <= PAYDVTMN <= 1440)	Performed physical activity Monday	Initialize PAYTTDS to 0
PAYTTDS + 1	(1 <= PAYDVTTU <= 1440)	Performed physical activity Tuesday	
PAYTTDS + 1	(1 <= PAYDVTWD <= 1440)	Performed physical activity Wednesday	
PAYTTDS + 1	(1 <= PAYDVTTH <= 1440)	Performed physical activity Thursday	
PAYTTDS + 1	(1 <= PAYDVTFR <= 1440)	Performed physical activity Friday	
PAYTTDS + 1	(1 <= PAYDVTST <= 1440)	Performed physical activity Saturday	
PAYTTDS + 1	(1 <= PAYDVTSN <= 1440)	Performed physical activity Sunday	

Specifications

Value	Condition(s)	Description	Notes
6	DOPAY = 2	Module not selected	NA
6	DHH_AGE > 17	Population exclusions	NA

9	PAYTTDS = (DK, RF, NS) or PAYDVMNS = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAYTTDS >= 5 and PAYDVMNS >= 420	Active	
2	PAYTTDS >= 3 and PAYDVMNS >= 210	Moderately active	
3	PAYTTDS >= 3 and (210 > PAYDVMNS >= 105)	A bit active	
4	PAYTTDS >= 1 and 0 < PAYDVMNS < 105	Very little activity	
5	PAYTTDS = 0 and PAYDVMNS = 0	Sedentary	

01) Physical activity - meet Canadian Physical Activity Guidelines with 3 or more vigorous-intensity activities - last 7 days

Variable name: PAYDVPAG

Based on: DHH_AGE, PAYDVMSN, PAYDVPAI, PAY_090, PAY_095, PAY_095A, PAY_095B, PAY_095C, PAY_05D, PAY_095E, PAY_095F, PAY_095G, PAYTVIG1

Description: Indicates whether a youth respondent met the 60 minutes of daily moderate- to vigorous-intensity physical activity recommended by the Canadian Physical Activity Guidelines, including vigorous-intensity activities at least 3 of the last 7 days.

Temporary Reformat

Value	Condition(s)	Description	Notes
PAYTVIG1			
PAYTVIG1 + 1	PAY_095A = 1	Performed vigorous activities yesterday	initialize PAYTVIG1 to 0
PAYTVIG1 + 1	PAY_095B = 1	Performed vigorous activities 2 days ago	
PAYTVIG1 + 1	PAY_095C = 1	Performed vigorous activities 3 days ago	
PAYTVIG1 + 1	PAY_095D = 1	Performed vigorous activities 4 days ago	
PAYTVIG1 + 1	PAY_095E = 1	Performed vigorous activities 5 days ago	
PAYTVIG1 + 1	PAY_095F = 1	Performed vigorous activities 6 days ago	
PAYTVIG1 + 1	PAY_095G = 1	Performed vigorous activities 7 days ago	

Specifications

Value	Condition(s)	Description	Notes
6	DOPAY = 2	Module not selected	NA
6	DHH_AGE > 17	Population exclusions	NA
9	PAY_090 = (DK, RF, NS) or PAY_095 = (DK, RF, NS) or PAYDVMNS = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAYDVPAI = 1 and PAYTVIG1 > 2	Meets CPAG guidelines including 3 or more days with vigorous activities in the last 7 days.	
2	PAYDVPAI = (0,2) or PAY_090 = 2 or PAYTVIG1 = (1,2)	Does not meet CPAG guidelines including 3 or more days with vigorous activities in the last 7 days.	

Sedentary activities (2 DVs)

1) Total number of hours per week spent in sedentary activities (excluding reading)

Variable name: SACDVTER

Based on: SAC_010, SAC_020, SAC_025, SACTTER

Description: This variable estimates the total number of hours the respondent spent in the last seven days doing sedentary activities such as using a computer (including playing computer games), using the Internet, playing video games (e.g. Nintendo, PlayStation),and watching television or videos. For all activities, the time spent at school or work is excluded. Time spent in reading is not included.

Temporary Reformat

Value	Condition(s)	Description	Notes
SACTTER			
999.6	DOSAC = 2	Module not selected	NA
999.9	SAC_010 = (DK, RF, NS) or SAC_020 = (DK, RF, NS) or SAC_025 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SAC_010 + SAC_020 + SAC_025	(0 <= SAC_010 <= 95) and (0 <= SAC_020 <= 95) and (0 <= SAC_025 <= 95)	Total number of hours per week spent in sedentary activities (excluding reading)	(min:0; max:285.0)

Specifications

Value	Condition(s)	Description	Notes
96	SACTTER = NA	Population exclusion	NA
99	SACTTER = NS	At least one required question was not answered (don’t know, refusal, not stated)	NS
1	(0 <= SACTTER < 5)	Less than 5 hours	
2	(5 <= SACTTER < 10)	From 5 to 9 hours	
3	(10 <= SACTTER < 15)	From 10 to 14 hours	
4	(15 <= SACTTER < 20)	From 15 to 19 hours	
5	(20 <= SACTTER < 25)	From 20 to 24 hours	
6	(25 <= SACTTER < 30)	From 25 to 29 hours	
7	(30 <= SACTTER < 35)	From 30 to 34 hours	
8	(35 <= SACTTER < 40)	From 35 to 39 hours	
9	(40 <= SACTTER < 45)	From 40 to 44 hours	
10	(45 <= SACTTER < NA)	45 hours or more	

2) Total number of hours per week spent in sedentary activities

Variable name: SACDVTOT

Based on: SAC_005, SAC_010, SAC_020, SAC_025, SACTTOT

Description: This variable estimates the total number of hours the respondent spent in the last seven days doing sedentary activities such as using a computer (including playing computer games), using the Internet, playing video games (e.g. Nintendo, PlayStation), watching television or videos and reading. For all activities, the time spent at school or work is excluded.

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
SACTTOT			
999.6	DOSAC = 2	Module not selected	NA
999.9	SAC_005 = (DK, RF, NS) or SAC_010 = (DK, RF, NS) or SAC_020 = (DK, RF, NS) or SAC_025 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SAC_005+ SAC_010+ SAC_020+ SAC_025	(0 <= SAC_005 <= 95) and (0 <= SAC_010 <= 95) and (0 <= SAC_020 <= 95) and (0 <= SAC_025 <= 95)	Total number of hours spent in sedentary activities	(min: 0; max: 380.0)

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	SACTTOT = NA	Module not selected	NA
99	SACTTOT = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
1	SACTTOT < 5	Less than 5 hours	
2	(5 <= SACTTOT < 10)	From 5 to 9 hours	
3	(10 <= SACTTOT < 15)	From 10 to 14 hours	
4	(15 <= SACTTOT < 20)	From 15 to 19 hours	
5	(20 <= SACTTOT < 25)	From 20 to 24 hours	
6	(25 <= SACTTOT < 30)	From 25 to 29 hours	
7	(30 <= SACTTOT < 35)	From 30 to 34 hours	
8	(35 <= SACTTOT < 40)	From 35 to 39 hours	
9	(40 <= SACTTOT < 45)	From 40 to 44 hours	
10	(45 <= SACTTOT < NA)	45 hours or more	

Sample variables (2 DVs)

1) Permission to share data

Variable name: SAMDVSHR

Based on: DHH_AGE, ADM_035 (Not on file - Share question from the main component), PS_02 (Not on file - Share question from the Exit component), PMK_005 (Not on file - Share question for 14-17 years old from the PMK module).

Description: This variable indicates whether or not the respondent agreed to share the information collected in the survey with the provincial and territorial ministries of health, Health Canada, the Public Health Agency of Canada, and the "Institut de la Statistique du Québec" for Quebec respondents. The variable SAMDVSHR is calculated from the responses to the Share questions in the Administration module (ADM_035), the Person most knowledgeable about the household (PMK_005) module and the Exit component (PS_02) for partial interviews.

Note: Permission to share data questions were asked according to respondent's age and identification of a person most knowledgeable about the household (PMKPROXY) for respondents aged less than 18 years old.

For 12-13 years olds, permission to share was not asked to them directly. If a PMKPROXY was identified or if their interview was completed by a proxy respondent, permission to share data for the whole survey was asked to the PMKPROXY or PROXY respondent in ADM_035 or PS_02. If no PMKPROXY was identified or the survey completed by the 12-13 years old, no data sharing question was asked and data sharing is not possible.

For respondents aged 14-17 years old, permission to share the part of the survey up to the Person most knowledgeable about the household (PMK) module was asked to them directly either in the PMK block itself before their participation ended, or in the exit share question (PS_02). If a PMKPROXY was identified to complete the rest of the survey, the PMKPROXY was asked the permission to share question for the remaining household related modules in ADM_035 or in PS_02. If permission to share was obtained from both the selected respondent in PMK module and the PMKPROXY in ADM_035 or PS_02, then the data for the whole interview can be shared. If the PMKPROXY did not agree to share the household related questions, then only data from which permission to share was obtained from the 14-17 years old can be shared (i.e. any data up to the PMK module). In this case, SAMDVSHR = 3, i.e. partial share. If a PROXY respondent completed the survey for a 14-17 years old, permission to share was only asked in ADM_035 or PS_02.

For respondents aged 18 and over, the procedure around asking the share questions remains the same. Permission to share was asked directly to them or their PROXY respondent in either ADM_035 or PS_02.

If SAMDVSHR = 3 (youth respondent agrees to share information but permission not obtained from PMK), then all variables after PMKPROXY (except ADM_040 to ADM_055) are set to 'Not stated' on the share file. Variables that should not have been asked are coded 'Valid skip'.

Specifications

Value	Condition(s)	Description	Notes
1	DHH_AGE = (12,13) and proxy respondent agrees to share or DHH_AGE = (14,15,16,17) and both respondent and PMKPROXY respondent agree to share or DHH_AGE > 17 and respondent agreed to share	Yes - Respondent agreed to share information	
2	DHH_AGE = (12,13) and proxy respondent did not agree to share or DHH_AGE = (14,15,16,17) and both respondent and PMKPROXY respondent did not agree to share or DHH_AGE > 17 and respondent did not agree to share	No - Respondent did not agree to share information	
3	DHH_AGE = (14,15,16,17) and respondent agreed to share but the PMKPROXY respondent did not agree to share	Partial - Respondent aged 14 - 17 year olds accepts to share information but permission to share not obtained from PMK.	

2) Permission to link

Variable name: SAMDVLNK

Based on: ADM_005 (Link question from main component [not on file])

Description: This variable indicates whether or not the respondent agreed to allow their questionnaire data to be linked with administrative records of their past and continuing use of health services.

Note: Starting in 2015, the (yes/no) link question was replaced with a statement which explained the potential linkages. If the respondent indicated that they did not want their responses combined with other sources, or they ended the interview at this point, they are deemed as refusing linkage. They will be set as SAMDVLNK = 2. Otherwise, if no objections were made, linkage is considered as allowed and SAMDVLNK is set as 1.

Specifications

Value	Condition(s)	Description	Notes
9	ADM_005 = NS	Respondent was not asked the link question	NS
1	ADM_005 = 1	Respondent agreed to link information	
2	ADM_005 = (2,3)	Respondent did not agree to link information	

Smoking cessation methods (1 DV)

1) Attempted/successful quitting

Variable name: SCADVQUI

Based on: ADM_PRX, SMKDVSTY, SCA_005, SCA_035, SMK_005, SMK_020, SMK_060, SMK_080, SMK_095, SMK_100

Description: This variable classifies respondents into 4 categories: (a) current daily or occasional smokers who have not tried to quit in the past year, (b) current daily or occasional smokers who have tried to quit unsuccessfully in the past year, (c) former smokers who have successfully quit smoking in the past year and (d) former smokers who have successfully quit smoking more than 1 year ago.

Note: Current non-smokers and respondents who smoked less than 100 cigarettes in their lifetime were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
6	DOSCA = 2	Module not selected	NA
6	SMK_020 = 2 and SMK_005 = 3	Population exclusion	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	SMK_005 = (1, 2) and SCA_035 = 2	Did not try to quit last year (current daily or occasional smoker)	
2	SMK_005 = (1,2) and SCA_035 = 1	Tried to quit unsuccessfully in the last year (current daily or occasional smoker)	
3	SMKDVSTY = (3,4) and (SMK_060 = 1 or SMK_080 = 1 or SMK_100 = 1)	Successfully quit in the last year (former smoker)	
4	SMKDVSTY = (3,4) and [(2 <= SMK_060 <= 4) or (SMK_095 = 1 and (2 <= SMK_080 <= 4)) or (2 <= SMK_100 <= 4)]	Successfully quit more than 1 year ago (former smoker)	
9	SMKDVSTY = NS or SMK_005 = (DK, RF, NS) or SMK_060 = (DK, RF, NS) or SMK_080 = (DK, RF, NS) or SMK_095 = (DK, RF, NS) or SMK_100 = (DK, RF, NS) or SCA_035 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

Socio-demographic characteristics (9 DVs)

1) Country of birth - grouped

Variable name: SDCDVCB

Based on: SDCCCOB

Description: This variable classifies the respondent based on his/her country of birth in specific groups.

Note: The country code is based on the Standard Classification of Countries and Areas of Interest (SCCAI) of 2010. The SCCAI is Statistics Canada's official classification of countries and areas of interest for use in classifying statistical data.

1. Other North America includes Greenland, Saint Pierre and Miquelon and United States.
2. South America includes South Georgia and the South Sandwich Islands.
3. Oceania includes Christmas Island, Cocos (Keeling) Islands, and United States Minor Outlying Islands.
4. Antarctica and adjacent islands includes Antarctica, Bouvet Island, French Southern Territories, Heard Island and McDonald Islands.

Internet site: http://www.statcan.gc.ca/eng/subjects/standard/sccai/2010/sccai

Specifications

Value	Condition(s)	Description	Notes
96	SDCCCOB = 80000	Population exclusions - Born at sea	NA
99	SDCCCOB = (DK, RF, NS, 90000)	Required question was not answered (don't know, refusal, not stated, other)	NS
1	SDCCCOB = 11124	Canada	
2	10000 <= SDCCCOB < 12000	Other - North America (1)	
3	12000 <= SDCCCOB < 15000	South, Central America and Caribbean (2)	
4	20000 <= SDCCCOB < 25000	Europe	
5	30000 <= SDCCCOB < 36000	Africa	
6	40000 <= SDCCCOB < 45000	Asia	
7	50000 <= SDCCCOB < 52000	Oceania (3)	
8	60000 <= SDCCCOB < 62000	Antarctica and Adjacent Islands (4)	

2) Immigrant flag

Variable name: SDCDVIMM

Based on: SDCCCOB, SDC_IM3

Description: This variable indicates if the respondent is an immigrant or not. The immigrant category includes landed immigrant and non-permanent resident. Respondents who declared being born in Canada are considered non-immigrant.

Specifications

Value	Condition(s)	Description	Notes
1	SDC_IM3 = 1	The respondent is a landed immigrant	
2	SDCCCOB = 11124	The respondent is a non-immigrant (Canadian born)	
9	SDCCCOB = (DK, RF, NS) or SDC_IM3 = (DK, RF, NS)	Required questions were not answered (don't know, refusal, not stated)	NS
1	SDC_IM3 = 2	The respondent is a non-permanent resident	

3) Length of time in Canada since immigration

Variable name: SDCDVRES

Based on: ADM_YOI, SDCCCOB, SDC_IM4

Description: This variable indicates the length of time in years the respondent became a landed immigrant.

Note: Non-immigrants (Canadian born) and non-permanent residents were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
996	SDCCCOB = NA	Population exclusions	NA
996	SDC_IM4 = NA	Population exclusion	NA
999	SDC_IM4 = (DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
ADM_YOI - SDC_IM4	SDC_IM4 < NA	Length of time in Canada since immigration (interview date - immigration date)	[min: 0; max: 121 (current age)]

4) Age at time respondent first became a landed immigrant in Canada

Variable name: SDCDVALI

Based on: DHH_YOB, SDCCCOB, SDC_IM4

Description: This variable indicates the age of the respondent at the time of first becoming a landed immigrant in Canada.

Note: Non immigrants were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
996	SDCCCOB = NA	Population exclusions	NA
996	SDC_IM4 = NA	Population exclusions	NA
999	SDC_IM4 = (DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
SDC_IM4 - DHH_YOB	SDC_IM4 < NA	Age at time of immigration	(Min: 0; Max: DHH_AGE, with absolute max of 121)

5) Aboriginal identity

Variable name: SDCDVABT

Based on: SDC_015

Description: This derived variable indicates whether the respondent reported being an Aboriginal person.

Specifications

Value	Condition(s)	Description	Notes
9	SDC_015 = (DK,RF,NS)	Required question was not answered (don't know, refusal, not stated)	NS
6	SDC_015 = 6	Population exclusions	NA
1	SDC_015 = 1	Aboriginal identity (First Nations, Métis, Inuk/Inuit)	
2	SDC_015 = 2	Non-Aboriginal identity	

6) Cultural/racial background

Variable name: SDCDVCGT

Based on: SDC_015, SDC_020A, SDC_020B, SDC_020C, SDC_020D, SDC_020E, SDC_020F, SDC_020G, SDC_020H, SDC_020I, SDC_020J, SDC_020K, SDC_020L

Description: This variable indicates the cultural or racial background of the respondent. This variables excludes all respondents who identify as aboriginal in SDC_015

Note: Respondents who identified themselves as aboriginal (SDC_015=1) were not asked about their cultural or racial background.

Specifications

Value	Condition(s)	Description	Notes
99	(SDC_020A = DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
96	SDC_015 = 1	Aboriginal identity	NA
1	SDC_020A = 1 and SDC_020B > 1 and SDC_020C > 1 and SDC_020D > 1 and SDC_020E > 1 and SDC_020F > 1 and SDC_020G > 1 and SDC_020H > 1 and SDC_020I > 1 and SDC_020J > 1 and SDC_020K > 1 and SDC_020L > 1	White only	
2	SDC_020A > 1 and SDC_020B = 1 and SDC_020C > 1 and SDC_020D > 1 and SDC_020E > 1 and SDC_020F > 1 and SDC_020G > 1 and SDC_020H > 1 and SDC_020I > 1 and SDC_020J > 1 and SDC_020K > 1 and SDC_020L > 1	South Asian only	

3	SDC_020A > 1 and SDC_020B > 1 and SDC_020C = 1 and SDC_020D > 1 and SDC_020E > 1 and SDC_020F > 1 and SDC_020G > 1 and SDC_020H > 1 and SDC_020I > 1 and SDC_020J > 1 and SDC_020K > 1 and SDC_020L > 1	Chinese only
4	SDC_020A > 1 and SDC_020B > 1 and SDC_020C > 1 and SDC_020D = 1 and SDC_020E > 1 and SDC_020F > 1 and SDC_020G > 1 and SDC_020H > 1 and SDC_020I > 1 and SDC_020J > 1 and SDC_020K > 1 and SDC_020L > 1	Black only
5	SDC_020A > 1 and SDC_020B > 1 and SDC_020C > 1 and SDC_020D > 1 and SDC_020E = 1 and SDC_020F > 1 and SDC_020G > 1 and SDC_020H > 1 and SDC_020I > 1 and SDC_020J > 1 and SDC_020K > 1 and SDC_020L > 1	Filipino only
6	SDC_020A > 1 and SDC_020B > 1 and SDC_020C > 1 and SDC_020D > 1 and SDC_020E > 1 and SDC_020F = 1 and SDC_020G > 1 and SDC_020H > 1 and SDC_020I > 1 and SDC_020J > 1 and SDC_020K > 1 and SDC_020L > 1	Latin American only
7	SDC_020A > 1 and SDC_020B > 1 and SDC_020C > 1 and SDC_020D > 1 and SDC_020E > 1 and SDC_020F > 1 and SDC_020G = 1 and SDC_020H > 1 and SDC_020I > 1 and SDC_020J > 1 and SDC_020K > 1 and SDC_020L > 1	Arab only

8	SDC_020A > 1 and SDC_020B > 1 and SDC_020C > 1 and SDC_020D > 1 and SDC_020E > 1 and SDC_020F > 1 and SDC_020G > 1 and SDC_020H = 1 and SDC_020I > 1 and SDC_020J > 1 and SDC_020K > 1 and SDC_020L > 1	Southeast Asian only
9	SDC_020A > 1 and SDC_020B > 1 and SDC_020C > 1 and SDC_020D > 1 and SDC_020E > 1 and SDC_020F > 1 and SDC_020G > 1 and SDC_020H > 1 and SDC_020I = 1 and SDC_020J > 1 and SDC_020K > 1 and SDC_020L > 1	West Asian only
10	SDC_020A > 1 and SDC_020B > 1 and SDC_020C > 1 and SDC_020D > 1 and SDC_020E > 1 and SDC_020F > 1 and SDC_020G > 1 and SDC_020H > 1 and SDC_020I > 1 and SDC_020J = 1 and SDC_020K > 1 and SDC_020L > 1	Korean only
11	SDC_020A > 1 and SDC_020B > 1 and SDC_020C > 1 and SDC_020D > 1 and SDC_020E > 1 and SDC_020F > 1 and SDC_020G > 1 and SDC_020H > 1 and SDC_020I > 1 and SDC_020J > 1 and SDC_020K = 1 and SDC_020L > 1	Japanese only
12	SDC_020A > 1 and SDC_020B > 1 and SDC_020C > 1 and SDC_020D > 1 and SDC_020E > 1 and SDC_020F > 1 and SDC_020G > 1 and SDC_020H > 1 and SDC_020I > 1 and SDC_020J > 1 and SDC_020K > 1 and SDC_020L = 1	Other racial or cultural origin (only)
13	SDC_015 > 1 and More than one category answered From SDC_020A to SDC_020L.	Multiple racial or cultural origins

7) Language(s) spoken most often at home

Variable name: SDCDVLHM

Based on: SDCC2_1, SDCC2_2, SDCC2_3, SDCT5B1, SDCT5_E, SDCT5_F, SDCT5_O

Description: This variable indicates the language(s) in which the respondent most often speaks at home.

Note: The respondent could provide up to three languages spoken most often at home. Multiple responses were accepted only if the languages were spoken equally often at home.

Temporary Reformat

Value	Condition(s)	Description	Notes
SDCT5B1			
6	SDCC2_1 = NA	Not applicable	
9	SDCC2_1 >= DK and SDCC2_1 <= NS	Not stated	
1	SDCC2_1 = 21010000	First answer provided: English	
2	SDCC2_1 = 21020000	First answer provided: French	
3	SDCC2_1 = 22240000 or (SDCC2_1 > 21020000 and SDCC2_1 <	First answer provided: Other than English or French	
SDCT5B2			
6	SDCC2_2 = NA	Not applicable	
9	SDCC2_2 >= DK and SDCC2_2 <= NS	Not stated	
1	SDCC2_2 = 21010000	Second answer provided: English	
2	SDCC2_2 = 21020000	Second answer provided: French	
3	SDCC2_2 = 22240000 or (SDCC2_2 > 21020000 and SDCC2_2 <	Second answer provided: Other than English or French	
SDCT5B3			
6	SDCC2_3 = NA	Not applicable	
9	SDCC2_3 >= DK and SDCC2_3 <= NS	Not stated	
1	SDCC2_3 = 21010000	Third answer provided: English	
2	SDCC2_3 = 21020000	Third answer provided: French	
3	SDCC2_3 = 22240000 or (SDCC2_3 > 21020000 and SDCC2_3 <	Third answer provided: Other than English or French	
SDCT5_E			
1	SDCT5B1 = 1 or SDCT5B2 = 1 or SDCT5B3 = 1	English provided in SDCC5B1 or SDCC5B2 or SDCC5B3	
SDCT5_F			
1	SDCT5B1 = 2 or SDCT5B2 = 2 or SDCT5B3 = 2	French provided in SDCC5B1 or SDCC5B2 or SDCC5B3	
SDCT5_O			
1	SDCT5B1 = 3 or SDCT5B2 = 3 or SDCT5B3 = 3	Other language provided in SDCC5B1 or SDCC5B2 or SDCC5B3	

Specifications

Value	Condition(s)	Description	Notes
99	SDCT5B1 = NS	Required question was not answered	NS

1	SDCT5_E = 1 and SDCT5_F = 0 and SDCT5_O = 0	English
2	SDCT5_E = 0 and SDCT5_F = 1 and SDCT5_O = 0	French
3	SDCT5_E = 1 and SDCT5_F = 1 and SDCT5_O = 0	English and French
4	SDCT5_E = 1 and SDCT5_F = 1 and SDCT5_O = 1	English, French and Other
5	SDCT5_E = 1 and SDCT5_F = 0 and SDCT5_O = 1	English and Other
6	SDCT5_E = 0 and SDCT5_F = 1 and SDCT5_O = 1	French and Other
7	SDCT5_E = 0 and SDCT5_F = 0 and SDCT5_O = 1	Other

8) Language first learned at home in childhood and still understood - mother tongue

Variable name: SDCDVFL1

Based on: SDCC3_1, SDCC3_2, SDCC3_3, SDCT6_1, SDCT6_E, SDCT6_F, SDCT6_O

Description: This variable indicates the first language learned at home in childhood and still understood by the respondent.

Temporary Reformat

Value	Condition(s)	Description	Notes
SDCT6_1			
9	SDCC3_1 >= DK and SDCC3_1 <= NA	Not stated	
3	SDCC3_1 = 22240000 or (SDCC3_1 > 21020000 and SDCC3_1 <	First answer provided: Other than English or French	
2	SDCC3_1 = 21020000	First answer provided: French	
1	SDCC3_1 = 21010000	First answer provided: English	
SDCT6_2			
9	SDCC3_2 >= DK and SDCC3_2 <= NS	Not stated	
3	SDCC3_2 = 22240000 or (SDCC3_2 > 21020000 and SDCC3_2 <	Second answer provided: Other than English or French	
2	SDCC3_2 = 21020000	Second answer provided: French	
1	SDCC3_2 = 21010000	Second answer provided: English	
SDCT6_3			
9	SDCC3_3 >= DK and SDCC3_3 <= NS	Not stated	
3	SDCC3_3 = 22240000 or (SDCC3_3 > 21020000 and SDCC3_3 <	Third answer provided: Other than English or French	
2	SDCC3_3 = 21020000	Third answer provided: French	
1	SDCC3_3 = 21010000	Third answer provided: English	
SDCT6_E			
1	SDCT6_1 = 1 or SDCT6_2 = 1 or SDCT6_3 = 1	English provided in SDCC3_1 or SDCC3_2 or SDCC3_3	
SDCT6_F			

1	SDCT6_1 = 2 or SDCT6_2 = 2 or SDCT6_3 = 2	French provided in SDCC3_1 or SDCC3_2 or SDCC3_3
SDCT6_O		
1	SDCT6_1 = 3 or SDCT6_2 = 3 or SDCT6_3 = 3	Other language provided in SDCC3_1 or SDCC3_2 or SDCC3_3

Specifications

Value	Condition(s)	Description	Notes
1	SDCT6_E = 1 and SDCT6_F = 0 and SDCT6_O = 0	English	
2	SDCT6_E = 0 and SDCT6_F = 1 and SDCT6_O = 0	French	
3	SDCT6_E = 1 and SDCT6_F = 1 and SDCT6_O = 0	English and French	
4	SDCT6_E = 1 and SDCT6_F = 1 and SDCT6_O = 1	English, French and Other	
5	SDCT6_E = 1 and SDCT6_F = 0 and SDCT6_O = 1	English and Other	
6	SDCT6_E = 0 and SDCT6_F = 1 and SDCT6_O = 1	French and Other	
7	SDCT6_E = 0 and SDCT6_F = 0 and SDCT6_O = 1	Other	
99	SDCT6_1 = NS	Required question was not answered (don't know, refusal, not stated)	NS

9) First official language spoken

Variable name: SDCDVFLS

Based on: PMK_PROXY, ADM_PRX, ADM_055, SDCDVFL1, SDCDVLHM, SDCDVLNG, SDC_025, SDCTLNG

Description: For the censuses, this variable was derived within the framework of the application of the Official Languages Act. The same method for deriving the variable was applied here.

This derivation method is described in the regulations concerning the use of official languages for the provision of public services. It takes into account first the knowledge of the two official languages, second the mother tongue, and third the home language. People who can conduct a conversation in French only are assigned French as their first official language spoken. People who can carry on a conversation in English only are assigned English as their first official language spoken. The responses to questions on mother tongue and home language are subsequently used to establish the first official language spoken by people who speak both English and French, or who cannot speak either of the two official languages. The French category includes people who have French only or French and at least one non-official language as their mother tongue. People who have English only or English and at least one non-official language as their mother tongue are included in the English category. For cases that have not yet been classified, people are assigned to the French category when they speak French only or French and at least one non-official language as their home language. The procedure is the same for English. Thus, the population is classified into two principal categories: English or French. It is necessary to add two residual categories for people who cannot be classified in accordance with the information available: English and French and neither English nor French.

Please consult the following documents for more information: Regulations respecting communications with and services to the public in either official language, registered on December 16, 1991, in accordance with section 85 of the Official Languages Act, R.S.C., c. 32 (4th suppl.) and Population Estimates by First Official Language Spoken, 1991, Catalogue no.

94-320, Demography Division, Statistics Canada.

Internet site: http://www12.statcan.gc.ca/census-recensement/2011/ref/dict/pop095-eng.cfm

Temporary Reformat

Value	Condition(s)	Description	Notes
SDCTLNG			
4	SDC_025 = 4	Neither English nor French	
9	SDC_025 = (DK,RF,NS)	Required question was not answered (don't know, refusal, not stated)	NS
3	SDC_025 = 3	Both English and French	
2	SDC_025 = 2	French only	
1	SDC_025 = 1	English only	

Specifications

Value	Condition(s)	Description	Notes
1	[(SDCTLNG = 1 and (SDCDVFL1 = (1,2,3,4,5,6,7,NS)) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 3) and (SDCDVFL1 = 1) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 3) and SDCDVFL1 = (3,4,7) and SDCDVLHM = (1,5)] or [(SDCTLNG = 3) and (SDCDVFL1 = 5) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and (SDCDVFL1 = 1) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = (3,4) and SDCDVLHM = (1,5)] or [(SDCTLNG = 4) and SDCDVFL1 = 5) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 7 and SDCDVLHM = (1,5)] or [(SDCTLNG = NS) and SDCDVFL1 = (1,5) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = NS) and SDCDVFL1 = (3,4,7) and SDCDVLHM = (1,5)] or [(SDCTLNG = NS) and (SDCDVFL1 = (7,NS) and (SDCDVLHM = (7,NS) and (ADM_055 = 1) and (ADM_PRX = 2 and PMKPROXY > 1)] or [SDCTLNG = (3,4,NS) and (SDCDVFL1 = NS) and SDCDVLHM = (1,5)] or [(SDCTLNG = NS) and SDCDVFL1 = (1,5) and SDCDVLHM = NS)]	English	

2	[(SDCTLNG = 2 and (SDCDVFL1 = (1,2,3,4,5,6,7,NS)) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 3) and (SDCDVFL1 = 2) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 3) and SDCDVFL1 = (3,4,7) and SDCDVLHM = (2,6)] or [(SDCTLNG = 3) and (SDCDVFL1 = 6) and (SDCDVLHM i= (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and (SDCDVFL1 = 2) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = (3,4) and SDCDVLHM = (2,6)] or [(SDCTLNG = 4) and SDCDVFL1 = 6) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 7 and SDCDVLHM = (2,6)] or [(SDCTLNG = NS) and SDCDVFL1 = (2,6) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = NS) and SDCDVFL1 = (3,4,7) and SDCDVLHM = (2,6)] or [(SDCTLNG = NS) and (SDCDVFL1 = (7,NS) and (SDCDVLHM = 7,NS) and (ADM_055 = 2) and (ADM_PRX = 2 and PMKPROXY > 1)] or [SDCTLNG = (3,4,NS) and (SDCDVFL1 = NS) and SDCDVLHM = (2,6)] or [(SDCTLNG = NS) and SDCDVFL1 = (2,6) and SDCDVLHM = NS)]	French	
3	[(SDCTLNG = 3) and SDCDVFL1 = 3 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 3) and SDCDVFL1 = 4 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 3) and SDCDVFL1 = 7 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 3 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 4 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 7 and SDCDVLHM in (3,4)] or [(SDCTLNG = NS) and SDCDVFL1 in (3,4)and SDCDVLHM in (3,4,7)] or [(SDCTLNG = NS) and SDCDVFL1 = 7 and SDCDVLHM in (3,4)] or [(SDCTLNG = 3 and SDCDVFL1 = NS and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = NS and SDCDVFL1= NS and SDCDVLHM in (3,4)] or [(SDCTLNG = NS) and SDCDVFL1 in (3,4) and SDCDVLHM = NS]	English and French	
4	[(SDCTLNG = (4,NS) and SDCDVFL1 = (7,NS) and SDCDVLHM = (7,NS)] and NOT(SDCTLNG = NS and SDCDVFL1 = NS and SDCDVLHM = NS)	Neither English nor French	
9	[(SDCTLNG = NS) and (SDCDVFL1 = NS) and (SDCDVLHM = NS)]	At least one required question was not answered (don't know, refusal, not stated)	NS

Smoking (3 DVs)

1) Smoking status (type 2) - traditional definition

Variable name: SMKDVSTY

Based on: SMK_005, SMK_020, SMK_025, SMK_030

Description: This variable indicates the type of smoker the respondent is, based on his/her smoking habits.

Note: This variable includes lifetime cigarette consumption.

Specifications

Value	Condition(s)	Description	Notes
1	SMK_005 = 1	Current daily smoker	
2	SMK_005 = 2	Current occasional smoker	
3	SMK_005 = 3 and SMK_020 = 1 and SMK_030 = 1	Former daily smoker (non-smoker now)	
4	SMK_005 = 3 and SMK_020 = 1 and SMK_030 = 2	Former occasional smoker (non-smoker now)	
5	SMK_005 = 3 and SMK_020 = 2 and SMK_025 = 1	Experimental smoker (at least 1 whole cigarette, non-smoker now)	
6	SMK_005 = 3 and SMK_020 = 2 and SMK_025 = 2	Lifetime abstainer (never smoked a whole cigarette)	
99	SMK_005 = (DK, RF, NS) or SMK_020 = (DK, RF, NS) or SMK_025 = (DK, RF, NS) or SMK_030 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

2) Number of years smoked daily (current daily smokers only)

Variable name: SMKDVYCS

Based on: DHH_AGE, SMK_005, SMK_040

Description: This variable indicates the number of years the respondent has smoked daily.

Note: Respondents who are not daily smokers have been excluded from the population. This variable assumes that the respondent always smoked daily. It does not reflect the changes to the smoking status of the respondent throughout the years.

Specifications

Value	Condition(s)	Description	Notes
996	(SMK_005 = 2, 3)	Population exclusion	NA
999	SMK_005 = (DK, RF, NS) or SMK_040 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
DHH_AGE - SMK_040	SMK_005 = 1	Number of years smoked daily	(min: 0; max: 125)

3) Number of years since stopped smoking completely

Variable name: SMKDVSTP

Based on: SMKDVSTY, SMK_060, SMK_070, SMK_080, SMK_090, SMK_095, SMK_100, SMK_110

Description: This variable indicates the approximate number of years since former smokers completely quit smoking.

Note: Current smokers and respondents who have smoked less than 100 cigarettes in their lifetime were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
996	SMKDVSTY = (1,2,5,6) or (SMK_005 = 3 and SMK_020 = 2 and SMK_025 = 1)	Population exclusions	NA
999	SMKDVSTY = NS or SMK_060 = (DK, RF, NS) or SMK_070 = (DK, RF, NS) or SMK_080 = (DK, RF, NS) or SMK_090 = (DK, RF, NS) or SMK_095 = (DK, RF, NS) or SMK_100 = (DK, RF, NS) or SMK_110 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	SMK_060 = 1 or (SMK_095 = 1 and SMK_080 = 1) or SMK_100 = 1	Number of years since completely quit smoking	(less than 1 year)
1	SMK_060 = 2 or (SMK_095 = 1 and SMK_080 = 2) or SMK_100 = 2	Number of years since completely quit smoking	(1 year to < 2 years)
2	SMK_060 = 3 or (SMK_095 = 1 and SMK_080 = 3) or SMK_100 = 3	Number of years since completely quit smoking	(2 years to < 3 years)
SMK_070	SMK_060 = 4	Number of years since completely quit smoking	(min: 3; max: 125)
SMK_090	SMK_080 = 4 and SMK_095 = 1	Number of years since completely quit smoking	(min: 3; max: 125)
SMK_110	SMK_100 = 4	Number of years since completely quit smoking	(min: 3; max: 125)

Social Provisions (6 DVs)

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
SPST005			
5 - SPS_005	SPS_005 <= 4	Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”.	
SPST010			
5 - SPS_010	SPS_010 <= 4	Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”.	
SPST015			
5 - SPS_015	SPS_015 <= 4	Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”.	
SPST020			
5 - SPS_020	SPS_020 <= 4	Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”.	
SPST025			
5 - SPS_025	SPS_025 <= 4	Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”.	
SPST030			
5 - SPS_030	SPS_030 <= 4	Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”.	
SPST035			
5 - SPS_035	SPS_035 <= 4	Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”.	
SPST040			
5 - SPS_040	SPS_040 <= 4	Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”.	
SPST045			
5 - SPS_045	SPS_045<= 4	Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”.	
SPST050			
5 - SPS_050	SPS_050 <= 4	Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”.	

1) Social provisions scale - guidance

Variable name: SPSDVGUI

Based on: ADM_PRX, SPS_020, SPS_030, SPST020, SPST030

Description: This variable is used to measure the score of the respondent on the "Guidance" sub-scale. A higher score reflects a higher level of perceived "Guidance" which is defined as advice or information.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DOSPS = 2	Module not selected	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS

99	SPS_020 = (DK,RF,NS) or SPS_030 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SPST020 + SPST030	(1 <= SPS_020 <= 4) and (1 <= SPS_030 <= 4)	Score obtained on Social Provisions Scale - Guidance	(min: 2; max 8)

2) Social provisions scale - social integration

Variable name: SPSDVINT

Based on: ADM_PRX, SPS_010, SPS_035, SPST010, SPST035

Description: This variable is used to measure the score of the respondent on the "Social Integration" sub-scale. A higher score reflects a higher level of perceived "Social Integration" which is defined as a sense of belonging to a group of friends.

Specifications

Value	Condition(s)	Description	Notes
96	DOSPS = 2	Module not selected	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	SPS_010 = (DK,RF,NS) or SPS_035 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SPST010 + SPST035	(1 <= SPS_010 <= 4) and (1 <= SPS_035 <= 4)	Score obtained on Social Provisions Scale - Social Integration	(min: 2; max 8)

3) Social provisions scale - attachment

Variable name: SPSDVATT

Based on: ADM_PRX, SPS_015, SPS_040, SPST015, SPST040

Description: This variable is used to measure the score of the respondent on the "Attachment" sub-scale. A higher score reflects a higher level of perceived "Attachment". Which is defined as emotional closeness.

Specifications

Value	Condition(s)	Description	Notes
96	DOSPS = 2	Module not selected	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	SPS_015 = (DK,RF,NS) or SPS_040 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SPST015 + SPST040	(1 <= SPS_015 <= 4) and (1 <= SPS_040 <= 4)	Score obtained on Social Provisions Scale - Attachment	(min: 2; max 8)

4) Social provisions scale - reassurance of worth

Variable name: SPSDVWOR

Based on: ADM_PRX, SPS_025, SPS_045, SPST025, SPST045

Description: This variable is used to measure the score of the respondent on the "Reassurance of Worth" sub-scale. A higher score reflects a higher level of perceived "Reassurance of Worth" which is defined as recognition of one's competence.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DOSPS = 2	Module not selected	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	SPS_025 = (DK,RF,NS) or SPS_045 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SPST025 + SPST045	(1 <= SPS_025 <= 4) and (1 <= SPS_045 <= 4)	Score obtained on Social Provisions Scale - Reassurance of Worth	(min: 2; max 8)

5) Social provisions scale - reliable alliance

Variable name: SPSDVALL

Based on: ADM_PRX, SPS_005, SPS_050, SPST005, SPST050

Description: This variable is used to measure the score of the respondent on the "Reliable Alliance" sub-scale. A higher score reflects a higher level of perceived "Reliable Alliance" which is defined as assurance that others can be counted on in times of stress.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DOSPS = 2	Module not selected	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	SPS_005 = (DK,RF,NS) or SPS_050 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SPST005 + SPST050	(1 <= SPS_005 <= 4) and (1 <= SPS_050 <= 4)	Score obtained on Social Provisions Scale - Reliable Alliance	(min: 2; max 8)

6) Social provisions overall scale

Variable name: SPSDVCON

Based on: ADM_PRX, SPS_005, SPS_010, SPS_015, SPS_020, SPS_025, SPS_030, SPS_035, SPS_040, SPS_045, ADM_PRX, SPS_005, SPS_010, SPS_015, SPS_020, SPS_025, SPS_030, SPS_035, SPS_040, SPS_045, SPS_050, SPST005, SPST010, SPST015, SPST020, SPST025, SPST030, SPST035, SPST040, SPST045, SPST050

Description: This variable is used to measure the overall score for the Social Provisions Scale. The range is 10-40, where a higher score reflects a higher level of perceived social support.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DOSPS = 2	Module not selected	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS

99	SPS_005 = (DK,RF,NS) or SPS_010 = (DK,RF,NS) or SPS_015 = (DK,RF,NS) or SPS_020 = (DK,RF,NS) or SPS_025 = (DK,RF,NS) or SPS_030 = (DK,RF,NS) or SPS_035 = (DK,RF,NS) or SPS_040 = (DK,RF,NS) or SPS_045 = (DK,RF,NS) or SPS_050 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SPST005 + SPST010 + SPST015 + SPST020 + SPST025 + SPST030 + SPST035 + SPST040 + SPST045 + SPST050	(1 <= SPS_005 <= 4) and (1 <= SPS_010 <= 4) and (1 <= SPS_015 <= 4) and (1 <= SPS_020 <= 4) and (1 <= SPS_025 <= 4) and (1 <= SPS_030 <= 4) and (1 <= SPS_035 <= 4) and (1 <= SPS_040 <= 4) and (1 <= SPS_045 <= 4) and (1 <= SPS_050 <= 4)	Score obtained on Social Provisions Scale	(min: 10; max 40)

Sun safety behaviours (1 DV)

1) Respondent protects self from sun

Variable name: SSBDVPRT

Based on: ADM_PRX, SSB_010, SSB_015, SSB_020, SSB_025, SSB_035, SSB_040, SSB_045, SSB_050

Description: This variable indicates if the respondent protects themselves from the sun, according to recommendations from the Canadian Partnership Against Cancer.

Note: The CPAC indicates that protection from the sun is: Typically spending fewer than 30 minutes in the sun during peak hours OR spending 30 minutes or more in the sun and always/often doing at least one of the following: seeking shade and avoiding the sun OR wearing protective clothing and a hat OR wearing sunscreen SPF≥15 on face and body.

Specifications

Value	Condition(s)	Description	Notes
6	DOSSB = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
9	SSB_010 = (DK,RF,NS) or SSB_015 = (DK,RF,NS) or SSB_020 = (DK,RF,NS) or SSB_025 = (DK,RF,NS) or SSB_035 = (DK,RF,NS) or SSB_040 = (DK,RF,NS) or SSB_045 = (DK,RF,NS) or SSB_050 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	SSB_010 = (1,2) or (SSB_010 = (3,4, 5, 6, 7) and (SSB_015 = (1,2) or (SSB_020 = (1,2) and SSB_025 = (1,2)) or (SSB_035 = (1,2) and SSB_040 = (2,3,4) and SSB_045 = (1,2) and SSB_050 = (2,3,4))))	Respondent appropriately protects self from sun during peak hours.	
2	SSB_010 = (3,4,5,6,7) and SSB_015 = (3,4,5) and (SSB_020 = (3,4,5) or SSB_025 = (3,4,5)) and ((SSB_035 in (1,2) and SSB_040 = 1) or (SSB_045 = (1,2) and SSB_050 = 1) or SSB_035 = (3,4,5) or SSB_045 = (3,4,5))	Respondent does not protect self appropriately from sun.	

Sexual behaviours (3 DVs)

1) Total number of sexual partners last 12 months

Variable name: SXBDVPRT

Based on: DHH_AGE, ADM_PRX, SXB_005, SXB_010, SXB_030, SXB_035, SXB_060, SXB_065

Description: This variable counts the number of sexual partners the respondent had in the past 12 months.

Note: This variable excludes those who have never had sex. If respondents have ever had sex, but not in the last 12 months, they are assigned the value 0.

Specifications

Value	Condition(s)	Description	Notes
9996	DOSXB = 2	Module not selected	NA
9996	DHH_AGE < 15 or DHH_AGE > 64	Population exclusions	NA
9996	SXB_005 = 2	Population exclusions - Has not ever had sex	NA
9999	ADM_PRX = 1	Module not asked - proxy interview	NS
0	(SXB_010 = 2 and SXB_030 = 2) or (SXB_010 = 1 and SXB_060 = 2) or (SXB_010 = 3 and SXB_030 = 2 and SXB_060 = 2)	Has had sex in lifetime, but not in past 12 months	
(SXB_035 + SXB_065)	SXB_010 = 3 and SXB_035 < NA and SXB_065 < NA	Number of sexual partners in last 12 months	(min: 1; max: 1000)
SXB_035	if SXB_010 = 3 and SXB_035 = (1:500) and SXB_065 = NA	Number of sexual partners in last 12 months	(min: 1; max: 500)
SXB_065	if SXB_010 = 3 and SXB_035 = NA and SXB_065 = (1:500)	Number of sexual partners in last 12 months	(min: 1; max: 500)
SXB_035	SXB_010 = 2 and SXB_035 < NA	Number of sexual partners in last 12 months	(min: 1; max: 500)
SXB_065	SXB_010 = 1 and SXB_065 < NA	Number of sexual partners in last 12 months	(min: 1; max: 500)
9999	SXB_005 = (DK, RF, NS) or SXB_010 = (DK, RF, NS) or SXB_030 = (DK, RF, NS) or SXB_035 = (DK, RF, NS) or SXB_060 = (DK, RF, NS) or SXB_065 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

2) Ever been tested for an STI, other than through blood donation

Variable name: SXBDVSTI

Based on: DHH_AGE, ADM_PRX, SXB_005, SXB_110, SXB_130

Description: This variable indicates if the respondent indicated they had ever had a test for sexually transmitted infections.

Note: For women, includes HIV testing that was done as part of prenatal screening. Does not include PAP tests.

Specifications

Value	Condition(s)	Description	Notes
6	DOSXB = 2	Module not selected	NA
6	DHH_AGE < 15 or DHH_AGE > 64	Population exclusions	NA
6	SXB_005 = 2	Population exclusions - has not ever had sex	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	SXB_110 = 1 or SXB_130 = 1	Has been tested for HIV or an STI	
2	SXB_110 = 2 and SXB_130 = 2	Has never been tested for HIV or other STIs	
9	SXB_110 = (DK, RF, NS) or SXB_130 = (DK, RF, NS)	All required questions not answered (don't know, refusal, not stated)	NS

3) Most recent test for sexually transmitted infections (STI)

Variable name: SXBDVTST

Based on: DHH_AGE, ADM_PRX, SXB_005, SXB_110, SXB_115, SXB_130, SXB_135

Description: This variable indicates the most recent time that the respondent had been tested for an STI.

Note: The respondent may have indicated being tested for HIV, other STIs, or both. This variable takes the most recent test the respondent had between the two. Answer categories are taken from the most recent from SXB_115 and SXB_135:
1.Within the past month
2.From 1 to less than 6 months ago
3.From 6 to less than 12 months ago
4.One year ago or more

Specifications

Value	Condition(s)	Description	Notes
6	DOSXB = 2	Module not selected	NA
6	DHH_AGE < 15 or DHH_AGE > 64	Population exclusions	NA
6	SXB_005 = 2	Population exclusions - has not ever had sex	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
6	SXB_110 = 2 and SXB_130 = 2	Population exclusions - no tests	NA
9	SXB_110 = (DK, R, NS) or SXB_115 = (DK, R, NS) or SXB_130 = (DK, R, NS) or SXB_135 = (DK, R, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SXB_115	SXB_110 = 1 and SXB_130 = 2	Most recent test	Respondent only tested for HIV, no other STIs
SXB_135	SXB_110 = 2 and SXB_130 = 1	Most recent test	Respondent only tested for other STIs, not HIV
Minimum of SXB_115 and SXB_135	SXB_110 = 1 and SXB_130 = 1	Most recent test	Respondent had been tested for both HIV and other STIs

Tobacco Products Alternatives (1 DV)

1) Alternative tobacco product usage

Variable name: TALDVUSE

Based on: TAL_005, TAL_015, TAL_020, TAL_025, TAL_030, TAL_035

Description: This variable determines whether a respondent has used any of six tobacco products other than cigarettes.

Note: Other tobacco products include little cigars or cigarillos, other cigars, electronic cigarettes, pipes, chewing tobacco or pinch or snuff, and tobacco water-pipes.

Specifications

Value	Condition(s)	Description	Notes
6	DOTAL = 2	Module not selected	NA
1	TAL_005 = 1 or TAL_015 = 1 or TAL_020 = 1 or TAL_025 = 1 or TAL_030 = 1 or TAL_035 = 1	Has used an alternative tobacco product	
2	TAL_005 = 2 and TAL_015 = 2 and TAL_020 = 2 and TAL_025 = 2 and TAL_030 = 2 and TAL_035 = 2	Has not used an alternative tobacco product	
9	TAL_005 = (DK, RF, NS) or TAL_015 = (DK, RF, NS) or TAL_020 = (DK, RF, NS) or TAL_025 = (DK, RF, NS) or TAL_030 = (DK, RF, NS) or TAL_035 = (DK, RF, NS)	At least one required question was not answered (don’t know, refusal, not stated)	NS

Use of protective equipment (3 DVs)

1) Wears protective equipment when in-line skating

Variable name: UPEDVILS

Based on: ADM_PRX, UPE_015, UPE_020, UPE_025, UPE_030, UPE_035

Description: This variable indicates whether the respondent wears a helmet, wrist guards or elbow pads always or most of the time when in-line skating.

Note: Respondents that do not in-line skate were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
6	DOUPE = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
6	UPE_015 = 2	Population exclusions	NA
1	(UPE_020 = 1, 2) and (UPE_025 = 1, 2) and (UPE_030 = 1, 2) and (UPE_035 = 1, 2)	Wears a helmet, wrist guards, elbow pads and knee pads always or most of the time	
2	(UPE_020 = 3, 4) or (UPE_025 = 3, 4) or (UPE_030 = 3, 4) or (UPE_035 = 3, 4)	Does not wear a helmet, wrist guards, elbow pads or knee pads always or most of the time	
9	(UPE_020 = DK, RF, NS) or (UPE_025 = DK, RF, NS) or (UPE_030 = DK, RF, NS) or (UPE_035 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

2) Wears protective equipment when snowboarding

Variable name: UPEDVSNB

Based on: ADM_PRX, UPE_040, UPE_050, UPE_055

Description: This variable indicates whether the respondent wears a helmet or wrist guards always or most of the time when snowboarding.

Note: Respondents that have not snowboarded in past 12 months were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
6	DOUPE = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
6	(UPE_040 = 1, 4)	Population exclusion	NA
1	(UPE_050 = 1, 2) and (UPE_055 = 1, 2)	Wears a helmet and wrist guards always or most of the time	
2	(UPE_050 = 3, 4) or (UPE_055 = 3, 4)	Does not wear a helmet or wrist guards always or most of the time	
9	(UPE_050 = DK, RF, NS) or (UPE_055 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

3) Wears protective equipment when skateboarding

Variable name: UPEDVSKB

Based on: ADM_PRX, UPE_060, UPE_065, UPE_070, UPE_075

Description: This variable indicates whether respondents wear a helmet, wrist guards or elbow pads always or most of the time when skateboarding.

Note: Respondents that have not skateboarded in the past 12 months were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
6	DOUPE = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
6	UPE_060 = 2	Population exclusions	NA
1	(UPE_065 = 1, 2) and (UPE_070 = 1, 2) and (UPE_075 = 1, 2)	Wears a helmet, wrist guards and elbow pads always or most of the time	
2	(UPE_065 = 3, 4) or (UPE_070 = 3, 4) or (UPE_075 = 3, 4)	Does not wear a helmet, wrist guards or elbow pads always or most of the time	
9	(UPE_065 = DK, RF, NS) or (UPE_070 = DK, RF, NS) or (UPE_075 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

Work stress (7 DVs)

The work stress items are sub-divided into six dimensions. As is the case for the overall index, answers to the items indicate the respondent's perceptions about various dimensions of his/her work. The name of each subscale reflects the dimension which is measured. Respondents between the age of 15 and 75 who worked at a job or business at anytime in the past 12 months were asked to evaluate their main job in the past 12 months. The 12-item index, based on a larger pool of items from Karasek and Theorell (1990), reflects a respondent's perceptions of various dimensions of his/her work including job security, social support, monotony, physical effort required, and extent of participation in decision-making.

Please note: questions WST_Q020, WST_Q025, WST_Q040 and WST_Q050 have to be inverted for use in DV 1 (WSTDVSKI), DV 3 (WSTDVPSY), DV 6 (WSTDVSOC) and DV 7 (WSTDVJST).

Temporary Reformat

Value	Condition(s)	Description	Notes
WSTT005			
(WST_005 - 1)	WST_005 <= 5	Rescale question answers from 1 - 5 to 0 - 4	
WSTT010			
(WST_010 - 1)	WST_010 <= 5	Rescale question answers from 1 - 5 to 0 - 4	
WSTT015			
(WST_015 - 1)	WST_015 <= 5	Rescale question answers from 1 - 5 to 0 - 4	
WSTT020			
(WST_020 - 1)	WST_020 <= 5	Rescale question answers from 1 - 5 to 0 - 4	
(4 - WSTT020)	WSTT020 <= 4	Invert scale of rescaled questions	
WSTT025			
(WST_025 - 1)	WST_025 <= 5	Rescale question answers from 1 - 5 to 0 - 4	
(4 - WSTT025)	WSTT025 <= 4	Invert scale of rescaled questions	
WSTT030			
(WST_030 - 1)	WST_030 <= 5	Rescale question answers from 1 - 5 to 0 - 4	
WSTT035			
(WST_035- 1)	WST_035 <= 5	Rescale question answers from 1 - 5 to 0 - 4	
WSTT040			
(WST_040 - 1)	WST_040 <= 5	Rescale question answers from 1 - 5 to 0 - 4	
(4 - WSTT040)	WSTT040 <= 4	Invert scale of rescaled questions	
WSTT045			
(WST_045 - 1)	WST_045 <= 5	Rescale question answers from 1 - 5 to 0 - 4	
WSTT050			
(WST_050 - 1)	WST_050 <= 5	Rescale question answers from 1 - 5 to 0 - 4	
(4 - WSTT050)	WSTT050 <= 4	Invert scale of rescaled questions	
WSTT055			
(WST_055 - 1)	WST_055 <= 5	Rescale question answers from 1 - 5 to 0 - 4	
WSTT060			
(WST_060 - 1)	WST_060 <= 5	Rescale question answers from 1 - 5 to 0 - 4	

1) Derived work stress scale - decision latitude: skill discretion

Variable name: WSTDVSKI

Based on: ADM_PRX, WST_005, WST_010, WST_020, WSTT005, WSTT010, WSTT020

Description: This variable indicates the respondent's task variety at their main work in the past 12 months. It is based on questions about whether the respondent was required to keep learning new things, whether his/her job required a high level of skill and whether the job required that the respondent do things over and over (monotony).

Note: Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population.
1.Higher scores represent lower level of skill discretion.
2.According to the original instrument, jobs that offer little decision latitude are associated with indicators of mental health such as anxiety and depression.
3.Scores were reversed in the temporary reformat for question WST_Q020.

Specifications

Value	Condition(s)	Description	Notes
96	DOWST = 2	Module not selected	NA
96	WST_005 = NA	Population exclusions	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	WST_005 = (DK, RF, NS) or WST_010 = (DK, RF, NS) or WST_020 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
WSTT005 + WSTT010+ WSTT020	(0 <= WSTT005 <= 4) and (0 <= WSTT010 <= 4) and (0 <= WSTT020 <= 4)	Score obtained on the skill discretion scale	(min: 0; max: 12)

2) Derived work stress scale - psychological demands

Variable name: WSTDVPSY

Based on: ADM_PRX, WST_005, WST_025, WST_030

Description: This variable indicates whether the respondent is free from conflicting demands that others make and if their main job in the past 12 months was very hectic.

Note: Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population.
1.Higher scores indicate greater psychological demands.
2.Higher scores indicate greater work stress.
3.Scores were inverted in the temporary reformat for question WST_Q025.

Specifications

Value	Condition(s)	Description	Notes
96	DOWST = 2	Module not selected	NA
96	WST_005 = NA	Population exclusions	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	WST_025 = (DK, RF, NS) or WST_030 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
WSTT025 + WSTT030	(0 <= WSTT025 <= 4) and (0 <= WSTT030 <= 4)	Score obtained on the psychological demand scale	(min: 0 ; max: 8)

3) Derived work stress scale - job insecurity

Variable name: WSTDVJIN

Based on: ADM_PRX, WST_005, WST_025, WST_030, WSTT025, WSTT030

Description: This variable indicates how the respondent feels about their level of job security in their main job.

Note: Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population.

1. Higher scores indicate greater job insecurity.
2. Higher scores indicate greater work stress.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOWST = 2	Module not selected	NA
6	WST_005 = NA	Population exclusions	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
9	WST_035 = (DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
WSTT035	(0 <= WSTT035 <= 4)	Score obtained on the job insecurity scale	(min: 0 ; max: 4)

4) Derived work stress scale - physical exertion

Variable name: WSTDVPHY

Based on: ADM_PRX, WST_005, WST_040, WSTT040

Description: This variable indicates whether the main job in the past 12 months requires a lot of physical effort.

Note: Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population.
1. Higher scores indicate greater physical demands at work.
2. Higher scores indicate greater work stress.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOWST = 2	Module not selected	NA
6	WST_005 = NA	Population exclusions	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
9	WST_040 = (DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
WSTT040	(0 <= WSTT040 <= 4)	Score obtained on the physical exertion scale	(min: 0; max: 4)

5) Derived work stress scale - decision latitude: decision authority

Variable name: WSTDVAUT

Based on: ADM_PRX, WST_005, WST_015, WST_045, WSTT015, WSTT045

Description: This variable indicates whether the respondent's main job in the past 12 months allows them freedom in how to do their job and if they have a lot of say in what happens with regard to their job. This measure can be used to assess the extent to which workers can use their skills and discretion on the job.

Note: Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population.
1.Higher values indicate lower decision authority.
2.Higher scores indicate greater work stress.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DOWST = 2	Module not selected	NA

96	WST_005 = NA	Population exclusions	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	WST_015 = (DK, RF, NS) or WST_045 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
WSTT015 + WSTT045	(0 <= WSTT015 <= 4) and (0 <= WSTT045 <= 4)	Score obtained on the decision authority scale	(min: 0; max: 8)

6) Derived work stress scale - job strain

Variable name: WSTDVJST

Based on: ADM_PRX, WST_005, WST_010, WST_015, WST_020, WST_025, WST_030, WST_045, WSTT005, WSTT010, WSTT015, WSTT020, WSTT025, WSTT030, WSTT045

Description: This variable indicates whether the respondent experienced job strain at their main work in the past 12 months. Job strain is measured as a ratio of psychological demands and decision latitude which includes skill discretion and decision authority.

Note: Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population.
1. Higher values indicate greater job strain.
2. Higher scores indicate greater work stress. As psychological demands increase or decision latitude decreases (less decision authority and less skill discretion), job strain increases.
3. Scores were inverted here for questions WST_Q005, WST_Q010, WST_Q015, WST_Q045 (decision latitude questions) for use in the denominator. Since WST_Q020 has been inverted for the calculation of WSTDVSKI, it is inverted again here before calculating WSTDVJST.
4. At the beginning of this section, scores were inverted in the temporary reformat for question WST_Q025. The inverted WST_Q025 is used here (as in WSTDVPSY).

Temporary Reformat

Value	Condition(s)	Description	Notes
WSTTa005			
4 - WSTT005	WSTT005 <= 4	Invert scale of rescaled questions (from 1 to 5 to 0 to 4)	
WSTTa010			
4 - WSTT010	WSTT010 <= 4	Invert scale of rescaled questions (from 1 to 5 to 0 to 4)	
WSTTa015			
4 - WSTT015	WSTT015 <= 4	Invert scale of rescaled questions (from 1 to 5 to 0 to 4)	
WSTTa020			
4 - WSTT020	WSTT020 <= 4	Invert scale of rescaled questions (from 1 to 5 to 0 to 4)	
WSTTa045			
4 - WSTT045	WSTT045 <= 4	Invert scale of rescaled questions (from 1 to 5 to 0 to 4)	

Specifications

Value	Condition(s)	Description	Notes
9.96	DOWST = 2	Module not selected	NA
9.96	WST_005 = NA	Population exclusions	NA
9.99	ADM_PRX = 1	Module not asked - proxy interview	NS

9.99	WST_005 = (DK, RF, NS) or WST_010 = (DK, RF, NS) or WST_015 = (DK, RF, NS) or WST_020 = (DK, RF, NS) or WST_025 = (DK, RF, NS) or WST_030 = (DK, RF, NS) or WST_045 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
{[(WSTT025 + 1) + (WSTT030 + 1)] / 2} / {[(WSTTa005 + 1) + (WSTTa010 + 1) + (WSTTa020 + 1) + (WSTTa015 + 1) + (WSTTa045 + 1)] / 5 }	(WSTTa005 <= 4) and (WSTTa010 <= 4) and (WSTTa015 <= 4) and (WSTTa020 <= 4) and (WSTT025 <= 4) and (WSTT030 <= 4) and (WSTTa045 <= 4)	Score obtained on the job stress scale	(min: 0.20; max: 5.00)

7) Derived work stress scale - social support

Variable name: WSTDVSOC

Based on: ADM_PRX, WST_005, WST_050, WST_055, WST_060, WSTT050, WSTT055, WSTT060

Description: This variable indicates the social support available to the respondent at his/her main job in the past 12 months. It is based on questions about whether or not the respondent's supervisor and the people the respondent worked with were helpful in getting the job done, and whether the respondent was exposed to hostility or conflict from the people they worked with.

Note: Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population.
1.Higher values indicate lower social support at work.
2.Higher scores indicate greater work stress.
3.Scores were inverted in the temporary reformat for question WST_Q050.

Please note that a "Not applicable" response category was added to each of the questions used in the creation of this DV (WST_Q050, WST_Q055, WST_Q060), to be selected when the respondent worked alone, or did not have a supervisor. For this DV, respondents are assigned the value 96 (Not applicable) when a response of "Not applicable" is reported in any of these three items (WST_Q050, WST_Q055, WST_Q060).

Specifications

Value	Condition(s)	Description	Notes
96	DOWST = 2	Module not selected	NA
96	WST_005 = NA	Population exclusions	NA
96	WST_050 = 6 or WST_055 = 6 or WST_060 = 6	Population exclusions. Respondent did not have a boss or worked alone.	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	WST_050 = (DK, RF, NS) or WST_055 = (DK, RF, NS) or WST_060 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
WSTT050 + WSTT055 + WSTT060	(0 <= WSTT050 <= 4) and (0 <= WSTT055 <= 4) and (0 <= WSTT060 <= 4)	Score obtained on the social support scale	(min: 0; max: 12)

Waiting times (9 DVs)

1) Number of waiting days to receive non-emergency surgery - surgery not done

Variable name: WTMDVCN

Based on: DHH_AGE, ADM_PRX, ACC_020, WTM_080, WTM_110, WTM_110A

Description: This variable indicates the number of days that passed between the moment the respondent and his or her doctor decided the respondent should receive non-emergency surgery and when the interview took place.

Note: For this variable, the number of waiting days was only considered for respondents 15 years and older who were referred for non-emergency surgery during the past 12 months, but who did not receive the needed surgery at the time of the interview.

Specifications

Value	Condition(s)	Description	Notes
9996	DOWTM= 2	Module not selected	NA
9996	DHH_AGE < 15 or ACC_020 = 2 or WTM_080 = 1	Population exclusions	NA
9999	ADM_PRX = 1	Module not asked - proxy interview	NS
9999	WTM_110 = (DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
WTM_110	WTM_110A = 1	Number of waiting days	(Min: 1; Max: 365)
WTM_110 * 7	WTM_110A = 2	Number of waiting days	(Min: 1; Max: 365)
WTM_110 * 30	WTM_110A = 3	Number of waiting days	(Min: 1; Max: 365)

2) Number of waiting days to receive non-emergency surgery - surgery done

Variable name: WTMDVCO

Based on: DHH_AGE, ADM_PRX, ACC_020, WTM_080, WTM_100, WTM_100A

Description: This variable indicates the number of days that passed between the moment the respondent and his or her doctor decided the respondent should receive non-emergency surgery and when the surgery actually took place.

Note: For this variable, the number of waiting days was only considered for respondents 15 years and older who received non-emergency surgery during the past 12 months.

Specifications

Value	Condition(s)	Description	Notes
9996	DOWTM= 2	Module not selected	NA
9996	DHH_AGE < 15 or ACC_020 = 2 or WTM_080 = 2	Population exclusions	NA
9999	ADM_PRX = 1	Module not asked - proxy interview	NS
9999	WTM_100 = (DK, RF, NS)	Required question was not answered (don’t know, refusal, not stated)	NS
WTM_100	WTM_100A = 1	Number of waiting days	(Min: 1; Max: 365)
WTM_100 * 7	WTM_100A = 2	Number of waiting days	(Min: 1; Max: 365)
WTM_100 * 30	WTM_100A = 3	Number of waiting days	(Min: 1; Max: 365)

3) Number of acceptable waiting days to receive non-emergency surgery

Variable name: WTMDVCA

Based on: DHH_AGE, ADM_PRX, WTMDVCO, WTMDVCN, ACC_020, WTM_100, WTM_110, WTM_115, WTM_120, WTM_120A

Description: This variable indicates the number of days, in the respondent's view, he or she can wait to receive a non-emergency surgery and still find it acceptable.

Note: The number of acceptable waiting days was only considered for respondents 15 years and older who were referred to receive non-emergency surgery during the past 12 months, whether the respondent received his surgery or not at the time of the interview.

Specifications

Value	Condition(s)	Description	Notes
9996	DOWTM= 2	Module not selected	NA
9996	DHH_AGE < 15 or ACC_020 = 2	Population exclusions	NA
9999	ADM_PRX = 1	Module not asked - proxy interview	NS
9999	(WTM_100 = (DK, RF, NS) and WTM_115 = 1) or (WTM_110 = (DK, RF, NS) and WTM_115 = 1) or WTM_120 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
WTMDVCO	WTM_100 < 996 and WTM_115 = 1	Number of acceptable waiting days	(Min: 1; Max: 365)
WTMDVCN	WTM_110 < 996 and WTM_115 = 1	Number of acceptable waiting days	(Min: 1; Max: 365)
WTM_120	WTM_120A = 1	Number of acceptable waiting days	(Min: 1; Max: 365)
WTM_120 * 7	WTM_120A = 2	Number of acceptable waiting days	(Min: 1; Max: 365)
WTM_120 * 30	WTM_120A = 3	Number of acceptable waiting days	(Min: 1; Max: 365)

4) Number of waiting days to see a medical specialist - didn't see specialist

Variable name: WTMDVSN

Based on: DHH_AGE, ADM_PRX, ACC_005, WTM_005, WTM_020, WTM_040, WTM_040A

Description: This variable indicates the number of days that passed between the moment the respondent and his or her doctor decided the respondent should see a specialist and when the interview took place.

Note: For this variable, the number of waiting days has only been considered for respondents 15 years and older who were referred to a specialist due to a new health related problem during the past 12 months, but who did not see the specialist with whom they had an appointment.

Specifications

Value	Condition(s)	Description	Notes
9996	DOWTM= 2	Module not selected	NA
9996	DHH_AGE < 15 or ACC_005 = 2 or WTM_005 = 2 or WTM_020 = 1	Population exclusions	NA
9999	ADM_PRX = 1	Module not asked - proxy interview	NS

9999	(WTM_040 = DK,RF,NS)	Required question was not answered (don't know, refusal, not stated)	NS
WTM_040	WTM_040A = 1	Number of waiting days	(Min: 1; Max: 365)
WTM_040 * 7	WTM_040A = 2	Number of waiting days	(Min: 1; Max: 365)
WTM_040 * 30	WTM_040A = 3	Number of waiting days	(Min: 1; Max: 365)

5) Number of waiting days to see a medical specialist - saw specialist

Variable name: WTMDVSO

Based on: DHH_AGE, ADM_PRX, ACC_005, WTM_005, WTM_020, WTM_035, WTM_035A

Description: This variable indicates the number of days that passed between the moment the respondent and his or her doctor decided that the respondent should see a medical specialist and when the actual visit with the specialist took place.

Note: For this variable, the number of waiting days has only been considered for respondents 15 years and older who consulted a medical specialist due to a new health related problem during the past 12 months.

Specifications

Value	Condition(s)	Description	Notes
9996	DOWTM= 2	Module not selected	NA
9996	DHH_AGE < 15 or ACC_005 = 2 or WTM_005 = 2 or WTM_020 = 2	Population exclusions	NA
9999	ADM_PRX = 1	Module not asked - proxy interview	NS
9999	WTM_035 = (DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
WTM_035	WTM_035A = 1	Number of waiting days	(Min: 1; Max: 365)
WTM_035 * 7	WTM_035A = 2	Number of waiting days	(Min: 1; Max: 365)
WTM_035 * 30	WTM_035A = 3	Number of waiting days	(Min: 1; Max: 365)

6) Number of acceptable waiting days to see a medical specialist

Variable name: WTMDVSA

Based on: DHH_AGE, ADM_PRX, ACC_005, WTM_005, WTM_035, WTM_040, WTM_045, WTM_050, WTM_050A, WTMDVSO, WTMDVSN

Description: This variable indicates the number of days, in the respondent's view, he or she can wait to see a medical specialist and still find it acceptable.

Note: The number of acceptable waiting days has only been considered for respondents 15 years and older who were referred to a medical specialist due to a new health related problem during the past 12 months, whether or not they saw the specialist at the time of the interview.

Specifications

Value	Condition(s)	Description	Notes
9996	DOWTM= 2	Module not selected	NA
9996	DHH_AGE < 15 or ACC_005 = 2 or WTM_005 = 2	Population exclusions	NA

9999	ADM_PRX = 1	Module not asked - proxy interview	NS
9999	(WTM_035 = (DK, RF, NS) and WTM_045 = 1) or (WTM_040 = (DK, RF, NS) and WTM_045 = 1) or WTM_050 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
WTMDVSO	WTM_035 < 996 and WTM_045 = 1	Number of acceptable waiting days	(Min: 1; Max: 365)
WTMDVSN	WTM_040 < 996 and WTM_045 = 1	Number of acceptable waiting days	(Min: 1; Max: 365)
WTM_050	WTM_050A = 1	Number of acceptable waiting days	(Min: 1; Max: 365)
WTM_050 * 7	WTM_050A = 2	Number of acceptable waiting days	(Min: 1; Max: 365)
WTM_050 * 30	WTM_050A = 3	Number of acceptable waiting days	(Min: 1; Max: 365)

7) Number of waiting days for diagnostic test - test not done

Variable name: WTMDVTN

Based on: DHH_AGE, ADM_PRX, ACC_035, WTM_145, WTM_155, WTM_190, WTM_190A

Description: This variable indicates the number of days that passed between the moment the respondent and his or her doctor decided the respondent should receive a magnetic resonance imaging test (MRI), a Computed Tomography exam (CT-SCAN) or a non-emergency angiography (heart test) and when the interview took place.

Note: For this variable, the number of waiting days was only considered for respondents 15 years and older who were referred to receive a MRI or a CT-SCAN exam, or a non-emergency heart test during the past 12 months, but who had not received the test at the time of the interview.

Specifications

Value	Condition(s)	Description	Notes
9996	DOWTM= 2	Module not selected	NA
9996	DHH_AGE < 15 or ACC_035 = 2 or WTM_145 = 4 or WTM_155 = 1	Population exclusions	NA
9999	ADM_PRX = 1	Module not asked - proxy interview	NS
9999	WTM_190 = (DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
WTM_190	WTM_190A = 1	Number of waiting days	(Min: 1; Max: 365)
WTM_190 * 7	WTM_190A = 2	Number of waiting days	(Min: 1; Max: 365)
WTM_190 * 30	WTM_190A = 3	Number of waiting days	(Min: 1; Max: 365)

8) Number of waiting days for diagnostic test - test done

Variable name: WTMDVTO

Based on: DHH_AGE, ADM_PRX, ACC_035, WTM_145, WTM_155, WTM_185, WTM_185A

Description: This variable indicates the number of days that passed between the moment the respondent and his or her doctor decided the respondent should receive a magnetic resonance imaging test (MRI), a Computed Tomography exam (CT-SCAN) or a non-emergency angiography (heart test) and when the test was actually received.

Note: For this variable, the number of waiting days was only considered for respondents of 15 years and older who received a MRI or a CT-SCAN exam, or a non-emergency heart test during the past 12 months.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9996	DOWTM= 2	Module not selected	NA
9996	DHH_AGE < 15 or ACC_035 = 2 or WTM_145 = 4 or WTM_155 = 2	Population exclusions	NA
9999	ADM_PRX = 1	Module not asked - proxy interview	NS
9999	WTM_185 = (DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
WTM_185	WTM_185A = 1	Number of waiting days	(Min: 1; Max: 365)
WTM_185 * 7	WTM_185A = 2	Number of waiting days	(Min: 1; Max: 365)
WTM_185 * 30	WTM_185A = 3	Number of waiting days	(Min: 1; Max: 365)

9) Number of acceptable waiting days for diagnostic test

Variable name: WTMDVTA

Based on: DHH_AGE, ADM_PRX, ACC_035, WTM_145, WTM_185, WTM_190, WTM_195, WTM_200, WTM_200A, WTMDVTO, WTMDVTN

Description: This variable indicates the number of days, in the respondent's view, he or she can wait to receive a magnetic resonance imaging test (MRI), a Computed Tomography exam (CT-SCAN) or a non-emergency angiography (heart test) and still find it acceptable.

Note: The number of acceptable waiting days was only considered for respondents 15 years and older who were referred to pass a MRI or a CT-SCAN exam, or a non- emergency heart test during the past 12 months, whether the respondent received the test or not at the time of the interview.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9996	DOWTM = 2	Module not selected	NA
9996	DHH_AGE < 15 or ACC_035 = 2 or WTM_145 = 4	Population exclusions	NA
9999	ADM_PRX = 1	Module not asked - proxy interview	NS
9999	(WTM_185 = (DK, RF, NS) and WTM_195 = 1) or (WTM_190 = (DK, RF, NS) and WTM_195 = 1) or WTM_200 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
WTMDVTO	WTM_185 < 996 and WTM_195 = 1	Number of acceptable waiting days	(Min: 1; Max: 365)
WTMDVTN	WTM_190 < 996 and WTM_195 = 1	Number of acceptable waiting days	(Min: 1; Max: 365)
WTM_200	WTM_200A = 1	Number of acceptable waiting days	(Min: 1; Max: 365)
WTM_200 * 7	WTM_200A = 2	Number of acceptable waiting days	(Min: 1; Max: 365)
WTM_200 * 30	WTM_200A = 3	Number of acceptable waiting days	(Min: 1; Max: 365)