Canadian Community Health Survey (CCHS)

Annual Component – 2023

Derived Variable (DV) Specifications

Statistics Canada Statistique Canada

Canada

Table of Contents

ADL Activities of daily living (2 DVs)

1) ADLDVIHS - Instrumental activity of daily living index – home support 9

2) ADLDVIPC - Instrumental activity of daily living index – personal care 10

ALC Alcohol use (1 DV)

1) ALCDVTTM - Type of drinker – past 12 months 11

CAN Cannabis use (7 DVs)

1) CANDVF12 - Cannabis – frequency of use – past 12 months 15

2) CANDVLEO - Cannabis use - lifetime (excluding "just once") 15

3) CANDVLIO - Cannabis use - lifetime (including "just once") 16

4) CANDVLS3 - Cannabis lifetime user status - 3 categories 16

5) CANDVLS5 - Cannabis lifetime user status - 5 categories 17

6) CANDVYEO - Cannabis use - past 12 months (excluding "just once") 17

7) CANDVYIO - Cannabis use - past 12 months (including "just once") 18

CCC Chronic conditions (1 DV)

1) CCCDVDIA - Diabetes type 19

DEP Depression (2 DVs)

1) DEPDVPHQ - Depression severity scale 21

2) DEPDVSEV - Depression scale – severity of depression 22

DHH Dwelling and household variables (10 DVs)

1) DHHDVHSZ - Household size 23

2) DHHDVLVG - Living / family arrangement of selected respondent 23

3) DHHDV611 - Number of persons in household between 6 and 11 years of age 25

4) DHHDVOKD - Number of persons in household 16 or 17 years of age 25

5) DHHDVL12 - Number of persons in household less than 12 years of age 26

6) DHHDVYK - Number of persons in household less than 16 years of age 26

7) DHHDVLE5 - Number of persons in household aged 5 years or less 27

8) DHHDVA65 - Number of persons in household aged 65 and older 27

9) DHHDVAOS - Age of spouse 28

10) DHHDVL18 - Number of persons in household less than 18 years of age 28

EAH Eating habits (12 DVs)

1) EAHDVFRU - Daily consumption – fruits 30

2) EAHDVGRN - Daily consumption – dark green vegetables 30

3) EAHDVJUI - Daily consumption – 100% pure fruit juice 31

4) EAHDVORA - Daily consumption – orange-colored vegetables 32

5) EAHDVSTA - Daily consumption – starchy vegetables 32

6) EAHDVVEG - Daily consumption – other vegetables 33

7) EAHDVFVT - Daily consumption – fruits and vegetables 33

8) EAHDVFVG - Grouping of total daily consumption – fruits and vegetables 34

9) EAHDVSBV - Sugary drinks (including 100% pure fruit juice), consumed in the past 30 days 35

10) EAHDVDAS - Sugary drinks (excluding 100% pure fruit juice), consumed in the past 30 days 36

11) EAHDVFV2 - Daily consumption – fruits and vegetables (excluding 100% pure fruit juice) 36

12) EAHDVGR2 - Grouping of total daily consumption – fruits and vegetables 37

ECV E-Cigarette and vaping (1 DV)

1) EVCDVSMKE-Cigarette / vaping device and cigarette use 38

ED Education (2 DVs)

1) EDDVR3 – Highest level of education – respondent, 3 levels 39

2) EDDVH3 – Highest level of education – household, 3 levels 39

FSC Food security (3 DVs)

1) FSCDVAF2 - Food security – adult status (including "marginally food insecure" 42

2) FSCDVCF2 - Food security – child status (including "marginally food insecure" 44

3) FSCDVHF2 - Household food security status – modified version (including "marginally food insecure") 46

GEO Geography variables (17 DVs)

1) GEODVPC - Postal code 49

2) GEODVD21 - 2021 Census dissemination area (DA) 49

3) GEODVD16 - 2016 Census dissemination area (DA) 49

4) GEODVCSD - 2021 Census subdivision (CSD) 50

5) GEODVFED - 2021 Census federal electoral district (FED) 50

6) GEODVCD - 2021 Census division (CD) 51

7) GEODVCMA - 2021 Census metropolitan area (CMA) 51

8) GEODVCA - 2021 Census Agglomeration (CA) 52

9) GEODVSAT - Statistical area classification type (SAT) 55

10) GEODVHR4 - Health Region 56

11) GEODVP21 - Peer group 2021 56

12) GEODVUR - Population centre or rural area type 58

13) GEODVUR2 - Population centre or rural area type – grouped 59

14) GEODVPSZ - Population centre or rural area classification 59

15) GEODVBHA - British Columbia Health Authority (BCHA) 59

16) GEODVOHR - Ontario Health Region (OHR) 60

17) GEODVASZ - Alberta subzone 60

HMC Home care services (2 DVs)

1) HMCDVVRH - Received home care services 61

2) HMCDVHLP - Household where home care services helped recipients stay at home 62

HUI Health utilities index (13 DVs)

1) HUIVIS1 - Vision: ability to recognize a friend without corrective lenses 63

2) HUIVIS2 - Vision: ability to recognize a friend with corrective lenses 63

3) HUIDVVIS - Vision health status 64

4) HUIHEAR1 - Hearing: Ability to hear one person in a quiet room without hearing aid 66

5) HUIHEAR2 - Hearing: Ability to hear one person in a quiet room with hearing aid 66

---

6) HUIDVHER - Hearing health status 67

---

7) HUIDVSPE - Speech health status 68

---

8) HUIDVMOB - Mobility health status 69

---

9) HUIDVDEX - Dexterity health status 71

---

10) HUIDVEMO - Emotion health status 72

---

11) HUIDVCOG - Cognition health status 73

---

12) HUIDVPAD - Pain health status 74

---

13) HUIDVHSI - Health utilities index 75

HTW Height and weight – self reported (6 DVs)

1) HWTDVHTM - Height (metres) – self-reported 77

---

2) HWTDVWTK - Weight (kilograms) – self-reported 77

---

3) HTWDVBMI - Body mass index (self-reported) 78

---

4) HWTDVISW - BMI classification for adult aged 18 and over (self-reported) – international standard 78

---

5) HWTDVCOR - Body mass index (adjusted) 80

---

6) HWTDVBCC - BMI classification for adult aged 18 and over (self-reported) – international standard 81

INC Income (7 DVs)

1) INCFIMPH - Household income source flag 85

---

2) INCDVHH - Total household income - all sources 85

---

3) INCDVPER - Personal income - all sources 86

---

4) INCDVADR - Adjusted household income ratio - national level (excluding territories) 87

---

5) INCDVRCA - Distribution of household income - national level (excluding territories) 88

---

6) INCDVRPR - Distribution of household income - provincial level 89

---

7) INCDVRRS - Distribution of household income - health region level 90

LBF Labour force (5 DVs)

1) LBFDVHPW - Total usual number of hours worked per week 92

---

2) LBFDVING - Industry group 92

---

3) LBFDVOCG - Occupation group 94

---

4) LBFDVPFT - Full-time/part-time working status (for total usual hours) 95

---

5) LBFDVWSS - Working status last week 95

LSM Life satisfaction measure (1 DV)

1) LSMDVSWL - Satisfaction with life in general 97

MEX Maternal experiences (4 DVs)

1) MEXDVBM6 - Exclusively breastfed for 6 months (or more) 99

---

2) MEXDVLBM - Length of exclusive breastfeeding 101

---

3) MEXDVWBK - Weight before pregnancy (in kilograms) 104

---

4) MEXDVWGK - Weight gained during pregnancy (in kilograms) 104

MPA Moderate physical activity (14 DVs)

1) MPADCYWD - Total number of minutes of active transportation, travelled by cycling, past 7 days - weekend days 106

---

2) MPADCYWK - Total number of minutes of active transportation, travelled by cycling, past 7 days – weekdays 106

---

3) MPADOTWD - Total number of minutes of other physical activities, past 7 days – weekend days 107

---

4) MPADOTWK - Total number of minutes of other physical activities, past 7 days – Weekdays 107

---

5) MPADREWD - Total number of minutes of sports, fitness and recreational physical activities, past 7 days - weekend days 108

---

6) MPADREWK - Total number of minutes of sports, fitness and recreational physical activities, past 7 days – weekdays 108

---

7) MPADTOWD - Total number of minutes of moderate physical activities, all domains, past 7 days - weekend days 109

---

8) MPADTOWK - Total number of minutes of moderate physical activities, all domains, past 7 days – weekdays 109

---

9) MPADTRWD - Total number of minutes of active transportation, travelled by walking and cycling, past 7 days - weekend days 110

---

10) MPADTRWK - Total number of minutes of active transportation, travelled by walking and cycling, past 7 days – weekdays 111

---

11) MPADWAWD - Total number of minutes of active transportation, travelled by walking, past 7 - weekend days 111

---

12) MPADWAWK - Total number of minutes of active transportation, travelled by walking, past 7 days – weekdays 112

---

13) MPADWOWD - Total number of minutes of active physical work while on the job, past 7 days - Weekend days 112

---

14) MPADWOWK - Total number of minutes of active physical work while on the job, past 7 days – weekdays 113

OPA Other physical activity (1 DV)

1) OPAD24ST - 24-hour movement guidelines – strength training 114

PMS Positive mental health (1 DV)

1) PMSDVWES - Warwick-Edinburgh Mental Well-being Scale 115

SAM Sample variables (2 DVs)

1) SAMDVLNK - Permission to link data 117

2) SAMDVSHR - Permission to share data 117

SDC Socio-demographic characteristics (10 DVs)

1) SDCDVCB - Country of birth – grouped 118

2) SDCDVIMM - Immigrant flag 118

3) SDCDVRES - Number of years in Canada since immigration 119

4) SDCDVALI - Age at time respondent first became a landed immigrant in Canada 120

5) SDCDVABT - Indigenous identity 120

6) SDCDVVM - Visible minority group of respondent 121

7) SDCDVFLA - Visible minority 123

8) SDCDVLHM - Language(s) spoken most often at home 124

9) SDCDVFL1 - Language first learned at home in childhood and still understood – mother tongue 125

10) SDCDVFLS - First official language spoken 125

SMK Smoking (2 DVs)

1) SMKDVSTY - Smoking status (type 2) - traditional definition 130

2) SMKDVYCS - Number of years respondent has smoked daily (current daily smokers only) 131

Activities of daily living (2 DVs)

Temporary reformat			
Value	**Condition(s)**	**Description**	**Notes**
ADLT05			
(ADL_05 – 1)	ADL_05 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_05	ADL_05 > 4	Carry through cases of NS	
ADLT10			
(ADL_10 – 1)	ADL_10 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_10	ADL_10 > 4	Carry through cases of NS	
ADLT15			
(ADL_15 – 1)	ADL_15 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_15	ADL_15 > 4	Carry through cases of NS	
ADLT20			
(ADL_20 – 1)	ADL_20 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_20	ADL_20 > 4	Carry through cases of NS	
ADLT25			
(ADL_25 – 1)	ADL_25 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_25	ADL_25 > 4	Carry through cases of NS	
ADLT30			
(ADL_30 – 1)	ADL_30 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_30	ADL_30 > 4	Carry through cases of NS	

1) Instrumental activity of daily living index – home support

Variable name: ADLDVIHS

Based on: ADL_05, ADL_10, ADL_15, ADL_30

Description: This variable uses an index to discern the degree to which an individual has difficulty engaging in activities of daily living tied to home support: meal preparation, shopping, housekeeping, and bill payments. This index ranges from 0 (no difficulty with daily living) to 12 (unable to do all four daily activities).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DOADL = 0	Module not selected	NA
99	ADLT05 = NS or ADLT10 = NS or ADLT15 = NS or	At least one required question was not answered (not stated)	NS

	ADLT30 = NS		
ADLT05 + **ADLT10+** **ADLT15 +** **ADLT30**	ADLT05 <= 3 et ADLT10 <= 3 et ADLT15 <= 3 et ADLT30 <= 3	Score obtained for daily activities related to home support	(min: 0; max: 12)

2) Instrumental activity of daily living index – personal care

Variable name: ADLDVIPC

Based on: ADL_20, ADL_25

Description: This variable uses an index to discern the degree to which an individual has difficulty engaging in activities of daily living tied to personal care and mobility: bathing, dressing, eating or taking medication and moving inside the house. This index ranges from 0 (no difficulty with daily living) to 6 (unable to do all personal care activities).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DOADL = 0	Module not selected	NA
99	ADLT20 = NS or ADLT25 = NS	At least one required question not answered (not stated)	NS
ADLT20 + **ADLT25**	ADLT20 <= 3 and ADLT25 <=3	Score obtained for daily activities related to personal care and mobility	(min: 0; max: 6)

Alcohol use (1 DV)

1) Type of drinker – past 12 months

Variable name: ALCDVTTM

Based on: ALC_05, ALC_10, ALC_15

Description: This variable indicates the type of drinker the respondent is based on his/her drinking habits in the past 12 months

Note: ALCDVTTM was created to allow the classification of all respondents according to their drinking habits in the past 12 months.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOALC = 0	Module not selected	NA
9	ALC_05 = NS or ALC_10 = NS or ALC_15 = NS	At least one required question was not answered (not stated)	NS
1	2 <= ALC_15 <= 7	Regular drinker	
2	ALC_15 = 1	Occasional drinker	
3	ALC_05 = 2 or ALC_10 = 2	Did not drink in the past 12 months	

Alcohol use during past week (3 DVs)

1) Weekly consumption

Variable name: ALWDVWKY

Based on: ALC_05, ALC_10, ALW_05, ALW_10, ALW_15, ALW_20, ALW_25, ALW_30, ALW_35, ALW_40

Description: This variable indicates the total number of drinks consumed in the week prior to the interview.

Note: Respondents who did not have at least one drink in the past 12 months were excluded from the population.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
996	DOALW = 0	Module not selected	NA
996	ALC_05 = 2 or ALC_10 = 2	Population exclusions	NA
999	ALW_05 = NS or ALW_10 = NS or ALW_15 = NS or ALW_20 = NS or ALW_25 = NS or ALW_30 = NS or ALW_35 = NS or ALW_40 = NS	At least one required question was not answered (not stated)	NS
0	ALW_05 = 2	Has not had a drink in past week	
ALW_10 + ALW_15 + ALW_20 + ALW_25 + ALW_30 + ALW_35 + ALW_40	(0 <= ALW_10 < 51) and (0 <= ALW_15 < 51) and (0 <= ALW_20 < 51) and (0 <= ALW_25 < 51) and (0 <= ALW_30 < 51) and (0 <= ALW_35 < 51) and (0 <= ALW_40 < 51)	Number of drinks consumed in past week	(min: 0; max: 350)

2) Average daily alcohol consumption

Variable name: ALWDVDLY

Based on: ALWDVWKY

Description: This variable indicates the average number of drinks the respondent consumed per day in the week prior to the interview.

Note: Respondents who did not have at least one drink in the last 12 months were excluded from the population.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
996	DOALW = 0	Module not selected	NA
996	ALWDVWKY = NA	Population exclusions	NA
999	ALWDVWKY = NS	At least one required question not answered (not stated)	NS
ALWDVWKY / 7	ALWDVWKY < 351	Average daily alcohol consumption	(Rounded to integer) (min: 0; max:50)

3) Low risk drinking guideline adherence

Variable name: ALWDVRSK

Based on: ALC_05, ALC_10, ALW_05, ALWDVWKY

Description: Canada's Guidance on Alcohol and Health provides evidence-based advice on alcohol to support people in making informed decisions about their health. The guidance is based on the latest research on alcohol-related risks and replaces Canada's Low-Risk Alcohol Drinking Guidelines (LRDGs) issued in 2011. The guidance is based on the principle of autonomy in harm reduction and the fundamental idea behind it that people living in Canada have a right to know that all alcohol use comes with risk.

Note: Those who did not drink in their lifetime, nor in the past year, were excluded from categorization in this variable. For a full population analysis, these respondents can be included as part of the "ALWDVRSK = 1 (no alcohol-related risk)" category.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOALW = 0	Module not selected	NA
6	ALC_05 = 2 or ALC_10 = 2	Population exclusions	NA
9	ALWDVWKY = NS	At least one required question was not answered (not stated)	NS

1	ALW_05 = 2 or ALWDVWKY = 0	Has not had a drink in past week (No alcohol-related risk)
2	1 <= ALWDVWKY <= 2	1-2 standard drinks or less per week (Low alcohol-related risk)
3	3 <= ALWDVWKY <= 6	3-6 standard drinks per week (Moderate alcohol-related risk)
4	ALWDVWKY => 7	7 standard drinks or more per week (Increasingly high alcohol-related risk)

Cannabis use (7 DVs)

1) Cannabis – frequency of use – past 12 months

Variable name: CANDVF12

Based on: PROXYSEX, CAN_05, CAN_05C, CAN_10

Description: This variable indicates the frequency at which the respondent has used cannabis in the past 12 months.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DOCAN = 0	Module not selected	NA
99	PROXYSEX = (3 or 4)	Module not asked – proxy interview	NS
99	CAN_05 = NS or CAN_05C = NS or CAN_10 = NS	At least one required question was not answered (not stated)	NS
1	CAN_05C = 2 or CAN_05 = 2	Has not used cannabis in the past 12 months	
2	CAN_10 = 1	Has used cannabis less than once a month, including one time users	
3	CAN_10 = 2	Has used cannabis 1 to 3 times a month	
4	CAN_10 = 3	Has used cannabis once a week	
5	CAN_10 = 4	Has used cannabis more than once a week	
6	CAN_10 = 5	Has used cannabis daily or almost daily	

2) Cannabis use - lifetime (excluding "just once")

Variable name: CANDVLEO

Based on: PROXYSEX, CAN_05, CAN_05A

Description: This variable indicates whether the respondent has used cannabis more than just once in his/her lifetime.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOCAN = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	Module not asked - proxy interview	NS
9	CAN_05A = NS	At least one required question not answered (not stated)	NS
1	CAN_05A = 2	Has used cannabis more than once in lifetime	

2	CAN_05 = 2 or CAN_05A = 1	Has never used cannabis or has used cannabis just once in lifetime

3) Cannabis use - lifetime (including "just once")

Variable name: CANDVLIO

Based on: PROXYSEX, CAN_05

Description: This variable indicates whether the respondent has ever used cannabis.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOCAN = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	Module not asked - proxy interview	NS
9	CAN_05 = NS	At least one required question was not answered (not stated)	NS
1	CAN_05 = 1	Has used cannabis in lifetime	
2	CAN_05 = 2	Has never used cannabis in lifetime	

4) Cannabis lifetime user status - 3 categories

Variable name: CANDVLS3

Based on: PROXYSEX, CAN_05, CAN_05A, CAN_05C

Description: This variable indicates whether the respondent is non user, past user or current user of cannabis.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOCAN = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	At least one required question was not answered (not stated)	NS
9	CAN_05 = NS or CAN_05A = NS or CAN_05C = NS	At least one required question was not answered (not stated)	NS
1	CAN_05 = 2	Non user: has never used cannabis in lifetime	
2	CAN_05 = 1 and CAN_05C = 2	Past user: has not used cannabis in the past 12 months and has used cannabis in lifetime	

3	CAN_05C = 1	Current user: has used cannabis in the past 12 months

5) Cannabis lifetime user status - 5 categories

Variable name: CANDVLS5

Based on: PROXYSEX, CAN_05, CAN_05A, CAN_05C

Description: This variable indicates how often and how recently a respondent has used cannabis.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOCAN = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	Module not asked - proxy interview	
9	CAN_05 = NS or CAN_05A = NS or CAN_05C = NS	At least one required question was not answered (not stated)	NS
1	CAN_05 = 2	Has never used cannabis in lifetime	
2	CAN_05A = 1 and CAN_05C = 2	Has used cannabis just once in lifetime and has not used cannabis in the past 12 months	
3	CAN_05A = 1 and CAN_05C = 1	Has used cannabis just once in lifetime and has used cannabis in the past 12 months	
4	CAN_05A = 2 and CAN_05C = 2	Has used cannabis more than once in lifetime and has not used cannabis in the past 12 months	
5	CAN_05A = 2 and CAN_05C = 1	Has used cannabis more than once in lifetime and has used cannabis in the past 12 months	

6) Cannabis use - past 12 months (excluding "just once")

Variable name: CANDVYEO

Based on: PROXYSEX, CAN_05A, CAN_05C

Description: This variable indicates whether the respondent has used cannabis in the past 12 months, excluding "just once" use in lifetime.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**

6	DOCAN = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	Module not asked - proxy interview	NS
9	CAN_05A = NS or CAN_05C = NS	At least one required question was not answered (not stated)	NS
1	CAN_05A = 2 and CAN_05C = 1	Has used cannabis in the past 12 months	
2	CAN_05 = 2 or CAN_05A = 1 or (CAN_05A = 2 and CAN_05C = 2)	Has not used cannabis more than once in the past 12 months	

7) Cannabis use - past 12 months (including "just once")

Variable name: CANDVYIO

Based on: PROXYSEX, CAN_05C

Description: This variable indicates whether the respondent has used cannabis in the past 12 months, including "just once" use in lifetime.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOCAN = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	Module not asked - proxy interview	NS
9	CAN_05C = NS	At least one required question was not answered (not stated)	NS
1	CAN_05C = 1	Has used cannabis in the past 12 months	
2	CAN_05C = 2	Has not used cannabis in the past 12 months	

Chronic conditions (1 DV)

1) Diabetes type

Variable name: CCCDVDIA

Based on: AWCAGE, DHH_SEX, CCC_05, CCC_10, CCC_15, CCC_20, CCC_30, CCC_35, CCC_40

Description: This variable classifies diabetes as Type 1, Type 2, or Gestational, using the Ng-Dasgupta-Johnson algorithm (Health Reports, 19(1), March 2008).

Note: According to the Ng-Dasgupta-Johnson algorithm, women who are diagnosed only during pregnancy are considered as having gestational diabetes. The CDC, on the other hand, indicates that gestational diabetes goes away soon after their baby is born. If it does not go away, the diabetes is considered as type 2. More than half of respondents who are coded as having gestational diabetes are respondents who were not pregnant at the time of the interview. Users can choose to interpret these cases as either diabetes that has become type 2, or a respondent who has indicated having had gestational diabetes, but it has gone away. Respondents who were diagnosed during pregnancy (CCC_15 = 1) and not diagnosed other than during pregnancy (CCC_20 = 2) were not asked the questions about insulin usage or blood sugar pills. Therefore it is not possible to determine if the respondent is currently treating diabetes.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOCCC = 0	Module not selected	NA
6	CCC_05 = 2	Population exclusions	NA
9	(CCC_15 = NS or CCC_20 = NS or CCC_30 = NS or CCC_05 = NS or CCC_10 = NS or CCC_35 = NS or CCC_40 = NS) and (CCC_15 = (2, NA, NS) or CCC_20 = (1, NA, NS))	At least one required question was not answered (not stated). Also, if CCC_15 and CCC_20 are not answered, gestational diabetes cannot be derived.	NS
1	(DHH_SEX = 1 and CCC_05 = 1 and CCC_35 = 1 and CCC_40 = 2 and (CCC_30 <= 3 and (AWCAGE < 30 or CCC_10 < 30))) or (DHH_SEX = 2 and CCC_05 = 1 and CCC_20 = (1, NA) and CCC_35 = 1 and CCC_40 = 2 and (CCC_30 <= 3 and (AWCAGE < 30 or CCC_10 < 30)))	Type 1 diabetes	

2	CCC_05 = 1 and (CCC_35 = 2 or CCC_10 >= 30 or CCC_30 > 3 or CCC_40 = 1 or (CCC_35 = 1 and (CCC_10 >= 30 or CCC_30 > 3))) and (CCC_15 = (2, NA, NS) or CCC_20 = (1, NA, NS))	Type 2 diabetes
3	CCC_05 = 1 and DHH_SEX = 2 and CCC_15 = 1 and CCC_20 = 2	Gestational diabetes

Depression (2 DVs)

Temporary reformat			
Value	**Condition(s)**	**Description**	**Notes**
DEPT005			
(DEP_005 – 1)	DEP_005 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
DEPT010			
(DEP_010 – 1)	DEP_010 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
DEPT015			
(DEP_015 – 1)	DEP_015 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
DEPT020			
(DEP_020 – 1)	DEP_020 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
DEPT025			
(DEP_025 – 1)	DEP_025 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
DEPT030			
(DEP_030 – 1)	DEP_030 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
DEPT035			
(DEP_035 – 1)	DEP_035 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
DEPT040			
(DEP_040 – 1)	DEP_040 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
DEPT045			
(DEP_045 – 1)	DEP_045 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	

1) Depression severity scale

Variable name: DEPDVPHQ

Based on: PROXYSEX, DEP_005, DEP_010, DEP_015, DEP_020, DEP_025, DEP_030, DEP_035, DEP_040, DEP_045

Description: This variable indicates the severity of a respondent's depression, using a 9 item scale. This scale corresponds to the Patient Health Questionnaire (PHQ-9). A higher score indicates more severe depression.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**

96	DODEP = 0	Module not selected	NA
99	PROXYSEX = (3 or 4)	Module not asked – proxy interview	NS
99	DEP_005 = NS or DEP_010 = NS or DEP_015 = NS or DEP_020 = NS or DEP_025 = NS or DEP_030 = NS or DEP_035 = NS or DEP_040 = NS or DEP_045 = NS	At least one required question was not answered (not stated)	NS
DEPT005 + **DEPT010 +** **DEPT015 +** **DEPT020 +** **DEPT025 +** **DEPT030 +** **DEPT035 +** **DEPT040 +** **DEPT045**	(0 <= DEPT005 <= 3) and (0 <= DEPT010 <= 3) and (0 <= DEPT015 <= 3) and (0 <= DEPT020 <= 3) and (0 <= DEPT025 <= 3) and (0 <= DEPT030 <= 3) and (0 <= DEPT035 <= 3) and (0 <= DEPT040 <= 3) and (0 <= DEPT045 <= 3)	Score obtained on the depression scale (PHQ-9)	(min: 0; max: 27)

2) Depression scale – severity of depression

Variable name: DEPDVSEV

Based on: PROXYSEX, DEPDVPHQ

Description: This variable classifies the respondent's degree of depression based on their score obtained on the Patient Health Questionnaire (PHQ-9) depression scale.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DODEP = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	Module not asked – proxy interview	NA
9	DEPDVPHQ = NS	Required question was not answered (not stated)	NS
0	DEPDVPHQ = 0	No Depression	
1	1 <= DEPDVPHQ <= 4	Minimal Depression	
2	5 <= DEPDVPHQ <= 9	Mild Depression	
3	10 <= DEPDVPHQ <= 14	Moderate Depression	
4	15 <= DEPDVPHQ <= 19	Moderately Severe Depression	
5	20 <= DEPDVPHQ <= 27	Severe Depression	

Dwelling and household variables (10 DVs)

1) Household size

Variable name: DHHDVHSZ

Based on: SAMPLEID, INSTANCE

Description: This variable indicates the number of people living within a household.

Note: This variable is derived by sorting the household roster dataset by SSID and INSTANCE and by counting the number of INSTANCE's within each SAMPLEID.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
Total number of INSTANCE's with each SAMPLEID	Sort the file [Member file] by SAMPLEID and INSTANCE	Number of persons in a household	(min: 1; max: 20)

2) Living / family arrangement of selected respondent

Variable name: DHHDVLVG

Based on: DHHTREL of selected respondent and DHHDVHSZ

Description: This variable identifies the family relationships between the selected respondent and the rest of the household.

Note: The necessary data is collected using a set of responses from RWC_05 on relationships between the selected respondent and each person in a household. All relationships with the selected respondent within each sample (relationship of selected respondent to each other person within the household) are used in creating this variable.

Temporary reformat			
Value	**Condition(s)**	**Description**	**Notes**
DHHTREL			
Z1	NS	Not stated	
X1	RCW_05 = (1 or 2)	Spouse/Partner (Husband or wife, Common-law partner)	
A1	RCW_05 = 03	Parental (Father or mother)	

B1	RCW_05 = 04	Child (Son or daughter)
C1	RCW_05 = 05	Sibling (Brother or sister)
K1	RCW_05 = (06 or 07)	Other relative (In-law, Other related: Aunt or uncle, Cousin, Niece or nephew, Grandfather or grandmother, Grandson or granddaughter
L1	RCW_05 = 8	Non-relative (Unrelated)

Specifications

Value	Condition(s)	Description	Notes
99	Any DHHTREL = Z1	Not stated	NS
1	DHHDVHSZ = 1	Unattached individual living alone. Respondent lives alone. (Household size = 1)	
2	All DHHTREL <> X1 and A1	Unattached individual living with others. Selected respondent lives with others. Cannot have a marital/common-law or parental relationship with another household member but other relationships such as siblings are allowed.	
3	DHHDVHSZ = 2 and DHHTREL = X1	Individual living with spouse/partner. Selected respondent lives with spouse/partner only. (Household size = 2)	
4	DHHDVHSZ > 2 and One DHHTREL = X1 and all other DHHTREL = A1	Parent living with spouse/partner and child(ren). Selected respondent lives with spouse/partner and child(ren).	
5	All DHHTREL = A1	Single parent living with children. Selected respondent lives with child(ren). No other relationships in the household are permitted.	
6	DHHDVHSZ = 2 and DHHTREL = B1	Selected respondent is a child living with a single parent. (Household size = 2)	
7	DHHDVHSZ > 2 and One DHHTREL = B1 and all other DHHTREL = C1	Selected respondent is a child living with a single parent and siblings.	
8	DHHDVHSZ = 3 and All DHHTREL = B1	Selected respondent is a child living with two parents. (Household size=3)	
9	DHHDVHSZ > 3 and Two DHHTREL = B1 and all other DHHTREL = C1	Selected respondent is a child living with two parents and siblings.	
10	Else	Other	

	Selected respondent lives in a household composition not classified above.

3) Number of persons in household between 6 and 11 years of age

Variable name: DHHDV611

Based on: AWCAGE, SAMPLEID, INSTANCE

Description: This variable indicates the number of people living within a household whose age is between 6 and 11 years old.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and INSTANCE and by counting the number of INSTANCE's that have a AWCAGE value from 6 to 11 within each SAMPLEID.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
Total number of INSTANCE's with each SAMPLEID	(6 <= AWCAGE <= 11) (Member file)	Number of persons 6 to 11 in a household	(min: 0; max: 40)

4) Number of persons in household 16 or 17 years of age

Variable name: DHHDVOKD

Based on: AWCAGE, SAMPLEID, INSTANCE

Description: This variable indicates the number of people living within a household whose age is between 16 and 17 years old.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and INSTANCE and by counting the number of INSTANCE's that have a AWCAGE value of 16 or 17.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
0	Maximum age in household is 17 or less	No adults in the household (16-17 year olds are excluded)	Respondents aged 16-17 are considered adults

Total number of INSTANCE's with each SAMPLEID	AWCAGE = (16 or 17) [Member file]	Number of persons aged 16-17 in a household	(min:0, max:40)

5) Number of persons in household less than 12 years of age

Variable name: DHHDVL12

Based on: AWCAGE, SAMPLEID, INSTANCE

Description: This variable indicates the number of people living within a household whose age is less than 12 years old.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and INSTANCE and by counting the number of INSTANCE's that have a AWCAGE value less than 12 within each SAMPLEID..

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
Total number of INSTANCE's with each SAMPLEID	AWCAGE < 12 (Member file)	Number of persons under 12 in a household	(min: 0; max: 40)

6) Number of persons in household less than 16 years of age

Variable name: DHHDVYKD

Based on: AWCAGE, SAMPLEID, INSTANCE

Description: This variable indicates the number of people living within a household whose age is less than 16 years old.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and INSTANCE and by counting the number of INSTANCE's that have a AWCAGE value of less than 16 within each SAMPLEID.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
Total number of INSTANCE's	AWCAGE <= 15 (Member file)	Number of persons under 16 in a household	(min: 0; max: 40)

with each SAMPLEID			

7) Number of persons in household aged 5 years or less

Variable name: DHHDVLE5

Based on: AWCAGE, SAMPLEID, INSTANCE

Description: This variable indicates the number of people living within a household whose age is 5 years old or less.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and INSTANCE and by counting the number of INSTANCE's that have a AWCAGE value less than 6 within each SAMPLEID.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
Total number of INSTANCE's with each SAMPLEID	AWCAGE <= 5 (Member file)	Number of persons under 6 in a household	(min: 0; max: 40)

8) Number of persons in household aged 65 and older

Variable name: DHHDVA65

Based on: AWCAGE, SAMPLEID, INSTANCE

Description: This variable indicates the number of people living within a household whose age is 65 and older.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
Total number of INSTANCE's with each SAMPLEID	AWCAGE >= 65 (Member file)	Number of persons aged 65 and older in a household	(min: 0; max:40)

9) Age of spouse

Variable name: DHHDVAOS

Based on: AWCAGE, SAMPLEID, INSTANCE

Description: This variable indicates the age of a respondent's spouse.

Note: This variable is derived by sorting the household roster by SAMPLEID and INSTANCE and showing the AWCAGE of the INSTANCE that has a relationship of spouse with the respondent within each SAMPLEID.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
999	(RWC_05 = 01 or 02) and (AWCAGE (of spouse) = null)	Age of spouse not stated	NS
996	(RWC_05 <> 01 or 02) and (AWCAGE (of spouse) = null)	Population exclusion	NA
AWCAGE of INSTANCE (spouse) within each SAMPLEID	(RWC_05 = 01 or 02)	Age of respondent's spouse. Spouse is defined as husband or wife, or common law partner.	**(max: 121)**

10) Number of persons in household less than 18 years of age

Variable name: DHHDVL18

Based on: DHHDVYKD, DHHDVOKD

Description: This variable indicates the number of people living within a household whose age is less than 18 and whose relationship to at least one adult living within the household is a child.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
DHHDVYKD + DHHDVOKD		Number of persons aged less than 18 in a household whose relationship with at least	(min: 0; max: 40)

	one adult of the household is a child, including step children, or adopted children.

Eating habits (12 DVs)

1) Daily consumption – fruits

Variable name: EAHDVFRU

Based on: EAH_40A, EAH_40B

Description: This variable indicates the usual number of times per day the respondent consumes fruit, including fresh or frozen, dried or canned, but excluding fruit juices.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of the interview.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_40A = NS or EAH_40B = NS	At least one required question was not answered (not stated)	
EAH_40A	EAH_40B = 3	Number of times/day	
EAH_40A / 7	EAH_40B = 2	Number of times/day (reported “times per week”)	(rounded to one decimal place)
EAH_40A / 30	EAH_40B = 1	Number of times/day (reported “times oer month”	(rounded to one decimal place)
0	EAH_40A = 0	Did not eat fruit in the past 30 days	

2) Daily consumption – dark green vegetables

Variable name: EAHDVGRN

Based on: EAH_45A, EAH_45B

Description: This variable indicates the number of times per day the respondent consumes dark green vegetables, such as broccoli, green beans, dark lettuce or spinach including fresh, frozen, canned or dried vegetables.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of the interview.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_45A = NS or EAH_45B = NS	At least one required question not answered (not stated)	NS
EAH_45A	EAH_45B = 3	Number of times/day	
EAH_45A / 7	EAH_45B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_45A / 30	EAH_45B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_45B = 0	Did not eat green vegetables in the past 30 days	

3) Daily consumption – 100% pure fruit juice

Variable name: EAHDVJUI

Based on: EAH_10A, EAH_10B

Description: This variable indicates the usual number of times per day the respondent drinks 100% pure fruit juice.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of the interview.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_10A = NS or EAH_10B = NS	At least one required question was not answered (not stated)	NS
EAH_10A	EAH_10B = 3	Number of times/day	
EAH_10A / 7	EAH_10B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_10A / 30	EAH_10B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_10A = 0	Did not drink 100% pure fruit juice in the past 30 days	

4) Daily consumption – orange-colored vegetables

Variable name: EAHDVORA

Based on: EAH_50A, EAH_50B

Description: This variable indicates the usual number of times per day the respondent consumes orange-colored vegetables such as carrots, orange, bell pepper, sweet potatoes including fresh, frozen, canned or dried vegetables.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of the interview.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_50A = NS or EAH_50B = NS	At least one required question was not answered (not stated)	NS
EAH_50A	EAH_50B = 3	Number of times/day	
EAH_50A / 7	EAH_50B = 2	Number of times/day (reported “times per week”)	(rounded to one decimal place)
EAH_50A / 30	EAH_50B = 1	Number of times/day (reported “times per month”)	(rounded to one decimal place)
0	EAH_50A = 0	Did not orange vegetables in the past 30 days	

5) Daily consumption – starchy vegetables

Variable name: EAHDVSTA

Based on: EAH_55A, EAH_55B

Description: This variable indicates the usual number of times per day the respondent consumes starchy vegetables such as white potatoes or corn including fresh, frozen, canned or dried vegetables and excluding deep fried potatoes.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of the interview.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**

999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_55A = NS or EAH_55B = NS	At least one required question was not answered (not stated)	NS
EAH_55A	EAH_55B = 3	Number of times/day	
EAH_55A / 7	EAH_55B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_55A / 30	EAH_55B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_55A = 0	Did not starchy vegetables in the past 30 days	

6) Daily consumption – other vegetables

Variable name: EAHDVVEG

Based on: EAH_60A, EAH_60B

Description: This variable indicates the usual number of times per day the respondent consumes other vegetables such as cucumber, celery, cabbage, tomatoes and cauliflower including fresh, frozen, canned or dried vegetables. This variable excludes the dark green and orange-coloured vegetables taken in consideration in EAHDVGRN and EAHDVORA and the starchy vegetables taken in EAHDVSTA.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of the interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_60A = NS or EAH_60B = NS	At least one required question was not answered (not stated)	NS
EAH_60A	EAH_60B = 3	Number of times/day	
EAH_60A / 7	EAH_60B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_60A / 30	EAH_60B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_60A = 0	Did not other vegetables in the past 30 days	

7) Daily consumption – fruits and vegetables

Variable name: EAHDVFVT

Based on: EAHDVJUI, EAHDVFRU, EAHDVGRN, EAHDVORA, EAHDVSTA, EAHDVVEG

Description: This variable represents the respondent's total daily consumption of fruits and vegetables.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of the interview.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9999.6	DOEAH = 0	Module not selected	NA
9999.9	EAHDVJUI = NS or EAHDVFRU = NS or EAHDVGRN = NS or EAHDVORA = NS or EAHDVSTA = NS or EAHDVVEG = NS	At least one required question was not answered (not stated)	NS
EAHDVJUI + EAHDVFRU + EAHDVGRN + EAHDVORA + EAHDVSTA + EAHDVVEG	(0 <= EAHDVJUI <= 300) and (0 <= EAHDVFRU <= 300) and (0 <= EAHDVGRN <= 300) and (0 <= EAHDVORA <= 300) and (0 <= EAHDVSTA <= 300) and (0 <= EAHDVVEG <= 300)	Total number of times the respondent eats fruits and vegetables	(min: 0.0; max 1800.0)

8) Grouping of total daily consumption – fruits and vegetables

Variable name: EAHDVFVG

Based on: EAHDVFVT

Description: This variable classifies the respondent based on the total number of times per day he/she eats fruits and vegetables.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of the interview.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOEAH = 0	Module not selected	NA
9	EAHDVFVT = NS	At least one required question was not answered (not stated)	NS

1	EAHDVFVT < 5	Eats fruits and vegetables less than 5 times per day
2	5 <= EAHDVFVT <= 10	Eats fruits and vegetables between 5 and 10 times per day
3	EAHDVFVT > 10	Eats fruits and vegetables more than 10 times per day

9) Sugary drinks (including 100% pure fruit juice), consumed in the past 30 days

Variable name: EAHDVSBV

Based on: EAH_10A, EAH_15A, EAH_20A, EAH_25A, EAH_30A, EAH_35A

Description: This variable represents the respondent's total daily consumption of sugary drinks including 100% pure fruit juice.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of the interview.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOEAH = 0	Module not selected	NA
9	EAH_10A = NS or EAH_15A = NS or EAH_20A = NS or EAH_25A = NS or EAH_30A = NS or EAH_35A = NS or	At least one required question was not answered (not stated)	NS
1	(1 <= EAH_10A <= 995) or (1 <= EAH_15A <= 995) or (1 <= EAH_20A <= 995) or (1 <= EAH_25A <= 995) or (1 <= EAH_30A <= 995) or (1 <= EAH_35A <= 995)	Did drink sugary drinks (including 100% pure fruit juice) in the past 30 days	
0	EAH_10A = 0 and EAH_15A = 0 and EAH_20A = 0 and EAH_25A = 0 and EAH_30A = 0 and EAH_35A = 0 and	Did not drink sugary drinks (including 100% pure fruit juice) in the past 30 days	

10) Sugary drinks (excluding 100% pure fruit juice), consumed in the past 30 days

Variable name: EAHDVDAS

Based on: EAH_15A, EAH_20A, EAH_25A, EAH_30A, EAH_35A

Description: This variable represents the respondent's total daily consumption of sugary drinks excluding 100% pure fruit juice.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of the interview.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOEAH = 0	Module not selected	NA
9	EAH_15A = NS or EAH_20A = NS or EAH_25A = NS or EAH_30A = NS or EAH_35A = NS or	At least one required question was not answered (not stated)	NS
1	(1 <= EAH_15A <= 995) or (1 <= EAH_20A <= 995) or (1 <= EAH_25A <= 995) or (1 <= EAH_30A <= 995) or (1 <= EAH_35A <= 995)	Did drink sugary drinks (excluding 100% pure fruit juice) in the past 30 days	
0	EAH_15A = 0 and EAH_20A = 0 and EAH_25A = 0 and EAH_30A = 0 and EAH_35A = 0 and	Did not drink sugary drinks (excluding 100% pure fruit juice) in the past 30 days	

11) Daily consumption – fruits and vegetables (excluding 100% pure fruit juice)

Variable name: EAHDVFV2

Based on: EAHDVFRU, EAHDVGRN, EAHDVORA, EAHDVSTA, EAHDVVEG

Description: This variable represents the respondent's total daily consumption of fruits and vegetables excluding 100% pure fruit juice.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of the interview.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9999.6	DOEAH = 0	Module not selected	NA
9999.9	EAHDVFRU = NS or EAHDVGRN = NS or EAHDVORA = NS or EAHDVSTA = NS or EAHDVVEG = NS	At least one required question was not answered (not stated)	NS
EAHDVFRU + EAHDVGRN + EAHDVSTA + EAHDVORA + EAHDVVEG	(0 <= EAHDVFRU <= 300) and (0 <= EAHDVGRN <= 300) and (0 <= EAHDVORA <= 300) and (0 <= EAHDVSTA <= 300) and (0 <= EAHDVVEG <= 300)	Total number of times the respondent eats fruits and vegetables	(min: 0.0; max: 1500.0)

12) Grouping of total daily consumption – fruits and vegetables

Variable name: EAHDVGR2

Based on: EAHDVFV2

Description: This variable classifies the respondents based on the total number of times per day he/she eats fruits and vegetables excluding 100% pure fruit juice.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of the interview.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOEAH = 0	Module not selected	NA
9	EAHDVFV2 = NS	At least one required question was not answered (not stated)	NS
1	EAHDVFV2 < 5	Eats fruits and vegetables less than 5 times per day	
2	5 <= EAHDVFV2 <= 10	Eats fruits and vegetables between 5 and 10 times per day	
3	EAHDVFV2 > 10	Eats fruits and vegetables more than 10 times per day	

E-Cigarette and vaping (1 DV)

1) E-Cigarette / vaping device and cigarette use

Variable name: EVCDVSMK

Based on: ECV_05, ECV_10, ECV_30, CSS_05, CSS_10

Description: This variable indicates whether the respondent tried an e-cigarette/vaping device or a cigarette first, or only tried an e-cigarette/vaping device or a cigarette, or never tried either.

Note: Respondents who answered having smoked a whole cigarette (CSS_05 = 1) were considered as having tried a cigarette.

Specifications

Value	Condition(s)	Description	Notes
6	DOECV = 0	Module not selected	NA
9	ECV_05 = NS or ECV_10 = NS or ECV_30 = NS or CSS_05 = NS or CSS_10 = NS	At least one required question was not answered (not stated)	NS
1	CSS_10 < 996 and ECV_10 < 996 and (CSS_10 > ECV_10 or (CSS_10 = ECV_10 and ECV_30 = 2))	Tried an e-cigarette/vaping device first (has tried both)	
2	CSS_10 < 996 and ECV_10 < 996 and (CSS_10 < ECV_10 or (CSS_10 = ECV_10 and ECV_30 = 2))	Tried cigarette first (has tried both)	
3	ECV_05 = 1 and CSS_05 = 2	Only tried e-cigarette/vaping device	
4	ECV_05 = 2 and CSS_05 = 1	Only tried cigarette	
5	CV_05 = 2 and CSS_05 = 2	Never tried an e-cigarette/vaping device and never tried a cigarette	

Education (2 DVs)

1) Highest level of education – respondent, 3 level

Variable name: EDDVR3

Based on: ED_05

Description: This variable indicates the highest level of education attained by the respondent.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOED = 0	Module not selected	NA
9	ED_05 = NS	At least one required question was not answered (not stated)	NS
1	ED_05 = 1	Less than secondary school graduation	
2	ED_05 = 2	Secondary school graduation, no post-secondary education	
3	ED_05 = (3, 4, 5, 6, 7)	Post-secondary certificate/diploma or university degree	

2) Highest level of education – household, 3 levels

Variable name: EDDVH3

Based on: EDDVR3 for each member of the household.

Description: This variable indicates the highest level of education attained among all members of the household.

Note: This variable is derived by temporarily creating EDDVR3 for each member of the household (all INSTANCE within SSID). The highest value is then obtained by comparing values of EDDVR3 for all members within the household. The highest level of education in the household is coded to 'not stated' when there is not enough information to derive based on the education of all household members.

Food security (3 DVs)

Temporary reformat			
Value	**Condition(s)**	**Description**	**Notes**
DHHTDKS			
1	DHHDVYKD <> 0 or DHHDVOKD <> 0	Set value to 1 to indicate households WITH children (aged less than 18)	
0	DHHDVYKD = 0 and DHHDVOKD = 0	Set value to 0 to indicate households WITHOUT children (aged less than 18)	
FSCT10			
0	FSC_10 = 3 and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_10 = (1 or 2) and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions	
FSCT15			
0	FSC_15 = 3 and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_15 = (1 or 2) and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions	
FSCT20			
0	FSC_20 = 3 and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_20 = (1 or 2) and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions	
FSCT25			
0	FSC_25 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_25 = (1 or 2) and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions	
FSCT30			
0	FSC_30 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_30 = (1 or 2) and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions	
FSCT35			
0	FSC_35 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_35 = (1 or 2) and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions	
FSCT40			
0	FSC_40 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_40 = 1 and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions	

FSCT45

0	FSC_45 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_45 = (1 or 2) and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions

FSCT50

0	FSC_50 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_50 = 1 and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions

FSCT55

0	FSC_55 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_55 = 1 and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions

FSCT60

0	FSC_60 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_60 = 1 and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions

FSCT65

0	FSC_65 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_65 = 1 and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions

FSCT70

0	FSC_70 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_70 = (1 or 2) and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions

FSCT75

0	FSC_75 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_75 = 1 and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions

FSCT80

0	FSC_80 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_80 = 1 and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions

FSCT85

0	FSC_85 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.

1	FSC_85 = (1 or 2) and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions	

FSCT90			FSCT20
0	FSC_90 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	0
1	FSC_90 = 1 and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions	

FSCT95		
0	FSC_95 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_95 = 1 and DOFSC = 1	Set the value to 1 if the respondent did provide an "affirmative" response to food security questions

FSCTASUM		
FSCT10 + FSCT15 + FSCT20 + FSCT40 + FSCT45 + FSCT50 + FSCT55 + FSCT60 + FSCT65 + FSCT70	All	Sum of all temporary variables for adults to be used in determining the level of household food insecurity. Total will range from 0 to 10.

FSCTCSUM		
FSCT25 + FSCT30 + FSCT35 + FSCT75 + FSCT80 + FSCT85 + FSCT90 + FSCT95	All	Sum of all temporary variables for children to be used in determining the level of household food insecurity. Total will range from 0 to 8.

1) Food security – adult status (including "marginally food insecure"

Variable name: FSCDVAF2

Based on: FSC_10, FSC_15, FSC_20, FSC_40, FSC_45, FSC_50, FSC_55, FSC_60, FSC_65, FSC_70, FSCTASUM

Description: This variable is based on a set of 10 adult-referenced questions and describes the food security situation of the adult members of the household in the previous 12 months. It captures four kinds of situations:

0 - Food secure: No indication of difficulty with income-related food access.
1 - Marginally food insecure: Exactly one indication of difficulty with income-related food access.
2 - Moderately food insecure: Indication of compromise in quality and/or quantity of food consumed (2 to 5 affirmative responses).
3 - Severely food insecure: Indication of reduced food intake and disrupted eating patterns (>= 6 affirmative responses).

This variable is adopted from the Health Canada model of food security status. In 2020, Health Canada updated its recommended derivation of food insecurity measures to include the level 'marginal food insecurity'. Historically, this category was considered part of the population defined as 'food secure'. Users wishing to compare estimates from this table to earlier cycles of CCHS that do not include 'marginal food insecurity' should add the totals of the categories 'marginally insecure' and 'food secure' from this table to compare to the 'food secure' category of the earlier table. For international comparability, food insecurity is typically considered to be the combination of 'moderate' and 'severe' insecurity.

Note: This variable does not necessarily reflect the experience of all adult members in the household. When using the person weights (WTS_M), this variable reflects the number of people living in households with food insecurity among the adult members of the household. When using the household weights (WTS_MHH), this variable reflects the number of households with food insecurity among the adult members of the household.

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOFSC = 0	Module not selected	NA
9	FSC_10 = NS or FSC_15 = NS or FSC_20 = NS or FSC_40 = NS or FSC_45 = NS or FSC_50 = NS or	At least one required question was not answered (don't know, refusal, not stated) or the person most knowledgeable about the household was not available to answer questions for respondents aged 17 or younger.	NS

	FSC_55 = NS or FSC_60 = NS or FSC_65 = NS or FSC_70 = NS	
0	FSCTASUM = 0	Food secure
1	FSCTASUM = 1	Marginally food insecure
2	(FSCTASUM >= 2 and FSCTASUM <= 5)	Moderately food insecure
3	(FSCTASUM >= 6 and FSCTASUM <= 10)	Severely food insecure

Reference: The model for FSCDVAF2 is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004)-Income-Related Household Food Security in Canada".

2) Food security – child status (including "marginally food insecure"

Variable name: FSCDVCF2

Based on: FSC_25, FSC_30, FSC_35, FSC_75, FSC_80, FSC_85, FSC_90, FSC_95, FSCTCSUM, DHHTDKS

Description: This variable is based on a set of 8 child-referenced questions and describes the food security situation of the child (less than 18 years old) members of the household in the previous 12 months. It captures four kinds of situations:

0 - Food secure: No indication of difficulty with income-related food access.
1 - Marginally food insecure: Exactly one indication of difficulty with income-related food access.
2 - Moderately food insecure: Indication of compromise in quality and/or quantity of food consumed (2 to 4 affirmative responses).
3 - Severely food insecure: Indication of reduced food intake and disrupted eating patterns (>= 5 affirmative responses).

This variable is adopted from the Health Canada model of food security status. In 2020, Health Canada updated its recommended derivation of food insecurity measures to include the level 'marginal food insecurity'. Historically, this category was considered part of the population defined as 'food secure'. Users wishing to compare estimates from this table to earlier cycles of CCHS that do not include 'marginal food insecurity' should add the totals of the categories 'marginally insecure' and 'food secure' from this table to compare to the 'food secure' category of the earlier table. For international comparability, food insecurity is typically considered to be the combination of 'moderate' and 'severe' insecurity.

Note: This variable is only defined for households with individuals who are either aged 15 or less (DHHDVYKD=1), or aged 16 or 17 (DHHDVOKD=1). This variable does

not necessarily reflect the experience of all child members in the household. When using the person weights (WTS_M), this variable reflects the number of people living in households with food insecurity among the child members of the household. When using the household weights (WTS_MHH), this variable reflects the number of households with food insecurity among the child members of the household.

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOFSC = 0	Module not selected	NA
6	DHHTDKS = 0	Population exclusions (household without children)	NA
9	FSC_25 = NS or FSC_30 = NS or FSC_35 = NS or FSC_75 = NS or FSC_80 = NS or FSC_85 = NS or FSC_90 = NS or FSC_95 = NS	At least one required question was not answered (don't know, refusal, not stated) or the person most knowledgeable about the household was not available to answer questions for respondents aged 17 or younger.	NS
0	DHHTDKS = 1 and FSCTCSUM = 0	Food secure	
1	DHHTDKS = 1 and FSCTCSUM = 1	Marginally food insecure	
2	DHHTDKS = 1 and (FSCTCSUM >= 2 and FSCTCSUM <= 4)	Moderately food insecure	
3	DHHTDKS = 1 and (FSCTCSUM >= 5 and FSCTCSUM <= 8)	Severely food insecure	

Reference: The model for FSCDVCF2 is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004)-Income-Related Household Food Security in Canada".

3) Household food security status – modified version (including "marginally food insecure"

Variable name: FSCDVHF2

Based on: FSC_10, FSC_15, FSC_20, FSC_25, FSC_30, FSC_35, FSC_40, FSC_45, FSC_50, FSC_55, FSC_60, FSC_65, FSC_70, FSC_75, FSC_80, FSC_85, FSC_90, FSC_95, FSCTASUM, FSCTCSUM, DHHTDKS

Description: This variable is based on a set of 18 questions and describes the food security situation of the household in the previous 12 months. It captures four kinds of situations:

0 - Food secure: No indication of difficulty with income-related food access.
1 - Marginally food insecure: Exactly one indication of difficulty with income-related food access.
2 - Moderately food insecure: Indication of compromise in quality and/or quantity of food consumed.
3 - Severely food insecure: Indication of reduced food intake and disrupted eating patterns.

This variable is adopted from the Health Canada model of food security status. In 2020, Health Canada updated its recommended derivation of food insecurity measures to include the level 'marginal food insecurity'. Historically, this category was considered part of the population defined as 'food secure'. Users wishing to compare estimates from this table to earlier cycles of CCHS that do not include 'marginal food insecurity' should add the totals of the categories 'marginally insecure' and 'food secure' from this table to compare to the 'food secure' category of the earlier table. For international comparability, food insecurity is typically considered to be the combination of 'moderate' and 'severe' insecurity.

Note: When using the person weight (WTS_M), this variable reflects the number of people living the household with food insecurity. When using the household weight (WTS_MHH), this variable reflects the number of households with food insecurity.

Households with children are defined as households with individuals who are either aged 15 or less (DHHDVYKD=1), or aged 16 or 17 (DHHDVOKD=1).

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative"

(i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOFSC = 0	Module not selected	NA
9	FSC_10 = NS or FSC_15 = NS or FSC_20 = NS or FSC_25 = NS or FSC_30 = NS or FSC_35 = NS or FSC_40 = NS or FSC_45 = NS or FSC_50 = NS or FSC_55 = NS or FSC_60 = NS or FSC_65 = NS or FSC_70 = NS or FSC_75 = NS or FSC_80 = NS or FSC_85 = NS or FSC_90 = NS or FSC_95 = NS	At least one required question was not answered (don't know, refusal, not stated) or the person most knowledgeable about the household was not available to answer questions for respondents aged 17 or younger.	NS
0	(DHHTDKS = 1 and FSCTASUM = 0 and FSCTCSUM = 0) or (DHHTDKS = 0 and FSCTASUM = 0)	Food secure	
1	(DHHTDKS = 1 and ((FSCTASUM = 1 and FSCTCSUM = 0) or (FSCTASUM = 0 and FSCTCSUM = 1) or (FSCTASUM = 1 and FSCTCSUM = 1))) or (DHHTDKS = 0 and FSCTASUM = 1)	Marginally food insecure	
2	(DHHTDKS = 1 and (FSCTASUM >= 2 and FSCTASUM <= 5) and (FSCTCSUM >= 2 and FSCTCSUM <= 4)) or (DHHTDKS = 1 and (((FSCTASUM >= 2 and	Moderately food insecure	

	FSCTASUM <= 5) and (FSCTCSUM <= 4)) or ((FSCTASUM <= 5) and (FSCTCSUM >= 2 and FSCTCSUM <= 4)))) or (DHHTDKS = 0 and (FSCTASUM >= 2 and FSCTASUM <= 5))	
3	(DHHTDKS = 1 and ((FSCTASUM >= 6 and FSCTASUM <= 10) or (FSCTCSUM >= 5 and FSCTCSUM <= 8))) or (DHHTDKS = 0 and (FSCTASUM >= 6 and FSCTASUM <= 10))	Severely food insecure

Reference: The model for FSCDVHF2 is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004)-Income-Related Household Food Security in Canada".

Geography variables (17 DVs)

The Postal Code Conversion File (PCCF) was used in the derivation of the geographic variables. Most of the geographic variables use the geography from the 2021 Census.

1) Postal code

Variable name: GEODVPC

Based on: Respondent address information

Description: The Canadian postal code offers a unique reference system which provides a means of identifying a mail delivery location. It is composed of six alpha-numeric characters, in the form of "ANA NAN", where "A" represents a letter of the alphabet and "N" a number. The first character of a postal code (allocated in alphabetic sequence from east to west across Canada) represents a province or territory or a major sector entirely within a province. GEODVPC is derived from the respondent's available address information.

Note: Note that while the postal code variable is available on the data files for analysis, no aggregate data should be disseminated at this level of geography.

2) 2021 Census dissemination area (DA)

Variable name: GEODVD21

Based on: GEODVPC

Description: The dissemination area (DA) is a small, relatively stable geographic unit composed of one or more dissemination blocks. It is the smallest standard geographic area for which all census data are disseminated. DAs cover all the territory of Canada. GEODVD21 is based on the Postal Code Conversion File (PCCF), which provides a correspondence between the postal code and Statistics Canada's standard geographical areas for which census data and other statistics are produced. It is composed of the two digit province/territory code, the two digit census division code and the four digit dissemination area code. When the postal code corresponds to more than one DA, the case is assigned probabilistically, taking into account population totals.

3) 2016 Census dissemination area (DA)

Variable name: GEODVD16

Based on: GEODVPC

Description: The dissemination area (DA) is a small, relatively stable geographic unit composed of one or more dissemination blocks. It is the smallest standard geographic area for which all census data are disseminated. DAs cover all the territory of Canada. GEODVD16 is based on the Postal Code Conversion File (PCCF), which provides a correspondence between the postal code and Statistics Canada's standard geographical areas for which census data and other statistics are produced. It is composed of the two digit province/territory code, the two digit census division code and the four digit dissemination area code. When the postal code corresponds to more than one DA, the case is assigned probabilistically, taking into account population totals.

4) 2021 Census subdivision (CSD)

Variable name: GEODVCSD

Based on: GEODVD21

Description: The Census Subdivision is the general term applied to municipalities (as determined by provincial legislation) or their equivalent, e.g., Indian reserves, Indian settlements and unorganized territories. In Newfoundland and Labrador, Nova Scotia and British Columbia, the term also describes geographic areas that have been created by Statistics Canada in co-operation with the provinces as equivalents for municipalities.

5) 2021 Census federal electoral district (FED)

Variable name: GEODVFED

Based on: GEODVD21

Description: A federal electoral district refers to any place or territorial area entitled to elect a representative member to serve in the House of Commons (Source: Canada Elections Act, 1990). There are 338 FEDs in Canada, and the FEDs used for the 2021 Census are based on the 2013 Representation Order. The first two digits identify the province or territory.

6) 2021 Census division (CD)

Variable name: GEODVCD

Based on: GEODVD21

Description: The Census Division refers to geographic areas established by provincial law, which are intermediate geographic areas between the census subdivision and the province (e.g., divisions, counties, regional districts, regional municipalities and seven other types of geographic areas made up of groups of census subdivisions). In Newfoundland and Labrador, Manitoba, Saskatchewan and Alberta, provincial law does not provide for these administrative geographic areas. Therefore, census divisions have been created by Statistics Canada in co-operation with these provinces.

7) 2021 Census metropolitan area (CMA)

Variable name: GEODVCMA

Based on: GEODVPC

Description: The general concept of a census metropolitan area (CMA) is one of a very large urban population centre, together with adjacent urban and rural areas which have a high degree of economic and social integration with that population centre. A CMA is delineated around a population centre (called the urbanized core and having a population of at least 100,000, based on the previous census). There are 41 CMAs according to the 2021 Census definition. When a postal code is not in a CMA, this variable is equal to 000.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
000		No CMA assigned	
001		St. John's	
205		Halifax	
305		Moncton	
310		Saint John	
320		Fredericton	
408		Saguenay	
421		Québec	
433		Sherbrooke	
442		Trois-Rivières	
447		Drummondville	
462		Montréal	

505	Ottawa-Gatineau
521	Kingston
522	Belleville – Quinte West
529	Peterborough
532	Oshawa
535	Toronto
537	Hamilton
539	St. Catharines – Niagara
541	Kitchener – Cambridge - Waterloo
543	Brantford
550	Guelph
555	London
559	Windsor
568	Barrie
580	Greater Sudbury / Grand Sudbury
595	Thunder Bay
602	Winnipeg
705	Regina
725	Saskatoon
810	Lethbridge
825	Calgary
830	Red Deer
835	Edmonton
915	Kelowna
925	Kamloops
930	Chilliwack
932	Abbotsford – Mission
933	Vancouver
935	Victoria
938	Nanaimo

8) 2021 Census Agglomeration (CA)

Variable name: GEODVCA

Based on: GEODVPC

Description: The general concept of a census agglomeration (CA) is one of a medium size urban population centre. A CA is delineated around a population centre (called the urbanized core and having a population of at least 10,000, and no more than 100,000 based on the previous census). There are 111 CAs according to the 2021 Census definition. When a postal code is not in a CA, this variable is equal to 000.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
000		No CA assigned	
010		Grand Falls-Windsor	
011		Gander	
015		Corner Brook	
105		Charlottetown	
110		Summerside	
210		Kentville	
215		Truro	
220		New Glascow	
225		Cape Breton	
328		Bathurst	
329		Miramichi	
330		Campbelton	
335		Edmunston	
403		Matane	
404		Rimouski	
405		Rivière-du-Loup	
406		Baie-Comeau	
410		Alma	
411		Dolbeau-Mistassini	
412		Sept-Îles	
423		Sainte-Marie	
428		Saint-Georges	
430		Thetford-Mines	
437		Cowansville	
440		Victoriaville	
444		Shawinigan	
450		Granby	
452		Saint-Hyacinthe	
454		Sorel-Tracy	
456		Joliette	
465		Salaberry-de-Valleyfield	
467		Sainte-Agathe-des-Monts	
468		Lachute	
480		Val-d'Or	
481		Amos	
485		Rouyn-Noranda	
501		Cornwall	
502		Hawkesbury	
512		Brockville	
515		Pembroke	
516		Petawawa	
527		Cobourg	
528		Port Hope	

530	Kawartha Lakes
531	Centre Wellington
533	Ingersoll
544	Woodstock
546	Tilsonburg
547	Norfolk
553	Stratford
556	Chatham-Kent
562	Sarnia
563	Essa
565	Wasaga Beach
566	Owen Sound
567	Collingwood
569	Orillia
571	Midland
575	North Bay
582	Elliot Lake
586	Timmins
590	Sault Ste. Marie
598	Kenora
603	Winkler
605	Steinbach
607	Portage la Prairie
610	Brandon
640	Thompson
710	Yorkton
715	Moose Jaw
720	Swift Current
735	North Battleford
745	Prince Albert
750	Estevan
755	Weyburn
805	Medicine Hat
806	Brooks
820	Okotoks
821	High River
826	Strathmore
828	Canmore
831	Sylvan Lake
832	Lacombe
833	Camrose
840	Lloydminster
850	Grande Prairie
860	Wood Buffalo
865	Wetaskiwin
905	Cranbrook

907	Nelson
910	Trail
913	Penticton
918	Vernon
920	Salmon Arm
934	Squamish
936	Ladysmith
937	Duncan
939	Parksville
940	Port Alberni
943	Courtenay
944	Campbell River
945	Powell River
950	Williams Lake
952	Quesnel
955	Prince Rupert
965	Terrace
970	Prince George
975	Dawson Creek
977	Fort St. John
990	Whitehorse
995	Yellowknife

9) Statistical area classification type (SAT)

Variable name: GEODVSAT

Based on: GEODVCSD

Description: The Statistical Area Classification (SAC) groups census subdivisions (CSDs) according to whether they are a component of a census metropolitan area (CMA), a census agglomeration (CA), a census metropolitan area and census agglomeration influenced zone (strong MIZ, moderate MIZ, weak MIZ or no MIZ), or the territories (Northwest Territories, Yukon and Nunavut). A SAC code type is assigned to each CSD. The SAC is used for data dissemination purposes.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
1		CMA	
2		Tracted CA	
3		Non-tracted CA	
4		Strongly influenced zone	
5		Moderately influenced zone	
6		Weakly influenced zone	

7	Non-influenced zone
8	Territories

10) Health Region

Variable name: GEODVHR4

Based on: GEODVPC

Description: This variable is a four digits number that identifies the health region. Health regions refer to health administrative areas defined by the provincial ministries of health. For complete Canadian coverage, each of the northern territories represents its own health region. This variable is derived using the information available on the survey frame at the time of sampling and the geographic information provided by the respondent.

Note: More details on health regions can be found in the "Health regions and peer groups" section of the online publication "Health Indicators", Statistics Canada, catalogue number 82-221-X. Correspondence files (linking health regions to latest census geographic codes) and digital boundary files are also available in the online publication "Health regions: Boundaries and Correspondence with Census Geography", Statistics Canada, catalogue number 82-402-X.

11) Peer group 2021

Variable name: GEODVP21

Based on: GEODVHR4

Description: The health regions have been classified into 9 like clusters or "Peer Groups", for the purposes of meaningful analysis in comparing similar regions across the country. Peer groups were defined using the 2021 census demographic data.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
1	GEODVHR4= 2417, 2418, 4604, 4721, 6201	Health Region Peer Group A: Northern and remote regions with very low population density. Very high Indigenous population. Very high long-term unemployment rate.	
2	GEODVHR4=	Health Region Peer Group B:	

	1021, 1022, 1023, 1201, 1202, 1203, 1304, 1305, 1306, 1307, 2411, 3526	Mainly rural Eastern regions with low population density. Very low proportion of immigrants who arrived between 2011 and 2021. Very low average dwelling value. Very high long-term unemployment rate.
3	GEODVHR4= 2406, 3595, 5931, 5932	Health Region Peer Group C: Largest metro centers (Toronto, Montreal, Vancouver/Richmond). Very high population density. Very high proportion of immigrants who arrived between 2011 and 2021.
4	GEODVHR4= 3536, 3551, 3553, 3570, 4832, 4834, 5923	Health Region Peer Group D: Large cities and suburbs in Ontario, Alberta and British Columbia. Very high population density. Very high proportion of immigrants who arrived between 2011 and 2021. High long-term unemployment rate.
5	GEODVHR4= 1024, 3549, 3556, 3562, 3563, 4602, 4603, 4605, 4722, 4723, 4725, 4726, 4831, 4833, 4835, 5951, 5952, 5953, 6001, 6002	Health Region Peer Group E: Mainly Northern regions in Ontario and British Columbia and rural regions in the Prairies. High Indigenous population. Low population density.
6	GEODVHR4= 2401, 2402, 2403, 2404, 2405, 2408, 2409, 2410, 2412, 2414, 2416	Health Region Peer Group F: Mainly regions in Quebec outside of Montreal. Very low long-term unemployment rate. Low proportion of immigrants who arrived between 2011 and 2021.
7	GEODVHR4= 1020, 1204, 2407, 2413, 3537, 3544, 3565, 3568, 4601, 4724, 4727	Health Region Peer Group G: Mainly urban centers with high population density. High proportion of immigrants who arrived between 2011 and 2021. Medium average dwelling value.
8	GEODVHR4= 3530, 3566, 5921, 5922, 5933, 5941	Health Region Peer Group H: Mainly urban centers near Toronto and Vancouver. High population density. Very high average dwelling value.
9	GEODVHR4= 1100, 1301, 1302, 1303, 2415, 3527, 3533, 3534, 3535, 3538, 3540, 3541,	Health Region Peer Group I: Sparsely populated urban-rural mix from coast to coast. Medium population density. High average dwelling value.

	3542, 3543, 3546, 3547, 3550, 3555, 3557, 3558, 3560, 3561, 3575, 5911, 5912, 5913, 5914, 5942, 5943

Reference: A more detailed discussion on the rationale methods involved in the development of peer groups will be available in the following publication: Health Research Working Paper Series – https://www150.statcan.gc.ca/n1/en/catalogue/82-622-X

12) Population centre or rural area type

Variable name: GEODVUR

Based on: GEODVPC

Description: This variable identifies whether the respondent lives in a population centre or a rural area within or outside of a census metropolitan area (CMA) or census agglomeration (CA). Population centres are those continuously built-up areas having a population concentration of 1,000 or more and a population density of 400 or more per square kilometre based on 2021 Census population counts.

A CMA or CA can have two types of cores: the core and the secondary core. The core is the population centre with the highest population, around which a CMA or a CA is delineated. The core must have a population (based on the 2021 Census) of at least 50,000 persons in the case of a CMA, or at least 10,000 persons in the case of a CA. The secondary core is a population centre within a CMA that has at least 10,000 persons and was the core of a CA that has been merged with an adjacent CMA.

The term 'fringe' includes all population centres within a CMA or CA that have less than 10,000 persons and are not contiguous with the core or secondary core.

All territory within a CMA or CA that is not classified as a core or fringe is classified as rural area.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
1		Core	
2		Fringe	
3		Rural area inside of a CMA or CA	
4		Population centre outside of a CMA and CA	
5		Rural area outside of a CMA or CA	
6		Secondary core	

13) Population centre or rural area type – grouped

Variable name: GEODVUR2

Based on: GEODVUR

Description: This variable is a grouping of GEODVUR into 2 categories (Population Centre and Rural Area).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
1	GEODVUR = (1, 2, 4 or 6)	Population Centre	
2	GEODVUR = (3 or 5)	Rural Area	

14) Population centre or rural area classification

Variable name: GEODVPSZ

Based on: GEODVPC

Description: This variable identifies whether the respondent lives in a population centre or rural area, and the size of the population centre if applicable

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
1		Rural area (less than 1,000)	
2		Small population centre (1,000 to 29,999)	
3		Medium population centre (30,000 to 99,999)	
4		Large urban population centre (100,000 or greater)	

15) British Columbia Health Authority (BCHA)

Variable name: GEODVBHA

Based on: GEODVPC

Description: This variable is a four-digit number that identifies the 5 Health Authorities for British Columbia. It is equal to 9996 (for not applicable) anywhere else. This variable is derived using the information available on the survey frame at the time of sampling and the geographic information provided by the respondent.

16) Ontario Health Region (OHR)

Variable name: GEODVOHR

Based on: GEO_PRV, GEODVPC

Description: This variable is a four-digit number that identifies sub-provincial health areas of Ontario. It is equal to 9996 everywhere outside Ontario. Data in Ontario are provided for two levels of geography: Public Health Units (PHU) and the Ontario Health Regions (Until 2021, most health functions were governed by the Local Health Integration Network or LHIN but are now governed by OHRs). As of 2015, the OHR given on the CCHS file is the "statistical" OHR. Statistical OHR are formed by reclassifying a small percentage of units from one OHR to another where the PHU-OHR intersections are particularly small. This reclassification facilitates estimation at the PHU and OHR level from one set of weights.

17) Alberta subzone

Variable name: GEODVASZ

Based on: GEODVPC

Description: This variable is a six-digit number that identifies the subzones for Alberta. It is equal to 999996 (for not applicable) anywhere else. This variable is derived using boundary file provided by Alberta and the geographic information provided by the respondent.

Home care services (2 DVs)

1) Received home care services

Variable name: HMCDVVRH

Based on: AWCAGE, HMC_005A, HMC_005B, HMC_005C, HMC_005D, HMC_005E, HMC_005F, HMC_005G

Description: This variable indicates whether a household member received some form of home care service (whether the cost of the service was covered or not by government) in the past 12 months.

Starting 2015, this variable represent households where at least one member received home care services, rather than the respondent.

Note: Respondents less than 18 years old were excluded from the population.

When using the person weight (WTS_M), this variable reflects the number of people living in households who received some form of home care service. When using the household weights (WTS_MHH), this variable reflects the number of households where at least one member received some form of home care service.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOHMC = 0	Module not selected	NA
6	AWCAGE < 18	Population exclusions	NA
9	HMC_005A = NS or HMC_005B = NS or HMC_005C = NS or HMC_005D = NS or HMC_005E = NS or HMC_005F = NS or HMC_005G = NS	At least one required question was not answered (not stated)	ND
1	HMC_005A = 1 or HMC_005B = 1 or HMC_005C = 1 or HMC_005D = 1 or HMC_005E = 1 or HMC_005F = 1	Received some home care services in the past 12 months	
2	HMC_005G = 1	No one in the household received any home care services in past 12 months	

2) Household where home care services helped recipients stay at home

Variable name: HMCDVHLP

Based on: DHH_AGE, HMC_005G, HMC_037

Description: This variable indicates whether a household member who received some form of home care service in the past 12 months perceived that the services helped them stay at home. By "stay at home" we mean that it enabled the recipient to stay out of a hospital, nursing home, hospice, or assisted living facility.

Note: When household weights are used, this variable can be used to represent the number of households where home care services were received, and where these services helped the household members who received the care to stay home. The person-level weight may only be used in cases where the respondents themselves received home care services, as verified in the responses to HMC_Q010. Other household members may also have received home care services. Estimates produced using the person-level weight represent the number of people aged 18 and older who were able to stay home because of the home care services they received.

Specifications

Value	Condition(s)	Description	Notes
6	DOHMC = 0	Module not selected	NA
6	AWCAGE < 18	Population exclusions	NA
9	HMC_037 = NS	At least one required question was not answered (not stated)	ND
1	HMC_037 = (1 or 2)	Home care services were very helpful or somewhat helpful for staying at home	
2	HMC_037 = 3	Home care services were not helpful for staying at home	

Health utilities index (13 DVs)

1) Vision: ability to recognize a friend without corrective lenses

Variable name: HUIVIS1

Based on: HUI_005, HUI_005A, HUI_010, HUI_010A, HUI_015, HUI_015A

Description: This variable merge the responses to the duplicate questions HUI_005A, HUI_010A and HUI_015A and determines the respondent's ability to see well enough to recognize a friend on the other side of the street without corrective lenses (glasses or contacts).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOHUI = 0	Module not selected	NA
6	HUI_005 = 2 and HUI_010 = 2 and HUI_015 = 2	Population exclusions (those who are unable to see at all)	NA
9	HUI_005A = 9 or HUI_010A = 9 or HUI_015A = 9	At least one required question was not answered (not stated)	NS
1	HUI_005A = 1 or HUI_010A = 1 or HUI_015A = 1	Able to recognize a friend without glasses or contacts	
2	HUI_005A = 2 or HUI_010A = 2 or HUI_015A = 2	Unable to recognize a friend without glasses or contacts	

2) Vision: ability to recognize a friend with corrective lenses

Variable name: HUIVIS2

Based on: HUI_005, HUI_005B, HUI_010, HUI_010B, HUI_015, HUI_015B

Description: This variable merge the responses to the duplicate questions HUI_005B, HUI_010B et HUI_015B and determines the respondent's ability to see well enough to recognize a friend on the other side of the street with corrective lenses (glasses or contacts).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOHUI = 0	Module not selected	NA

6	HUI_005 = 2 and HUI_010 = 2 and HUI_015 = 2 or (HUI_005A = 1 or HUI_010A = 1 or HUI_015A =1)	Population exclusions (those who are unable to see at all)	NA
9	HUI_005B = 9 or HUI_010B = 9 or HUI_015B = 9	At least one required question not answered (not stated)	NS
1	HUI_005B = 1 or HUI_010B = 1 or HUI_015B = 1	Able to recognize a friend with glasses or contacts	
2	HUI_005B = 2 or HUI_010B = 2 or HUI_015B = 2	Unable to recognize a friend with glasses or contacts	

3) Vision health status

Variable name: HUIDVVIS

Based on: HUI_005, HUI_010, HUI_015, HUIVIS1, HUIVIS2

Description: Vision health status refers to a person's ability to see. This is based on his or her ability to perform certain visual tasks such as reading ordinary newsprint or recognizing a friend on the other side of the street. The use of corrective lenses such as glasses or contact lenses is taken into consideration in this concept of ability/disability.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DOHUI = 0	Module not selected	NA
99	HUI_005 = NS or HUI_010 = NS or HUI_015 = NS or HUIVIS1 = NS or HUIVIS2 = NS	At least one required question was not answered (not stated)	NS
01	HUI_005 = 1 and HUI_010 = NA and HUI_015 = NA and HUIVIS1 = 1 and HUIVIS2 = NA	Able to see well	
02	(HUI_005 = 1 and HUI_010 = NA and	Able to see well with glasses or contacts (close, distance, or both)	

	HUI_015 = NA and HUIVIS1= 2 and HUIVIS2= 1) or (HUI_005 = 2 and HUI_010 = 1 and HUI_015 = NA and HUIVIS1 = 1 and HUIVIS2 = NA) or (HUI_005 = 2 and HUI_010 = 1 and HUI_015 = NA and HUIVIS1 = 2 and HUIVIS2 = 1)	
03	(HUI_005 = 1 and HUI_010 = NA and HUI_015 = NA and HUIVIS1 = 2 and HUIVIS2 = 2) or (HUI_005 = 2 and HUI_010 = 1 and HUI_015 = NA and HUIVIS1 = 2 and HUIVIS2 = 2)	Unable to see distance, even with lenses
04	(HUI_005 = 2 and HUI_010 = 2 and HUI_015 = 1 and HUIVIS1 = 1 and HUIVIS2 = NA) or (HUI_005 = 2 and HUI_010 = 2 and HUI_015 = 1 and HUIVIS1 = 2 and HUIVIS2 = 1)	Unable to see close, even with lenses
05	HUI_005 = 2 and HUI_010 = 2 and HUI_015 = 1 and HUIVIS1 = 2 and HUIVIS2 = 2	Unable to see close and distance, even with lenses
06	HUI_005 = 2 and HUI_010 = 2 and HUI_015 = 2 and HUIVIS1 = NA and HUIVIS2 = NA	Unable to see at all

Reference: For more information on the Health Utilities Index and more details on each category please see http://www.healthutilities.com/hui3.htm

4) Hearing: Ability to hear one person in a quiet room without hearing aid

Variable name: HUIHEAR1

Based on: HUI_030, HUI_035, HUI_035A, HUI_040, HUI_040A

Description: This variable merge the responses to the duplicate questions HUI_035A and HUI_040A and determines the respondent's ability to hear what is said in a conversation with one other person in a quiet room without a hearing aid.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOHUI = 0	Module not selected	NA
6	HUI_030 = 1 or (HUI_30 = 2 and HUI_035 = 2 and HUI_040 = 2)	Population exclusions (those who are able to hear well, or those who are unable to hear at all)	NA
9	HUI_035A = 9 or HUI_040A = 9	At least one required question was not answered (not stated)	NS
1	HUI_035A = 1 or HUI_040A = 1	Able to hear one person in a quiet room without hearing aid	
2	HUI_035A = 2 or HUI_040A = 2	Unable to hear one person in a quiet room without hearing aid	

5) Hearing: Ability to hear one person in a quiet room with hearing aid

Variable name: HUIHEAR2

Based on: HUI_030, HUI_035, HUI_035B, HUI_040, HUI_040B

Description: This variable merge the responses to the duplicate questions HUI_035B and HUI_040B and determines the respondent's ability to hear what is said in a conversation with one other person in a quiet room with a hearing aid.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOHUI = 0	Module not selected	NA
6	HUI_030 = 1 or (HUI_30 = 2 and HUI_035 = 2 and HUI_040 = 2) or	Population exclusions (those who are able to hear well, or those who are unable to hear at all, or those who are able to hear one person in a quiet room without hearing aid)	NA

	HUI_040A = 1 or (HUI_030 = 2 and HUI_035 = 1 and HUI_035A =1)		
9	HUI_035B = 9 or HUI_040B = 9	At least one required question was not answered (not stated)	NS
1	HUI_035B = 1 or HUI_040B = 1	Able to hear one person in a quiet room with hearing aid	
2	HUI_035B = 2 or HUI_040B = 2	Unable to hear one person in a quiet room with hearing aid	

6) Hearing health status

Variable name: HUIDVHER

Based on: HUI_030, HUI_035, HUI_040, HUIHEAR1, HUIHEAR2

Description: Hearing health status refers to a person's ability to hear. This is based on his or her ability to perform certain auditory tasks such as being able to hear what is said in a conversation with one other person or being able to hear what is said in a group conversation. The use of a hearing aid is taken into consideration into this concept of ability/disability.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DOHUI = 0	Module not selected	NA
99	HUI_030 = NS or HUI_035 = NS or HUI_040 = NS or HUIHEAR1 = NS or HUIHEAR2 = NS	At least one required question was not answered (not stated)	NS
01	HUI_030 = 1 and HUI_035 = NA and HUI_040 = NA and HUIHEAR1 = NA and HUIHEAR2 = NA	Able to hear group conversation without hearing aid.	
02	HUI_030 = 2 and HUI_035 = 1 and HUI_040 = NA and HUIHEAR1 = 1 and HUIHEAR2 = NA	Able to hear one person in a quiet room without hearing aid, but requires hearing aid to hear group conversation.	
03	(HUI_030 = 2 and HUI_035 = 1 and HUI_040 = NA and	Able to hear one person in a quiet room and group conversation, with hearing aid.	

	HUIHEAR1 = 2 and HUIHEAR2 = 1) or (HUI_030 = 2 and HUI_035 = 1 and HUI_040 = NA and HUIHEAR1 = 2 and HUIHEAR2= 2)	
04	HUI_030 = 2 and HUI_035 = 2 and HUI_040 =1 and HUIHEAR1 = 1 and HUIHEAR2= NA	Able to hear one person in a quiet room without hearing aid, but unable to hear group conversation even with hearing aid.
05	HUI_030 = 2 and HUI_035 = 2 and HUI_040 = 1 and HUIHEAR1 = 2 and HUIHEAR2 = 1	Able to hear one person in a quiet room with hearing aid, but unable to hear group conversation even with hearing aid.
06	(HUI_030 = 2 and HUI_035 = 2 and HUI_040 = 1 and HUIHEAR1 = 2 and HUIHEAR2 = 2) or (HUI_030 = 2 and HUI_035 = 2 and HUI_040 = 2 and HUIHEAR1 = NA and HUIHEAR2 = NA)	Unable to hear at all

7) Speech health status

Variable name: HUIDVSPE

Based on: HUI_055, HUI_060, HUI_065, HUI_070

Description: Speech health status refers to a person's ability to speak and be understood. This is based on his or her ability to be understood by strangers and people who know him or her well.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOHUI = 0	Module not selected	NA
9	HUI_055 = NS or HUI_060 = NS or	At least one required question was not answered (not stated)	NS

	HUI_065 = NS or HUI_070 = NS	
1	HUI_055 = 1 and HUI_060 = NA and HUI_065 = NA and HUI_070 = NA	Able to be well understood
2	HUI_055 = 2 and HUI_060 = 1 and HUI_065 = 1 and HUI_070 = NA	Able to be understood by people who know them well and partially understood by strangers
3	HUI_055 = 2 and HUI_060 = 1 and HUI_065 = 2 and HUI_070 = 1	Able to be partially understood by people who know them well
4	(HUI_055 = 2 and HUI_060 = 2 and HUI_065 = 1 and HUI_070 = NA) or (HUI_055 = 2 and HUI_060 = 2 and HUI_065 = 2 and HUI_070 = 1)	Unable to be understood by strangers
5	(HUI_055 = 2 and HUI_060 = 1 and HUI_065 = 2 and HUI_070 = 2) or (HUI_055 = 2 and HUI_060 = 2 and HUI_065 = 2 and HUI_070 = 2)	Unable to be understood

8) Mobility health status

Variable name: HUIDVMOB

Based on: HUI_075, HUI_080, HUI_085, HUI_090, HUI_095

Description: Mobility health status refers to a person's mobility ability. This is based on his or her ability to walk or be mobile around the neighbourhood or for short distances. The use of mechanical support or a wheelchair as well as the help required from other people is taken into consideration in this concept of ability/disability.

Specifications

Value	Condition(s)	Description	Notes
96	DOHUI = 0	Module not selected	NA
99	HUI_075 = NS or HUI_080 = NS or HUI_085 = NS or HUI_090 = NS or HUI_095 = NS	At least one required question was not answered (not stated)	NS
01	HUI_075 = 1 and HUI_080 = NA and HUI_085 = NA and HUI_090 = NA and HUI_095 = NA	Able to walk without difficulty	
02	HUI_075 = 2 and HUI_080 = 1 and HUI_085 = 2 and HUI_090 = 2 and HUI_095 = 2	Able to walk with difficulty, no aid required	
03	HUI_075 = 2 and HUI_080 = 1 and HUI_085 = 1 and HUI_090 = 2 and HUI_095 = 2	Able to walk with difficulty, requires walking equipment	
04	(HUI_075 = 2 and HUI_080 = 1 and HUI_085 = 1 and HUI_090 = 2 and HUI_095 = 1) or (HUI_075 = 2 and HUI_080 = 1 and HUI_085 = 2 and HUI_090 = 2 and HUI_095 = 1)	Able to walk with difficulty, requires wheelchair	
05	(HUI_075 = 2 and HUI_080 = 1 and HUI_085 = 1 and HUI_090 = 1 and HUI_095 = 1) or (HUI_075 = 2 and HUI_080 = 1 and HUI_085 = 1 and HUI_090 = 1 and HUI_095 = 2) or (HUI_075 = 2 and HUI_080 = 1 and	Able to walk with difficulty, requires help from people	

	HUI_085 = 2 and HUI_090 = 1 and HUI_095 = 1) or (HUI_075 = 2 and HUI_080 = 1 and HUI_085 = 2 and HUI_090 = 1 and HUI_095 = 2)	
06	(HUI_075 = 2 and HUI_080 = 2 and HUI_085 = NA and HUI_090 = NA and HUI_095 = 1) or (HUI_075 = 2 and HUI_080 = 2 and HUI_085 = NA and HUI_090 = NA and HUI_095 = 2)	Cannot walk at all

9) Dexterity health status

Variable name: HUIDVDEX

Based on: HUI_110, HUI_115, HUI_120, HUI_125

Description: Dexterity health status refers to a person's ability to use their hands. This is based on his or her ability to perform certain tasks using their hands or fingers. The use of special tools or the help of another person to aid in the performance of these tasks is factored into this concept of ability/disability.

Specifications

Value	Condition(s)	Description	Notes
96	DOHUI = 0	Module not selected	NA
99	HUI_110 = NS or HUI_115 = NS or HUI_120 = NS or HUI_125 = NS	At least one required question was not answered (not stated)	NS
01	HUI_110 = 1 and HUI_115 = NA and HUI_120 = NA and HUI_125 = NA	Full use of hands and fingers	
02	HUI_110 = 2 and HUI_115 = 2 and	Dexterity limitations, no help required	

	HUI_120 = NA and HUI_125 = 2	
03	HUI_110 = 2 and HUI_115 = 2 and HUI_120 = NA and HUI_125 = 1	Dexterity limitations, requires special equipment
04	(HUI_110 = 2 and HUI_115 = 1 and HUI_120 = 1 and HUI_125 = 1) or (HUI_110 = 2 and HUI_115 = 1 and HUI_120 = 1 and HUI_125 = 2)	Dexterity limitations, requires help with some tasks
05	(HUI_110 = 2 and HUI_115 = 1 and HUI_120 = 2 and HUI_125 = 1) or (HUI_110 = 2 and HUI_115 = 1 and HUI_120 = 2 and HUI_125 = 2) or (HUI_110 = 2 and HUI_115 = 1 and HUI_120 = 3 and HUI_125 = 1) or (HUI_110 = 2 and HUI_115 = 1 and HUI_120 = 3 and HUI_125 = 2)	Dexterity limitations, requires help with most tasks
06	(HUI_110 = 2 and HUI_115 = 1 and HUI_120 = 4 and HUI_125 = 1) or (HUI_110 = 2 and HUI_115 = 1 and HUI_120 = 4 and HUI_125 = 2)	Dexterity limitations, requires help with all tasks

10) Emotion health status

Variable name: HUIDVEMO

Based on: HUI_130

Description: Emotion health status refers to a person's emotional well-being. This is based on different levels of happiness, interest in life, and unhappiness.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOHUI = 0	Module not selected	NA
9	HUI_130 = NS	At least one required question was not answered (not stated)	NS
1	HUI_130 = 1	Happy and interested in life	
2	HUI_130 = 2	Somewhat happy	
3	HUI_130 = 3	Somewhat unhappy	
4	HUI_130 = 4	Very unhappy	
5	HUI_130 = 5	So unhappy that life is not worthwhile	

11) Cognition health status

Variable name: HUIDVCOG

Based on: HUI_135, HUI_140

Description: Cognition health status refers to a person's cognition facility based on his or her ability to remember, think and solve problems.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DOHUI = 0	Module not selected	NA
99	HUI_135 = NS or HUI_140 = NS	At least one required question was not answered (not stated)	NS
01	HUI_135 = 1 and HUI_140 = 1	Able to remember and think	
02	(HUI_135 = 1 and HUI_140 = 2) or (HUI_135 = 1 and HUI_140 = 3)	Able to remember and a little or some difficulty thinking	
03	HUI_135 = 2 and HUI_140 = 1	Somewhat forgetful and able to think	
04	(HUI_135 = 2 and HUI_140 = 2) or	Somewhat forgetful and a little or some difficulty thinking	

	(HUI_135 = 2 and HUI_140 = 3)	
05	(HUI_135 = 1 and HUI_140 = 4) or (HUI_135 = 2 and HUI_140 = 4) or (HUI_135 = 3 and HUI_140 = 1) or (HUI_135 = 3 and HUI_140 = 2) or (HUI_135 = 3 and HUI_140 = 3) or (HUI_135 = 3 and HUI_140 = 4)	Very forgetful and/or great deal of difficulty thinking
06	(HUI_135 = 1 and HUI_140 = 5) or (HUI_135 = 2 and HUI_140 = 5) or (HUI_135 = 3 and HUI_140 = 5) or (HUI_135 = 4 and HUI_140 = 1) or (HUI_135 = 4 and HUI_140 = 2) or (HUI_135 = 4 and HUI_140 = 3) or (HUI_135 = 4 and HUI_140 = 4) or (HUI_135 = 4 and HUI_140 = 5)	Unable to remember and/or unable to think

12) Pain health status

Variable name: HUIDVPAD

Based on: HUI_145, HUI_155

Description: This variable classifies respondents according to the limitation of their activities caused by their pain or discomfort. This variable is one of the 8 attributes used to calculate the Health Utility Index (HUIDVHSI).

Note: Prior to 2015, this variable was called HUPDPAD and was part of the Health utilities index - Pain and discomfort (HUP) module. Starting in 2015, the HUP questions were moved to HUI.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOHUI = 0	Module not selected	NA
9	HUI_145 = NS or HUI_155 = NS	At least one required question was not answered (not stated)	NS
1	HUI_145 = 1 and HUI_155 = NA	No pain or discomfort	
2	HUI_145 = 2 and HUI_155 = 1	Pain does not prevent activity	
3	HUI_145 = 2 and HUI_155 = 2	Pain prevents a few activities	
4	HUI_145 = 2 and HUI_155 = 3	Pain prevents some activities	
5	HUI_145 = 2 and HUI_155 = 4	Pain prevents most activities	

13) Health utilities index

Variable name: HUIDVHSI

Based on: HUIDVVIS, HUIDVHER, HUIDVSPE, HUIDVMOB, HUIDVDEX, HUIDVEMO, HUIDVCOG, HUIDVPAD

Description: This variable is a Health Utilities Index which provides a description of an individual's overall functional health, based on eight attributes: vision, hearing, speech, mobility (ability to get around), dexterity (use of hands and fingers), emotion (feelings), cognition (memory and thinking) and pain. The version of the index used in CCHS is adapted from the HUI Mark 3 (HUI3). The index is designed to produce both an overall health utility score and eight individual attribute scores. Analysts can use either a single-attribute utility scale or look at the complete health state (levels on all eight attributes) on the overall utility scale to produce a measure of an individual's perceived health related quality of life (HRQL).

The index is appropriate for use to describe and monitor the health of general populations, and has been extensively validated for use in cross-sectional and longitudinal population health studies. The 8 single-attribute utility scores measure functional capacity within a single attribute, and range from 1.000 (normal) to 0.000 (most disabled). In combination, these scores are used to produce a multi-attribute utility index producing a score ranging from 1.000 (perfect health), through 0.000 (health status equal to death) to -0.359 (health status worse than death). Scores between 0.8 and 1.0 are considered to indicate good to full functional health; scores below 0.8 are considered to indicate moderate to poor functional health.

Note: HUI3 question content resides in the public domain, and is not subject to copyright restrictions. The HUI3 algorithm is the property of Health Utilities Inc. and is protected by copyright. Statistics Canada is authorized, when requested, to share this algorithm with users who wish to replicate results or analyses conducted by Statistics Canada. The use of the algorithm for other purposes, or the sharing of it with others, is prohibited.

Higher scale indicates better health index
Range: -0.359 to 1 in increments of 0.001

Reference: For a detailed explanation of the calculation of the HUI3 refer to: -
Feeny D, Furlong W, Torrance GW et al. Multiattribute and single-attribute utility functions for the Health Utilities Index Mark 3 system. Med Care 2002; 40: 113-12

Height and weight – self-reported (6 DVs)

1) Height (metres) – self-reported

Variable name: HWTDVHTM

Based on: PROXYSEX, HWT_05A, HWT_05B, HWT_05C, PRS_05

Description: This variable indicates the respondent's self-reported height in metres.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9.996	DOHWT = 0 or DOPRS = 0	Module not selected	NA
9.996	PRS_05	Population exclusion – Pregnant women	NA
9.999	HWT_05A = NS or HWT_05B = NS or HWT_05C = NS	At least one required question was not answered (not stated)	NS
(HWT_05A x 12 + HWT_05B) x 0.0254	HWT_05A = RESPONSE or HWT_05B = RESPONSE	Height in metres converted from feet and inches	(Rounded to 3 decimal places)
HWT_05C / 100	HWT_05C = RESPONSE	Height in metres converted from centimetres	(Rounded to 3 decimal places)

2) Weight (kilograms) – self-reported

Variable name: HWTDVWTK

Based on: PROXYSEX, HWT_40A, HWT_40B, PRS_05

Description: This variable indicates the respondent's self-reported weight in kilograms.

Note: This variable excludes female respondents who were pregnant.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
999.96	DOHWT = 0 or DOPRS = 0	Module not selected	NA
999.96	PRS_05 = 1	Population exclusions – Pregnant women	NA
999.99	HWT_40A = NS or HWT_40B = NS	At least one required question not answered (not stated)	NS
HWT_40A	HWT_40B = 2	Weight in kilograms	(rounded to two decimal places)

HWT_40A × 0.45	HWT_40B = 1	Weight in kilograms converted from pounds.	(rounded to two decimal places)

3) Body mass index (self-reported)

Variable name: HWTDVBMI

Based on: DHH_SEX, PROXYSEX, HWTDVHTM, HWTDVWTK, PRS_05

Description: The Body Mass Index (BMI) for this variable is based on self-reported height and weight. BMI is a comparison of "weight" relative to the "height" of respondents. BMI is calculated by dividing weight in kilograms by height in meters squared. BMI = WEIGHT (KG) / HEIGHT (METRES) SQUARED

Note: BMI is not calculated for pregnant women. Although calculation of BMI is not recommended for lactating women, the index provided here is calculated for women who report that they are breastfeeding (MEX_110 = 1).

This BMI classification is created using "self-reported height" and "self-reported weight" variables. For an adjusted BMI derived variable, see HWTDVCOR.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
999.96	DOHWT = 0 or DOPRS = 0	Module not selected	NA
999.96	PRS_05 = 1	Population exclusions – Pregnant women	NA
999.96	(HWTDVHTM > 2.108 and HWTDVHTM < NA) or HWTDVHTM < .914	Population exclusion - The value for the respondent's height is out of range (less than 3 feet tall or greater than 6 feet 11 inches)	NA
999.99	DHH_SEX = 2 and PRS_05 = (NS)	Females who did not answer the pregnancy question (not stated)	NS
999.99	HWTDVHTM = NS or HWTDVWTK = NS	Respondents for whom a valid self-reported height and weight was not obtained	NS
HWTDVWTK / (HWTDVHTM × HWTDVHTM)	HWTDVHTM < NA and HWTDVWTK < NA	BMI calculated from both self-reported height and self-reported weight values	(Rounded to two decimal places)

4) BMI classification for adult aged 18 and over (self-reported) – international standard

Variable name: HWTDVISW

Based on: AWCAGE, HWTDVBMI, PRS_05

Description: This variable assign adult respondents aged 18 and over (except pregnant women) to one of the following categories, according to their Body Mass Index (BMI): underweight; acceptable weight; overweight; obese class I; obese class II; and, obese class III. Here, the BMI categories are adopted from a body weight classification system recommended by Health Canada and the World Health Organization (WHO) which has been widely used internationally.

Note: According to Health Canada, this BMI classification system can be used as a screening tool to identify weight-related health risks at the population and individual levels. The following health risks are associated with each of the BMI categories for adults aged 18 and over:

normal weight = least health risk;
underweight and overweight = increased health risk;
obese class I = high health risk;
obese class II = very high health risk;
obese class III = extremely high health risk

At the population level, the BMI classification system can be used to compare body weight patterns and related health risks within and between populations and to establish population trends in body weight patterns. The classification should be used with caution at the individual level because the health risk associated with each BMI category varies considerably between individuals. Particular caution should be used when classifying: youth who have not attained growth maturity, adults who are naturally very lean, very muscular adults, some ethnic and racial groups, and adults over 65 years of age.

This variable excludes female respondents aged 18 to 55 who were pregnant or did not answer the pregnancy question (i.e. PRS_05 = not stated).

Specifications

Value	Condition(s)	Description	Notes
96	DOHWT = 0 or DOPRS = 0	Module not selected	NA
96	AWCAGE < 18 or PRS_05 = 1 or HWTDVBMI = NA	At least one required question was not answered (not stated)	NA
99	HWTDVBMI = NS or PRS_05 = NS	At least one required question was not answered (not stated)	NS
1	HWTDVBMI < 18.50	Underweight	
2	(18.50 <= HWTDVBMI <= 24.99)	Normal weight	
3	(25.00 <= HWTDVBMI <= 29.99)	Overweight	
4	(30.00 <= HWTDVBMI <= 34.99)	Obese - Class I	
5	(35.00 <= HWTDVBMI <= 39.99)	Obese - Class II	

6	HWTDVBMI >= 40.00	Obese - Class III

Reference: For more detailed information see Canadian Guidelines for Body Weight Classification in Adults, Health Canada, 2003

5) Body mass index (adjusted)

Variable name: HWTDVCOR

Based on: AWCAGE, DHH_SEX, PROXYSEX, PRS_05, HWTDVBMI, HWTDVHTM, HWTDVWTK

Description: This variable indicates the respondent's adjusted body mass index by applying a correction equation.

Note: A systematic review of the literature concluded that the use of self-reported data among adults underestimates weight and overestimates height, resulting in lower estimates of obesity than those obtained from measured data (Connor Gorber et al. 2007). Obesity estimates based on the CCHS are subject to these biases (Shields et al. 2008b). Using data from the 2005 Canadian Community Health Survey (CCHS) subsample, where both measured and self-reported values were collected, correction equations have been developed (Connor Gorber et al. 2008). These correction equations have been successfully applied to both 2005 and 2008 self-reported CCHS data to produce more accurate estimates of obesity (Connor Gorber et al. 2008; Shields et al. 2011). Differences between corrected estimates of obesity from the CCHS and measured estimates from the Canadian Health Measures Survey will be monitored over time to determine if the bias in self-reported values is changing and if new correction equations need to be developed.

This variable excludes female respondents aged 18 to 55 who were pregnant or did not answer the pregnancy question (i.e. PRS_05 = not stated).

When the survey was completed by an interviewer with a proxy respondent, the height and weight questions were asked. However, since the BMI correction factors were developed based on self-reported bias, cases completed by proxy should not have the reported BMI adjusted by those factors. This variable is therefore set to 'not applicable' for all cases completed by proxy (PRX_02 = 1).

Specifications

Value	Condition(s)	Description	Notes
999.96	DOHWT = 0 or DOPRS = 0	Module not selected	NA
999.96	AWCAGE < 18 or PRS_05 = 1 or	Population exclusions	NA

	HWTDVBMI = NA		
999.96	PRX_02 = 1	Cases completed by proxy - correction factors do not apply	NA
999.99	DHH_SEX = 2 and PRS_05 = NS	Females who did not answer the pregnancy question (not stated)	NS
999.99	HWTDVHTM = NS or HWTDVWTK = NS or HWTDVBMI = NS	Respondents for whom a valid self-reported height and weight was not obtained	NS
-1.07575 + 1.07592*HWTDVBMI	DHH_SEX = 1	Male BMI adjustment	
-0.12374 + 1.05129*HWTDVBMI	DHH_SEX = 2	Female BMI adjustment	

Reference: 1. Connor Gorber S, Shields M, Tremblay MS, McDowell I. The feasibility of establishing correction factors to adjust selfreported estimates of obesity. Health Reports (Statistics Canada, Catalogue 82-003) 2008; 19(3): 71-82.
2. Connor Gorber S, Tremblay M, Moher D, Gorber B. A comparison of direct vs. self-report measures for assessing height, weight and body mass index: a systematic review. Obesity Reviews 2007; 8(4): 307-326.
3. Shields M, Connor Gorber S, Tremblay MS. Effects of measurement on obesity and morbidity. Health Reports (Statistics Canada, Catalogue 82-003) 2008a; 19(2): 77-84.
4. Shields M, Connor Gorber S, Tremblay MS. Estimates of obesity based on self-report versus direct measures. Health Reports (Statistics Canada, Catalogue 82-003) 2008b; 19(2): 61-76.
5. Shields M, Gorber SC, Janssen I, Tremblay MS. Bias in self-reported estimates of obesity in Canadian health surveys: an update on correction equations for adults. Health Reports 2011; 22(3): 35-45.

6) BMI classification for adult aged 18 and over (self-reported) – international standard

Variable name: HWTDVBCC

Based on: AWCAGE, PROXYSEX, HWTDVCOR, PRS_05

Description: This variable uses the respondent's adjusted BMI, calculated in HWTDVCOR, to assign adult respondents aged 18 and over (except pregnant women) to one of the following categories: underweight; acceptable weight; overweight; obese class I; obese class II; and, obese class III. Here, the BMI categories are adopted from a body weight classification system recommended by Health Canada and the World Health Organization (WHO) which has been widely used internationally.

Note: According to Health Canada, this BMI classification system can be used as a screening tool to identify weight-related health risks at the population and individual levels. The following health risks are associated with each of the BMI categories for adults aged 18 and over:

normal weight = least health risk;

underweight and overweight = increased health risk;
obese class I = high health risk;
obese class II = very high health risk;
obese class III = extremely high health risk

At the population level, the BMI classification system can be used to compare body weight patterns and related health risks within and between populations and to establish population trends in body weight patterns. The classification should be used with caution at the individual level because the health risk associated with each BMI category varies considerably between individuals. Particular caution should be used when classifying: youth who have not attained growth maturity, adults who are naturally very lean, very muscular adults, some ethnic and racial groups, and adults over 65 years of age.

This variable excludes female respondents aged 18 to 55 who were pregnant or did not answer the pregnancy question (i.e. PRS_05 = not stated).

When the survey was completed by an interviewer with a proxy respondent, the height and weight questions were asked. However, since the BMI correction factors were developed based on self-reported bias, cases completed by proxy should not have the reported BMI adjusted by those factors. This variable is therefore set to 'not applicable' for all cases completed by proxy (PRX_02 = 1).

Specifications

Value	Condition(s)	Description	Notes
96	DOHWT = 0 or DOPRS = 0	Module not selected	NA
96	AWCAGE < 18 or PRS_05 = 1 or HWTDVBMI = NA	Population exclusions	NA
96	PRX_02 = 1	Cases completed by proxy – corrections factors do not apply	NA
99	HWTDVCOR = NS or PRS_05 = NS	At least one required question was not answered (not stated)	NS
1	HWTDVCOR < 18.50	Underweight	
2	(18.50 <= HWTDVCOR <= 24.99)	Normal weight	
3	(25.00 <= HWTDVCOR <= 29.99)	Overweight	
4	(30.00 <= HWTDVCOR <= 34.99)	Obese - Class I	
5	(35.00 <= HWTDVCOR <= 39.99)	Obese - Class II	
6	HWTDVCOR >= 40.00	Obese - Class III	

Income (7 DVs)

Temporary variables: INCTRAT, INCTLIC, INCTINC
(Temporary variables are not disseminated on the master files)

INCTRAT is a temporary variable used in the calculation of the adjusted household income ratio (INCDVADR). It is the ratio between the total income of the respondent's household and the before-tax income cut-off (LICO) corresponding to the number of persons in the household and the size of the community. The low-income cut-off is the threshold at which a family would typically spend a larger portion of its income than the average family on the necessities of food, shelter, and clothing.

INCRAT is produced in two separate steps. A summary of those steps is provided below.

Step 1: Low-income cut-offs for each family and community size were obtained for the 2022 reference year from the Canadian Income Survey.

A low-income cut-off was linked to all respondents (INCTLIC). This cut-off corresponded to the size of the respondent's household (DHHDVHSZ) and the size of the community in which the respondent lives (GEOTPSZ). Therefore, respondents were assigned one of the 35 possible combinations that exist (7 household size groups times 5 community size groups). For instance, the INCTLIC variable of a respondent living in a household size of 3 people and in an urban community with a population of 47,000 people would be 34,870$.

Step 2: Individual ratios of household income to the low-income cut-off are calculated for each household within each household and community size using the DHHDVHSZ household size variable and the GEOTPSZ community size variable. Ratios are calculated by dividing household income (INCTINC) by the corresponding low-income cut-off (INCTLIC).

Beginning in 2016, income data are derived from tax records where linkage was possible and agreed to by the respondent. The flag INCFIMPH indicates whether household incomes variables (INC_005A-INC_005o, INC_010, INC_015, and INC_021) are reported or imputed. For more information, please refer to the document "Income Variables and Sources in the Canadian Community Health Survey" available by request at statcan.hd-ds.statcan@statcan.gc.ca

Low-income cut-offs (INCTLIC) were taken from: Statistics Canada, Table 11-10-0241-01 (formerly CANSIM 206-0094).

Temporary reformat			
Value	**Condition(s)**	**Description**	**Notes**
GEOTPSZ			
1	GEODVUR = 0	Rural Area	
2	Size of the population centre (or CMA) < 30,000	Population Centre less than 30,000 people	
3	30,000 <= Size of the population centre (or CMA) < 100,000	Population Centre 30,000 to 99,999 people	
4	100,000 <= Size of the population centre (or CMA) < 500,000	Population Centre 100,000 to 499,999 people	
5	Size of the population centre (or CMA) >= 500,000	Population Centre 500,000 people or more	

INCTINC			
99999996	GEO_PRV = (60, 61, 62)	Residents of Territories are excluded	
99999999	INC_021 = NS	None of the income questions were stated	
0	INC_021 <= 0	No income or income loss	Value of 0 assigned when income loss reported
INC_021	0 < INC_021 < NA	Specific and positive household income	

INCTLIC	
20 225	DHHDVHSZ = 1 and GEOTPSZ = 1
25 178	DHHDVHSZ = 2 and GEOTPSZ = 1
30 953	DHHDVHSZ = 3 and GEOTPSZ = 1
37 582	DHHDVHSZ = 4 and GEOTPSZ = 1
42 624	DHHDVHSZ = 5 and GEOTPSZ = 1
48 074	DHHDVHSZ = 6 and GEOTPSZ = 1
53 523	DHHDVHSZ >= 7 and GEOTPSZ = 1
23 009	DHHDVHSZ = 1 and GEOTPSZ = 2
28 643	DHHDVHSZ = 2 and GEOTPSZ = 2
35 213	DHHDVHSZ = 3 and GEOTPSZ = 2
42 755	DHHDVHSZ = 4 and GEOTPSZ = 2
43 938	DHHDVHSZ = 5 and GEOTPSZ = 2
48 492	DHHDVHSZ = 6 and GEOTPSZ = 2
60 890	DHHDVHSZ >= 7 and GEOTPSZ = 2
25 146	DHHDVHSZ = 1 and GEOTPSZ = 3
31 304	DHHDVHSZ = 2 and GEOTPSZ = 3
38 484	DHHDVHSZ = 3 and GEOTPSZ = 3
46 726	DHHDVHSZ = 4 and GEOTPSZ = 3
52 996	DHHDVHSZ = 5 and GEOTPSZ = 3
59 771	DHHDVHSZ = 6 and GEOTPSZ = 3
66 546	DHHDVHSZ >= 7 and GEOTPSZ = 3
25 303	DHHDVHSZ = 1 and GEOTPSZ = 4
31 498	DHHDVHSZ = 2 and GEOTPSZ = 4
38 723	DHHDVHSZ = 3 and GEOTPSZ = 4
47 016	DHHDVHSZ = 4 and GEOTPSZ = 4
53 323	DHHDVHSZ = 5 et GEOTPSZ = 4
60 142	DHHDVHSZ = 6 et GEOTPSZ = 4
66 958	DHHDVHSZ >= 7 et GEOTPSZ = 4
29 380	DHHDVHSZ = 1 et GEOTPSZ = 5
36 576	DHHDVHSZ = 2 et GEOTPSZ = 5
44 966	DHHDVHSZ = 3 et GEOTPSZ = 5
54 594	DHHDVHSZ = 4 et GEOTPSZ = 5
61 920	DHHDVHSZ = 5 et GEOTPSZ = 5
69 835	DHHDVHSZ = 6 et GEOTPSZ = 5
77 751	DHHDVHSZ >= 7 et GEOTPSZ = 5

1) Household income source flag

Variable name: INCFIMPH

Based on: INC_021

Description: This flag indicates whether the value in INC_021 (total household income) was reported or imputed. Imputed income information is derived from either an income model or tax records where linkage was possible and agreed to by the respondent.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
01		Reported	
02		Imputé	
99		No income information available	NS

2) Total household income - all sources

Variable name: INCDVHH

Based on: INC_021

Description: This variable groups the total household income from all sources. A range category is previously assigned by the application to respondents who provided an exact amount in question INC_021.

Note: Beginning in 2016, household income variables (INC_005A-O, INC_010, INC_015 and INC_021) are derived from tax records where linkage was possible and agreed to by the respondent. See INCFIMPH for details on determining which records and variables are taken from tax records.

The household income variable (INC_021) is imputed using statistical techniques when it has missing values (due to non-response during collection or insufficient tax information). The main variable of interest is INC_021: 'Total household income - best estimate' but all variables that are derived based on household income are affected.

The imputation is a two-step process. First, observations that provide the income range have values imputed within that range. A nearest neighbour donor approach is used that finds a respondent with similar characteristics as the non-respondent and 'donates' the income value to the non-respondent. For those

that do not provide a range, a similar process is used but the donor values are not limited to the range.

For more information on the imputation process, please refer to the document 'Income Variables and Sources in the Canadian Community Health Survey' available by request at statcan.hd-ds.statcan@statcan.gc.ca

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
99	INC_021 = NS	The household income question were not answered (not stated)	NA
1	INC_021 <= 0	No income or income loss	NS
2	0 < INC_021 < 5000	Less than $5,000	
3	5000 <= INC_021 <= 9999	$5,000 to $9,999	
4	10000 <= INC_021 <= 14999	$10,000 to $14,999	
5	15000 <= INC_021 <= 19999	$15,000 to $19,999	
6	20000 <= INC_021 <= 29999	$20,000 to $29,999	
7	30000 <= INC_021 <= 39999	$30,000 to $39,999	
8	40000 <= INC_021 <= 49999	$40,000 to $49,999	
9	50000 <= INC_021 <= 59999	$50,000 to $59,999	
10	60000 <= INC_021 <= 69999	$60,000 to $69 999	
11	70000 <= INC_021 <= 79999	$70,000 to $79 999	
12	80000 <= INC_021 <= 89999	$80,000 to $89 999	
13	90000 <= INC_021 <= 99999	$90,000 to $99 999	
14	100000 <= INC_021 < 150000	$100,000 to less than $150 000	
15	150000 <= INC_021	$150,000 or more	
99	Else	Not enough information for the classification	NS

3) Personal income - all sources

Variable name: INCDVPER

Based on: AWCAGE, INC_041

Description: This variable indicates the respondent's personal income from all sources.

Note: Respondents less than 18 years old are excluded.

Beginning in 2016, personal income variables (INC_025A-O, INC_030, INC_035, and INC_041) are taken from tax records, if possible.

Also beginning in 2016, the personal income variable (INC_041) is imputed using statistical techniques when it has missing values (due to insufficient tax information).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	AWCAGE < 18	Population exclusions	NA
1	INC_041 <= 0	No income or income loss	
2	0 < INC_041 < 5000	Less than $5,000	
3	5000 <= INC_041 <= 9999	$5,000 to $9,999	
4	10000 <= INC_041 <= 14999	$10,000 to $14,999	
5	15000 <= INC_041 <= 19999	$15,000 to $19,999	
6	20000 <= INC_041 <= 29999	$20,000 to $29,999	
7	30000 <= INC_041 <= 39999	$30,000 to $39,999	
8	40000 <= INC_041 <= 49999	$40,000 to $49,999	
9	50000 <= INC_041 <= 59999	$50,000 to $59,999	
10	60000 <= INC_041 <= 69999	$60,000 to $69 999	
11	70000 <= INC_041 <= 79999	$70,000 to $79 999	
12	80000 <= INC_041 <= 89999	$80,000 to $89 999	
13	90000 <= INC_041 <= 99999	$90,000 to $99 999	
14	100000 <= INC_041	$100,000 or more	
99	Else	Not enough information for the classification	NS

4) Adjusted household income ratio - national level (excluding territories)

Variable name: INCDVADR

Based on: INCTRAT

Description: Adjusted household income ratios to the low income cut-off are obtained by dividing the original ratios (INCTRAT) by the highest ratio for all survey respondents. This results in ratios ranging from 0 to 1. The Territories are excluded from this derived variable.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9.999999996	INCTRAT = NA	Residents of territories excluded	NA (9 decimal places)
9.999999999	INCTRAT = NS	The ratio cannot be calculated because the household income was not stated.	NS (9 decimal places)
INCTRAT / Max value of all respondents	INCTRAT < NA	Ratio between 0 and 1 corresponding to the household income and the corresponding low income cut-off divided by the highest ratio for all respondents.	(Rounded to 9 decimal places) (Min 0; Max 1)

5) Distribution of household income - national level (excluding territories)

Variable name: INCDVRCA

Based on: GEO_PRV, INCDVADR

Description: This variable is a distribution of respondents in deciles (ten categories including approximately the same percentage of residents for each province) based on their value for INCDVADR, i.e., the adjusted ratio of their total household income to the low-income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents.

Note: Deciles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for all 10 provinces irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal and don't know are excluded). Boundaries are determined in order to derive deciles from the total weighted number of cases for which derived variables are calculated. The Territories are excluded from this derived variable.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	GEO_PRV = (60, 61, 62)	Not applicable	NA
99	INCDVADR = NS	Not stated	NS
1	First 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 1	
2	Second 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 2	
3	Third 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 3	
4	Fourth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 4	
5	Fifth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 5	
6	Sixth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 6	
7	Seventh 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 7	
8	Eighth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 8	
9	Ninth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 9	

10	Tenth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 10

6) Distribution of household income - provincial level

Variable name: INCDVRPR

Based on: GEO_PRV, INCDVADR

Description: This variable is a distribution of residents of each province in deciles (ten categories including approximately the same percentage of residents for each province) based on their value for INCDVADR, i.e., the adjusted ratio of their total household income to the low-income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents in the same province. The Territories are excluded from this derived variable.

Note: Deciles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for each of the 10 provinces irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal, etc. are excluded). Boundaries are determined in order to derive deciles from the total weighted number of cases for which derived variables are calculated.

The INCDVRPR values are based on a distribution of adjusted ratios for the residents of each of the 10 provinces. This variable should therefore be used in conjunction with the variable for the province of residence (GEO_PRV).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	GEO_PRV = (60, 61, 62)	Not applicable	NA
99	INCDVADR = NS	Not stated	NS
1	First 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 1	
2	Second 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 2	
3	Third 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 3	
4	Fourth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 4	
5	Fifth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 5	

6	Sixth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 6
7	Seventh 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 7
8	Eighth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 8
9	Ninth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 9
10	Tenth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 10

7) Distribution of household income - health region level

Variable name: INCDVRRS

Based on: GEO_PRV, GEODVHR4, INCDVADR

Description: This variable is a distribution of residents of each health region in deciles (ten categories including approximately the same percentage of residents for each province) based on their value for INCDVADR, i.e., the adjusted ratio of their total household income to the low-income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents in the same health region. The Territories are excluded from this derived variable.

Note: Deciles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for each of the health regions irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal, etc. are excluded). Boundaries are determined in order to derive deciles from the total weighted number of cases for which derived variables are calculated.

The INCDVRRS values are based on a distribution of adjusted ratios for the residents of each of the health regions. This variable should therefore be used in conjunction with the variable for the health region province of residence (GEODVHR4).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	GEO_PRV = (60, 61, 62)	Not applicable	NA
99	INCDVADR = NS	Not stated	NS
1	First 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 1	

2	Second 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 2
3	Third 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 3
4	Fourth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 4
5	Fifth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 5
6	Sixth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 6
7	Seventh 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 7
8	Eighth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 8
9	Ninth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 9
10	Tenth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 10

Labour force (5 DVs)

1) Total usual number of hours worked per week

Variable name: LBFDVHPW

Based on: AWCAGE, LMA6_01, LBF_12

Description: This continuous variable indicates the total number of hours the respondent worked per week (excludes overtime hours worked in 1st job).

Note: Respondents aged less than 15 years or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS questionnaire and see condition LMA6_C01.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
996	AWCAGE > 75 or AWCAGE < 15 or LMA6_01 = NA	Population exclusions	NA
999	LMA6_01 = NS or LBF_12 = NS	At least one required question was not answered (not stated)	NS
LMA6_01	LMA6_01 < NA and LBF_12 = NA	Number of hours usually worked per week for respondents with one job	(rounded to an integer value) (min 0; max 168)
LMA6_01 + LBF_12	LMA6_01 < NA and LBF_12 < NA	Number of total hours usually worked per week for respondents with more than one job	(rounded to an integer value) (min 0; max 168)

2) Industry group

Variable name: LBFDVING

Based on: AWCAGE, LBFCSIC

Description: This variable indicates the industry group the respondent belongs to, according to the North American Industry Classification System (NAICS) 2017 at the 2-digit level.

Note: Respondents aged less than 15 years or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS questionnaire and see condition LMA6_C01.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	AWCAGE < 15 or AWCAGE > 75 or LBFCSIC = NA	Population exclusions	NA
99	LBFCSIC = NS	At least one required question not answered (not stated)	NS
01	1st 2 digits in LBFCSIC = 11	Agriculture, forestry, fishing and hunting	
02	1st 2 digits in LBFCSIC = 21	Mining, quarrying and oil and gas extraction	
03	1st 2 digits in LBFCSIC = 22	Utilities	
04	1st 2 digits in LBFCSIC = 23	Construction	
05	1st 2 digits in LBFCSIC = 31 or 32 or 33	Manufacturing	
06	1st 2 digits in LBFCSIC = 41	Wholesale trade	
07	1st 2 digits in LBFCSIC = 44 or 45	Retail trade	
08	1st 2 digits in LBFCSIC = 48 or 49	Transportation and warehousing	
09	1st 2 digits in LBFCSIC = 51	Information and cultural industries	
10	1st 2 digits in LBFCSIC = 52	Finance and insurance	
11	1st 2 digits in LBFCSIC = 53	Real estate and rental and leasing	
12	1st 2 digits in LBFCSIC = 54	Professional, scientific and technical services	
13	1st 2 digits in LBFCSIC = 55	Management of companies and enterprises	
14	1st 2 digits in LBFCSIC = 56	Administrative and support, waste management and remediation services	
15	1st 2 digits in LBFCSIC = 61	Educational services	
16	1st 2 digits in LBFCSIC = 62	Health care and social assistance	
17	1st 2 digits in LBFCSIC = 71	Arts, entertainment and recreation	
18	1st 2 digits in LBFCSIC = 72	Accommodation and food services	
19	1st 2 digits in LBFCSIC = 81	Other services (except public administration)	
20	1st 2 digits in LBFCSIC = 91	Public administration	
95	LBFCSIC = 9995	Could not be coded	

3) Occupation group

Variable name: LBFDVOCG

Based on: AWCAGE, LBFCSOC

Description: This variable indicates the occupation group the respondent belongs to, according to the National Occupational Classification (NOC) 2016 at the 1-digit level.

Note: Respondents aged less than 15 years or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS questionnaire and see condition LMA6_C01.

Specifications

Value	Condition(s)	Description	Notes
96	AWCAGE < 15 or AWCAGE > 75 or LBFCSOC = NA	Population exclusions	NA
99	LBFCSOC = NS	At least one required question was not answered (not stated)	NS
01	1st digit in LBFCSOC = 0	Legislative and senior management occupations	
02	1st digit in LBFCSOC = 1	Business, finance and administration occupations	
03	1st digit in LBFCSOC = 2	Natural and applied sciences and related occupations	
04	1st digit in LBFCSOC = 3	Health occupations	
05	1st digit in LBFCSOC = 4	Occupations in education, law and social, community and government services	
06	1st digit in LBFCSOC = 5	Occupations in art, culture, recreation and sport	
07	1st digit in LBFCSOC = 6	Sales and service occupations	
08	1st digit in LBFCSOC = 7	Trades, transport and equipment operators and related occupations	
09	1st digit in LBFCSOC = 8	Natural resources, agriculture and related production occupations	
10	1st digit in LBFCSOC = 9	Occupations in manufacturing and utilities	
95	LBFCSOC = 99995	Could not be coded	

4) Full-time/part-time working status (for total usual hours)

Variable name: LBFDVPFT

Based on: LBFDVHPW

Description: This variable indicates if the respondent works full-time or part-time.

Note: Respondents aged less than 15 years or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS questionnaire and see condition LMA6_C01.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	LBFDVHPW = NA	Population exclusions	NA
9	LBFDVHPW = NS	At least one required question was not answered (not stated)	NS
1	LBFDVHPW >= 30	Full-time	
2	LBFDVHPW < 30	Part-time	

5) Working status last week

Variable name: LBFDVWSS

Based on: AWCAGE, LMAM_01, LMAM_02

Description: This variable classifies the respondent based on their working status in the week prior to the interview.

Note: Respondents aged less than 15 or more than 75 years old have been excluded from the population.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	AWCAGE < 15 or AWCAGE > 75	Population exclusions	NA
9	LMAM_02 = NS or LMAM_01 = NS	At least one required question was not answered (not stated)	NS

1	LMAM_01 = 1	Worked at a job or business
2	LMAM_02 = 1	Had a job but did not work (absent)
3	LMAM_02 = 2	Did not have a job
4	LMAM_01 = 3	Permanently unable to work

Life satisfaction measure (1 DV)

1) Satisfaction with life in general

Variable name: LSMDVSWL

Based on: PROXYSEX, LSM_01

Description: This variable groups the 11-point scale used in LSM_01 to rate a respondent's satisfaction with life into 5 categories.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOLSM = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	Question not asked – proxy interview	NS
9	LSM_01 = NS	At least one required question was not answered (not stated)	NS
1	(LSM_01 >= 9 and LSM_01 <= 10)	Very Satisfied	
2	(LSM_01 >= 6 and LSM_01<= 8)	Satisfied	
3	LSM_01= 5	Neither satisfied nor dissatisfied	
4	(LSM_01>= 2 and LSM_01<= 4)	Dissatisfied	
5	(LSM_01>= 0 and LSM_01<= 1)	Very Dissatisfied	

Maternal experiences (4 DVs)

Temporary reformat			
Value	**Condition(s)**	**Description**	**Notes**
MEXT115			
9999	MEX_115A = NS or MEX_115B = NS	At least one required question was not answered (not stated)	NS
9996	MEX_115A = NA	Still breastfeeding or giving breast milk to baby	NA
MEX_115A	MEX_115B = 1	Age of baby in days when respondent stopped breastfeeding or giving breastmilk	
MEX_115A * 7	MEX_115B = 2	Age of baby in days when respondent stopped breastfeeding or giving breastmilk	
MEX_115A * 30	MEX_115B = 3	Age of baby in days when respondent stopped breastfeeding or giving breastmilk	
MEX_115A * 365	MEX_115B = 4	Age of baby in days when respondent stopped breastfeeding or giving breastmilk	
MEX_115A			
99	MEXT115 = NS	At least one required question was not answered (not stated)	NS
96	MEXT115 = NA	Population exclusions	NA
01	MEXT115 < 7	Less than 1 week	
02	7 <= MEXT115 <= 29	1 week to less than one month	
03	30 <= MEXT115 <= 59	1 month to less than 2 months	
04	60 <= MEXT115 <= 89	2 months to less than 3 months	
05	90 <= MEXT115 <= 119	3 months to less than 4 months	
06	120 <= MEXT115 <= 149	4 months to less than 5 months	
07	150 <= MEXT115 <= 179	5 months to less than 6 months	
08	MEXT115 >= 180	6 months or more	
MEXT155			
9999	MEX_155 = NS or MEX_160 = NS	At least one required question was not answered (not stated)	NS
9996	MEX_155 = NA	Liquids not introduced to feed	NA
MEX_155	MEX_160 = 1	Age in days of baby when other liquids first added to feed	
MEX_155 * 7	MEX_160 = 2	Age in days of baby when other liquids first added to feed	
MEX_155 * 30	MEX_160 = 3	Age in days of baby when other liquids first added to feed	
MEX_155 * 365	MEX_160 = 4	Age in days of baby when other liquids first added to feed	
MEXT155A			
99	MEXT155 = NS	At least one required question was not answered (not stated)	NS
96	MEXT155 = NA	Population exclusions	NA
01	MEXT155 < 7	Less than 1 week	
02	7 <= MEXT155 <= 29	1 week to less than one month	
03	30 <= MEXT155 <= 59	1 month to less than 2 months	
04	60 <= MEXT155 <= 89	2 months to less than 3 months	
05	90 <= MEXT155 <= 119	3 months to less than 4 months	

06	120 <= MEXT155 <= 149	4 months to less than 5 months	
07	150 <= MEXT155 <= 179	5 months to less than 6 months	
08	MEXT155 >= 180	6 months or more	

MEXT175

9999	MEX_175 = NS or MEX_180 = NS	At least one required question was not answered (not stated)	NS
9996	MEX_175 = NA	Solid foods not introduced to feed	NA
MEX_175	MEX_180 = 1	Age in days of baby when solids first added to feed	
MEX_175 * 7	MEX_180 = 2	Age in days of baby when solids first added to feed	
MEX_175 * 30	MEX_180 = 3	Age in days of baby when solids first added to feed	
MEX_175 * 365	MEX_180 = 4	Age in days of baby when solids first added to feed	

MEXT175A

99	MEXT175 = NS	At least one required question was not answered (not stated)	NS
96	MEXT175 = NA	Population exclusions	NA
01	MEXT175 < 7	Less than 1 week	
02	7 <= MEXT175 <= 29	1 week to less than one month	
03	30 <= MEXT175 <= 59	1 month to less than 2 months	
04	60 <= MEXT175 <= 89	2 months to less than 3 months	
05	90 <= MEXT175 <= 119	3 months to less than 4 months	
06	120 <= MEXT175 <= 149	4 months to less than 5 months	
07	150 <= MEXT175 <= 179	5 months to less than 6 months	
08	MEXT175 >= 180	6 months or more	

1) Exclusively breastfed for 6 months (or more)

Variable name: MEXDVBM6

Based on: PROXYSEX, DHH_SEX, AWCAGE, MEX_10, MEX_100, MEX_110, MEX_115A, MEX_115B, MEX_155, MEX_160, MEX_175, MEX_180, MEXT115A, MEXT155A, MEXT175A

Description: This variable indicates whether the respondent exclusively breastfed or gave breast milk to her last baby until the baby was at least 6 months of age.

Note: Health Canada recommends exclusive breastfeeding for a period of up to 6 months. This variable indicates the number of mothers who followed this recommendation. Respondents who had not given birth in the past 5 years (MEX_Q010 = 2 or the child reported was 72 months old or older) or who were less than 15 years old or more than 55 years old were excluded from the population. Since the variable is used to measure only the final duration of exclusive breastfeeding, mothers who still breastfed and who had not yet added

any other liquid or solid foods to the baby's feeds are also excluded. Analysts can choose to collapse categories 2 and 3 to obtain all mothers who did not exclusively breastfeed or give breast milk until the baby was at least 6 months of age.

Category 1 indicates that the mother breastfed or gave breast milk to her last baby until the baby was at least 6 months of age and that liquids and solids were not introduced to the baby's feeds until after this point. Mothers may have continued breastfeeding non-exclusively after this point and would still fall under this category. There are two ways to meet this criteria:

1. Breastfeeding or feeding breast milk has ceased after 6 months and liquids and solids were introduced only after 6 months or not at all;

2. The baby is 6 months of age or more and breastfeeding or being fed breast milk is still occurring and liquids have been introduced only after the baby was at least 6 months of age or not at all and solids have been introduced only after the baby was at least 6 months of age.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOMEX = 0	Module not selected	NA
6	DHH_SEX = 1 or AWCAGE < 15 or AWCAGE > 55 or MEX_10 = 2 or CHILDAGE > 71 or (MEX_110 = 1 and MEXT155 = NA and MEXT175A = NA)	Population exclusions	NA
9	PROXYSEX = (3 or 4)	Module not asked – proxy interview	NS
9	MEX_10 = NS or MEXT115A = NS or MEXT155A = NS or MEXT175A = NS	At least one required question was not answered (not stated)	NS
3	MEX_100 = 2	Has not breastfed her last baby at all	
1	(((MEXT155A = 8 and MEXT175A = (8, NA)) or (MEXT155A = (8, NA) and MEXT175A = 8) or (MEXT155A = 8 and MEXT175A = 8)) and MEXT115A = (8, NA)) or	A exclusivement allaité le dernier bébé jusqu'à ce que le bébé ait au moins 6 mois	

	(MEX_110 = 2 and MEXT155A = (8, NA) and MEXT175A = (8, NA) and MEXT115A = 8)	
2	(MEXT115A < 8 or MEXT155A < 8 or MEXT175A < 8)	Had not exclusively breastfed her last baby until the baby was at least 6 months of age

2) Length of exclusive breastfeeding

Variable name: MEXDVLBM

Based on: PROXYSEX, DHH_SEX, AWCAGE, MEX_10, MEX_100, MEX_110, MEX_115, MEX_115A, MEX_155, MEX_160, MEX_175, MEX_180, MEXT115A, MEXT155A, MEXT175A

Description: This variable provides the age of baby in days when the respondent stopped exclusive breastfeeding or giving breast milk to her last baby.

Note: Respondents who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old were excluded from the population. Since the variable is used to measure only the age of baby in days when respondent stopped exclusive breastfeeding or giving breast milk, mothers who are still breastfeeding at the time of the interview and who had not yet added any other liquid or solid foods to the baby's feeds are also excluded.

Specifications

Value	Condition(s)	Description	Notes
96	DOMEX = 0	Module not selected	NA
96	DHH_SEX = 1 or AWCAGE < 15 or AWCAGE > 55 or MEX_10 = 2 or MEX_110 = NA or (MEX_110 = 1 and MEXT155A = NA and MEXT175A = NA)	Population exclusion	NA
99	PROXYSEX = (3 or 4)	Module not asked – Proxy Interview	NS
99	MEXT115A = NS or MEXT155A = NS or MEXT175A = NS	At least one required question not answered (not stated)	NS
0	MEX_100 = 2	Has not breastfed or given breastmilk to last baby	
1	((MEXT155A = 1 or MEXT175A = 1) and	Less than 1 week	

	(1 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 1 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 1)	
2	((MEXT155A = 2 or MEXT175A = 2) and (2 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 2 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 2)	1 week to less than 1 month
3	((MEXT155A = 3 or MEXT175A = 3) and (3 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 3 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A= NA) and MEXT115A = 3)	1 month to less than 2 months
4	((MEXT155A = 4 or MEXT175A = 4) and (4 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 4 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 4)	2 months to less than 3 months
5	((MEXT155A = 5 or MEXT175A = 5) and (5 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 5 and	3 months to less than 4 months

	((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 5)	
6	((MEXT155A = 6 or MEXT175A = 6) and (MEXT115A = (6, 7 or 8) or MEXT115A = NA)) or (MEXT115A = 6 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A> MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 6)	4 months to less than 5 months
7	((MEXT155A = 7 or MEXT175A = 7) and (MEXT115A = (7 or 8) or MEXT115A = NA)) or (MEXT115A = 7 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 7)	5 months to less than 6 months
8	((MEXT155A = 8 or MEXT175A = 8) and (MEXT115A = 8 or MEXT115A = NA)) or (MEXT115A = 8 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 8)	6 months or more

3) Weight before pregnancy (in kilograms)

Variable name: MEXDVWBK

Based on: DHH_SEX, AWCAGE, PROXYSEX, MEX_10, MEX_70, MEX_75

Description: This variable indicates the respondent's weight in kilograms before pregnancy.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
999.96	DOMEX = 0	Module not selected	NA
999.96	DHH_SEX = 1 or AWCAGE < 15 or AWCAGE > 55 or MEX_10 = 2 or MEX_70 = NA	Population exclusions	NA
999.99	PROXYSEX = (3 or 4)	DHH_SEX = 1 or AWCAGE < 15 or AWCAGE > 55 or MEX_10 = 2 or MEX_70 = NA	NS
999.99	MEX_10 = NS or MEX_70 = NS	At least one required question was not answered (not stated)	NS
MEX_70	MEX_75 = 2	Weight in kilograms	(rounded to two decimal places)
MEX_70 * 0.45	MEX_75 = 1	Weight converted from pounds to kilograms	(rounded to two decimal places)

4) Weight gained during pregnancy (in kilograms)

Variable name: MEXDVWGK

Based on: DHH_SEX, AWCAGE, PROXYSEX, MEX_10, MEX_80, MEX_85

Description: This variable indicates the respondent's weight gain in kilograms during pregnancy.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
999.96	DOMEX = 0	Module not selected	NA
999.96	DHH_SEX = 1 or AWCAGE < 15 or AWCAGE > 55 or MEX_10 = 2 or MEX_80 = NA	Population exclusions	NA
999.99	PROXYSEX = (3 or 4)	Module not asked – Proxy Interview	NS

999.99	MEX_10 = NS or MEX_80 = NS	At least one required question was not answered (not stated)	NS
MEX_80	MEX_85 = 2	Weight in kilograms	(rounded to two decimal places)
MEX_80 * 0.45	MEX_85 = 1	Weight converted from pounds to kilograms	(rounded to two decimal places)

Moderate physical activity (14 DVs)

1) Total number of minutes of active transportation, travelled by cycling, past 7 days - weekend days

Variable name: MPADCYWD

Based on: MPA_45, MPA_50C, MPA_50D

Description: This variable represents the total number of minutes a respondent engaged in active transportation, travelled by cycling on weekend days.

Note: Active transportation is defined by cycling to get to places such as school, stores, visiting friends or work. Excludes cycling for fitness, fun or recreation.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
996	DOMPA = 0	Module not selected	NA
999	MPA_50C = NS or MPA_50D = NS	At least one required question was not answered (not stated)	NS
0	MPA_45 = 2	No minutes travelled by cycling	
MPA_50C * 60 + MPA_50D	MPA_50C in (0:12) and MPA_50D in (0:55)	Total amount of minutes of travels by cycling during weekend days	(min: 0; max: 775)

2) Total number of minutes of active transportation, travelled by cycling, past 7 days - weekdays

Variable name: MPADCYWK

Based on: MPA_45, MPA_50A, MPA_50B

Description: This variable represents the total number of minutes a respondent engaged in active transportation, travelled by cycling on weekdays.

Note: Active transportation is defined by cycling to get to places such as school, stores, visiting friends or work. Excludes cycling for fitness, fun or recreation.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
996	DOMPA = 0	Module not selected	NA
999	MPA_50A = NS or MPA_50B = NS	At least one required question not answered (not stated)	NS
0	MPA_45 = 2	No minutes travelled by cycling	(min: 0; max: 775)

MPA_50A * 60 + MPA_50B	MPA_50A in (0:12) and MPA_50B in (0:55)	Total amount of minutes of travels by cycling during weekdays	(min: 0; max: 775)

3) Total number of minutes of other physical activities, past 7 days - weekend days

Variable name: MPADOTWD

Based on: MPA_55C, MPA_55D

Description: This variable represents the total number of minutes a respondent engaged in other physical activities on weekend days.

Note: Other physical activities are defined by doing chores, or while volunteering that made the respondent sweat or breathe harder. For example, cutting the grass, shoveling, cleaning.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
996	DOMPA = 0	Module not selected	NA
999	MPA_55C = NS or MPA_55D = NS	At least one required question was not answered (not stated)	NS
MPA_55C * 60 + MPA_55D	MPA_55C in (0:12) and MPA_55D in (0:55)	Total amount of minutes of other physical activities during weekend days	(min: 0; max: 775)

4) Total number of minutes of other physical activities, past 7 days - weekdays

Variable name: MPADOTWK

Based on: MPA_55A, MPA_55B

Description: This variable represents the total number of minutes a respondent engaged in other physical activities on weekdays.

Note: Other physical activities are defined by doing chores, or while volunteering that made the respondent sweat or breathe harder. For example, cutting the grass, shoveling, cleaning.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
996	DOMPA = 0	Module not selected	NA
999	MPA_55A = NS or MPA_55B = NS	At least one required question was not answered (not stated)	NS

MPA_55A * 60 + MPA_55B	MPA_55A in (0:12) and MPA_55B in (0:55)	Total amount of other physical activities during weekdays	(min: 0; max: 775)

5) Total number of minutes of sports, fitness and recreational physical activities, past 7 days - weekend days

Variable name: MPADREWD

Based on: MPA_40C, MPA_40D

Description: This variable represents the total number of minutes a respondent engaged in sports, fitness and recreational physical activities on weekend days.

Note: Defined by an activity that made the respondent sweat or breathe harder. Includes organized or non-organized activities such as walking for leisure, home or gym exercise, cycling, running, skiing, team sports.
Excludes active transportation, traveling in active ways to get to places such as school, stores, visiting friends or work.

Specifications

Value	Condition(s)	Description	Notes
9996	DOMPA = 0	Module not selected	NA
9999	MPA_40C = NS or MPA_40D = NS	At least one required question was not answered (not stated)	NS
MPA_40C * 60 + MPA_40D	MPA_40C in (0:20) and MPA_40D in (0:55)	Total amount of other physical activities during weekdays	(min: 0; max: 1255)

6) Total number of minutes of sports, fitness and recreational physical activities, past 7 days - weekdays

Variable name: MPADREWK

Based on: MPA_40A, MPA_40B

Description: This variable represents the total number of minutes a respondent engaged in sports, fitness and recreational physical activities on weekdays.

Note: Defined by an activity that made the respondent sweat or breathe harder. Includes organized or non-organized activities such as walking for leisure, home or gym exercise, cycling, running, skiing, team sports.
Excludes active transportation, traveling in active ways to get to places such as school, stores, visiting friends or work.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9996	DOMPA = 0	Module not selected	NA
9999	MPA_40A = NS or MPA_40B = NS	At least one required question was not answered (not stated)	NS
MPA_40A * 60 + MPA_40B	MPA_40A in (0:20) and MPA_40B in (0:55)	Total amount of other physical activities during weekdays	(min: 0; max: 1255)

7) Total number of minutes of moderate physical activities, all domains, past 7 days - weekend days

Variable name: MPADTOWD

Based on: MPADWOWD, MPADREWD, MPADTRWD, MPADOTWD

Description: This variable represents the total number of minutes a respondent engaged in moderate physical activities, all domains, on weekend days.

Note: Moderate physical activities, all domains, are defined by common sources of physical activities while on the job, during sports, fitness or recreational activities, walking or cycling for transportation, and physical activity while volunteering, at home or at work. Moderate physical activities refers to those that made the respondent sweat or breathe harder.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9996	DOMPA = 0	Module not selected	NA
9999	MPADWOWD = NS or MPADREWD = NS or MPADTRWD = NS or MPADOTWD	At least one required question was not answered (not stated)	NS
MPADWOWD + MPADREWD + MPADTRWD + MPADOTWD	MPADWOWD < 9996 and MPADREWD < 9996 and MPADTRWD < 9996 and MPADOTWD < 9996	Total amount of minutes of moderate physical activities, all domains, during weekend days	(min: 0; max: 4835)

8) Total number of minutes of moderate physical activities, all domains, past 7 days - weekdays

Variable name: MPADTOWK

Based on: MPADWOWK, MPADREWK, MPADTRWK, MPADOTWK

Description: This variable represents the total number of minutes a respondent engaged in moderate physical activities, all domains, on weekdays.

Note: Moderate physical activities, all domains, are defined by common sources of physical activities while on the job, during sports, fitness or recreational activities, walking or cycling for transportation, and physical activity while volunteering, at home or at work. Moderate physical activities refers to those that made the respondent sweat or breathe harder.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9996	DOMPA = 0	Module not selected	NA
9999	MPADWOWK = NS or MPADREWK = NS or MPADTRWK = NS or MPADOTWK	At least one required question was not answered (not stated)	NS
MPADWOWK + MPADREWK + MPADTRWK + MPADOTWK	MPADWOWK < 9996 and MPADREWK < 9996 and MPADTRWK < 9996 and MPADOTWK < 9996	Total amount of minutes of moderate physical activities, all domains, during weekdays	(min: 0; max: 4835)

9) Total number of minutes of active transportation, travelled by walking and cycling, past 7 days - weekend days

Variable name: MPADTRWD

Based on: MPA_45, MPADWAWD, MPADCYWD

Description: This variable represents the total number of minutes a respondent engaged in active transportation, travelled by walking and cycling on weekend days.

Note: Active transportation is defined by walking or cycling to get to places such as school, stores, visiting friends or work. Excludes walking or cycling for fitness, fun or recreation.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9996	DOMPA = 1	Module not selected	NA
9999	MPADWAWD = NS or MPADCYWD = NS	At least one required question was not answered (not stated)	NS
0	MPA_45 = 2	No minutes travelled by walking or cycling	
MPADWAWD + MPADCYWD	MPADWAWD < 9996 and MPADCYWD < 9996	Total amount of minutes of travels by walking and cycling on weekend days	(min: 0; max: 1550)

10) Total number of minutes of active transportation, travelled by walking and cycling, past 7 days - weekdays

Variable name: MPADTRWK

Based on: MPA_45, MPADWAWK, MPADCYWK

Description: This variable represents the total number of minutes a respondent engaged in active transportation, travelled by walking and cycling on weekdays.

Note: Active transportation is defined by walking or cycling to get to places such as school, stores, visiting friends or work. Excludes walking or cycling for fitness, fun or recreation.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9996	DOMPA = 0	Module not selected	NA
9999	MPADWAWK = NS or MPADCYWK = NS	At least one required question was not answered (not stated)	NS
0	MPA_45 = 2	No minutes travelled by walking or cycling	
MPADWAWK + MPADCYWK	MPADWAWK < 9996 and MPADCYWK < 9996	Total amount of minutes of travels by walking and cycling on weekdays	(min: 0; max: 1550)

11) Total number of minutes of active transportation, travelled by walking, past 7 - weekend days

Variable name: MPADWAWD

Based on: MPA_45, MPA_45C, MPA_45D

Description: This variable represents the total number of minutes a respondent engaged in active transportation, travelled by walking on weekend days.

Note: Active transportation is defined by walking to get to places such as school, stores, visiting friends or work. Excludes walking for fitness, fun or recreation.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
996	DOMPA = 0	Module not selected	NA
999	MPA_45C = NS or MPA_45D = NS	At least one required question was not answered (not stated)	NS
0	MPA_45 = 2	No minutes travelled by walking	
MPA_45C * 60 + MPA_45D	MPA_45C in (0:12) and MPA_45D in (0:55)	Total amount of minutes of travels by walking during weekend days	(min: 0; max: 775)

12) Total number of minutes of active transportation, travelled by walking, past 7 days - weekdays

Variable name: MPADWAWK

Based on: MPA_45, MPA_45A, MPA_45B

Description: This variable represents the total number of minutes a respondent engaged in active transportation, travelled by walking on weekdays.

Note: Active transportation is defined by walking to get to places such as school, stores, visiting friends or work. Excludes walking for fitness, fun or recreation.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
996	DOMPA = 0	Module not selected	NA
999	MPA_45A = NS or MPA_45B = NS	At least one required question was not answered (not stated)	NS
0	MPA_45 = 2	No minutes travelled by walking	
MPA_45A * 60 + MPA_45B	MPA_45A in (0:12) and MPA_45B in (0:55)	Total amount of minutes of travels by walking during weekdays	(min: 0; max: 775)

13) Total number of minutes of active physical work while on the job, past 7 days - Weekend days

Variable name: MPADWOWD

Based on: MPA_35C, MPA_35D

Description: This variable represents the total number of minutes a respondent engaged in active physical work while on the job on weekend days.

Note: Active physical work while on the job is defined by a part of a job that made the respondent sweat or breathe harder.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9996	DOMPA = 0	Module not selected	NA
9999	MPA_35C = NS or MPA_35D = NS	At least one required question was not answered (not stated)	NS
MPA_35C * 60 + MPA_35D	MPA_35C in (0:20) and MPA_35D in (0:55)	Total amount of minutes of active physical work while on the job during weekend days	(min: 0; max: 1255)

14) Total number of minutes of active physical work while on the job, past 7 days - weekdays

Variable name: MPADWOWK

Based on: MPA_35A, MPA_35B

Description: This variable represents the total number of minutes a respondent engaged in active physical work while on the job on weekdays.

Note: Active physical work while on the job is defined by a part of a job that made the respondent sweat or breathe harder.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9996	DOMPA = 0	Module not selected	NA
9999	MPA_35A = NS or MPA_35B = NS	At least one required question was not answered (not stated)	NS
MPA_35A * 60 + MPA_35B	MPA_35A in (0:20) and MPA_35B in (0:55)	Total amount of minutes of active physical work while on the job during weekdays	(min: 0; max: 1255)

Other physical activities (1 DV)

1) 24-hour movement guidelines – strength training

Variable name: OPAD24ST

Based on: AWC_AGE, OPA_10

Description: This variable indicates whether a respondent meets the 24-hour movement guidelines regarding strength training. The guideline is met if muscle strengthening activities using major muscle groups is done at least twice a week.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOOPA = 0	Module not selected	NA
9	OPA_10 = NS	At least one required question was not answered (not stated)	NS
1	OPA_10 in (2, 3, 4, 5, 6, 7)	Respondent meets strength training guidelines	
2	OPA_10 in (0, 1)	Respondent does not meet the strength training guidelines	

Positive mental health (1 DV)

1) Warwick-Edinburgh Mental Well-being Scale

Variable name: PMSDVWES

Based on: PMS_05, PMS_10, PMS_15, PMS_20, PMS_25, PMS_30, PMS_35, PMS_40, PMS_45, PMS_50, PMS_55, PMS_60, PMS_65, PMS_70

Description: The Warwick-Edinburgh Mental Well-being Scale (WEMWBS) was funded by the Scottish Government National Programme for Improving Mental Health and Well-being, commissioned by NHS Health Scotland, developed by the University of Warwick and the University of Edinburgh, and is jointly owned by NHS Health Scotland,the University of Warwick and the University of Edinburgh. Permission for the inclusion of WEMWBS on the CCHS was granted by Dr Sarah Stewart-Brown from the University of Warwick.

WEMWBS is a 14 item scale of mental well-being covering subjective well-being and psychological functioning, in which all items are worded positively and address aspects of positive mental health. The scale is scored by summing responses to each item answered on a 1 to 5 Likert scale. The minimum scale score is 14 and the maximum is 70. WEMWBS has been validated for use in the UK with those aged 16 and above. Validation involved both student and general population samples, and focus groups.

Note:

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DOPMS = 0	Module not selected	NA
99	PMS_05 = NS or PMS_10 = NS or PMS_15 = NS or PMS_20 = NS or PMS_25 = NS or PMS_30 = NS or PMS_35 = NS or PMS_40 = NS or PMS_45 = NS or PMS_50 = NS or PMS_55 = NS or PMS_60 = NS or PMS_65 = NS or PMS_70 = NS	At least one required question was not answered (not stated)	NS

PMS_05 + **PMS_10 +** **PMS_15 +** **PMS_20 +** **PMS_25 +** **PMS_30 +** **PMS_35 +** **PMS_40 +** **PMS_45 +** **PMS_50 +** **PMS_55 +** **PMS_60 +** **PMS_65 +** **PMS_70**	Score obtained for the measurement of mental well-being of adults	(min: 14; max: 70)

Sample variables (2 DVs)

1) Permission to link data

Variable name: SAMDVLNK

Based on: FLAGLINK (Not on file)

Description: This variable indicates whether the respondent agreed to allow their questionnaire data to be linked with administrative records of their past and continuing use of health services.

Note: Starting in 2022, the (yes/no) link question was replaced with a statement which explained the potential linkages. If the respondent indicated in a note that they did not want their responses combined with other sources they are deemed as refusing linkage. They will be set as SAMDVLNK = 2. Otherwise, if no objections were made, linkage is considered as allowed and SAMDVLNK is set as 1.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
1	FLAGLINK = 0	Respondent agreed to link information	
2	FLAGLINK = 1	Respondent did not agree to link information	

2) Permission to share data

Variable name: SAMDVSHR

Based on: ADMC_35 (Not on file)

Description: This variable indicates whether or not the respondent agreed to share the information collected in the survey with the provincial and territorial ministries of health, Health Canada, the Public Health Agency of Canada, and the "Institut de la Statistique du Québec" for Quebec respondents. The variable SAMDVSHR is calculated from the responses to the Share questions in the Administration information module (ADMC_35) by the respondent.

Note: For respondents aged 18 and over, permission to share was asked directly to the respondent or their PROXY respondent in ADMC_35.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
1	ADMC_35 = 1	Yes – Respondent agreed to share information	
2	ADMC_35 = (2, NS)	No – Respondent did not agree to share information	

Socio-demographic characteristics (10 DVs)

1) Country of birth – grouped

Variable name: SDCDVCB

Based on: IM_01A, SDCCCOB

Description: This variable classifies the respondent based on his/her country of birth in specific groups.

Note: The country code is based on the Standard Classification of Countries and Areas of Interest (SCCAI) of 2022. The SCCAI is Statistics Canada's official classification of countries and areas of interest for use in classifying statistical data.

1. Other North America includes Greenland, Saint Pierre and Miquelon and United States.
2. South America includes South Georgia and the South Sandwich Islands.
3. Oceania includes Christmas Island, Cocos (Keeling) Islands, and United States Minor Outlying Islands.
4. Antarctica and adjacent islands includes Antarctica, Bouvet Island, French Southern Territories, Heard Island and McDonald Islands.

Internet site: https://www.statcan.gc.ca/en/subjects/standard/sccai/index

Specifications

Value	Condition(s)	Description	Notes
96	SDCCCOB = 80000	Population exclusions – Born at sea	NA
99	SDCCCOB = (NS, 90000)	At least one required question was not answered (not stated)	NS
1	IM_01A = 1	Canada	
2	10000 <= SDCCCOB < 12000	Other - North America (1)	
3	12000 <= SDCCCOB < 15000	South, Central America, Caribbean and Bermuda (2)	
4	20000 <= SDCCCOB < 25000	Europe	
5	30000 <= SDCCCOB < 36000	Africa	
6	40000 <= SDCCCOB < 45000	Asia	
7	50000 <= SDCCCOB < 52000	Oceania (3)	
8	60000 <= SDCCCOB < 62000	Antarctica and Adjacent Islands (4)	

2) Immigrant flag

Variable name: SDCDVIMM

Based on: IM_03, IM_05A, IM_05B, IM_05A1

Description: This variable indicates if the respondent is a Canadian citizen by birth, an immigrant, or a non-permanent resident.

The non-immigrant category includes all those who are Canadian citizens by birth.

The immigrant category includes persons who are, or who have ever been, landed immigrants or permanent residents. Such persons have been granted the right to live in Canada permanently by immigration authorities. Immigrants who have obtained Canadian citizenship by naturalization are included in this category.

Non-permanent residents are those who are from another country with a usual place of residence in Canada and who have a work or study permit or who have claimed refugee status (asylum claimants).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9	IM_03 = 9 or (IM_03 = (2, 6, 9) and (IM_05A = 9 or IM_05A1 = 9))	At least one required question not answered (not stated)	NS
1	IM_05A = 1 and IM_05A1 = 1	Non-immigrant (citizen by birth)	
2	IM_03 = 1 or (IM_05A = 1 and IM_05A1 = 2)	Immigrant (landed immigrant or citizen by naturalization)	
3	IM_03 = 2 or (IM_05A = 2 and IM_05B = 1)	Non-permanent resident	

3) Number of years in Canada since immigration

Variable name: SDCDVRES

Based on: IM_04

Description: This variable indicates the number of years since the respondent became a landed immigrant.

Note: Non-immigrants (citizen by birth) and non-permanent residents were excluded from the population.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
996	IM_04 = 9996	Population exclusions - Canadian born, Canadian citizen by birth, or non-permanent resident	NA
999	IM_04 = 9999	At least one required question was not answered (not stated)	NS
ADM_YOI - IM_04	IM_04 < 9996	Length of time in Canada since immigration (interview date - immigration date)	

4) Age at time respondent first became a landed immigrant in Canada

Variable name: SDCDVALI

Based on: AGE_01A, IM_04

Description: This variable indicates the age of the respondent at the time of first becoming a landed immigrant in Canada.

Note: Non-immigrants (citizen by birth) and non-permanent residents were excluded from the population.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
996	IM_04 = 9996	Population exclusions - Canadian born, Canadian citizen by birth, or non-permanent resident	NA
999	IM_04 = 9999	At least one required question was not answered (not stated)	NS
IM_04 - AGE_01A	IM_04 < 9996	Age at time of immigration	

5) Indigenous identity

Variable name: SDCDVABT

Based on: ABM_01A, ABM_01B, ABM_01C, ABM_01D

Description: This variable indicates whether the respondent reported being an Indigenous person.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9	ABM_01A = NS	At least one required question was not answered (not stated)	NS
1	ABM_01B = 1 or ABM_01C = 1 or ABM_01D = 1	Indigenous identity (First Nations, Métis, Inuk/Inuit)	
2	ABM_01A = 1	Non-Indigenous identity	

6) Visible minority group of respondent

Variable name: SDCDVVM

Based on: SDCDVABT, PG_05A, PG_05B, PG_05C, PG_05D, PG_05E, PG_05F, PG_05G, PG_05H, PG_05I, PG_05J, PG_05K, VMRNIE, VMROTHER

Description: This variable indicates the visible minority group of the respondent. The visible minority concept is based on the Employment Equity Act which defines visible minorities as "persons, other than Aboriginal peoples, who are non-Caucasian in race or non-white in colour".

Note: Visible minority is derived from responses to the Population group and Aboriginal group questions.

Aboriginal persons are classified in the category "Not a visible minority". All others are classified according to their responses to the population group question as either belonging to a specific visible minority group, belonging to a visible minority group not indicated elsewhere, or not being in a visible minority group.

The "Not a visible minority" category includes persons who gave a response of "White" only; persons who gave a response of "White and Latin American", "White and Arab", or "White and West Asian"; persons who gave a response of "Latin American", "Arab", or "West Asian" only, along with a European response; and persons who gave a response that is not classified as a visible minority.

The variables VMRNIE (visible minority not indicated elsewhere) and VMROTHER (not a visible minority) were created by
coding the participant's write-in response.

Source: https://www23.statcan.gc.ca/imdb/p3Var.pl?Function=DEC&Id=45152

Temporary reformat			
Value	**Condition(s)**	**Description**	**Notes**
VMRWHI = 1	PG_05A = 1	White	
VMRSAS = 1	PG_05B = 1	South Asian	
VMRCHI = 1	PG_05C = 1	Chinese	
VMRBLA = 1	PG_05D = 1	Black	
VMRARA = 1	PG_05E = 1	Filipino	
VMRFIL = 1	PG_05F = 1	Arab	
VMRLAT = 1	PG_05G = 1	Latin American	
VMRSEA = 1	PG_05H = 1	Southeast Asian	
VMRWEA = 1	PG_05I = 1	West Asian	
VMRKOR = 1	PG_05J = 1	Korean	
VMRJAP = 1	PG_05K = 1	Japanese	
PGCOUNT			
PGCOUNT + 1	VMRSAS = 1	South Asian	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRCHI = 1	Chinese	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRBLA = 1	Black	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRFIL = 1	Filipino	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRLAT = 1	Latin American	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRARA = 1	Arab	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRSEA = 1	Southeast Asian	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRWEA = 1	West Asian	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRKOR = 1	Korean	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRJAP = 1	Japanese	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRNIE = 1	Visible minority n.i.e	Initialize PGCOUNT to 0

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
99	PG_05A = NS or PG_05B = NS or PG_05C = NS or PG_05D = NS or PG_05E = NS or	At least one required question was not answered (not stated)	NS

	PG_05F = NS or PG_05G = NS or PG_05H = NS or PG_05I = NS or PG_05J = NS or PG_05K = NS or VMROTHER = NS	
1	PGCOUNT = 1 and VMRSAS = 1	South Asian
2	PGCOUNT = 1 and VMRCHI = 1	Chinese
3	PGCOUNT = 1 and VMRBLA = 1	Black
4	PGCOUNT = 1 and VMRFIL = 1	Filipino
5	PGCOUNT = 1 and VMRLAT = 1 and VMRWHI <> 1	Latin American
6	PGCOUNT = 1 and VMRARA = 1 and VMRWHI <> 1	Arab
7	PGCOUNT = 1 and VMRSEA = 1	Southeast Asian
8	PGCOUNT = 1 and VMRWEA = 1 and VMRWHI <> 1	West Asian
9	PGCOUNT = 1 and VMRKOR = 1	Korean
10	PGCOUNT = 1 and VMRJAP = 1	Japanese
11	PGCOUNT = 1 and VMRNIE = 1	Visible minority n.i.e
12	PGCOUNT > 1	Multiple visible minority
13	SDCDVABT = 1 or (PGCOUNT = 0 and VMRWHI = 1) or (PGCOUNT = 1 and VMRWEA = 1 and VMRWHI = 1) or (PGCOUNT = 1 and VMRARA = 1 and VMRWHI = 1) or (PGCOUNT = 1 and VMRLAT = 1 and VMRWHI = 1) or (PGCOUNT = 0 and VMROTHER = 1)	Not a visible minority

7) Visible minority

Variable name: SDCDVFLA

Based on: SDCDVVM

Description: This variable indicates if the respondent is a visible minority by grouping all of the visible minority groups defined in SDCDVVM (including multiple visible minorities).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9	SDCDVVM = NS	At least one required question was not answered (not stated)	NS
1	SDCDVVM < 13	Visible minority	
2	SDCDVVM = 13	Not a visible minority	

8) Language(s) spoken most often at home

Variable name: SDCDVLHM

Based on: LAN_02A, LAN_02B, LAN_02C

Description: This variable indicates the language(s) in which the respondent most often speaks at home.

Note: The respondent could provide up to three languages spoken most often at home. Multiple responses were accepted only if the languages were spoken equally often at home.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
99	LAN_02A = NS	At least one required question was not answered (not stated)	NS
1	LAN_02A = 1 and LAN_02B = 2 and LAN_02C = 2	English	
2	LAN_02A = 2 and LAN_02B = 1 and LAN_02C = 2	French	
3	LAN_02A = 1 and LAN_02B = 1 and LAN_02C = 2	English and French	
4	LAN_02A = 1 and LAN_02B = 1 and LAN_02C = 1	English, French and Other	
5	LAN_02A = 1 and LAN_02B = 2 and LAN_02C = 1	English and Other	
6	LAN_02A = 2 and	French and Other	

	LAN_02B = 1 and LAN_02C = 1	
7	LAN_02A = 2 and LAN_02B = 2 and LAN_02C = 1	Other

9) Language first learned at home in childhood and still understood – mother tongue

Variable name: SDCDVFL1

Based on: LAN_04A, LAN_04B, LAN_04C

Description: This variable indicates the first language learned at home in childhood and still understood by the respondent.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
99	LAN_04A = NS	At least one required question was not answered (not stated)	NS
1	LAN_04A = 1 and LAN_04B = 2 and LAN_04C = 2	English	
2	LAN_04A = 2 and LAN_04B = 1 and LAN_04C = 2	French	
3	LAN_04A = 1 and LAN_04B = 1 and LAN_04C = 2	English and French	
4	LAN_04A = 1 and LAN_04B = 1 and LAN_04C = 1	English, French and Other	
5	LAN_04A = 1 and LAN_04B = 2 and LAN_04C = 1	English and Other	
6	LAN_04A = 2 and LAN_04B = 1 and LAN_04C = 1	French and Other	
7	LAN_04A = 2 and LAN_04B = 2 and LAN_04C = 1	Other	

10) First official language spoken

Variable name: SDCDVFLS

Based on: SDCDVFL1, SDCDVLHM, SDCTLNG, LAN_01

Description: For the censuses, this variable was derived within the framework of the application of the Official Languages Act. The same method for deriving the variable was applied here.

This derivation method is described in the regulations concerning the use of official languages for the provision of public services. It takes into account first the knowledge of the two official languages, second the mother tongue, and third the home language. People who can conduct a conversation in French only are assigned French as their first official language spoken. People who can carry on a conversation in English only are assigned English as their first official language spoken. The responses to questions on mother tongue and home language are subsequently used to establish the first official language spoken by people who speak both English and French, or who cannot speak either of the two official languages. The French category includes people who have French only or French and at least one non-official language as their mother tongue. People who have English only or English and at least one non-official language as their mother tongue are included in the English category. For cases that have not yet been classified, people are assigned to the French category when they speak French only or French and at least one non-official language as their home language. The procedure is the same for English. Thus, the population is classified into two principal categories: English or French. It is necessary to add two residual categories for people who cannot be classified in accordance with the information available: English and French and neither English nor French.

Please consult the following documents for more information: Regulations respecting communications with and services to the public in either official language, registered on December 16, 1991, in accordance with section 85 of the Official Languages Act, R.S.C., c. 32 (4th suppl.) and Population Estimates by First Official Language Spoken, 1991, Catalogue no. 94-320, Demography Division, Statistics Canada.

Internet site: https://www12.statcan.gc.ca/census-recensement/2016/dict/pop095-eng.cfm

Temporary reformat			
Value	**Condition(s)**	**Description**	**Notes**
SDCTLNG			
9	LAN_01 = NS	At least one required question was not answered (not stated)	NS
1	LAN_01 = 1	English only	
2	LAN_01 = 2	French only	
3	LAN_01 = 3	Both English and French	
4	LAN_01 = 4	Neither English nor French	

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9	[(SDCTLNG = NS) and (SDCDVFL1 = NS) and (SDCDVLHM = NS)]	At least one required question was not answered (not stated)	NS
1	[(SDCTLNG = 1 and (SDCDVFL1 = (1,2,3,4,5,6,7,NS)) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 3) and (SDCDVFL1 = 1) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 3) and SDCDVFL1 = (3,4,7) and SDCDVLHM = (1,5)] or [(SDCTLNG = 3) and (SDCDVFL1 = 5) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and (SDCDVFL1 = 1) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = (3,4) and SDCDVLHM = (1,5)] or [(SDCTLNG = 4) and SDCDVFL1 = 5) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 7 and SDCDVLHM = (1,5)] or [(SDCTLNG = NS) and SDCDVFL1 = (1,5) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = NS) and SDCDVFL1 = (3,4,7) and SDCDVLHM = (1,5)] or [SDCTLNG = (3,4,NS) and (SDCDVFL1 = NS) and SDCDVLHM = (1,5)] or [(SDCTLNG = NS) and SDCDVFL1 = (1,5) and SDCDVLHM = NS)]	English	
2	[(SDCTLNG = 2 and (SDCDVFL1 = (1,2,3,4,5,6,7,NS)) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or	French	

	[(SDCTLNG = 3) and (SDCDVFL1 = 2) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 3) and SDCDVFL1 = (3,4,7) and SDCDVLHM = (2,6)] or [(SDCTLNG = 3) and (SDCDVFL1 = 6) and (SDCDVLHM i= (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and (SDCDVFL1 = 2) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = (3,4) and SDCDVLHM = (2,6)] or [(SDCTLNG = 4) and SDCDVFL1 = 6) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 7 and SDCDVLHM = (2,6)] or [(SDCTLNG = NS) and SDCDVFL1 = (2,6) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = NS) and SDCDVFL1 = (3,4,7) and SDCDVLHM = (2,6)] or [SDCTLNG = (3,4,NS) and (SDCDVFL1 = NS) and SDCDVLHM = (2,6)] or [(SDCTLNG = NS) and SDCDVFL1 = (2,6) and SDCDVLHM = NS)]	
3	[(SDCTLNG = 3) and SDCDVFL1 = 3 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 3) and SDCDVFL1 = 4 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 3) and SDCDVFL1 = 7 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 3 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 4 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 7 and SDCDVLHM in (3,4)] or [(SDCTLNG = NS) and SDCDVFL1 in (3,4) and SDCDVLHM in (3,4,7)] or [(SDCTLNG = NS) and SDCDVFL1 = 7 and	English and French

	SDCDVLHM in (3,4)] or [(SDCTLNG = 3 and SDCDVFL1 = NS and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = NS and SDCDVFL1= NS and SDCDVLHM in (3,4)] or [(SDCTLNG = NS) and SDCDVFL1 in (3,4) and SDCDVLHM = NS]	
4	[(SDCTLNG = (4,NS) and SDCDVFL1 = (7,NS) and SDCDVLHM = (7,NS)] and (SDCTLNG <> NS and SDCDVFL1 <> NS and SDCDVLHM <> NS)	Neither English nor French

Smoking (2 DVs)

1) Smoking status (type 2) - traditional definition

Variable name: SMKDVSTY

Based on: CSS_05, CSS_15, CSS_20, SPU_05

Description: This variable indicates the type of smoker the respondent is, based on his/her smoking habits.

Note: This variable includes lifetime cigarette consumption.

In 2023, respondents who reported not having smoked more than 100 cigarettes (CSS_15 = 2) are asked about their status for smoking in the past 30 days and may indicate daily smoking (CSS_20 = 1) or occasional smoking (CSS_20 = (2 or 3)) and will be categorized as either daily or occasional smokers in this variable. In 2022, respondents who have not smoked more than 100 cigarettes (CSS_15 = 2) skipped the question about past 30-day smoking habits (CSS_20) and instead, would go to the end of the CSS module and were coded as experimental smokers.

Specifications

Value	Condition(s)	Description	Notes
96	DOCSS = 0 or DOSPU = 0	Module not selected	NA
99	CSS_05 = NS or CSS_15 = NS or CSS_20 = NS or SPU_05 = NS	At least one required question was not answered (not stated)	NS
01	CSS_20 = 1	Currently daily smoker	
02	CSS_20 = (2 or 3)	Current occasional smoker	
03	CSS_15 = 1 and CSS_20 = 4 and SPU_05 = 1	Former daily smoker (non-smoker now)	
04	CSS_15 = 1 and CSS_20 = 4 and SPU_05 = 2	Former occasional smoker (non-smoker now)	
05	CSS_05 = 1 and CSS_15 = 2	Experimental smoker (at least 1 whole cigarette, less than 100 cigarettes)	
06	CSS_05 = 2	Lifetime abstainer (never smoked a whole cigarette)	

2) Number of years respondent has smoked daily (current daily smokers only)

Variable name: SMKDVYCS

Based on: AWCAGE, CSS_20, SPU_15

Description: This variable indicates the number of years the respondent has smoked daily.

Note: Respondents who are not daily smokers have been excluded from the population. This variable assumes that the respondent always smoked daily. It does not reflect the changes to the smoking status of the respondent throughout the years.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
996	DOCSS = 0 or DOSPU = 0	Module not selected	NA
996	CSS_20 = (2, 3, 4 or 6)	Population exclusions	NA
999	CSS_20 = NS or SPU_15 = NS	At least one required question not answered (not stated)	NS
AWCAGE - SPU_15	CSS_20 = 1	Number of years respondent has smoked daily	