Community Health Survey (CCHS)

Annual component - 2023

Questionnaire

Statistics Canada Statistique Canada

Canada

Table of Contents

Introduction 5
Entry 7
Respondent availability (TR) 7
The proxy respondent (PRX) 8
Verification (VER) 10
Parental consent (PGC) 15
Youth email address (YEA) 16
Youth telephone number (YTL) 17
Address in scope (AIS) 18
Occupancy (DWL) 21
Household member or not (HC) 22
Household composition (HHC) 23
Person providing demographics (PPD) 27
Education (ED) 28
Canadian Forces (CAF) 30
Contact e-mail address (CEA) 32
Selected respondent (SRI) 33
Person most knowledgeable transition (PMT) 34
Content 35
Verification (VER2) 35
Date of birth (AGE) 38
Sex and gender (GDRA) 40
Relationship with confirmation (RWC) 43
Main activity (MA) 47
School attendance (EDC) 49
General health (GEN) 51
Life satisfaction measures (LSM) 53
Pregnancy (PRS) 54
Height and weight (HWT) 55
COVID-19 (COVA) 58
COVID-19 (COVB) 59
COVID-19 (COVC) 61
COVID-19 (COVD) 62
COVID-19 (COVE) 65
COVID-19 (COVF) 67
Chronic conditions (CCC) 68
Chronic conditions 1 (CC1) 76
Health utility index (HUI) 80
Long-term condition (LTC) 88
Activities of daily living (ADL) 89
Eating habits (EAH) 92
Use of protective equipment (UPE) 102
Moderate physical activity (MPA) 106
Other physical activities (OPA) 117
Current smoking status (CSS) 119
Smoking - past use (SPU) 122
Smoking - stages of change 2 (SCH2) 127
Tobacco alternatives products (TAL) 128
Electronic cigarettes and vaping (ECV) 129
Alcohol use (ALC) 132
Alcohol use during the past week (ALW) 134
Cannabis use (CAN) 149
Maternal experiences (MEX) 155
Flu shots (FLU) 165
Positive mental health (PMS) 167

Consultations about mental health (CMH) 171
Mental health (DEP) 174
Social provisions (SPS) 207
Regular health care provider (RHC) 209
Labour market activities (LMAM) 210
Labour market activities (LMA3) (LMA3) 213
Labour market activities (LMA4) (LMA4) 214
Labour market activities (LMA5) (LMA5) 216
Labour market activities (LMA6) (LMA6) 218
Labour market activities - labour force (LBF) 219
Telework (LM) 220
Work family balance (WLB) 222
Place of birth, immigration and citizenship (IM) 227
Indigenous identity (ABM) 233
Population group (PG) 235
Language (LAN) 238
Sexual orientation (SOR) 241
Home care services (HMC) 242
Food security (FSC) 256
Total household income (INC) 262
Total household income (THI) 264
Administrative information (ADMC) 265
Health number validation (HN) 269
Topical Index 271

Introduction

1. CCHS 2023 content is comprised of three components:

    a. **Core content** is asked of all respondents and remains relatively stable over time (see content availability by year to confirm).

    b. **Theme content** is asked of all respondents in either all provinces, all territories, or both, for one or two years and alternates from year to year, depending on needs from survey stakeholders.

    c. **Rapid Response** modules are cost-recovery projects asked of all respondents living in the ten provinces, usually for one or two collection period (3 or 6 months).Data for rapid response content is available on separate microdata files from the main CCHS data.

2. This questionnaire document includes all questions and answers that were used in the CCHS collection application, but may not exactly reflect the structure that is displayed on screens. Notes have been made in the Data Dictionary document on variables with special considerations regarding the numbering.

3. Most questions in CCHS can be skipped by respondents. If the respondent did not answer a question and skipped to the next, then the variable in the data is coded to 'Not Stated' to represent the non-response. When collected by interviewers, if respondents indicate not knowing the answer or refusing to answer, interviewers leave the question blank and skip to the next.

4. External variable names are highlighted in grey in the questionnaire. They are used in the microdata files. Please consult the Data Dictionary document to view relevant notes for variables of interest.

Entry

Respondent availability (TR)

Overview:	In this module, we ask if the respondent is available.
TR_BEG	External Variables required: INTERVIEWERFLAG: (1 = iEQ, 0 = rEQ) CMP_CONTACT1_GIVENNAME: (First name of household contact) CMP_CONTACT1_FAMILYNAME: (Last name of household contact)
TR_C01	If INTERVIEWERFLAG = 1, go to TR_Q01. Otherwise, go to TR_END.
TR_Q01 TR_01	May I speak to ^CMP_Contact1_GivenName ^CMP_Contact1_FamilyName? <u>ON-SCREEN HELP</u>: Respondent availability 1 Yes, speaking to respondent 2 Yes, respondent available 3 No, respondent unable to complete this survey 4 No, respondent not available at this time (Don't know, Refusal not allowed)
Context Sensitive Help:	*Purpose: To determine whether a specific respondent is currently available.*
TR_END	

2024-09-24

The proxy respondent (PRX)

Overview:	This module asks why the respondent is unable to complete the survey.
PRX_BEG	External Variables required: INTERVIEWERFLAG: ((1 = iEQ, 0 = rEQ)) TR_Q01: (May I speak to ^CMP_Contact1_GivenName ^CMP_Contact1_FamilyName?) CMP_CONTACT1_GIVENNAME: (First name of household contact) MINAGE: (Minimum age of person providing proxy interview)
PRX_C01	If TR_Q01 = 3, go to PRX_Q01. Otherwise, go to PRX_END.
PRX_Q01 PRX_01	What is the reason ^CMP_Contact1_GivenName is unable to complete this survey? 1 Respondent does not speak English or French (Language barrier) 2 Respondent unable to answer because of a health condition, a physical or mental disability, or problems related to aging 3 Respondent absent for the duration of the collection period 4 Other (Go to PRX_S01) (Don't know, Refusal not allowed)
PRX_S01	Specify other reason (80 spaces) (Don't know, Refusal not allowed)
PRX_C02	If (PRX_Q01 = 1 or PRX_Q01 = 2), go to PRX_Q02. Otherwise, go to PRX_END.
PRX_Q02 PRX_02	Is there someone ^MINAGE or older who could provide us with some information on behalf of ^CMP_Contact1_GivenName? We would like to ask this person questions about ^CMP_Contact1_GivenName's health status, factors that affect their health and their use of health care services. 1 Yes 2 No (Don't know, Refusal not allowed)
PRX_C03A	If PRX_Q02 = 2, go to PRX_END. Otherwise, go to PRX_Q03A.
PRX_Q03A	What is the first name of this person?

2024-09-24

ON-SCREEN HELP: First name

(80 spaces)

(Don't know, Refusal not allowed)

PRX_Q03B

What is the last name of this person?

ON-SCREEN HELP: Last name

(80 spaces)

(Don't know, Refusal not allowed)

PRX_Q04
PRX_04

May I speak with ^PRX_Q03A ^PRX_Q03B?

1 Yes, speaking to information provider
2 Yes, information provider available
3 No, information provider not available to complete this survey
4 No, information provider not available at this time
(Don't know, Refusal not allowed)

PRX_C05

If PRX_Q04 ≠ 4, go to PRX_END.
Otherwise, go to PRX_Q05.

PRX_Q05
PRX_05

Can you give me a telephone number for ^PRX_Q03A ^PRX_Q03B?

1 Yes (Go to PRX_Q05A)
2 No
(Don't know, Refusal not allowed)

Go to PRX_END

PRX_Q05A
PRX_05A

Enter the telephone number, including area code

ON-SCREEN HELP: Telephone number

(10 spaces)

(Don't know, Refusal not allowed)

PRX_END

2024-09-24

Verification (VER)

Overview:	This module confirms the identity of the respondent or of the parent or guardian, the date of birth, the province or territory of residence, as well as the address.
VER_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) C_FNAME: (CCHS Targeted youth first name) C_LNAME: (CCHS Targeted youth last name) C_AGE: (CCHS Targeted youth age) INTERVIEWERFLAG: (1 = iEQ, 0 = rEQ) CMP_ADDRESSLINE1: (First line of mailing address) CMP_ADDRESSLINE2: (Second line of mailing address (if applicable)) CMP_CITY: (City of mailing address) CMP_POSTALCODE: (Postal code of mailing address) CMP_PROVINCE: (Numerical province code for mailing address.)
VER_C05	If (FRAME = 1), go to VER_D05A. Otherwise, go to VER_C09.
VER_D05A	If (PMK == 1), DT_INTRO_E = 'Are you the parent or guardian of' Otherwise, DT_INTRO_E = 'Are you'
VER_Q05 VER_05	^DT_INTRO_E ^C_FNAME ^C_LNAME? 1 Yes 2 No (Don't know, Refusal not allowed)
Programmer:	*If VER_Q05 == 2, set OOS = 1* *go to SubmitPage* *If VER_Q05 == NONRESPONSE, set TELflag = 1* *go to SubmitPage*
VER_E05	Please answer question VER_Q05
Rule:	Trigger soft edit if (VER_Q05 = NONRESPONSE).
VER_C07	If (VER_Q05 = 1), go to VER_D07A. Otherwise, go to VER_END.
VER_D07A	If (PMK == 1), DT_INTRO2_E = '^C_FNAME's' Otherwise, DT_INTRO2_E = 'your'
VER_Q07C VER_07C	What is ^DT_INTRO2_E date of birth? Year

2024-09-24

|_|_|_|_|_|
(MIN: 2,000)
(MAX: 2,022)
Integer

(Don't know, Refusal not allowed)

VER_Q07B
VER_07B

What is ^DT_INTRO2_E date of birth?
Month

01 January
02 February
03 March
04 April
05 May
06 June
07 July
08 August
09 September
10 October
11 November
12 December
(Don't know, Refusal not allowed)

VER_Q07A
VER_07A

What is ^DT_INTRO2_E date of birth?
Day

|_|_|
(MIN: 1)
(MAX: 31)
Integer

(Don't know, Refusal not allowed)

VER_D07B

DV_VERAGE = 0.

VER_D07C

If (VER_Q07A = RESPONSE and VER_Q07B = RESPONSE and VER_Q07C = RESPONSE), DV_VERAGE = (THISYEAR - VER_Q07C).
If ((VER_Q07B > THISMONTH) or (VER_Q07B = THISMONTH and VER_Q07A > THISDAY)), DV_VERAGE = (DV_VERAGE - 1).

Programmer:

If (DV_VERAGE < 11 or DV_VERAGE > 18), set OOS = 1
go to SubmitPage

If (C_AGE >= 15 and C_AGE <= 17 and (DV_VERAGE < 15)) and (INTERVIEWERFLAG == 0), set TELflag = 1
go to SubmitPage

If (C_AGE >= 11 and C_AGE <= 14 and PMK == 1 and DV_VERAGE < 12) and (INTERVIEWERFLAG == 0), set TELflag = 1
go to SubmitPage

Otherwise, set OOS = 1
go to SubmitPage

VER_E07A

Please provide a date of birth.

2024-09-24

Rule:	Trigger hard edit if (VER_Q07C = NONRESPONSE and VER_Q07B = NONRESPONSE and VER_Q07A = NONRESPONSE).
VER_E07B	An incomplete date of birth has been entered.
Rule:	Trigger soft edit if (VER_Q07C = NONRESPONSE and (VER_Q07B = RESPONSE or VER_Q07A = RESPONSE)) or (VER_Q07B = NONRESPONSE and (VER_Q07C = RESPONSE or VER_Q07A = RESPONSE)) or (VER_Q07A = NONRESPONSE and (VER_Q07C = RESPONSE or VER_Q07B = RESPONSE)).
VER_E07C	An impossible day and month combination has been entered. Please correct the date of birth.
Rule:	Trigger soft edit if (VER_Q07B = 2 and VER_Q07A > 29) or ((VER_Q07B = (4 or 6 or 9 or 11)) and VER_Q07A > 30) and VER_Q07C = RESPONSE.
VER_E07D	An impossible day, month and year combination has been entered. Please correct the date of birth.
Rule:	Trigger soft edit .
Programmer:	*Rule for VER_E07D (cannot be written in condition grid)* *(VER_Q07B == 2 && VER_Q07A == 29 && VER_Q07C == RESPONSE) && (VER_Q07C != 1904 && VER_Q07C != 1908 && VER_Q07C != 1912 && VER_Q07C != 1916 && VER_Q07C != 1920 && VER_Q07C != 1924 && VER_Q07C != 1928 && VER_Q07C != 1932 && VER_Q07C != 1936 && VER_Q07C != 1940 && VER_Q07C != 1944 && VER_Q07C != 1948 && VER_Q07C != 1952 && VER_Q07C != 1956 && VER_Q07C != 1960 && VER_Q07C != 1964 && VER_Q07C != 1968 && VER_Q07C != 1972 && VER_Q07C != 1976 && VER_Q07C != 1980 && VER_Q07C != 1984 && VER_Q07C != 1988 && VER_Q07C != 1992 && VER_Q07C != 1996 && VER_Q07C != 2000 && VER_Q07C != 2004 && VER_Q07C != 2008 && VER_Q07C != 2012 && VER_Q07C != 2016 && VER_Q07C != 2020)*
VER_E07E	An impossible date has been entered. This date is in the future. Please return and correct.
Rule:	Trigger soft edit if (VER_Q07C > THISYEAR) or (VER_Q07C = THISYEAR and VER_Q07B > THISMONTH) or (VER_Q07C = THISYEAR and VER_Q07B = THISMONTH and VER_Q07A > THISDAY).
VER_E07F	The age of the selected child is less than 12 or greater than 18. Please confirm.
Rule:	Trigger soft edit if (C_AGE >= 11 and C_AGE <= 14 and (DV_VERAGE < 12 or DV_VERAGE > 18)).
VER_E07G	The age of the selected child is less than 14 or greater than 18. Please confirm.
Rule:	Trigger soft edit if (C_AGE >= 15 and C_AGE <= 17 and (DV_VERAGE < 14 or DV_VERAGE > 18)).
VER_D08	If (PMK == 1), DT_INTRO4_E = 'does ^C_FNAME' Otherwise, DT_INTRO4_E = 'do you'
VER_Q08	In which province or territory ^DT_INTRO4_E currently live?

2024-09-24

VER_08	10 Newfoundland and Labrador 11 Prince Edward Island 12 Nova Scotia 13 New Brunswick 24 Quebec 35 Ontario 46 Manitoba 47 Saskatchewan 48 Alberta 59 British Columbia 60 Yukon 61 Northwest Territories 62 Nunavut (Don't know, Refusal not allowed)
VER_Q10 VER_10	To determine the geographic region, please provide the postal code. <u>ON-SCREEN HELP</u>: Example: A9A 9A9 (7 spaces) (Don't know, Refusal not allowed)
VER_C11	If (VER_Q10 ≠ RESPONSE), go to VER_C09. Otherwise, go to VER_R11.
VER_R11	Please verify that the postal code is correct. Postal code: ^VER_Q10 <u>ON-SCREEN HELP</u>: If it is correct, press the Next button. To make changes, press the Previous button.
VER_C09	If (FRAME = 2 and INTERVIEWERFLAG = 0), go to VER_D09A. Otherwise, go to VER_END.
VER_D09A	DV_PROV = CMP_Province.
VER_D09B	If CMP_PROVINCE == 48, DT_CMP_PROVINCE_E = 'Alberta' If CMP_PROVINCE == 59, DT_CMP_PROVINCE_E = 'British Columbia' If CMP_PROVINCE == 46, DT_CMP_PROVINCE_E = 'Manitoba' If CMP_PROVINCE == 13, DT_CMP_PROVINCE_E = 'New Brunswick' If CMP_PROVINCE == 10, DT_CMP_PROVINCE_E = 'Newfoundland and Labrador' If CMP_PROVINCE == 61, DT_CMP_PROVINCE_E = 'Northwest Territories' If CMP_PROVINCE == 12, DT_CMP_PROVINCE_E = 'Nova Scotia' If CMP_PROVINCE == 62, DT_CMP_PROVINCE_E = 'Nunavut' If CMP_PROVINCE == 35, DT_CMP_PROVINCE_E = 'Ontario' If CMP_PROVINCE == 11, DT_CMP_PROVINCE_E = 'Prince Edward Island' If CMP_PROVINCE == 24, DT_CMP_PROVINCE_E = 'Quebec' If CMP_PROVINCE == 47, DT_CMP_PROVINCE_E = 'Saskatchewan' If CMP_PROVINCE == 60, DT_CMP_PROVINCE_E = 'Yukon'

2024-09-24

VER_Q09 VER_09	Can you please confirm if this is your address? ^CMP_AddressLine1 ^CMP_AddressLine2 ^CMP_City, ^DT_CMP_Province_E ^CMP_PostalCode 1 Yes 2 No (Don't know, Refusal not allowed)
Programmer:	*If VER_Q09 == 2, set OOS = 1* *go to SubmitPage* *If VER_Q09 == NONRESPONSE, set TELflag = 1* *go to SubmitPage*
VER_E09A	Please answer question VER_Q09
Rule:	Trigger soft edit if (VER_Q09 = NONRESPONSE).
VER_E09B	Click Next to confirm this is not the correct address.
Rule:	Trigger soft edit if (VER_Q09 = 2).
VER_END	

2024-09-24

Parental consent (PGC)

Overview:	This module asks for permission to contact the respondent (child) for a portion of the survey. When the selected respondent is under 15 years of age, a parent or guardian must consent in order to continue.
PGC_BEG	External Variables required: PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) C_AGE: (CCHS Targeted youth age) C_FNAME: (CCHS Targeted youth first name) SURVEYNAMEENGLISH: (Name of survey in English) SURVEYNAMEFRENCH: (Name of survey in French)
PGC_C01	If (PMK = 1 and (C_AGE <= 14 and C_AGE >= 11)), go to PGC_Q01. Otherwise, go to PGC_END.
PGC_Q01 PGC_01	Do we have your permission to contact ^C_FNAME to complete the other portion of the ^SurveyNameEnglish? 1 Yes 2 No (Don't know, Refusal not allowed)
Programmer:	*If PGC_Q01 != 1, set TELflag = 1* *go to SubmitPage*
PGC_E01A	A parent or guardian must consent in order to continue.
Rule:	Trigger soft edit if (PGC_Q01 = 2).
PGC_E01B	Please answer question PGC_Q01. A parent or guardian must consent in order to continue.
Rule:	Trigger soft edit if (PGC_Q01 ≠ RESPONSE).
PGC_END	

2024-09-24

Youth email address (YEA)

Overview:	This module requests the preferred email address to contact the respondent.
YEA_BEG	External Variables required: PGC_Q01: (Do we have your permission to contact ^C_FNAME to complete the other portion of the ^SurveyNameEnglish?) C_FNAME: (CCHS Targeted youth first name)
YEA_C02	If (PGC_Q01 = 1), go to YEA_Q02. Otherwise, go to YEA_END.
YEA_Q02	What is the best email address to contact ^C_FNAME? ON-SCREEN HELP: Example: user@example.gov.ca (80 spaces) (Don't know, Refusal not allowed)
YEA_Q03	Please confirm the email address. ON-SCREEN HELP: Example: user@example.gov.ca (80 spaces) (Don't know, Refusal not allowed)
YEA_E03	Inconsistent email addresses have been entered. Please correct.
Rule:	Trigger soft edit if (YEA_Q03 ≠ YEA_Q02).
YEA_END	

2024-09-24

Youth telephone number (YTL)

Overview:	This module requests the best telephone number to reach the respondent.
YTL_BEG	External Variables required: PGC_Q01: (Do we have your permission to contact ^C_FNAME to complete the other portion of the ^SurveyNameEnglish?) CMP_CONTACT1_PHONENUMBER1: (Phone number of household contact) C_FNAME: (CCHS Targeted youth first name)
YTL_C01	If (PGC_Q01 = 1), go to YTL_Q01. Otherwise, go to YTL_END.
YTL_Q01 YTL_01	Is ^CMP_Contact1_PhoneNumber1 the best telephone number to reach ^C_FNAME? 1 Yes 2 No (Go to YTL_Q02) (Don't know, Refusal not allowed) Go to YTL_END
YTL_Q02 YTL_02	What is the best telephone number to reach ^C_FNAME? <u>ON-SCREEN HELP</u>: Example: 123-123-1234 _____ (10 spaces) (Don't know, Refusal not allowed)
YTL_END	

2024-09-24

Address in scope (AIS)

Overview:	These questions are used to determine whether or not the sampled address is out of scope for the survey. Note that surveys may wish to assign Final Outcome Codes based on the responses to these questions.
AIS_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame)
AIS_C01	If (FRAME = 2), go to AIS_Q01. Otherwise, go to AIS_END.
AIS_Q01	What type of dwelling is this?

2024-09-24

AIS_01

1 Private home
2 Business
3 Both home and business
4 Institution
Help text: e.g., chronic care or long-term care hospitals, nursing homes, group homes or institutions, treatment centres
5 Collective dwelling
Help text: e.g., lodging or rooming house, hotel, motel, hostel, tourist home, staff residence, working camp
6 Seasonal (or secondary) dwelling
7 Don't know
(Don't know, Refusal not allowed)

Context Sensitive Help:

Private home
Dwelling that is the usual place of residence of at least one of the persons living there.

Collective dwelling
A dwelling such as a religious institution, a nursing home, convalescent homes, a hotel or motel, or a large boarding house (in which 10 or more unrelated persons live). Collective dwellings are subdivided into institutional and non-institutional collectives.

Institutional collectives
Include general and specialty hospitals, chronic care and long-term care hospitals, nursing homes, group homes or institutions for the physically handicapped and treatment centres, group homes for children and youth, group homes or institution for people with psychiatric disorders or developmental disabilities, federal correctional institutions, provincial/territorial custodial facilities, young offenders' facilities, jails and police lock-up facilities, shelters for persons lacking a fixed address, shelters for abused women and children and other shelters and lodging with assistance.

Non-institutional collectives
Include residences for senior citizens, lodging and rooming houses, hotel, motels and tourist establishments, campgrounds and parks, school residences and training centre residences, work camps, other establishments with temporary accommodation services, religious establishments, military bases, commercial vessels, government vessels, Hutterite colonies and other collective dwellings.

Seasonal (or secondary) dwelling
A dwelling that is not the usual place of residence for any persons residing there at the time of the survey.

Programmer:

If AIS_Q01 = 4, set OOS = 1
go to Submit page

AIS_C02

If (AIS_Q01 = 2 or AIS_Q01 = 6 or AIS_Q01 = 7 or AIS_Q01 ≠ RESPONSE), go to AIS_Q02.
Otherwise, go to AIS_END.

AIS_Q02

Does anyone use this address as a private home?

2024-09-24

AIS_02

1 Yes
2 No
(Don't know, Refusal not allowed)

Programmer: *If (AIS_Q02 == 2 or AIS_Q02 != RESPONSE), set OOS = 1*
go to Submit page

AIS_E02 Please confirm if this address is used as a private home.

Rule: Trigger soft edit if (AIS_Q02 ≠ RESPONSE).

AIS_END

2024-09-24

Occupancy (DWL)

Harmonized content

Overview: HC

This module asks if the dwelling is owned by a member of the household.

DWL_BEG

External Variables required:
PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK)
FRAME: (1 = CCHS CCB, 2 = CCHS Area frame)

DWL_C01A

If (PMK = 1 or FRAME = 2), go to DWL_Q01A.
Otherwise, go to DWL_END.

DWL_Q01A
DWL_01A

Is this dwelling owned by a member of this household?

1 Yes, owned, even if it is still being paid for
2 No, rented, even if no cash rent is paid
(Don't know, Refusal not allowed)

Context Sensitive Help:

Select "Yes, owned, even if it is still being paid for" if you or another member of this household own the dwelling in which you live, even if the dwelling is on rented or leased land, if it is part of a condominium or if it is being paid for by you or another member of your household. If the household contains both owners and renters, such as a boarder, the dwelling should be considered owned.

Select "No, rented, even if no cash rent is paid" in all other cases, even if the dwelling you occupy is provided without cash rent or at a reduced rent e.g., a clergy's residence or a superintendent's dwelling in an apartment building or the dwelling is part of a co-operative.

DWL_E01A_1

Please answer question DWL_Q01A

Rule:

Trigger soft edit if (DWL_Q01A ≠ RESPONSE).

DWL_END

2024-09-24

Household member or not (HC)

Overview:	This module asks the respondent if they are a member of the household.
HC_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK)
HC_C01	If FRAME = 2 or (FRAME = 1 and PMK = 1), go to HC_Q01. Otherwise, go to HC_END.
HC_Q01 HC_01	Are you a member of this household? 1 Yes 2 No (Don't know, Refusal not allowed)
HC_E01_1	Please indicate if you are a member of this household.
Rule:	Trigger hard edit if HC_Q01 ≠ RESPONSE.
HC_END	

2024-09-24

Household composition (HHC)

Overview:	This module asks for important basic information about the members of this household including a list of all persons that usually live at this address.
HHC_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) CCHS_FLAG1: (Valid roster instance (1 = yes, 2 = no)) C_FNAME: (CCHS Targeted youth first name) C_LNAME: (CCHS Targeted youth last name) C_AGE: (CCHS Targeted youth age) DV_VERAGE: (Age of selected respondent from the CCB frame (from SB1)) COUNTER: (Defn required)
HHC_C10	If (PMK = 1 or FRAME = 2), go to HHC_R10A. Otherwise, go to HHC_END.
HHC_R10A	The next few questions ask for important basic information about the people in this household.
HHC_Q10A	List all persons that usually live at this address. First name

2024-09-24

ON-SCREEN HELP: Include:
- those who regard this dwelling as their usual residence or are staying in the dwelling and have no other usual place of residence
- those who reside at this dwelling, even if they are temporarily away, such as, students, persons staying at a secondary residence or cottage.

(50 spaces)

(Don't know, Refusal not allowed)

Context Sensitive Help:

Definition:
- include all persons who regard the dwelling as their usual residence or are staying in the dwelling and have no usual place of residence elsewhere
- include Canadian citizens, landed immigrants, and non-permanent residents (persons who are in Canada on a work permit, a student visa or a Minister's permit, or who are applying for refugee status, as well as their dependants)
- single students should be considered as usual residents of their parents' dwelling if they have spent 30 or more days there in the past 12 months
- married persons away at work or school should be considered as usual residents of their spouse's dwelling.

Procedure: begin the list with an adult who has responsibility for the care or support of the household.

Processing:

There are three sections available for HHC_Q10A, HHC_Q10B, and HHC_Q10C:
1. People usually living or staying at this address.
2. Enter the information for each person living at this address who is not listed above, then press the "Add this person" button.
**This should already be covered by questions HHC_Q10A, HHC_Q10B, and HHC_Q10C*
3. People no longer living or staying at this address. If incorrect, then press the "Add this person" button.

HHC_E10A

Please provide first name.

Rule:

Trigger hard edit if (HHC_Q10A ≠ RESPONSE and CCHS_FLAG1 = 1).

HHC_Q10B

List all persons that usually live at this address.
Last name

(50 spaces)

(Don't know, Refusal not allowed)

HHC_E10BA

Please provide last name.

Rule:

Trigger hard edit if (HHC_Q10B ≠ RESPONSE and CCHS_FLAG1 = 1).

HHC_E10BB

This survey is about ^C_FNAME ^C_LNAME. Changes should only be made to correct spelling errors or as a result of a legal name change.

Rule:

Trigger hard edit if ((HHC_Q10A ≠ C_FNAME or HHC_Q10B ≠ C_LNAME) and COUNTER = 1 and FRAME = 1 and PMK = 1).

HHC_Q10C
HHC_10C

List all persons that usually live at this address.
Age

2024-09-24

|_|_|_|
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

Processing: *If (COUNTER == 1 and FRAME == 1 and PMK == 1), HHC_Q10C = DV_VERAGE*

HHC_E10CA — Please provide age.

Rule: Trigger hard edit if (HHC_Q10C ≠ RESPONSE and CCHS_FLAG1 = 1).

HHC_E10CB — An unusual value has been entered. Please review the entered response.

Rule: Trigger soft edit if (HHC_Q10C > 120).

HHC_E10CC — Each answer field must have a response before clicking the Add this person button.

Rule: Trigger soft edit if (CCHS_FLAG1 ≠ 1 and CCHS_FLAG1 ≠ 0 and HHC_Q10A = NONRESPONSE and HHC_Q10B = NONRESPONSE and HHC_Q10C = NONRESPONSE).

HHC_E10CD — Please list all household members.

Rule: Trigger hard edit .

Programmer: *Rule for HHC_E10CD (cannot be written in condition grid) :*
Count(RosterDriver1, HHC_Q10A == RESPONSE && HHC_Q10B == RESPONSE && HHC_Q10C == RESPONSE && CCHS_Flag1 == 1) == 0

HHC_E10CE — The maximum number of household members cannot exceed 20.

Rule: Trigger hard edit .

Programmer: *Rule for HHC_E10CE (cannot be written in condition grid) :*
Count(RosterDriver1,HHC_Q10A == RESPONSE && HHC_Q10B == RESPONSE && HHC_Q10C == RESPONSE && CCHS_Flag1 == 1) > 20

HHC_E10CF — Please list all household members.

Rule: Trigger soft edit .

Programmer: *Rule for HHC_E10CF (cannot be written in condition grid) :*
PMK == 1 && FRAME == 1 && Count(RosterDriver1, HHC_Q10A == RESPONSE && HHC_Q10B == RESPONSE && HHC_Q10C == RESPONSE && CCHS_Flag1 == 1) == 1

HHC_E10CG — This person may have already been entered. Please review and make corrections if necessary.

Rule: Trigger soft edit .

Programmer: *Rule for HHC_E10CG (cannot be written in condition grid) :*
HasDuplicate(HHC_Q10A, HHC_Q10B, HHC_Q10C) == "1"

2024-09-24

HHC_D15	If (COUNTER = 1 and FRAME = 1) and ((C_AGE <= HHC_Q10C) and (C_AGE <= DV_VERAGE)), DV_AWC_AGE_S1 = C_AGE. Else if ((DV_VERAGE <= HHC_Q10C) and (DV_VERAGE <= C_AGE)), DV_AWC_AGE_S1 = DV_VERAGE. Else if ((HHC_Q10C <= C_AGE) and (HHC_Q10C <= DV_VERAGE)), DV_AWC_AGE_S1 = HHC_Q10C.
HHC_D20	DV_HHSIZE = (Count(RosterDriver1, CCHS_Flag1 == 1)).
Programmer:	*If ((FRAME == 2 && Count(RosterDriver1, CCHS_Flag1 == 1 && HHC_Q10C < 18) == DV_HHSIZE)), set OOS = 1.* *go to SubmitPage*
HHC_END	

2024-09-24

Person providing demographics (PPD)

Overview:	This module asks to select the person who provides the information about the household.
PPD_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) CCHS_FLAG1: (Valid roster instance (1 = yes, 2 = no)) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) HHC_Q10A: (First name of household member) HC_Q01: (Are you a member of this household?) HHC_Q10B: (Last name of household member) HHC_Q10C: (Age of household member)
PPD_C01B	If (FRAME = 2 or (FRAME = 1 and PMK = 1)) and HC_Q01 = 1, go to PPD_Q01. Otherwise, go to PPD_END.
PPD_Q01 PPD_01	Select the person who is providing the information about the household. 1 ^HHC_Q10A ^HHC_Q10B, age ^HHC_Q10C (Don't know, Refusal not allowed)
Programmer:	*Display condition:* *Any active person (Instance) entered at HHC_Q10A, who meets the following criteria:* *(((FRAME = (1 or 2) and (DV_AWC_AGE_S1 > 17 or HHC_Q10C > 17)) and CCHS_Flag1 == 1)*
PPD_E01	Please indicate person providing information.
Rule:	Trigger hard edit .
Programmer:	*Rule for PPD_E01 (cannot be written in condition grid) : Count(RosterDriver1, PPD_Q01 == 1) == 0*
PPD_END	

2024-09-24

Education (ED)

	Harmonized content
Overview:	Harmonized content. This module asks for the highest level of education completed.
ED_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) HHC_Q10A: (First name of household member) HHC_Q10B: (Last name of household member) DV_AWC_AGE_S1: (Confirmed age of each household member)
ED_C05	If (PMK = 1 or (FRAME = 2)), go to ED_Q05. Otherwise, go to ED_END.
ED_D05A	If (FRAME = 1 or FRAME = 2), DV_YEARORMONTH = 0. If (FRAME = 1 or FRAME = 2), DV_CALCULATEDAGE = DV_AWC_AGE_S1.
ED_D05B	If DV_CALCULATEDAGE > 1, DT_YEARSMONTHS_E = 'years' If DV_CALCULATEDAGE == 1, DT_YEARSMONTHS_E = 'year'
ED_Q05 ED_05	What is this person's highest certificate, diploma or degree completed? ^HHC_Q10A ^HHC_Q10B, ^DV_AWC_AGE_S1 ^DT_YEARSMONTHS_E

2024-09-24

1 Less than high school diploma or its equivalent
2 High school diploma or a high school equivalency certificate
3 Trades certificate or diploma
4 College, CEGEP or other non-university certificate or diploma (other than trades certificates or diplomas)
5 University certificate or diploma below the bachelor's level
6 Bachelor's degree
Help text: e.g., B.A., B.A. (Hons), B.Sc., B.Ed., LL.B.
7 University certificate, diploma or degree above the bachelor's level
(Don't know, Refusal not allowed)

Processing: *If age of roster member < 12, set ED_Q05 = 1*

Programmer: *This question loops for each member of the roster. Group header and radio buttons to be repeated based on the number of persons entered in roster manager (HHC_Q10A, HHC_Q10B) up to a maximum of 20 instances.*

Any person (Instance) entered (and not removed) at HHC_Q10A, HHC_Q10B aged less than 12 should not be displayed in the rostered group header.
Display condition:
CCHS_Flag1 == 1 && (DV_AWC_AGE_S1 > 11 && DV_YEARORMONTH == 0)

ED_E05 Please select the highest level of education completed.

Rule: Trigger soft edit if (ED_Q05 ≠ RESPONSE).

ED_END

2024-09-24

Canadian Forces (CAF)

Overview:	The Canadian Forces block questions is used to determine whether or not the respondent is a full time member of the regular Canadian Armed Forces. Full-time military personnel are not asked Labour Force questions. Surveys must specify the minimum and maximum ages for calling the block (the LFS minimum is 16 and the LFS maximum is 65).
CAF_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) HHC_Q10A: (First name of household member) HHC_Q10B: (Last name of household member) DV_AWC_AGE_S1: (Confirmed age of each household member) DV_YEARORMONTH: (Flag to determine whether a household member's age is in years or months) CCHS_FLAG1: (Valid roster instance (1 = yes, 2 = no)) ROSTERDRIVER1: (Number of instances in the household roster)
CAF_C01A	If (ROSTERDRIVER1 >= 1) and (FRAME = 1), go to CAF_END. Otherwise, go to CAF_C01B.
CAF_C01B	, go to CAF_C02. Otherwise, go to CAF_Q01.
Programmer:	*Condition for CAF_C01B (cannot be written in condition grid):* *If (Count(RosterDriver1, DV_AWC_AGE_S1 < 16 || DV_AWC_AGE_S1 > 65 || DV_YEARORMONTH == 1 || CCHS_FLAG1 == 0) == RosterDriver1), go to CAF_C02* *Otherwise, go to CAF_Q01.*
CAF_Q01 CAF_01	Are any of the following people full-time members of the regular Canadian Forces? ^HHC_Q10A ^HHC_Q10B, ^DV_AWC_AGE_S1 ^DT_YEARSMONTHS_E <u>ON-SCREEN HELP</u>: Include members of the Regular Officer's Training Program (ROTP). Exclude part-time (reserve) members of the Canadian (Armed) Forces and civilians working for the Department of National Defence. 1 Yes 2 No (Don't know, Refusal not allowed)
Programmer:	*This question loops for each member of the roster. Group header and radio buttons to be repeated based on the number of persons entered in roster manager (HHC_Q10A, HHC_Q10B) up to a maximum of 20 instances.* *Any person (instance) entered (and not removed) at HHC_Q10A, HHC_Q10B aged less than 16 or greater than 65 should not be displayed in the rostered group header.* *Display condition:* *DV_AWC_AGE_S1 > 15 && DV_AWC_AGE_S1< 66 && CCHS_FLAG1 == 1*
CAF_E01	Please answer question ^CAF_Q01
Rule:	Trigger hard edit if CAF_Q01 ≠ RESPONSE.

2024-09-24

CAF_C02

, go to CAF_END.
Otherwise, go to CAF_Q02.

Programmer:

Condition for CAF_C02 (cannot be written in condition grid):
If (Count(RosterDriver1, DV_AWC_AGE_S1 < 16 || CCHS_FLAG1 != 1) == RosterDriver1), go to CAF_END
Otherwise, go to CAF_Q02.

CAF_Q02
CAF_02

Have any of the following people ever served in the Canadian military?

^HHC_Q10A ^HHC_Q10B, ^DV_AWC_AGE_S1 ^DT_YEARSMONTHS_E

ON-SCREEN HELP: Include service with the Regular Force or Reserve Force as an Officer or a Non-Commissioned Member.

Exclude service with the Cadets.

1 Yes (Go to CAF_Q03)
2 No
(Don't know, Refusal not allowed)

Go to CAF_END

Programmer:

This question loops for each member of the roster. Group header and radio buttons to be repeated based on the number of persons entered in roster manager (HHC_Q10A, HHC_Q10B) up to a maximum of 20 instances.

Any person (instance) entered (and not removed) at HHC_Q10A, HHC_Q10B aged less than 16 should not be displayed in the rostered group header.
Display condition:
DV_AWC_AGE_S1 > 15 && CCHS_FLAG1 == 1

CAF_Q03

What type of service?

ON-SCREEN HELP: Select all that apply.

1 Regular forces
2 Primary reserves
(Don't know, Refusal not allowed)

Processing:

In the EQ questionnaire, the variables are identified as CAF_Q03_1 and CAF_Q03_2.

CAF_END

Programmer:

If (FRAME = (1 or 2) and Count(RosterDriver1, DV_AWC_AGE_S1 < 18 or CAF_Q01 = 1 or CCHS_FLAG1 = 0) = RosterDriver1)
set OOS = 1
goto SubmitPage

2024-09-24

Contact e-mail address (CEA)

Overview:	This module asks for the contact's e-mail address.
CEA_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) HHC_Q10A: (First name of household member) HHC_Q10B: (Last name of household member) DV_AWC_AGE_S1: (Confirmed age of each household member)
CEA_C01	If FRAME = 2, go to CEA_Q01. Otherwise, go to CEA_END.
CEA_Q01	What is this person's email address? ^HHC_Q10A ^HHC_Q10B, age ^DV_AWC_AGE_S1 ON-SCREEN HELP: Example: user@example.gov.ca (80 spaces) (Don't know, Refusal not allowed)
Programmer:	*This question loops for each member of the roster. Group header and radio buttons to be repeated based on the number of persons entered in roster manager (HHC_Q10A, HHC_Q10B) up to a maximum of 20 instances.* *Any person (Instance) entered (and not removed) at HHC_Q10A, HHC_Q10B aged more than 18 should be displayed in the rostered group header.* *Display condition:* *DV_AWC_AGE_S1 >= 18 && CCHS_FLAG1 == 1*
CEA_E01	Please ensure that all email addresses are accurate. An email will be sent to the person selected, so they can confidentially complete the health portion of this questionnaire.
Rule:	Trigger soft edit if CEA_Q01 = 1.
Programmer:	*HasDuplicate(CEA_Q01) == "1"*
CEA_END	

2024-09-24

Selected respondent (SRI)

Overview:	This is a transition screen for DF (dwelling frame) units to tell them we will now be randomly selecting someone to participate in the rest of the survey, and to transition them out of the survey if they are not selected. For a single person household, this screen will be skipped.
SRI_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) DV_HHSIZE: (Household size (number of active people listed in the roster)) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK)
Programmer:	*SRI_R01 and SRI_R02 are for Area Frame and Youth 15-17.* *SRI_R03 also shows as SRI_R01 in tne EQ appplication but is for PMK 14-17 and PMK 15-17.*
SRI_C01A	If PMK = 1, go to SRI_C03. Otherwise, go to SRI_C01B.
SRI_C01B	If FRAME = 2 and DV_HHSIZE > 1, go to SRI_R01. Otherwise, go to SRI_C02.
SRI_R01	By pressing the Submit button, a member of this household will be selected to complete the survey. If you are selected, you will go on to the rest of the survey. Otherwise, another household member will be contacted to complete it. Thank you.
SRI_C02	If (FRAME = 2 and DV_HHSIZE = 1) or (FRAME = 1 and PMK ≠ 1), go to SRI_R02. Otherwise, go to SRI_C03.
SRI_R02	By pressing the Submit button, you will go on to complete the rest of the survey. This may take a moment.
SRI_C03	If (FRAME = 1 or DV_HHSIZE = 1), go to SRI_END. Otherwise, go to SRI_R03.
SRI_R03	A member of this household will now be randomly selected to complete the rest of the survey. If you are the selected participant, you will now continue to the next part of the questionnaire. Otherwise, another household member will be contacted to complete the survey. Thank you.
SRI_END	

2024-09-24

Person most knowledgeable transition (PMT)

Overview:	This is a transition screen for the person most knowledgeable.
PMT_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) C_FNAME: (CCHS Targeted youth first name)
PMT_C01	or PMK ≠ 1) If (FRAME = 2, go to PMT_END. Otherwise, go to PMT_R01.
PMT_R01	Now you will go on to finish your portion of the survey. We will contact ^C_FNAME to finish their portion.
PMT_END	

2024-09-24

Content

Verification (VER2)

Core content

Overview:

Harmonized content (VER2_Q07C,B,A)

This module confirms the identity of the respondent before proceeding with the child portion of the survey.

VER2_BEG

External Variables required:
FRAME: (1 = CCHS CCB, 2 = CCHS Area frame)
DV_AWC_AGE: (Age of selected respondent)
PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK)
FNAME: (First name of specific respondent)
LNAME: (Last name of specific respondent)
THISYEAR: (System date (year))
THISMONTH: (System date (month))
THISDAY: (System date (day))

VER2_C05

If FRAME = 1 and (DV_AWC_AGE <= 14 and DV_AWC_AGE >= 11) and PMK ≠ 1, go to VER2_Q05.
Otherwise, go to VER2_END.

VER2_Q05
VER2_05

Are you ^FNAME ^LNAME?

1 Yes
2 No
(Don't know, Refusal not allowed)

Programmer:

If VER2_Q05 == 2, set DV_OOS = 1
go to SubmitPage

If VER2_Q05 == NONRESPONSE, set DV_TELflag = 1
go to SubmitPage

VER2_E05_1

Please answer question VER2_Q05

Rule:

Trigger hard edit if VER2_Q05 = NONRESPONSE.

VER2_E05_2

This survey is about ^FNAME ^LNAME. If you are not ^FNAME ^LNAME, please ensure that they answer this survey.

Rule:

Trigger soft edit if VER2_Q05 = 2.

VER2_C07

If VER2_Q05 = 1, go to VER2_Q07C.
Otherwise, go to VER2_END.

VER2_Q07C
VER2_07C

What is your date of birth?
Year

2024-09-24

|_|_|_|_|
(MIN: 2000)
(MAX: 2022)
Year

(Don't know, Refusal not allowed)

VER2_Q07B
VER2_07B

What is your date of birth?
Month

01 January
02 February
03 March
04 April
05 May
06 June
07 July
08 August
09 September
10 October
11 November
12 December
(Don't know, Refusal not allowed)

VER2_Q07A
VER2_07A

What is your date of birth?
Day

|_|_|
(MIN: 1)
(MAX: 31)
Integer

(Don't know, Refusal not allowed)

VER2_E07

There are several soft edits for the date of birth, but it was decided not to transcribe them in QDT. See rendering template.

Rule:

Trigger soft edit .

VER2_D07A

DV_VERAGE2 = 0.

VER2_D07B

If (VER2_Q07A = RESPONSE and VER2_Q07B = RESPONSE and VER2_Q07C = RESPONSE), DV_VERAGE2 = (THISYEAR - VER2_Q07C).
If (VER2_Q07B > THISMONTH or (VER2_Q07B = THISMONTH and VER2_Q07A > THISDAY)), DV_VERAGE2 = (DV_VERAGE2 - 1).

VER2_Q08

In which province or territory do you currently live?

2024-09-24

VER2_08

10 Newfoundland and Labrador
11 Prince Edward Island
12 Nova Scotia
13 New Brunswick
24 Quebec
35 Ontario
46 Manitoba
47 Saskatchewan
48 Alberta
59 British Columbia
60 Yukon
61 Northwest Territories
62 Nunavut
(Don't know, Refusal not allowed)

VER2_END

2024-09-24

Date of birth (AGE)

Harmonized content

Overview:

This module is used to collect the respondent's date of birth, which is used to calculate the age of the household member and is necessary for determining question flows.

AGE_BEG

External Variables required:
FRAME: (1 = CCHS CCB, 2 = CCHS Area frame)
PRX_Q02: (Person answering on behalf of respondent.)
FNAME: (First name of specific respondent)
THISYEAR: (System date (year))
THISMONTH: (System date (month))
THISDAY: (System date (day))

AGE_C01

If FRAME = 2, go to AGE_D01.
Otherwise, go to AGE_END.

AGE_D01

If PRX_Q02 == 1, DT_INTRO3_E = '^FNAME's'
Otherwise, DT_INTRO3_E = 'your'

AGE_Q01A
AGE_01A

What is ^DT_INTRO3_E date of birth?
Year

|_|_|_|_|
(MIN: 1897)
(MAX: 2022)
Year

(Don't know, Refusal not allowed)

AGE_Q01B
AGE_01B

What is ^DT_INTRO3_E date of birth?
Month

01 January
02 February
03 March
04 April
05 May
06 June
07 July
08 August
09 September
10 October
11 November
12 December
(Don't know, Refusal not allowed)

AGE_Q01C
AGE_01C

What is ^DT_INTRO3_E date of birth?
Day

2024-09-24

	|_|_| (MIN: 1) (MAX: 31) Integer (Don't know, Refusal not allowed)
AGE_E01	There are several soft edits for the date of birth, but it was decided not to transcribe them in QDT. See rendering template.
Rule:	Trigger soft edit .

AGE_D02A	If (AGE_Q01A = RESPONSE and AGE_Q01B = RESPONSE), DV_AGE_CALC = (THISYEAR - AGE_Q01A).
	If (AGE_Q01B > THISMONTH) or (AGE_Q01C = RESPONSE and AGE_Q01B = THISMONTH and AGE_Q01C > THISDAY), DV_AGE_CALC = (DV_AGE_CALC - 1).
	Otherwise, DV_AGE_CALC = 9999.

AGE_D02B	If DV_AGE_CALC ≠ 9999, DV_AWC_AGE = DV_AGE_CALC.
AGE_D03	If DV_AGE_CALC < 18, DV_OOS = 1.
Programmer:	*set DT_OOS_E = "We value your participation, however the #{SurveyNameEnglish} applies only to those aged 18 and over. Thank you for taking the time to answer these questions."* *Go to SubmitPage*
AGE_END	

2024-09-24

Sex and gender (GDRA)

	Harmonized content
Overview:	The Sex and gender block is used to collect the gender and sex at birth of the respondent.
GDRA_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) PMK: (Person most knowledgeable.) PRX_Q02: (Person answering on behalf of respondent.) FNAME: (First name of specific respondent)
GDRA_C05	If (FRAME = (1 or 2)) and PMK ≠ 1, go to GDRA_R05. Otherwise, go to GDRA_END.
GDRA_R05	The following questions are about sex at birth and gender.
GDRA_D05	If PRX_Q02 == 1, DT_SEXGEN_E = '^FNAME's' Otherwise, DT_SEXGEN_E = 'your'
GDRA_Q05 GDRA_05	What was ^DT_SEXGEN_E sex at birth? <u>ON-SCREEN HELP</u>: Sex refers to sex assigned at birth. 1 Male 2 Female (Don't know, Refusal not allowed)
GDRA_E05	No answer has been selected for the sex at birth question. Please provide an answer.
Rule:	Trigger soft edit if GDRA_Q05 = NONRESPONSE.
GDRA_D10A	
GDRA_D10B	
GDRA_Q10 GDRA_10	What is ^DT_SEXGEN_E gender? <u>ON-SCREEN HELP</u>: Gender refers to current gender which may be different from sex assigned at birth and may be different from what is indicated on legal documents. 1 Male 2 Female 3 Or please specify (Go to GDRA_S10) (Don't know, Refusal not allowed) Go to GDRA_D15A
GDRA_S10	Specify ^DT_SEXGEN_E gender

2024-09-24

	(80 spaces) (Don't know, Refusal not allowed)
GDRA_E10	No answer has been selected for the gender question. Please provide an answer.
Rule:	Trigger soft edit if GDRA_Q10 = NONRESPONSE.
GDRA_D15A	If PRX_Q02 == 1, DT_SEXGEN_C_E = '^FNAME's' Otherwise, DT_SEXGEN_C_E = 'Your'
GDRA_D15B	If GDRA_Q05 == 1, DT_SEXA_E = 'Male' If GDRA_Q05 == 2, DT_SEXA_E = 'Female' Otherwise, DT_SEXA_E = 'Information not provided'
GDRA_D15C	If GDRA_Q10 == 1, DT_GDRA_E = 'Male' Else if GDRA_Q10 == 2, DT_GDRA_E = 'Female' Else if (GDRA_Q10 == 3 and GDRA_S10 == RESPONSE), DT_GDRA_E = '^GDRA_S10' Otherwise, DT_GDRA_E = 'Information not provided'
GDRA_R15	Please verify that all of the information is correct. ^DT_SEXGEN_C_E Sex assigned at birth: ^DT_SEXA_E Gender: ^DT_GDRA_E <u>ON-SCREEN HELP</u>: If all the information is correct, press the Next button. To make changes, press the Previous button.
Context Sensitive Help:	*This survey asks questions related to pregnancy, childbirth and specific types of cancer, all of which are based on sex at birth. If specific questions are not relevant, they can be skipped. Thank you for your understanding and for your participation.*
Processing:	*This element is identified as GDRA_Q15 in the EQ application.*
GDRA_D20A	If GDRA_Q05 = 1, DV_SEXATBIRTH = 1. If GDRA_Q05 = 2, DV_SEXATBIRTH = 2. Otherwise, DV_SEXATBIRTH = 1.
GDRA_D20B	If (GDRA_Q05 = 2 and GDRA_Q10 = NONRESPONSE) or GDRA_Q10 = 2, DV_SEX = 2. Otherwise, DV_SEX = 1.
GDRA_D20C	If (FRAME = 1 and PMK ≠ 1) and DV_SEX = 2, DV_PROXYSEX = 2.

2024-09-24

Else if (FRAME = 1 and PMK ≠ 1) and DV_SEX = 1, DV_PROXYSEX = 1.
Else if FRAME = 1, DV_PROXYSEX = 3.
Else if (FRAME = 2 and PRX_Q02 = 1) and DV_SEX = 2, DV_PROXYSEX = 4.
Else if (FRAME = 2 and PRX_Q02 = 1) and DV_SEX = 1, DV_PROXYSEX = 3.
Else if (FRAME = 2 and PRX_Q02 ≠ 1) and DV_SEX = 2, DV_PROXYSEX = 2.
Else if (FRAME = 2 and PRX_Q02 ≠ 1) and DV_SEX = 1, DV_PROXYSEX = 1.

GDRA_END

2024-09-24

Relationship with confirmation (RWC)

Core content

Overview: The Relationship with Confirmation block is used to determine the relationship of each household member to the selected respondent. This is used in the analysis and interpretation of changes in family and household characteristics and composition. For households of 1 person, the RWC module is not required.

RWC_BEG

External Variables required:
FRAME: (1 = CCHS CCB, 2 = CCHS Area frame)
DV_HHSIZE: (Household size (number of active people listed in the roster))
PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK)
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
DV_AWC_AGE_S1: (Confirmed age of each household member)
DV_AWC_AGE: (Age of selected respondent)
HHC_Q10B: (Last name of household member)
HHC_Q10A: (First name of household member)
FNAME: (First name of specific respondent)

Programmer: *For households of 1 person (DV_HHSIZE = 1), the RWC module is not required. For households of 2 or more people, pass through the RWC module to obtain all relationships between the selected respondent and all other household members.*

This module loops for each member of the roster. Group header and radio buttons to be repeated as per the number of instances in roster manager (HHC_Q10A, HHC_Q10B, HHC_Q10C), up to a maximum of 20 instances.

RWC_D01A

Programmer: *Derived variable DV_AGE_DIFF_15 (cannot be written in condition grid):*
If (((DV_AWC_AGE - DV_AWC_AGE_S1) > 0 && (DV_AWC_AGE - DV_AWC_AGE_S1) < 15) || ((DV_AWC_AGE_S1 - DV_AWC_AGE) > 0 && ((DV_AWC_AGE_S1 - DV_AWC_AGE) < 15))), DV_AGE_DIFF_15 = 1

RWC_D01B

Programmer: *Derived variable DV_AGE_DIFF_G25 (cannot be written in condition grid):*
If (((DV_AWC_AGE - DV_AWC_AGE_S1) > 25) || ((DV_AWC_AGE_S1 - DV_AWC_AGE) > 25)), DV_AGE_DIFF_G25 = 1

RWC_D01C

Programmer: *Derived variable DV_AGE_DIFF_50 (cannot be written in condition grid):*
If (((DV_AWC_AGE - DV_AWC_AGE_S1) > 50) || ((DV_AWC_AGE_S1 - AWC_AGE) > 50)), DV_AGE_DIFF_50 = 1

RWC_D01D

Programmer: *Derived variable DV_AGE_DIFF_L25 (cannot be written in condition grid):*
If (((DV_AWC_AGE - DV_AWC_AGE_S1) > 0 && (DV_AWC_AGE - DV_AWC_AGE_S1) < 25) || ((DV_AWC_AGE_S1 - DV_AWC_AGE) > 0 && ((DV_AWC_AGE_S1 - DV_AWC_AGE) < 25))), DV_DIFF_AGE_L25 = 1

RWC_C05 If (DV_HHSIZE = 1 or (FRAME = 1 and PMK ≠ 1)), go to RWC_END. Otherwise, go to RWC_D05A.

2024-09-24

RWC_D05A

If (DV_HHSIZE > 2), DT_PEOPLE_E = 'people'
Else if (DV_HHSIZE == 2), DT_PEOPLE_E = 'person'

RWC_D05B

If (PROXYSEX == (1 or 2)), DT_AGE_E = ''
Otherwise, DT_AGE_E = ', age ^DV_AWC_AGE'

RWC_Q05
RWC_05

What is the relationship of the following ^DT_PEOPLE_E to ^YOU2^DT_AGE_E?

ON-SCREEN HELP: ^HHC_Q10A ^HHC_Q10B, age ^DV_AWC_AGE_S1

01	Husband or wife	
02	Common-law partner	
03	Father or mother	
04	Son or daughter	
05	Brother or sister	
06	In-law	
07	Other related	(Go to RWC_Q30)
08	Unrelated	(Go to RWC_S05)

(Don't know, Refusal not allowed)

Go to RWC_END

Context Sensitive Help:

Purpose
To determine the relationship of each household member to the selected respondent. This is used in the analysis and interpretation of changes in family and household characteristics and composition.
Definition
Husband or wife
Spouse by legal marriage (same sex or opposite sex).
Common-law partner
Refers to two people of the opposite sex or the same sex who live together as a couple but who are not legally married to each other.
Foster father or mother
A person who is paid to provide care for a child less than 18 years old, and who is not the birth, adoptive or step parent of the child.
Foster son or daughter
A child less than 18 years old who is receiving care from someone who is being paid to provide that care, and who is not the child's birth, adoptive or step parent.
In-law
A person who is related by marriage only.

RWC_S05

Specify the relationship to this person

(80 spaces)

(Don't know, Refusal not allowed)

RWC_E05A

More than one household member was identified as your spouse or common-law partner. Please verify that this information is correct.

Rule:

Trigger soft edit .

Programmer:

Rule for RWC_E05A (cannot be written in condition grid):
((RWC_Q05 == 1 || RWC_Q05 == 2) && (Count(RosterDriver1,TempVariable == 1 && RWC_Q05 == 1 || RWC_Q05 == 2) >= 2))

RWC_E05B

The category "Husband or wife" has been selected for a household member less than 16 years old. Please verify and correct if necessary.

2024-09-24

Rule:	Trigger soft edit if (RWC_Q05 = 1 and (DV_AWC_AGE < 16 or DV_AWC_AGE_S1 < 16)).
RWC_E05C	The category "Common-law partner" has been selected for a household member less than 16 years old. Please verify and correct if necessary.
Rule:	Trigger soft edit if (RWC_Q05 = 2 and (DV_AWC_AGE < 16 or DV_AWC_AGE_S1 < 16)).
RWC_E05D	The category "Son or daughter" has been selected. ^FNAME is less than 12 years old. Please verify and correct if necessary.
Rule:	Trigger soft edit if RWC_Q05 = 4 and DV_AWC_AGE < 12.
RWC_E05E	The category "Son or daughter (birth, adopted, or step)" has been selected. ^FNAME is younger than ^HHC_Q10A. Please verify and correct if necessary.
Rule:	Trigger soft edit if DV_AWC_AGE < DV_AWC_AGE_S1 and RWC_Q05 = 4.
RWC_Q30 RWC_30	Select the type of relationship. 1 Aunt or uncle 2 Cousin 3 Niece or nephew 4 Grandfather or grandmother 5 Grandson or granddaughter 6 Other relative (Don't know, Refusal not allowed)
RWC_E30A	The category "Grandfather or grandmother" has been selected. ^HHC_Q10A is less than 38 years old. Please verify and correct if necessary.
Rule:	Trigger soft edit if DV_AWC_AGE_S1 < 38 and RWC_Q05 = 7 and RWC_Q30 = 4.
RWC_E30B	The category "Grandfather or grandmother" has been selected. ^HHC_Q10A is younger than ^FNAME. Please verify and correct if necessary.
Rule:	Trigger soft edit if DV_AWC_AGE > DV_AWC_AGE_S1 and RWC_Q05 = 7 and RWC_Q30 = 4.
RWC_E30C	The category "Grandson or granddaughter" has been selected. ^FNAME is less than 38 years old. Please verify and correct if necessary.
Rule:	Trigger soft edit if DV_AWC_AGE < 38 and RWC_Q05 = 7 and RWC_Q30 = 5.

2024-09-24

RWC_E30D	The category "Grandson or granddaughter" has been selected. ^FNAME is younger than ^HHC_Q10A. Please verify and correct if necessary.
Rule:	Trigger soft edit if DV_AWC_AGE < DV_AWC_AGE_S1 and RWC_Q05 = 7 and RWC_Q30 = 5.
RWC_E30E	The category "Grandfather or grandmother" or "Grandson or granddaughter" has been selected. The difference in age is less than 25 years. Please verify and correct if necessary.
Rule:	Trigger soft edit if DV_AGE_DIFF_L25 = 1 and ((RWC_Q05 = 7 and RWC_Q30 = 4) or (RWC_Q05 = 7 and RWC_Q30 = 5)).
RWC_END	

2024-09-24

Main activity (MA)

Core content

Overview:

Harmonized content

The Main activity block is used to determine whether the main activity of the respondent for the past 12 months was working at a job or business.

MA_BEG

External Variables required:
DOMAC: (Flag to determine if respondent is to enter module (from sample file)
FNAME: (First name of specific respondent)
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
DV_AWC_AGE: (Age of selected respondent)
EDC_Q10: (^ARE_C ^YOU2 currently attending a school, college, CEGEP or university)

MA_C01A

If (DOMAC = 1 and DV_AWC_AGE >= 15), go to MA_C01B.
Otherwise, go to MA_END.

MA_C01B

If (DV_AWC_AGE <= 75 and DV_AWC_AGE >= 15), go to MA_Q01.
Otherwise, go to MA_END.

MA_Q01

In the **past12 months**, did ^YOU2 work at a job or business?

<u>ON-SCREEN HELP</u>: Regardless of the number of hours.

1 Yes (Go to MA_Q01A)
2 No
(Don't know, Refusal not allowed)

Go to MA_C02

MA_E01

Please answer question MA_Q01.

Rule:

Trigger soft edit if MA_Q01 ≠ RESPONSE.

MA_Q01A

In the **past 12 months**, was working at a job or business ^YOUR2 main activity?

1 Yes
2 No
(Don't know, Refusal not allowed)

MA_C02

If (MA_Q01 = 1 and MA_Q01A = 1), go to MA_END.
Otherwise, go to MA_Q02.

MA_D02

MA_Q02

During the **past 12 months**, what was ^YOUR2 main activity?

2024-09-24

ON-SCREEN HELP: If the main activity was "sickness" or "short-term illness", indicate the usual main activity.

01 Looking for paid work
02 Going to school
03 Caring for ^YOUR1 children
04 Household work
05 Retired
06 Maternity, paternity or parental leave
07 Long term illness
08 Volunteering or care-giving other than for ^YOUR1 children
09 Other (Go to MA_S02)
(Don't know, Refusal not allowed)

Processing: *If AWC_AGE < 15, set MA_Q02 = 2*

MA_S02 Specify the main activity

(80 spaces)

(Don't know, Refusal not allowed)

MA_E02A Please answer question MA_Q02.

Rule: Trigger soft edit if MA_Q02 = NONRESPONSE.

MA_E02B An unusual selection has been made for main activity. Please verify and correct if necessary.

Rule: Trigger soft edit if ((MA_Q02 = 5) and (DV_AWC_AGE < 45)) or ((MA_Q02 = 6) and (DV_AWC_AGE < 18 or DV_AWC_AGE > 55)).

MA_E02C "Other" was selected, please specify a response.

Rule: Trigger soft edit if (MA_Q02 = 9 and MA_S02 = NONRESPONSE).

MA_D05 If (DV_AWC_AGE < 15 or MA_Q02 = 2 or EDC_Q10 = 1), DV_SCHOOL = 1.
Otherwise, DV_SCHOOL = 2.

MA_D06 If DV_AWC_AGE < 15, DV_WORK12 = 2.
Else if (MA_Q01 = 1 or MA_Q01A = 1), DV_WORK12 = 1.
Otherwise, DV_WORK12 = 2.

MA_END

2024-09-24

School attendance (EDC)

	Harmonized content
EDC_BEG	External Variables required: DOEDC: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy) DV_AWC_AGE: (Age of selected respondent) FNAME: (First name of specific respondent)
EDC_C10	If DOEDC = 1 and DV_AWC_AGE >= 15, go to EDC_Q10. Otherwise, go to EDC_END.
EDC_D10	
EDC_Q10 EDC_10	^ARE_C ^YOU2 currently attending a school, college, CEGEP or university? <u>ON-SCREEN HELP</u>: Report only attendance for courses that can be used as credits towards a certificate, diploma or degree. Distance learning for credit is included. 1 Yes 2 No (Don't know, Refusal not allowed)
Processing:	*If AWC_AGE < 15, set EDC_Q10 = 1*
EDC_E10	Please answer question EDC_Q10.
Rule:	Trigger soft edit if EDC_Q10 = NONRESPONSE.
EDC_C20	If EDC_Q10 = 1, go to EDC_Q20. Otherwise, go to EDC_END.
EDC_D20	
EDC_Q20 EDC_20	^ARE_C ^YOU2 enrolled as a full-time or part-time student? Each educational institution classifies students as full-time or part-time depending on the type of program, and the number of courses, credits or hours of instruction. 1 Full-time student 2 Part-time student (Don't know, Refusal not allowed)
Processing:	*If AWC_AGE < 15, set EDC_Q20 = 1*
EDC_E20	Please answer question EDC_Q20.
Rule:	Trigger soft edit if EDC_Q20 = NONRESPONSE.
EDC_END	

2024-09-24

2024-09-24

General health (GEN)

Core content

Overview:

The general health module is used to collect data on self-perceived health, satisfaction with life, self-perceived mental health, self-perceived stress at work and with life in general, and sense of belonging to local community.

Researchers are interested in these topics because they are good basic measures of health status. They can also be used to predict other aspects of the respondent's health. For example, respondents who describe their health as fair or poor are more likely to have long-term health problems, to suffer from depression and to be heavy users of the health care system.

GEN_BEG

External Variables required:
DOGEN: (Flag to determine if respondent is to enter module (from the sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
DV_AWC_AGE: (Age of selected respondent)
DV_WORK12: (Worked in past 12 months (from MA block))

GEN_C01

If DOGEN = 1, go to GEN_R01.
Otherwise, go to GEN_END.

GEN_R01

The following question is about health. By health, we mean not only the absence of disease or injury but also physical, mental and social well-being.

GEN_Q01
GEN_01

In general, how is ^YOUR2 health?

1 Excellent
2 Very good
3 Good
4 Fair
5 Poor
(Don't know, Refusal not allowed)

Context Sensitive Help:

Perceived health is an indicator of overall health status. It can reflect aspects of health not captured in other measures, such as: incipient disease, disease severity, aspects of positive health status, physiological and psychological reserves and social and mental function. Perceived health refers to the perception of a person's health in general, either by the person himself or herself, or, in the case of proxy response, by the person responding. Health means not only the absence of disease or injury but also physical, mental and social well-being.

GEN_C05

If PROXYSEX = 1 or PROXYSEX = 2, go to GEN_Q05.
Otherwise, go to GEN_Q10.

GEN_Q05

In general, how is your mental health?

2024-09-24

GEN_05

1 Excellent
2 Very good
3 Good
4 Fair
5 Poor
(Don't know, Refusal not allowed)

GEN_Q10
GEN_10

Thinking about the amount of stress in ^YOUR1 life, how would you describe most of ^YOUR1 days?

1 Not at all stressful
2 Not very stressful
3 A bit stressful
4 Quite a bit stressful
5 Extremely stressful
(Don't know, Refusal not allowed)

GEN_C15

If (PROXYSEX = 1 or PROXYSEX = 2) and DV_WORK12 = 1, go to GEN_R15.
Otherwise, go to GEN_Q20.

GEN_R15

The next question is about your main job or business in the **past 12 months**.

GEN_Q15
GEN_15

How would you describe most days at work?

1 Not at all stressful
2 Not very stressful
3 A bit stressful
4 Quite a bit stressful
5 Extremely stressful
(Don't know, Refusal not allowed)

GEN_C20

If PROXYSEX = 1 or PROXYSEX = 2, go to GEN_Q20.
Otherwise, go to GEN_END.

GEN_Q20
GEN_20

How would you describe your sense of belonging to your local community?

1 Very strong
2 Somewhat strong
3 Somewhat weak
4 Very weak
(Don't know, Refusal not allowed)

GEN_END

2024-09-24

Life satisfaction measures (LSM)

	Harmonized content
Overview:	Sub-block of GEN
LSM_BEG	External Variables required: DOLSM: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
LSM_C01	If DOLSM = 1 and (PROXYSEX = 1 or PROXYSEX = 2), go to LSM_Q01. Otherwise, go to LSM_END.
LSM_Q01 LSM_01	Using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfied", how do you feel aboutyour life as a whole right now? 00 Very dissatisfied 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 V 10 Very satisfied (Don't know, Refusal not allowed)
LSM_E01_1	Please answer question LSM_Q01
Rule:	Trigger soft edit if LSM_Q01 = NONRESPONSE.
LSM_END	

2024-09-24

Pregnancy (PRS)

Core content

Overview:

In this module, female respondents aged 15 to 55 are asked if they are pregnant. This information is required for other modules, like Height and weight.

PRS_BEG

External Variables required:
DOPRS: (Flag to determine if respondent is to enter module (from sample file))
FRAME: (1 = CCHS CCB, 2 = CCHS Area frame)
DV_SEXATBIRTH: (Sex of selected respondent (from GDRA block))
DV_AWC_AGE: (Age of selected respondent)

PRS_C05A

If DOPRS ≠ 1 or DV_SEXATBIRTH ≠ 2, go to PRS_END.
Otherwise, go to PRS_C05B.

PRS_C05B

If ((FRAME = (1 or 2)) and (DV_AWC_AGE <= 55 and DV_AWC_AGE >= 15)), go to PRS_R05.
Otherwise, go to PRS_END.

PRS_R05

To better understand ^YOUR1 health information, it is important to know if ^YOU1 ^ARE pregnant.

PRS_Q05
PRS_05

^ARE_C ^YOU1 pregnant?

1 Yes
2 No
(Don't know, Refusal not allowed)

PRS_END

2024-09-24

Height and weight (HWT)

	Core content
Overview:	In this module, respondents are asked to report their height and weight. Answers to these questions are used in many ways, including calculating the number of people who are overweight, or obese. Obesity, especially amongst young people, is a major health problem. It can be associated with a number of major medical problems, including high blood pressure, heart disease and diabetes.
HWT_BEG	External Variables required: DOHWT: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy) PRS_Q05: (^ARE_C ^YOU1 pregnant?)
HWT_C05A	If (DOHWT = 0 or PRS_Q05 = 1), go to HWT_END. Otherwise, go to HWT_Q05A.
HWT_Q05A HWT_05A	How tall ^ARE ^YOU2 without shoes on? Feet <u>ON-SCREEN HELP</u>: Report the height to the nearest inch or centimetre. |_| Feet (MIN: 0) (MAX: 9) Integer (Don't know, Refusal not allowed)
HWT_Q05B HWT_05B	How tall ^ARE ^YOU2 without shoes on? Inches <u>ON-SCREEN HELP</u>: Report the height to the nearest inch or centimetre. |_|_| Inches (MIN: 0) (MAX: 99) Integer (Don't know, Refusal not allowed)
HWT_E05A_1	An unusual height value has been entered. Please verify feet and inches and correct if necessary.
Rule:	Trigger soft edit .
Programmer:	*Rule for HWT_E05A_1 (cannot be written in condition grid)* *(HWT_Q05A < 1) || (HWT_Q05A > 7) || ((HWT_Q05B == RESPONSE) && ((HWT_Q05B > 11) || (((HWT_Q05A*12) + HWT_Q05B) < 12) || (((HWT_Q05A*12) + HWT_Q05B) > 84)))*

2024-09-24

HWT_Q05C HWT_05C	How tall ^ARE ^YOU2 without shoes on? Centimetres <u>ON-SCREEN HELP</u>: Report the height to the nearest inch or centimetre. |_|_|_| Centimetres (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
HWT_E05C_1	An unusual value has been entered for centimetres. Please verify and correct if necessary.
Rule:	Trigger soft edit if ((HWT_Q05C = RESPONSE) and ((HWT_Q05C < 31) or (HWT_Q05C > 213))).
HWT_E05C_2	The height cannot be reported in feet / inches and centimetres; only one unit of measure is kept.
Rule:	Trigger hard edit if HWT_Q05C = RESPONSE and (HWT_Q05A = RESPONSE or HWT_Q05B = RESPONSE).
HWT_D40A	
HWT_Q40A HWT_40A	How much ^DOVERB ^YOU2 weigh? Weight <u>ON-SCREEN HELP</u>: Report the weight to the nearest pound or kilogram. |_|_|_| Weight (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
HWT_Q40B HWT_40B	How much ^DOVERB ^YOU2 weigh? Pounds or kilograms <u>ON-SCREEN HELP</u>: Report the weight to the nearest pound or kilogram. 1 Pounds 2 Kilograms (Don't know, Refusal not allowed)
HWT_E40A_1	No selection has been made for pounds or kilograms. Please answer.
Rule:	Trigger soft edit if HWT_Q40A = RESPONSE and HWT_Q40B ≠ RESPONSE.
HWT_E40A_2	An unusual value for weight has been entered. Please confirm.
Rule:	Trigger soft edit if ((HWT_Q40A > 350 and HWT_Q40B = 1) or (HWT_Q40A > 159 and HWT_Q40B = 2)) or ((HWT_Q40A < 60 and HWT_Q40B = 1) or (HWT_Q40A < 27 and HWT_Q40B = 2)).

2024-09-24

HWT_END

2024-09-24

COVID-19 (COVA)

	Theme content
Overview:	This module collects information about experiences during the COVID-19 pandemic. Respondents are asked about their mental health during the pandemic compared to their mental health before the pandemic. This is a submodule taken from COV2 and implemented in 2023.
COVA_BEG	External Variables required: DOCOV: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
COVA_C001	If (DOCOV ≠ 1), go to COVA_END. Otherwise, go to COVA_C005.
COVA_C005	If (PROXYSEX = 3 or PROXYSEX = 4), go to COVA_END. Otherwise, go to COVA_R005.
COVA_R005	The next questions are about your experiences during the COVID-19 pandemic.
COVA_Q005 COVA_005	Compared to before the pandemic started, how would you say your mental health is now? 1 Much better now 2 Somewhat better now 3 About the same 4 Somewhat worse now 5 Much worse now (Don't know, Refusal not allowed)
COVA_END	

2024-09-24

COVID-19 (COVB)

	Theme content
Overview:	This module collects information about experiences during the COVID-19 pandemic. Respondents are asked about the precautions they have been taking to protect themselves or others from COVID-19. This is a submodule taken from COV2 and implemented in 2023.
COVB_BEG	External Variables required: DOCOV2: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
COVB_C001	If (DOCOV2 ≠ 1), go to COVB_END. Otherwise, go to COVB_C005.
COVB_C005	If (PROXYSEX = 3 or PROXYSEX = 4), go to COVB_END. Otherwise, go to COVB_Q010.
COVB_Q010	Which of the following precautions are you taking to protect yourself or others against COVID-19? <u>ON-SCREEN HELP</u>: Select all that apply. 01 Wash hands more frequently 02 Wear a mask in public places where physical distancing is difficult 03 Keep a 2 meter or 6 foot distance from others 04 Avoid crowds and large gatherings 05 Avoid leaving the house for non-essential reasons 06 Work from home 07 Use delivery or curb side pick-up services Help text: e.g., groceries, prescriptions 08 Self-isolate if you have symptoms 09 Other precaution 10 No precaution taken (Don't know, Refusal not allowed)
COVB_E010	The "No precaution taken" category cannot be selected with another category.

2024-09-24

Rule:	Trigger hard edit if COVB_Q010 = 10 and (COVB_Q010 = 1 or COVB_Q010 = 2 or COVB_Q010 = 3 or COVB_Q010 = 4 or COVB_Q010 = 5 or COVB_Q010 = 6 or COVB_Q010 = 7 or COVB_Q010 = 8 or COVB_Q010 = 9).

COVB_END

2024-09-24

COVID-19 (COVC)

	Theme content
Overview:	This module collects information about experiences during the COVID-19 pandemic. Respondents are asked if they have experienced symptoms of COVID-19 and whether they followed provincial guidelines. This is a submodule taken from COV2 and implemented in 2023.
COVC_BEG	External Variables required: DOCOV3: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
COVC_C001	If (DOCOV3 ≠ 1), go to COVC_END. Otherwise, go to COVC_C005.
COVC_C005	If (PROXYSEX = 3 or PROXYSEX = 4), go to COVC_END. Otherwise, go to COVC_Q015.
COVC_Q015 COVC_015	In the **last 3 months**, have you experienced any symptoms that led you to believe that you had COVID-19, such as fever, cough, headache, sore throat, runny nose, difficulty breathing, tiredness or loss of taste or smell? 1 Yes (Go to COVC_Q020) 2 No (Don't know, Refusal not allowed) Go to COVC_END
COVC_Q020 COVC_020	While you were experiencing these symptoms, did you follow provincial guidelines (e.g., self-isolate for a required number of days)? 1 Yes 2 No (Don't know, Refusal not allowed)
COVC_END	

2024-09-24

COVID-19 (COVD)

	Theme content
Overview:	This module collects information about experiences during the COVID-19 pandemic. Respondents are asked about their COVID-19 vaccination status. This is a submodule taken from COV2 and implemented in 2023.
COVD_BEG	External Variables required: DOCOV4: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy) THISYEAR: (System date (year)) THISMONTH: (System date (month))
COVD_C001	If (DOCOV4 ≠ 1), go to COVD_END. Otherwise, go to COVD_C005.
COVD_C005	If (PROXYSEX = 3 or PROXYSEX = 4), go to COVD_END. Otherwise, go to COVD_Q038.
COVD_Q038 COVD_038	Have you been vaccinated against COVID-19? 1 Yes, received at least one dose of a vaccine 2 No (Don't know, Refusal not allowed)
COVD_C030	If (COVD_Q038 = 1), go to COVD_Q030. Otherwise, go to COVD_END.
COVD_Q030 COVD_030	Does the vaccine you received require one or two doses? <u>ON-SCREEN HELP</u>: Certain types of vaccines require more than one dose to protect against COVID-19. If you needed a second dose, you would have been informed of this at the time of your vaccination. Please do not include an additional dose, also known as a booster dose. 1 One dose Help text: e.g., Johnson & Johnson 2 Two doses Help text: e.g., Moderna, Pfizer-BioNTech, AstraZeneca, Novavax, etc. (Don't know, Refusal not allowed)
COVD_Q035	How many doses of the COVID-19 vaccine have you received so far?

2024-09-24

COVD_035

ON-SCREEN HELP: Do not include getting infected with COVID-19 as a dose.

1 One dose
2 Two doses
3 Three doses
4 Four doses
5 Five doses or more
(Don't know, Refusal not allowed)

COVD_C036

If (COVD_Q030 = NONRESPONSE), go to COVD_END.
Otherwise, go to COVD_Q036A.

COVD_Q036A
COVD_36A

When did you receive your last dose of a COVID-19 vaccine?

Month

ON-SCREEN HELP: Do not include getting infected with COVID-19 as a dose.

01 January
02 February
03 March
04 April
05 May
06 June
07 July
08 August
09 September
10 October
11 November
12 December
(Don't know, Refusal not allowed)

COVD_Q036B
COVD_36B

When did you receive your last dose of a COVID-19 vaccine?

Year

ON-SCREEN HELP: Do not include getting infected with COVID-19 as a dose.

1 2020
2 2021
3 2022
4 2023
5 2024
(Don't know, Refusal not allowed)

COVD_E036

An impossible date has been entered. This date is in the future. Please return and correct.

Rule:

Trigger soft edit if (COVD_Q036B > THISYEAR) or (COVD_Q036A > THISMONTH and COVD_Q036B = THISYEAR).

COVD_END

2024-09-24

2024-09-24

COVID-19 (COVE)

	Theme content
Overview:	This module collects information about experiences during the COVID-19 pandemic. Respondents are asked about the reasons for their vaccination status. This is a submodule taken from COV2 and implemented in 2023.
COVE_BEG	External Variables required: DOECV2: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy) COVD_Q038: (Have you been vaccinated against COVID-19?) COVD_Q030: (Does the vaccine you received require one or two doses?) COVD_Q035: (How many doses of the COVID-19 vaccine have you received so far?)
COVE_C001	If (DOECV2 ≠ 1), go to COVE_END. Otherwise, go to COVE_C005.
COVE_C005	If (PROXYSEX = 3 or PROXYSEX = 4), go to COVE_END. Otherwise, go to COVE_C041.
COVE_C041	If (COVD_Q038 ≠ 1), go to COVE_Q041. Otherwise, go to COVE_C055.
COVE_Q041 COVE_041	What is the **main** reason why you haven't been vaccinated against COVID-19? 1 I do not trust the effectiveness or safety of the COVID-19 vaccines 2 If I get COVID-19, the risk of having serious symptoms is low 3 The vaccine is not recommended for me Help text: e.g., a pre-existing medical condition 4 I am not at high risk of getting infected with COVID-19 5 I have already had COVID-19 6 Other reason (Don't know, Refusal not allowed)
COVE_C055	If ((COVD_Q030 = 1 and COVD_Q035 = 1) or (COVD_Q030 = 2 and COVD_Q035 = 2)), go to COVE_Q055. Otherwise, go to COVE_END.
COVE_Q055	What is the **main reason** why you haven't received a **booster dose**?

2024-09-24

COVE_055

ON-SCREEN HELP: A COVID-19 booster dose is a dose of a COVID-19 vaccine given some time after the primary series to increase protection.

01 The number of doses I have received is enough to protect me against COVID-19
02 I have already had COVID-19
03 I had a bad reaction to a previous dose
04 I have concerns about side effects associated with a booster dose
05 If I get COVID-19, the risk of having serious symptoms is low
06 I just did not get around to it
07 I have an appointment in the future
08 Other reason
(Don't know, Refusal not allowed)

COVE_END

2024-09-24

COVID-19 (COVF)

	Theme content
Overview:	This module collects information about experiences during the COVID-19 pandemic. Respondents are asked about the likelihood of receiving a booster dose. This is a submodule taken from COV2 and implemented in 2023.
COVF_BEG	External Variables required: DOCPA: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
COVF_C001	If (DOCPA ≠ 1), go to COVF_END. Otherwise, go to COVF_C005.
COVF_C005	If (PROXYSEX = 3 or PROXYSEX = 4), go to COVF_END. Otherwise, go to COVF_C010.
COVF_C010	If (COVD_Q030 = 1 and COVD_Q035 = 1) or (COVD_Q030 = 2 and COVD_Q035 = 2), go to COVF_Q060A. Otherwise, go to COVF_END.
COVF_Q060A COVF_60A	How likely is it that you would get a **booster dose**? <u>ON-SCREEN HELP</u>: A COVID-19 booster dose is a dose of a COVID-19 vaccine given some time after the primary series to increase protection. 1 Very likely 2 Somewhat likely 3 Somewhat unlikely 4 Very unlikely (Don't know, Refusal not allowed)
COVF_END	

2024-09-24

Chronic conditions (CCC)

	Core content
Overview:	The questions in this module deal with long-term health conditions that have lasted or are expected to last at least 6 months. Chronic conditions reported by respondents must have been diagnosed by a health professional. Answers to these questions can be used to estimate the number of people in Canada suffering from conditions such as diabetes and heart disease. By combining answers from this module with information from other modules, researchers can look at the relationship between chronic conditions and other characteristics, such as use of health care services or use of medications.
CCC_BEG	External Variables required: DOCCC: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent) DV_SEXATBIRTH: (Sex of selected respondent (from GDRA block)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
CCC_C01	If DOCCC = 1, go to CCC_R01. Otherwise, go to CCC_END.
CCC_R01	The next questions are about long-term health conditions. These are conditions which are expected to last or have already lasted 6 months or more and that have been diagnosed by a health professional.
CCC_Q05	^DOVERB_C ^YOU2 have diabetes?

2024-09-24

CCC_05

ON-SCREEN HELP: Include type 1, type 2 or gestational diabetes.

Exclude prediabetes.

1 Yes (Go to CCC_Q10)
2 No
(Don't know, Refusal not allowed)

Go to CCC_C15A

Context Sensitive Help:

Prediabetes: Refers to blood glucose levels that are higher than normal, but not yet high enough to be diagnosed as type 2 diabetes. Although not everyone with prediabetes will develop type 2 diabetes, many people will.

Type 1 diabetes: A form of diabetes that occurs when the pancreas no longer produces insulin, which is needed by the body to use sugar as an energy source. It usually develops in childhood or adolescence. People with type 1 diabetes take insulin injections to manage their diabetes.

Type 2 diabetes: A form of diabetes that occurs when the body does not produce enough insulin and/or does not respond to the insulin it produces. People are typically diagnosed with type 2 diabetes after the age of 40, although it is being seen in children and adolescents. Some people with type 2 diabetes may take insulin injections but management through diet, maintaining a healthy weight, exercise or taking pills to regulate blood sugar are more common treatments.

Gestational diabetes: A form of diabetes that develops in women during pregnancy and disappears after delivery. Gestational diabetes increases the risk of both the mother and the child developing type 2 diabetes.

CCC_Q10
CCC_10

How old ^WERE ^YOU1 when this was first diagnosed?

|_|_|_| Age in years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CCC_E10

An impossible value has been entered for age first diagnosed. Please verify and correct.

Rule:

Trigger soft edit if CCC_Q10 > DV_AWC_AGE.

CCC_C15A

If CCC_Q05 = 2 or CCC_Q05 = NONRESPONSE, go to CCC_Q45.
Otherwise, go to CCC_C15B.

CCC_C15B

If DV_SEXATBIRTH = 2 and DV_AWC_AGE > 12 and (CCC_Q10 = NONRESPONSE or ((CCC_Q10 > 12 and CCC_Q10 < 60))), go to CCC_Q15.
Otherwise, go to CCC_C25.

CCC_Q15
CCC_15

^WERE_C ^YOU1 pregnant when ^YOU1 ^WERE first diagnosed with diabetes?

2024-09-24

1 Yes (Go to CCC_Q20)
2 No
(Don't know, Refusal not allowed)

Go to CCC_C25

CCC_Q20
CCC_20

Other than during pregnancy, has a health professional ever told ^HIMHER that ^YOU1 ^HAVE diabetes?

1 Yes
2 No
(Don't know, Refusal not allowed)

CCC_C25

If (CCC_Q05 = 1 and CCC_Q20 ≠ 2), go to CCC_Q25.
Otherwise, go to CCC_Q45.

CCC_Q25
CCC_25

^WERE_C ^YOU1 diagnosed with type 1 or type 2 diabetes?

1 Type 1 - Insulin dependent diabetes
2 Type 2 - Non-Insulin dependent diabetes
3 Both types
(Don't know, Refusal not allowed)

Context Sensitive Help:

Insulin dependent or Type 1 diabetes: A form of diabetes that occurs when the pancreas no longer produces insulin, which is needed by the body to use sugar as an energy source. It usually develops in childhood or adolescence. People with type 1 diabetes take insulin injections to manage their diabetes.

Non-insulin dependent or Type 2 diabetes: A form of diabetes that occurs when the body does not produce enough insulin and/or does not respond to the insulin it produces. People are typically diagnosed with type 2 diabetes after the age of 40, although it is being seen in children and adolescents. Some people with type 2 diabetes may take insulin injections but management through diet, maintaining a healthy weight, exercise or taking pills to regulate blood sugar are more

CCC_Q30
CCC_30

When ^YOU1 ^WERE first diagnosed with diabetes, how long was it before ^YOU1 ^WERE started on insulin?

1 Less than 1 month
2 1 month to less than 2 months
3 2 months to less than 6 months
4 6 months to less than 1 year
5 1 year or more
6 Never
(Don't know, Refusal not allowed)

CCC_C35

If CCC_Q30 = 6, go to CCC_Q40.
Otherwise, go to CCC_Q35.

CCC_Q35

^DOVERB_C ^YOU1 currently take insulin for ^YOUR1 diabetes?

2024-09-24

CCC_35

1 Yes
2 No
(Don't know, Refusal not allowed)

Processing: *If CCC_Q30 = 6, set CCC_Q35 = 2*

CCC_Q40
CCC_40

In the past month, did ^YOU1 take pills to control ^YOUR1 blood sugar?

1 Yes
2 No
(Don't know, Refusal not allowed)

CCC_Q45
CCC_45

^HAVE_C ^YOU1 ever been diagnosed with cancer?

1 Yes (Go to CCC_Q50)
2 No
(Don't know, Refusal not allowed)

Go to CCC_C55

CCC_Q50
CCC_50

How old ^WERE ^YOU1 when this was first diagnosed?

|_|_|_| Age in years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CCC_E50

An impossible value has been entered for age first diagnosed. Please verify and correct.

Rule:

Trigger soft edit if CCC_Q50 > DV_AWC_AGE.

CCC_C55

If (CCC_Q45 = 1 or CCC_Q45 = NONRESPONSE), go to CCC_Q55. Otherwise, go to CCC_Q65.

CCC_Q55
CCC_55

^HAVE_C ^YOU1 received treatment for cancer in the past 12 months?

1 Yes
2 No
(Don't know, Refusal not allowed)

Processing: *If CCC_Q45 = NR and CCC_Q55 = 1, set CCC_Q45 = 1.*

CCC_C60

If CCC_Q45 = 1 or CCC_Q55 = 1, go to CCC_Q60. Otherwise, go to CCC_Q65.

CCC_Q60

What type of cancer ^WERE ^YOU1 diagnosed with?

2024-09-24

ON-SCREEN HELP: Select all that apply.

01 Breast
02 Prostate
03 Colorectal
04 Skin - Melanoma
05 Skin - Non-melanoma
06 Ovarian
07 Cervical
08 Uterine
09 Lung
10 Other - specify (Go to CCC_S60)
(Don't know, Refusal not allowed)

Go to CCC_Q65

Processing:

In the EQ application each of the CCC_Q60 categories shows with the following ELEMENT name, so please assign the according EX_NAME (in parentheses):
Category 1 (Breast) = CCC_Q60A (CCC_60A)
Category 2 (Prostate) = CCC_Q65A (CCC_65A)
Category 3 (Colorectal) = CCC_Q60B (CCC_60B)
Category 4 (Skin - Melanoma) = CCC_Q60C (CCC_60C)
Category 5 (Skin - Non-melanoma) = CCC_Q60D (CCC_60D)
Category 6 (Ovarian) = CCC_Q60E (CCC_60E)
Category 7 (Cervical) = CCC_Q60F (CCC_60F)
Category 8 (Uterine) = CCC_Q60G (CCC_60G)
Category 9 (Lung) = CCC_Q60H (CCC_60H)
Category 10 (Other) = CCC_Q60I (CCC_60I)

Programmer:

For CCC_Q60:
If DV_SEXATBIRTH = 1, display category 02 (Prostate)
If DV_SEXATBIRTH = 2,display category 06 (Ovarian), 07 (Cervical) and 08 (Uterine)

CCC_S60

Specify other type of cancer

ON-SCREEN HELP: Specify.

(80 spaces)

(Don't know, Refusal not allowed)

CCC_Q65
CCC_65

^DOVERB_C ^YOU1 have heart disease?

1 Yes (Go to CCC_Q70)
2 No
(Don't know, Refusal not allowed)

Go to CCC_D75

Context Sensitive Help:

Heart disease relates to the heart and blood vessels. Examples of heart disease are stroke, angina and heart failure.

CCC_Q70

How old ^WERE ^YOU1 when this was first diagnosed?

2024-09-24

CCC_70	
	|_|_|_| Age in years (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
CCC_E70	An impossible value has been entered for age first diagnosed. Please verify and correct.
Rule:	Trigger soft edit if CCC_Q70 > DV_AWC_AGE.
CCC_D75	If DV_AWC_AGE < 12, DT_CCCYOU_E = 'Have you' Otherwise, DT_CCCYOU_E = '^HAVE_C ^YOU1'
CCC_Q75 CCC_75	^DT_CCCYOU_E ever been told by a health professional that ^YOU1 ^HAVE had a heart attack? 1 Yes 2 No (Don't know, Refusal not allowed)
CCC_D80	
CCC_Q80 CCC_80	^DOVERB_C ^YOU2 have high blood pressure? 1 Yes 2 No (Don't know, Refusal not allowed)
CCC_Q85 CCC_85	In the past month, ^HAVE ^YOU1 taken any medicine for high blood pressure? 1 Yes 2 No (Don't know, Refusal not allowed)
CCC_Q90 CCC_90	^DT_CCCYOU_E ever been told by a health professional that ^YOUR1 blood cholesterol was high? 1 Yes 2 No (Don't know, Refusal not allowed)
CCC_C95	If DV_AWC_AGE >= 20, go to CCC_Q95. Otherwise, go to CCC_C100.
CCC_Q95 CCC_95	^DOVERB_C ^YOU1 suffer from the effects of a stroke? 1 Yes 2 No (Don't know, Refusal not allowed)
CCC_C100	If DV_AWC_AGE >= 40, go to CCC_Q100. Otherwise, go to CCC_R105.

2024-09-24

CCC_Q100
CCC_100

^DOVERB_C ^YOU1 have osteoporosis?

1 Yes
2 No
(Don't know, Refusal not allowed)

Context Sensitive Help:

A disorder where the bones are progressively more porous and fragile and can result in more fractures. More common in the elderly population.

CCC_R105

We are interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more.

CCC_Q105
CCC_105

^DOVERB_C ^YOU1 have fibromyalgia?

1 Yes (Go to CCC_Q110)
2 No
(Don't know, Refusal not allowed)

Go to CCC_Q120

Context Sensitive Help:

A condition that usually presents as chronic aching and pain in the muscles that can occur in one or more places throughout the body. It can also be accompanied by muscle stiffness and fatigue.

CCC_Q110
CCC_110

How old ^WERE ^YOU1 when the first symptoms appeared?

|_|_|_| Age in years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CCC_E110

An impossible value has been entered for age first symptoms appeared. Please verify and correct.

Rule:

Trigger soft edit if CCC_Q110 > DV_AWC_AGE.

CCC_Q115
CCC_115

How old ^WERE ^YOU1 when this was first diagnosed?

|_|_|_| Age in years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CCC_E115

An impossible value has been entered for age first diagnosed. Please verify and correct.

Rule:

Trigger soft edit if CCC_Q115 > DV_AWC_AGE.

CCC_Q120

^DOVERB_C ^YOU1 have arthritis?

2024-09-24

CCC_120

ON-SCREEN HELP: e.g., osteoarthritis, rheumatoid arthritis, gout

Exclude fibromyalgia.

1 Yes
2 No
(Don't know, Refusal not allowed)

CCC_Q125
CCC_125

^DOVERB_C ^YOU1 have back problems?

ON-SCREEN HELP: Exclude scoliosis, fibromyalgia and arthritis.

1 Yes (Go to CCC_Q130)
2 No
(Don't know, Refusal not allowed)

Go to CCC_Q135

CCC_Q130
CCC_130

Was this diagnosed by a health professional?

1 Yes
2 No
(Don't know, Refusal not allowed)

CCC_Q135
CCC_135

^DOVERB_C ^YOU1 have a mood disorder?

ON-SCREEN HELP: Include depression, bipolar disorder, mania, dysthymia or manic depression.

1 Yes
2 No
(Don't know, Refusal not allowed)

Context Sensitive Help: *Also known as affective disorder. A psychological disorder where the main feature is a disturbance of mood. Examples of mood disorders are depression, bipolar disorder, manic depression, dysthymia.*

CCC_END

2024-09-24

Chronic conditions 1 (CC1)

	Optional content	Nova Scotia, Quebec, Ontario, Manitoba, Saskatchewan, Yukon, Northwest Territories

Overview:

The questions in this module deal with long-term health conditions that have lasted or are expected to last at least 6 months. Chronic conditions reported by respondents must have been diagnosed by a health professional.

Answers to these questions can be used to estimate the number of people in Canada suffering from conditions such as an anxiety disorder, post-traumatic stress disorder, and dementia.

By combining answers from this module with information from other modules, researchers can look at the relationship between chronic conditions and other characteristics, such as use of health care services or use of medications.

CC1_BEG

External Variables required:
DOCC1: (Flag to determine if respondent is to enter module (from sample file))
DV_AWC_AGE: (Age of selected respondent)

CC1_C140

If DOCC1 = 1, go to CC1_R140.
Otherwise, go to CC1_END.

CC1_R140

We are interested in conditions **diagnosed** by a health professional and that are expected to last or have already lasted **6 months or more.**

CC1_Q140
CC1_140

^DOVERB_C ^YOU1 have an anxiety disorder?

ON-SCREEN HELP: **Include** phobia, panic disorder or generalized anxiety disorder.
Exclude obsessive-compulsive disorder.

1 Yes
2 No
(Don't know, Refusal not allowed)

Context Sensitive Help:

A psychological disorder that may make people feel anxious most of the time, without an obvious reason. People may get occasional but intense moments of anxiety that immobilize them.

CC1_Q145

^DOVERB_C ^YOU1 have post-traumatic stress disorder (PTSD)?

2024-09-24

CC1_145

1 Yes
2 No
(Don't know, Refusal not allowed)

Context Sensitive Help: *A mental disorder that can develop after a person is exposed to a traumatic event, such as sexual assault, warfare, traffic collisions, or other threats on a person's life. Symptoms may include disturbing thoughts, feelings, or dreams related to the events, mental or physical distress to trauma-related cues, attempts to avoid trauma-related cues, and alterations in how the person thinks.*

CC1_C150

If DV_AWC_AGE >= 40, go to CC1_Q150.
Otherwise, go to CC1_Q155.

CC1_Q150
CC1_150

^DOVERB_C ^YOU2 have Alzheimer's disease or any other dementia?

1 Yes
2 No
(Don't know, Refusal not allowed)

Context Sensitive Help: *A type of brain disorder that causes impairment of memory and mental abilities, mostly found in the elderly population. Alzheimer's disease is the most common form of dementia.*

CC1_Q155
CC1_155

^DOVERB_C ^YOU1 have chronic fatigue syndrome (CFS)?

ON-SCREEN HELP: **Include** myalgic encephalomyelitis.

1 Yes (Go to CC1_Q160)
2 No (Go to CC1_Q170)
(Don't know, Refusal not allowed)

Context Sensitive Help: *A condition characterized by unexplained, persistent fatigue lasting at least six months which is not relieved by rest. It results in a substantial reduction in occupational, social and personal activities.*

CC1_Q160
CC1_160

How old ^WERE ^YOU1 when the first symptoms appeared?

Age in years

|_|_|_| Years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CC1_E160_1

An impossible value has been entered for age first symptoms of CFS appeared. Please verify and correct.

Rule:

Trigger soft edit if CC1_Q160 > DV_AWC_AGE.

CC1_Q165
CC1_165

How old ^WERE ^YOU1 when this was first diagnosed?

Age in years

2024-09-24

|_|_|_| Years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CC1_E165_1

An impossible value has been entered for age first diagnosed with CFS. Please verify and correct.

Rule:

Trigger soft edit if CC1_Q165 > DV_AWC_AGE.

CC1_Q170
CC1_170

^DOVERB_C ^YOU1 have multiple chemical sensitivities (MCS)?

1	Yes	(Go to CC1_Q175)
2	No	(Go to CC1_END)

(Don't know, Refusal not allowed)

Context Sensitive Help:

Chronic condition where people are sensitive to low levels of multiple unrelated chemicals such as smoke or perfume - levels that do not cause symptoms in most people. They may experience symptoms such as fatigue, asthma, blocked nose or sore eyes.

CC1_Q175
CC1_175

How old ^WERE ^YOU1 when the first symptoms appeared?

Age in years

|_|_|_| Years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CC1_E175_1

An impossible value has been entered for age first symptoms of MCS appeared. Please verify and correct.

Rule:

Trigger soft edit if CC1_Q175 > DV_AWC_AGE.

CC1_Q180
CC1_180

How old ^WERE ^YOU1 when this was first diagnosed?

Age in years

|_|_|_| Years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CC1_E180_1

An impossible value has been entered for age first diagnosed with MCS. Please verify and correct.

Rule:

Trigger soft edit if CC1_Q180 > DV_AWC_AGE.

CC1_END

2024-09-24

2024-09-24

Health utility index (HUI)

	Theme content
Overview:	The health utility index provides a description of an individual's overall functional health, based on eight attributes: vision, hearing, speech, mobility (ability to get around), dexterity (use of hands and fingers), emotion (feelings), cognition (memory and thinking) and pain. The version of the index used in CCHS is adapted from the HUI Mark 3 (HUI3). The index is designed to produce both an overall health utility score and eight individual attribute scores. Analysts can use either a single-attribute utility scale or look at the complete health state (levels on all eight attributes) on the overall utility scale to produce a measure of an individual's perceived health related quality of life (HRQL). The index is appropriate for use to describe and monitor the health of general populations, and has been extensively validated for use in cross-sectional and longitudinal population health studies. The 8 single-attribute utility scores measure functional capacity within a single attribute, and range from 1.00 (normal) to 0.00 (most disabled). In combination, these scores are used to produce a multi-attribute utility index producing a score ranging from 1.00 (perfect health), through 0.00 (health status equal to death) to -0.36 (health status worse than death).
HUI_BEG	External Variables required: PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy) FNAME: (First name of specific respondent) DOXTR1: (Flag to determine if respondent is to enter module (from sample file))
HUI_C001	If (DOXTR1 ≠ 1), go to HUI_END. Otherwise, go to HUI_R001.
HUI_R001	The next set of questions asks about ^YOUR2 day-to-day health. You may feel that some of these questions do not apply to ^YOU2, but it is important that we ask the same questions of everyone.
HUI_Q005 HUI_005	^ARE_C ^YOU1 **usually** able to see well enough to read ordinary newsprint **without** glasses or contact lenses? 1 Yes (Go to HUI_Q005A) 2 No (Don't know, Refusal not allowed) Go to HUI_Q010
HUI_Q005A HUI_005A	^ARE_C ^YOU1 able to see well enough to recognize a friend on the other side of the street **without** glasses or contact lenses?

2024-09-24

1 Yes
2 No (Go to HUI_Q005B)
(Don't know, Refusal not allowed)

Go to HUI_Q030

Processing: *This variable will be combined with HUI_Q010A and HUI_Q015A and released as HUIVIS1.*

HUI_Q005B
HUI_005B

^ARE_C ^YOU1 **usually** able to see well enough to recognize a friend on the other side of the street **with** glasses or contact lenses?

1 Yes
2 No
(Don't know, Refusal not allowed)

Go to HUI_Q030

Processing: *This variable will be combined with HUI_Q010B and HUI_Q015B and released as HUIVIS2.*

HUI_Q010
HUI_010

^ARE_C ^YOU1 **usually** able to see well enough to read ordinary newsprint **with** glasses or contact lenses?

1 Yes (Go to HUI_Q010A)
2 No
(Don't know, Refusal not allowed)

Go to HUI_Q015

HUI_Q010A
HUI_010A

^ARE_C ^YOU1 able to see well enough to recognize a friend on the other side of the street **without** glasses or contact lenses?

1 Yes
2 No (Go to HUI_Q010B)
(Don't know, Refusal not allowed)

Go to HUI_Q030

Processing: *This variable will be combined with HUI_Q005A and HUI_Q015A and released as HUIVIS1.*

HUI_Q010B
HUI_010B

^ARE_C ^YOU1 **usually** able to see well enough to recognize a friend on the other side of the street **with** glasses or contact lenses?

1 Yes
2 No
(Don't know, Refusal not allowed)

Go to HUI_Q030

Processing: *This variable will be combined with HUI_Q005B and HUI_Q015B and released as HUIVIS2.*

HUI_Q015

^ARE_C ^YOU1 able to see at all?

2024-09-24

HUI_015

1 Yes (Go to HUI_Q015A)
2 No
(Don't know, Refusal not allowed)

Go to HUI_Q030

HUI_Q015A
HUI_015A

^ARE_C ^YOU1 able to see well enough to recognize a friend on the other side of the street **without** glasses or contact lenses?

1 Yes
2 No (Go to HUI_Q015B)
(Don't know, Refusal not allowed)

Go to HUI_Q030

Processing: *This variable will be combined with HUI_Q005A and HUI_Q010A and released as HUIVIS1.*

HUI_Q015B
HUI_015B

^ARE_C ^YOU1 **usually** able to see well enough to recognize a friend on the other side of the street **with** glasses or contact lenses?

1 Yes
2 No
(Don't know, Refusal not allowed)

Processing: *This variable will be combined with HUI_Q005B and HUI_Q010B and released as HUIVIS2.*

HUI_Q030
HUI_030

^ARE_C ^YOU1 **usually** able to hear what is said in a group conversation with at least three other people **without** a hearing aid?

1 Yes
2 No (Go to HUI_Q035)
(Don't know, Refusal not allowed)

Go to HUI_Q055

HUI_Q035
HUI_035

^ARE_C ^YOU1 **usually** able to hear what is said in a group conversation with at least three other people **with** a hearing aid?

1 Yes (Go to HUI_Q035A)
2 No
(Don't know, Refusal not allowed)

Go to HUI_Q040

HUI_Q035A
HUI_035A

^ARE_C ^YOU1 **usually** able to hear what is said in a conversation with one other person in a quiet room **without** a hearing aid?

1 Yes
2 No (Go to HUI_Q035B)
(Don't know, Refusal not allowed)

Go to HUI_Q055

Processing: *This variable will be combined with HUI_Q040A and released as HUIHEAR1.*

2024-09-24

HUI_Q035B
HUI_035B

^ARE_C ^YOU1 **usually** able to hear what is said in a conversation with one other person in a quiet room **with** a hearing aid?

1 Yes
2 No
(Don't know, Refusal not allowed)

Go to HUI_Q055

Processing: *This variable will be combined with HUI_Q040B and released as HUIHEAR2.*

HUI_Q040
HUI_040

^ARE_C ^YOU1 able to hear at all?

1 Yes (Go to HUI_Q040A)
2 No
(Don't know, Refusal not allowed)

Null go to HUI_Q055

HUI_Q040A
HUI_040A

^ARE_C ^YOU1 **usually** able to hear what is said in a conversation with one other person in a quiet room **without** a hearing aid?

1 Yes
2 No (Go to HUI_Q040B)
(Don't know, Refusal not allowed)

Null go to HUI_Q055

Processing: *This variable will be combined with HUI_Q035A and released as HUIHEAR1.*

HUI_Q040B
HUI_040B

^ARE_C ^YOU1 **usually** able to hear what is said in a conversation with one other person in a quiet room **with** a hearing aid?

1 Yes
2 No
(Don't know, Refusal not allowed)

Processing: *This variable will be combined with HUI_Q035B and released as HUIHEAR2.*

HUI_Q055
HUI_055

^ARE_C ^YOU1 **usually** able to be understood **completely** when speaking with strangers in ^YOUR1 own language?

1 Yes
2 No (Go to HUI_Q060)
(Don't know, Refusal not allowed)

Null go to HUI_Q075

Context Sensitive Help: *These questions assess the respondent's ability to speak and be understood and not the ability to communicate. For instance: a respondent who can't speak but uses sign language to communicate is considered as having a speech limitation.*

HUI_Q060
HUI_060

^ARE_C ^YOU1 able to be understood **partially** when speaking with strangers?

2024-09-24

1 Yes
2 No
(Don't know, Refusal not allowed)

HUI_Q065
HUI_065

^ARE_C ^YOU1 able to be understood **completely** when speaking with those who know ^HIMHER well?

1 Yes
2 No (Go to HUI_Q070)
(Don't know, Refusal not allowed)

Go to HUI_Q075

HUI_Q070
HUI_070

^ARE_C ^YOU1 able to be understood **partially** when speaking with those who know ^HIMHER well?

1 Yes
2 No
(Don't know, Refusal not allowed)

HUI_Q075
HUI_075

^ARE_C ^YOU1 **usually** able to walk around the neighbourhood **without** difficulty and **without** mechanical support such as braces, a cane or crutches?

1 Yes
2 No (Go to HUI_Q080)
(Don't know, Refusal not allowed)

Go to HUI_Q110

HUI_Q080
HUI_080

^ARE_C ^YOU1 able to walk at all?

1 Yes (Go to HUI_Q085)
2 No
(Don't know, Refusal not allowed)

Go to HUI_Q095

HUI_Q085
HUI_085

^DOVERB_C ^YOU1 require mechanical support such as braces, a cane or crutches to be able to walk around the neighbourhood?

1 Yes
2 No
(Don't know, Refusal not allowed)

HUI_Q090
HUI_090

^DOVERB_C ^YOU1 require the help of another person to be able to walk?

1 Yes
2 No
(Don't know, Refusal not allowed)

HUI_Q095

^DOVERB_C ^YOU1 require a wheelchair to get around?

2024-09-24

HUI_095

1 Yes (Go to HUI_Q100)
2 No
(Don't know, Refusal not allowed)

Go to HUI_Q110

HUI_Q100
HUI_100

How often ^DOVERB ^YOU1 use a wheelchair?

1 Always
2 Often
3 Sometimes
4 Never
(Don't know, Refusal not allowed)

HUI_Q105
HUI_105

^DOVERB_C ^YOU1 need the help of another person to get around in the wheelchair?

1 Yes
2 No
(Don't know, Refusal not allowed)

HUI_Q110
HUI_110

^ARE_C ^YOU1 **usually** able to grasp and handle small objects such as a pencil or scissors?

1 Yes
2 No (Go to HUI_Q115)
(Don't know, Refusal not allowed)

Go to HUI_D130

HUI_Q115
HUI_115

^DOVERB_C ^YOU1 require the help of another person because of limitations in the use of ^YOUR1 hands or fingers?

1 Yes (Go to HUI_Q120)
2 No
(Don't know, Refusal not allowed)

Go to HUI_Q125

HUI_Q120
HUI_120

How many tasks ^DOVERB ^YOU1 require the help of another person with?

1 Some tasks
2 Most tasks
3 Almost all tasks
4 All tasks
(Don't know, Refusal not allowed)

HUI_Q125
HUI_125

^DOVERB_C ^YOU1 require special equipment, for example, devices to assist in dressing, because of limitations in the use of ^YOUR1 hands or fingers?

1 Yes
2 No
(Don't know, Refusal not allowed)

2024-09-24

HUI_D130

If (PROXYSEX == 3 or PROXYSEX == 4), DT_YRSLF_E = '^FNAME'
Otherwise, DT_YRSLF_E = 'yourself'

HUI_Q130
HUI_130

How would you describe ^DT_YRSLF_E as being **usually**?

1 Happy and interested in life
2 Somewhat happy
3 Somewhat unhappy
4 Unhappy with little interest in life
5 So unhappy, that life is not worthwhile
(Don't know, Refusal not allowed)

HUI_Q135
HUI_135

How would you describe ^YOUR1 **usual** ability to remember things?

1 Able to remember most things
2 Somewhat forgetful
3 Very forgetful
4 Unable to remember anything at all
(Don't know, Refusal not allowed)

HUI_Q140
HUI_140

How would you describe ^YOUR1 **usual** ability to think and solve day-to-day problems?

1 Able to think clearly and solve problems
2 Having a little difficulty
3 Having some difficulty
4 Having a great deal of difficulty
5 Unable to think or solve problems
(Don't know, Refusal not allowed)

HUI_D145

HUI_R145

The next set of questions asks about the level of pain or discomfort ^YOU2 usually experience^S. They are not about illnesses like colds that affect people for short periods of time.

HUI_Q145
HUI_145

^ARE_C ^YOU1 usually free of pain or discomfort?

1 Yes
2 No (Go to HUI_Q150)
(Don't know, Refusal not allowed)

Go to HUI_END

HUI_Q150
HUI_150

How would you describe the usual intensity of ^YOUR2 pain or discomfort?

2024-09-24

1 Mild
2 Moderate
3 Severe
(Don't know, Refusal not allowed)

HUI_Q155
HUI_155

How many activities does ^YOUR1 pain or discomfort prevent?

1 None
2 A few
3 Some
4 Most
(Don't know, Refusal not allowed)

HUI_END

2024-09-24

Long-term condition (LTC)

Core content

Overview:

This module asks the respondent if they identify as a person with a disability.

The question is from the Canadian Social Survey - Well-being and used in the Census.

LTC_BEG

External Variables required:
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)

LTC_C10

If (PROXYSEX = 1 or PROXYSEX = 2), go to LTC_Q10.
Otherwise, go to LTC_END.

LTC_Q10
LTC_10

Do you identify as a person with a disability?

1 Yes
2 No
(Don't know, Refusal not allowed)

Context Sensitive Help:

A person with a disability is a person who has a long-term difficulty or condition, such as vision, hearing, mobility, flexibility, dexterity, pain, learning, developmental, memory or mental health-related impairments, that limit their daily activities inside or outside the home such as at school, work, or in the community in general.

LTC_END

2024-09-24

Activities of daily living (ADL)

	Optional content	Nova Scotia, Newfoundland and Labrador, Quebec, Saskatchewan, Northwest Territories
Overview:	This module looks at the impact of a physical or mental condition or health problem on common activities of daily living such as preparing meals, running errands, and doing housework. It is very important to ask all questions of everyone in order to compare those with activity limitations and those without.	
ADL_BEG	External Variables required: DOADL: (Flag to determine if respondent is to enter module (from sample file))	
ADL_C01	If DOADL = 1, go to ADL_R01. Otherwise, go to ADL_END.	
ADL_R01	These questions may not apply to ^YOU2, but we need to ask the same questions of everyone.	
ADL_Q05 ADL_05	Because of any health problem, physical or mental condition, ^DOVERB ^YOU1 have any difficulty with the following common daily activities? Preparing meals 1 No difficulty 2 Some difficulty, but no help required 3 Some difficulty and help from others is required 4 Cannot do at all (Don't know, Refusal not allowed)	
ADL_Q10 ADL_10	Because of any health problem, physical or mental condition, ^DOVERB ^YOU1 have any difficulty with the following common daily activities? Running errands <u>ON-SCREEN HELP</u>: **e.g.**, shopping for groceries 1 No difficulty 2 Some difficulty, but no help required 3 Some difficulty and help from others is required 4 Cannot do at all (Don't know, Refusal not allowed)	

2024-09-24

ADL_Q15
ADL_15

Because of any health problem, physical or mental condition, ^DOVERB ^YOU1 have any difficulty with the following common daily activities?

Everyday housework

1 No difficulty
2 Some difficulty, but no help required
3 Some difficulty and help from others is required
4 Cannot do at all
(Don't know, Refusal not allowed)

ADL_Q20
ADL_20

Because of any health problem, physical or mental condition, ^DOVERB ^YOU1 have any difficulty with the following common daily activities?

Personal care

ON-SCREEN HELP: **e.g.**, bathing, dressing, eating or taking medication

1 No difficulty
2 Some difficulty, but no help required
3 Some difficulty and help from others is required
4 Cannot do at all
(Don't know, Refusal not allowed)

ADL_Q25
ADL_25

Because of any health problem, physical or mental condition, ^DOVERB ^YOU1 have any difficulty with the following common daily activities?

Moving inside the house

1 No difficulty
2 Some difficulty, but no help required
3 Some difficulty and help from others is required
4 Cannot do at all
(Don't know, Refusal not allowed)

ADL_Q30
ADL_30

Because of any health problem, physical or mental condition, ^DOVERB ^YOU1 have any difficulty with the following common daily activities?

Personal finances

2024-09-24

ON-SCREEN HELP: **e.g.,** making transactions or paying bills

1 No difficulty
2 Some difficulty, but no help required
3 Some difficulty and help from others is required
4 Cannot do at all
(Don't know, Refusal not allowed)

ADL_END

2024-09-24

Eating habits (EAH)

	Theme content
Overview:	The Eating habits module is about some of the eating and drinking habits of the respondent, including the consumption of certain fruits and vegetables. The health benefits of vegetable and fruit consumption are popular topics in nutrition promotion programs and research. Among research findings, there appears to be a link between an increased consumption of vegetables and fruits and a reduction in the risk of many types of cancer.
EAH_BEG	External Variables required: DOEAH: (Flag to determine if respondent is to enter module (from sample file))
EAH_C001	If DOEAH = 1, go to EAH_R01. Otherwise, go to EAH_END.
EAH_R01	The next questions are about some of ^YOUR2 eating and drinking habits.
EAH_Q05A EAH_05A	In the **past 30 days**, how many times did ^YOU1 eat food from a restaurant? <u>ON-SCREEN HELP</u>: **Include** fast-food, take-out, sit-down restaurants or prepared food from grocery stores. Frequency can be reported per month, per week or per day. |_|_|_| Number of times (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
EAH_Q05B EAH_05B	In the **past 30 days**, how many times did ^YOU1 eat food from a restaurant? Per month, per week or per day <u>ON-SCREEN HELP</u>: **Include** fast-food, take-out, sit-down restaurants or prepared food from grocery stores. Frequency can be reported per month, per week or per day. 1 Per month 2 Per week 3 Per day (Don't know, Refusal not allowed)
EAH_E05A	An unusual number of restaurant visits has been entered. Please confirm.

2024-09-24

Rule:	Trigger soft edit if (EAH_Q05A > 10 and EAH_Q05B = 3) or (EAH_Q05A > 70 and EAH_Q05B = 2) or (EAH_Q05A > 100 and EAH_Q05B = 1).
EAH_E05B	Please provide a frequency for number of visits to the restaurant.
Rule:	Trigger soft edit if EAH_Q05A > 0 and EAH_Q05B ≠ RESPONSE.
EAH_Q10A EAH_10A	In the **past 30 days**, how many times did ^YOU1 drink the following beverages? 100% pure fruit juice ON-SCREEN HELP: Frequency can be reported per month, per week or per day. |_|_|_| Number of times (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
EAH_Q10B EAH_10B	In the **past 30 days**, how many times did ^YOU1 drink the following beverages? Per month, per week or per day ON-SCREEN HELP: Frequency can be reported per month, per week or per day. 1 Per month 2 Per week 3 Per day (Don't know, Refusal not allowed)
EAH_E10A	An unusual value has been entered for 100% pure fruit juice. Please confirm.
Rule:	Trigger soft edit if (EAH_Q10A > 10 and EAH_Q10B = 3) or (EAH_Q10A > 70 and EAH_Q10B = 2) or (EAH_Q10A > 100 and EAH_Q10B = 1).
EAH_E10B	Please provide a frequency for 100% pure fruit juice.
Rule:	Trigger soft edit if EAH_Q10A > 0 and EAH_Q10B ≠ RESPONSE.
EAH_Q15A EAH_15A	In the **past 30 days**, how many times did ^YOU1 drink the following beverages? Fruit flavoured drinks or sports drinks

2024-09-24

ON-SCREEN HELP: e.g., Fruité™, fruit punch, Gatorade™

Frequency can be reported per month, per week or per day.

|_|_|_| Number of times
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

EAH_Q15B
EAH_15B

In the **past 30 days**, how many times did ^YOU1 drink the following beverages?

Per month, per week or per day

ON-SCREEN HELP: Frequency can be reported per month, per week or per day.

1 Per month
2 Per week
3 Per day
(Don't know, Refusal not allowed)

EAH_E15A

An unusual value has been entered for fruit flavoured drinks or sport drinks. Please confirm.

Rule:

Trigger soft edit if (EAH_Q15A > 10 and EAH_Q15B = 3) or (EAH_Q15A > 70 and EAH_Q15B = 2) or (EAH_Q15A > 100 and EAH_Q15B = 1).

EAH_E15B

Please provide a frequency for number of fruit flavoured drinks or sports drinks.

Rule:

Trigger soft edit if EAH_Q15A > 0 and EAH_Q15B ≠ RESPONSE.

EAH_Q20A
EAH_20A

In the **past 30 days**, how many times did ^YOU1 drink the following beverages?

Regular soft drinks

ON-SCREEN HELP: **Exclude** diet soft drinks.

Frequency can be reported per month, per week or per day.

|_|_|_| Number of times
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

EAH_Q20B
EAH_20B

In the **past 30 days**, how many times did ^YOU1 drink the following beverages?

Per month, per week or per day

2024-09-24

ON-SCREEN HELP: Frequency can be reported per month, per week or per day.

1 Per month
2 Per week
3 Per day
(Don't know, Refusal not allowed)

EAH_E20A

An unusual value has been entered for regular soft drinks. Please confirm.

Rule:

Trigger soft edit if (EAH_Q20A > 10 and EAH_Q20B = 3) or (EAH_Q20A > 70 and EAH_Q20B = 2) or (EAH_Q20A > 100 and EAH_Q20B = 1).

EAH_E20B

Please provide a frequency for number of regular soft drinks.

Rule:

Trigger soft edit if EAH_Q20A > 0 and EAH_Q20B ≠ RESPONSE.

EAH_Q25A
EAH_25A

In the **past 30 days**, how many times did ^YOU1 drink the following beverages?

Sweetened coffee drinks or iced tea

ON-SCREEN HELP: e.g., Starbucks™ Macchiato, Tim Hortons Iced Capp™, Nestea™

Frequency can be reported per month, per week or per day.

|_|_|_| Number of times
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

EAH_Q25B
EAH_25B

In the **past 30 days**, how many times did ^YOU1 drink the following beverages?

Per month, per week or per day

ON-SCREEN HELP: Frequency can be reported per month, per week or per day.

1 Per month
2 Per week
3 Per day
(Don't know, Refusal not allowed)

EAH_E25A

An unusual value has been entered for sweetened coffee drinks or tea. Please confirm.

Rule:

Trigger soft edit if (EAH_Q25A > 10 and EAH_Q25B = 3) or (EAH_Q25A > 70 and EAH_Q25B = 2) or (EAH_Q25A > 100 and EAH_Q25B = 1).

EAH_E25B

Please provide a frequency for number of sweetened coffee drinks or tea.

2024-09-24

Rule:	Trigger soft edit if EAH_Q25A > 0 and EAH_Q25B ≠ RESPONSE.
EAH_Q30A EAH_30A	In the **past 30 days**, how many times did ^YOU1 drink the following beverages? Energy drinks ON-SCREEN HELP: e.g., Red BullTM, MonsterTM Frequency can be reported per month, per week or per day. |_|_|_| Number of times (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
EAH_Q30B EAH_30B	In the **past 30 days**, how many times did ^YOU1 drink the following beverages? Per month, per week or per day ON-SCREEN HELP: Frequency can be reported per month, per week or per day. 1 Per month 2 Per week 3 Per day (Don't know, Refusal not allowed)
EAH_E30A	An unusual value has been entered for energy drinks. Please confirm.
Rule:	Trigger soft edit if (EAH_Q30A > 10 and EAH_Q30B = 3) or (EAH_Q30A > 70 and EAH_Q30B = 2) or (EAH_Q30A > 100 and EAH_Q30B = 1).
EAH_E30B	Please provide a frequency for number of energy drinks.
Rule:	Trigger soft edit if EAH_Q30A > 0 and EAH_Q30B ≠ RESPONSE.
EAH_Q35A EAH_35A	In the **past 30 days**, how many times did ^YOU1 drink the following beverages? Chocolate milk ON-SCREEN HELP: Frequency can be reported per month, per week or per day. |_|_|_| Number of times (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)

2024-09-24

EAH_Q35B EAH_35B	In the **past 30 days**, how many times did ^YOU1 drink the following beverages? Per month, per week or per day ON-SCREEN HELP: Frequency can be reported per month, per week or per day. 1 Per month 2 Per week 3 Per day (Don't know, Refusal not allowed)
EAH_E35A	An unusual value has been entered for chocolate milk. Please confirm.
Rule:	Trigger soft edit if (EAH_Q35A > 10 and EAH_Q35B = 3) or (EAH_Q35A > 70 and EAH_Q35B = 2) or (EAH_Q35A > 100 and EAH_Q35B = 1).
EAH_E35B	Please provide a frequency for number of chocolate milk.
Rule:	Trigger soft edit if EAH_Q35A > 0 and EAH_Q35B ≠ RESPONSE.
EAH_Q40A EAH_40A	In the **past 30 days**, how many times did ^YOU1 eat the following fruits and vegetables? Fruits ON-SCREEN HELP: Frequency can be reported per month, per week or per day. **Include** fresh, frozen, canned or dried. **Exclude** fruit juices. |_|_|_| Number of times (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
EAH_Q40B EAH_40B	In the **past 30 days**, how many times did ^YOU1 eat the following fruits and vegetables? Per month, per week or per day ON-SCREEN HELP: **Include** fresh, frozen, canned or dried. Frequency can be reported per month, per week or per day. 1 Per month 2 Per week 3 Per day (Don't know, Refusal not allowed)
EAH_E40A	An unusual number of fruits has been entered. Please confirm.

2024-09-24

Rule:	Trigger soft edit if (EAH_Q40A > 10 and EAH_Q40B = 3) or (EAH_Q40A > 70 and EAH_Q40B = 2) or (EAH_Q40A > 100 and EAH_Q40B = 1).
EAH_E40B	Please provide a frequency for number of fruits.
Rule:	Trigger soft edit if EAH_Q40A > 0 and EAH_Q40B ≠ RESPONSE.
EAH_Q45A EAH_45A	In the **past 30 days**, how many times did ^YOU1 eat the following fruits and vegetables? Dark green vegetables ON-SCREEN HELP: e.g., broccoli, green beans, dark lettuce, spinach **Include** fresh, frozen, canned or dried. Frequency can be reported per month, per week or per day. |_|_|_| Number of times (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
EAH_Q45B EAH_45B	In the **past 30 days**, how many times did ^YOU1 eat the following fruits and vegetables? Per month, per week or per day ON-SCREEN HELP: **Include** fresh, frozen, canned or dried. Frequency can be reported per month, per week or per day. 1 Per month 2 Per week 3 Per day (Don't know, Refusal not allowed)
EAH_E45A	An unusual number of dark green vegetables has been entered. Please confirm.
Rule:	Trigger soft edit if (EAH_Q45A > 10 and EAH_Q45B = 3) or (EAH_Q45A > 70 and EAH_Q45B = 2) or (EAH_Q45A > 100 and EAH_Q45B = 1).
EAH_E45B	Please provide a frequency for number of dark green vegetables.
Rule:	Trigger soft edit if EAH_Q45A > 0 and EAH_Q45B ≠ RESPONSE.
EAH_Q50A EAH_50A	In the **past 30 days**, how many times did ^YOU1 eat the following fruits and vegetables? Orange-coloured vegetables

2024-09-24

ON-SCREEN HELP: e.g., carrots, orange bell peppers, sweet potatoes

Include fresh, frozen, canned or dried.

Frequency can be reported per month, per week or per day.

|_|_|_| Number of times
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

EAH_Q50B
EAH_50B

In the **past 30 days**, how many times did ^YOU1 eat the following fruits and vegetables?

Per month, per week or per day

ON-SCREEN HELP: **Include** fresh, frozen, canned or dried.

Frequency can be reported per month, per week or per day.

1 Per month
2 Per week
3 Per day
(Don't know, Refusal not allowed)

EAH_E50A

An unusual number of orange-coloured vegetables has been entered. Please confirm.

Rule:

Trigger soft edit if (EAH_Q50A > 10 and EAH_Q50B = 3) or (EAH_Q50A > 70 and EAH_Q50B = 2) or (EAH_Q50A > 100 and EAH_Q50B = 1).

EAH_E50B

Please provide a frequency for number of orange-coloured vegetables.

Rule:

Trigger soft edit if EAH_Q50A > 0 and EAH_Q50B ≠ RESPONSE.

EAH_Q55A
EAH_55A

In the **past 30 days**, how many times did ^YOU1 eat the following fruits and vegetables?

Starchy vegetables

2024-09-24

ON-SCREEN HELP: e.g., white potatoes, corn

Exclude deep fried potatoes.
Include fresh, frozen, canned or dried.

Frequency can be reported per month, per week or per day.

|_|_|_| Number of times
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

EAH_Q55B
EAH_55B

In the **past 30 days**, how many times did ^YOU1 eat the following fruits and vegetables?

Per month, per week or per day

ON-SCREEN HELP: **Include** fresh, frozen, canned or dried.

Frequency can be reported per month, per week or per day.

1 Per month
2 Per week
3 Per day
(Don't know, Refusal not allowed)

EAH_E55A

An unusual number of starchy vegetables has been entered. Please confirm.

Rule:

Trigger soft edit if (EAH_Q55A > 10 and EAH_Q55B = 3) or (EAH_Q55A > 70 and EAH_Q55B = 2) or (EAH_Q55A > 100 and EAH_Q55B = 1).

EAH_E55B

Please provide a frequency for number of starchy vegetables.

Rule:

Trigger soft edit if EAH_Q55A > 0 and EAH_Q55B ≠ RESPONSE.

EAH_Q60A
EAH_60A

In the **past 30 days**, how many times did ^YOU1 eat the following fruits and vegetables?

Other vegetables

2024-09-24

ON-SCREEN HELP: e.g., cucumber, celery, cabbage, tomatoes, cauliflower

Include fresh, frozen, canned or dried.

Frequency can be reported per month, per week or per day.

|_|_|_| Number of times
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

EAH_Q60B
EAH_60B

In the **past 30 days**, how many times did ^YOU1 eat the following fruits and vegetables?

Per month, per week or per day

ON-SCREEN HELP: **Include** fresh, frozen, canned or dried.

Frequency can be reported per month, per week or per day.

1 Per month
2 Per week
3 Per day
(Don't know, Refusal not allowed)

EAH_E60A

An unusual number of other vegetables has been entered. Please confirm.

Rule:

Trigger soft edit if (EAH_Q60A > 10 and EAH_Q60B = 3) or (EAH_Q60A > 70 and EAH_Q60B = 2) or (EAH_Q60A > 100 and EAH_Q60B = 1).

EAH_E60B

Please provide a frequency for number of other vegetables.

Rule:

Trigger soft edit if EAH_Q60A > 0 and EAH_Q60B ≠ RESPONSE.

EAH_END

2024-09-24

Use of protective equipment (UPE)

Optional content — Quebec, Nova Scotia, Saskatchewan, Alberta, Yukon

Overview:

Injuries suffered while participating in leisure activities are a major burden to both the people injured and to the health care system.

This module asks about the use of helmets, wrist protectors, elbow pads and mouth guards to protect against injuries while bicycling, in-line skating, skiing, snowboarding, skateboarding and playing hockey.

Results from this module are very useful to health region planners attempting to design programs to promote the use of protective equipment.

UPE_BEG

External Variables required:
DOUPE: (Flag to determine if respondent is to enter module (from sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)

UPE_C05

If (DOUPE = 1 and (PROXYSEX = 1 or PROXYSEX = 2)), go to UPE_Q05.
Otherwise, go to UPE_END.

UPE_Q05

In the **past 12 months**, have you participated in any of these activities?

ON-SCREEN HELP: Select all that apply.

1 Bicycling
2 In-line skating or rollerblading
3 Downhill skiing
4 Snowboarding
5 Skateboarding
6 Playing ice hockey
(Don't know, Refusal not allowed)

Processing:

In the EQ application, each of the UPE_Q05 categories shows with the following ELEMENT name, so please assign the according EX_NAME (in parentheses):
Category 1 (Bicycling) = UPE_Q05 (UPE_05)
Category 2 (In-line skating or rollerblading) = UPE_Q15 (UPE_15)
Category 3 (Downhill skiing) = UPE_Q40A (UPE_40A)
Category 4 (Snowboarding) = UPE_Q40B (UPE_40B)
Category 5 (Skateboarding) = UPE_Q60A (UPE_60A)
Category 6 (Playing ice hockey) = UPE_Q80 (UPE_Q80)

Please also note that they have the following IN_NAME:
Category 1 (Bicycling) = UPE_Q05A
Category 2 (In-line skating or rollerblading) = UPE_Q15B
Category 3 (Downhill skiing) = UPE_Q40AC
Category 4 (Snowboarding) = UPE_Q40BD
Category 5 (Skateboarding) = UPE_Q60AE
Category 6 (Playing ice hockey) = UPE_Q80F

UPE_C10

If UPE_Q05 = 1, go to UPE_Q10.
Otherwise, go to UPE_C20.

UPE_Q10

When **riding a bicycle**, how often do you wear a helmet?

2024-09-24

UPE_10

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_C20

If UPE_Q05 = 2, go to UPE_Q20.
Otherwise, go to UPE_C45.

UPE_Q20
UPE_20

When **in-line skating or rollerblading**, how often do you wear the following equipment?
A helmet

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_Q25
UPE_25

When **in-line skating or rollerblading**, how often do you wear the following equipment?
Wrist guards or wrist protectors

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_Q30
UPE_30

When **in-line skating or rollerblading**, how often do you wear the following equipment?
Elbow pads

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_Q35
UPE_35

When **in-line skating or rollerblading**, how often do you wear the following equipment?
Knee pads

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_C45

If UPE_Q05 = 3, go to UPE_Q45.
Otherwise, go to UPE_C50.

UPE_Q45

When **downhill skiing**, how often do you wear a helmet?

2024-09-24

UPE_45

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_C50

If UPE_Q05 = 4, go to UPE_Q50.
Otherwise, go to UPE_C65.

UPE_Q50
UPE_50

When **snowboarding**, how often do you wear the following equipment?
A helmet

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_Q55
UPE_55

When **snowboarding**, how often do you wear the following equipment?
Wrist guards or wrist protectors

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_C65

If UPE_Q05 = 5, go to UPE_Q65.
Otherwise, go to UPE_C85.

UPE_Q65
UPE_65

When **skateboarding**, how often do you wear the following equipment?
A helmet

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_Q70
UPE_70

When **skateboarding**, how often do you wear the following equipment?
Wrist guards or wrist protectors

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_Q75
UPE_75

When **skateboarding**, how often do you wear the following equipment?
Elbow pads

2024-09-24

	1 Always 2 Most of the time 3 Rarely 4 Never (Don't know, Refusal not allowed)
UPE_C85	If UPE_Q05 = 6, go to UPE_Q85. Otherwise, go to UPE_END.
UPE_Q85 UPE_85	When **playing ice hockey**, how often do you wear a mouth guard? 1 Always 2 Most of the time 3 Rarely 4 Never (Don't know, Refusal not allowed)
UPE_END	

2024-09-24

Moderate physical activity (MPA)

	Theme content
Overview:	Answers to this module are used to determine how active respondents, have been in the past seven days. Respondents are asked how much time they spent doing physical activities that caused them to sweat or breathe harder on weekdays and weekend days. Higher levels of activity are widely thought to be associated with better health.
MPA_BEG	External Variables required: DOMPA: (Flag to determine if respondent is to enter module (from sample file))
MPA_C01	If DOMPA ≠ 1, go to MPA_END. Otherwise, go to MPA_R32.
MPA_R32	Thinking again of the past 7 days, we wish to record ^YOUR2 physical activities. We will be asking you about common sources of physical activity while on the job, during sports, fitness or recreational activities, walking or cycling for transportation, and physical activity while volunteering, at home or at work. To make it easier, we will ask about weekdays and weekend days separately. If ^YOU1 work^S shifts, please adjust answers to typical workdays and days off. If recall is too difficult, give your best estimate.
MPA_R35	In the past 7 days, how much time did ^YOU2 spend doing the following activities that made ^HIMHER sweat or breathe harder?
MPA_Q35A MPA_35A	Active work as part of ^YOUR1 job that made ^HIMHER sweat or breathe harder. On a typical weekday Hours per day

2024-09-24

01	1
02	2
03	3
04	4
05	5
06	6
07	7
08	8
09	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20

(Don't know, Refusal not allowed)

MPA_Q35B
MPA_35B

Active work as part of ^YOUR1 job that made ^HIMHER sweat or breathe harder.
On a typical weekday

Minutes per day

00	0
05	5
10	10
15	15
20	20
25	25
30	30
35	35
40	40
45	45
50	50
55	55

(Don't know, Refusal not allowed)

MPA_Q35C
MPA_35C

Active work as part of ^YOUR1 job that made ^HIMHER sweat or breathe harder.
On a typical weekend day

Hours per day

2024-09-24

01	1
02	2
03	3
04	4
05	5
06	6
07	7
08	8
09	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20

(Don't know, Refusal not allowed)

MPA_Q35D
MPA_35D

Active work as part of ^YOUR1 job that made ^HIMHER sweat or breathe harder.
On a typical weekend day

Minutes per day

00	0
05	5
10	10
15	15
20	20
25	25
30	30
35	35
40	40
45	45
50	50
55	55

(Don't know, Refusal not allowed)

MPA_Q40A
MPA_40A

Sports, fitness or recreational physical activities that made ^HIMHER sweat or breathe harder.
On a typical weekday

Hours per day

2024-09-24

	01 1 02 2 03 3 04 4 05 5 06 6 07 7 08 8 09 9 10 10 11 11 12 12 13 13 14 14 15 15 16 16 17 17 18 18 19 19 20 20 (Don't know, Refusal not allowed)
MPA_Q40B MPA_40B	Sports, fitness or recreational physical activities that made ^HIMHER sweat or breathe harder. On a typical weekday Minutes per day 00 0 05 5 10 10 15 15 20 20 25 25 30 30 35 35 40 40 45 45 50 50 55 55 (Don't know, Refusal not allowed)
MPA_Q40C MPA_40C	Sports, fitness or recreational physical activities that made ^HIMHER sweat or breathe harder. On a typical weekend day Hours per day

2024-09-24

01	1
02	2
03	3
04	4
05	5
06	6
07	7
08	8
09	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20

(Don't know, Refusal not allowed)

MPA_Q40D
MPA_40D

Sports, fitness or recreational physical activities that made ^HIMHER sweat or breathe harder.
On a typical weekend day

Minutes per day

00	0
05	5
10	10
15	15
20	20
25	25
30	30
35	35
40	40
45	45
50	50
55	55

(Don't know, Refusal not allowed)

MPA_Q45
MPA_45

In the past 7 days, did ^YOU2 use active ways like walking or cycling to get to places such as school, stores, visiting friends or work?

ON-SCREEN HELP: Exclude walking or cycling for fitness, fun or recreation.

1	Yes	(Go to MPA_R45)
2	No	

(Don't know, Refusal not allowed)

Go to MPA_R55

2024-09-24

MPA_Q45A
MPA_45A

In the past 7 days, how much time did ^YOU1 spend using the following active ways to get to places?
Walking

On a typical weekday

Hours per day

01	1
02	2
03	3
04	4
05	5
06	6
07	7
08	8
09	9
10	10
11	11
12	12

(Don't know, Refusal not allowed)

MPA_Q45B
MPA_45B

In the past 7 days, how much time did ^YOU1 spend using the following active ways to get to places?
Walking

On a typical weekday

Minutes per day

00	0
05	5
10	10
15	15
20	20
25	25
30	30
35	35
40	40
45	45
50	50
55	55

(Don't know, Refusal not allowed)

MPA_Q45C
MPA_45C

In the past 7 days, how much time did ^YOU1 spend using the following active ways to get to places?
Walking

On a typical weekend day

Hours per day

2024-09-24

01	1
02	2
03	3
04	4
05	5
06	6
07	7
08	8
09	9
10	10
11	11
12	12

(Don't know, Refusal not allowed)

MPA_Q45D
MPA_45D

In the past 7 days, how much time did ^YOU1 spend using the following active ways to get to places?
Walking

On a typical weekend day

Minutes per day

00	0
05	5
10	10
15	15
20	20
25	25
30	30
35	35
40	40
45	45
50	50
55	55

(Don't know, Refusal not allowed)

MPA_Q50A
MPA_50A

In the past 7 days, how much time did ^YOU1 spend using the following active ways to get to places?
Cycling

On a typical weekday

Hours per day

2024-09-24

01	1
02	2
03	3
04	4
05	5
06	6
07	7
08	8
09	9
10	10
11	11
12	12

(Don't know, Refusal not allowed)

MPA_Q50B
MPA_50B

In the past 7 days, how much time did ^YOU1 spend using the following active ways to get to places?
Cycling

On a typical weekday

Minutes per day

00	0
05	5
10	10
15	15
20	20
25	25
30	30
35	35
40	40
45	45
50	50
55	55

(Don't know, Refusal not allowed)

MPA_Q50C
MPA_50C

In the past 7 days, how much time did ^YOU1 spend using the following active ways to get to places?
Cycling

On a typical weekend day

Hours per day

2024-09-24

01	1
02	2
03	3
04	4
05	5
06	6
07	7
08	8
09	9
10	10
11	11
12	12

(Don't know, Refusal not allowed)

MPA_Q50D
MPA_50D

In the past 7 days, how much time did ^YOU1 spend using the following active ways to get to places?
Cycling

On a typical weekend day

Minutes per day

00	0
05	5
10	10
15	15
20	20
25	25
30	30
35	35
40	40
45	45
50	50
55	55

(Don't know, Refusal not allowed)

MPA_Q55A
MPA_55A

In the past 7 days, how much time did ^YOU2 spend doing other physical activities that made ^HIMHER sweat or breathe harder while doing household chores, or while volunteering?
On a typical weekday

Hours per day

2024-09-24

01	1
02	2
03	3
04	4
05	5
06	6
07	7
08	8
09	9
10	10
11	11
12	12

(Don't know, Refusal not allowed)

MPA_Q55B
MPA_55B

In the past 7 days, how much time did ^YOU2 spend doing other physical activities that made ^HIMHER sweat or breathe harder while doing household chores, or while volunteering?
On a typical weekday

Minutes per day

00	0
05	5
10	10
15	15
20	20
25	25
30	30
35	35
40	40
45	45
50	50
55	55

(Don't know, Refusal not allowed)

MPA_Q55C
MPA_55C

In the past 7 days, how much time did ^YOU2 spend doing other physical activities that made ^HIMHER sweat or breathe harder while doing household chores, or while volunteering?
On a typical weekend day

Hours per day

01	1
02	2
03	3
04	4
05	5
06	6
07	7
08	8
09	9
10	10
11	11
12	12

(Don't know, Refusal not allowed)

2024-09-24

MPA_Q55D
MPA_55D

In the past 7 days, how much time did ^YOU2 spend doing other physical activities that made ^HIMHER sweat or breathe harder while doing household chores, or while volunteering?
On a typical weekend day

Minutes per day

00	0
05	5
10	10
15	15
20	20
25	25
30	30
35	35
40	40
45	45
50	50
55	55

(Don't know, Refusal not allowed)

MPA_END

2024-09-24

Other physical activities (OPA)

	Theme content
Overview:	Answers to this module are used to determine how active respondents, have been in the last seven days. Respondents are asked how much time they spend doing other physical activties. Higher levels of activity are widely thought to be associated with better health.
OPA_BEG	External Variables required: DOOPA: (Flag to determine if respondent is to enter module (from sample file))
OPA_C01	If DOOPA ≠ 1, go to OPA_END. Otherwise, go to OPA_C02.
OPA_R10	Now we will ask some questions to gather more details about the physical activities that ^YOU2 ^DOVERB. These activities may include those which have already been reported.
OPA_Q10 OPA_10	In the past 7 days, how many days did ^YOU1 engage in strength-building exercise? <u>ON-SCREEN HELP</u>: e.g., weight or resistance training, push-ups, sit-ups, chores that require lifting and carrying 1 1 2 2 3 3 4 4 5 5 6 6 7 7 (Don't know, Refusal not allowed)
OPA_Q15 OPA_15	In the past 7 days, how many days did ^YOU1 engage in flexibility exercises? <u>ON-SCREEN HELP</u>: e.g., yoga, stretching exercises 1 1 2 2 3 3 4 4 5 5 6 6 7 7 (Don't know, Refusal not allowed)
OPA_Q20 OPA_20	In the past 7 days, how many days did ^YOU1 engage in any vigorous-intensity exercise?

2024-09-24

ON-SCREEN HELP: e.g., exercise where one is out of breath and breathing heavily

1	1
2	2
3	3
4	4
5	5
6	6
7	7

(Don't know, Refusal not allowed)

OPA_END

2024-09-24

Current smoking status (CSS)

Core content

Overview:

Cigarette smoking is a major cause of heart disease and lung disease. The economic cost of illnesses and deaths caused by smoking is a major concern to health care planners and administrators.

The number of people who smoke varies significantly between health regions, between men and women and among age groups.

This module includes a series of questions about current and past smoking habits.

The results of this module can be used to develop smoking prevention and cessation programs for the groups that need them most.

CSS_BEG

External Variables required:
DOCSS: (Flag to determine if respondent is to enter module (from sample file))
AWC_AGE: (Age of selected respondent)

CSS_C01

If (DOCSS ≠ 1), go to CSS_END.
Otherwise, go to CSS_R01.

CSS_R01

The next questions are about cigarette smoking.

Include cigarettes that are self-made. **Exclude** e-cigarettes or vapes.

CSS_Q05
CSS_05

^HAVE_C ^YOU2 ever smoked a **whole** cigarette?

1 Yes (Go to CSS_Q10)
2 No
(Don't know, Refusal not allowed)

Go to CSS_C15

CSS_Q10
CSS_10

How old ^WERE ^YOU1 when ^YOU1 smoked ^YOUR1 first whole cigarette?

|_|_|_| Age in years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CSS_E10_1

An impossible age has been entered. Please return and correct.

Rule:

Trigger soft edit if CSS_Q10 > DV_AWC_AGE.

CSS_C15

If CSS_Q05 = 1, go to CSS_Q15.
Otherwise, go to CSS_END.

CSS_Q15
CSS_15

^HAVE_C ^YOU2 smoked more than 100 cigarettes (about 4 packs) in ^YOUR1 life?

2024-09-24

	1 Yes 2 No (Don't know, Refusal not allowed)
CSS_Q20 CSS_20	In the **past 30 days**, how often did ^YOU1 smoke cigarettes? 1 Every day 2 Less than once a day, but at least once a week 3 Less than once a week, but at least once in the past month 4 Not at all (Don't know, Refusal not allowed)
CSS_C25	If CSS_Q20 = 1, go to CSS_Q25. Otherwise, go to CSS_C35.
CSS_Q25 CSS_25	How many cigarettes ^DOVERB ^YOU1 usually smoke each day? |_|_|_| Number of cigarettes (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
CSS_E25_1	An unusual value has been entered. Please put a number of cigarettes greater than 0.
Rule:	Trigger soft edit if CSS_Q20 = 1 and CSS_Q25 = 0.
CSS_E25_2	An unusually high number of cigarettes per day has been entered. Please confirm.
Rule:	Trigger soft edit if CSS_Q25 > 100.
CSS_C35	If CSS_Q20 = 2 or CSS_Q20 = 3, go to CSS_Q35. Otherwise, go to CSS_C41.
CSS_Q35 CSS_35	In the **past 30 days**, how many days ^HAVE ^YOU1 smoked one or more cigarettes? |_|_| Number of days (MIN: 0) (MAX: 99) Integer (Don't know, Refusal not allowed)
CSS_E35_1	An unusual value has been entered. Please put a number of days greater than 0.
Rule:	Trigger soft edit if CSS_Q35 = 0 and (CSS_Q20 = 2 or CSS_Q20 = 3).

2024-09-24

CSS_E35_2	An unusual value has been entered. Please put a value less than or equal to 30 days.
Rule:	Trigger soft edit if CSS_Q35 > 30.
CSS_Q30 CSS_30	On the days that ^YOU2 ^DOVERB smoke, how many cigarettes ^DOVERB ^YOU1 usually smoke? |_|_|_| Number of cigarettes (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
CSS_E30_1	An unusual value has been entered. Please put a number of cigarettes greater than 0.
Rule:	Trigger soft edit if CSS_Q30 = 0 and (CSS_Q20 = 2 or CSS_Q20 = 3).
CSS_E30_2	An unusually high number of cigarettes per day has been entered. Please confirm.
Rule:	Trigger soft edit if CSS_Q30 > 100.
CSS_C41	If CSS_Q20 = 1 or CSS_Q20 = 2 or CSS_Q20 = 3, go to CSS_Q41. Otherwise, go to CSS_END.
CSS_Q41 CSS_41	In the **past 12 months**, did ^YOU2 stop smoking for at least 24 hours because ^YOU1 ^WERE trying to cut back or quit? 1 Yes 2 No (Don't know, Refusal not allowed)
CSS_D45	If CSS_Q20 = 1, DV_SSTAT = 1. Else if (CSS_Q20 = 2 or CSS_Q20 = 3), DV_SSTAT = 2. Else if (CSS_Q20 = 4 and CSS_Q15 = 1), DV_SSTAT = 3. Else if (CSS_Q05 = 2 or (CSS_Q05 = 1 and CSS_Q15 = 2)), DV_SSTAT = 4. Otherwise, DV_SSTAT = 5.
CSS_END	

2024-09-24

Smoking - past use (SPU)

Core content

Overview:

Cigarette smoking is a major cause of heart disease and lung disease. The economic cost of illnesses and deaths caused by smoking is a major concern to health care planners and administrators.

The number of people who smoke varies significantly between health regions, between men and women and among age groups.

This module includes a series of questions about past smoking habits and smoking cessation.

The results of this module can be used to develop smoking prevention and cessation programs for the groups that need them most.

SPU_BEG

External Variables required:
DOSPU: (Flag to determine if respondent is to enter module (from sample file))
DV_SSTAT: (Smoking status: 1 = daily smoker, 2 = occasional smoker, 3 = former smoker, 4 = never smoked, 5 = undetermined (from CSS block))
CSS_Q41: (In the past 12 months, did ^YOU2 stop smoking for at least 24 hours because ^YOU1 ^WERE trying to cut back or quit?)
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
DV_AWC_AGE: (Age of selected respondent)

SPU_C01A

If DOSPU ≠ 1, go to SPU_END.
Otherwise, go to SPU_C01B.

SPU_C01B

If DV_SSTAT = 1, go to SPU_C15.
Otherwise, go to SPU_C01C.

SPU_C01C

If DV_SSTAT = 2 or DV_SSTAT = 3, go to SPU_Q05.
Otherwise, go to SPU_END.

SPU_Q05
SPU_05

^HAVE_C ^YOU2 ever smoked cigarettes daily?

1 Yes
2 No
(Don't know, Refusal not allowed)

SPU_C10A

If SPU_Q05 = 1, go to SPU_C15.
Otherwise, go to SPU_C10B.

SPU_C10B

If DV_SSTAT = 2, go to SPU_C40.
Otherwise, go to SPU_Q10.

SPU_Q10

When did ^YOU1 stop smoking?

2024-09-24

SPU_10	1 Less than one year ago 2 1 year to less than 2 years ago 3 2 years to less than 3 years ago 4 3 or more years ago (Don't know, Refusal not allowed)
SPU_C15	If DV_SSTAT = 1 or SPU_Q05 = 1, go to SPU_Q15. Otherwise, go to SPU_C15_1.
SPU_C15_1	If (SPU_Q10 = 1), go to SPU_C40. Otherwise, go to SPU_END.
SPU_Q15 SPU_15	At what age did ^YOU1 begin to smoke cigarettes daily? |_|_|_| Age in years (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
SPU_E15	An impossible age has been entered. Please return and correct.
Rule:	Trigger soft edit if (SPU_Q15 > DV_AWC_AGE).
SPU_C20	If DV_SSTAT = 1, go to SPU_C40. Otherwise, go to SPU_Q20.
SPU_Q20 SPU_20	When ^YOU1 smoked every day, how many cigarettes did ^YOU1 usually smoke each day? |_|_|_| Number of cigarettes (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
SPU_E20_1	An unusual value has been entered. Please put a value greater than 0.
Rule:	Trigger soft edit if (SPU_Q20 = 0).
SPU_E20_2	An unusually high number of cigarettes per day has been entered. Please confirm.
Rule:	Trigger soft edit if (SPU_Q20 > 100).
SPU_Q25	When did ^YOU1 stop smoking daily?

2024-09-24

SPU_25

1 Less than one year ago
2 1 year to less than 2 years ago
3 2 years to less than 3 years ago
4 3 or more years ago
(Don't know, Refusal not allowed)

SPU_C30

If DV_SSTAT = 2, go to SPU_C40.
Otherwise, go to SPU_Q30.

SPU_Q30
SPU_30

Was that when ^YOU1 completely quit smoking?

1 Yes
2 No (Go to SPU_Q35)
(Don't know, Refusal not allowed)

Go to SPU_C40

SPU_Q35
SPU_35

When did ^YOU1 stop completely?

1 Less than one year ago
2 1 year to less than 2 years ago
3 2 years to less than 3 years ago
4 3 or more years ago
(Don't know, Refusal not allowed)

SPU_C40

If CSS_Q41 = 1, go to SPU_Q40.
Otherwise, go to SPU_C45.

SPU_Q40

During the **past 12 months**, did ^YOU1 do any of the following to help ^HIMHER quit smoking?

2024-09-24

ON-SCREEN HELP: Select all that apply.

01 Use nicotine replacement products
Help text: e.g., nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, nicotine lozenge, nicotine mouth spray
02 Use smoking cessation medications
Help text: e.g., Zyban®, Wellbutrin® or Champix®
03 Use an internet-based program or an app
04 Use a vaping device or e-cigarette
05 Make a deal with a friend or ^YOUR1 family
06 Reduce the number of cigarettes
07 Try to quit smoking on ^YOUR1 own
08 Other
(Don't know, Refusal not allowed)

SPU_C45

If (SPU_Q10 = 1 or (SPU_Q25 = 1 and SPU_Q30 = 1) or SPU_Q35 = 1), go to SPU_Q45.
Otherwise, go to SPU_END.

SPU_Q45

During the **past 12 months**, did ^YOU1 do any of the following to help ^HIMHER **when ^YOU1 quit smoking completely**?

2024-09-24

ON-SCREEN HELP: Select all that apply.

01 Use nicotine replacement products
Help text: e.g., nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, nicotine lozenge, nicotine mouth spray
02 Use smoking cessation medications
Help text: e.g., Zyban®, Wellbutrin® or Champix®
03 Use an internet-based program or an app
04 Use a vaping device or e-cigarette
05 Make a deal with a friend or ^YOUR1 family
06 Reduce the number of cigarettes
07 Try to quit smoking on ^YOUR1 own
08 Other
(Don't know, Refusal not allowed)

SPU_END

2024-09-24

Smoking - stages of change 2 (SCH2)

Rapid response

Overview:	In this module, current smokers are asked whether they intend to quit smoking in the next 6 months. When health region planners develop programs to encourage people to stop smoking, it is very helpful to know which groups are more ready to quit and may need only some encouragement, and which groups need different types of programs or education.
SCH2_BEG	External Variables required: DOSCH2: (Flag to determine if respondent is to enter module (from sample file) CSS_Q20: (In the past 30 days, how often did ^YOU1 smoke cigarettes?) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
SCH2_C001	If DOSCH2 ≠ 1, go to SCH2_END. Otherwise, go to SCH2_C002.
SCH2_C002	If (CSS_Q20 = 1 or CSS_Q20 = 2 or CSS_Q20 = 3), go to SCH2_C005. Otherwise, go to SCH2_END.
SCH2_C005	If (PROXYSEX = 3 or PROXYSEX = 4), go to SCH2_END. Otherwise, go to SCH2_Q005.
SCH2_Q005 SCH2_005	Are you seriously considering quitting smoking within the **next 6 months**? 1 Yes 2 No (Don't know, Refusal not allowed)
SCH2_END	

2024-09-24

Tobacco alternatives products (TAL)

Rapid response

Overview:

This module deals with the use of any tobacco products other than cigarettes (cigars, cigarillos, pipes, snuff, chewing tobacco, etc.)

These alternatives to cigarettes have different implications for health.

The module will be used to understand which groups are most likely to use these products.

TAL_BEG

External Variables required:
DOTAL: (Flag to determine if respondent is to enter module (from sample file))
AWC_AGE: (Age of selected respondent)

TAL_C02

If (DOTAL ≠ 1), go to TAL_END.
Otherwise, go to TAL_Q02.

TAL_Q02
TAL_02

In the **past 30 days**, ^HAVE ^YOU1 ever used any tobacco products other than cigarettes?

ON-SCREEN HELP: **Include** cigars, cigarillos or little cigars, a pipe, a water-pipe or used snuff or chewing tobacco.

Exclude nicotine products e.g., electronic cigarettes, nicotine replacement therapy, nicotine pouches, etc.

1 Yes
2 No
(Don't know, Refusal not allowed)

Context Sensitive Help:

A tobacco water-pipe, or hookah, is a tall container with water at the bottom. People smoke through a long hose that comes out of the container. A water-pipe is often used with flavoured tobacco. It can be called a Shisha pipe.

TAL_END

2024-09-24

Electronic cigarettes and vaping (ECV)

Core content

Overview:

This module includes a series of questions on electronic cigarettes and vaping devices, excluding vaping cannabis. Respondents are asked if they have ever tried an e-cigarette or vaping device, and, if so, at what age they first tried it, and how often in the past 30 days and if it contained nicotine.

ECV_BEG

External Variables required:
DOECV: (Flag to determine if respondent is to enter module (from sample file))
DV_AWC_AGE: (Age of selected respondent)
CSS_Q05: (^HAVE_C ^YOU2 ever smoked a whole cigarette?)

ECV_C05

If DOECV = 1, go to ECV_R05.
Otherwise, go to ECV_END.

ECV_R05

Now questions about electronic cigarettes (e-cigarettes) or vaping devices.

ECV_Q05
ECV_05

^HAVE_C ^YOU2 ever tried an e-cigarette or vaping device, also known as a vape?

ON-SCREEN HELP: **Include** vaping e-liquid with nicotine and without nicotine i.e., just flavouring

Exclude vaping cannabis.

1 Yes (Go to ECV_Q10)
2 No
(Don't know, Refusal not allowed)

Go to ECV_END

Context Sensitive Help:

Vaping is the act of inhaling and exhaling an aerosol produced by a vaping product, such as an electronic cigarette.

Vaping devices are usually battery-powered.

Vaping products have many names, including:
- *mods*
- *vapes*
- *sub-ohms*
- *vape pens*
- *e-cigars*
- *e-hookahs*
- *tank systems*
- *electronic cigarettes / e-cigarettes*
- *electronic nicotine delivery systems (ENDS)*

ECV_Q10

At what age did ^YOU1 first use an e-cigarette or vaping device?

2024-09-24

ECV_10

|_|_|_| Age in years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

ECV_E10

An impossible age has been entered. Please return and correct.

Rule:

Trigger soft edit if ECV_Q10 > DV_AWC_AGE.

ECV_Q15
ECV_15

In the **past 30 days**, how often did ^YOU1 use an e-cigarette or vaping device?

1 Every day
2 At least once a week
3 At least once in the past month
4 Not at all
(Don't know, Refusal not allowed)

ECV_C21

If ECV_Q15 = 4, go to ECV_C30.
Otherwise, go to ECV_Q21.

ECV_Q21
ECV_21

The last time ^YOU1 used an e-cigarette or vaping device, also known as a vape, what did it contain?

1 An e-cigarette or a vaping device **with nicotine** (Go to ECV_Q25A)
2 An e-cigarette or a vaping device **without nicotine** (Go to ECV_Q25B)
Help text: **e.g.,** just flavouring
3 An e-cigarette or a vaping device but ^YOU1 **did not know** what it contained (Go to ECV_Q25C)
(Don't know, Refusal not allowed)

Go to ECV_C30

ECV_Q25A
ECV_25A

During the **past 30 days**, on how many days did ^YOU1 vape an e-cigarette or a vaping device **with nicotine**?

|_|_| Number of days
(MIN: 0)
(MAX: 30)
Integer

(Don't know, Refusal not allowed)

Go to ECV_C30

ECV_Q25B
ECV_25B

During the **past 30 days**, on how many days did ^YOU1 vape an e-cigarette or a vaping device **without nicotine**?

2024-09-24

|_|_| Number of days
(MIN: 0)
(MAX: 30)
Integer

(Don't know, Refusal not allowed)

Go to ECV_C30

ECV_Q25C
ECV_25C

During the **past 30 days**, on how many days did ^YOU1 vape an e-cigarette or a vaping device but ^YOU1 did not know what it contained?

|_|_| Number of days
(MIN: 0)
(MAX: 30)
Integer

(Don't know, Refusal not allowed)

ECV_C30

If (CSS_Q05 = 1 and (ECV_Q10 = CSS_Q10)), go to ECV_Q30. Otherwise, go to ECV_END.

ECV_Q30
ECV_30

Which did ^YOU1 try first, an e-cigarette or vaping device or a cigarette?

1 E-cigarette or vaping device
2 Cigarette
(Don't know, Refusal not allowed)

Processing:

If CSS_Q10 > ECV_Q10 and CSS_Q10 < 996, set ECV_Q30 = 1;
If CSS_Q10 < ECV_Q10 and ECV_Q10 < 996, set ECV_Q30 = 2.

ECV_END

2024-09-24

Alcohol use (ALC)

Core content

Overview:

Consumption of alcohol has a number of implications for health. Excessive drinking is related to a number of diseases and social and mental health problems. Drinking is also a leading cause of accidents and injuries.

This module includes questions about how often and how much alcohol the respondent has drunk in the past 12 months, and if they have ever had a drink in their life.

This module will help researchers and health planners to understand patterns of alcohol consumption. For example, which groups are more likely to binge drink, i.e., drink 4 (or 5 in the case of males) or more drinks on one occasion.

ALC_BEG

External Variables required:
DOALC: (Flag to determine if respondent is to enter module (from sample file))
DV_AWC_AGE: (Age of selected respondent)
DV_SEXATBIRTH: (Sex of selected respondent (from GDRA block))
RPL_Q11: (Does the youth wish to continue?)

ALC_C01A

If DOALC ≠ 1, go to ALC_END.
Otherwise, go to ALC_R01.

ALC_R01

Now some questions about alcohol consumption.

ALC_D05

If DV_AWC_AGE >= 12 and DV_AWC_AGE <= 21, DT_YOUTHALC_E = 'A "drink" refers to:
- a small bottle, draft or can of beer, cider or cooler
- a glass of wine
- a cocktail or glass containing 1.5 ounces of liquor.'
Otherwise, DT_YOUTHALC_E = ''

ALC_Q05
ALC_05

^HAVE_C ^YOU2 ever had a drink in ^YOUR1 lifetime?

ON-SCREEN HELP: ^DT_YOUTHALC_E

1 Yes
2 No
(Don't know, Refusal not allowed)

Context Sensitive Help:

A "drink" refers to:
- a small bottle, draft or can of beer, cider or cooler
- a glass of wine
- a cocktail or glass containing 1.5 ounces of liquor.

ALC_C10

If ALC_Q05 = 1, go to ALC_Q10.
Otherwise, go to ALC_END.

ALC_Q10
ALC_10

In the past 12 months, ^HAVE ^YOU1 had a drink of beer, wine, liquor or any other alcoholic beverage?

2024-09-24

	1 Yes 2 No (Don't know, Refusal not allowed)
ALC_C15	If ALC_Q10 = 1, go to ALC_Q15. Otherwise, go to ALC_END.
ALC_Q15 ALC_15	In the past 12 months, how often did ^YOU1 drink alcoholic beverages? 1 Less than once a month 2 Once a month 3 2 to 3 times a month 4 Once a week 5 2 to 3 times a week 6 4 to 5 times a week 7 Daily or almost daily (Don't know, Refusal not allowed)
ALC_D20	If DV_SEXATBIRTH == 2, DT_BINGEDRINK_E = '4' Otherwise, DT_BINGEDRINK_E = '5'
ALC_Q20 ALC_20	How often in the past 12 months ^HAVE ^YOU1 had ^DT_BINGEDRINK_E or more drinks on one occasion? 1 Never 2 Less than once a month 3 Once a month 4 2 to 3 times a month 5 Once a week 6 More than once a week (Don't know, Refusal not allowed)
ALC_E20	The frequency of having ^DT_BINGEDRINK_E or more drinks is greater than the frequency reported in question ALC_Q15. Please confirm.
Rule:	Trigger soft edit if (ALC_Q20 = 6 and (ALC_Q15 = 1 or ALC_Q15 = 2 or ALC_Q15 = 3 or ALC_Q15 = 4)) or (ALC_Q20 = 5 and (ALC_Q15 = 1 or ALC_Q15 = 2 or ALC_Q15 = 3)) or (ALC_Q20 = 4 and (ALC_Q15 = 1 or ALC_Q15 = 2)) or (ALC_Q20 = 3 and ALC_Q15 = 1).
ALC_END	

2024-09-24

Alcohol use during the past week (ALW)

	Theme content
Overview:	This module asks those who had a drink in the past 12 months about their drinking consumption on each day of the past week. This module will be used to see how the population abides by the Low Risk Drinking Guidelines.
ALW_BEG	External Variables required: DOALW: (Flag to determine if respondent is to enter module (from sample file)) ALC_Q05: (^HAVE_C ^YOU2 ever had a drink in ^YOUR1 lifetime?) ALC_Q10: (In the past 12 months, ^HAVE ^YOU1 had a drink of beer, wine, liquor or any other alcoholic beverage?) 7DAYSAGO: (THISDATE - 7)
ALW_C05	If (DOALW ≠ 1) or (ALC_Q05 ≠ 1) or (ALC_Q10 ≠ 1), go to ALW_END. Otherwise, go to ALW_Q05.
ALW_Q05 ALW_05	In the **past 7 days**, that is from ^7DAYSAGO to yesterday, did ^YOU2 have a drink of beer, wine, liquor or any other alcoholic beverage? 1 Yes 2 No (Don't know, Refusal not allowed)
ALW_C10	If ALW_Q05 = 1, go to ALW_R10. Otherwise, go to ALW_END.
ALW_Q10 ALW_10	In the past 7 days, that is from ^7DAYSAGO to yesterday, how many drinks did ^YOU1 have each day? a. #{YESTERDAY.DayOfWeek("En", "TRUE")}, #{YESTERDAY}

2024-09-24

ON-SCREEN HELP: **Number of drinks per day**

00	0
01	1
02	2
03	3
04	4
05	5
06	6
07	7
08	8
09	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50 or more

(Don't know, Refusal not allowed)

2024-09-24

ALW_E10	An unusual number of drinks has been entered at question a. Please confirm.
Rule:	Trigger soft edit if ALW_Q10 > 12.
ALW_Q15 ALW_15	In the past 7 days, that is from ^7DAYSAGO to yesterday, how many drinks did ^YOU1 have each day? b. #{2DAYSAGO.DayOfWeek("En", "TRUE")}, #{2DAYSAGO}

2024-09-24

00	0
01	1
02	2
03	3
04	4
05	5
06	6
07	7
08	8
09	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50 or more

(Don't know, Refusal not allowed)

ALW_E15 An unusual number of drinks has been entered at question b. Please confirm.

2024-09-24

Rule:	Trigger soft edit if ALW_Q15 > 12.
ALW_Q20 ALW_20	In the past 7 days, that is from ^7DAYSAGO to yesterday, how many drinks did ^YOU1 have each day? c. #{3DAYSAGO.DayOfWeek("En", "TRUE")}, #{3DAYSAGO}

2024-09-24

00	0
01	1
02	2
03	3
04	4
05	5
06	6
07	7
08	8
09	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50 or more

(Don't know, Refusal not allowed)

ALW_E20	An unusual number of drinks has been entered at question c. Please confirm.

2024-09-24

Rule:	Trigger soft edit if ALW_Q20 > 12.
ALW_Q25 ALW_25	In the past 7 days, that is from ^7DAYSAGO to yesterday, how many drinks did ^YOU1 have each day? d. #{4DAYSAGO.DayOfWeek("En", "TRUE")}, #{4DAYSAGO}

2024-09-24

00	0
01	1
02	2
03	3
04	4
05	5
06	6
07	7
08	8
09	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50 or more

(Don't know, Refusal not allowed)

ALW_E25	An unusual number of drinks has been entered at question d. Please confirm.

2024-09-24

Rule:	Trigger soft edit if ALW_Q25 > 12.
ALW_Q30 ALW_30	In the past 7 days, that is from ^7DAYSAGO to yesterday, how many drinks did ^YOU1 have each day? e. #{5DAYSAGO.DayOfWeek("En", "TRUE")}, #{5DAYSAGO}

2024-09-24

00	0
01	1
02	2
03	3
04	4
05	5
06	6
07	7
08	8
09	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50 or more

(Don't know, Refusal not allowed)

ALW_E30	An unusual number of drinks has been entered at question e. Please confirm.

2024-09-24

Rule:	Trigger soft edit if ALW_Q30 > 12.
ALW_Q35 ALW_35	In the past 7 days, that is from ^7DAYSAGO to yesterday, how many drinks did ^YOU1 have each day? f. #{6DAYSAGO.DayOfWeek("En", "TRUE")}, #{6DAYSAGO}

2024-09-24

00	0
01	1
02	2
03	3
04	4
05	5
06	6
07	7
08	8
09	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50 or more

(Don't know, Refusal not allowed)

ALW_E35	An unusual number of drinks has been entered at question f. Please confirm.

2024-09-24

Rule:	Trigger soft edit if ALW_Q35 > 12.
ALW_Q40 ALW_40	In the past 7 days, that is from ^7DAYSAGO to yesterday, how many drinks did ^YOU1 have each day? g. #{7DAYSAGO.DayOfWeek("En", "TRUE")}, #{7DAYSAGO}

2024-09-24

00	0
01	1
02	2
03	3
04	4
05	5
06	6
07	7
08	8
09	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50 or more

(Don't know, Refusal not allowed)

ALW_E40	An unusual number of drinks has been entered at question g. Please confirm.

2024-09-24

Rule: Trigger soft edit if ALW_Q40 > 12.

ALW_END

2024-09-24

Cannabis use (CAN)

Core content

Overview:

In 2018, the Canadian government legalized the use of non-medical cannabis, allowing Canadians to legally purchase and consume cannabis for recreational purposes.

The purpose of this module is to collect information about the use of cannabis in Canada. Respondents are asked if they have ever tried cannabis and the age of first use; the frequency of cannabis use in the past twelve months, in the past 30 days, and daily consumption. This module asks respondents about medical versus recreational marijuana use.

This information will be used to gain a better understanding of the scope of cannabis use in Canada, and the impact of cannabis use on the health and well-being of Canadians.

CAN_BEG

External Variables required:
DOCAN: (Flag to determine if respondent is to enter module (from sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
DV_AWC_AGE: (Age of selected respondent)

CAN_C01

If ((DOCAN = 1) and (PROXYSEX = 1 or PROXYSEX = 2)), go to CAN_R01. Otherwise, go to CAN_END.

CAN_R01

The next few questions are about the use of cannabis for medical and non-medical purposes. The term "cannabis" refers to marijuana, hashish, hash oil or any other product of the cannabis plant.

CAN_Q05
CAN_05

Have you ever used or tried cannabis?

1	Yes	(Go to CAN_Q05A)
2	No	(Go to CAN_END)

(Don't know, Refusal not allowed)

Null go to CAN_END

CAN_Q05A
CAN_05A

Have you used or tried cannabis just once or more than once?

1 Just once
2 More than once
(Don't know, Refusal not allowed)

Null go to CAN_END

CAN_Q05B

At what age did you first try cannabis?

2024-09-24

CAN_05B

|_|_|_| Age in years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CAN_E05B_1 — An impossible age value has been entered. Please return and correct.

Rule: Trigger soft edit if CAN_Q05B > DV_AWC_AGE.

CAN_Q05C
CAN_05C

Have you used cannabis in the **past 12 months**?

1 Yes
2 No
(Don't know, Refusal not allowed)

Processing: *If CAN_Q05 = 2, set CAN_Q05C = 2*

CAN_C10 — If (CAN_Q05A = 2 and CAN_Q05C = 1), go to CAN_Q10.
Otherwise, go to CAN_END.

CAN_Q10
CAN_10

How often did you use cannabis in the **past 12 months**?

ON-SCREEN HELP: Report the average use in the last 12 months.

1 Less than once a month
2 1 to 3 times a month
3 Once a week
4 More than once a week
5 Daily or almost daily
(Don't know, Refusal not allowed)

Processing: *If CAN_Q05A = 1 and CAN_Q05C = 1, set CAN_Q10 = 1*

CAN_Q15

In the **past 12 months**, which of the following methods did you use to consume cannabis?

ON-SCREEN HELP: Select all that apply.

1 Smoked
Help text: e.g., joint, pipe, bong
2 Vaporized (Go to CAN_Q15B)
3 Swallowed
Help text: e.g., in food, beverages, capsules
4 Absorbed
Help text: e.g., placed under the tongue, applied to skin
5 Other (Go to CAN_S15E)
(Don't know, Refusal not allowed)

CAN_S15E — Specify other method

2024-09-24

	(80 spaces) (Don't know, Refusal not allowed)
CAN_C15B	If CAN_Q15 = 2, go to CAN_Q15B. Otherwise, go to CAN_D15.
CAN_Q15B	Which cannabis preparation did you vaporize? <u>ON-SCREEN HELP</u>: Select all that apply. 1 Dried flower or leaf 2 Cannabis liquid 3 Cannabis solid (Don't know, Refusal not allowed)
CAN_D15	If CAN_Q05 = 1, DV_CAN_Q15COUNTER = 0. If CAN_Q15 = 1, DV_CAN_Q15COUNTER = DV_CAN_Q15COUNTER + 1. If CAN_Q15 = 2, DV_CAN_Q15COUNTER = DV_CAN_Q15COUNTER + 1. If CAN_Q15 = 3, DV_CAN_Q15COUNTER = DV_CAN_Q15COUNTER + 1. If CAN_Q15 = 4, DV_CAN_Q15COUNTER = DV_CAN_Q15COUNTER + 1. If CAN_Q15 = 5, DV_CAN_Q15COUNTER = DV_CAN_Q15COUNTER + 1.
CAN_C20	If DV_CAN_Q15COUNTER < 2, go to CAN_Q25. Otherwise, go to CAN_Q20.
CAN_Q20 CAN_20	In the **past 12 months**, which of the following methods did you use most often to consume cannabis? 1 Smoked 2 Vaporized 3 Swallowed 4 Absorbed 5 Other method (Don't know, Refusal not allowed)
Processing:	*If only one category was selected in CAN_Q15 (DV_CAN_Q15COUNTER = 1), fill value of CAN_Q20 with CAN_Q15.*
Programmer:	*Only display answer categories that were selected in CAN_Q15.*
CAN_Q25	In the **past 12 months**, which of the following cannabis products have you used?

2024-09-24

ON-SCREEN HELP: Select all that apply.

01 Dried flower or leaf
02 Hashish
Help text: e.g., hash, hash oil
03 Cannabis oil for oral use
Help text: e.g., capsules, spray, tincture
04 Cannabis vape pens or cartridges
05 Cannabis concentrates
Help text: e.g., shatter, budder, butane honey oil
06 Cannabis edible food products
Help text: e.g., baked goods, candy, other foods
07 Cannabis beverages
Help text: e.g., cola, tea, coffee
08 Topicals
Help text: e.g., lotion, ointment, creams applied to skin
09 Other (Go to CAN_S25I)
Help text: e.g., seeds
(Don't know, Refusal not allowed)

CAN_S25I Specify other product

(80 spaces)

(Don't know, Refusal not allowed)

CAN_Q30
CAN_30

In the **past 12 months**, for which of the following purposes have you used cannabis?

1 Non-medical purposes only
2 Medical purposes only
Help text: Either with or without a medical document
3 Both medical and non-medical purposes
(Don't know, Refusal not allowed)

CAN_C35 If (CAN_Q30 = 2 or CAN_Q30 = 3), go to CAN_Q35.
Otherwise, go to CAN_Q45.

CAN_Q35 In the **past 12 months**, when you used cannabis for medical purposes, which symptoms were you using it for?

2024-09-24

ON-SCREEN HELP: Select all that apply.

01 Pain
02 Nausea or vomiting
03 Lack of appetite or weight loss
04 Headaches or migraines
05 Muscle spasms or seizures
06 Anxiety or depression
07 Symptoms of PTSD
08 Problems sleeping
09 Opioid withdrawal symptoms
10 Other (Go to CAN_S35J)
(Don't know, Refusal not allowed)

CAN_S35J

Specify other symptom

(80 spaces)

(Don't know, Refusal not allowed)

CAN_Q40
CAN_40

Do you have a medical document from a healthcare professional to use cannabis for medical purposes?

1 Yes
2 No
(Don't know, Refusal not allowed)

CAN_Q45
CAN_45

In the past **30 days**, on how many days did you use cannabis?

1 Never
2 1 day
3 2 or 3 days
4 1 or 2 days per week
5 3 or 4 days per week
6 5 or 6 days per week
7 Daily
(Don't know, Refusal not allowed)

CAN_C50

If (CAN_Q10 = 5 or (CAN_Q45 = 6 or CAN_Q45 = 7)), go to CAN_Q50. Otherwise, go to CAN_END.

CAN_Q50
CAN_50

At what age did you begin to use cannabis daily or almost daily?

|_|_|_| Age in years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CAN_E50_1

An impossible age value has been entered. Please return and correct.

2024-09-24

Rule: Trigger soft edit if CAN_Q50 > DV_AWC_AGE.

CAN_END

2024-09-24

Maternal experiences (MEX)

	Optional content	Newfoundland and Labrador, Prince Edward Island, Nova Scotia, Quebec, Manitoba, Saskatchewan, Alberta, British Columbia, Yukon, Northwest Territories

Overview:

Increasingly, health promotion programs are targeted at very young children. Researchers believe that children who have a good start in life become healthier teenagers and adults.

The focus of the next 3 modules is the behaviour of new mothers (aged 15 to 55) of babies under 6 years old.

The questions in the first module cover topics such as folic acid and iron supplements, weight gain, breastfeeding, sleeping arrangements for the child and the child's diet.

The results of this module can be used to identify which groups of women could benefit from educational programs that promote healthier babies.

MEX_BEG

External Variables required:
DOMEX: (Flag to determine if respondent is to enter module. From the sample file.)
DV_AWC_AGE: (Age of selected respondent)
DV_SEXATBIRTH: (Sex of selected respondent (from GDRA block))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
THIYEAR: (System date (year))
THISMONTH: (System date (month))
THISDAY: (System date (day))

MEX_C01A

If DOMEX ≠ 1, go to MEX_END.
Otherwise, go to MEX_C01B.

MEX_C01B

If (DV_AWC_AGE < 15 or DV_AWC_AGE > 55) or DV_SEXATBIRTH ≠ 2, go to MEX_END.
Otherwise, go to MEX_C01C.

MEX_C01C

If PROXYSEX = 3 or PROXYSEX = 4, go to MEX_END.
Otherwise, go to MEX_R01.

MEX_R01

The next questions are specific to women's health.

MEX_Q05
MEX_05

Are you taking a vitamin supplement containing folic acid?

ON-SCREEN HELP: Include prenatal vitamins.

1 Yes
2 No
(Don't know, Refusal not allowed)

MEX_Q10

Have you given birth in the past 5 years?

2024-09-24

MEX_10

ON-SCREEN HELP: Exclude stillbirths.

1 Yes (Go to MEX_Q12)
2 No
(Don't know, Refusal not allowed)

Go to MEX_C15

MEX_Q12
MEX_12

Was your last pregnancy a single birth or multiple births?

1 Single birth
2 Multiple births
(Don't know, Refusal not allowed)

MEX_C15

If MEX_Q10 = 1, go to MEX_D15.
Otherwise, go to MEX_END.

MEX_D15

If MEX_Q12 == 2, DT_MULTIPLE_E = 'Refer to the last baby born during this multiple birth.'
Otherwise, DT_MULTIPLE_E = ''

MEX_Q15

What is the first name of your last born child?

ON-SCREEN HELP: ^DT_MULTIPLE_E

(30 spaces)

(Don't know, Refusal not allowed)

MEX_D20A

If MEX_Q15 == RESPONSE, DT_BABYSNAME_E = 'MEX_Q15'
Otherwise, DT_BABYSNAME_E = 'your last child'

MEX_D20B

DV_CURRENTYEAR = THISYEAR.
DV_CURRENTMONTH = THISMONTH.
DV_CURRENTDAY = THISDAY.

MEX_Q20
MEX_20

What is ^DT_BABYSNAME_E's date of birth?
Day

|_|_|
(MIN: 1)
(MAX: 31)
Integer

(Don't know, Refusal not allowed)

MEX_Q25
MEX_25

What is ^DT_BABYSNAME_E's date of birth?
Month

2024-09-24

01 January
02 February
03 March
04 April
05 May
06 June
07 July
08 August
09 September
10 October
11 November
12 December
(Don't know, Refusal not allowed)

MEX_Q30
MEX_30

What is ^DT_BABYSNAME_E's date of birth?
Year

01 2023
02 2022
03 2021
04 2020
05 2019
06 2018
07 2017
08 2016
(Don't know, Refusal not allowed)

MEX_E30

There are several soft edits for the date of birth, but it was decided not to transcribe them in QDT. See rendering template.

Rule:

Trigger soft edit .

MEX_D40

If MEX_Q25 = RESPONSE and MEX_Q30 = RESPONSE, DV_CHILDAGE = ((12 * (THISYEAR - MEX_Q30)) + (THISMONTH - MEX_Q25)).

MEX_C40

If DV_CHILDAGE < 72 and DV_CHILDAGE = RESPONSE, go to MEX_Q40. Otherwise, go to MEX_END.

MEX_Q40
MEX_40

During your pregnancy with ^DT_BABYSNAME_E, did you take folic acid supplements during the following time frames?

During the three months before you got pregnant

ON-SCREEN HELP: Include prenatal vitamins and multivitamins containing folic acid.

1 Yes
2 No
3 Don't know
(Don't know, Refusal not allowed)

MEX_Q50
MEX_50

During your pregnancy with ^DT_BABYSNAME_E, did you take folic acid supplements during the following time frames?

During the first three months of your pregnancy

2024-09-24

ON-SCREEN HELP: Include prenatal vitamins and multivitamins containing folic acid.

1 Yes
2 No
3 Don't know
(Don't know, Refusal not allowed)

MEX_Q65
MEX_65

During your pregnancy with ^DT_BABYSNAME_E, did you take a vitamin supplement containing iron?

ON-SCREEN HELP: Include prenatal vitamins.

1 Yes
2 No
3 Don't know
(Don't know, Refusal not allowed)

MEX_Q70
MEX_70

Just before your pregnancy with ^DT_BABYSNAME_E, how much did you weigh?
Weight

|_|_|_| Weight
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

MEX_Q75
MEX_75

Just before your pregnancy with ^DT_BABYSNAME_E, how much did you weigh?
Pounds or kilograms

1 Pounds
2 Kilograms
(Don't know, Refusal not allowed)

MEX_E75A

Please specify pounds or kilograms at question MEX_Q75

Rule:

Trigger soft edit if MEX_Q70 = RESPONSE and MEX_Q75 = NONRESPONSE.

MEX_E75B

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if ((MEX_Q70 > 350 and MEX_Q75 > 1) or (MEX_Q70 > 160 and MEX_Q75 = 2)) or ((MEX_Q70 < 60 and MEX_Q75 = 1) or (MEX_Q70 < 27 and MEX_Q75 = 2)).

MEX_Q80
MEX_80

How much weight did you gain during that pregnancy?
Weight

2024-09-24

ON-SCREEN HELP: If you lost weight, enter a negative value.

|_|_|_| Weight
(MIN: -999)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

MEX_Q85
MEX_85

How much weight did you gain during that pregnancy?
Pounds or kilograms

ON-SCREEN HELP: If you lost weight, enter a negative value.

1 Pounds
2 Kilograms
(Don't know, Refusal not allowed)

MEX_E85A

Please specify pounds or kilograms at question MEX_Q85

Rule:

Trigger soft edit if MEX_Q80 = RESPONSE and MEX_Q85 = NONRESPONSE.

MEX_E85B

An unusual value has been entered. Please confirm that what is reported is the weight gained during pregnancy, not the total end weight.

Rule:

Trigger soft edit if ((MEX_Q80 = RESPONSE and MEX_Q70 = RESPONSE) and (MEX_Q75 = MEX_Q85)) and (MEX_Q80 >= MEX_Q70).

MEX_E85C

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if (MEX_Q80 > 125 and MEX_Q85 = 1) or (MEX_Q80 > 60 and MEX_Q85 = 2).

MEX_D90

If DV_CHILDAGE < 12, DT_COSLEEP_E = 'How often does ^DT_BABYSNAME_E'
Otherwise, DT_COSLEEP_E = 'When ^DT_BABYSNAME_E was less than one year old, how often did they'

MEX_Q90
MEX_90

^DT_COSLEEP_E sleep in the same bed with you or anyone else?

1 Every day or almost every day
2 Occasionally
3 Never
(Don't know, Refusal not allowed)

MEX_Q100
MEX_100

Was ^DT_BABYSNAME_E breastfed or given breast milk even for a short time?

1 Yes
2 No
(Don't know, Refusal not allowed)

2024-09-24

MEX_C105	If MEX_Q100 = 2, go to MEX_Q105. Otherwise, go to MEX_C110.
MEX_Q105 MEX_105	What is the main reason that you did not breastfeed or give breast milk? 1 Did not want to breastfeed 2 No support or information to breastfeed 3 Medical condition 4 Other (Don't know, Refusal not allowed)
MEX_C110	If MEX_Q100 = 1, go to MEX_Q110. Otherwise, go to MEX_C170.
MEX_Q110 MEX_110	Are you still breastfeeding or giving breast milk to ^DT_BABYSNAME_E? 1 Yes 2 No (Don't know, Refusal not allowed)
MEX_C115	If MEX_Q110 = 2, go to MEX_Q115A. Otherwise, go to MEX_C125.
MEX_Q115A MEX_115A	How old was ^DT_BABYSNAME_E when you stopped breastfeeding or giving breast milk? Age ON-SCREEN HELP: You can report the age in days, weeks, months or years. |_|_| (MIN: 0) (MAX: 99) Integer (Don't know, Refusal not allowed)
MEX_Q115B MEX_115B	How old was ^DT_BABYSNAME_E when you stopped breastfeeding or giving breast milk? Time period ON-SCREEN HELP: You can report the age in days, weeks, months or years. 1 Days 2 Weeks 3 Months 4 Years (Don't know, Refusal not allowed)
MEX_E115A	Please specify a time period at question MEX_Q115B

2024-09-24

Rule:	Trigger soft edit if MEX_Q115A = RESPONSE and MEX_Q115B = NONRESPONSE.
MEX_D115	If (MEX_Q115A = RESPONSE and MEX_Q115B = RESPONSE) and MEX_Q115B = 1, DV_AGESTOPBRSTFED = MEX_Q115A / 30. Else if MEX_Q115B = 2, DV_AGESTOPBRSTFED = MEX_Q115A / 4. Else if MEX_Q115B = 3, DV_AGESTOPBRSTFED = MEX_Q115A. Else if MEX_Q115B = 4, DV_AGESTOPBRSTFED = MEX_Q115A * 12.
MEX_E115B	An unusual value has been entered. Please confirm. The value reported is greater than the baby's age.
Rule:	Trigger soft edit if DV_AGESTOPBRSTFED > DV_CHILDAGE.
MEX_C120	If MEX_Q110 = 2, go to MEX_Q120. Otherwise, go to MEX_C125.
MEX_Q120 MEX_120	What is the main reason that you stopped breastfeeding or giving breast milk? 1 Not enough breast milk 2 Child weaned themselves 3 Planned to stop at this time 4 Difficulty with breastfeeding 5 Medical condition 6 Other (Don't know, Refusal not allowed)
MEX_C125	If MEX_Q110 = RESPONSE, go to MEX_D125. Otherwise, go to MEX_C150.
MEX_D125	If DV_CHILDAGE < 12 and MEX_Q110 == 1, DT_VITAMIND_E = 'Are you giving ^DT_BABYSNAME_E a vitamin D supplement?' Else if DV_CHILDAGE >= 12 and MEX_Q110 == 1, DT_VITAMIND_E = 'When ^DT_BABYSNAME_E was less than a year old, did you give them a vitamin D supplement?' Else if DV_CHILDAGE >= 12 and MEX_Q110 == 2, DT_VITAMIND_E = 'When ^DT_BABYSNAME_E was less than one year old and fed breast milk, did you give them a vitamin D supplement?' Else if DV_CHILDAGE < 12 and MEX_Q110 == 2, DT_VITAMIND_E = 'When ^DT_BABYSNAME_E was fed breast milk, did you give them a vitamin D supplement?'
MEX_Q125 MEX_125	^DT_VITAMIND_E 1 Every day or almost every day 2 Occasionally 3 Never (Don't know, Refusal not allowed)
MEX_C150	If MEX_Q100 = 1, go to MEX_D150. Otherwise, go to MEX_C170.

2024-09-24

MEX_D150	If MEX_Q110 == 1, DT_LIQUIDS_E = 'Have' Otherwise, DT_LIQUIDS_E = 'While you were still breastfeeding, had'
MEX_Q150 MEX_150	^DT_LIQUIDS_E liquids been introduced to ^DT_BABYSNAME_E's diet? ON-SCREEN HELP: e.g., milk, formula, water or juice 1 Yes (Go to MEX_Q155) 2 No (Don't know, Refusal not allowed) Go to MEX_C170
MEX_Q155 MEX_155	How old was ^DT_BABYSNAME_E when liquids were first introduced? Age ON-SCREEN HELP: You can report the age in days, weeks, months or years. |_|_| (MIN: 0) (MAX: 99) Integer (Don't know, Refusal not allowed)
MEX_Q160 MEX_160	How old was ^DT_BABYSNAME_E when liquids were first introduced? Time period ON-SCREEN HELP: You can report the age in days, weeks, months or years. 1 Days 2 Weeks 3 Months 4 Years (Don't know, Refusal not allowed)
MEX_E160A	Please specify a time period at question MEX_Q160
Rule:	Trigger soft edit if MEX_Q155 = RESPONSE and MEX_Q160 = NONRESPONSE.
MEX_D160	If (MEX_Q155 = RESPONSE and MEX_Q160 = RESPONSE) and MEX_Q160 = 1, DV_AGEINTROLIQUID = MEX_Q155 / 30. Else if MEX_Q160 = 2, DV_AGEINTROLIQUID = MEX_Q155 / 4. Else if MEX_Q160 = 3, DV_AGEINTROLIQUID = MEX_Q155. Else if MEX_Q160 = 4, DV_AGEINTROLIQUID = MEX_Q155 * 12.
MEX_E160B	An unusual value has been entered. Please confirm. The value reported is greater than the baby's age.
Rule:	Trigger soft edit if DV_AGEINTROLIQUID > DV_CHILDAGE.
MEX_C170	If DV_CHILDAGE < 24, go to MEX_Q170. Otherwise, go to MEX_C175.

2024-09-24

MEX_Q170 MEX_170	Have solid foods been introduced to the baby's diet? ON-SCREEN HELP: e.g. cereals, pureed meat, vegetables or fruits 1 Yes 2 No (Don't know, Refusal not allowed)
Context Sensitive Help:	*Solid foods can include:* *- baby cereals* *- mashed up or pureed meat and meat alternatives such as legumes* *- pureed or cut pieces of vegetables or fruits.*
MEX_C175	If MEX_Q170 = 1 or DV_CHILDAGE >= 24, go to MEX_Q175. Otherwise, go to MEX_C190.
MEX_Q175 MEX_175	How old was ^DT_BABYSNAME_E when solids were first added? Age ON-SCREEN HELP: You can report the age in days, weeks, months or years. |_|_| Age (MIN: 0) (MAX: 99) Integer (Don't know, Refusal not allowed)
MEX_Q180 MEX_180	How old was ^DT_BABYSNAME_E when solids were first added? Time period ON-SCREEN HELP: You can report the age in days, weeks, months or years. 1 Days 2 Weeks 3 Months 4 Years (Don't know, Refusal not allowed)
MEX_E180A	Please specify a time period at question MEX_Q180
Rule:	Trigger soft edit if MEX_Q175 = RESPONSE and MEX_Q180 = NONRESPONSE.
MEX_D180	If (MEX_Q175 = RESPONSE and MEX_Q180 = RESPONSE) and MEX_Q180 = 1, DV_AGEINTROSOLID = MEX_Q175 / 30. Else if MEX_Q180 = 2, DV_AGEINTROSOLID = MEX_Q175 / 4. Else if MEX_Q180 = 3, DV_AGEINTROSOLID = MEX_Q175. Else if MEX_Q180 = 4, DV_AGEINTROSOLID = MEX_Q175 * 12.
MEX_E180B	An unusual value has been entered. Please confirm. The value reported is greater than the baby's age.

2024-09-24

Rule:	Trigger soft edit if DV_AGEINTROSOLID > DV_CHILDAGE.
MEX_C190	If MEX_Q170 = 1 or DV_CHILDAGE >= 24, go to MEX_Q190. Otherwise, go to MEX_D195.
MEX_Q190 MEX_190	What was the first solid food added to ^DT_BABYSNAME_E's diet? 1 Infant cereals 2 Fruits or vegetables 3 Meat and meat alternatives 4 Other (Don't know, Refusal not allowed)
Context Sensitive Help:	*Solid foods can include:* *- baby cereals* *- mashed up or pureed meat and meat alternatives such as legumes* *- pureed or cut pieces of vegetables or fruits.*
MEX_D195	If MEX_Q150 == 1 and (MEX_Q170 == 2 or MEX_Q170 != RESPONSE), DT_LIQUIDSOLID_E = 'other liquids' Else if (MEX_Q150 == 2 or MEX_Q150 != RESPONSE) and MEX_Q170 == 1, DT_LIQUIDSOLID_E = 'solid foods' Otherwise, DT_LIQUIDSOLID_E = 'other liquids and solid foods'
MEX_C195	If (MEX_Q150 = 1 or MEX_Q170 = 1 or DV_CHILDAGE >= 24), go to MEX_Q195. Otherwise, go to MEX_END.
MEX_Q195 MEX_195	What is the main reason ^DT_LIQUIDSOLID_E were first added to ^DT_BABYSNAME_E's diet? 1 Not enough breast milk 2 Baby was ready 3 Difficulty with breastfeeding 4 Medical conditions 5 Advice from health professional or family 6 Returned to work or school 7 Other (Don't know, Refusal not allowed)
MEX_END	

2024-09-24

Flu shots (FLU)

	Theme content
Overview:	Respondents are asked about receiving a flu shot within the last 12 months. Respondents who have not had a shot in the past year are asked the reasons why they have not received one. Influenza is a serious illness for certain groups, including the elderly. For all groups, the flu is a major cause of days absent from work, school, and other activities. Results from this module will be used to identify groups of people who are less likely to get a flu shot. This information may be useful in planning and designing new programs to promote immunization.
FLU_BEG	External Variables required: DOFLU: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy) THISMONTH: (System month)
FLU_C01	If (DOFLU = 1 and (PROXYSEX = 1 or PROXYSEX = 2)), go to FLU_R01. Otherwise, go to FLU_END.
FLU_R01	Now a few questions about the flu vaccine.
FLU_Q05 FLU_05	In the past 12 months, have you had a seasonal flu vaccine? <u>ON-SCREEN HELP</u>: Seasonal flu vaccine can be administered either by a needle, called a flu shot, or by a nasal spray called FluMist® 1 Yes 2 No (Go to FLU_Q20) (Don't know, Refusal not allowed)
FLU_Q10 FLU_10	In which month did you have your last seasonal flu vaccine? 01 January 02 February 03 March 04 April 05 May 06 June 07 July 08 August 09 September 10 October 11 November 12 December (Don't know, Refusal not allowed)
FLU_C15	If (FLU_Q10 = ^THISMONTH), go to FLU_Q15. Otherwise, go to FLU_END.

2024-09-24

FLU_Q15
FLU_15

Was that this year or last year?

1 This year
2 Last year
(Don't know, Refusal not allowed)

Go to FLU_END

FLU_Q20

What are the reasons that you did not have a seasonal flu vaccine in the **past 12 months**?

ON-SCREEN HELP: Select all that apply.

1 Did not think it was necessary
2 Concern about discomfort or side effects
3 Flu is not that severe
4 Flu vaccine does not work that well
5 Previously had a bad reaction to the flu vaccine or other vaccine
6 Other
(Don't know, Refusal not allowed)

FLU_END

2024-09-24

Positive mental health (PMS)

	Optional content	New Brunswick, Prince Edward Island, British Columbia, Nunavut
Overview:	Answers to this module are used to determine the positive mental health of the respondent. Higher levels of positive mental health are widely thought to be associated with better overall health. The questions in this module will determine the past two weeks frequency during which respondents report having positive feelings about themselves, their lives and their experiences.	
PMS_BEG	External Variables required: DOPMS: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)	
PMS_C05	If (DOPMS = 1 and (PROXYSEX = 1 or PROXYSEX = 2)), go to PMS_Q05. Otherwise, go to PMS_END.	
PMS_Q05 PMS_05	The following questions are about how you have been feeling during the **past 2 weeks**. I've been feeling optimistic about the future. 1 None of the time 2 Rarely 3 Some of the time 4 Often 5 All of the time (Don't know, Refusal not allowed)	
PMS_Q10 PMS_10	The following questions are about how you have been feeling during the **past 2 weeks**. I've been feeling useful. 1 None of the time 2 Rarely 3 Some of the time 4 Often 5 All of the time (Don't know, Refusal not allowed)	
PMS_Q15 PMS_15	The following questions are about how you have been feeling during the **past 2 weeks**. I've been feeling relaxed.	

2024-09-24

1 None of the time
2 Rarely
3 Some of the time
4 Often
5 All of the time
(Don't know, Refusal not allowed)

PMS_Q20
PMS_20

The following questions are about how you have been feeling during the **past 2 weeks**.

I've been feeling interested in other people.

1 None of the time
2 Rarely
3 Some of the time
4 Often
5 All of the time
(Don't know, Refusal not allowed)

PMS_Q25
PMS_25

The following questions are about how you have been feeling during the **past 2 weeks**.

I've had energy to spare.

1 None of the time
2 Rarely
3 Some of the time
4 Often
5 All of the time
(Don't know, Refusal not allowed)

PMS_Q30
PMS_30

The following questions are about how you have been feeling during the **past 2 weeks**.

I've been dealing with problems well.

1 None of the time
2 Rarely
3 Some of the time
4 Often
5 All of the time
(Don't know, Refusal not allowed)

PMS_Q35
PMS_35

The following questions are about how you have been feeling during the **past 2 weeks**.

I've been thinking clearly.

1 None of the time
2 Rarely
3 Some of the time
4 Often
5 All of the time
(Don't know, Refusal not allowed)

2024-09-24

PMS_Q40
PMS_40

The following questions are about how you have been feeling during the **past 2 weeks**.

I've been feeling good about myself.

1 None of the time
2 Rarely
3 Some of the time
4 Often
5 All of the time
(Don't know, Refusal not allowed)

PMS_Q45
PMS_45

The following questions are about how you have been feeling during the **past 2 weeks**.

I've been feeling close to other people.

1 None of the time
2 Rarely
3 Some of the time
4 Often
5 All of the time
(Don't know, Refusal not allowed)

PMS_Q50
PMS_50

The following questions are about how you have been feeling during the **past 2 weeks**.

I've been feeling confident.

1 None of the time
2 Rarely
3 Some of the time
4 Often
5 All of the time
(Don't know, Refusal not allowed)

PMS_Q55
PMS_55

The following questions are about how you have been feeling during the **past 2 weeks**.

I've been able to make up my own mind about things.

1 None of the time
2 Rarely
3 Some of the time
4 Often
5 All of the time
(Don't know, Refusal not allowed)

PMS_Q60
PMS_60

The following questions are about how you have been feeling during the **past 2 weeks**.

I've been feeling loved.

2024-09-24

1 None of the time
2 Rarely
3 Some of the time
4 Often
5 All of the time
(Don't know, Refusal not allowed)

PMS_Q65
PMS_65

The following questions are about how you have been feeling during the **past 2 weeks**.

I've been interested in new things.

1 None of the time
2 Rarely
3 Some of the time
4 Often
5 All of the time
(Don't know, Refusal not allowed)

PMS_Q70
PMS_70

The following questions are about how you have been feeling during the **past 2 weeks**.

I've been feeling cheerful.

1 None of the time
2 Rarely
3 Some of the time
4 Often
5 All of the time
(Don't know, Refusal not allowed)

PMS_END

2024-09-24

Consultations about mental health (CMH)

Optional content

Nova Scotia, New Brunswick, Quebec, Manitoba, Saskatchewan, Alberta, Yukon, Northwest Territories

Overview:

This module deals with the number of times respondents have consulted with mental health professionals to discuss their emotional or mental health, and which professionals they saw or talked to in the past 12 months.

The results will help planners understand how existing mental health services are being used and to target new services to the groups that need them the most.

CMH_BEG

External Variables required:
DOCMH: (Flag to determine if respondent is to enter module (from sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)

CMH_C01

If (DOCMH = 1 and (PROXYSEX = 1 or PROXYSEX = 2)), go to CMH_R01. Otherwise, go to CMH_END.

CMH_R01

The following questions are about mental and emotional well-being.

CMH_Q05
CMH_05

In the **past 12 months**, have you seen or talked to a health professional about your emotional or mental health?

ON-SCREEN HELP: **Include** both face to face and telephone contacts.

1 Yes (Go to CMH_Q15A)
2 No
(Don't know, Refusal not allowed)

Go to CMH_END

Context Sensitive Help:

Health professional: *A health care practitioner or community provider who offers services for the purpose of improving an individual's health. Includes professionals such as a family doctor, general practitioner, psychiatrist, psychologist, nurse, social worker or counsellor.*

CMH_Q15A
CMH_15A

How many times in the **past 12 months** did you see or talk to the following health professionals about your **emotional or mental** health?

Family doctor or general practitioner

|_|_|_| Number of times
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

2024-09-24

CMH_E15A	An unusual number of consultations with a family doctor has been entered. Please confirm.
Rule:	Trigger soft edit if CMH_Q15A > 25.
CMH_Q15B CMH_15B	How many times in the **past 12 months** did you see or talk to the following health professionals about your **emotional or mental** health? Psychiatrist |_|_|_| Number of times (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
CMH_E15B	An unusual number of consultations with a psychiatrist has been entered. Please confirm.
Rule:	Trigger soft edit if CMH_Q15B > 25.
CMH_Q15C CMH_15C	How many times in the **past 12 months** did you see or talk to the following health professionals about your **emotional or mental** health? Psychologist |_|_|_| Number of times (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
CMH_E15C	An unusual number of consultations with a psychologist has been entered. Please confirm.
Rule:	Trigger soft edit if CMH_Q15C > 25.
CMH_Q15D CMH_15D	How many times in the **past 12 months** did you see or talk to the following health professionals about your **emotional or mental** health? Nurse |_|_|_| Number of times (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
CMH_E15D	An unusual number of consultations with a nurse has been entered. Please confirm.
Rule:	Trigger soft edit if CMH_Q15D > 25.

2024-09-24

CMH_Q15E CMH_15E	How many times in the **past 12 months** did you see or talk to the following health professionals about your **emotional or mental** health? Social worker or counsellor |_|_|_| Number of times (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
CMH_E15E	An unusual number of consultations with a social worker or counsellor has been entered. Please confirm.
Rule:	Trigger soft edit if CMH_Q15E > 25.
CMH_Q15F CMH_15F	How many times in the **past 12 months** did you see or talk to the following health professionals about your **emotional or mental** health? Other |_|_|_| Number of times (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
CMH_END	

2024-09-24

Mental health (DEP)

	Optional content	Newfoundland and Labrador, Ontario, Manitoba, Alberta, Prince Edward Island, Nova Scotia, New Brunswick, Quebec, Saskatchewan, British Columbia, Yukon, Nunavut
Overview:	Many people feel depressed at one time or another, to varying degrees. However, long-lasting depression is a serious mental and physical health concern. This module consists of a series of detailed questions about depression. The answers will be combined to determine how likely it is that the respondent is depressed. This module gathers information on the length, timing and consequences of depressive episodes. As of 2023_07, collection of the Mental Health (DEP) module was asked of all the provinces to complement the collection of the Work Family Balance Rapid Response module. NU and YK had selected DEP as part of their optional content choices.	
DEP_BEG	External Variables required: DODEP: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)	
DEP_C01A	If (DODEP ≠ 1) or (PROXYSEX = 3 or PROXYSEX = 4), go to DEP_END. Otherwise, go to DEP_R001.	
DEP_R001	The following questions deal with problems you may have had during the last two weeks.	
DEP_Q005 DEP_005	Over the last **2 weeks**, how often have you been bothered by any of the following problems? Had little interest or pleasure in doing things	

2024-09-24

2024-09-24

ON-SCREEN HELP: Note: Press the help button (?) for additional information, including a list of mental health resources you may wish to access should you need any support or are in crisis

1 Not at all
2 Several days
3 More than half the days
4 Nearly every day
(Don't know, Refusal not allowed)

2024-09-24

Context Sensitive Help:

In the current context of COVID-19, many people are trying to adjust to the new norms, such as returning to work or day-to-day life. During this time, many people may not feel that they are in control of things, and it is normal to feel concerned, sad, stressed, confused, scared or worried.

Should you need any support, please contact any of the following resources:

Canada Suicide Prevention Service: A national network of existing distress, crisis and suicide prevention line services <https://www.crisisservicescanada.ca/en/>

Canada Suicide Prevention Service, Telephone: 1-833-456-4566,

APPELLE (Quebec Residents), help line for those thinking about suicide or are worried about a loved one, Telephone: 1-866-277-3553

Centre for Addiction and Mental Health. A wide range of clinical care services for mental illness and addictions <http://www.camh.ca/>

Centre for Addiction and Mental Health, Telephone: 1-800-463-2338

Wellness Together Canada, Mental health and substance use support, resources, and counselling with a mental health professional <https://wellnesstogether.ca/en>

Wellness Together Canada, Adults: Text WELLNESS to 741741, Front Line Workers: Text FRONTLINE to 741741.

Kids Help Phone, Available to young Canadians between 5 to 29 years old who are seeking 24-hour confidential and anonymous care with professional counsellors <https://kidshelpphone.ca/>

Kids Help Phone, Telephone: 1-800-668-6868, Text CONNECT to 686868, Online chat: <https://kidshelpphone.ca/live-chat>

Hope for Wellness Help Line, Counselling and crisis intervention for all Indigenous peoples across Canada <https://www.sac-isc.gc.ca/eng/1576089519527/1576089566478>

Hope for Wellness Help Line, Telephone: 1-855-242-3310
Online chat: <https://www.hopeforwellness.ca/>

Trans Life Line, A trans-led organization connecting trans people to the community, support, and resources they need <https://www.translifeline.org/>

Trans Life Line, Telephone: 1-877-330-6366

Strongest Families, Institute Provides services to children and families seeking help for mental health and other issues impacting health and well-being, <https://strongestfamilies.com/>

Strongest Families Institute, Telephone: 1-866-470-7111

Canadian Mental Health Association (National), Provides advocacy, programs and resources that help to prevent mental health problems and illnesses and support recovery and resilience <https://cmha.ca/document-category/mental-health>

Canadian Mental Health Association (National), Telephone: 1-833-456-4566, Telephone: 1-866-277-3553 (in Quebec) Government of Canada.

Links for family violence resources and services in your area <https://www.canada.ca/en/public-health/services/health-promotion/stop-family-violence/services.html> , Government of Canada

DEP_Q010
DEP_010

Over the last **2 weeks**, how often have you been bothered by any of the following problems?

Felt down, depressed, or hopeless

2024-09-24

2024-09-24

ON-SCREEN HELP: Note: Press the help button (?) for additional information, including a list of mental health resources you may wish to access should you need any support or are in crisis

1 Not at all
2 Several days
3 More than half the days
4 Nearly every day
(Don't know, Refusal not allowed)

2024-09-24

Context Sensitive Help:

In the current context of COVID-19, many people are trying to adjust to the new norms, such as returning to work or day-to-day life. During this time, many people may not feel that they are in control of things, and it is normal to feel concerned, sad, stressed, confused, scared or worried.

Should you need any support, please contact any of the following resources:

Canada Suicide Prevention Service: A national network of existing distress, crisis and suicide prevention line services <https://www.crisisservicescanada.ca/en/>

Canada Suicide Prevention Service, Telephone: 1-833-456-4566,

APPELLE (Quebec Residents), help line for those thinking about suicide or are worried about a loved one, Telephone: 1-866-277-3553

Centre for Addiction and Mental Health. A wide range of clinical care services for mental illness and addictions <http://www.camh.ca/>

Centre for Addiction and Mental Health, Telephone: 1-800-463-2338

Wellness Together Canada, Mental health and substance use support, resources, and counselling with a mental health professional <https://wellnesstogether.ca/en>

Wellness Together Canada, Adults: Text WELLNESS to 741741, Front Line Workers: Text FRONTLINE to 741741.

Kids Help Phone, Available to young Canadians between 5 to 29 years old who are seeking 24-hour confidential and anonymous care with professional counsellors <https://kidshelpphone.ca/>

Kids Help Phone, Telephone: 1-800-668-6868, Text CONNECT to 686868, Online chat: <https://kidshelpphone.ca/live-chat>

Hope for Wellness Help Line, Counselling and crisis intervention for all Indigenous peoples across Canada <https://www.sac-isc.gc.ca/eng/1576089519527/1576089566478>

Hope for Wellness Help Line, Telephone: 1-855-242-3310
Online chat: <https://www.hopeforwellness.ca/>

Trans Life Line, A trans-led organization connecting trans people to the community, support, and resources they need <https://www.translifeline.org/>

Trans Life Line, Telephone: 1-877-330-6366

Strongest Families, Institute Provides services to children and families seeking help for mental health and other issues impacting health and well-being, <https://strongestfamilies.com/>

Strongest Families Institute, Telephone: 1-866-470-7111

Canadian Mental Health Association (National), Provides advocacy, programs and resources that help to prevent mental health problems and illnesses and support recovery and resilience <https://cmha.ca/document-category/mental-health>

Canadian Mental Health Association (National), Telephone: 1-833-456-4566, Telephone: 1-866-277-3553 (in Quebec) Government of Canada.

Links for family violence resources and services in your area <https://www.canada.ca/en/public-health/services/health-promotion/stop-family-violence/services.html> , Government of Canada

DEP_Q015
DEP_015

Over the last **2 weeks**, how often have you been bothered by any of the following problems?

Had trouble falling or staying asleep, or sleeping too much

2024-09-24

2024-09-24

ON-SCREEN HELP: Note: Press the help button (?) for additional information, including a list of mental health resources you may wish to access should you need any support or are in crisis

1 Not at all
2 Several days
3 More than half the days
4 Nearly every day
(Don't know, Refusal not allowed)

2024-09-24

Context Sensitive Help:

In the current context of COVID-19, many people are trying to adjust to the new norms, such as returning to work or day-to-day life. During this time, many people may not feel that they are in control of things, and it is normal to feel concerned, sad, stressed, confused, scared or worried.

Should you need any support, please contact any of the following resources:

Canada Suicide Prevention Service: A national network of existing distress, crisis and suicide prevention line services <https://www.crisisservicescanada.ca/en/>

Canada Suicide Prevention Service, Telephone: 1-833-456-4566,

APPELLE (Quebec Residents), help line for those thinking about suicide or are worried about a loved one, Telephone: 1-866-277-3553

Centre for Addiction and Mental Health. A wide range of clinical care services for mental illness and addictions <http://www.camh.ca/>

Centre for Addiction and Mental Health, Telephone: 1-800-463-2338

Wellness Together Canada, Mental health and substance use support, resources, and counselling with a mental health professional <https://wellnesstogether.ca/en>

Wellness Together Canada, Adults: Text WELLNESS to 741741, Front Line Workers: Text FRONTLINE to 741741.

Kids Help Phone, Available to young Canadians between 5 to 29 years old who are seeking 24-hour confidential and anonymous care with professional counsellors <https://kidshelpphone.ca/>

Kids Help Phone, Telephone: 1-800-668-6868, Text CONNECT to 686868, Online chat: <https://kidshelpphone.ca/live-chat>

Hope for Wellness Help Line, Counselling and crisis intervention for all Indigenous peoples across Canada <https://www.sac-isc.gc.ca/eng/1576089519527/1576089566478>

Hope for Wellness Help Line, Telephone: 1-855-242-3310
Online chat: <https://www.hopeforwellness.ca/>

Trans Life Line, A trans-led organization connecting trans people to the community, support, and resources they need <https://www.translifeline.org/>

Trans Life Line, Telephone: 1-877-330-6366

Strongest Families, Institute Provides services to children and families seeking help for mental health and other issues impacting health and well-being, <https://strongestfamilies.com/>

Strongest Families Institute, Telephone: 1-866-470-7111

Canadian Mental Health Association (National), Provides advocacy, programs and resources that help to prevent mental health problems and illnesses and support recovery and resilience <https://cmha.ca/document-category/mental-health>

Canadian Mental Health Association (National), Telephone: 1-833-456-4566, Telephone: 1-866-277-3553 (in Quebec) Government of Canada.

Links for family violence resources and services in your area <https://www.canada.ca/en/public-health/services/health-promotion/stop-family-violence/services.html> , Government of Canada

DEP_Q020
DEP_020

Over the last **2 weeks**, how often have you been bothered by any of the following problems?

Felt tired or having little energy

2024-09-24

2024-09-24

ON-SCREEN HELP: Note: Press the help button (?) for additional information, including a list of mental health resources you may wish to access should you need any support or are in crisis

1 Not at all
2 Several days
3 More than half the days
4 Nearly every day
(Don't know, Refusal not allowed)

2024-09-24

Context Sensitive Help:

In the current context of COVID-19, many people are trying to adjust to the new norms, such as returning to work or day-to-day life. During this time, many people may not feel that they are in control of things, and it is normal to feel concerned, sad, stressed, confused, scared or worried.

Should you need any support, please contact any of the following resources:

Canada Suicide Prevention Service: A national network of existing distress, crisis and suicide prevention line services <https://www.crisisservicescanada.ca/en/>

Canada Suicide Prevention Service, Telephone: 1-833-456-4566,

APPELLE (Quebec Residents), help line for those thinking about suicide or are worried about a loved one, Telephone: 1-866-277-3553

Centre for Addiction and Mental Health. A wide range of clinical care services for mental illness and addictions <http://www.camh.ca/>

Centre for Addiction and Mental Health, Telephone: 1-800-463-2338

Wellness Together Canada, Mental health and substance use support, resources, and counselling with a mental health professional <https://wellnesstogether.ca/en>

Wellness Together Canada, Adults: Text WELLNESS to 741741, Front Line Workers: Text FRONTLINE to 741741.

Kids Help Phone, Available to young Canadians between 5 to 29 years old who are seeking 24-hour confidential and anonymous care with professional counsellors <https://kidshelpphone.ca/>

Kids Help Phone, Telephone: 1-800-668-6868, Text CONNECT to 686868, Online chat: <https://kidshelpphone.ca/live-chat>

Hope for Wellness Help Line, Counselling and crisis intervention for all Indigenous peoples across Canada <https://www.sac-isc.gc.ca/eng/1576089519527/1576089566478>

Hope for Wellness Help Line, Telephone: 1-855-242-3310
Online chat: <https://www.hopeforwellness.ca/>

Trans Life Line, A trans-led organization connecting trans people to the community, support, and resources they need <https://www.translifeline.org/>

Trans Life Line, Telephone: 1-877-330-6366

Strongest Families, Institute Provides services to children and families seeking help for mental health and other issues impacting health and well-being, <https://strongestfamilies.com/>

Strongest Families Institute, Telephone: 1-866-470-7111

Canadian Mental Health Association (National), Provides advocacy, programs and resources that help to prevent mental health problems and illnesses and support recovery and resilience <https://cmha.ca/document-category/mental-health>

Canadian Mental Health Association (National), Telephone: 1-833-456-4566, Telephone: 1-866-277-3553 (in Quebec) Government of Canada.

Links for family violence resources and services in your area <https://www.canada.ca/en/public-health/services/health-promotion/stop-family-violence/services.html> , Government of Canada

DEP_Q025
DEP_025

Over the last **2 weeks**, how often have you been bothered by any of the following problems?

Had poor appetite or overate

2024-09-24

2024-09-24

ON-SCREEN HELP: Note: Press the help button (?) for additional information, including a list of mental health resources you may wish to access should you need any support or are in crisis

1 Not at all
2 Several days
3 More than half the days
4 Nearly every day
(Don't know, Refusal not allowed)

2024-09-24

Context Sensitive Help:

In the current context of COVID-19, many people are trying to adjust to the new norms, such as returning to work or day-to-day life. During this time, many people may not feel that they are in control of things, and it is normal to feel concerned, sad, stressed, confused, scared or worried.

Should you need any support, please contact any of the following resources:

Canada Suicide Prevention Service: A national network of existing distress, crisis and suicide prevention line services <https://www.crisisservicescanada.ca/en/>

Canada Suicide Prevention Service, Telephone: 1-833-456-4566,

APPELLE (Quebec Residents), help line for those thinking about suicide or are worried about a loved one, Telephone: 1-866-277-3553

Centre for Addiction and Mental Health. A wide range of clinical care services for mental illness and addictions <http://www.camh.ca/>

Centre for Addiction and Mental Health, Telephone: 1-800-463-2338

Wellness Together Canada, Mental health and substance use support, resources, and counselling with a mental health professional <https://wellnesstogether.ca/en>

Wellness Together Canada, Adults: Text WELLNESS to 741741, Front Line Workers: Text FRONTLINE to 741741.

Kids Help Phone, Available to young Canadians between 5 to 29 years old who are seeking 24-hour confidential and anonymous care with professional counsellors <https://kidshelpphone.ca/>

Kids Help Phone, Telephone: 1-800-668-6868, Text CONNECT to 686868, Online chat: <https://kidshelpphone.ca/live-chat>

Hope for Wellness Help Line, Counselling and crisis intervention for all Indigenous peoples across Canada <https://www.sac-isc.gc.ca/eng/1576089519527/1576089566478>

Hope for Wellness Help Line, Telephone: 1-855-242-3310
Online chat: <https://www.hopeforwellness.ca/>

Trans Life Line, A trans-led organization connecting trans people to the community, support, and resources they need <https://www.translifeline.org/>

Trans Life Line, Telephone: 1-877-330-6366

Strongest Families, Institute Provides services to children and families seeking help for mental health and other issues impacting health and well-being, <https://strongestfamilies.com/>

Strongest Families Institute, Telephone: 1-866-470-7111

Canadian Mental Health Association (National), Provides advocacy, programs and resources that help to prevent mental health problems and illnesses and support recovery and resilience <https://cmha.ca/document-category/mental-health>

Canadian Mental Health Association (National), Telephone: 1-833-456-4566, Telephone: 1-866-277-3553 (in Quebec) Government of Canada.

Links for family violence resources and services in your area <https://www.canada.ca/en/public-health/services/health-promotion/stop-family-violence/services.html> , Government of Canada

2024-09-24

DEP_Q030 DEP_030	Over the last **2 weeks**, how often have you been bothered by any of the following problems? Felt bad about yourself — or that you are a failure or have let yourself or your family down

2024-09-24

2024-09-24

ON-SCREEN HELP: Note: Press the help button (?) for additional information, including a list of mental health resources you may wish to access should you need any support or are in crisis

1 Not at all
2 Several days
3 More than half the days
4 Nearly every day
(Don't know, Refusal not allowed)

2024-09-24

Context Sensitive Help:

In the current context of COVID-19, many people are trying to adjust to the new norms, such as returning to work or day-to-day life. During this time, many people may not feel that they are in control of things, and it is normal to feel concerned, sad, stressed, confused, scared or worried.

Should you need any support, please contact any of the following resources:

Canada Suicide Prevention Service: A national network of existing distress, crisis and suicide prevention line services <https://www.crisisservicescanada.ca/en/>

Canada Suicide Prevention Service, Telephone: 1-833-456-4566,

APPELLE (Quebec Residents), help line for those thinking about suicide or are worried about a loved one, Telephone: 1-866-277-3553

Centre for Addiction and Mental Health. A wide range of clinical care services for mental illness and addictions <http://www.camh.ca/>

Centre for Addiction and Mental Health, Telephone: 1-800-463-2338

Wellness Together Canada, Mental health and substance use support, resources, and counselling with a mental health professional <https://wellnesstogether.ca/en>

Wellness Together Canada, Adults: Text WELLNESS to 741741, Front Line Workers: Text FRONTLINE to 741741.

Kids Help Phone, Available to young Canadians between 5 to 29 years old who are seeking 24-hour confidential and anonymous care with professional counsellors <https://kidshelpphone.ca/>

Kids Help Phone, Telephone: 1-800-668-6868, Text CONNECT to 686868, Online chat: <https://kidshelpphone.ca/live-chat>

Hope for Wellness Help Line, Counselling and crisis intervention for all Indigenous peoples across Canada <https://www.sac-isc.gc.ca/eng/1576089519527/1576089566478>

Hope for Wellness Help Line, Telephone: 1-855-242-3310
Online chat: <https://www.hopeforwellness.ca/>

Trans Life Line, A trans-led organization connecting trans people to the community, support, and resources they need <https://www.translifeline.org/>

Trans Life Line, Telephone: 1-877-330-6366

Strongest Families, Institute Provides services to children and families seeking help for mental health and other issues impacting health and well-being, <https://strongestfamilies.com/>

Strongest Families Institute, Telephone: 1-866-470-7111

Canadian Mental Health Association (National), Provides advocacy, programs and resources that help to prevent mental health problems and illnesses and support recovery and resilience <https://cmha.ca/document-category/mental-health>

Canadian Mental Health Association (National), Telephone: 1-833-456-4566, Telephone: 1-866-277-3553 (in Quebec) Government of Canada.

Links for family violence resources and services in your area <https://www.canada.ca/en/public-health/services/health-promotion/stop-family-violence/services.html> , Government of Canada

2024-09-24

DEP_Q035 DEP_035	Over the last **2 weeks**, how often have you been bothered by any of the following problems? Had trouble concentrating on things, such as reading the newspaper or watching television

2024-09-24

2024-09-24

ON-SCREEN HELP: Note: Press the help button (?) for additional information, including a list of mental health resources you may wish to access should you need any support or are in crisis

1 Not at all
2 Several days
3 More than half the days
4 Nearly every day
(Don't know, Refusal not allowed)

2024-09-24

Context Sensitive Help:

In the current context of COVID-19, many people are trying to adjust to the new norms, such as returning to work or day-to-day life. During this time, many people may not feel that they are in control of things, and it is normal to feel concerned, sad, stressed, confused, scared or worried.

Should you need any support, please contact any of the following resources:

Canada Suicide Prevention Service: A national network of existing distress, crisis and suicide prevention line services <https://www.crisisservicescanada.ca/en/>

Canada Suicide Prevention Service, Telephone: 1-833-456-4566,

APPELLE (Quebec Residents), help line for those thinking about suicide or are worried about a loved one, Telephone: 1-866-277-3553

Centre for Addiction and Mental Health. A wide range of clinical care services for mental illness and addictions <http://www.camh.ca/>

Centre for Addiction and Mental Health, Telephone: 1-800-463-2338

Wellness Together Canada, Mental health and substance use support, resources, and counselling with a mental health professional <https://wellnesstogether.ca/en>

Wellness Together Canada, Adults: Text WELLNESS to 741741, Front Line Workers: Text FRONTLINE to 741741.

Kids Help Phone, Available to young Canadians between 5 to 29 years old who are seeking 24-hour confidential and anonymous care with professional counsellors <https://kidshelpphone.ca/>

Kids Help Phone, Telephone: 1-800-668-6868, Text CONNECT to 686868, Online chat: <https://kidshelpphone.ca/live-chat>

Hope for Wellness Help Line, Counselling and crisis intervention for all Indigenous peoples across Canada <https://www.sac-isc.gc.ca/eng/1576089519527/1576089566478>

Hope for Wellness Help Line, Telephone: 1-855-242-3310
Online chat: <https://www.hopeforwellness.ca/>

Trans Life Line, A trans-led organization connecting trans people to the community, support, and resources they need <https://www.translifeline.org/>

Trans Life Line, Telephone: 1-877-330-6366

Strongest Families, Institute Provides services to children and families seeking help for mental health and other issues impacting health and well-being, <https://strongestfamilies.com/>

Strongest Families Institute, Telephone: 1-866-470-7111

Canadian Mental Health Association (National), Provides advocacy, programs and resources that help to prevent mental health problems and illnesses and support recovery and resilience <https://cmha.ca/document-category/mental-health>

Canadian Mental Health Association (National), Telephone: 1-833-456-4566, Telephone: 1-866-277-3553 (in Quebec) Government of Canada.

Links for family violence resources and services in your area <https://www.canada.ca/en/public-health/services/health-promotion/stop-family-violence/services.html> , Government of Canada

2024-09-24

DEP_Q040 DEP_040	Over the last **2 weeks**, how often have you been bothered by any of the following problems? Been moving or speaking so slowly that other people could have noticed? Or the opposite, being so fidgety or restless that you have been moving around a lot more than usual

2024-09-24

2024-09-24

ON-SCREEN HELP: Note: Press the help button (?) for additional information, including a list of mental health resources you may wish to access should you need any support or are in crisis

1 Not at all
2 Several days
3 More than half the days
4 Nearly every day
(Don't know, Refusal not allowed)

2024-09-24

Context Sensitive Help:

In the current context of COVID-19, many people are trying to adjust to the new norms, such as returning to work or day-to-day life. During this time, many people may not feel that they are in control of things, and it is normal to feel concerned, sad, stressed, confused, scared or worried.

Should you need any support, please contact any of the following resources:

Canada Suicide Prevention Service: A national network of existing distress, crisis and suicide prevention line services <https://www.crisisservicescanada.ca/en/>

Canada Suicide Prevention Service, Telephone: 1-833-456-4566,

APPELLE (Quebec Residents), help line for those thinking about suicide or are worried about a loved one, Telephone: 1-866-277-3553

Centre for Addiction and Mental Health. A wide range of clinical care services for mental illness and addictions <http://www.camh.ca/>

Centre for Addiction and Mental Health, Telephone: 1-800-463-2338

Wellness Together Canada, Mental health and substance use support, resources, and counselling with a mental health professional <https://wellnesstogether.ca/en>

Wellness Together Canada, Adults: Text WELLNESS to 741741, Front Line Workers: Text FRONTLINE to 741741.

Kids Help Phone, Available to young Canadians between 5 to 29 years old who are seeking 24-hour confidential and anonymous care with professional counsellors <https://kidshelpphone.ca/>

Kids Help Phone, Telephone: 1-800-668-6868, Text CONNECT to 686868, Online chat: <https://kidshelpphone.ca/live-chat>

Hope for Wellness Help Line, Counselling and crisis intervention for all Indigenous peoples across Canada <https://www.sac-isc.gc.ca/eng/1576089519527/1576089566478>

Hope for Wellness Help Line, Telephone: 1-855-242-3310
Online chat: <https://www.hopeforwellness.ca/>

Trans Life Line, A trans-led organization connecting trans people to the community, support, and resources they need <https://www.translifeline.org/>

Trans Life Line, Telephone: 1-877-330-6366

Strongest Families, Institute Provides services to children and families seeking help for mental health and other issues impacting health and well-being, <https://strongestfamilies.com/>

Strongest Families Institute, Telephone: 1-866-470-7111

Canadian Mental Health Association (National), Provides advocacy, programs and resources that help to prevent mental health problems and illnesses and support recovery and resilience <https://cmha.ca/document-category/mental-health>

Canadian Mental Health Association (National), Telephone: 1-833-456-4566, Telephone: 1-866-277-3553 (in Quebec) Government of Canada.

Links for family violence resources and services in your area <https://www.canada.ca/en/public-health/services/health-promotion/stop-family-violence/services.html> , Government of Canada

2024-09-24

DEP_Q045 DEP_045	Over the last **2 weeks**, how often have you been bothered by any of the following problems? Had thoughts that you would be better off dead or of hurting yourself in some way

2024-09-24

2024-09-24

ON-SCREEN HELP: Note: Press the help button (?) for additional information, including a list of mental health resources you may wish to access should you need any support or are in crisis

1 Not at all
2 Several days
3 More than half the days
4 Nearly every day
(Don't know, Refusal not allowed)

2024-09-24

Context Sensitive Help:

In the current context of COVID-19, many people are trying to adjust to the new norms, such as returning to work or day-to-day life. During this time, many people may not feel that they are in control of things, and it is normal to feel concerned, sad, stressed, confused, scared or worried.

Should you need any support, please contact any of the following resources:

Canada Suicide Prevention Service: A national network of existing distress, crisis and suicide prevention line services <https://www.crisisservicescanada.ca/en/>

Canada Suicide Prevention Service, Telephone: 1-833-456-4566,

APPELLE (Quebec Residents), help line for those thinking about suicide or are worried about a loved one, Telephone: 1-866-277-3553

Centre for Addiction and Mental Health. A wide range of clinical care services for mental illness and addictions <http://www.camh.ca/>

Centre for Addiction and Mental Health, Telephone: 1-800-463-2338

Wellness Together Canada, Mental health and substance use support, resources, and counselling with a mental health professional <https://wellnesstogether.ca/en>

Wellness Together Canada, Adults: Text WELLNESS to 741741, Front Line Workers: Text FRONTLINE to 741741.

Kids Help Phone, Available to young Canadians between 5 to 29 years old who are seeking 24-hour confidential and anonymous care with professional counsellors <https://kidshelpphone.ca/>

Kids Help Phone, Telephone: 1-800-668-6868, Text CONNECT to 686868, Online chat: <https://kidshelpphone.ca/live-chat>

Hope for Wellness Help Line, Counselling and crisis intervention for all Indigenous peoples across Canada <https://www.sac-isc.gc.ca/eng/1576089519527/1576089566478>

Hope for Wellness Help Line, Telephone: 1-855-242-3310
Online chat: <https://www.hopeforwellness.ca/>

Trans Life Line, A trans-led organization connecting trans people to the community, support, and resources they need <https://www.translifeline.org/>

Trans Life Line, Telephone: 1-877-330-6366

Strongest Families, Institute Provides services to children and families seeking help for mental health and other issues impacting health and well-being, <https://strongestfamilies.com/>

Strongest Families Institute, Telephone: 1-866-470-7111

Canadian Mental Health Association (National), Provides advocacy, programs and resources that help to prevent mental health problems and illnesses and support recovery and resilience <https://cmha.ca/document-category/mental-health>

Canadian Mental Health Association (National), Telephone: 1-833-456-4566, Telephone: 1-866-277-3553 (in Quebec) Government of Canada.

Links for family violence resources and services in your area <https://www.canada.ca/en/public-health/services/health-promotion/stop-family-violence/services.html> , Government of Canada

2024-09-24

DEP_C050	If (DEP_Q005 = (2 or 3 or 4)) or (DEP_Q010 = (2 or 3 or 4)) or (DEP_Q015 = (2 or 3 or 4)) or (DEP_Q020 = (2 or 3 or 4)) or (DEP_Q025 = (2 or 3 or 4)) or (DEP_Q030 = (2 or 3 or 4)) or (DEP_Q035 = (2 or 3 or 4)) or (DEP_Q040 = (2 or 3 or 4)) or (DEP_Q045 = (2 or 3 or 4)), go to DEP_Q050. Otherwise, go to DEP_END.
DEP_Q050 DEP_050	How difficult have these problems made it for you to do your work, take care of things at home, or get along with other people? 1 Not difficult at all 2 Somewhat difficult 3 Very difficult 4 Extremely difficult (Don't know, Refusal not allowed)
DEP_END	

2024-09-24

Social provisions (SPS)

	Optional content	Newfoundland and Labrador, Prince Edward Island, Nova Scotia, New Brunswick, Quebec, Ontario, Saskatchewan, Alberta, British Columbia, Northwest Territories
Overview:	The relationships an individual has with friends, family, co-workers and others can have a strong impact on their own mental and physical health. This module consists of a series of questions about the respondent's level of emotional security and well-being; guidance; reassurance of worth; social integration; and reliable alliance.	
SPS_BEG	External Variables required: DOSPS: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)	
SPS_C001	If ((DOSPS ≠ 1) or (PROXYSEX = 3 or PROXYSEX = 4)), go to SPS_END. Otherwise, go to SPS_R001.	
SPS_R001	The next questions are about your current relationships with friends, family members, co-workers, community members, and so on.	
SPS_Q015 SPS_015	Please indicate to what extent each statement describes your current relationships with other people. I have close relationships that provide me with a sense of emotional security and wellbeing. 1 Strongly agree 2 Agree 3 Disagree 4 Strongly disagree (Don't know, Refusal not allowed)	
SPS_Q020 SPS_020	Please indicate to what extent each statement describes your current relationships with other people. There is someone I could talk to about important decisions in my life. 1 Strongly agree 2 Agree 3 Disagree 4 Strongly disagree (Don't know, Refusal not allowed)	
SPS_Q025 SPS_025	Please indicate to what extent each statement describes your current relationships with other people. I have relationships where my competence and skill are recognized.	

2024-09-24

1 Strongly agree
2 Agree
3 Disagree
4 Strongly disagree
(Don't know, Refusal not allowed)

SPS_Q035
SPS_035

Please indicate to what extent each statement describes your current relationships with other people.

I feel part of a group of people who share my attitudes and beliefs.

1 Strongly agree
2 Agree
3 Disagree
4 Strongly disagree
(Don't know, Refusal not allowed)

SPS_Q050
SPS_050

Please indicate to what extent each statement describes your current relationships with other people.

There are people I can count on in an emergency.

1 Strongly agree
2 Agree
3 Disagree
4 Strongly disagree
(Don't know, Refusal not allowed)

SPS_END

2024-09-24

Regular health care provider (RHC)

Core content

Overview:

Respondents are asked whether or not they have a regular health care provider.

Many Canadians do not have access to a regular health care provider. This module has a number of uses for governments, health care planners, and researchers. For example, results could be used to identify groups or regions that have an increased need for health care resource allocation.

RHC_BEG

External Variables required:
DORHC: (Flag to determine if respondent is to enter module (from sample file))

RHC_C05

If DORHC = 1, go to RHC_Q05.
Otherwise, go to RHC_END.

RHC_Q05
RHC_05

Which of the following health care providers ^DOVERB ^YOU2 regularly consult with?

ON-SCREEN HELP: If ^YOU1 ^HAVE more than one, report for the health care provider ^YOU1 consult^S with the most.

1 Family doctor or general practitioner
2 Medical specialist
Help text: e.g., cardiologist, pediatrician, oncologist
3 Nurse practitioner
4 Other
Help text: e.g., chiropractor, psychologist
5 Don't have a regular health care provider
(Don't know, Refusal not allowed)

Context Sensitive Help:

By this, we mean a health professional that ^YOU1 regularly see^S or talk^S to when ^YOU1 need^S care or advice for ^YOUR1 health.

RHC_END

2024-09-24

Labour market activities (LMAM)

Harmonized content

Overview:

This is the minimum content block for the Labour Market Activities Harmonized Content.
It contains the questions required to establish whether a respondent is employed or not.

LMAM_BEG

External Variables required:
DOLMAM: (Flag to determine if respondent is to enter module (from sample file))
DV_AWC_AGE: (Age of selected respondent)
FNAME: (First name of specific respondent)
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
DT_REFBEGE: (English date defined as THISDATE - 7 (from PAY))
DT_REFBEGF: (French date defined as THISDATE - 7 (from PAY))
DT_REFENDE: (English date defined as THISDATE - 1 (from PAY))
DT_REFENDF: (French date defined as THISDATE - 1 (from PAY))

LMAM_C01

If DOLMAM = 1 and (DV_AWC_AGE >= 15 and DV_AWC_AGE <= 75), go to LMAM_D01.
Otherwise, go to LMAM_END.

LMAM_D01

LMAM_R01

Many of the following questions concern ^YOUR2 activities last week.

Last week is from ^DT_REFBEGE to ^DT_REFENDE.

LMAM_Q01
LMAM_01

Last week, did ^YOU2 work at a job or business?

ON-SCREEN HELP: Select ''Yes'' if ^YOU1 worked at least one hour:
• for pay (wages, salary, etc.)
• in self-employment.
Select ''No'' if ^YOU1:
• ^WERE away from work for the entire week for a reason such as vacation, illness, work schedule or layoff
• did not have a job or business but were able to work.
Select ''Permanently unable to work'' if ^YOU1:
• did not have a job or business because of a physical or mental health condition that prevents ^YOU1 from working.

1 Yes
2 No
3 Permanently unable to work
(Don't know, Refusal not allowed)

LMAM_C02

If (LMAM_Q01 = 2), go to LMAM_Q02.
Otherwise, go to LMAM_END.

LMAM_Q02
LMAM_02

Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?

2024-09-24

ON-SCREEN HELP: Select ''Yes'' if ^YOU1:
• ^WERE away from work for the entire week for a reason such as vacation, illness, parental leave or work schedule
• ^WERE self-employed with a business, but no work was available.
Select ''No'' if ^YOU1:
• did not have a job or business
• had a casual job, but no work was available.

1 Yes
2 No
(Don't know, Refusal not allowed)

LMAM_C03

If (LMAM_Q02 = 1), go to LMAM_Q03.
Otherwise, go to LMAM_END.

LMAM_Q03
LMAM_03

What was the main reason ^YOU2 ^WERE absent from work last week?

01 Vacation
02 Own illness or disability
03 Caring for own children
04 Caring for elder relative
Help text: 60 years of age or older
05 Maternity or parental leave
06 Other personal or family responsibilities
07 Labour dispute (strike or lockout)
Help text: Employees only
08 Temporary layoff due to business conditions
Help text: Employees only
09 Seasonal layoff
Help text: Employees only
10 Casual job, no work available
Help text: Employees only
11 Work schedule
Help text: e.g., 10 days on, 10 days off, employees only
12 Self-employed, no work available
Help text: Self-employed only
13 Seasonal business
Help text: Excluding employees
14 Other (Go to LMAM_S03)
(Don't know, Refusal not allowed)

Go to LMAM_END

LMAM_S03

Specify the main reason ^YOU1 ^WERE absent from work last week

2024-09-24

(80 spaces)

(Don't know, Refusal not allowed)

LMAM_END

2024-09-24

Labour market activities (LMA3) (LMA3)

Harmonized content

Overview:

This is a block within the extended content for the Labour Market Activities Harmonized Content.
It contains the question required to identify the class of worker for a respondent who is employed.

LMA3_BEG

External Variables required:
DOLMA3: (Flag to determine if respondent is to enter module (from sample file))
FNAME: (First name of specific respondent)
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
LMAM_Q01: (Last week, did ^YOU2 work at a job or business?)
LMAM_Q02: (Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?)
LMAM_Q03: (What was the main reason ^YOU2 ^WERE absent from work last week?)
DV_AWC_AGE: (Age of selected respondent)

LMA3_C01

If (DOLMA3 = 1 and DV_AWC_AGE >= 15 and DV_AWC_AGE <= 75) and (LMAM_Q01 = 1 or (LMAM_Q02 = 1 and (LMAM_Q03 = 1 or LMAM_Q03 = 2 or LMAM_Q03 = 3 or LMAM_Q03 = 4 or LMAM_Q03 = 5 or LMAM_Q03 = 6 or LMAM_Q03 = 7 or LMAM_Q03 = 11 or LMAM_Q03 = 12 or LMAM_Q03 = 13 or LMAM_Q03 = 14))), go to LMA3_D01.
Otherwise, go to LMA3_END.

LMA3_D01

LMA3_Q01
LMA3_01

^WERE_C ^YOU2 an employee or self-employed?

<u>ON-SCREEN HELP</u>: Select ''Employee'' if ^YOU1 worked:
• for pay (wages, salary, tips or commissions).
Select ''Self-employed'' if ^YOU1 worked:
• for ^YOUR1 own business, farm or professional practice
• as an independent contractor, painter, babysitter, etc.

1 Employee
2 Self-employed
3 Working in a family business without pay
(Don't know, Refusal not allowed)

LMA3_END

2024-09-24

Labour market activities (LMA4) (LMA4)

Harmonized content

Overview:

This is a block within the extended content for the Labour Market Activities Harmonized Content
It contains the questions required to identify the industry for a respondent who is employed.

The questions in this module are used to derive LBFCSIC (NAICS) and LBFCSOC (NOC)

LMA4_BEG

External Variables required:
DOLMA4: (Flag to determine if respondent is to enter module (from sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
FNAME: (First name of specific respondent)
DV_AWC_AGE: (Age of selected respondent)
LMAM_Q01: (Last week, did ^YOU2 work at a job or business?)
LMAM_Q02: (Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?)
LMAM_Q03: (What was the main reason ^YOU2 ^WERE absent from work last week?)
LMA3_Q01: (^WERE_C ^YOU2 an employee or self-employed?)

LMA4_C01A

If (DOLMA4 = 1 and DV_AWC_AGE >= 15 and DV_AWC_AGE <= 75) and (LMAM_Q01 = 1 or (LMAM_Q01 = 2 and LMAM_Q02 = 1 and (LMAM_Q03 = 1 or LMAM_Q03 = 2 or LMAM_Q03 = 3 or LMAM_Q03 = 4 or LMAM_Q03 = 5 or LMAM_Q03 = 6 or LMAM_Q03 = 7 or LMAM_Q03 = 11 or LMAM_Q03 = 12 or LMAM_Q03 = 13 or LMAM_Q03 = 14))), go to LMA4_C01B.
Otherwise, go to LMA4_END.

LMA4_C01B

If (LMA3_Q01 = 2), go to LMA4_D01.
Otherwise, go to LMA4_Q02.

LMA4_D01

LMA4_Q01

What was the full name of ^YOUR2 business?

ON-SCREEN HELP: Enter the full name of the business. If there is no business name, enter the respondent's full name.

Specify the full name of ^YOUR1 business

_____

(50 spaces)

(Don't know, Refusal not allowed)

Go to LMA4_Q03

Processing:

LMA4_Q01 will be released as the Yes/No flag LMA4FQ01.

LMA4_Q02

For whom did ^YOU2 work?

2024-09-24

ON-SCREEN HELP: Enter the full name of the company, business, government department or agency, or person.

Specify who ^YOU1 worked for

(50 spaces)

(Don't know, Refusal not allowed)

Processing: *LMA4_Q02 will be released as the Yes/No flag LMA4FQ02.*

LMA4_Q03 What kind of business, industry or service was this?

ON-SCREEN HELP: **Examples**: new home construction, primary school, municipal police, wheat farm, retail shoe store, food wholesale, car parts factory, federal government

Specify the kind of business, industry or service

(80 spaces)

(Don't know, Refusal not allowed)

Processing: *LMA4_Q03 will be released as the Yes/No flag LMA4FQ03*

LMA4_END

2024-09-24

Labour market activities (LMA5) (LMA5)

Harmonized content

Overview:

This is a block within the extended content for the Labour Market Activities Harmonized Content.
It contains the questions required to identify the occupation for a respondent who is employed.

The questions in this module are used to derive LBFCSIC (NAICS) and LBFCSOC (NOC)

LMA5_BEG

External Variables required:
DOLMA5: (Flag to determine if respondent is to enter module (from sample file))
DV_AWC_AGE: (Age of selected respondent)
LMAM_Q01: (Last week, did ^YOU2 work at a job or business?)
LMAM_Q02: (Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?)
LMAM_Q03: (What was the main reason ^YOU2 ^WERE absent from work last week?)
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
FNAME: (First name of specific respondent)

LMA5_C01

If (DOLMA5 = 1 and DV_AWC_AGE >= 15 and DV_AWC_AGE <= 75) and (LMAM_Q01 = 1 or (LMAM_Q01 = 2 and LMAM_Q02 = 1 and (LMAM_Q03 = 1 or LMAM_Q03 = 2 or LMAM_Q03 = 3 or LMAM_Q03 = 4 or LMAM_Q03 = 5 or LMAM_Q03 = 6 or LMAM_Q03 = 7 or LMAM_Q03 = 11 or LMAM_Q03 = 12 or LMAM_Q03 = 13 or LMAM_Q03 = 14))), go to LMA5_R01.
Otherwise, go to LMA5_END.

LMA5_R01

The following questions refer to the work or occupation in which ^YOU2 spent most of ^YOUR1 time.

LMA5_D01

LMA5_Q01

What kind of work ^WERE ^YOU2 doing?

ON-SCREEN HELP: **Examples**: legal secretary, plumber, fishing guide, wood furniture assembler, secondary school teacher, computer programmer

Specify the kind of work ^YOU2 ^WERE doing

(50 spaces)

(Don't know, Refusal not allowed)

Processing:

LMA5_Q01 will be released as the Yes/No flag LMA5FQ01

LMA5_D02

2024-09-24

LMA5_Q02	What were ^YOUR2 most important activities or duties? ON-SCREEN HELP: **Examples**: prepared legal documents, installed residential plumbing, guided fishing parties, made wood furniture products, taught mathematics, developed software Specify ^YOUR1 most important activities or duties (50 spaces) (Don't know, Refusal not allowed)
Processing:	*LMA5_Q02 will be released as the Yes/No flag LMA5FQ02*
LMA5_END	

2024-09-24

Labour market activities (LMA6) (LMA6)

Harmonized content

Overview:

This is a block within the extended content for the Labour Market Activities Harmonized Content. It contains the question required to identify the number of usual hours worked for a respondent who is employed.

LMA6_BEG

External Variables required:
DOLMA6: (Flag to determine if respondent is to enter module (from sample file))
FNAME: (First name of specific respondent)
DV_AWC_AGE: (Age of selected respondent)
LMAM_Q02: (Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?)
LMAM_Q01: (Last week, did ^YOU2 work at a job or business?)
LMA3_Q01: (^WERE_C ^YOU2 an employee or self-employed?)
LMAM_Q03: (What was the main reason ^YOU2 ^WERE absent from work last week?)

LMA6_C01

If (DOLMA6 = 1 and DV_AWC_AGE >= 15 and DV_AWC_AGE <= 75) and (LMAM_Q01 = 1 or (LMAM_Q01 = 2 and LMAM_Q02 = 1 and (LMAM_Q03 = 1 or LMAM_Q03 = 2 or LMAM_Q03 = 3 or LMAM_Q03 = 4 or LMAM_Q03 = 5 or LMAM_Q03 = 6 or LMAM_Q03 = 7 or LMAM_Q03 = 11 or LMAM_Q03 = 12 or LMAM_Q03 = 13 or LMAM_Q03 = 14))), go to LMA6_D01.
Otherwise, go to LMA6_END.

LMA6_D01

If (LMA3_Q01 == 1), DT_LMA6_Q02_E = 'Excluding overtime, on average, how many paid hours ^DOVERB ^YOU2 usually work per week?'
Otherwise, DT_LMA6_Q02_E = 'On average, how many hours ^DOVERB ^YOU2 usually work per week?'

LMA6_Q01
LMA6_01

^DT_LMA6_Q02_E

ON-SCREEN HELP: If necessary, enter a decimal value e.g., 32.5.

|_|_|_|.|_| Hours
(MIN: 0)
(MAX: 999.9)
Decimal

(Don't know, Refusal not allowed)

LMA6_E01

Please review the number of hours entered.

Rule:

Trigger soft edit if (LMA6_Q01 > 84).

LMA6_END

2024-09-24

Labour market activities - labour force (LBF)

Core content

Overview:

There are many relationships between work and health. This module includes questions on whether or not a respondent held more than one job or business over the last week, and the average number of hours worked at the second job per week, if applicable.

LBF_BEG

External Variables required:
DOLBF: (Flag to determine if respondent is to enter module (from sample file))
DV_AWC_AGE: (Age of selected respondent)
LMAM_Q01: (Last week, did ^YOU2 work at a job or business?)
LMAM_Q02: (Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?)
LMAM_Q03: (What was the main reason ^YOU2 ^WERE absent from work last week?)

LBF_C11

If (DOLBF = 1 and DV_AWC_AGE >= 15 and DV_AWC_AGE <= 75) and (LMAM_Q01 = 1 or (LMAM_Q01 = 2 and LMAM_Q02 = 1 and (LMAM_Q03 = 1 or LMAM_Q03 = 2 or LMAM_Q03 = 3 or LMAM_Q03 = 4 or LMAM_Q03 = 5 or LMAM_Q03 = 6 or LMAM_Q03 = 7 or LMAM_Q03 = 11 or LMAM_Q03 = 12 or LMAM_Q03 = 13 or LMAM_Q03 = 14))), go to LBF_Q11.
Otherwise, go to LBF_END.

LBF_Q11
LBF_11

Did ^YOU2 have more than one job or business last week?

1 Yes (Go to LBF_Q12)
2 No
(Don't know, Refusal not allowed)

Go to LBF_END

LBF_Q12
LBF_12

On average, how many hours ^DOVERB ^YOU1 usually work per week at ^YOUR1 other job(s)?

<u>ON-SCREEN HELP</u>: If necessary, enter a decimal value e.g., 32.5.

|_|_|_|.|_| Hours
(MIN: 0)
(MAX: 999.9)
Decimal

(Don't know, Refusal not allowed)

LBF_END

2024-09-24

Telework (LM)

	Theme content
Overview:	This module is used to gather information on telework, a more prevalent reality during the COVID-19 pandemic and to assess hybrid work arrangements in the post-pandemic environment. This module was added to the questionnaire in June 2021 and was changed in 2023 to match the Labour Force Survey's WFH module.
LM_BEG	External Variables required: DOLM: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent) LMAM_Q01: (Last week, did ^YOU2 work at a job or business?) LMAM_Q02: (Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?) LMAM_Q03: (What was the main reason ^YOU2 ^WERE absent from work last week?)
LM_C01A	If DOLM ≠ 1, go to LM_END. Otherwise, go to LM_C01B.
LM_C01B	If DV_AWC_AGE < 15 or DV_AWC_AGE > 75, go to LM_END. Otherwise, go to LM_C01C.
LM_C01C	If ((LMAM_Q01 = 1) or (LMAM_Q01 = 2) and (LMAM_Q02 = 1) and (LMAM_Q03 = 1 or LMAM_Q03 = 2 or LMAM_Q03 = 3 or LMAM_Q03 = 4 or LMAM_Q03 = 5 or LMAM_Q03 = 6 or LMAM_Q03 = 7 or LMAM_Q03 = 11 or LMAM_Q03 = 12 or LMAM_Q03 = 13 or LMAM_Q03 = 14)), go to LM_Q01. Otherwise, go to LM_END.
LM_Q01	**At the present time**, in which of the following locations ^DOVERB ^YOU2 **usually** work as part of ^YOUR1 **main** job or business? <u>ON-SCREEN HELP</u>: Select all that apply. 1 At a fixed location outside the home 2 Outside the home with no fixed location Help text: **e.g.**, driving, door-to-door sales 3 At home (Go to LM_Q02) Help text: **Include** farms and all work done at the same address as ^YOUR1 home, but on a different part of the property (Don't know, Refusal not allowed) Go to LM_END
LM_Q02 LM_02	**Last week**, what proportion of ^YOUR1 work hours did ^YOU2 work **at home** as part of ^YOUR1 **main** job or business?

2024-09-24

ON-SCREEN HELP: **Include** farms and all work done at the same address as ^YOUR1 home, but on a different part of the property

1 All ^YOUR1 hours at home
2 More than half, but not all ^YOUR1 hours at home
3 One quarter to half at home
4 Less than a quarter at home
5 No hours at home
(Don't know, Refusal not allowed)

LM_END

2024-09-24

Work family balance (WLB)

Rapid response

Overview:

This module includes a number of questions regarding work-life balance. Respondents are asked whether work interferes with their family lives, responsibilities, activities, and vice versa. Respondents are also asked about the effects of family and work involvements. The changing nature of work and family in contemporary society is leading to more and more work-family conflict.

This module can be used to assess the influence of family responsibilities as well as work demands on work-family balance.

WLB_BEG

External Variables required:
DORR2: (Flag to determine if respondent is to enter module (from sample file - for RR)
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
DV_AWC_AGE: (Age of selected respondent)
DV_WORK12: (Worked in past 12 months (from MA block))

WLB_C05

If DORR2 = 1 and (PROXYSEX = 1 or PROXYSEX = 2) and (DV_AWC_AGE >= 15 and DV_WORK12 = 1), go to WLB_R05.
Otherwise, go to WLB_END.

WLB_R05

For the next questions, please rate how much you agree with the following statements about conflict between your work and family lives.

WLB_Q05

The demands of my work interfere with my home and family life.

1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
(Don't know, Refusal not allowed)

WLB_Q10

The amount of time my job takes up makes it difficult to fulfill family responsibilities.

1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
(Don't know, Refusal not allowed)

WLB_Q15

Things I want to do at home do not get done because of the demands my job puts on me.

2024-09-24

1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
(Don't know, Refusal not allowed)

WLB_Q20 Due to work-related duties, I have to make changes to my plans for family activities.

1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
(Don't know, Refusal not allowed)

WLB_Q25 My job produces strain that makes it difficult to fulfill family duties.

1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
(Don't know, Refusal not allowed)

WLB_Q30 The demands of my family or partner interfere with work-related activities.

1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
(Don't know, Refusal not allowed)

WLB_Q35 I have to put off doing things at work because of demands on my time at home.

1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
(Don't know, Refusal not allowed)

WLB_Q40 Things I want to do at work don't get done because of the demands of my family or partner.

2024-09-24

1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
(Don't know, Refusal not allowed)

WLB_Q45

My home life interferes with my responsibilities at work such as getting to work on time, accomplishing daily tasks, and working.

1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
(Don't know, Refusal not allowed)

WLB_Q50

Family-related strain interferes with my ability to perform job-related duties.

1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
(Don't know, Refusal not allowed)

WLB_R60

For the next questions, please rate how much you agree with the following statements about the effects of your involvement in your work.

WLB_Q60

My involvement in my work helps me to understand different viewpoints and this helps me be a better family member.

1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
(Don't know, Refusal not allowed)

WLB_Q65

My involvement in my work puts me in a good mood and this helps me be a better family member.

2024-09-24

1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
(Don't know, Refusal not allowed)

WLB_Q70 My involvement in my work helps me feel personally fulfilled and this helps me be a better family member.

1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
(Don't know, Refusal not allowed)

WLB_R75 For the next questions, please rate how much you agree with the following statements about the effects of your involvement with your family.

WLB_Q75 My involvement in my family helps me acquire skills and this helps me be a better worker.

1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
(Don't know, Refusal not allowed)

WLB_Q80 My involvement in my family puts me in a good mood and this helps me be a better worker.

1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
(Don't know, Refusal not allowed)

WLB_Q85 My involvement in my family encourages me to use my work time in a focused manner and this helps me be a better worker.

2024-09-24

1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
(Don't know, Refusal not allowed)

WLB_END

2024-09-24

Place of birth, immigration and citizenship (IM)

Harmonized content

Overview:

This module collects data on the Place of birth, Landed immigrant status and Year of immigration in Canada.

Very important knowledge of understanding the health of Canadians is obtained by comparing the health of different groups. For example, do recent immigrants to Canada use health care services more or less than people born in Canada? Are people from European ethnic groups more likely to have certain chronic conditions than other groups?

IM_BEG

External Variables required:
DOIM: (Flag to determine if respondent is to enter module. From the sample file.)
THISYEAR: (System date (year))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)

IM_C01

If DOIM = 1, go to IM_Q01A.
Otherwise, go to IM_END.

IM_Q01A
IM_01A

Where ^WERE ^YOU2 born?

ON-SCREEN HELP: Specify place of birth according to present boundaries.

1 Born in Canada (Go to IM_Q01AA)
2 Born outside Canada (Go to IM_Q01AB)
(Don't know, Refusal not allowed)

Context Sensitive Help:

For persons who were born in Canada, please select the option "Born in Canada" and select the province or territory of birth according to present boundaries.

For persons who were born outside Canada, please select the option "Born outside Canada" and report the country of birth according to present boundaries. For example, persons born in the former Union of Soviet Socialist Republics (USSR) should report the specific country or republic that is now a nation-state-Ukraine, Latvia, Russian Federation, etc.

For persons who are not sure of the name of the country because its boundaries have changed since the time of birth, please report the name of the nearest city, state or province.

For adopted persons, if place of birth is unknown, please report the place of birth of their adoptive parents.

IM_E01A

Please answer birthplace question.

Rule:

Trigger soft edit if IM_Q01A ≠ RESPONSE.

IM_Q01AA

Specify the province or territory

2024-09-24

10 Newfoundland and Labrador
11 Prince Edward Island
12 Nova Scotia
13 New Brunswick
24 Quebec
35 Ontario
46 Manitoba
47 Saskatchewan
48 Alberta
59 British Columbia
60 Yukon
61 Northwest Territories
62 Nunavut
(Don't know, Refusal not allowed)

Go to IM_C02

Processing: *In the EQ application, this question shows with the ELEMENT name IM_Q01A1, so please assign the according EX_NAME IM_01A1.*

IM_E01AA

The answer is incomplete. When "Born in Canada" is selected, ensure that the province or territory is specified.

Rule: Trigger soft edit if IM_Q01A = 1 and IM_Q01AA ≠ RESPONSE.

IM_Q01AB

Select the country

ON-SCREEN HELP: To search for a country, type the first few letters to narrow down the choices.
Note: If the country is not listed, select "Other".

1 Search
2 Other - Specify (Go to IM_S01AB)
(Don't know, Refusal not allowed)

Processing: *In the EQ application this question shows with the ELEMENT name IM_Q01A2, so please assign the according EX_NAME IM_01A2.*

Programmer: *Use the IM_Q01A2.xlsx list to display an autocomplete dropdown in the provided order.*

IM_E01AB_1

The answer is incomplete. When "Born outside Canada" is selected, ensure that the country is specified.

Rule: Trigger soft edit if IM_Q01A = 2 and IM_Q01AB ≠ RESPONSE.

IM_S01AB

Specify other country

(80 spaces)

(Don't know, Refusal not allowed)

Processing: *In the EQ application this question shows with the ELEMENT name IM_S01A2.*

2024-09-24

IM_E01AB_2	The answer is incomplete. When "Other" is selected, ensure that the country is specified.
Rule:	Trigger soft edit if IM_Q01A = 2 and IM_Q01AB = 995 and IM_S01AB ≠ RESPONSE.
IM_C02	If IM_Q01A ≠ 2, go to IM_Q05. Otherwise, go to IM_Q02.
IM_Q02 IM_02	In what year did ^YOU2 first come to Canada to live? <u>ON-SCREEN HELP</u>: If exact year is not known, enter best estimate. |_|_|_|_| Year of arrival (MIN: 0) (MAX: 9,999) Integer (Don't know, Refusal not allowed)
Context Sensitive Help:	*For persons who moved to Canada more than once:* *- report the year when the person first arrived in Canada (excluding vacation time spent in Canada).*
IM_E02A	Please answer year of arrival question.
Rule:	Trigger soft edit if IM_Q02 ≠ RESPONSE.
IM_E02B	The year of arrival reported in the question is earlier than the year of birth. Please verify your answer.
Rule:	Trigger soft edit if (IM_Q02 < (THISYEAR-DV_AWC_AGE)).
IM_E02C	Please enter a number between ^DV_THISYEAR121 and ^THISYEAR in question. The year must have four digits.
Rule:	Trigger soft edit if (IM_Q02 < (THISYEAR-121) or IM_Q02 > THISYEAR).
IM_D03	
IM_Q03 IM_03	^ARE_C ^YOU2 now, or ^HAVE ^YOU2 ever been a landed immigrant?

2024-09-24

ON-SCREEN HELP: A 'landed immigrant' (permanent resident) is a person who has been granted the right to live in Canada permanently by immigration authorities.

1 Yes
2 No
(Don't know, Refusal not allowed)

Context Sensitive Help:

For persons who are Canadian citizens by birth, foreign students, foreign workers, or refugee claimants (asylum seekers):
- select "No".

For persons who are Canadian citizens by naturalization or are permanent residents under the Immigration Act (permanent residents have been granted the right to live permanently in Canada by Canadian immigration authorities but have not yet obtained Canadian citizenship):
- select "Yes".

IM_E03

Please answer landed immigrant question.

Rule:

Trigger soft edit if IM_Q03 ≠ RESPONSE.

IM_C04

If IM_Q03 = 1, go to IM_Q04.
Otherwise, go to IM_Q05.

IM_Q04
IM_04

In what year did ^YOU2 first become a landed immigrant?

ON-SCREEN HELP: If exact year is not known, enter best estimate.

|_|_|_|_| Year of immigration
(MIN: 0)
(MAX: 9,999)
Integer

(Don't know, Refusal not allowed)

Context Sensitive Help:

For persons who obtained their landed immigrant (permanent resident) status while living in Canada:
- report the year when landed immigrant (permanent resident) status was obtained.

For persons who immigrated to Canada more than once:
- report the year when landed immigrant (permanent resident) status was first obtained.

IM_E04A

Please provide year of immigration.

Rule:

Trigger soft edit if IM_Q04 ≠ RESPONSE.

IM_E04B

The year of immigration reported in the question is earlier than the year of birth. Please verify your answer.

Rule:

Trigger soft edit if IM_Q04 < (THISYEAR-DV_AWC_AGE).

IM_E04C

An unusual year of immigration has been reported. Please verify your answer.

Rule:

Trigger soft edit if (IM_Q04 < (THISYEAR-121)) or (IM_Q04 > THISYEAR).

2024-09-24

IM_Q05	Of what country ^ARE ^YOU2 a citizen? ^ARE_C ^YOU2 a citizen of: <u>ON-SCREEN HELP</u>: Select all that apply. 1 Canada (Go to IM_Q05AA) 2 Another country (Go to IM_Q05AB) (Don't know, Refusal not allowed)
Context Sensitive Help:	*For persons born in Canada, unless-at the time of their birth-one or both parents were government representatives of another country (for example, in diplomatic service) and neither parent was a Canadian citizen or a landed immigrant (permanent resident): select "Canada" and then specify "By birth". For persons born outside Canada and if, at the time of their birth, at least one parent was a Canadian citizen: select "Canada" and then specify "By birth". For persons who have ever been a landed immigrant (permanent resident) and have been granted Canadian citizenship: select "Canada" and then specify "By naturalization". For persons who were born outside Canada and have not become Canadian citizens: select "Another country" and then specify the name of the country or countries for which they hold citizenship. For persons who are dual citizens of Canada and another country: select "Canada", then specify either "By birth" or "By naturalization" AND select "Another country", then specify the name of the other country or countries for which they hold citizenship. For persons who hold more than one country of citizenship outside Canada: select "Another country", then select "Other " and report the name of each country of citizenship.*
IM_E05	Please answer the citizenship question.
Rule:	Trigger soft edit if IM_Q05A ≠ RESPONSE and IM_Q05B ≠ REPONSE.
IM_Q05AA	Is it: 1 By birth 2 By naturalization Help text: i.e., the process by which an immigrant is granted citizenship of Canada, under the Citizenship Act. (Don't know, Refusal not allowed) Go to IM_END
Processing:	*In the EQ application this question shows with the ELEMENT name IM_Q05A1, so please assign the according EX_NAME IM_05A1.*
IM_E05AA	The answer to this question is incomplete. When "Canada" is selected, ensure that "By birth" or "By naturalization" is specified.
Rule:	Trigger soft edit if IM_Q05A = 1 and IM_Q05AA ≠ RESPONSE.
IM_Q05AB	Select the country

2024-09-24

ON-SCREEN HELP: To search for a country, type the first few letters to narrow down the choices.
Note: If the country is not listed, select "Other".

1 Search
2 Other - Specify
(Don't know, Refusal not allowed)

Processing: *In the EQ application this question shows with the ELEMENT name IM_Q05B2, so please assign the according EX_NAME IM_05B2.*

Programmer: *Programmer note: Use the IM_Q01A2.xlsx list to display an autocomplete dropdown in the provided order.*

IM_E05AB_1 The answer to this question is incomplete. When "Another country" is selected, ensure that the country is specified.

Rule: Trigger soft edit if IM_Q05B = 2 and IM_Q05AB ≠ RESPONSE.

IM_S05AB Specify other country

(80 spaces)

(Don't know, Refusal not allowed)

Processing: *In the EQ application this question shows with the ELEMENT name IM_S05B2.*

IM_E05AB_2 The answer to this question is incomplete. When "Other" is selected, ensure that the country is specified.

Rule: Trigger soft edit if IM_Q05B = 2 and IM_Q05AB = 995 and IM_S05AB ≠ RESPONSE.

IM_END

2024-09-24

Indigenous identity (ABM)

Harmonized content

Overview:

Comparing the health of different groups provides very important information for understanding the health of Canadians.

In this module, important social and demographic information is collected regarding aboriginal status.

ABM_BEG

External Variables required:
DOABM: (Flag to determine if respondent is to enter module (from sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
FNAME: (First name of selected respondent.)

ABM_C01

If DOABM = 1, go to ABM_D01.
Otherwise, go to ABM_END.

ABM_D01

ABM_Q01

^ARE_C ^YOU2 First Nations, Métis or Inuk (Inuit)?

ON-SCREEN HELP: First Nations (North American Indian) includes Status and Non-Status Indians.
If "Yes", select the responses that best describes this person now.

Select all that apply.

1 No, not First Nations, Métis or Inuk (Inuit)
2 Yes, First Nations (North American Indian)
3 Yes, Métis
4 Yes, Inuk (Inuit)
(Don't know, Refusal not allowed)

Context Sensitive Help:

Answer this question regardless of whether or not this person is First Nations, Métis or Inuk (Inuit).

Select "Yes, First Nations (North American Indian)", and/or "Yes, Métis", and/or "Yes, Inuk (Inuit)" for persons who meet the following two conditions:
• have ancestors who resided in North America prior to European contact
• identify with one or more of the three Indigenous groups listed on the questionnaire: First Nations (North American Indian), Métis or Inuk (Inuit).

Select "No, not First Nations, Métis or Inuk (Inuit)" for persons who:
• consider themselves to be East Indian or Asian Indian
• have ethnic roots on the subcontinent of India
• refer to themselves as Métis in the context of mixed ancestry, but who do not have North American Indigenous ancestry (for example, those from Africa, the Caribbean and South America).

This question provides information used by governments, including First Nations, Métis and Inuit governments and organizations, to develop programs and services for First Nations people, Métis and Inuit

ABM_E01_1

Please answer the aboriginal identity question.

2024-09-24

Rule:	Trigger soft edit if (ABM_Q01 ≠ 1 and ABM_Q01 ≠ 2 and ABM_Q01 ≠ 3 and ABM_Q01 ≠ 4).
ABM_E01_2	The "No, not First Nations, Métis or Inuk (Inuit)" category cannot be selected with another category.
Rule:	Trigger hard edit if ABM_Q01 = 1 and (ABM_Q01 = 2 or ABM_Q01 = 3 or ABM_Q01 = 4).
ABM_END	

2024-09-24

Population group (PG)

	Harmonized content
Overview:	Surveys with a preceding Aboriginal question block will skip the Population Group question if the respondent answered "Yes" to being an Aboriginal person.
PG_BEG	External Variables required: DOPG: (Flag to determine if respondent is to enter module (from sample file)) ABM_Q01A: (^ARE_C ^YOU2 First Nations, Métis or Inuk (Inuit)?) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
PG_C05	If DOPG = 1 and ABM_Q01A = 1, go to PG_R05. Otherwise, go to PG_END.
PG_R05	The following question collects information in accordance with the Employment Equity Act and its Regulations and Guidelines to support programs that promote equal opportunity for everyone to share in the social, cultural, and economic life of Canada.
PG_Q05	^ARE_C ^YOU1?

2024-09-24

ON-SCREEN HELP: Select all that apply.

01 White
02 South Asian
Help text: e.g., East Indian, Pakistani, Sri Lankan
03 Chinese
04 Black
05 Filipino
06 Arab
07 Latin American
08 Southeast Asian
Help text: e.g. Vietnamese, Cambodian, Laotian, Thai
09 West Asian
Help text: e.g., Iranian, Afghan
10 Korean
11 Japanese
12 Other — specify: (Go to PG_S05)
(Don't know, Refusal not allowed)

Go to PG_END

Context Sensitive Help:

Select or specify more than one answer, if applicable, from the list provided.

Population group should not be confused with citizenship or nationality. Examples of population groups include White, South Asian, Chinese, Black, Filipino, Latin American, Arab, Southeast Asian, West Asian, Korean and Japanese.

Included in the South Asian population group are East Indian, Pakistani, Sri Lankan, etc.

Included in the Southeast Asian population group are Vietnamese, Cambodian, Laotian, Thai, etc.

Included in the West Asian population group are Iranian, Afghan, etc.

For persons who belong to more than one population group:
- select all categories that apply
- do not report "bi-racial" or "mixed" in the "Other - specify" box provided.

PG_S05

Specify other

ON-SCREEN HELP: Specify.

(80 spaces)

(Don't know, Refusal not allowed)

PG_E05_1

Please answer the sociodemographic characteristics question.

Rule:

Trigger soft edit if PG_Q05 ≠ 1 and PG_Q05 ≠ 2 and PG_Q05 ≠ 3 and PG_Q05 ≠ 4 and PG_Q05 ≠ 5 and PG_Q05 ≠ 6 and PG_Q05 ≠ 7 and PG_Q05 ≠ 8 and PG_Q05 ≠ 9 and PG_Q05 ≠ 10 and PG_Q05 ≠ 11 and PG_Q05 ≠ 12.

PG_E05_2

"Other" was selected, please specify a response.

2024-09-24

Rule: Trigger soft edit if PG_Q05 = 12 and PG_S05 ≠ RESPONSE.

PG_END

2024-09-24

Language (LAN)

Harmonized content

Overview:

This module is about knowledge of the Official Languages, English and French. Respondents are asked the language most often spoken at home and their Mother tongue.

LAN_BEG

External Variables required:
DOLAN: (Flag to determine if respondent is to enter module (from sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
FNAME: (First name of specific respondent)

LAN_C01

If DOLAN = 1, go to LAN_Q01.
Otherwise, go to LAN_END.

LAN_D01

LAN_Q01
LAN_01

Can ^YOU2 speak English or French well enough to conduct a conversation?

1 English only
2 French only
3 Both English and French
4 Neither English nor French
(Don't know, Refusal not allowed)

Context Sensitive Help:

Select "English only" or "French only", or "Both English and French", only if the person can carry on a conversation of some length on various topics in one or both of these languages.

For people who are deaf or for people who have a speech disability, report knowledge of English, French, both, or neither, by selecting the appropriate option.

LAN_E01_1

Please answer the spoken language question.

Rule:

Trigger soft edit if LAN_Q01 ≠ RESPONSE.

LAN_Q02

What language ^DOVERB ^YOU2 speak most often at home?

<u>ON-SCREEN HELP</u>: Select all that apply.

1 English
2 French
3 Other (Go to LAN_S02)
(Don't know, Refusal not allowed)

Go to LAN_D04

LAN_S02

Specify other language

2024-09-24

ON-SCREEN HELP: Specify.

(80 spaces)

(Don't know, Refusal not allowed)

LAN_E02_1 — Please answer the language most often spoken at home question.

Rule: Trigger soft edit if LAN_Q02 ≠ 1 and LAN_Q02 ≠ 2 and LAN_Q02 ≠ 3 and LAN_S02 ≠ RESPONSE.

LAN_E02_2 — Please ensure that a response is entered in the "Specify other language" field.

Rule: Trigger soft edit if LAN_Q02 = 3 and LAN_S02 ≠ RESPONSE.

LAN_D04

LAN_Q04 — What is the language that ^YOU2 first learned at home in childhood and still understand^S?

ON-SCREEN HELP: If ^YOU2 no longer understand^S the first language learned, indicate the second language learned.

Select all that apply.

1 English
2 French
3 Other (Go to LAN_S04)
(Don't know, Refusal not allowed)

Go to LAN_END

Context Sensitive Help:

For a person who learned two or more languages at the same time in early childhood, report the language this person spoke most often at home before starting school.

Report two or more languages only if those languages were used equally often and are still understood by this person.

For a child who has not yet learned to speak, report the language spoken most often to this child at home.

For people who are deaf or for people who have a speech disability, report knowledge of English or French as applicable, by marking the appropriate option. Other languages, including sign language, should be entered in the type-in box labeled "Specify other language".

When reporting other languages, be specific. For example, people who report Chinese should instead report the specific Chinese language: Cantonese, Mandarin, Cheochow, Fukien, Hakka, Shanghainese, Taiwanese, etc.

LAN_S04 — Précisez autre langue

2024-09-24

	ON-SCREEN HELP: Specify.
	(80 spaces)
	(Don't know, Refusal not allowed)
LAN_E04A_1	Please answer the language first learned at home question.
Rule:	Trigger soft edit if (LAN_Q04 ≠ 1 and LAN_Q04 ≠ 2 and LAN_Q04 ≠ 3 and LAN_S04 ≠ RESPONSE).
LAN_E04C_1	The answer is incomplete. Please ensure that a response is entered in the "Specify other language" field.
Rule:	Trigger soft edit if (LAN_Q04 = 3 and LAN_S04 ≠ RESPONSE).
LAN_END	

2024-09-24

Sexual orientation (SOR)

Harmonized content

Overview:

Comparing the health of different groups provides very important information for understanding the health of Canadians.

In this module, respondent sexual orientation is collected as it is important social and demographic information.

SOR_BEG

External Variables required:
DOSOR: (Flag to determine if respondent is to enter module (from sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
DV_AWC_AGE: (Age of selected respondent)

SOR_C01

If DOSOR = 1 and (PROXYSEX = 1 or PROXYSEX = 2) and DV_AWC_AGE >= 15, go to SOR_Q01.
Otherwise, go to SOR_END.

SOR_Q01
SOR_01

What is your sexual orientation?

1 Heterosexual
2 Lesbian or gay
3 Bisexual
4 Or please specify
(Don't know, Refusal not allowed)

Context Sensitive Help:

The need to collect data on sexual orientation stems from issues related to human rights, including experiences of discrimination and victimization.

The Canadian Human Rights Act stipulates that the prohibited grounds of discrimination are race, national or ethnic origin, colour, religion, age, sex, sexual orientation, gender identity or expression, marital status, family status, genetic characteristics, disability and conviction for an offence for which a pardon has been granted or in respect of which a record suspension has been ordered.

SOR_S01

Specify your sexual orientation

_____
(80 spaces)

(Don't know, Refusal not allowed)

SOR_END

2024-09-24

Home care services (HMC)

	Core content
Overview:	This module asks respondents aged 18 and over if they received any home care services, such as nursing care, meal preparation, help with bathing or housework and palliative care, either for themselves or for someone else in their household. Respondents are also asked about the length of services, cost and payment, level of satisfaction with care, unmet care needs, reasons for not getting the services, and where they tried to obtain services. Home care is considered to be an important part of health care reform. Both the health care system and the patient may benefit if some types of care are provided in the home instead of in a hospital or institution. This module can be used to identify which groups are receiving home care and which are not. The health status of these groups and how they use other health services can be compared. This can help researchers understand whether home care is working as planned.
HMC_BEG	External Variables required: DOHMC: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent)
HMC_C001	If (DOHMC ≠ 1), go to HMC_END. Otherwise, go to HMC_C005.
HMC_C005	If (DV_AWC_AGE >= 18), go to HMC_R005. Otherwise, go to HMC_END.
HMC_R005	Now some questions on home care services that ^YOU2 or anyone in the household may have received because of a health condition or a limitation in daily activities.
HMC_Q005	In the **past 12 months**, what type of home care services have been received?

2024-09-24

ON-SCREEN HELP: **Include** services provided at home such as nursing care, meal preparation, someone to help with bathing or housework, etc.

Exclude post-partum care, help from family, friends or neighbours.

Select all that apply.

1 Nursing care
Help text: e.g., dressing changes, preparing medications, V.O.N. visits
2 Other health care services
Help text: e.g., physiotherapy, occupational or speech therapy, nutrition counselling
3 Medical equipment or supplies
Help text: e.g., wheelchair, pads for incontinence, help with using a ventilator or oxygen equipment
4 Personal or home support
Help text: e.g., bathing, housekeeping, meal preparation
5 Palliative or end-of-life care
6 Other services
Help text: e.g., transportation, meals-on-wheels
7 No one in the household received any home care services (Go to HMC_Q040)
(Don't know, Refusal not allowed)

HMC_E005

The "No one in the household received any home care services" category cannot be selected with another category.

Rule:

Trigger hard edit if (HMC_Q005 = 7) and (HMC_Q005 = 1 or HMC_Q005 = 2 or HMC_Q005 = 3 or HMC_Q005 = 4 or HMC_Q005 = 5 or HMC_Q005 = 6).

HMC_C010

If (HMC_Q005 ≠ RESPONSE), go to HMC_END.
Otherwise, go to HMC_C010A.

HMC_C010A

If HMC_Q005 = 1, go to HMC_Q010A.
Otherwise, go to HMC_C010B.

HMC_Q010A
HMC_010A

Who received these home care services?
Nursing care

2024-09-24

	ON-SCREEN HELP: e.g., dressing changes, preparing medications, V.O.N. visits 1 ^YOU2_C 2 Another member of the household 3 ^YOU2_C and another member of the household (Don't know, Refusal not allowed)
HMC_C010B	If HMC_Q005 = 2, go to HMC_Q010B. Otherwise, go to HMC_C010C.
HMC_Q010B HMC_010B	Who received these home care services? Other health care services ON-SCREEN HELP: e.g., physiotherapy, occupational or speech therapy, nutrition counselling 1 ^YOU2_C 2 Another member of the household 3 ^YOU2_C and another member of the household (Don't know, Refusal not allowed)
HMC_C010C	If HMC_Q005 = 3, go to HMC_Q010C. Otherwise, go to HMC_C010D.
HMC_Q010C HMC_010C	Who received these home care services? Medical equipment or supplies ON-SCREEN HELP: e.g., wheelchair, pads for incontinence, help with using a ventilator or oxygen equipment 1 ^YOU2_C 2 Another member of the household 3 ^YOU2_C and another member of the household (Don't know, Refusal not allowed)
HMC_C010D	If HMC_Q005 = 4, go to HMC_Q010D. Otherwise, go to HMC_C010E.
HMC_Q010D HMC_010D	Who received these home care services? Personal or home support

2024-09-24

	ON-SCREEN HELP: e.g., bathing, housekeeping, meal preparation 1 ^YOU2_C 2 Another member of the household 3 ^YOU2_C and another member of the household (Don't know, Refusal not allowed)
HMC_C010E	If HMC_Q005 = 5, go to HMC_Q010E. Otherwise, go to HMC_C010F.
HMC_Q010E HMC_010E	Who received these home care services? Palliative or end-of-life care 1 ^YOU2_C 2 Another member of the household 3 ^YOU2_C and another member of the household (Don't know, Refusal not allowed)
HMC_C010F	If HMC_Q005 = 6, go to HMC_Q010F. Otherwise, go to HMC_C015A.
HMC_Q010F HMC_010F	Who received these home care services? Other services ON-SCREEN HELP: e.g., transportation, meals-on-wheels 1 ^YOU2_C 2 Another member of the household 3 ^YOU2_C and another member of the household (Don't know, Refusal not allowed)
HMC_C015A	If HMC_Q005 = 1, go to HMC_Q015A. Otherwise, go to HMC_C015B.
HMC_Q015A HMC_015A	How long were home care services received? Nursing care

2024-09-24

ON-SCREEN HELP: e.g., dressing changes, preparing medications, V.O.N. visits

If more than one household member is receiving a service, choose the longest period of time for which the service was provided.

1 Less than 1 month
2 1 month to less than 3 months
3 3 months to less than 6 months
4 6 months to less than 1 year
5 1 year to 3 years
6 More than 3 years
(Don't know, Refusal not allowed)

HMC_C015B

If HMC_Q005 = 2, go to HMC_Q015B.
Otherwise, go to HMC_C015C.

HMC_Q015B
HMC_015B

How long were home care services received?
Other health care services

ON-SCREEN HELP: e.g., physiotherapy, occupational or speech therapy, nutrition counselling.

If more than one household member is receiving a service, choose the longest period of time for which the service was provided.

1 Less than 1 month
2 1 month to less than 3 months
3 3 months to less than 6 months
4 6 months to less than 1 year
5 1 year to 3 years
6 More than 3 years
(Don't know, Refusal not allowed)

HMC_C015C

If HMC_Q005 = 3, go to HMC_Q015C.
Otherwise, go to HMC_C015D.

HMC_Q015C
HMC_015C

How long were home care services received?
Medical equipment or supplies

2024-09-24

ON-SCREEN HELP: e.g., wheelchair, pads for incontinence, help with using a ventilator or oxygen equipment.

If more than one household member is receiving a service, choose the longest period of time for which the service was provided.

1 Less than 1 month
2 1 month to less than 3 months
3 3 months to less than 6 months
4 6 months to less than 1 year
5 1 year to 3 years
6 More than 3 years
(Don't know, Refusal not allowed)

HMC_C015D

If HMC_Q005 = 4, go to HMC_Q015D.
Otherwise, go to HMC_C015E.

HMC_Q015D
HMC_015D

How long were home care services received?
Personal or home support

ON-SCREEN HELP: e.g., bathing, housekeeping, meal preparation.

If more than one household member is receiving a service, choose the longest period of time for which the service was provided.

1 Less than 1 month
2 1 month to less than 3 months
3 3 months to less than 6 months
4 6 months to less than 1 year
5 1 year to 3 years
6 More than 3 years
(Don't know, Refusal not allowed)

HMC_C015E

If HMC_Q005 = 5, go to HMC_Q015E.
Otherwise, go to HMC_C015F.

HMC_Q015E
HMC_015E

How long were home care services received?
Palliative or end-of-life care

2024-09-24

ON-SCREEN HELP: If more than one household member is receiving a service, choose the longest period of time for which the service was provided.

1 Less than 1 month
2 1 month to less than 3 months
3 3 months to less than 6 months
4 6 months to less than 1 year
5 1 year to 3 years
6 More than 3 years
(Don't know, Refusal not allowed)

HMC_C015F

If HMC_Q005 = 6, go to HMC_Q015F.
Otherwise, go to HMC_C020A.

HMC_Q015F
HMC_015F

How long were home care services received?
Other services

ON-SCREEN HELP: e.g., transportation, meals-on-wheels.

If more than one household member is receiving a service, choose the longest period of time for which the service was provided.

1 Less than 1 month
2 1 month to less than 3 months
3 3 months to less than 6 months
4 6 months to less than 1 year
5 1 year to 3 years
6 More than 3 years
(Don't know, Refusal not allowed)

HMC_C020A

If HMC_Q005 = 1, go to HMC_Q020A.
Otherwise, go to HMC_C020B.

HMC_Q020A
HMC_020A

In a typical month over the past 12 months, how much was paid for home care services?
Nursing care

2024-09-24

ON-SCREEN HELP: e.g., dressing changes, preparing medications, V.O.N. visits.

If more than one household member is receiving a service, choose the highest cost paid for the service.

01 $0
02 $1 to less than $50
03 $50 to less than $100
04 $100 to less than $200
05 $200 to less than $300
06 $300 to less than $400
07 $400 to less than $1,000
08 $1,000 and more
(Don't know, Refusal not allowed)

HMC_C020B

If HMC_Q005 = 2, go to HMC_Q020B.
Otherwise, go to HMC_C020C.

HMC_Q020B
HMC_020B

In a typical month over the past 12 months, how much was paid for home care services?
Other health care services

ON-SCREEN HELP: e.g., physiotherapy, occupational or speech therapy, nutrition counselling.

If more than one household member is receiving a service, choose the highest cost paid for the service.

01 $0
02 $1 to less than $50
03 $50 to less than $100
04 $100 to less than $200
05 $200 to less than $300
06 $300 to less than $400
07 $400 to less than $1,000
08 $1,000 and more
(Don't know, Refusal not allowed)

HMC_C020C

If HMC_Q005 = 3, go to HMC_Q020C.
Otherwise, go to HMC_C020D.

HMC_Q020C
HMC_020C

In a typical month over the past 12 months, how much was paid for home care services?
Medical equipment or supplies

2024-09-24

ON-SCREEN HELP: e.g., wheelchair, pads for incontinence, help with using a ventilator or oxygen equipment.

If more than one household member is receiving a service, choose the highest cost paid for the service.

01 $0
02 $1 to less than $50
03 $50 to less than $100
04 $100 to less than $200
05 $200 to less than $300
06 $300 to less than $400
07 $400 to less than $1,000
08 $1,000 and more
(Don't know, Refusal not allowed)

HMC_C020D

If HMC_Q005 = 4, go to HMC_Q020D.
Otherwise, go to HMC_C020E.

HMC_Q020D
HMC_020D

In a typical month over the past 12 months, how much was paid for home care services?
Personal or home support

ON-SCREEN HELP: e.g., bathing, housekeeping, meal preparation.

If more than one household member is receiving a service, choose the highest cost paid for the service.

01 $0
02 $1 to less than $50
03 $50 to less than $100
04 $100 to less than $200
05 $200 to less than $300
06 $300 to less than $400
07 $400 to less than $1,000
08 $1,000 and more
(Don't know, Refusal not allowed)

HMC_C020E

If HMC_Q005 = 5, go to HMC_Q020E.
Otherwise, go to HMC_C020F.

HMC_Q020E
HMC_020E

In a typical month over the past 12 months, how much was paid for home care services?
Palliative or end-of-life care

2024-09-24

ON-SCREEN HELP: If more than one household member is receiving a service, choose the highest cost paid for the service.

01 $0
02 $1 to less than $50
03 $50 to less than $100
04 $100 to less than $200
05 $200 to less than $300
06 $300 to less than $400
07 $400 to less than $1,000
08 $1,000 and more
(Don't know, Refusal not allowed)

HMC_C020F

If HMC_Q005 = 6, go to HMC_Q020F.
Otherwise, go to HMC_Q025.

HMC_Q020F
HMC_020F

In a typical month over the past 12 months, how much was paid for home care services?
Other services

ON-SCREEN HELP: e.g., transportation, meals-on-wheels.
If more than one household member is receiving a service, choose the highest cost paid for the service.

01 $0
02 $1 to less than $50
03 $50 to less than $100
04 $100 to less than $200
05 $200 to less than $300
06 $300 to less than $400
07 $400 to less than $1,000
08 $1,000 and more
(Don't know, Refusal not allowed)

HMC_Q025

Who paid for these services?

ON-SCREEN HELP: Select all that apply.

1 Out of ^YOUR1 own pocket
2 Family or friend living in the same household
3 Someone living outside the household
Help text: e.g., family, friends, volunteer organization
4 Insurance
5 Government
6 Other
(Don't know, Refusal not allowed)

HMC_Q030
HMC_030

Overall, what was the level of satisfaction for the home care services received?

2024-09-24

1 Very satisfied
2 Somewhat satisfied
3 Neither satisfied nor dissatisfied
4 Somewhat dissatisfied
5 Very dissatisfied
(Don't know, Refusal not allowed)

HMC_C035

If (HMC_Q030 = 4 or HMC_Q030 = 5), go to HMC_Q035.
Otherwise, go to HMC_Q037.

HMC_Q035

What are the reasons for the dissatisfaction?

ON-SCREEN HELP: Select all that apply.

1 Poor quality
Help text: i.e., concerns about provider competence, reliability of services, etc.
2 Services did not address perceived needs
3 Services provided were insufficient
4 Long wait times to receive services
5 Other reason
(Don't know, Refusal not allowed)

HMC_Q037
HMC_037

Thinking of the home care services received in the past 12 months, how helpful were they in allowing the person or persons receiving these services to stay at home?

ON-SCREEN HELP: By "stay at home" we mean that it enabled the person to stay out of a hospital, nursing home, hospice, or assisted living facility.

1 Very helpful
2 Somewhat helpful
3 Not helpful
4 Reason for homecare was unrelated to staying at home
Help text: e.g., wound care
(Don't know, Refusal not allowed)

HMC_C038

If (HMC_Q037 = 2 or HMC_Q037 = 3), go to HMC_Q038.
Otherwise, go to HMC_Q040.

HMC_Q038

Why weren't the home care services helpful in allowing the person or persons receiving these services to stay at home?

2024-09-24

ON-SCREEN HELP: Select all that apply.

1 Poor quality
Help text: i.e., concerns about provider competence, reliability of services, etc.
2 Services did not address perceived needs
3 Services provided were insufficient
Help text: e.g., coverage, frequency, etc.
4 Long wait times to receive services
5 Cost of services was too high
6 Other reason
(Don't know, Refusal not allowed)

HMC_Q040
HMC_040

During the past 12 months, was there ever a time when ^YOU2 or anyone in the household felt that home care services were needed but were not received?

1 Yes
2 No
(Don't know, Refusal not allowed)

HMC_C045

If (HMC_Q040 ≠ 1), go to HMC_END.
Otherwise, go to HMC_Q045.

HMC_Q045
HMC_045

Were these home care services needed for ^YOURSELF or someone else living in the household?

1 ^YOU2_C only
2 Other household member
3 ^YOU2_C and other household member
(Don't know, Refusal not allowed)

HMC_C050A

If HMC_Q045 ≠ RESPONSE, go to HMC_END.
Otherwise, go to HMC_C050B.

HMC_C050B

If (HMC_Q045 = 1 or HMC_Q045 = 2), go to HMC_Q050.
Otherwise, go to HMC_R050.

HMC_R050

For the following questions, please only report for the home care services ^YOU2 personally needed.

HMC_Q050

Thinking of the most recent time, what type of home care was needed?

2024-09-24

ON-SCREEN HELP: Select all that apply.

1 Nursing care
Help text: e.g., dressing changes, preparing medications, V.O.N. visits
2 Other health care services
Help text: e.g., physiotherapy, occupational or speech therapy, nutrition counselling
3 Medical equipment or supplies
Help text: e.g., wheelchair, pads for incontinence, help with using a ventilator or oxygen equipment
4 Personal or home support
Help text: e.g., bathing, housekeeping, meal preparation
5 Palliative or end-of-life care
6 Other services
Help text: e.g., transportation, meals-on-wheels
(Don't know, Refusal not allowed)

HMC_Q055

Again, thinking of the most recent time, why didn't ^YOU2 or another member of the household get these services?

ON-SCREEN HELP: Select all that apply.

01 Not available in the area
02 Not available at time required
Help text: e.g., inconvenient hours
03 Waiting time too long
04 Cost
05 Didn't get around to it or didn't bother
06 Didn't know where to go or call
07 Language barrier
08 Decided not to seek services
09 Doctor did not think it was necessary
10 Not eligible for home care
11 Still waiting for home care
12 Other
(Don't know, Refusal not allowed)

HMC_Q060

Where did ^YOU2 or another member of the household try to get these home care services?

2024-09-24

ON-SCREEN HELP: Select all that apply.

1 A government Home Care Program
Help text: e.g., CLSC in Quebec, CCAC in Ontario, Extra-Mural Program in New Brunswick
2 A private agency
3 A family member, friend or neighbour
4 A volunteer organization
5 Nowhere - did not try to get service
6 Other
(Don't know, Refusal not allowed)

HMC_END

2024-09-24

Food security (FSC)

Core content

Overview:

This module asks respondents if anyone in the household has experienced any issues associated with food security in the previous 12 months, (the ability to afford the purchase of sufficient nutritious food), with specific questions about the actions and needs of the adults who are responsible for children.

Even in households that appear to have high incomes, budget constraints may make it difficult to purchase nutritious foods. Food security questions will be asked of all respondents regardless of income.

Note: This module should be answered by a knowledgeable member of the household. Persons 18 and older are considered adults. Youths aged 16 and 17 living with a relative are considered children, all others are considered adults.

FSC_BEG

External Variables required:
DOFSC: (Flag to determine if respondent is to enter module (from sample file))
DV_AWC_AGE: (Age of selected respondent)
DV_AWC_AGE_S1: (Age with confirmation for all members of the household)
DV_HHSIZE: (Household size (number of active people listed in the roster))
DV_OLDERKIDS: (Number of persons aged 16 or 17 living in a household where there is at least one adult)
DV_ADULTS: (Number of persons in the household aged 18 or older)
DV_YOUNGADULTS: (Number of persons aged 16 or 17 living in a household where nobody is aged 18 or older)
DV_YOUNGKIDS: (Number of persons in the household aged 0 to 15 years)
PMK: (Person most knowledgeable.)
THISMONTH: (System date (month))

FSC_D01

If (DV_AWC_AGE_S1 = 16 or DV_AWC_AGE_S1 = 17), DV_COMPLEXAGE = 1.
Otherwise, DV_COMPLEXAGE = 0.

FSC_D02A

If (DV_HHSIZE = 1 and DV_AWC_AGE < 18), DV_ADULTS = 0.
If (DV_HHSIZE = 1 and DV_AWC_AGE > 17), DV_ADULTS = 1.
Else if (DV_HHSIZE ≠ 1), DV_ADULTS = (Count(RosterDriver1, DV_AWC_AGE_S1 >= 18 && CCHS_Flag1 == 1)).

FSC_D02B

If (DV_HHSIZE = 1 and DV_AWC_AGE < 18), DV_YOUNGADULTS = 1.
If (DV_HHSIZE = 1 and DV_AWC_AGE > 17), DV_YOUNGADULTS = 0.
Else if (DV_ADULTS >= 1), DV_YOUNGADULTS = 0.
Otherwise, DV_YOUNGADULTS = (Count(RosterDriver1, DV_COMPLEXAGE == 1 && CCHS_Flag1 == 1)).

FSC_D02C

If (DV_HHSIZE = 1 and DV_AWC_AGE < 18), DV_YOUNGKIDS = 0.

2024-09-24

	If (DV_HHSIZE = 1 and DV_AWC_AGE > 17), DV_YOUNGKIDS = 0. Else if (DV_HHSIZE ≠ 1), DV_YOUNGKIDS = (Count(RosterDriver1, DV_AWC_AGE_S1 <= 15 && CCHS_Flag1 == 1)).

FSC_D02D	If (DV_HHSIZE = 1 and DV_AWC_AGE < 18), DV_OLDERKIDS = 0.
	If (DV_HHSIZE = 1 and DV_AWC_AGE > 17), DV_OLDERKIDS = 0.
	Else if (DV_ADULTS >= 1), DV_OLDERKIDS = (Count(RosterDriver1, DV_COMPLEXAGE == 1 && CCHS_Flag1 == 1)).
	Otherwise, DV_OLDERKIDS = 0.

FSC_D03A	If (DV_HHSIZE == 1), DT_YOUANDOTHERS_E = 'you' Otherwise, DT_YOUANDOTHERS_E = 'you and other household members'
FSC_D03B	If (DV_HHSIZE == 1), DT_YOUANDOTHERS_C_E = 'You' Otherwise, DT_YOUANDOTHERS_C_E = 'You and other household members'
FSC_D04A	If (DV_ADULTS == 1 and DV_YOUNGADULTS == 0) or (DV_ADULTS == 0 and DV_YOUNGADULTS == 1), DT_YOUOTHERADULTS_E = 'you' Otherwise, DT_YOUOTHERADULTS_E = 'you or other adults in your household'
FSC_D04B	If (DV_ADULTS == 1 and DV_YOUNGADULTS == 0) or (DV_ADULTS == 0 and DV_YOUNGADULTS == 1), DT_YOUOTHERADULTS_C_E = 'You' Otherwise, DT_YOUOTHERADULTS_C_E = 'You or other adults in your household'
FSC_D05A	If (DV_OLDERKIDS == 1 and DV_YOUNGKIDS == 0) or (DV_OLDERKIDS == 0 and DV_YOUNGKIDS == 1), DT_ANYCHILD_E = 'your child' Otherwise, DT_ANYCHILD_E = 'any of the children'
FSC_D05B	If (DV_OLDERKIDS == 1 and DV_YOUNGKIDS == 0) or (DV_OLDERKIDS == 0 and DV_YOUNGKIDS == 1), DT_ANYCHILDS_E = 'your child's' Otherwise, DT_ANYCHILDS_E = 'any of the children's'
FSC_D05C	
FSC_D05D	If (DV_OLDERKIDS == 1 and DV_YOUNGKIDS == 0) or (DV_OLDERKIDS == 0 and DV_YOUNGKIDS == 1), DT_CHILDNAME_E = 'your child' Otherwise, DT_CHILDNAME_E = 'the children'
FSC_D05E	If (DV_OLDERKIDS == 1 and DV_YOUNGKIDS == 0) or (DV_OLDERKIDS == 0 and DV_YOUNGKIDS == 1), DT_CHILDWAS_E = 'Your child was' Otherwise, DT_CHILDWAS_E = 'The children were'
FSC_D05F	If (DV_OLDERKIDS == 1 and DV_YOUNGKIDS == 0) or (DV_OLDERKIDS == 0 and DV_YOUNGKIDS == 1), DT_WASANYCHILD_E = 'was your child' Otherwise, DT_WASANYCHILD_E = 'were any of the children'
FSC_C10	If (DOFSC ≠ 1) or (DV_AWC_AGE < 18 and PMK ≠ 1), go to FSC_END. Otherwise, go to FSC_R10.
FSC_R10	The following statements may describe the food situation for your household in the **past 12 months**. Please indicate if the statement was often true, sometimes true or never true for ^DT_YOUANDOTHERS_E in the **past 12 months**.

2024-09-24

FSC_Q10 FSC_10	^DT_YOUANDOTHERS_C_E worried that food would run out before you got money to buy more 1 Often true 2 Sometimes true 3 Never true (Don't know, Refusal not allowed)
FSC_Q15 FSC_15	The food that ^DT_YOUANDOTHERS_E bought just didn't last and there wasn't any money to get more 1 Often true 2 Sometimes true 3 Never true (Don't know, Refusal not allowed)
FSC_Q20 FSC_20	^DT_YOUANDOTHERS_C_E couldn't afford to eat balanced meals 1 Often true 2 Sometimes true 3 Never true (Don't know, Refusal not allowed)
FSC_C25	If (DV_OLDERKIDS > 0 or DV_YOUNGKIDS > 0), go to FSC_Q25. Otherwise, go to FSC_C35.
FSC_Q25 FSC_25	^DT_YOUOTHERADULTS_C_E relied on only a few kinds of low-cost food to feed ^DT_CHILDNAME_E because you were running out of money to buy food 1 Often true 2 Sometimes true 3 Never true (Don't know, Refusal not allowed)
FSC_Q30 FSC_30	^DT_YOUOTHERADULTS_C_E couldn't feed ^DT_CHILDNAME_E a balanced meal because you couldn't afford it 1 Often true 2 Sometimes true 3 Never true (Don't know, Refusal not allowed)
FSC_C35	If ((FSC_Q10 = 1 or FSC_Q10 = 2 or FSC_Q15 = 1 or FSC_Q15 = 2 or FSC_Q20 = 1 or FSC_Q20 = 2 or FSC_Q25 = 1 or FSC_Q25 = 2 or FSC_Q30 = 1 or FSC_Q30 = 2) and (DV_OLDERKIDS > 0 or DV_YOUNGKIDS > 0)), go to FSC_Q35. Otherwise, go to FSC_C40.
FSC_Q35 FSC_35	^DT_CHILDWAS_E not eating enough because ^DT_YOUOTHERADULTS_E just couldn't afford enough food?

2024-09-24

1 Often true
2 Sometimes true
3 Never true
(Don't know, Refusal not allowed)

FSC_C40

If (FSC_Q10 = 1 or FSC_Q10 = 2 or FSC_Q15 = 1 or FSC_Q15 = 2 or FSC_Q20 = 1 or FSC_Q20 = 2 or FSC_Q25 = 1 or FSC_Q25 = 2 or FSC_Q30 = 1 or FSC_Q30 = 2), go to FSC_D40A.
Otherwise, go to FSC_END.

FSC_D40A

DV_SYSTEMMONTH = THISMONTH.

FSC_D40B

If DV_SYSTEMMONTH == 1, DT_THISMONTHE = 'January'
If DV_SYSTEMMONTH == 2, DT_THISMONTHE = 'February'
If DV_SYSTEMMONTH == 3, DT_THISMONTHE = 'March'
If DV_SYSTEMMONTH == 4, DT_THISMONTHE = 'April'
If DV_SYSTEMMONTH == 5, DT_THISMONTHE = 'May'
If DV_SYSTEMMONTH == 6, DT_THISMONTHE = 'June'
If DV_SYSTEMMONTH == 7, DT_THISMONTHE = 'July'
If DV_SYSTEMMONTH == 8, DT_THISMONTHE = 'August'
If DV_SYSTEMMONTH == 9, DT_THISMONTHE = 'September'
If DV_SYSTEMMONTH == 10, DT_THISMONTHE = 'October'
If DV_SYSTEMMONTH == 11, DT_THISMONTHE = 'November'
If DV_SYSTEMMONTH == 12, DT_THISMONTHE = 'December'

FSC_D40C

If (DV_ADULTS == 1 and DV_YOUNGADULTS == 0) or (DV_ADULTS == 0 and DV_YOUNGADULTS == 1), DT_R40_E = 'The following few questions are about the food situation in the **past 12 months** for you or any other adults in your household.'
Otherwise, DT_R40_E = 'NONRESPONSE'

FSC_R40

^DT_R40_E

FSC_Q40
FSC_40

In the **past 12 months**, since last ^DT_THISMONTHE, did ^DT_YOUOTHERADULTS_E ever cut the size of your meals or skip meals because there wasn't enough money for food?

1 Yes (Go to FSC_Q45)
2 No
(Don't know, Refusal not allowed)

Go to FSC_Q50

FSC_Q45
FSC_45

How often did this happen?

1 Almost every month
2 Some months but not every month
3 Only 1 or 2 months
(Don't know, Refusal not allowed)

FSC_Q50
FSC_50

In the **past 12 months**, did you personally ever eat less than you felt you should because there wasn't enough money to buy food?

2024-09-24

1 Yes
2 No
(Don't know, Refusal not allowed)

FSC_Q55
FSC_55

In the **past 12 months**, were you personally ever hungry but didn't eat because you couldn't afford enough food?

1 Yes
2 No
(Don't know, Refusal not allowed)

FSC_Q60
FSC_60

In the **past 12 months**, did you personally ever lose weight because you didn't have enough money for food?

1 Yes
2 No
(Don't know, Refusal not allowed)

FSC_D65

FSC_C65

If ((FSC_Q35 = 1 or FSC_Q35 = 2) or (FSC_Q40 = 1 or FSC_Q50 = 1 or FSC_Q55 = 1 or FSC_Q60 = 1)), go to FSC_Q65.
Otherwise, go to FSC_END.

FSC_Q65
FSC_65

In the **past 12 months**, did ^DT_YOUOTHERADULTS_E ever not eat for a whole day because there wasn't enough money for food?

1 Yes (Go to FSC_Q70)
2 No
(Don't know, Refusal not allowed)

Go to FSC_C75

FSC_Q70
FSC_70

How often did this happen?

1 Almost every month
2 Some months but not every month
3 Only 1 or 2 months
(Don't know, Refusal not allowed)

FSC_C75

If (DV_OLDERKIDS > 0 or DV_YOUNGKIDS > 0), go to FSC_R75.
Otherwise, go to FSC_END.

FSC_R75

Now, a few questions on the food experiences for children in your household.

FSC_Q75
FSC_75

In the **past 12 months**, did ^DT_YOUOTHERADULTS_E ever cut the size of ^DT_ANYCHILDS_E meals because there wasn't enough money for food?

1 Yes
2 No
(Don't know, Refusal not allowed)

2024-09-24

FSC_Q80
FSC_80

In the **past 12 months**, did ^DT_ANYCHILD_E ever skip meals because there wasn't enough money for food?

1 Yes (Go to FSC_Q85)
2 No
(Don't know, Refusal not allowed)

Go to FSC_Q90

FSC_Q85
FSC_85

How often did this happen?

1 Almost every month
2 Some months but not every month
3 Only 1 or 2 months
(Don't know, Refusal not allowed)

FSC_Q90
FSC_90

In the **past 12 months**, ^DT_WASANYCHILD_E ever hungry but you couldn't afford more food?

1 Yes
2 No
(Don't know, Refusal not allowed)

FSC_Q95
FSC_95

In the **past 12 months**, did ^DT_ANYCHILD_E ever not eat for a whole day because there wasn't enough money for food?

1 Yes
2 No
(Don't know, Refusal not allowed)

FSC_END

2024-09-24

Total household income (INC)

Core content

Overview:	In this module, respondents are asked to provide their total household income. Although income is a sensitive topic, this information is very important for studying the link between income and health. Although many health care costs in Canada are covered by insurance, income still plays an important role in people's health. People living in households with lower incomes are more likely to have poorer health. People living in households with varying income levels also tend to use the health care system differently.
INC_BEG	External Variables required: DOINC: (Flag to determine if respondent is to enter module (from sample file)) FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) DV_HHLDFLG: (Flag created in selection algorithm. Used to control questions which are asked to only 1 of the possible 2 CHMS household respondents) DV_AWC_AGE: (Age of selected respondent) TAXFLAG: (Tax-data linkable flag (CCHS only, from sample file))) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) DV_PASTYEAR: ((THISYEAR - 1)) THI_Q01: (What is your best estimate of total household income received by all household members, from all sources, before taxes and deductions, during the year ending December 31, ^DV_PASTYEAR?)
INC_C01A	If DOINC = 1, go to INC_C01B. Otherwise, go to INC_END.
INC_C01B	If ((DV_AWC_AGE >= 18 or PMK = 1) and TAXFLAG ≠ 1 and FRAME = (1 or 2)), go to INC_B01. Otherwise, go to INC_END.
INC_B01	Call Block: Total household income (THI) Roster Header: Total household income
INC_C02	If THI_Q01 = NONRESPONSE, go to INC_Q02. Otherwise, go to INC_END.
INC_Q02 INC_022	Which of the following categories best represents your total household income for the year ending December 31, ^DV_PASTYEAR?

2024-09-24

ON-SCREEN HELP: Include income loss.

1 Less than $50,000 (Go to INC_Q03)
2 $50,000 and more (Go to INC_Q04)
(Don't know, Refusal not allowed)

Go to INC_END

Context Sensitive Help: *Income loss: Negative income amounts can arise in two ways: net losses from self-employment (expenses exceed receipts), or net investment losses (losses exceed gains).*

INC_Q03
INC_023

What was your total household income?

1 Less than $5,000
2 $5,000 to less than $10,000
3 $10,000 to less than $15,000
4 $15,000 to less than $20,000
5 $20,000 to less than $30,000
6 $30,000 to less than $40,000
7 $40,000 to less than $50,000
(Don't know, Refusal not allowed)

Go to INC_END

INC_Q04
INC_024

What was your total household income?

1 $50,000 to less than $60,000
2 $60,000 to less than $70,000
3 $70,000 to less than $80,000
4 $80,000 to less than $90,000
5 $90,000 to less than $100,000
6 $100,000 to less than $150,000
7 $150,000 and over
(Don't know, Refusal not allowed)

INC_END

2024-09-24

Total household income (THI)

	Harmonized content
Overview:	Sub-block of INC
THI_BEG	External Variables required:
THI_R01A	Although many health expenses are covered by health insurance, there is still an important relationship between health and income. Please be assured that, like all other information you have provided, these answers will be kept strictly confidential.
Source:	*THI_R01A is named HI_R01 in the application.*
THI_R01B	Now a question about total household income.
THI_D01	DV_PASTYEAR = (THISYEAR - 1).
THI_Q01	What is your best estimate of total household income received by all household members, from all sources, before taxes and deductions, during the year ending December 31, ^DV_PASTYEAR? ON-SCREEN HELP: Income can come from various sources such as from work, investments, pensions or government. Examples include Employment Insurance, Social Assistance, COVID-19 benefits, Child Tax Benefit and other income such as child support, spousal support (alimony) and rental income. Capital gains should not be included in the household income. |_|_|_|_|_|_|_|_| Rounded to the nearest CAN$ (MIN: -99,999,999) (MAX: 99,999,999) Currency without decimal (Don't know, Refusal not allowed)
THI_E01A	Please review the amount entered and correct if necessary, then press the Next button.
Rule:	Trigger soft edit if (THI_Q01 > 250000) or (THI_Q01 < -150000).
THI_END	

2024-09-24

Administrative information (ADMC)

Core content

Overview:	In this module, respondents are informed that their information may be used for data linkage. Respondents are asked to provide their provincial or territorial health number. Respondents are also asked to give their permission to share their reported data and their tax data with health partners.
ADMC_BEG	External Variables required: DOADMC: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) DV_PROV: (Province of residence from the Entry module.) FNAME: (First name of specific respondent) CAF_Q02: (Have any of the following people ever served in the Canadian military?)
ADMC_C01A	If (DOADMC ≠ 1), go to ADMC_END. Otherwise, go to ADMC_C01B.
ADMC_C01B	If ((DV_AWC_AGE >= 12 and DV_AWC_AGE <= 14) and PMK ≠ 1), go to ADMC_END. Otherwise, go to ADMC_C01C.
ADMC_C01C	If ((DV_AWC_AGE >= 15 and DV_AWC_AGE <= 17) and PMK ≠ 1), go to ADMC_C25A. Otherwise, go to ADMC_D05A.
ADMC_D05A	If (PMK == 1), DT_YOUR_E = 'your responses and ^FNAME's' Otherwise, DT_YOUR_E = '^YOUR1 responses'
ADMC_D05B	If DV_PROV == 24, DT_STAT_E = 'Statistics Canada, the provincial ministry of health and the Institut de la statistique du Québec' If (DV_PROV == 60 or DV_PROV == 61 or DV_PROV == 62), DT_STAT_E = 'Statistics Canada and the territorial ministry of health' Otherwise, DT_STAT_E = 'Statistics Canada and the provincial ministry of health'
ADMC_D05C	If PMK == 1, DT_DOYOU_E = 'Does ^FNAME' Otherwise, DT_DOYOU_E = '^DOVERB_C ^YOU2'
ADMC_D05D	If DV_PROV == 10, DT_PROVINCE_E = 'Newfoundland and Labrador'

2024-09-24

If DV_PROV == 11, DT_PROVINCE_E = 'Prince Edward Island'
If DV_PROV == 12, DT_PROVINCE_E = 'Nova Scotia'
If DV_PROV == 13, DT_PROVINCE_E = 'New Brunswick'
If DV_PROV == 24, DT_PROVINCE_E = 'Quebec'
If DV_PROV == 35, DT_PROVINCE_E = 'Ontario'
If DV_PROV == 46, DT_PROVINCE_E = 'Manitoba'
If DV_PROV == 47, DT_PROVINCE_E = 'Saskatchewan'
If DV_PROV == 48, DT_PROVINCE_E = 'Alberta'
If DV_PROV == 59, DT_PROVINCE_E = 'British Columbia'
If DV_PROV == 60, DT_PROVINCE_E = 'Yukon'
If DV_PROV == 61, DT_PROVINCE_E = 'the Northwest Territories'
If DV_PROV == 62, DT_PROVINCE_E = 'Nunavut'

ADMC_R10

To enhance the data from this survey and to minimize the reporting burden for respondents, Statistics Canada will combine ^DT_YOUR_E with information from the tax data of all members of your household. ^DT_STAT_E may also add information from other surveys or administrative sources.

ADMC_Q10
ADMC_10

Having a provincial or territorial health number will assist us in linking to this other information. ^DT_DOYOU_E have ^DT_PROVINCE_E health number?

1 Yes
2 No (Go to ADMC_Q10A)
(Don't know, Refusal not allowed)

Go to ADMC_C15

ADMC_Q10A
ADMC_10A

For which province or territory is ^YOUR2 health number?

Province or territory

10 Newfoundland and Labrador
11 Prince Edward Island
12 Nova Scotia
13 New Brunswick
24 Quebec
35 Ontario
46 Manitoba
47 Saskatchewan
48 Alberta
59 British Columbia
60 Yukon
61 Northwest Territories
62 Nunavut
88 Does not have a Canadian health number
(Don't know, Refusal not allowed)

ADMC_C15

If ((ADMC_Q10 ≠ RESPONSE) or (ADMC_Q10 = 2 and (ADMC_Q10A ≠ RESPONSE or ADMC_Q10A = 88))), go to ADMC_C25A.
Otherwise, go to ADMC_B15.

ADMC_B15

Call Block: Health number validation (HN)

2024-09-24

ADMC_C25A	If (DV_PROV = 24), go to ADMC_R25B. Otherwise, go to ADMC_R25A.
ADMC_R25A	To avoid duplication of surveys, Statistics Canada has signed agreements to share the data from this survey with provincial and territorial ministries of health, Health Canada and the Public Health Agency of Canada. Provincial ministries of health may make the data available to local health authorities. Data shared with your ministry of health may also include identifiers such as name, address, telephone number and health card number. Health Canada, the Public Health Agency of Canada, and local health authorities, would receive only survey responses and the postal code. Go to ADMC_Q35
ADMC_R25B	To avoid duplication of surveys, Statistics Canada has signed agreements to share the data from this survey with provincial and territorial ministries of health, the Institut de la statistique du Québec, Health Canada and the Public Health Agency of Canada. The Institut de la statistique du Québec and provincial ministries of health may make this data available to local health authorities. Data shared with your ministry of health or the Institut de la statistique du Québec may also include identifiers such as name, address, telephone number and health card number. Health Canada, the Public Health Agency of Canada, and local health authorities, would receive only survey responses and the postal code. Go to ADMC_Q35
ADMC_R25C	Statistics Canada has also entered into an agreement to share information from the interviews conducted as part of this survey with Veterans Affairs Canada and the Department of National Defence. Veterans Affairs Canada and the Department of National Defence intend to link the information collected during this interview to ^YOUR1 administrative records.
ADMC_D35	If (PMK == 1 and (DV_AWC_AGE >= 12 and DV_AWC_AGE <= 14)), DT_YOUAND_E = 'you and ^FNAME' Otherwise, DT_YOUAND_E = ''
ADMC_Q35 ADMC_35	These organizations have agreed to keep the data confidential and use it only for statistical purposes. Do you agree to share the data ^DT_YOUAND_E provided? 1 Yes 2 No (Don't know, Refusal not allowed)

2024-09-24

ADMC_C37	If (ADMC_Q35 = (2 or NONRESPONSE)) or ((DV_AWC_AGE >= 15 and DV_AWC_AGE <= 17) and PMK ≠ 1), go to ADMC_END. Otherwise, go to ADMC_D37A.
ADMC_D37A	If (CAF_Q02 == 1), DT_STAT3_E = 'Veterans Affairs Canada, the Department of National Defence,' Otherwise, DT_STAT3_E = ''
ADMC_D37B	If (DV_PROV == 24), DT_STAT2_E = 'provincial and territorial ministries of health, the Institut de la statistique du Québec, ^DT_STAT3_E Health Canada and the Public Health Agency of Canada' Otherwise, DT_STAT2_E = 'provincial and territorial ministries of health, Health Canada and the Public Health Agency of Canada'
ADMC_Q37 ADMC_37	To reduce the number of questions in this questionnaire, Statistics Canada will use information from your tax forms submitted to the Canada Revenue Agency. With your consent Statistics Canada will share this information from your tax forms with ^DT_STAT2_E. These organizations have agreed to keep the information confidential and to use it only for statistical and research purposes. Do you give Statistics Canada permission to share your tax information with ^DT_STAT2_E? 1 Yes 2 No (Don't know, Refusal not allowed)
ADMC_END	

2024-09-24

Health number validation (HN)

Core content

Overview:	This is the Health Number Validation sub-block of the ADMC block.
HN_BEG	External Variables required: ADMC_Q10: (Having a provincial or territorial health number will assist us in linking to this other information. ^DT_DOYOU_E have ^DT_PROVINCE_E health number?) DV_PROV: (Province of residence from the Entry module.)

HN_D01A	If (DV_PROV = 10 and ADMC_Q10 = 1), DV_HNPROV = 10.
	If (DV_PROV = 11 and ADMC_Q10 = 1), DV_HNPROV = 11.
	If (DV_PROV = 12 and ADMC_Q10 = 1), DV_HNPROV = 12.
	If (DV_PROV = 13 and ADMC_Q10 = 1), DV_HNPROV = 13.
	If (DV_PROV = 24 and ADMC_Q10 = 1), DV_HNPROV = 24.
	If (DV_PROV = 35 and ADMC_Q10 = 1), DV_HNPROV = 35.
	If (DV_PROV = 46 and ADMC_Q10 = 1), DV_HNPROV = 46.
	If (DV_PROV = 47 and ADMC_Q10 = 1), DV_HNPROV = 47.
	If (DV_PROV = 48 and ADMC_Q10 = 1), DV_HNPROV = 48.
	If (DV_PROV = 59 and ADMC_Q10 = 1), DV_HNPROV = 59.
	If (DV_PROV = 60 and ADMC_Q10 = 1), DV_HNPROV = 60.
	If (DV_PROV = 61 and ADMC_Q10 = 1), DV_HNPROV = 61.
	If (DV_PROV = 62 and ADMC_Q10 = 1), DV_HNPROV = 62.
	Otherwise, DV_HNPROV = ADMC_Q10A.

HN_D01B	If DV_HNPROV == 10, DT_HNPROV_E = 'Newfoundland and Labrador' If DV_HNPROV == 11, DT_HNPROV_E = 'Prince Edward Island' If DV_HNPROV == 12, DT_HNPROV_E = 'Nova Scotia' If DV_HNPROV == 13, DT_HNPROV_E = 'New Brunswick' If DV_HNPROV == 24, DT_HNPROV_E = 'Quebec' If DV_HNPROV == 35, DT_HNPROV_E = 'Ontario' If DV_HNPROV == 46, DT_HNPROV_E = 'Manitoba' If DV_HNPROV == 47, DT_HNPROV_E = 'Saskatchewan' If DV_HNPROV == 48, DT_HNPROV_E = 'Alberta' If DV_HNPROV == 59, DT_HNPROV_E = 'British Columbia' If DV_HNPROV == 60, DT_HNPROV_E = 'Yukon' If DV_HNPROV == 61, DT_HNPROV_E = 'the Northwest Territories' If DV_HNPROV == 62, DT_HNPROV_E = 'Nunavut'
HN_D01C	
HN_D01D	If DV_HNPROV == 10, DT_DIGITS_E = 'twelve numbers'

2024-09-24

If DV_HNPROV == 11, DT_DIGITS_E = 'eight numbers'
If (DV_HNPROV == 12 or DV_HNPROV == 59), DT_DIGITS_E = 'ten numbers'
If (DV_HNPROV == 13 or DV_HNPROV == 46 or DV_HNPROV == 47 or DV_HNPROV == 48 or DV_HNPROV == 62), DT_DIGITS_E = 'nine numbers'
If DV_HNPROV == 24, DT_DIGITS_E = 'four letters followed by eight numbers'
If DV_HNPROV == 35, DT_DIGITS_E = 'ten numbers. Do not include the two letters at the end for green health cards'
If DV_HNPROV == 60, DT_DIGITS_E = 'nine numbers, beginning with 002'
If DV_HNPROV == 61, DT_DIGITS_E = 'one letter followed by seven numbers'

HN_D01E

If DV_HNPROV == 46, DT_HNSPEC_E = 'Note: In Manitoba, health numbers of families can be listed on the same card. Be sure to capture the intended respondent's health number if there is more than one on the card.'
If DV_HNPROV == 59, DT_HNSPEC_E = 'Note: In British Columbia, residents may have a combined driver's license and health card. If the respondent has a combined card, the health number is on the back above the barcode.'
Otherwise, DT_HNSPEC_E = ''

HN_Q05A

What is ^YOUR2 health number?

ON-SCREEN HELP: Enter a health number for ^DT_HNPROV_E. In ^DT_HNPROV_E, the health number is made up of ^DT_DIGITS_E.

Do not insert blanks, hyphens or commas between the numbers.

^DT_HNSPEC_E

(12 spaces)

(Don't know, Refusal not allowed)

HN_E05

An invalid health number has been entered. Please verify and correct.

Rule:

Trigger soft edit .

Programmer:

Rule for HN_E05 (cannot be written in condition grid)
ValidateHealth(DV_HNPROV, HN_Q05A) == 0

HN_END

2024-09-24

Topical Index

Activities of daily living (ADL) 87
Address in scope (AIS) 16
Administrative information (ADMC) 263
Alcohol use (ALC) 130
Alcohol use during the past week (ALW) 132
Canadian Forces (CAF) 28
Cannabis use (CAN) 147
Chronic conditions (CCC) 66
Chronic conditions 1 (CC1) 74
Consultations about mental health (CMH) 169
Contact e-mail address (CEA) 30
COVID-19 (COVA) 56
COVID-19 (COVB) 57
COVID-19 (COVC) 59
COVID-19 (COVD) 60
COVID-19 (COVE) 63
COVID-19 (COVF) 65
Current smoking status (CSS) 117
Date of birth (AGE) 36
Eating habits (EAH) 90
Education (ED) 26
Electronic cigarettes and vaping (ECV) 127
Flu shots (FLU) 163
Food security (FSC) 254
General health (GEN) 49
Health number validation (HN) 267
Health utility index (HUI) 78
Height and weight (HWT) 53
Home care services (HMC) 240
Household composition (HHC) 21
Household member or not (HC) 20
Indigenous identity (ABM) 231
Labour market activities (LMAM) 208
Labour market activities - labour force (LBF) 217
Labour market activities (LMA3) (LMA3) 211
Labour market activities (LMA4) (LMA4) 212
Labour market activities (LMA5) (LMA5) 214
Labour market activities (LMA6) (LMA6) 216
Language (LAN) 236
Life satisfaction measures (LSM) 51
Long-term condition (LTC) 86
Main activity (MA) 45
Maternal experiences (MEX) 153
Mental health (DEP) 172
Moderate physical activity (MPA) 104
Occupancy (DWL) 19
Other physical activities (OPA) 115
Parental consent (PGC) 13
Person most knowledgeable transition (PMT) 32
Person providing demographics (PPD) 25
Place of birth, immigration and citizenship (IM) 225
Population group (PG) 233
Positive mental health (PMS) 165

2024-09-24

Pregnancy (PRS) 52
Regular health care provider (RHC) 207
Relationship with confirmation (RWC) 41
Respondent availability (TR) 5
School attendance (EDC) 47
Selected respondent (SRI) 31
Sex and gender (GDRA) 38
Sexual orientation (SOR) 239
Smoking - past use (SPU) 120
Smoking - stages of change 2 (SCH2) 125
Social provisions (SPS) 205
Telework (LM) 218
The proxy respondent (PRX) 6
Tobacco alternatives products (TAL) 126
Total household income (INC) 260
Total household income (THI) 262
Use of protective equipment (UPE) 100
Verification (VER) 8
Verification (VER2) 33
Work family balance (WLB) 220
Youth email address (YEA) 14
Youth telephone number (YTL) 15

2024-09-24

Appendix A - Canadian Community Health Survey (CCHS)
Content availability by province and territory - 2023

		2023												
Acronym	**Module Name**	**NL (10)**	**PEI (11)**	**NS (12)**	**NB (13)**	**QC (24)**	**ON (35)**	**MB (46)**	**SK (47)**	**AB (48)**	**BC (59)**	**YK[1] (60)**	**NWT[1] (61)**	**NU[1] (62)**
ABM	Indigenous identity	C	C	C	C	C	C	C	C	C	C	C	C	C
ADL	Activities of daily living	O		O		O			O				O	
ALC	Alcohol use	C	C	C	C	C	C	C	C	C	C	C	C	C
ALW	Alcohol use during the past week	T	T	T	T	T	T	T	T	T	T	T	T	T
CAN	Cannabis use	C	C	C	C	C	C	C	C	C	C	C	C	C
CCC	Chronic conditions	C	C	C	C	C	C	C	C	C	C	C	C	C
CC1	Chronic conditions 1			O		O	O	O	O			O	O	
CMH	Consultations about mental health			O	O	O		O	O	O		O	O	
COVA[2]	COVID-19	T	T	T	T	T	T	T	T	T	T	T	T	T
COVB[2]	COVID-19	T	T	T	T	T	T	T	T	T	T	T	T	T
COVC	COVID-19	T	T	T	T	T	T	T	T	T	T	T	T	T
COVD	COVID-19	T	T	T	T	T	T	T	T	T	T	T	T	T
COVE	COVID-19	T	T	T	T	T	T	T	T	T	T	T	T	T
COVF	COVID-19	T	T	T	T	T	T	T	T	T	T	T	T	T
CSS	Current smoking status	C	C	C	C	C	C	C	C	C	C	C	C	C
DEP	Mental health	O	O	O	O	O	O	O	O	O	O	O		O
EAH	Eating habits											T	T	T
ECV	Electronic cigarettes and vaping	C	C	C	C	C	C	C	C	C	C	C	C	C
FLU	Flu shots	T	T	T	T	T	T	T	T	T	T	T	T	T
FSC	Food security	C	C	C	C	C	C	C	C	C	C	C	C	C
GDRA	Sex and gender	C	C	C	C	C	C	C	C	C	C	C	C	C
GEN	General health	C	C	C	C	C	C	C	C	C	C	C	C	C
HMC	Home care services	C	C	C	C	C	C	C	C	C	C	C	C	C
HWT	Height and weight	C	C	C	C	C	C	C	C	C	C	C	C	C
HUI	Health utility index	T	T	T	T	T	T	T	T	T	T	T	T	T
IM	Immigration and citizenship	C	C	C	C	C	C	C	C	C	C	C	C	C
INC[3]	Total household income	C	C	C	C	C	C	C	C	C	C	C	C	C
ADMC	Administration information	C	C	C	C	C	C	C	C	C	C	C	C	C
HN	Health number (sub-block of ADMC)	C	C	C	C	C	C	C	C	C	C	C	C	C
LAN	Language	C	C	C	C	C	C	C	C	C	C	C	C	C
LBF	Labour market activities	C	C	C	C	C	C	C	C	C	C	C	C	C
LM	Telework	T	T	T	T	T	T	T	T	T	T	T	T	T
LMAM	Labour market activities	C	C	C	C	C	C	C	C	C	C	C	C	C
LMA3	Labour market activities	C	C	C	C	C	C	C	C	C	C	C	C	C
LMA4	Labour market activities	C	C	C	C	C	C	C	C	C	C	C	C	C

Appendix A - Canadian Community Health Survey (CCHS)
Content availability by province and territory - 2023

Acronym	Module Name	NL (10)	PEI (11)	NS (12)	NB (13)	QC (24)	ON (35)	MB (46)	SK (47)	AB (48)	BC (59)	YK[1] (60)	NWT[1] (61)	NU[1] (62)
LMA5	Labour market activities	C	C	C	C	C	C	C	C	C	C	C	C	C
LMA6	Labour market activities	C	C	C	C	C	C	C	C	C	C	C	C	C
LSM	Life satisfaction	C	C	C	C	C	C	C	C	C	C	C	C	C
LTC	Long-term condition	C	C	C	C	C	C	C	C	C	C	C	C	C
MA	Main activity	C	C	C	C	C	C	C	C	C	C	C	C	C
EDC	Main activity	C	C	C	C	C	C	C	C	C	C	C	C	C
MEX	Maternal experiences	O	O	O		O		O	O	O	O	O	O	
MPA	Moderate physical activity	T	T	T	T	T	T	T	T	T	T	T	T	T
OPA	Other physical activity	T	T	T	T	T	T	T	T	T	T	T	T	T
PG	Population group	C	C	C	C	C	C	C	C	C	C	C	C	C
PMS	Positive mental health scale		O		O						O			O
PRS	Pregnancy	C	C	C	C	C	C	C	C	C	C	C	C	C
RHC	Regular health care provider	C	C	C	C	C	C	C	C	C	C	C	C	C
SCH2	Smoking - stage of change 2	RR	RR	RR	RR	RR	RR	RR	RR	RR	RR			
SOR	Sexual orientation	C	C	C	C	C	C	C	C	C	C	C	C	C
SPS	Social provisions	O	O	O	O	O	O		O	O	O		O	
SPU	Smoking - past use	C	C	C	C	C	C	C	C	C	C	C	C	C
TAL	Tobacco alternative products	RR	RR	RR	RR	RR	RR	RR	RR	RR	RR			
UPE	Use of protective equipment			O		O			O	O		O		
WLB	Work family balance	RR	RR	RR	RR	RR	RR	RR	RR	RR	RR			

Legend - Content Type	
C	Core
T	Theme
O	Optional
RR	Rapid response
	Not available

[1] Although they are collected every year, data of respondents living in the territories are only included on two year microdata files.

[2] The modules COVA and COVB, covering changes to mental health since the pandemic and current precautions taken, were removed from the 2023 questionnaire as of the July collection period. Data for these modules is not available on the annual 2023 files.

[3] Content in the income module (INC) is not obtained from directly interviewing respondents. Instead, data are taken from tax records where possible, and imputed otherwise.