

INSTRUCTION #1

In reg_1, return '5'

“RISC Style”

INSTRUCTION #2

In reg_1, append '0'

“RISC Style”

INSTRUCTION #3

In reg_1, append '0'

“RISC Style”

INSTRUCTION #4

In reg_2, return '1'

“RISC Style”

INSTRUCTION #5

In reg_3, return
reg_2 * 10

"RISC Style"

INSTRUCTION #6

In reg_4, return
100 / 2

"RISC Style"

INSTRUCTION #7

In reg_5, return
reg_4 / 5

"RISC Style"

INSTRUCTION #8

In reg_6, return
reg_5 * reg_1

"RISC Style"

INSTRUCTION #9

In reg_7, return
reg_3 / reg_6

"RISC Style"

INSTRUCTION #10

In reg_8, return
"All_"

"RISC Style"

INSTRUCTION #11

In reg_8, append
"of_"

"RISC Style"

INSTRUCTION #12

In reg_8, append
"this_"

"RISC Style"

INSTRUCTION #13

In reg_8, append
"ridi"

"RISC Style"

INSTRUCTION #14

In reg_9, return
"culous_"

"RISC Style"

INSTRUCTION #15

In reg_9, append
"maths_"

"RISC Style"

INSTRUCTION #16

In reg_9, append
"jus"

"RISC Style"

INSTRUCTION #17

In reg_10, return
"t_"

"RISC Style"

INSTRUCTION #18

In reg_10, append
"to_"

"RISC Style"

INSTRUCTION #19

In reg_10, append
"get_"

"RISC Style"

INSTRUCTION #20

In reg_10, append
"a_"

"RISC Style"

INSTRUCTION #21

In reg_10, append value
reg_7

“RISC Style”

INSTRUCTION #22

Hold up an arm

“RISC Style”

INSTRUCTION #23

Read the values of:
reg_8, reg_9, reg_10
+ "this was too simple"

"RISC Style"