

tesseract\_process\_managers  
/include/tesseract\_process  
\_managers/taskflow\_generators  
/trajopt\_ifopt\_taskflow.h

```
graph BT; A["tesseract_process_managers  
/src/core/default_process  
_planners.cpp"] --> C["tesseract_process_managers  
/include/tesseract_process  
_managers/taskflow_generators  
/trajopt_ifopt_taskflow.h"]; B["tesseract_process_managers  
/src/taskflow_generators  
/trajopt_ifopt_taskflow.cpp"] --> C;
```

The diagram illustrates the relationship between three source files. At the top is a header file, 'trajopt\_ifopt\_taskflow.h', located in the directory 'tesseract\_process\_managers/include/tesseract\_process\_managers/taskflow\_generators'. Below it are two source files. The left source file, 'planners.cpp', is located in 'tesseract\_process\_managers/src/core/default\_process' and includes the header file. The right source file, 'trajopt\_ifopt\_taskflow.cpp', is located in 'tesseract\_process\_managers/src/taskflow\_generators' and also includes the header file. Blue arrows point from each source file to the header file, indicating the inclusion relationship.

tesseract\_process\_managers  
/src/core/default\_process  
\_planners.cpp

tesseract\_process\_managers  
/src/taskflow\_generators  
/trajopt\_ifopt\_taskflow.cpp