

6) @ Table: Customers

cid	name	city	membership	oid	pid	order date	quantity
C001	Alice Wang	New York	Prime	0001	P101	2024-11-15	1
C001	Alice Wang	New York	Prime	0002	P102	2024-11-20	2
C002	Bob Smith	Los Angeles	Regular	0004	P103	2024-12-05	3
C003	Carol Lee	New York	Prime	0003	P101	2024-12-01	1
C004	David Chen	Chicago	Regular	0005	P104	2024-12-10	1

① I am finding which cid matches, making a data base for which customer ordered what.

7) Table: Expensive Products

pid	name	cat	cost
P101	Laptop	Electronics	1200
P102	Headphones	Electronics	150

3.) (a) Table: Customers

cid	name	city	membership	pid	product_name	category	price
0001	Alice Wang	New York	Prime	P101	Laptop	Electronics	1200
0001	Alice Wang	New York	Prime	P102	Head phones	Electronics	500

4.) Table: Orders

(a)

oid	cid	pid	order_date	quantity	pid	product_name	category	price
0002	0001	P102	2024-11-20	2	P102	Headphones	Electronics	150
0004	0002	P103	2024-12-05	3	P103	Running shoes	Sports	80

(b) For table "Orders", we are using the rows that's quantity is greater than 1, which makes a table with 2 rows and multiplying it with table "Products" that only has the same pid as table "Orders". We are finding orders which have quantity over 1 and same pid as products.

5.) Table: Products

(a)

pid	product_name	category	price	oid	cid	pid	order_date	quantity
P101	Laptop	Electronics	1200	0001	0001	P101	2024-11-15	1
P101	Laptop	Electronics	1200	0003	0003	P101	2024-12-01	1
P102	Headphones	Electronics	150	0002	0001	P102	2024-11-20	2

(b) We are multiplying rows in table "Products" who only has their attribute "category" = Electronics by table "Orders" whose rows have the attribute pid in which products.pid = Orders.pid. We are finding each electronics' order.

HW1 Dug Wang

1.) Table: Customers

cid	name	city	membership
C001	Alice Wang	New York	Prime
C003	Carol Lee	New York	Prime

5) In table "Customers", we are finding to tuple for anyone whose city is "New York".

2.) Table: Products

product_name	price
Lap top	1200
Headphones	150
Running shoes	80
Coffee Maker	60

6) In table "Products", the query is filtering the attributes and only creating a table with the attributes of product_name and price.

3.) Customer

cid	name	city	membership
C001	Alice Wang	New York	Prime

Product

pid	product_name	category	price
P101	Lap top	Electronics	1200
P102	Headphones	Electronics	150