

PDMWorks API (.NET, legacy) — Reference (4/4): IPDMWSearchCriteria-PDMWRevisionOptionType

SOLIDWORKS API Documentation (converted from CHM)

IPDMWSearchCriteria (Type)

IPDMWSearchCriteria Interface

[See Also](#) [Members](#) [Example](#)



[PDMWorks.Interop.pdmworks Namespace](#) : IPDMWSearchCriteria Interface

Provides access to search criteria to locate documents in the vault.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

Public Interface IPDMWSearchCriteria

Visual Basic (Usage)

Dim instance As [IPDMWSearchCriteria](#)

C#

public interface IPDMWSearchCriteria

C++/CLI

public interface class IPDMWSearchCriteria

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchCriteria](#).

Example

[Create Search Criteria and Search Vault \(VBA\)](#)

Accessors

[IPDMWSearchOptions::SearchCriteria](#)

See Also

[IPDMWSearchCriteria Members](#)
[PDMWorks.Interop.pdmworks Namespace](#)
[IPDMWSearchOptions Interface](#)
[IPDMWSearchResult Interface](#)
[IPDMWSearchResults Interface](#)

IPDMWSearchCriteria Interface Members

[See Also](#) [Properties](#) [Methods](#)



[PDMWorks.Interop.pdmworks Namespace](#) : IPDMWSearchCriteria Interface

The following tables list the members exposed by [IPDMWSearchCriteria](#).

Public Properties

Name	Description
CriteriaCount	Gets the number of search criteria.

[Top](#)

Public Methods

Name	Description
 AddCriteria	Adds a search criteria.
 GetCriteria	Gets a search criteria.
 LoadFromFile	Clears the current search criteria and loads the search criteria from the specified file (-sqy).
 RemoveCriteria	Removes a search criteria.
 SaveToFile	Saves the search criteria to the specified file (-sqy).

[Top](#)

 See Also

[IPDMWSearchCriteria Interface](#)
[PDMWorks.Interop.pdmworks Namespace](#)
[IPDMWSearchOptions Interface](#)
[IPDMWSearchResult Interface](#)
[IPDMWSearchResults Interface](#)

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

IPDMWSearchCriteria Interface Methods

[See Also](#)


PDMWorks.Interop.pdmworks Namespace : IPDMWSearchCriteria Interface

For a list of all members of this type, see [IPDMWSearchCriteria members](#).

 Public Methods

Name	Description
 AddCriteria	Adds a search criteria.
 GetCriteria	Gets a search criteria.
 LoadFromFile	Clears the current search criteria and loads the search criteria from the specified file (-sqy).
 RemoveCriteria	Removes a search criteria.
 SaveToFile	Saves the search criteria to the specified file (-sqy).

[Top](#)

 See Also

[IPDMWSearchCriteria Interface](#)
[PDMWorks.Interop.pdmworks Namespace](#)
[IPDMWSearchOptions Interface](#)
[IPDMWSearchResult Interface](#)
[IPDMWSearchResults Interface](#)

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

IPDMWSearchCriteria Interface Properties

[See Also](#)


PDMWorks.Interop.pdmworks Namespace : IPDMWSearchCriteria Interface

For a list of all members of this type, see [IPDMWSearchCriteria members](#).

 Public Properties

Name	Description
 CriteriaCount	Gets the number of search criteria.

[Top](#)

 See Also

[IPDMWSearchCriteria Interface](#)
[PDMWorks.Interop.pdmworks Namespace](#)
[IPDMWSearchOptions Interface](#)
[IPDMWSearchResult Interface](#)
[IPDMWSearchResults Interface](#)

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

AddCriteria Method (IPDMWSearchCriteria)

[See Also](#) [Example](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchCriteria Interface](#) : AddCriteria Method (IPDMWSearchCriteria)

Adds a search criteria.

.NET Syntax

Visual Basic (Declaration)

```
Function AddCriteria( _  
    ByVal andOr As PDMWAndOr, _  
    ByVal propertyType As PDMWPropertyType, _  
    ByVal propertyName As System.String, _  
    ByVal condition As PDMWConditionType, _  
    ByVal value As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchCriteria  
Dim andOr As PDMWAndOr  
Dim propertyType As PDMWPropertyType  
Dim propertyName As System.String  
Dim condition As PDMWConditionType  
Dim Value As System.String  
Dim value As System.Boolean  
  
value = instance.AddCriteria(andOr, propertyType, propertyName, condition, Value)
```

C#

```
System.bool AddCriteria(  
    PDMWAndOr andOr,  
    PDMWPropertyType propertyType,  
    System.string propertyName,  
    PDMWConditionType condition,  
    System.string Value  
)
```

C++/CLI

```
System.bool AddCriteria(  
& PDMWAndOr andOr,  
& PDMWPropertyType propertyType,  
& System.String^ propertyName,  
& PDMWConditionType condition,  
& System.String^ Value  
)
```

Parameters

andOr

Logical operator for subsequent criteria as defined in [PDMWAndOr](#)

propertyType

Property type as defined in [PDMWPropertyType](#)

propertyName

Name of property to use with which to search

condition

Search condition as defined in [PDMWConditionType](#)

Value

Value of the property for which to search

Return Value

True if this search criteria is added, false if not

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchCriteria::AddCriteria](#).

Example

See Also

[IPDMWSearchCriteria Interface](#)
[IPDMWSearchCriteria Members](#)
[IPDMWSearchCriteria::GetCriteria Method](#)
[IPDMWSearchCriteria::RemoveCriteria Method](#)
[IPDMWSearchCriteria::LoadFromFile Method](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

CriteriaCount Property (IPDMWSearchCriteria)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchCriteria Interface](#) : CriteriaCount Property (IPDMWSearchCriteria)

Gets the number of search criteria.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property CriteriaCount As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchCriteria  
Dim value As System.Integer
```

```
value = instance.CriteriaCount
```

C#

```
System.int CriteriaCount {get;}
```

C++/CLI

```
property System.int CriteriaCount {  
    System.int get();  
}
```

Property Value

Number of search criteria

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchCriteria::CriteriaCount](#).

See Also

[IPDMWSearchCriteria Interface](#)
[IPDMWSearchCriteria Members](#)
[IPDMWSearchCriteria::GetCriteria Method](#)
[IPDMWSearchCriteria::RemoveCriteria Method](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

GetCriteria Method (IPDMWSearchCriteria)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchCriteria Interface](#) : GetCriteria Method (IPDMWSearchCriteria)

Gets a search criteria.

Visual Basic (Declaration)

```
Function GetCriteria( _
    ByVal Index As System.Integer, _
    ByRef andOr As PDMWAndOr, _
    ByRef propertyType As PDMWPropertyType, _
    ByRef propertyName As System.String, _
    ByRef condition As PDMWConditionType, _
    ByRef Value As System.String _
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchCriteria
Dim Index As System.Integer
Dim andOr As PDMWAndOr
Dim propertyType As PDMWPropertyType
Dim propertyName As System.String
Dim condition As PDMWConditionType
Dim Value As System.String
Dim value As System.Boolean

value = instance.GetCriteria(Index, andOr, propertyType, propertyName, condition, Value)
```

C#

```
System.bool GetCriteria(
    System.int Index,
    out PDMWAndOr andOr,
    out PDMWPropertyType propertyType,
    out System.string propertyName,
    out PDMWConditionType condition,
    out System.string Value
)
```

C++/CLI

```
System.bool GetCriteria(
    & System.int Index,
    & [Out] PDMWAndOr andOr,
    & [Out] PDMWPropertyType propertyType,
    & [Out] System.String^ propertyName,
    & [Out] PDMWConditionType condition,
    & [Out] System.String^ Value
)
```

Parameters

Index

Index number of the search criteria to get

andOr

Logical operator for subsequent criteria as defined in [PDMWAndOr](#)

propertyType

Property type as defined in [PDMWPropertyType](#)

propertyName

Name of property to use with which to search

condition

Search condition as defined in [PDMWConditionType](#)

Value

Value of the property for which to search

Return Value

True if this search criteria is retrieved, false if not

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchCriteria::GetCriteria](#).

Remarks

To determine the number of search criteria, use [IPDMWSearchCriteria::CriteriaCount](#) before using this method.

See Also

[IPDMWSearchCriteria Interface](#)
[IPDMWSearchCriteria Members](#)
[IPDMWSearchCriteria::AddCriteria Method](#)
[IPDMWSearchCriteria::LoadFromFile Method](#)
[IPDMWSearchCriteria::RemoveCriteria Method](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

LoadFromFile Method (IPDMWSearchCriteria)

[See Also](#) [Example](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchCriteria Interface](#) : LoadFromFile Method (IPDMWSearchCriteria)

Clears the current search criteria and loads the search criteria from the specified file (.sqy).

.NET Syntax

Visual Basic (Declaration)

```
Function LoadFromFile( _  
    ByVal filename As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchCriteria  
Dim filename As System.String  
Dim value As System.Boolean  
  
value = instance.LoadFromFile(filename)
```

C#

```
System.bool LoadFromFile(  
    System.string filename  
)
```

C++/CLI

```
System.bool LoadFromFile(  
& System.String^ filename  
)
```

Parameters

filename

Path and filename of file containing search criteria

Return Value

True if search criteria is loaded from the specified file, false if not

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchCriteria::LoadFromFile](#).

Example

[Create Search Criteria and Search Vault \(VBA\)](#)

See Also

[IPDMWSearchCriteria Interface](#)
[IPDMWSearchCriteria Members](#)
[IPDMWSearchCriteria::AddCriteria Method](#)
[IPDMWSearchCriteria::GetCriteria Method](#)
[IPDMWSearchCriteria::RemoveCriteria Method](#)
[IPDMWSearchCriteria::SaveToFile Method](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

RemoveCriteria Method (IPDMWSearchCriteria)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchCriteria Interface](#) : RemoveCriteria Method (IPDMWSearchCriteria)

Removes a search criteria.

.NET Syntax

Visual Basic (Declaration)

```
Sub RemoveCriteria( _  
    ByVal Index As System.Integer _  
)
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchCriteria  
Dim Index As System.Integer  
  
instance.RemoveCriteria(Index)
```

C#

```
void RemoveCriteria(  
    System.int Index  
)
```

C++/CLI

```
void RemoveCriteria(  
&    System.int Index  
)
```

Parameters

Index

Index number of the search criteria to remove

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchCriteria::RemoveCriteria](#).

Remarks

To determine the index number of the search criteria to remove, use [IPDMWSearchCriteria::CriteriaCount](#) before using this method.

See Also

[IPDMWSearchCriteria Interface](#)
[IPDMWSearchCriteria Members](#)
[IPDMWSearchCriteria::AddCriteria Method](#)
[IPDMWSearchCriteria::GetCriteria Method](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SaveToFile Method (IPDMWSearchCriteria)

[See Also](#) [Example](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchCriteria Interface](#) : SaveToFile Method (IPDMWSearchCriteria)

Saves the search criteria to the specified file (**.sqy**).

.NET Syntax

Visual Basic (Declaration)

```
Function SaveToFile(  
    ByVal filename As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchCriteria  
Dim filename As System.String  
Dim value As System.Boolean  
  
value = instance.SaveToFile(filename)
```

C#

```
System.bool SaveToFile(  
    System.string filename  
)
```

C++/CLI

```
System.bool SaveToFile(  
& System.String^ filename  
)
```

Parameters

filename

Path and filename of the file to which to save the search criteria

Return Value

True if the search criteria is saved to the specified file, false if not

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchCriteria::SaveToFile](#).

Example

[Create Search Criteria and Search Vault \(VBA\)](#)

See Also

[IPDMWSearchCriteria Interface](#)
[IPDMWSearchCriteria Members](#)
[IPDMWSearchCriteria::LoadFromFile Method](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

IPDMWSearchOptions (Type)

IPDMWSearchOptions Interface

[See Also](#) [Members](#) [Example](#)



[PDMWorks.Interop.pdmworks Namespace](#) : IPDMWSearchOptions Interface

Provides access to search criteria options.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface IPDMWSearchOptions
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchOptions
```

C#

```
public interface IPDMWSearchOptions
```

C++/CLI

```
public interface class IPDMWSearchOptions
```

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchOptions](#).

Example

[Create Search Criteria and Search Vault \(VBA\)](#)

Accessors

[IPDMWConnection::GetSearchOptionsObject](#)

See Also

[IPDMWSearchOptions Members](#)
[PDMWorks.Interop.pdmworks Namespace](#)
[IPDMWSearchCriteria Interface](#)
[IPDMWSearchResult Interface](#)
[IPDMWSearchResults Interface](#)

IPDMWSearchOptions Interface Members

[See Also](#) [Properties](#)



[PDMWorks.Interop.pdmworks Namespace](#) : IPDMWSearchOptions Interface

The following tables list the members exposed by [IPDMWSearchOptions](#).

Public Properties

Name	Description
 IgnoreCase	Gets or sets whether to ignore text case in text string searches.
 IgnoreLinks	Gets or sets whether to ignore links or shortcuts during the search.
 IncludeHiddenDocuments	Gets or sets whether to include hidden projects and documents in a search.
 SearchConfigSpecificProperties	Gets or sets whether to search configuration-specific properties during a search.

 SearchCriteria	Gets the search criteria.
 SearchOnlyChildrenOf	Gets or sets whether to limit the scope of the search by specifying a project or parent document.

[Top](#)

 See Also

[IPDMWSearchOptions Interface](#)
[PDMWorks.Interop.pdmworks.Namespace](#)
[IPDMWSearchCriteria Interface](#)
[IPDMWSearchResult Interface](#)
[IPDMWSearchResults Interface](#)

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

IPDMWSearchOptions Interface Properties

[See Also](#)



[PDMWorks.Interop.pdmworks.Namespace](#) : IPDMWSearchOptions Interface

For a list of all members of this type, see [IPDMWSearchOptions members](#).

 Public Properties

Name	Description
 IgnoreCase	Gets or sets whether to ignore text case in text string searches.
 IgnoreLinks	Gets or sets whether to ignore links or shortcuts during the search.
 IncludeHiddenDocuments	Gets or sets whether to include hidden projects and documents in a search.
 SearchConfigSpecificProperties	Gets or sets whether to search configuration-specific properties during a search.
 SearchCriteria	Gets the search criteria.
 SearchOnlyChildrenOf	Gets or sets whether to limit the scope of the search by specifying a project or parent document.

[Top](#)

 See Also

[IPDMWSearchOptions Interface](#)
[PDMWorks.Interop.pdmworks.Namespace](#)
[IPDMWSearchCriteria Interface](#)
[IPDMWSearchResult Interface](#)
[IPDMWSearchResults Interface](#)

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

IgnoreCase Property (IPDMWSearchOptions)

[See Also](#) [Example](#)



[PDMWorks.Interop.pdmworks.Namespace](#) > [IPDMWSearchOptions Interface](#) : IgnoreCase Property (IPDMWSearchOptions)

Gets or sets whether to ignore text case in text string searches.

 .NET Syntax

Visual Basic (Declaration)

Property IgnoreCase As System.Boolean

Visual Basic (Usage)



```
Dim instance As IPDMWSearchOptions
Dim value As System.Boolean
```

```
instance.IgnoreCase = value
```

```
value = instance.IgnoreCase
```

C#

```
System.bool IgnoreCase {get; set;}
```

C++/CLI

```
property System.bool IgnoreCase {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to ignore text case in text string searches, false to not

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchOptions.IgnoreCase](#).

Example

[Create Search Criteria and Search Vault \(VBA\)](#)

Requirements

By default, text case is ignored in text string searches.

See Also

[IPDMWSearchOptions Interface](#)
[IPDMWSearchOptions Members](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

IgnoreLinks Property (IPDMWSearchOptions)

[See Also](#) [Example](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchOptions Interface](#) : IgnoreLinks Property (IPDMWSearchOptions)

Gets or sets whether to ignore links or shortcuts during the search.

.NET Syntax

Visual Basic (Declaration)

```
Property IgnoreLinks As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchOptions
Dim value As System.Boolean
```

```
instance.IgnoreLinks = value
```

```
value = instance.IgnoreLinks
```

C#

```
System.bool IgnoreLinks {get; set;}
```

C++/CLI

```
property System.bool IgnoreLinks {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to ignore links or shortcuts, false to search them

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchOptions::IgnoreLinks](#).

Example

[Create Search Criteria and Search Vault \(VBA\)](#)

Remarks

By default, links and shortcuts are searched.

See Also

[IPDMWSearchOptions Interface](#)
[IPDMWSearchOptions Members](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

IncludeHiddenDocuments Property (IPDMWSearchOptions)

[See Also](#) [Example](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchOptions Interface](#) : IncludeHiddenDocuments Property (IPDMWSearchOptions)

Gets or sets whether to include hidden projects and documents in a search.

.NET Syntax

Visual Basic (Declaration)

Property IncludeHiddenDocuments As System.Boolean

Visual Basic (Usage)



```
Dim instance As IPDMWSearchOptions  
Dim value As System.Boolean  
  
instance.IncludeHiddenDocuments = value  
  
value = instance.IncludeHiddenDocuments
```

C#

```
System.bool IncludeHiddenDocuments {get; set;}
```

C++/CLI

```
property System.bool IncludeHiddenDocuments {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to search hidden projects and documents, false to exclude them

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchOptions::IncludeHiddenDocuments](#).

Example

[Create Search Criteria and Search Vault \(VBA\)](#)

Remarks

By default, hidden projects and documents are not searched.

See Also

[IPDMWSearchOptions Interface](#)
[IPDMWSearchOptions Members](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

SearchConfigSpecificProperties Property (IPDMWSearchOptions)

[See Also](#) [Example](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchOptions Interface](#) : SearchConfigSpecificProperties Property (IPDMWSearchOptions)

Gets or sets whether to search configuration-specific properties during a search.

.NET Syntax

Visual Basic (Declaration)

```
Property SearchConfigSpecificProperties As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchOptions  
Dim value As System.Boolean  
  
instance.SearchConfigSpecificProperties = value  
value = instance.SearchConfigSpecificProperties
```

C#

```
System.bool SearchConfigSpecificProperties {get; set;}
```

C++/CLI

```
property System.bool SearchConfigSpecificProperties {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to search configuration-specific properties, false to not

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchOptions::SearchConfigSpecificProperties](#).

Example

[Create Search Criteria and Search Vault \(VBA\)](#)

Remarks

By default, configuration-specific properties are not searched.

See Also

[IPDMWSearchOptions Interface](#)
[IPDMWSearchOptions Members](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

SearchCriteria Property (IPDMWSearchOptions)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchOptions Interface](#) : SearchCriteria Property (IPDMWSearchOptions)

Gets the search criteria.

.NET Syntax

Visual Basic (Declaration)

ReadOnly Property SearchCriteria As PDMWSearchCriteria

Visual Basic (Usage)



```
Dim instance As IPDMWSearchOptions
Dim value As PDMWSearchCriteria
```

```
value = instance.SearchCriteria
```

C#

```
PDMWSearchCriteria SearchCriteria {get;}
```

C++/CLI

```
property PDMWSearchCriteria^ SearchCriteria {
    PDMWSearchCriteria^ get();
}
```

Property Value

[IPDMWSearchCriteria](#)

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchOptions::SearchCriteria](#).

See Also

[IPDMWSearchOptions Interface](#)
[IPDMWSearchOptions Members](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

SearchOnlyChildrenOf Property (IPDMWSearchOptions)

[See Also](#) [Example](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchOptions Interface](#) : SearchOnlyChildrenOf Property (IPDMWSearchOptions)

Gets or sets whether to limit the scope of the search by specifying a project or parent document.

.NET Syntax

Visual Basic (Declaration)

Property SearchOnlyChildrenOf As System.String

Visual Basic (Usage)



```
Dim instance As IPDMWSearchOptions  
Dim value As System.String  
  
instance.SearchOnlyChildrenOf = value  
value = instance.SearchOnlyChildrenOf
```

C#

```
System.string SearchOnlyChildrenOf {get; set;}
```

C++/CLI

```
property System.String^ SearchOnlyChildrenOf {  
    System.String^ get();  
    void set ( &    System.String^ value);  
}
```

Property Value

Path and filename of the project or parent document whose children to search or an empty string to search the entire va

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchOptions::SearchOnlyChildrenOf](#).

Example

[Create Search Criteria and Search Vault \(VBA\)](#)

See Also

[IPDMWSearchOptions Interface](#)
[IPDMWSearchOptions Members](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

IPDMWSearchResult (Type)

IPDMWSearchResult Interface

[See Also](#) [Members](#) [Example](#)



[PDMWorks.Interop.pdmworks Namespace](#) : IPDMWSearchResult Interface

Provides access to search results.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

Public Interface IPDMWSearchResult

Visual Basic (Usage)

Dim instance As [IPDMWSearchResult](#)

C#

public interface IPDMWSearchResult

C++/CLI

public interface class IPDMWSearchResult

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchResult](#).

Example

[Create Search Criteria and Search Vault \(VBA\)](#)

Accessors

[IPDMWSearchResults.Item](#)

See Also

[IPDMWSearchResult Members](#)
[PDMWorks.Interop.pdmworks Namespace](#)
[IPDMWSearchResults Interface](#)
[IPDMWSearchOptions Interface](#)
[IPDMWSearchCriteria Interface](#)

IPDMWSearchResult Interface Members

[See Also](#) [Properties](#)



[PDMWorks.Interop.pdmworks Namespace](#) : IPDMWSearchResult Interface

The following tables list the members exposed by [IPDMWSearchResult](#).

Public Properties

Name	Description
ConfigurationName	Gets the name of the configuration in the search results.
Description	Gets the description of the document in the search results.
Document	Gets the document in the search results.
Name	Gets the name of the document in the search results.

 Number	Gets the number of the document in the search results.
 Owner	Gets the owner of the document in the search results.
 ParentPath	Gets the full path of the parent project and any subprojects of a document in a search result .
 project	Gets the name of the project in the search results.
 Revision	Gets the revision of the document in the search results.
 Status	Gets the status of the document in the search results.

[Top](#)

See Also

[IPDMWSearchResult Interface](#)
[PDMWorks.Interop.pdmworks Namespace](#)
[IPDMWSearchResults Interface](#)
[IPDMWSearchOptions Interface](#)
[IPDMWSearchCriteria Interface](#)

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

IPDMWSearchResult Interface Properties

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) : IPDMWSearchResult Interface

For a list of all members of this type, see [IPDMWSearchResult members](#).

Public Properties

Name	Description
 ConfigurationName	Gets the name of the configuration in the search results.
 Description	Gets the description of the document in the search results.
 Document	Gets the document in the search results.
 Name	Gets the name of the document in the search results.
 Number	Gets the number of the document in the search results.
 Owner	Gets the owner of the document in the search results.
 ParentPath	Gets the full path of the parent project and any subprojects of a document in a search result .
 project	Gets the name of the project in the search results.
 Revision	Gets the revision of the document in the search results.
 Status	Gets the status of the document in the search results.

[Top](#)

See Also

[IPDMWSearchResult Interface](#)
[PDMWorks.Interop.pdmworks Namespace](#)
[IPDMWSearchResults Interface](#)
[IPDMWSearchOptions Interface](#)
[IPDMWSearchCriteria Interface](#)

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

ConfigurationName Property (IPDMWSearchResult)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchResult Interface](#) : ConfigurationName Property (IPDMWSearchResult)

Gets the name of the configuration in the search results.

.NET Syntax

Visual Basic (Declaration)

ReadOnly Property ConfigurationName As System.String

Visual Basic (Usage)

```
Dim instance As IPDMWSearchResult  
Dim value As System.String  
  
value = instance.ConfigurationName
```

C#

```
System.string ConfigurationName {get;}
```

C++/CLI

```
property System.String^ ConfigurationName {  
    System.String^ get();  
}
```

Property Value

Name of configuration

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchResult::ConfigurationName](#).

Remarks

[IPDMWSearchOptions::SearchConfigSpecificProperties](#) must be true to use this property.

See Also

[IPDMWSearchResult Interface](#)
[IPDMWSearchResult Members](#)
[IPDMWSearchOptions::SearchConfigSpecificProperties Property](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

Description Property (IPDMWSearchResult)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchResult Interface](#) : Description Property (IPDMWSearchResult)

Gets the description of the document in the search results.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property Description As System.String
```

Visual Basic (Usage)

```
Dim instance As IPDMWSearchResult  
Dim value As System.String  
  
value = instance.Description
```

C#

```
System.string Description {get;}
```

C++/CLI

```
property System.String^ Description {
    System.String^ get();
}
```

Property Value

Description of the document

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchResult::Description](#).

See Also

[IPDMWSearchResult Interface](#)
[IPDMWSearchResult Members](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments](#) on this topic.

Document Property (IPDMWSearchResult)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchResult Interface](#) : Document Property (IPDMWSearchResult)

Gets the document in the search results.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property Document As PDMWDocument
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchResult
Dim value As PDMWDocument

value = instance.Document
```

C#

```
PDMWDocument Document {get;}
```

C++/CLI

```
property PDMWDocument^ Document {
    PDMWDocument^ get();
}
```

Property Value

[IPDMWDocument](#)

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchResult::Document](#).

See Also

[IPDMWSearchResult Interface](#)
[IPDMWSearchResult Members](#)

Availability

Name Property (IPDMWSearchResult)

[See Also](#)[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchResult Interface](#) : Name Property (IPDMWSearchResult)

Gets the name of the document in the search results.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property Name As System.String
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchResult  
Dim value As System.String  
  
value = instance.Name
```

C#

```
System.string Name {get;}
```

C++/CLI

```
property System.String^ Name {  
    System.String^ get();  
}
```

Property Value

Name of document

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchResult::Name](#).

See Also

[IPDMWSearchResult Interface](#)
[IPDMWSearchResult Members](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

Number Property (IPDMWSearchResult)

[See Also](#)[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchResult Interface](#) : Number Property (IPDMWSearchResult)

Gets the number of the document in the search results.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property Number As System.String
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchResult  
Dim value As System.String
```

```
value = instance.Number
```

C#

```
System.string Number {get;}
```

C++/CLI

```
property System.String^ Number {  
    System.String^ get();  
}
```

Property Value

Number of the document

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchResult::Number](#).

See Also

[IPDMWSearchResult Interface](#)
[IPDMWSearchResult Members](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

Owner Property (IPDMWSearchResult)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchResult Interface](#) : Owner Property (IPDMWSearchResult)

Gets the owner of the document in the search results.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property Owner As System.String
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchResult  
Dim value As System.String
```

```
value = instance.Owner
```

C#

```
System.string Owner {get;}
```

C++/CLI

```
property System.String^ Owner {  
    System.String^ get();  
}
```

Property Value

Owner of document

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchResult::Owner](#).

See Also

[IPDMWSearchResult Interface](#)
[IPDMWSearchResult Members](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

ParentPath Property (IPDMWSearchResult)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchResult Interface](#) : ParentPath Property (IPDMWSearchResult)

Gets the full path of the parent project and any subprojects of a document in a [search result](#).

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property ParentPath As System.String
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchResult  
Dim value As System.String  
  
value = instance.ParentPath
```

C#

```
System.string ParentPath {get;}
```

C++/CLI

```
property System.String^ ParentPath {  
    System.String^ get();  
}
```

Property Value

Path to parent project and any subprojects

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchResult::ParentPath](#).

Remarks

For example:

If the path is:

```
Sample Project ->  
    Second Level SubProject ->  
        Third Level SubSubProject ->  
            Document.sldprt
```

Then this property returns:

```
Sample Project/Second Level SubProject/Third Level SubSubProject
```

See Also

[IPDMWSearchResult Interface](#)
[IPDMWSearchResult Members](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

project Property (IPDMWSearchResult)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchResult Interface](#) : project Property (IPDMWSearchResult)

Gets the name of the project in the search results.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property project As System.String
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchResult
Dim value As System.String

value = instance.project
```

C#

```
System.string project {get;}
```

C++/CLI

```
property System.String^ project {
    System.String^ get();
}
```

Property Value

Name of project

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchResult::project](#).

See Also

[IPDMWSearchResult Interface](#)
[IPDMWSearchResult Members](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

Revision Property (IPDMWSearchResult)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchResult Interface](#) : Revision Property (IPDMWSearchResult)

Gets the revision of the document in the search results.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property Revision As System.String
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchResult
Dim value As System.String

value = instance.Revision
```

C#

```
System.string Revision {get;}
```

C++/CLI

```
property System.String^ Revision {
    System.String^ get();
}
```

Property Value

Revision of the document

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchResult::Revision](#).

See Also

[IPDMWSearchResult Interface](#)
[IPDMWSearchResult Members](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments](#) on this topic.

Status Property (IPDMWSearchResult)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchResult Interface](#) : Status Property (IPDMWSearchResult)

Gets the status of the document in the search results.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property Status As System.String
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchResult
Dim value As System.String

value = instance.Status
```

C#

```
System.string Status {get;}
```

C++/CLI

```
property System.String^ Status {
    System.String^ get();
}
```

Property Value

Status

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchResult::Status](#).

See Also

[IPDMWSearchResult Interface](#)
[IPDMWSearchResult Members](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

IPDMWSearchResults (Type)

IPDMWSearchResults Interface

[See Also](#) [Members](#) [Example](#)



[PDMWorks.Interop.pdmworks Namespace](#) : IPDMWSearchResults Interface

Contains [IPDMWSearchResult](#) objects.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

Public Interface IPDMWSearchResults

Visual Basic (Usage)

Dim instance As [IPDMWSearchResults](#)

C#

public interface IPDMWSearchResults

C++/CLI

public interface class IPDMWSearchResults

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchResults](#).

Example

[Create Search Criteria and Search Vault \(VBA\)](#)

Accessors

[IPDMWConnection::Search](#)

See Also

[IPDMWSearchResults Members](#)
[PDMWorks.Interop.pdmworks Namespace](#)
[IPDMWSearchResult Interface](#)
[IPDMWSearchOptions Interface](#)
[IPDMWSearchCriteria Interface](#)

IPDMWSearchResults Interface Members

[See Also](#) [Properties](#)



[PDMWorks.Interop.pdmworks Namespace](#) : IPDMWSearchResults Interface

The following tables list the members exposed by [IPDMWSearchResults](#).

Public Properties

Name	Description
Count	Gets the number of search results.
Item	Gets the specified search result.

[Top](#)

See Also

[IPDMWSearchResults Interface](#)
[PDMWorks.Interop.pdmworks Namespace](#)
[IPDMWSearchResult Interface](#)
[IPDMWSearchOptions Interface](#)
[IPDMWSearchCriteria Interface](#)

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

IPDMWSearchResults Interface Properties

[See Also](#)

[PDMWorks.Interop.pdmworks Namespace](#) : IPDMWSearchResults Interface

For a list of all members of this type, see [IPDMWSearchResults members](#).

Public Properties

Name	Description
 Count	Gets the number of search results.
 Item	Gets the specified search result.

[Top](#)

See Also

[IPDMWSearchResults Interface](#)
[PDMWorks.Interop.pdmworks Namespace](#)
[IPDMWSearchResult Interface](#)
[IPDMWSearchOptions Interface](#)
[IPDMWSearchCriteria Interface](#)

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

Count Property (IPDMWSearchResults)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchResults Interface](#) : Count Property (IPDMWSearchResults)

Gets the number of search results.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property Count As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchResults  
Dim value As System.Integer
```

```
value = instance.Count
```

C#

```
System.int Count {get;}
```

C++/CLI

```
property System.int Count {  
    System.int get();  
}
```

Property Value

Number of search results

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchResults::Count](#).

See Also

[IPDMWSearchResults Interface](#)
[IPDMWSearchResults Members](#)
[IPDMWSearchResults.Item Property](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

Item Property (IPDMWSearchResults)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWSearchResults Interface](#) : Item Property (IPDMWSearchResults)

Gets the specified search result.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Default Property Item( _  
    ByVal Index As System.Object _  
) As System.Object
```

Visual Basic (Usage)



```
Dim instance As IPDMWSearchResults  
Dim Index As System.Object  
Dim value As System.Object  
  
value = instance.Item(Index)
```

C#

```
System.object this[  
    System.object Index  
]; {get;}
```

C++/CLI

```
property System.Object^ default [System.Object^] {  
    System.Object^ get(System.Object^ Index);  
}
```

Parameters

Index

Number or name indicating which search result to get

Property Value

[IPDMSearchResult](#)

Visual Basic for Applications (VBA) Syntax

See [PDMWSearchResults.Item](#).

See Also

[IPDMWSearchResults Interface](#)
[IPDMWSearchResults Members](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

IPDMWUser (Type)

IPDMWUser Interface

[See Also](#) [Members](#)



[PDMWorks.Interop.pdmworks Namespace](#) : IPDMWUser Interface

Provides access to a user record.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

Public Interface IPDMWUser

Visual Basic (Usage)

Dim instance As [IPDMWUser](#)

C#

public interface IPDMWUser

C++/CLI

public interface class IPDMWUser

Visual Basic for Applications (VBA) Syntax

See [PDMWUser](#).

Accessors

[IPDMWConnection::CreateUser](#)
[IPDMWUsers::Item](#)

See Also

[IPDMWUser Members](#)
[PDMWorks.Interop.pdmworks Namespace](#)
[IPDMWUsers Interface](#)
[IPDMWGroup Interface](#)
[IPDMWGroups Interface](#)

IPDMWUser Interface Members

[See Also](#) [Properties](#)



[PDMWorks.Interop.pdmworks Namespace](#) : IPDMWUser Interface

The following tables list the members exposed by [IPDMWUser](#).

Public Properties

Name	Description
Comment	Gets or sets the comments for this user record.
DisplayName	Gets or sets the name of the user record to display.
Email	Gets or sets the email address for this user.
IsAdmin	Gets or sets whether this user is a vault administrator.
password	Gets or sets the password for this user.
PropertyFilterName	Gets or sets the name of the property to use as a filter.

 PropertyFilterValue	Gets or sets the value of a property to use as a filter.
 userName	Gets the username for this user.

[Top](#)

 See Also

[IPDMWUser Interface](#)
[PDMWorks.Interop.pdmworks Namespace](#)
[IPDMWUsers Interface](#)
[IPDMWGroup Interface](#)
[IPDMWGroups Interface](#)

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

IPDMWUser Interface Properties

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) : IPDMWUser Interface

For a list of all members of this type, see [IPDMWUser members](#).

 Public Properties

Name	Description
 Comment	Gets or sets the comments for this user record.
 DisplayName	Gets or sets the name of the user record to display.
 Email	Gets or sets the email address for this user.
 IsAdmin	Gets or sets whether this user is a vault administrator.
 password	Gets or sets the password for this user.
 PropertyFilterName	Gets or sets the name of the property to use as a filter.
 PropertyFilterValue	Gets or sets the value of a property to use as a filter.
 userName	Gets the username for this user.

[Top](#)

 See Also

[IPDMWUser Interface](#)
[PDMWorks.Interop.pdmworks Namespace](#)
[IPDMWUsers Interface](#)
[IPDMWGroup Interface](#)
[IPDMWGroups Interface](#)

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

Comment Property (IPDMWUser)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWUser Interface](#) : Comment Property (IPDMWUser)

Gets or sets the comments for this user record.

 .NET Syntax

Visual Basic (Declaration)

Property Comment As System.String

Visual Basic (Usage)



```

Dim instance As IPDMWUser
Dim value As System.String

instance.Comment = value
value = instance.Comment

```

C#

```
System.string Comment {get; set;}
```

C++/CLI

```
property System.String^ Comment {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Comments

Visual Basic for Applications (VBA) Syntax

See [PDMWUser::Comment](#).

See Also

[IPDMWUser Interface](#)
[IPDMWUser Members](#)

Availability

SOLIDWORKS Workgroup PDM 2004 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments](#) on this topic.

DisplayName Property (IPDMWUser)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWUser Interface](#) : DisplayName Property (IPDMWUser)

Gets or sets the name of the user record to display.

.NET Syntax

Visual Basic (Declaration)

```
Property DisplayName As System.String
```

Visual Basic (Usage)



```
Dim instance As IPDMWUser  
Dim value As System.String  
  
instance.DisplayName = value  
value = instance.DisplayName
```

C#

```
System.string DisplayName {get; set;}
```

C++/CLI

```
property System.String^ DisplayName {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Name of the user record to display

Visual Basic for Applications (VBA) Syntax

See [PDMWUser::DisplayName](#).

See Also

[IPDMWUser Interface](#)
[IPDMWUser Members](#)

Availability

SOLIDWORKS Workgroup PDM 2004 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

Email Property (IPDMWUser)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWUser Interface](#) : Email Property (IPDMWUser)

Gets or sets the email address for this user.

.NET Syntax

Visual Basic (Declaration)

Property Email As System.String

Visual Basic (Usage)



```
Dim instance As IPDMWUser  
Dim value As System.String
```

```
instance.Email = value
```

```
value = instance.Email
```

C#

```
System.string Email {get; set;}
```

C++/CLI

```
property System.String^ Email {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Email address

Visual Basic for Applications (VBA) Syntax

See [PDMWUser::Email](#).

See Also

[IPDMWUser Interface](#)
[IPDMWUser Members](#)

Availability

DPMWorks Workgroup 2004 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

IsAdmin Property (IPDMWUser)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWUser Interface](#) : IsAdmin Property (IPDMWUser)

Gets or sets whether this user is a vault administrator.

Visual Basic Syntax

Visual Basic (Declaration)

Property IsAdmin As System.Boolean

Visual Basic (Usage)



```
Dim instance As IPDMWUser
Dim value As System.Boolean

instance.IsAdmin = value
value = instance.IsAdmin
```

C#

```
System.bool IsAdmin {get; set;}
```

C++/CLI

```
property System.bool IsAdmin {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True if user is a vault administrator, false if not

Visual Basic for Applications (VBA) Syntax

See [PDMWUser::IsAdmin](#).

Remarks

Only a vault administrator can set this user is a vault administration.

A vault administrator cannot remove himself or herself from the list of vault administrators.

See Also

[IPDMWUser Interface](#)
[IPDMWUser Members](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

password Property (IPDMWUser)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWUser Interface](#) : password Property (IPDMWUser)

Gets or sets the password for this user.

Visual Basic Syntax

Visual Basic (Declaration)

Property password As System.String

Visual Basic (Usage)



```
Dim instance As IPDMWUser
Dim value As System.String
```

```
instance.password = value  
value = instance.password
```

C#

```
System.string password {get; set;}
```

C++/CLI

```
property System.String^ password {  
    System.String^ get();  
    void set ( &    System.String^ value);  
}
```

Property Value

Password

Visual Basic for Applications (VBA) Syntax

See [PDMWUser::password](#).

See Also

[IPDMWUser Interface](#)
[IPDMWUser Members](#)

Availability

SOLIDWORKS Workgroup PDM 2004 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments](#) on this topic.

PropertyFilterName Property (IPDMWUser)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWUser Interface](#) : PropertyFilterName Property (IPDMWUser)

Gets or sets the name of the property to use as a filter.

.NET Syntax

Visual Basic (Declaration)

```
Property PropertyFilterName As System.String
```

Visual Basic (Usage)



```
Dim instance As IPDMWUser  
Dim value As System.String  
  
instance.PropertyFilterName = value  
value = instance.PropertyFilterName
```

C#

```
System.string PropertyFilterName {get; set;}
```

C++/CLI

```
property System.String^ PropertyFilterName {  
    System.String^ get();  
    void set ( &    System.String^ value);  
}
```

Property Value

Name of property

Visual Basic for Applications (VBA) Syntax

See [PDMWUser::PropertyFilterName](#).

Remarks

Only a vault administrator can get or set the name of a property to use as a filter.

See Also

[IPDMWUser Interface](#)
[IPDMWUser Members](#)
[IPDMWUser::PropertyFilterValue Property](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments](#) on this topic.

PropertyFilterValue Property (IPDMWUser)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWUser Interface](#) : PropertyFilterValue Property (IPDMWUser)

Gets or sets the value of a property to use as a filter.

.NET Syntax

Visual Basic (Declaration)

```
Property PropertyFilterValue As System.String
```

Visual Basic (Usage)



```
Dim instance As IPDMWUser
Dim value As System.String

instance.PropertyFilterValue = value

value = instance.PropertyFilterValue
```

C#

```
System.string PropertyFilterValue {get; set;}
```

C++/CLI

```
property System.String^ PropertyFilterValue {
    System.String^ get();
    void set ( & System.String^ value);
}
```

Property Value

Value of a property to use as a filter

Visual Basic for Applications (VBA) Syntax

See [PDMWUser::PropertyFilterValue](#).

Remarks

Only a vault administrator can get or set the value of a property to use as a filter.

See Also

[IPDMWUser Interface](#)
[IPDMWUser Members](#)

[IPDMWUser::IPDMWUser::PropertyFilterName Property](#)
[IPDMWUser::PropertyFilterValue Property](#)

Availability

SOLIDWORKS Workgroup PDM 2006 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

userName Property (IPDMWUser)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWUser Interface](#) : userName Property (IPDMWUser)

Gets the username for this user.

.NET Syntax

Visual Basic (Declaration)

```
Property userName As System.String
```

Visual Basic (Usage)



```
Dim instance As IPDMWUser  
Dim value As System.String  
  
instance.userName = value  
value = instance.userName
```

C#

```
System.string userName {get; set;}
```

C++/CLI

```
property System.String^ userName {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Username

Visual Basic for Applications (VBA) Syntax

See [PDMWUser::userName](#).

See Also

[IPDMWUser Interface](#)
[IPDMWUser Members](#)

Availability

SOLIDWORKS Workgroup PDM 2004 FCS

IPDMWUsers (Type)

IPDMWUsers Interface

[See Also](#) [Members](#)



[PDMWorks.Interop.pdmworks Namespace](#) : IPDMWUsers Interface

Provides access to a collection of user records.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

Public Interface IPDMWUsers

Visual Basic (Usage) [Copy Code](#)

Dim instance As [IPDMWUsers](#)

C#

public interface IPDMWUsers

C++/CLI

public interface class IPDMWUsers

Visual Basic for Applications (VBA) Syntax

See [PDMWUsers](#).

Accessors

[IPDMWConnection::Users](#)

[IPDMWGroup::Users](#)

See Also

- [IPDMWUsers Members](#)
- [PDMWorks.Interop.pdmworks Namespace](#)
- [IPDMWUser Interface](#)
- [IPDMWGroup Interface](#)
- [IPDMWGroups Interface](#)

IPDMWUsers Interface Members

[See Also](#) [Properties](#)



[PDMWorks.Interop.pdmworks Namespace](#) : IPDMWUsers Interface

The following tables list the members exposed by [IPDMWUsers](#).

Public Properties

Name	Description
Count	Gets the number of users in this collection.
Item	Gets the user by name.

[Top](#)

See Also

- [IPDMWUsers Interface](#)
- [PDMWorks.Interop.pdmworks Namespace](#)

IPDMWUsers Interface Properties

[See Also](#)

[PDMWorks.Interop.pdmworks Namespace](#) : IPDMWUsers Interface

For a list of all members of this type, see [IPDMWUsers members](#).

Public Properties

Name	Description
 Count	Gets the number of users in this collection.
 Item	Gets the user by name.

[Top](#)

See Also

[IPDMWUsers Interface](#)
[PDMWorks.Interop.pdmworks Namespace](#)
[IPDMWUser Interface](#)
[IPDMWGroup Interface](#)
[IPDMWGroups Interface](#)

Count Property (IPDMWUsers)

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) > [IPDMWUsers Interface](#) : Count Property (IPDMWUsers)

Gets the number of users in this collection.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property Count As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IPDMWUsers  
Dim value As System.Integer  
  
value = instance.Count
```

C#

```
System.int Count {get;}
```

C++/CLI

```
property System.int Count {  
    System.int get();  
}
```

Property Value

Number of users

Visual Basic for Applications (VBA) Syntax

See [PDMWUsers::Count](#).

See Also

[IPDMWUsers Interface](#)
[IPDMWUsers Members](#)
[IPDMWUsers::Item Property](#)

Availability

SOLIDWORKS Workgroup PDM 2004 FCS

SOLIDWORKS Workgroup PDM API Help

[Send comments on this topic.](#)

Item Property (IPDMWUsers)

[See Also](#)



[PDMWorks.Interop.pdmworks.Namespace](#) > [IPDMWUsers Interface](#) : Item Property (IPDMWUsers)

Gets the user by name.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Default Property Item( _  
    ByVal Index As System.Object _  
) As System.Object
```

Visual Basic (Usage)



```
Dim instance As IPDMWUsers  
Dim Index As System.Object  
Dim value As System.Object  
  
value = instance.Item(Index)
```

C#

```
System.object this[  
    System.object Index  
]; {get;}
```

C++/CLI

```
property System.Object^ default [System.Object^] {  
    System.Object^ get(System.Object^ Index);  
}
```

Parameters

Index

Number indicating which user to get

Property Value

[IPDMWUser](#)

Visual Basic for Applications (VBA) Syntax

See [PDMWUsers::Item](#).

See Also

[IPDMWUsers Interface](#)
[IPDMWUsers Members](#)
[IPDMWUsers::Count Property](#)

Availability

SOLIDWORKS Workgroup PDM 2004 FCS

PDMWAndOr (Type)

PDMWAndOr Enumeration

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) : PDMWAndOr Enumeration

Logical operators for subsequent search criteria

.NET Syntax

Visual Basic (Declaration)

```
Public Enum PDMWAndOr
    Inherits System.Enum
```

Visual Basic (Usage)



```
Dim instance As PDMWAndOr
```

C#

```
public enum PDMWAndOr : System.Enum
```

C++/CLI

```
public enum class PDMWAndOr : public System.Enum
```

Members

Member	Description
pdmwAnd	1
pdmwOr	0

See Also

[PDMWorks.Interop.pdmworks Namespace](#)

PDMWChildrenType (Type)

PDMWChildrenType Enumeration

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) : PDMWChildrenType Enumeration

Types of children documents

.NET Syntax

Visual Basic (Declaration)

```
Public Enum PDMWChildrenType
    Inherits System.Enum
```

Visual Basic (Usage)



```
Dim instance As PDMWChildrenType
```

C#

```
public enum PDMWChildrenType : System.Enum
```

C++/CLI

```
public enum class PDMWChildrenType : public System.Enum
```

Members

Member	Description
AllChildren	2
FirstLevelChildren	1
NoChildren	0

See Also

[PDMWorks.Interop.pdmworks Namespace](#)

PDMWConditionType (Type)

PDMWConditionType Enumeration

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) : PDMWConditionType Enumeration

Search conditions

.NET Syntax

Visual Basic (Declaration)

```
Public Enum PDMWConditionType
    Inherits System.Enum
```

Visual Basic (Usage)



```
Dim instance As PDMWConditionType
```

C#

```
public enum PDMWConditionType : System.Enum
```

C++/CLI

```
public enum class PDMWConditionType : public System.Enum
```

Members

Member	Description
pdmwContains	2
pdmwDoesNotContain	3
pdmwEqualTo	6
pdmwGreaterThan	8
pdmwGreaterThanOrEqualTo	10
pdmwIsEmpty	4
pdmwIsExactly	0
pdmwIsNot	1
pdmwIsNotEmpty	5
pdmwLessThan	9
pdmwLessThanOrEqualTo	11
pdmwNotEqualTo	7

See Also

[PDMWorks.Interop.pdmworks Namespace](#)

PDMWLinkType (Type)

PDMWLinkType Enumeration

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) : PDMWLinkType Enumeration

Types of links

.NET Syntax

Visual Basic (Declaration)

```
Public Enum PDMWLinkType
    Inherits System.Enum
```

Visual Basic (Usage)



```
Dim instance As PDMWLinkType
```

C#

```
public enum PDMWLinkType : System.Enum
```

C++/CLI

```
public enum class PDMWLinkType : public System.Enum
```

Members

Member	Description
DeletedLink	3
ForwardLink	2
NormalLink	1
UnknownLink	0

See Also

[PDMWorks.Interop.pdmworks Namespace](#)

PDMWorks.Interop.pdmworks (Namespace Overview)

PDMWorks.Interop.pdmworks Namespace

See Also [Inheritance Hierarchy](#)

 SOLIDWORKS Workgroup PDM API

Interfaces

Interface	Description
IPDMWConfiguration	Provides access to SOLIDWORKS configurations.
IPDMWConfigurations	Contains IPDMWConfiguration objects.
IPDMWConnection	Allows you to log in and out of SOLIDWORKS Workgroup PDM and get projects and documents.
IPDMWDocument	Represents and provides access to a single file that is checked into the vault. Some document properties, such as configuration, references, and where used, only work with SOLIDWORKS documents (.sldprt, .sldasm, and .slddrw files).
IPDMWDocumentNote	Provides access to notes.
IPDMWDocumentNotes	Contains IPDMWDocumentNote objects.
IPDMWDocuments	Contains IPDMWDocument objects.
IPDMWGroup	Provides access to a group object. Typically, users assigned to the same projects are also assigned to the same group.
IPDMWGroups	Provides access to a collection of IPDMWGroup objects.
IPDMWLink	Provides access to a link object. A link contains basic information about a referenced document.
IPDMWLinks	Contains IPDMWLink objects.
IPDMWProject	Provides access to the properties of vault projects.
IPDMWProjects	Contains IPDMWProject objects.
IPDMWProperties	Contains IPDMWProperty objects.
IPDMWProperty	Provides access to a configuration, document, or vault administrator-assigned custom property.
IPDMWSearchCriteria	Provides access to search criteria to locate documents in the vault.
IPDMWSearchOptions	Provides access to search criteria options.
IPDMWSearchResult	Provides access to search results.
IPDMWSearchResults	Contains IPDMWSearchResult objects.
IPDMWUser	Provides access to a user record.
IPDMWUsers	Provides access to a collection of user records.

Enumerations

Enumeration	Description
PDMWAndOr	Logical operators for subsequent search criteria
PDMWChildrenType	Types of children documents
PDMWConditionType	Search conditions
PDMWLinkType	Types of links
PDMWPermission	Read and write permissions for projects
PDMWPropertyType	Property types

See Also

[PDMWorks.Interop.pdmworks.Assembly](#)

PDMWPermission (Type)

PDMWPermission Enumeration

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) : PDMWPermission Enumeration

Read and write permissions for projects

.NET Syntax

Visual Basic (Declaration)

```
Public Enum PDMWPermission
    Inherits System.Enum
```

Visual Basic (Usage)



```
Dim instance As PDMWPermission
```

C#

```
public enum PDMWPermission : System.Enum
```

C++/CLI

```
public enum class PDMWPermission : public System.Enum
```

Members

Member	Description
None	0
ReadOnly	1
ReadWrite	2

See Also

[PDMWorks.Interop.pdmworks Namespace](#)

PDMWPropertyType (Type)

PDMWPropertyType Enumeration

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) : PDMWPropertyType Enumeration

Property types

.NET Syntax

Visual Basic (Declaration)

```
Public Enum PDMWPropertyType
    Inherits System.Enum
```

Visual Basic (Usage)



```
Dim instance As PDMWPropertyType
```

C#

```
public enum PDMWPropertyType : System.Enum
```

C++/CLI

```
public enum class PDMWPropertyType : public System.Enum
```

Members

Member	Description
pdmwAllProperties	0
pdmwConfigurationName	8
pdmwDescription	4
pdmwDisplayInfo	1
pdmwDocumentName	2
pdmwNumber	3
pdmwOwner	6
pdmwRevision	5
pdmwStatus	7
pdmwUserDefinedProperty	9

See Also

[PDMWorks.Interop.pdmworks Namespace](#)

PDMWRevisionOptionType (Type)

PDMWRevisionOptionType Enumeration

[See Also](#)



[PDMWorks.Interop.pdmworks Namespace](#) : PDMWRevisionOptionType Enumeration

Revision options

.NET Syntax

Visual Basic (Declaration)

```
Public Enum PDMWRevisionOptionType
    Inherits System.Enum
```

Visual Basic (Usage)



```
Dim instance As PDMWRevisionOptionType
```

C#

```
public enum PDMWRevisionOptionType : System.Enum
```

C++/CLI

```
public enum class PDMWRevisionOptionType : public System.Enum
```

Members

Member	Description
Default	0
Other	2
ReadFromFile	1

See Also

[PDMWorks.Interop.pdmworks Namespace](#)