

SOLIDWORKS API (.NET VBA C#) — Reference

(1/337): namespace hierarchy

DAssemblyDocEvents_FeatureSketchEditPreN

SOLIDWORKS API Documentation (converted from CHM)

namespace_hierarchy (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SolidWorks.Interop.sldworks Namespace Inheritance Hierarchy

[See Also](#)



Inheritance Hierarchy

System.Object

See Also

[SolidWorks.Interop.sldworks Assembly](#)

DAssemblyDocEvents_ActiveAnnotationViewChangeNotifyEventHandler (Type)

DAssemblyDocEvents_ActiveAnnotationViewChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ActiveAnnotationViewChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the user changes the annotation view.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ActiveAnnotationViewChangeNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)

```
Dim instance As New DAssemblyDocEvents\_ActiveAnnotationViewChangeNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ActiveAnnotationViewChangeNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ActiveAnnotationViewChangeNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ActiveAnnotationViewChangeNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyActiveAnnotationViewChangeNotify](#) to register for this notification.

Availability

DAssemblyDocEvents_ActiveConfigChangeNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_ActiveConfigChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ActiveConfigChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the user switches to a different configuration.

Visual Basic Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ActiveConfigChangeNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ActiveConfigChangeNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ActiveConfigChangeNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ActiveConfigChangeNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ActiveConfigChangeNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyActiveConfigChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_ActiveConfigChangePostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_ActiveConfigChangePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ActiveConfigChangePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the user has switched to a different configuration.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ActiveConfigChangePostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)

```
Dim instance As New DAssemblyDocEvents\_ActiveConfigChangePostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ActiveConfigChangePostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ActiveConfigChangePostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ActiveConfigChangePostNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyActiveConfigChangePostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_ActiveDisplayStateChangePostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_ActiveDisplayStateChangePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ActiveDisplayStateChangePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired after the display state of a configuration is changed or after a configuration is changed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ActiveDisplayStateChangePostNotifyEventHandler( _  
    ByVal DisplayStateName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ActiveDisplayStateChangePostNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ActiveDisplayStateChangePostNotifyEventHandler(  
    System.string DisplayStateName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ActiveDisplayStateChangePostNotifyEventHandler(  
& System.String^ DisplayStateName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

DisplayStateName
Name of the active display state

Visual Basic for Applications (VBA) Syntax

See [ActiveDisplayStateChangePostNotify Event \(AssemblyDoc\)](#).

Example

[Fire Events When Display State Changes \(C#\)](#)
[Fire Events When Display State Changes \(VB.NET\)](#)
[Fire Events When Display State Changes \(VBA\)](#)

Remarks

When changing configurations, the following events are fired in this order:

- [ActiveConfigChangeNotify](#)
- [ActiveDisplayStateChangePreNotify](#)
- [ActiveConfigChangePostNotify](#)
- [ActiveDisplayStateChangePostNotify](#)

When changing the display state of a configuration, only ActiveDisplayStateChangePreNotify and ActiveDisplayStateChangePostNotify are fired

This event is fired even when configurations and display states are not linked; however, the initial and final display states will be the same.

Availability

SOLIDWORKS 2009 SP2, Revision Number 17.2

DAssemblyDocEvents_ActiveDisplayStateChangePreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_ActiveDisplayStateChangePreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ActiveDisplayStateChangePreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired before the display state of a configuration is changed or before a configuration is changed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ActiveDisplayStateChangePreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ActiveDisplayStateChangePreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ActiveDisplayStateChangePreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ActiveDisplayStateChangePreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ActiveDisplayStateChangePreNotify Event \(AssemblyDoc\)](#).

Example

[Fire Events When Display State Changes \(C#\)](#)
[Fire Events When Display State Changes \(VB.NET\)](#)
[Fire Events When Display State Changes \(VBA\)](#)

Remarks

When changing configurations, the following events are fired in this order:

- [ActiveConfigChangeNotify](#)
- [ActiveDisplayStateChangePreNotify](#)
- [ActiveConfigChangePostNotify](#)
- [ActiveDisplayStateChangePostNotify](#)

When changing the display state of a configuration, only [ActiveDisplayStateChangePreNotify](#) and [ActiveDisplayStateChangePostNotify](#) are fired

This event is fired even when configurations and display states are not linked; however, the initial and final display states will be the same.

Availability

SOLIDWORKS 2009 SP2, Revision Number 17.2

DAssemblyDocEvents_ActiveViewChangeNotifyEventHandler (Type)

DAssemblyDocEvents_ActiveViewChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ActiveViewChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the active view changes.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ActiveViewChangeNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ActiveViewChangeNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ActiveViewChangeNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ActiveViewChangeNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ActiveViewChangeNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyActiveViewChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2009 FCS, Revision Number 17.0

DAssemblyDocEvents_AddCustomPropertyNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_AddCustomPropertyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_AddCustomPropertyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the user adds a custom property.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_AddCustomPropertyNotifyEventHandler( _  
    ByVal propName As System.String, _  
    ByVal Configuration As System.String, _  
    ByVal Value As System.String, _  
    ByVal valueType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_AddCustomPropertyNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_AddCustomPropertyNotifyEventHandler(  
    System.string propName,  
    System.string Configuration,  
    System.string Value,  
    System.int valueType  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_AddCustomPropertyNotifyEventHandler(  
& System.String^ propName,  
& System.String^ Configuration,  
& System.String^ Value,  
& System.int valueType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

propName
Name of added property
Configuration
Configuration name
Value
Value of the property
valueType
Valid type for VARIANT; see Microsoft MSDN for a list of valid VARIANT types

Visual Basic for Applications (VBA) Syntax

See [AddCustomPropertyNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyAddCustomPropertyNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_AddDependencyNotifyEventHandler (Type)

DAssemblyDocEvents_AddDependencyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_AddDependencyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the assembly references the specified document for the first time.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_AddDependencyNotifyEventHandler( _  
    ByVal PathName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_AddDependencyNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_AddDependencyNotifyEventHandler(  
    System.string PathName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_AddDependencyNotifyEventHandler(  
& System.String^ PathName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

PathName
The full name and path of the newly referenced document.

Remarks

If developing a C++ application, use [swAssemblyAddDependencyNotify](#) to register for this notification.

Availability

SOLIDWORKS 2026 SP03, Revision Number 34.3

DAssemblyDocEvents_AddItemNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_AddItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_AddItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the user when a component is added to the FeatureManager design tree.

Visual Basic Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_AddItemNotifyEventHandler( _  
    ByVal EntityType As System.Integer, _  
    ByVal itemName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_AddItemNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_AddItemNotifyEventHandler(  
    System.int EntityType,  
    System.string itemName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_AddItemNotifyEventHandler(  
& System.int EntityType,  
& System.String^ itemName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

EntityType
Type of item to add as defined in [swNotifyEntityType_e](#)
itemName
Name of the added item

Visual Basic for Applications (VBA) Syntax

See [AddItemNotify Event \(AssemblyDoc\)](#).

Example

[Add Component and Mate \(VBA\)](#)
[Add Component and Mate \(VB.NET\)](#)
[Add Component and Mate \(C#\)](#)

Remarks

RenameItemNotify is also fired when [IComponent2::MakeVirtual](#) is called.

If developing a C++ application, use [swAssemblyAddItemNotify](#) to register for this notification.

No explicit notification is available for reordering components. However, these actions generate this event and the [DeleteItemNotify](#) event.

Availability

DAssemblyDocEvents_AddMatePostNotify2EventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_AddMatePostNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_AddMatePostNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

Fired after one or more mates are created in an assembly.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_AddMatePostNotify2EventHandler( _  
    ByRef Mates As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_AddMatePostNotify2EventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_AddMatePostNotify2EventHandler(  
    ref System.object Mates  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_AddMatePostNotify2EventHandler(  
& System.Object^% Mates  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Mates
Array of new [mates](#)

Visual Basic for Applications (VBA) Syntax

See [AddMatePostNotify2 Event \(AssemblyDoc\)](#).

Example

- [Fire Notification After Adding a Mate \(VBA\)](#)
- [Fire Notification After Adding a Mate \(VB.NET\)](#)
- [Fire Notification After Adding a Mate \(C#\)](#)

Remarks

If developing a C++ application, use [swAssemblyAddMatePostNotify2](#) to register for this notification.

Availability

SOLIDWORKS 2019 FCS, Revision Number 27.0

DAssemblyDocEvents_AddMatePostNotifyEventHandler (Type)

DAssemblyDocEvents_AddMatePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_AddMatePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Obsolete. Superseded by [DAssemblyDocEvents_AddMatePostNotify2EventHandler](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_AddMatePostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_AddMatePostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_AddMatePostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_AddMatePostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [AddMatePostNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyAddMatePostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2009 SP4, Revision Number 17.4

DAssemblyDocEvents_AssemblyElectricalDataUpdateNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_AssemblyElectricalDataUpdateNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_AssemblyElectricalDataUpdateNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the SOLIDWORKS Design software updates the electrical data.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_AssemblyElectricalDataUpdateNotifyEventHandler( _  
    ByVal saveType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_AssemblyElectricalDataUpdateNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_AssemblyElectricalDataUpdateNotifyEventHandler(  
    System.int saveType  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_AssemblyElectricalDataUpdateNotifyEventHandler(  
& System.int saveType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

saveType

- 0 = All streams
- 2 = From-To list stream
- 3 = Segment data stream
- 4 = Wire list stream

Visual Basic for Applications (VBA) Syntax

See [AssemblyElectricalDataUpdateNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyElectricalDataUpdateNotify](#) to register for this notification.

Third-party applications should handle this notification to reload the electrical data from the data streams when the SOLIDWORKS Design software writes to them. Currently, this event only occurs when a user exits a route.

Availability

SOLIDWORKS 2004 SP4, Revision Number 12.4

DAssemblyDocEvents_AutoSaveNotifyEventHandler (Type)

DAssemblyDocEvents_AutoSaveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_AutoSaveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the assembly document is automatically saved.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_AutoSaveNotifyEventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_AutoSaveNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_AutoSaveNotifyEventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_AutoSaveNotifyEventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName
Name of the saved file

Visual Basic for Applications (VBA) Syntax

See [AutoSaveNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyAutoSaveNotify](#) to register for this notification.

Availability

SOLIDWORKS 2009 FCS, Revision Number 17.0

DAssemblyDocEvents_AutoSaveToStorageNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_AutoSaveToStorageNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_AutoSaveToStorageNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the assembly document is automatically saved to third-party IStream storage.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_AutoSaveToStorageNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)

```
Dim instance As New DAssemblyDocEvents\_AutoSaveToStorageNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_AutoSaveToStorageNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_AutoSaveToStorageNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [AutoSaveToStorageNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyAutoSaveToStorageNotify](#) to register for this notification.

Availability

SOLIDWORKS 2009 FCS, Revision Number 17.0

DAssemblyDocEvents_AutoSaveToStorageStoreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_AutoSaveToStorageStoreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_AutoSaveToStorageStoreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the assembly document is automatically saved to third-party IStorage storage.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_AutoSaveToStorageStoreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)

```
Dim instance As New DAssemblyDocEvents\_AutoSaveToStorageStoreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_AutoSaveToStorageStoreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_AutoSaveToStorageStoreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [AutoSaveToStorageStoreNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyAutoSaveToStorageStoreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DAssemblyDocEvents_BeginInContextEditNotifyEventHandler (Type)

DAssemblyDocEvents_BeginInContextEditNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_BeginInContextEditNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the application that the user is starting to edit an assembly component within the context of the assembly (inside the assembly document window).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_BeginInContextEditNotifyEventHandler( _  
    ByVal docBeingEdited As System.Object, _  
    ByVal DocType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_BeginInContextEditNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_BeginInContextEditNotifyEventHandler(  
    System.object docBeingEdited,  
    System.int DocType  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_BeginInContextEditNotifyEventHandler(  
& System.Object^ docBeingEdited,  
& System.int DocType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

- docBeingEdited*
File name of the component document
- DocType*
Type of component document as defined in [swDocumentTypes_e](#)

Visual Basic for Applications (VBA) Syntax

See [BeginInContextEditNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyBeginInContextEditNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_BodyVisibleChangeNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_BodyVisibleChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_BodyVisibleChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the application that the visible state of a body within this assembly has changed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_BodyVisibleChangeNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)

```
Dim instance As New DAssemblyDocEvents\_BodyVisibleChangeNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_BodyVisibleChangeNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_BodyVisibleChangeNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [BodyVisibleChangeNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyBeginInContextEditNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

DAssemblyDocEvents_ChangeCustomPropertyNotifyEventHandler (Type)

DAssemblyDocEvents_ChangeCustomPropertyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ChangeCustomPropertyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the user has changed a custom property.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ChangeCustomPropertyNotifyEventHandler( _  
    ByVal propName As System.String, _  
    ByVal Configuration As System.String, _  
    ByVal oldValue As System.String, _  
    ByVal NewValue As System.String, _  
    ByVal valueType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ChangeCustomPropertyNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ChangeCustomPropertyNotifyEventHandler(  
    System.string propName,  
    System.string Configuration,  
    System.string oldValue,  
    System.string NewValue,  
    System.int valueType  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ChangeCustomPropertyNotifyEventHandler(  
& System.String^ propName,  
& System.String^ Configuration,  
& System.String^ oldValue,  
& System.String^ NewValue,  
& System.int valueType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

- propName*
Name of changed property
- Configuration*
Configuration that contains the property
- oldValue*
Previous value of the property
- NewValue*
New value of the property
- valueType*
Valid type for VARIANT; see Microsoft MSDN for a list of valid VARIANT types

Visual Basic for Applications (VBA) Syntax

See [ChangeCustomPropertyNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyChangeCustomPropertyNotify](#) to register for this notification.

Availability

DAssemblyDocEvents_ClearSelectionsNotifyEventHandler (Type)

DAssemblyDocEvents_ClearSelectionsNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ClearSelectionsNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the user program when selections are cleared using **Clear Selections**.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ClearSelectionsNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ClearSelectionsNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ClearSelectionsNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ClearSelectionsNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ClearSelectionsNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyClearNotificationsNotify](#) to register for this notification.

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

DAssemblyDocEvents_CloseDesignTableNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_CloseDesignTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_CloseDesignTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies your application that a design table that was being edited is about to be closed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_CloseDesignTableNotifyEventHandler( _  
    ByVal DesignTable As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_CloseDesignTableNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_CloseDesignTableNotifyEventHandler(  
    System.object DesignTable  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_CloseDesignTableNotifyEventHandler(  
& System.Object^ DesignTable  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

DesignTable
[Design table](#)

Visual Basic for Applications (VBA) Syntax

See [CloseDesignTableNotify_Event \(AssemblyDoc\)](#).

Remarks

The IAssemblyDoc event [OpenDesignTableNotify](#) post-notifies your application that a design table has just been opened for editing.

If developing a C++ application, use [swAssemblyCloseDesignTableNotify](#) to register for this notification.

Availability

SOLIDWORKS 2007 SP4, Revision Number 15.4

DAssemblyDocEvents_CommandManagerTabActivatedPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_CommandManagerTabActivatedPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_CommandManagerTabActivatedPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies you that a SOLIDWORKS CommandManager tab is about to be activated.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_CommandManagerTabActivatedPreNotifyEventHandler( _  
    ByVal CommandTabIndex As System.Integer, _  
    ByVal CommandTabName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_CommandManagerTabActivatedPreNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_CommandManagerTabActivatedPreNotifyEventHandler(  
    System.int CommandTabIndex,  
    System.string CommandTabName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_CommandManagerTabActivatedPreNotifyEventHandler(  
& System.int CommandTabIndex,  
& System.String^ CommandTabName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

CommandTabIndex
Index of the tab that is about to be activated
CommandTabName
Name of the tab

Visual Basic for Applications (VBA) Syntax

See [CommandManagerTabActivatedPreNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyCommandManagerTabActivatedPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2014 FCS, Revision Number 22.0

DAssemblyDocEvents_ComponentConfigurationChangeNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DAssemblyDocEvents_ComponentConfigurationChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ComponentConfigurationChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a reference component's configuration is being changed in an assembly.

Visual Basic (.NET) Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ComponentConfigurationChangeNotifyEventHandler( _  
    ByVal componentName As System.String, _  
    ByVal oldConfigurationName As System.String, _  
    ByVal newConfigurationName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ComponentConfigurationChangeNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ComponentConfigurationChangeNotifyEventHandler(  
    System.string componentName,  
    System.string oldConfigurationName,  
    System.string newConfigurationName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ComponentConfigurationChangeNotifyEventHandler(  
& System.String^ componentName,  
& System.String^ oldConfigurationName,  
& System.String^ newConfigurationName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

componentName
Name of reference component whose configuration is changing
oldConfigurationName
Old name of reference component's configuration
newConfigurationName
New name of reference component's configuration

Visual Basic for Applications (VBA) Syntax

See [ComponentConfigurationChangeNotify Event \(AssemblyDoc\)](#).

Example

[Fire Notification When Changing Configuration of Reference Component \(C#\)](#)
[Fire Notification When Changing Configuration of Reference Component \(VB.NET\)](#)
[Fire Notification When Changing Configuration of Reference Component \(VBA\)](#)

Remarks

If developing a C++ application, use [swAssemblyComponentConfigurationChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2009 SP4, Revision Number 17.4

DAssemblyDocEvents_ComponentDisplayModeChangePostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_ComponentDisplayModeChangePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ComponentDisplayModeChangePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired after a reference component's display mode is changed in an assembly.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ComponentDisplayModeChangePostNotifyEventHandler( _  
    ByVal Component As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ComponentDisplayModeChangePostNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ComponentDisplayModeChangePostNotifyEventHandler(  
    System.object Component  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ComponentDisplayModeChangePostNotifyEventHandler(  
& System.Object^ Component  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Component
[IComponent2](#)

Visual Basic for Applications (VBA) Syntax

See [ComponentDisplayModeChangePostNotify_Event \(AssemblyDoc\)](#).

Availability

SOLIDWORKS 2012 FCS, Revision Number 20.0

DAssemblyDocEvents_ComponentDisplayModeChangePreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_ComponentDisplayModeChangePreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ComponentDisplayModeChangePreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired before a reference component's display mode is changed in an assembly.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ComponentDisplayModeChangePreNotifyEventHandler( _  
    ByVal Component As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ComponentDisplayModeChangePreNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ComponentDisplayModeChangePreNotifyEventHandler(  
    System.Object Component  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ComponentDisplayModeChangePreNotifyEventHandler(  
& System.Object^ Component  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Component
[IComponent2](#)

Visual Basic for Applications (VBA) Syntax

See [ComponentDisplayModeChangePreNotify Event \(AssemblyDoc\)](#).

Availability

SOLIDWORKS 2012 FCS, Revision Number 20.0

DAssemblyDocEvents_ComponentDisplayStateChangeNotifyEventHandler (Type)

DAssemblyDocEvents_ComponentDisplayStateChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ComponentDisplayStateChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the display state, such as shaded, wireframe, and so on, of a component is changed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ComponentDisplayStateChangeNotifyEventHandler( _  
    ByVal Component As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ComponentDisplayStateChangeNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ComponentDisplayStateChangeNotifyEventHandler(  
    System.object Component  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ComponentDisplayStateChangeNotifyEventHandler(  
& System.Object^ Component  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Component
[IComponent2](#)

Visual Basic for Applications (VBA) Syntax

See [ComponentDisplayStateChangeNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyComponentDisplayStateChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

DAssemblyDocEvents_ComponentMoveNotify2EventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_ComponentMoveNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)

 

[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ComponentMoveNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notification that is sent when a user releases the mouse button indicating that the components have been moved to the desired destination.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ComponentMoveNotify2EventHandler( _  
    ByRef Components As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ComponentMoveNotify2EventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ComponentMoveNotify2EventHandler(  
    ref System.object Components  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ComponentMoveNotify2EventHandler(  
& System.Object^% Components  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Components
Array of [IComponent2s](#)

Visual Basic for Applications (VBA) Syntax

See [ComponentMoveNotify2 Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyComponentMoveNotify](#) to register for this notification.

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

DAssemblyDocEvents_ComponentMoveNotifyEventHandler (Type)

DAssemblyDocEvents_ComponentMoveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ComponentMoveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Obsolete. Superseded by [DAssemblyDocEvents_ComponentMoveNotifyEventHandler2](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ComponentMoveNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ComponentMoveNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ComponentMoveNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ComponentMoveNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ComponentMoveNotify_Event \(AssemblyDoc\)](#).

DAssemblyDocEvents_ComponentReferredDisplayStateChangeNotifyEventHandler

(Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_ComponentReferredDisplayStateChangeNotifyEventHandler Delegate
(SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ComponentReferredDisplayStateChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a component's referenced display state changes.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ComponentReferredDisplayStateChangeNotifyEventHandler(  
    ByVal componentModel As System.Object, _  
    ByVal CompName As System.String, _  
    ByVal oldDSId As System.Integer, _  
    ByVal oldDSName As System.String, _  
    ByVal newDSId As System.Integer, _  
    ByVal newDSName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New  
DAssemblyDocEvents\_ComponentReferredDisplayStateChangeNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int  
DAssemblyDocEvents_ComponentReferredDisplayStateChangeNotifyEventHandler(  
    System.object componentModel,  
    System.string CompName,  
    System.int oldDSId,  
    System.string oldDSName,  
    System.int newDSId,  
    System.string newDSName  
)
```

C++/CLI

```
public delegate System.int  
DAssemblyDocEvents_ComponentReferredDisplayStateChangeNotifyEventHandler(  
& System.Object^ componentModel,  
& System.String^ CompName,  
& System.int oldDSId,  
& System.String^ oldDSName,  
& System.int newDSId,  
& System.String^ newDSName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

componentModel

[IComponent2](#) whose referenced display state is changing

CompName

Name of component

oldDSId

Original referenced display state ID of the component

oldDSName

Original referenced display state name for the component

newDSId

New referenced display state ID of the component

newDSName

New referenced display state name for the component

Visual Basic for Applications (VBA) Syntax

See [ComponentReferredDisplayStateChangeNotify_Event \(AssemblyDoc\)](#).

Example

[Fire Notification When Component Referenced Display State Changes \(C#\)](#)
[Fire Notification When Component Referenced Display State Changes \(VB.NET\)](#)
[Fire Notification When Component Referenced Display State Changes \(VBA\)](#)

Remarks

If developing a C++ application, use [ComponentReferredDisplayStateChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DAssemblyDocEvents_ComponentReorganizeNotifyEventHandler (Type)

DAssemblyDocEvents_ComponentReorganizeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ComponentReorganizeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when one or more components are reorganized in an assembly or sub-assembly.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ComponentReorganizeNotifyEventHandler( _  
    ByVal sourceName As System.String, _  
    ByVal targetName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ComponentReorganizeNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ComponentReorganizeNotifyEventHandler(  
    System.string sourceName,  
    System.string targetName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ComponentReorganizeNotifyEventHandler(  
& System.String^ sourceName,  
& System.String^ targetName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

sourceName
Source name
targetName
Target name

Visual Basic for Applications (VBA) Syntax

See [ComponentReorganizeNotify_Event \(AssemblyDoc\)](#).

Example

[Reorganize Components \(VBA\)](#)

Remarks

If developing a C++ application, use [swAssemblyComponentReorganizeNotify](#) to register for this notification.

Availability

DAssemblyDocEvents_ComponentStateChangeNotify2EventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DAssemblyDocEvents_ComponentStateChangeNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ComponentStateChangeNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

Obsolete. Superseded by [DAssemblyDocEvents_ComponentStateChangeNotify3EventHandler](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ComponentStateChangeNotify2EventHandler( _  
    ByVal componentModel As System.Object, _  
    ByVal CompName As System.String, _  
    ByVal oldCompState As System.Short, _  
    ByVal newCompState As System.Short _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ComponentStateChangeNotify2EventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ComponentStateChangeNotify2EventHandler(  
    System.object componentModel,  
    System.string CompName,  
    System.short oldCompState,  
    System.short newCompState  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ComponentStateChangeNotify2EventHandler(  
& System.Object^ componentModel,  
& System.String^ CompName,  
& System.short oldCompState,  
& System.short newCompState  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

componentModel

IComponent2

CompName

Name of the component

oldCompState

Previous state of the component as defined in [swComponentSuppressionState_e](#)

newCompState

New state of the component as defined in [swComponentSuppressionState_e](#)

Visual Basic for Applications (VBA) Syntax

See [ComponentStateChangeNotify2 Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyComponentStateChangeNotify2](#) to register for this notification.

SOLIDWORKS sends this notification:

- even if the assembly is not the active document.
- when a component gets suppressed due to an internal ID mismatch.
- not at all if a part is explicitly opened by the user or opened programmatically. In that case, SOLIDWORKS resolves the component part in any open assembly that references it. Your application must watch for the SOLIDWORKS event [FileOpenNotify2](#).

When a component is resolved or unsuppressed, its model document becomes available to your application. Within this notification, you can get this object and register for other events. This might be useful for project data management (PDM) applications that want to ask the user to check out the assembly component if the user tries to make changes.

DAssemblyDocEvents_ComponentStateChangeNotify3EventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DAssemblyDocEvents_ComponentStateChangeNotify3EventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ComponentStateChangeNotify3EventHandler Delegate (SolidWorks.Interop.sldworks)

Fired whenever the state of a component within this assembly changes.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ComponentStateChangeNotify3EventHandler( _  
    ByVal Component As System.Object, _  
    ByVal CompName As System.String, _  
    ByVal oldCompState As System.Short, _  
    ByVal newCompState As System.Short _  
    ) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ComponentStateChangeNotify3EventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ComponentStateChangeNotify3EventHandler(  
    System.object Component,  
    System.string CompName,  
    System.short oldCompState,  
    System.short newCompState  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ComponentStateChangeNotify3EventHandler(  
& System.Object^ Component,  
& System.String^ CompName,  
& System.short oldCompState,  
& System.short newCompState  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Component

[IComponent2](#)

CompName

Name of the component

oldCompState

Previous state of the component as defined in [swComponentSuppressionState_e](#)

newCompState

New state of the component as defined in [swComponentSuppressionState_e](#)

Visual Basic for Applications (VBA) Syntax

See [ComponentStateChangeNotify3 Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyComponentStateChangeNotify3](#) to register for this notification.

SOLIDWORKS Design sends this notification:

- even if the assembly is not the active document.
- when a component gets suppressed due to an internal ID mismatch.
- not at all if a part is explicitly opened by the user or opened programmatically. In that case, SOLIDWORKS Design resolves the component part in any open assembly that references it. Your application must watch for the SOLIDWORKS event [FileOpenNotify2](#).

When a component is resolved or unsuppressed, its model document becomes available to your application. Within this notification, you can get this object and register for other events. This might be useful for project data management (PDM) applications that want to ask the user to check out the assembly component if the user tries to make changes.

DAssemblyDocEvents_ComponentStateChangeNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_ComponentStateChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ComponentStateChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Obsolete. Superseded by [DAssemblyDocEvents_ComponentStateChangeNotify2EventHandler](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ComponentStateChangeNotifyEventHandler( _  
    ByVal componentModel As System.Object, _  
    ByVal oldCompState As System.Short, _  
    ByVal newCompState As System.Short _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ComponentStateChangeNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ComponentStateChangeNotifyEventHandler(  
    System.object componentModel,  
    System.short oldCompState,  
    System.short newCompState  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ComponentStateChangeNotifyEventHandler(  
& System.Object^ componentModel,  
& System.short oldCompState,  
& System.short newCompState  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

- componentModel*
- oldCompState*
- newCompState*

Return Value

Visual Basic for Applications (VBA) Syntax

See [ComponentStateChangeNotify Event \(AssemblyDoc\)](#).

Availability

DAssemblyDocEvents_ComponentVisibleChangeNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_ComponentVisibleChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ComponentVisibleChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a component is changed to hidden or shown.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ComponentVisibleChangeNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ComponentVisibleChangeNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ComponentVisibleChangeNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ComponentVisibleChangeNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ComponentVisibleChangeNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyComponentVisibleChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.1

DAssemblyDocEvents_ComponentVisualPropertiesChangeNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_ComponentVisualPropertiesChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ComponentVisualPropertiesChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a visual property, such as color, transparency, and so on, of a component is changed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ComponentVisualPropertiesChangeNotifyEventHandler( _  
    ByVal Component As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ComponentVisualPropertiesChangeNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ComponentVisualPropertiesChangeNotifyEventHandler(  
    System.object Component  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ComponentVisualPropertiesChangeNotifyEventHandler(  
& System.Object^ Component  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Component
[IComponent2](#)

Visual Basic for Applications (VBA) Syntax

See [ComponentVisualPropertiesChangeNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyComponentVisualPropertiesChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

DAssemblyDocEvents_ConfigurationChangeNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DAssemblyDocEvents_ConfigurationChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ConfigurationChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Gets information about an object or feature that has had one of its configurable parameters changed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ConfigurationChangeNotifyEventHandler( _  
    ByVal ConfigurationName As System.String, _  
    ByVal Object As System.Object, _  
    ByVal ObjectType As System.Integer, _  
    ByVal changeType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ConfigurationChangeNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ConfigurationChangeNotifyEventHandler(  
    System.string ConfigurationName,  
    System.object Object,  
    System.int ObjectType,  
    System.int changeType  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ConfigurationChangeNotifyEventHandler(  
& System.String^ ConfigurationName,  
& System.Object^ Object,  
& System.int ObjectType,  
& System.int changeType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ConfigurationName

Name of the configuration that has changed

Object

Object that has changed

ObjectType

Type of the object that has changed as defined in [swSelectType_e](#):

- swSelDIMENSIONS
- swSelDATUMPOINTS
- swSelDATUMPLANES
- swSelDATUMAXES
- swSelHELIX
- swSelBODYFEATURES
- swSelMATEGROUP
- swSelMATES
- swSelCOORDSYS
- swSelCOMPONENTS
- swSelCONFIGURATIONS
- swSelSKETCHES
- swSelREFCURVES
- swSelDISPLAYSTATE

All other types are returned as swSelUNSUPPORTED.

changeType

Type of change as defined by [swConfigurationChangeTypes_e](#)

Visual Basic for Applications (VBA) Syntax

See [ConfigurationChangeNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyConfigurationChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2009 FCS, Revision Number 17.0

DAssemblyDocEvents_DeleteCustomPropertyNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_DeleteCustomPropertyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_DeleteCustomPropertyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the user deletes a custom property.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_DeleteCustomPropertyNotifyEventHandler( _  
    ByVal propName As System.String, _  
    ByVal Configuration As System.String, _  
    ByVal Value As System.String, _  
    ByVal valueType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_DeleteCustomPropertyNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_DeleteCustomPropertyNotifyEventHandler(  
    System.string propName,  
    System.string Configuration,  
    System.string Value,  
    System.int valueType  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_DeleteCustomPropertyNotifyEventHandler(  
& System.String^ propName,  
& System.String^ Configuration,  
& System.String^ Value,  
& System.int valueType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

propName
Name of the deleted property
Configuration
Name of the configuration containing the property
Value
Value of the property
valueType
Valid type for VARIANT; see Microsoft MSDN for a list of valid VARIANT types

Visual Basic for Applications (VBA) Syntax

See [DeleteCustomPropertyNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyDeleteCustomPropertyNotify](#) to register for this notification.

Availability

DAssemblyDocEvents_DeleteDependencyNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_DeleteDependencyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_DeleteDependencyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the assembly no longer references the specified document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_DeleteDependencyNotifyEventHandler( _  
    ByVal PathName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_DeleteDependencyNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_DeleteDependencyNotifyEventHandler(  
    System.string PathName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_DeleteDependencyNotifyEventHandler(  
& System.String^ PathName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

PathName
The full name and path of the document no longer referenced.

Remarks

If developing a C++ application, use [swAssemblyDeleteDependencyNotify](#) to register for this notification.

Availability

SOLIDWORKS 2026 SP03, Revision Number 34.3

DAssemblyDocEvents_DeleteItemNotifyEventHandler (Type)

DAssemblyDocEvents_DeleteItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_DeleteItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the user program when an item is deleted from one of the SOLIDWORKS Design tree structures (for example, the FeatureManager design tree or the ConfigurationManager tree).

Visual Basic Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_DeleteItemNotifyEventHandler( _  
    ByVal EntityType As System.Integer, _  
    ByVal itemName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_DeleteItemNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_DeleteItemNotifyEventHandler(  
    System.int EntityType,  
    System.string itemName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_DeleteItemNotifyEventHandler(  
& System.int EntityType,  
& System.String^ itemName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

EntityType
Type of entity deleted as defined in [swNotifyEntityType_e](#)
itemName
Name of entity deleted

Visual Basic for Applications (VBA) Syntax

See [DeleteItemNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyDeleteItemNotify](#) to register for this notification.
No explicit notification is available for a component reorder operation. However, component reordering generates [DeleteItemNotify](#) and [AddItemNotify](#) events.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_DeleteItemPreNotifyEventHandler (Type)

DAssemblyDocEvents_DeleteItemPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_DeleteItemPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the user program when an item is about to be deleted from one of the SOLIDWORKS tree structures (for example, the FeatureManager design tree or the ConfigurationManager tree).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_DeleteItemPreNotifyEventHandler( _  
    ByVal EntityType As System.Integer, _  
    ByVal itemName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_DeleteItemPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_DeleteItemPreNotifyEventHandler(  
    System.int EntityType,  
    System.string itemName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_DeleteItemPreNotifyEventHandler(  
& System.int EntityType,  
& System.String^ itemName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

EntityType
Type of entity to delete as defined in [swNotifyEntityType_e](#)
itemName
Name of the entity to delete

Visual Basic for Applications (VBA) Syntax

See [DeleteItemPreNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyDeleteSelectionPreNotify](#) to register for this notification.
Use [IAssemblyDoc::FeatureByName](#) or [IAssemblyDoc::IFeatureByName](#) or [IModelDoc2::GetConfigurationByName](#) and [IModelDoc2::IGetConfigurationByName](#) to get the object being deleted. Use [IFeature::GetSpecificFeature2](#) to get the component.

Availability

SOLIDWORKS 2005 SP1, Revision 13.1

DAssemblyDocEvents_DeleteSelectionPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DAssemblyDocEvents_DeleteSelectionPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_DeleteSelectionPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when the selection is deleted.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_DeleteSelectionPreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_DeleteSelectionPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_DeleteSelectionPreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_DeleteSelectionPreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [DeleteSelectionPreNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyDeleteSelectionPreNotify](#) to register for this notification.

Returning S_false from your notification handler prevents deletion of the selected item.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_DestroyNotify2EventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_DestroyNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_DestroyNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when an assembly document is about to be destroyed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_DestroyNotify2EventHandler( _  
    ByVal DestroyType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_DestroyNotify2EventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_DestroyNotify2EventHandler(  
    System.int DestroyType  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_DestroyNotify2EventHandler(  
& System.int DestroyType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

DestroyType

Value as defined by [swDestroyNotifyType_e](#)

Visual Basic for Applications (VBA) Syntax

See [DestroyNotify2 Event \(AssemblyDoc\)](#).

Remarks

The DestroyType argument indicates whether the assembly is being removed from memory (swDestroyNotifyDestroy) or if it remains open due to an outside reference (swDestroyNotifyHidden).

If developing a C++ application, use [swAssemblyDestroyNotify2](#) to register for this notification.

Availability

SOLIDWORKS 2009 FCS, Revision Number 17.0

DAssemblyDocEvents_DestroyNotifyEventHandler (Type)

DAssemblyDocEvents_DestroyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_DestroyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Obsolete. Superseded by [DAssemblyDocEvents_DestroyNotify2EventHandler](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_DestroyNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_DestroyNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_DestroyNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_DestroyNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [DestroyNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyDestroyNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision 10.1

DAssemblyDocEvents_DimensionChangeNotifyEventHandler (Type)

DAssemblyDocEvents_DimensionChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_DimensionChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a dimension is changed through the **Dimension** dialog.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_DimensionChangeNotifyEventHandler( _  
    ByVal displayDim As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_DimensionChangeNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_DimensionChangeNotifyEventHandler(  
    System.object displayDim  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_DimensionChangeNotifyEventHandler(  
& System.Object^ displayDim  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

displayDim
[Display dimension](#) that has changed

Visual Basic for Applications (VBA) Syntax

See [DimensionChangeNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyDimensionChangeNotify](#) to register for this notification.

Availability

DAssemblyDocEvents_DisplayPaneCollapseNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_DisplayPaneCollapseNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_DisplayPaneCollapseNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the display pane collapses in this assembly.

.NET Syntax

Visual Basic (Declaration)

Public Delegate Function DAssemblyDocEvents_DisplayPaneCollapseNotifyEventHandler() As System.Integer

Visual Basic (Usage)  Copy Code

Dim instance As New [DAssemblyDocEvents_DisplayPaneCollapseNotifyEventHandler](#)(AddressOf HandlerMethod)

C#

public delegate System.int DAssemblyDocEvents_DisplayPaneCollapseNotifyEventHandler()

C++/CLI

public delegate System.int DAssemblyDocEvents_DisplayPaneCollapseNotifyEventHandler();

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [DisplayPaneCollapseNotify_Event \(AssemblyDoc\)](#).

Example

[Create Task Pane View Add-in \(C#\)](#)

Remarks

If developing a C++ application, use [swAssemblyDisplayPaneCollapseNotify](#) to register for this notification.

Availability

SOLIDWORKS 2024 SP02, Revision Number 32.2

DAssemblyDocEvents_DisplayPaneExpandNotifyEventHandler (Type)

DAssemblyDocEvents_DisplayPaneExpandNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_DisplayPaneExpandNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the display pane expands in this assembly.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_DisplayPaneExpandNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_DisplayPaneExpandNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_DisplayPaneExpandNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_DisplayPaneExpandNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [DisplayPaneExpandNotify_Event \(AssemblyDoc\)](#).

Example

[Create Task Pane View Add-in \(C#\)](#)

Remarks

If developing a C++ application, use [swAssemblyDisplayPaneExpandNotify](#) to register for this notification.

Availability

SOLIDWORKS 2024 SP02, Revision Number 32.2

DAssemblyDocEvents_DragStateChangeNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_DragStateChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_DragStateChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when starting or stopping the dragging of an Instant3D manipulator.

Visual Basic Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_DragStateChangeNotifyEventHandler( _  
    ByVal State As System.Boolean _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_DragStateChangeNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_DragStateChangeNotifyEventHandler(  
    System.bool State  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_DragStateChangeNotifyEventHandler(  
& System.bool State  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

State

True if dragging of the Instant3D manipulator has started, false if dragging of the Instant3D manipulator has stopped

Visual Basic for Applications (VBA) Syntax

See [DragStateChangeNotify_Event \(AssemblyDoc\)](#).

Example

[Fire Events When Dragging Instant3D Manipulator in an Assembly \(C#\)](#)
[Fire Events When Dragging Instant3D Manipulator in an Assembly \(VB.NET\)](#)
[Fire Events When Dragging Instant3D Manipulator in an Assembly \(VBA\)](#)

Remarks

If developing a C++ application, use [swAssemblyDragStateChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DAssemblyDocEvents_DynamicHighlightNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DAssemblyDocEvents_DynamicHighlightNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_DynamicHighlightNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the application when dynamic highlighting of the selected object changes from on to off, and vice versa.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_DynamicHighlightNotifyEventHandler( _  
    ByVal bHighlightState As System.Boolean _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_DynamicHighlightNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_DynamicHighlightNotifyEventHandler(  
    System.bool bHighlightState  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_DynamicHighlightNotifyEventHandler(  
& System.bool bHighlightState  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

bHighlightState
True if highlighting is on, false if it is off

Visual Basic for Applications (VBA) Syntax

See [DynamicHighlightNotify Event \(AssemblyDoc\)](#).

Example

' VBA

```
Private Function assy_DynamicHighlightNotify() As Long  
Dim one As Object  
Dim x As Integer  
Dim pt As Variant  
Set one = mgr.GetSelectedObject5(-1)  
If Not one Is Nothing Then  
    Debug.Print mgr.GetSelectedObjectType2(-1)  
    one.Select True  
    pt = mgr.GetSelectionPoint(-1)  
    If Not IsEmpty(pt) Then  
        Debug.Print pt(0), pt(1), pt(2)  
    Else
```

```
        Debug.Print "Object selected in FeatureManager design tree, so no points."
    End If
Else
        Debug.Print "Dynamic highlighting is now off."
End If
```

Remarks

If developing a C++ application, use [swAssemblyDynamicHighlightNotify](#) to register for this notification.
To send this notification, specify -1 for the index for any of the [ISelectionMgr](#) methods. See **Example**.

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

DAssemblyDocEvents_EndInContextEditNotifyEventHandler (Type)

DAssemblyDocEvents_EndInContextEditNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_EndInContextEditNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the application that the user is done editing an assembly component within the context of the assembly (inside the assembly document window).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_EndInContextEditNotifyEventHandler( _  
    ByVal docBeingEdited As System.Object, _  
    ByVal DocType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_EndInContextEditNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_EndInContextEditNotifyEventHandler(  
    System.object docBeingEdited,  
    System.int DocType  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_EndInContextEditNotifyEventHandler(  
& System.Object^ docBeingEdited,  
& System.int DocType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

docBeingEdited
File name of the component document being edited
DocType
Type of component document as defined in [swDocumentTypes_e](#)

Visual Basic for Applications (VBA) Syntax

See [EndInContextEditNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyEndInContextEditNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_EquationEditorPostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_EquationEditorPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_EquationEditorPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies your application that the equation editor is being destroyed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_EquationEditorPostNotifyEventHandler( _  
    ByVal Changed As System.Boolean _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_EquationEditorPostNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_EquationEditorPostNotifyEventHandler(  
    System.bool Changed  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_EquationEditorPostNotifyEventHandler(  
& System.bool Changed  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Changed

True if equations have changed, false if not

Visual Basic for Applications (VBA) Syntax

See [EquationEditorPostNotify_Event \(AssemblyDoc\)](#).

Remarks

The IAssemblyDoc event [EquationEditorPreNotify](#) notifies your application that the equation editor has been constructed.

If developing a C++ application, use [swAssemblyEquationEditorPostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2007 SP4, Revision Number 15.4

DAssemblyDocEvents_EquationEditorPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_EquationEditorPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_EquationEditorPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies your application that the equation editor has been constructed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_EquationEditorPreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_EquationEditorPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_EquationEditorPreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_EquationEditorPreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [EquationEditorPreNotify_Event \(AssemblyDoc\)](#).

Remarks

The IAssemblyDoc event [EquationEditorPostNotify](#) notifies your application that is being destroyed.

If developing a C++ application, use [swAssemblyEquationEditorPretNotify](#) to register for this notification.

Availability

SOLIDWORKS 2007 SP4, Revision Number 15.4

DAssemblyDocEvents_FeatureEditPreNotifyEventHandler (Type)

DAssemblyDocEvents_FeatureEditPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FeatureEditPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when the user edits the definition of a selected feature.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FeatureEditPreNotifyEventHandler( _  
    ByVal EditFeature As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_FeatureEditPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FeatureEditPreNotifyEventHandler(  
    System.object EditFeature  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FeatureEditPreNotifyEventHandler(  
& System.Object^ EditFeature  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

EditFeature
Edited [feature](#) definition

Visual Basic for Applications (VBA) Syntax

See [FeatureEditPreNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyFeatureEditPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_FeatureManagerFilterStringChangeNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_FeatureManagerFilterStringChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FeatureManagerFilterStringChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when text is typed in the FeatureManager design tree filter or [IModelDocExtension::FeatureManagerFilterString](#) is called.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FeatureManagerFilterStringChangeNotifyEventHandler( _  
    ByVal FilterString As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New  
DAssemblyDocEvents\_FeatureManagerFilterStringChangeNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FeatureManagerFilterStringChangeNotifyEventHandler(  
    System.string FilterString.  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FeatureManagerFilterStringChangeNotifyEventHandler(  
& System.String^ FilterString.  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FilterString
String

Visual Basic for Applications (VBA) Syntax

See [FeatureManagerFilterStringChangeNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyFeatureManagerFilterStringChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2009 FCS, Revision Number 17.0

DAssemblyDocEvents_FeatureManagerTabActivatedNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_FeatureManagerTabActivatedNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FeatureManagerTabActivatedNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the active tab in the Manager Pane changes.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FeatureManagerTabActivatedNotifyEventHandler( _  
    ByVal CommandIndex As System.Integer, _  
    ByVal CommandTabName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_FeatureManagerTabActivatedNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FeatureManagerTabActivatedNotifyEventHandler(  
    System.int CommandIndex,  
    System.string CommandTabName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FeatureManagerTabActivatedNotifyEventHandler(  
& System.int CommandIndex,  
& System.String^ CommandTabName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

CommandIndex
Index of the active tab in the Manager Pane
CommandTabName
Name of the active tab in the Manager Pane

Visual Basic for Applications (VBA) Syntax

See [FeatureManagerTabActivatedNotify_Event \(AssemblyDoc\)](#).

Example

[Change Active Tab in Manager Pane \(C#\)](#)
[Change Active Tab in Manager Pane \(VB.NET\)](#)
[Change Active Tab in Manager Pane \(VBA\)](#)

Remarks

If developing a C++ application, use [swAssemblyFeatureManagerTabActivatedNotify](#) to register for this notification.

Availability

SOLIDWORKS FCS 2017, Revision Number 25.0

DAssemblyDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired before the active tab in the Manager Pane changes.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler( _  
    ByVal CommandIndex As System.Integer, _  
    ByVal CommandTabName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_FeatureManagerTabActivatedPreNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler(  
    System.int CommandIndex,  
    System.string CommandTabName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler(  
& System.int CommandIndex,  
& System.String^ CommandTabName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

CommandIndex
Index of the active tab in the Manager Pane
CommandTabName
Name of the active tab in the Manager Pane

Visual Basic for Applications (VBA) Syntax

See [FeatureManagerTabActivatedPreNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyFeatureManagerTabActivatedPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2017 FCS, Revision Number 25.0

DAssemblyDocEvents_FeatureManagerTreeRebuildNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_FeatureManagerTreeRebuildNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FeatureManagerTreeRebuildNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the active document's FeatureManager design tree is being rebuilt.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FeatureManagerTreeRebuildNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_FeatureManagerTreeRebuildNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FeatureManagerTreeRebuildNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FeatureManagerTreeRebuildNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [FeatureManagerTreeRebuildNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyFeatureManagerTreeRebuildNotify](#) to register for this notification.
This notification is only used by SOLIDWORKS Animator.

Availability

SOLIDWORKS 2003 SP3, Revision Number 11.3

DAssemblyDocEvents_FeatureSketchEditPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_FeatureSketchEditPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FeatureSketchEditPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when the user edits the definition of a sketch.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FeatureSketchEditPreNotifyEventHandler( _  
    ByVal EditFeature As System.Object, _  
    ByVal featureSketch As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_FeatureSketchEditPreNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FeatureSketchEditPreNotifyEventHandler(  
    System.object EditFeature,  
    System.object featureSketch  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FeatureSketchEditPreNotifyEventHandler(  
& System.Object^ EditFeature,  
& System.Object^ featureSketch  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

EditFeature
[Feature](#) that contains the sketch
featureSketch
Edited [sketch](#)

Visual Basic for Applications (VBA) Syntax

See [FeatureSketchEditPreNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyFeatureSketchEditPreNotify](#) to register for this notification.
If the sketch is not part of a feature, then the editFeature object is NULL.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1