

SOLIDWORKS API (.NET, VBA, C#) — Reference

(2/337)

DAssemblyDocEvents_FileDropNotifyEventHandler

DDrawingDocEvents_AutoSaveToStorageNotif

SOLIDWORKS API Documentation (converted from CHM)

DAssemblyDocEvents_FileDropNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_FileDropNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FileDropNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a part is dropped from File Explorer into an assembly.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FileDropNotifyEventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_FileDropNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FileDropNotifyEventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FileDropNotifyEventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName

File name of the part

Visual Basic for Applications (VBA) Syntax

See [FileDropNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyFileDropNotify](#) to register for this notification.

[IAssemblyDoc::SetDroppedFileConfigName](#) allows you to set the configuration name for the recently dropped part, thereby avoiding the configuration name selection dialog.

SOLIDWORKS passes the file name of the dropped part into the event handler. The event handler can use [IAssemblyDoc::SetDroppedFileNam](#) to replace this document with a temporary document. For example, this is useful when the file being dropped is managed by a project data management (PDM) system or otherwise not accessible directly by SOLIDWORKS Design. Your application (the PDM system in this example) is responsible for ensuring that the files and references are properly updated.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_FileDropPostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_FileDropPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FileDropPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies user applications when a part is dropped from File Explorer into an assembly.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FileDropPostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_FileDropPostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FileDropPostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FileDropPostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [FileDropPostNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyFileDropPostNotify](#) to register for this notification.

SOLIDWORKS passes the file name of the dropped part into the event handler. The event handler can use [IAssemblyDoc::SetDroppedFileName](#) to replace this document with a temporary document. For example, this is useful when the file being dropped is managed by a project data management (PDM) system or otherwise not accessible directly by SOLIDWORKS Design. Your application (the PDM system in this example) is responsible for ensuring that the files and references are properly updated.

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

DAssemblyDocEvents_FileDropPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_FileDropPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FileDropPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies user applications before a part is dropped from File Explorer into an assembly document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FileDropPreNotifyEventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_FileDropPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FileDropPreNotifyEventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FileDropPreNotifyEventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName

Name of the file to use for the rest of the drop process

Visual Basic for Applications (VBA) Syntax

See [FileDropPreNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyFileDropPreNotify](#) to register for this notification.

SOLIDWORKS passes the file name of the dropped part into the event handler. The event handler can use [IAssemblyDoc::SetDroppedFileName](#) to replace this document with a temporary document. For example, this is useful when the file being dropped is managed by a project data management (PDM) system or otherwise not accessible directly by SOLIDWORKS Design. Your application (the PDM system in this example) is responsible for ensuring that the files and references are properly updated.

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

DAssemblyDocEvents_FileReloadCancelNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_FileReloadCancelNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FileReloadCancelNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired if the IAssembly event [FileReloadNotify](#) is canceled.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FileReloadCancelNotifyEventHandler( _  
    ByVal ErrorCode As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_FileReloadCancelNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FileReloadCancelNotifyEventHandler(  
    System.int ErrorCode  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FileReloadCancelNotifyEventHandler(  
& System.int ErrorCode  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ErrorCode

Error as defined in [swComponentReloadError_e](#)

Visual Basic for Applications (VBA) Syntax

See [FileReloadCancelNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyFileReloadCancelNotify](#) to register for this notification.

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

DAssemblyDocEvents_FileReloadNotifyEventHandler (Type)

DAssemblyDocEvents_FileReloadNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FileReloadNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when an assembly document is reloaded.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FileReloadNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_FileReloadNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FileReloadNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FileReloadNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [FileReloadNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyFileReloadNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_FileReloadPreNotifyEventHandler (Type)

DAssemblyDocEvents_FileReloadPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FileReloadPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when an assembly document is reloaded.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FileReloadPreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_FileReloadPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FileReloadPreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FileReloadPreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [FileReloadPreNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyFileReloadPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_FileSaveAsNotify2EventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_FileSaveAsNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FileSaveAsNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when a file is about to be saved with a new name and passes the new document name. This event is sent before SOLIDWORKS Design displays the File Save dialog.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FileSaveAsNotify2EventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_FileSaveAsNotify2EventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FileSaveAsNotify2EventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FileSaveAsNotify2EventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName
Name of the saved file

Visual Basic for Applications (VBA) Syntax

See [FileSaveAsNotify2 Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyFileSaveAsNotify2](#) to register for this notification.

In the FileSaveAsNotify2 event handler, the user can specify the filename that the file should be saved as using [IModelDoc2::SetSaveAsFileName](#). The user should also return S_false from the event handler to indicate the notification is handled. After an appropriate filename is provided and S_false is returned from the event handler, SOLIDWORKS Design does not display the **File Save** dialog, but uses the filename that was provided with IModelDoc2::SetSaveAsFileName.

If you do not set an alternative filename using IModelDoc2::SetSaveAsFileName and S_false is returned, then the document is not saved. You can omit using IModelDoc2::SetSaveAsFileName to not set an alternative filename.

NOTE: Because this event is very similar to the now obsolete IAssemblyDoc event FileSaveAsNotify, do not listen for both notifications at the same time.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_FileSaveAsNotifyEventHandler (Type)

DAssemblyDocEvents_FileSaveAsNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FileSaveAsNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Obsolete. Superseded by [DAssemblyDocEvents_FileSaveAsNotify2EventHandler](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FileSaveAsNotifyEventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_FileSaveAsNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FileSaveAsNotifyEventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FileSaveAsNotifyEventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName

Return Value

Visual Basic for Applications (VBA) Syntax

See [FileSaveAsNotify Event \(AssemblyDoc\)](#).

Availability

DAssemblyDocEvents_FileSaveNotifyEventHandler (Type)

DAssemblyDocEvents_FileSaveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FileSaveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when a file is about to be saved and passes the current document name.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FileSaveNotifyEventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_FileSaveNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FileSaveNotifyEventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FileSaveNotifyEventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName
Name of the saved file

Visual Basic for Applications (VBA) Syntax

See [FileSaveNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyFileSaveNotify](#) to register for this notification.

When a user saves a document for the first time, SOLIDWORKS generates a [FileSaveAsNotify2](#) event instead of a FileSaveNotify event.

If the user attempts to close the document and S_false is returned, then the document does not close; it remains open and is not saved.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_FileSavePostCancelNotifyEventHandler (Type)

DAssemblyDocEvents_FileSavePostCancelNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FileSavePostCancelNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired if [FileSavePostNotify](#) is not fired.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FileSavePostCancelNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)

```
Dim instance As New DAssemblyDocEvents\_FileSavePostCancelNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FileSavePostCancelNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FileSavePostCancelNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [FileSavePostCancelNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyFileSavePostCancelNotify](#) to register for this notification.

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

DAssemblyDocEvents_FileSavePostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DAssemblyDocEvents_FileSavePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FileSavePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when a file is saved in SOLIDWORKS Design.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FileSavePostNotifyEventHandler( _  
    ByVal saveType As System.Integer, _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_FileSavePostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FileSavePostNotifyEventHandler(  
    System.int saveType,  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FileSavePostNotifyEventHandler(  
& System.int saveType,  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

saveType
Type of save as defined in [swFileSaveTypes_e](#)
FileName
Saved file name

Visual Basic for Applications (VBA) Syntax

See [FileSavePostNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyFileSavePostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

DAssemblyDocEvents_FlipLoopNotifyEventHandler (Type)

DAssemblyDocEvents_FlipLoopNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_FlipLoopNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies your program when a loop flips.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_FlipLoopNotifyEventHandler( _  
    ByVal TheLoop As System.Object, _  
    ByVal TheEdge As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_FlipLoopNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_FlipLoopNotifyEventHandler(  
    System.object TheLoop,  
    System.object TheEdge  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_FlipLoopNotifyEventHandler(  
& System.Object^ TheLoop,  
& System.Object^ TheEdge  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

[TheLoop](#)
[Loop](#) that was flipped
[TheEdge](#)
[Edge](#) about which the loop was flipped

Visual Basic for Applications (VBA) Syntax

See [FlipLoopNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyFlipLoopNotify](#) to register for this notification.

Availability

SOLIDWORKS 2009 FCS, Revision Number 17.0

DAssemblyDocEvents_InsertTableNotifyEventHandler (Type)

DAssemblyDocEvents_InsertTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_InsertTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies your program when a table has been inserted in an assembly.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_InsertTableNotifyEventHandler( _  
    ByVal TableAnnotation As TableAnnotation, _  
    ByVal TableType As System.String, _  
    ByVal TemplatePath As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_InsertTableNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_InsertTableNotifyEventHandler(  
    TableAnnotation TableAnnotation,  
    System.string TableType,  
    System.string TemplatePath  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_InsertTableNotifyEventHandler(  
& TableAnnotation^ TableAnnotation,  
& System.String^ TableType,  
& System.String^ TemplatePath  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

- TableAnnotation*
[ITableAnnotation](#)
- TableType*
Type of table as defined in [swTableAnnotationType_e](#)
- TemplatePath*
Full path of template used to create this table

Visual Basic for Applications (VBA) Syntax

See [InsertTableNotify Event \(AssemblyDoc\)](#).

Example

- [Fire Notification When Inserting a Table in an Assembly Document \(C#\)](#)
- [Fire Notification When Inserting a Table in an Assembly Document \(VB.NET\)](#)
- [Fire Notification When Inserting a Table in an Assembly Document \(VBA\)](#)

Remarks

If developing a C++ application, use [swAssemblyInsertTableNotify](#) to register for this notification.

Availability

DAssemblyDocEvents_InterferenceNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_InterferenceNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_InterferenceNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies your program about an interference between parts in the assembly during the **Move/Rotate Component** command.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_InterferenceNotifyEventHandler( _  
    ByRef PComp As System.Object, _  
    ByRef PFace As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_InterferenceNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_InterferenceNotifyEventHandler(  
    ref System.object PComp,  
    ref System.object PFace  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_InterferenceNotifyEventHandler(  
& System.Object^% PComp,  
& System.Object^% PFace  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

PComp
Array of [components](#) that interfere
PFace
Array of [faces](#) that interfere

Visual Basic for Applications (VBA) Syntax

See [InterferenceNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyInterferenceNotify](#) to register for this notification.

This notification is only sent when faces clash during the **Move/Rotate Component** command, which executes as an interactive drag of a component, and if collision detection is enabled in the user interface.

You can use this notification with [IAssemblyDoc::IToolsCheckInterference3](#).

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_LargeDesignReviewStateChangeNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DAssemblyDocEvents_LargeDesignReviewStateChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_LargeDesignReviewStateChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the Large Design Review state changes in this assembly.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_LargeDesignReviewStateChangeNotifyEventHandler( _  
    ByVal PreviousState As System.Short, _  
    ByVal newState As System.Short _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_LargeDesignReviewStateChangeNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_LargeDesignReviewStateChangeNotifyEventHandler(  
    System.short PreviousState,  
    System.short newState  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_LargeDesignReviewStateChangeNotifyEventHandler(  
& System.short PreviousState,  
& System.short newState  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

PreviousState

Old LDR state as defined by [swAssemblyMode_e](#)

newState

New LDR state as defined by [swAssemblyMode_e](#)

Visual Basic for Applications (VBA) Syntax

See [LargeDesignReviewStateChangeNotify_Event \(AssemblyDoc\)](#).

Example

```
'VBA  
'=====
```

'1. Create a VBA macro with the module code below.
'2. Copy the Class1 code below into a new Class1 module.
'3. Open an assembly
'4. Run the macro.
'5. In the user interface, change the LDR state of the assembly.
'6. A message box appears when the LDR state changes.

```
'=====
```

'module

```
Dim swApp As SldWorks.SldWorks
```

```

Dim swModel As SldWorks.ModelDoc2
Dim swDocSpecification As SldWorks.DocumentSpecification
Dim swAssemblyEvents As Class1
Dim swAssembly As SldWorks.AssemblyDoc
Option Explicit
Sub main()
    Set swApp = Application.SldWorks
    Set swModel = swApp.ActiveDoc
    Set swAssembly = swModel

    ' Set up event
    Set swAssemblyEvents = New Class1
    Set swAssemblyEvents.swAssembly = swAssembly
End Sub

â€œ~Class1 module
Public WithEvents swAssembly As SldWorks.AssemblyDoc
Private Function swAssembly_LargeDesignReviewStateChangeNotify(ByVal PreviousState As Integer, ByVal NewState As Integer) As Long

    If (PreviousState = swAssemblyMode_LDR) Then

        If (NewState = swAssemblyMode_LDR_EditAssembly) Then
            MsgBox " Document state change from LDR to LDR Edit Assembly Mode",
vbOKOnly, "LDR state change"
        ElseIf (NewState = swAssemblyMode_LightWeight) Then
            MsgBox " Document state change from LDR to LightWeight Assembly Mode",
vbOKOnly, "LDR state change"
        ElseIf (NewState = swAssemblyMode_Resolved) Then
            MsgBox " Document state change from LDR to Resolve Assembly Mode",
vbOKOnly, "LDR state change"
        Else
            MsgBox "Invalid Notification"
        End If

    ElseIf (PreviousState = swAssemblyMode_LDR_EditAssembly) Then

        If (NewState = swAssemblyMode_LightWeight) Then
            MsgBox " Document state change from LDR Edit assembly to LightWeight
Assembly Mode", vbOKOnly, "LDR state change"
        ElseIf (NewState = swAssemblyMode_Resolved) Then
            MsgBox " Document state change from LDR Edit assembly to Resolve
Assembly Mode", vbOKOnly, "LDR state change"
        Else
            MsgBox "Invalid notification"
        End If
    End If

```

```
Else
    MsgBox "Invalid notification"

End If
```

Remarks

If developing a C++ application, use [swAssemblyLargeDesignReviewStateChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2024 SP02, Revision Number 32.2

DAssemblyDocEvents_LightingDialogCreateNotifyEventHandler (Type)

DAssemblyDocEvents_LightingDialogCreateNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_LightingDialogCreateNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a lighting dialog has been opened by the user.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_LightingDialogCreateNotifyEventHandler( _  
    ByVal dialog As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_LightingDialogCreateNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_LightingDialogCreateNotifyEventHandler(  
    System.object dialog  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_LightingDialogCreateNotifyEventHandler(  
& System.Object^ dialog  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

dialog
[Light dialog](#)

Visual Basic for Applications (VBA) Syntax

See [LightingDialogCreateNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyLightingDialogCreateNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_LoadFromStorageNotifyEventHandler (Type)

DAssemblyDocEvents_LoadFromStorageNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_LoadFromStorageNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when it is safe to load data from third-party IStream storage.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_LoadFromStorageNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_LoadFromStorageNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_LoadFromStorageNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_LoadFromStorageNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [LoadFromStorageNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyLoadFromStorageNotify](#) to register for this notification.
Call [IModelDoc2::IGet3rdPartyStorage](#) after receiving this notification. This notification is sent even when the third-party storage node is empty.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_LoadFromStorageStoreNotifyEventHandler (Type)

DAssemblyDocEvents_LoadFromStorageStoreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_LoadFromStorageStoreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when it is safe to load data from third-party IStorage storage.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_LoadFromStorageStoreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_LoadFromStorageStoreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_LoadFromStorageStoreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_LoadFromStorageStoreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [LoadFromStorageStoreNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyLoadFromStorageStoreNotify](#) to register for this notification.

Call [IModelDocExtension::IGet3rdPartyStorageStore](#) after receiving this notification. This notification is sent even when the third-party storage node is empty.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_ModifyNotifyEventHandler (Type)

DAssemblyDocEvents_ModifyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ModifyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a document is marked dirty for the first time.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ModifyNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ModifyNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ModifyNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ModifyNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModifyNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyModifyNotify](#) to register for this notification.

If the user saves the document in the current SOLIDWORKS Design session, then the event is fired when the document is marked dirty again.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_ModifyTableNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DAssemblyDocEvents_ModifyTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ModifyTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies your program when a table has been modified in an assembly.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ModifyTableNotifyEventHandler( _  
    ByVal TableAnnotation As TableAnnotation, _  
    ByVal TableType As System.Integer, _  
    ByVal reason As System.Integer, _  
    ByVal RowInfo As System.Integer, _  
    ByVal ColumnInfo As System.Integer, _  
    ByVal DataInfo As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ModifyTableNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ModifyTableNotifyEventHandler(  
    TableAnnotation TableAnnotation,  
    System.int TableType,  
    System.int reason,  
    System.int RowInfo,  
    System.int ColumnInfo,  
    System.string DataInfo  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ModifyTableNotifyEventHandler(  
& TableAnnotation^ TableAnnotation,  
& System.int TableType,  
& System.int reason,  
& System.int RowInfo,  
& System.int ColumnInfo,  
& System.String^ DataInfo  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

TableAnnotation

[TableAnnotation](#)

TableType

Type of table as defined in [swTableAnnotationType_e](#)

reason

Reason as defined in [swModifyTableNotifyReason_e](#)

RowInfo

Index of modified row

ColumnInfo

Index of modified column

DataInfo

Modified string

Visual Basic for Applications (VBA) Syntax

See [ModifyTableNotify Event \(AssemblyDoc\)](#).

Example

[Fire Notification When Changing a Table in an Assembly Document \(C#\)](#)
[Fire Notification When Changing a Table in an Assembly Document \(VB.NET\)](#)
[Fire Notification When Changing a Table in an Assembly Document \(VBA\)](#)

Remarks

If developing a C++ application, use [swAssemblyModifyTableNotify](#) to register for this notification.

Availability

SOLIDWORKS 2011 FCS, Revision Number 19.0

DAssemblyDocEvents_NewSelectionNotifyEventHandler (Type)

DAssemblyDocEvents_NewSelectionNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_NewSelectionNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the selection list has changed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_NewSelectionNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_NewSelectionNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_NewSelectionNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_NewSelectionNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [NewSelectionNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyNewSelectionNotify](#) to register for this notification.
This notification is generated when items are added, removed, or reordered in the selection list.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_OpenDesignTableNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_OpenDesignTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_OpenDesignTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies your application that a design table has been opened for editing.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_OpenDesignTableNotifyEventHandler( _  
    ByVal DesignTable As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_OpenDesignTableNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_OpenDesignTableNotifyEventHandler(  
    System.object DesignTable  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_OpenDesignTableNotifyEventHandler(  
& System.Object^ DesignTable  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

DesignTable
[Design table](#)

Visual Basic for Applications (VBA) Syntax

See [OpenDesignTableNotify Event \(AssemblyDoc\)](#).

Remarks

The IAssemblyDoc event [CloseDesignTableNotify](#) pre-notifies your application that a design table that was being edited is about to be closed. If developing a C++ application, use [swAssemblyOpenDesignTableNotify](#) to register for this notification.

Availability

SOLIDWORKS 2007 SP4, Revision Number 15.4

DAssemblyDocEvents_PreRenameItemNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DAssemblyDocEvents_PreRenameItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_PreRenameItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a component document in an assembly is about to be renamed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_PreRenameItemNotifyEventHandler( _  
    ByVal EntityType As System.Integer, _  
    ByVal oldName As System.String, _  
    ByVal NewName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_PreRenameItemNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_PreRenameItemNotifyEventHandler(  
    System.int EntityType,  
    System.string oldName,  
    System.string NewName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_PreRenameItemNotifyEventHandler(  
& System.int EntityType,  
& System.String^ oldName,  
& System.String^ NewName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

EntityType

Type of item to rename as defined in [swNotifyEntityType_e](#)

oldName

Current name of the component document

NewName

New name of the component document

Visual Basic for Applications (VBA) Syntax

See [PreRenameItemNotify_Event \(AssemblyDoc\)](#).

Example

[Fire Notifications When Renaming Components \(C#\)](#)

[Fire Notifications When Renaming Components \(VB.NET\)](#)

[Fire Notifications When Renaming Components \(VBA\)](#)

Remarks

This event is also fired when [IComponent2::MakeVirtual](#) is called.

If developing a C++ application, use [swAssemblyPreRenameItemNotify](#) to register for this notification.

Availability

DAssemblyDocEvents_PromptBodiesToKeepNotifyEventHandler (Type)

DAssemblyDocEvents_PromptBodiesToKeepNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_PromptBodiesToKeepNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Generated when a body is cut into multiple bodies.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_PromptBodiesToKeepNotifyEventHandler( _  
    ByVal Feature As System.Object, _  
    ByRef Bodies As System.Object _  
) As System.Integer
```

Visual Basic (Usage)

```
Dim instance As New DAssemblyDocEvents\_PromptBodiesToKeepNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_PromptBodiesToKeepNotifyEventHandler(  
    System.object Feature,  
    ref System.object Bodies  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_PromptBodiesToKeepNotifyEventHandler(  
& System.Object^ Feature,  
& System.Object^% Bodies  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Feature
[Feature](#)
Bodies
Array of [bodies](#)

Visual Basic for Applications (VBA) Syntax

See [PromptBodiesToKeepNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyPromptBodiesToKeepNotify](#) to register for this notification.

Availability

SOLIDWORKS 2008 FCS, Revision Number 16.0

DAssemblyDocEvents_PublishTo3DPDFNotifyEventHandler (Type)

DAssemblyDocEvents_PublishTo3DPDFNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_PublishTo3DPDFNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when publishing an assembly document to SOLIDWORKS MBD 3D PDF.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_PublishTo3DPDFNotifyEventHandler( _  
    ByVal Path As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_PublishTo3DPDFNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_PublishTo3DPDFNotifyEventHandler(  
    System.string Path  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_PublishTo3DPDFNotifyEventHandler(  
& System.String^ Path  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Path
Path where SOLIDWORKS MBD 3D PDF is saved

Visual Basic for Applications (VBA) Syntax

See [PublishTo3DPDF Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyPublishTo3DPDFNotify](#) to register for this notification.

Availability

SOLIDWORKS 2017 FCS, Revision Number 25.0

DAssemblyDocEvents_RedoPostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DAssemblyDocEvents_RedoPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_RedoPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired after a Redo operation occurs in an assembly document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_RedoPostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_RedoPostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_RedoPostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_RedoPostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [RedoPostNotify Event \(AssemblyDoc\)](#).

Example

[Fire Undo and Redo Pre- and Post-notifications in Assembly Document \(C#\)](#)
[Fire Undo and Redo Pre- and Post-notifications in Assembly Document \(VB.NET\)](#)
[Fire Undo and Redo Pre- and Post-notifications in Assembly Document \(VBA\)](#)

Remarks

If developing a C++ application, use [swAssemblyRedoPostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DAssemblyDocEvents_RedoPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_RedoPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_RedoPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired before a Redo operation occurs in an assembly document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_RedoPreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_RedoPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_RedoPreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_RedoPreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [RedoPreNotify_Event \(AssemblyDoc\)](#).

Example

[Fire Undo and Redo Pre- and Post-notifications in Assembly Document \(C#\)](#)
[Fire Undo and Redo Pre- and Post-notifications in Assembly Document \(VB.NET\)](#)
[Fire Undo and Redo Pre- and Post-notifications in Assembly Document \(VBA\)](#)

Remarks

If developing a C++ application, use [swAssemblyRedoPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DAssemblyDocEvents_RegenNotifyEventHandler (Type)

DAssemblyDocEvents_RegenNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_RegenNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when an assembly document is about to be rebuilt.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_RegenNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_RegenNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_RegenNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_RegenNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [RegenNotify_Event \(AssemblyDoc\)](#).

Example

[Fire Assembly Rebuild Events \(C#\)](#)
[Fire Assembly Rebuild Events \(VB.NET\)](#)
[Fire Assembly Rebuild Events \(VBA\)](#)

Remarks

If developing a C++ application, use [swAssemblyRegenNotify](#) to register for this notification.

Use [DAssemblyDocEvents_RegenPostNotify2EventHandler](#) to fire an event after the assembly is rebuilt.

You can also use [IModelDoc2::GetUpdateStamp](#) to determine when changes take place in this document.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_RegenPostNotify2EventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_RegenPostNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_RegenPostNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when an assembly document is rebuilt.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_RegenPostNotify2EventHandler( _  
    ByVal stopFeature As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_RegenPostNotify2EventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_RegenPostNotify2EventHandler(  
    System.object stopFeature  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_RegenPostNotify2EventHandler(  
& System.Object^ stopFeature  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

stopFeature

- If rolled back, the [assembly feature](#) below the rollback bar in the FeatureManager design tree
- If rebuilt, Nothing or null

Visual Basic for Applications (VBA) Syntax

See [RegenPostNotify2 Event \(AssemblyDoc\)](#).

Example

[Fire Assembly Rebuild Events \(C#\)](#)
[Fire Assembly Rebuild Events \(VB.NET\)](#)
[Fire Assembly Rebuild Events \(VBA\)](#)

Remarks

If developing a C++ application, use [swAssemblyRegenPostNotify2](#) to register for this notification.

Use [DAssemblyDocEvents_RegenNotifyEventHandler](#) to fire an event before the assembly is about to be rebuilt.

You can also use [IModelDoc2::GetUpdateStamp](#) to determine when changes take place in this document.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DAssemblyDocEvents_RegenPostNotifyEventHandler (Type)

DAssemblyDocEvents_RegenPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_RegenPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Obsolete. Superseded by [DAssemblyDocEvents_RegenPostNotify2EventHandler](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_RegenPostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_RegenPostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_RegenPostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_RegenPostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [RegenPostNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyRegenPostNotify](#) to register for this notification.
You can also use [IModelDoc2::GetUpdateStamp](#) to determine when changes take place in this document.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_RenamedDocumentNotifyEventHandler (Type)

DAssemblyDocEvents_RenamedDocumentNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_RenamedDocumentNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when saving an assembly document in which a renamed component file is referenced by other assembly documents.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_RenamedDocumentNotifyEventHandler( _  
    ByRef RenamedDocumentInterface As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_RenamedDocumentNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_RenamedDocumentNotifyEventHandler(  
    ref System.object RenamedDocumentInterface  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_RenamedDocumentNotifyEventHandler(  
& System.Object^% RenamedDocumentInterface  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

[RenamedDocumentInterface](#)
[RenamedDocumentReferences](#) object

Visual Basic for Applications (VBA) Syntax

See [RenamedDocumentNotify Event \(AssemblyDoc\)](#).

Example

[Rename Component and Update References \(C#\)](#)
[Rename Component and Update References \(VB.NET\)](#)
[Rename Component and Update References \(VBA\)](#)

Remarks

If developing a C++ application, use [swAssemblyRenamedDocumentNotify](#) to register for this notification.

To...	Use...
Rename a component file	IModelDocExtension::RenameDocument
Get whether an assembly document has renamed components	IModelDocExtension::HasRenamedDocuments

Availability

DAssemblyDocEvents_RenameDisplayTitleNotifyEventHandler (Type)

DAssemblyDocEvents_RenameDisplayTitleNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_RenameDisplayTitleNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the display title changes for an item in the FeatureManager design tree.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_RenameDisplayTitleNotifyEventHandler( _  
    ByVal oldName As System.String, _  
    ByVal NewName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_RenameDisplayTitleNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_RenameDisplayTitleNotifyEventHandler(  
    System.string oldName,  
    System.string NewName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_RenameDisplayTitleNotifyEventHandler(  
& System.String^ oldName,  
& System.String^ NewName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

oldName
Previous display title
NewName
New display title

Visual Basic for Applications (VBA) Syntax

See [RenameDisplayTitleNotify Event \(AssemblyDoc\)](#).

Remarks

Change the display title by using [IModelDocExtension::DisplayTitle](#).
If developing a C++ application, use [swAssemblyRenamedDisplayTitleNotify](#) to register for this notification.

Availability

SOLIDWORKS 2020 SP4, Revision Number 28.4

DAssemblyDocEvents_RenameItemNotifyEventHandler (Type)

DAssemblyDocEvents_RenameItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_RenameItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when an item is renamed in one of the SOLIDWORKS Design tree structures, such as the FeatureManager design tree or the ConfigurationManager tree.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_RenameItemNotifyEventHandler( _  
    ByVal EntityType As System.Integer, _  
    ByVal oldName As System.String, _  
    ByVal NewName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_RenameItemNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_RenameItemNotifyEventHandler(  
    System.int EntityType,  
    System.string oldName,  
    System.string NewName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_RenameItemNotifyEventHandler(  
& System.int EntityType,  
& System.String^ oldName,  
& System.String^ NewName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

EntityType
Type of item to rename as defined in [swNotifyEntityType_e](#)
oldName
Current item name
NewName
New item name

Visual Basic for Applications (VBA) Syntax

See [RenameItemNotify Event \(AssemblyDoc\)](#).

Example

[Add Component and Mate \(VBA\)](#)
[Add Component and Mate \(VB.NET\)](#)
[Add Component and Mate \(C#\)](#)
[Fire Notifications When Renaming Components \(C#\)](#)
[Fire Notifications When Renaming Components \(VB.NET\)](#)
[Fire Notifications When Renaming Components \(VBA\)](#)

Remarks

This event is also fired when [IComponent2::MakeVirtual](#) is called.

If developing a C++ application, use [swAssemblyRenameItemNotify](#) to register for this notification.

Availability

DAssemblyDocEvents_SaveToStorageNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_SaveToStorageNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_SaveToStorageNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when it is safe to save data to third-party IStream storage.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_SaveToStorageNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_SaveToStorageNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_SaveToStorageNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_SaveToStorageNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [SaveToStorageNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblySaveToStorageNotify](#) to register for this notification.

Call [IModelDoc2::IGet3rdPartyStorage](#) after receiving this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_SaveToStorageStoreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_SaveToStorageStoreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_SaveToStorageStoreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when it is safe to save data to third-party IStorage storage.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_SaveToStorageStoreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_SaveToStorageStoreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_SaveToStorageStoreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_SaveToStorageStoreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [SaveToStorageStoreNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblySaveToStorageStoreNotify](#) to register for this notification.

Call [IModelDocExtension::IGet3rdPartyStorageStore](#) after receiving this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_SelectiveOpenPostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DAssemblyDocEvents_SelectiveOpenPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_SelectiveOpenPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when assembly components are selected for Quick View/Selective Open.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_SelectiveOpenPostNotifyEventHandler( _  
    ByVal NewAddedDisplayStateName As System.String, _  
    ByRef SelectedComponentNames As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_SelectiveOpenPostNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_SelectiveOpenPostNotifyEventHandler(  
    System.string NewAddedDisplayStateName,  
    ref System.object SelectedComponentNames  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_SelectiveOpenPostNotifyEventHandler(  
& System.String^ NewAddedDisplayStateName,  
& System.Object^% SelectedComponentNames  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

NewAddedDisplayStateName
Name of the new display state
SelectedComponentNames
Array of selected component names

Visual Basic for Applications (VBA) Syntax

See [SelectiveOpenPostNotify_Event \(AssemblyDoc\)](#).

Example

[Selective Open Post-Notify Event \(VBA\)](#)
[Selective Open Post-Notify Event \(VB.NET\)](#)
[Selective Open Post-Notify Event \(C#\)](#)

Remarks

If developing a C++ application, use [swAssemblySelectiveOpenPostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DAssemblyDocEvents_SensorAlertPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DAssemblyDocEvents_SensorAlertPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_SensorAlertPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired before a sensor's value deviates from its limits in an assembly document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_SensorAlertPreNotifyEventHandler( _  
    ByVal SensorIn As System.Object, _  
    ByVal SensorAlertType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_SensorAlertPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_SensorAlertPreNotifyEventHandler(  
    System.object SensorIn,  
    System.int SensorAlertType  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_SensorAlertPreNotifyEventHandler(  
& System.Object^ SensorIn,  
& System.int SensorAlertType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SensorIn

[Sensor](#)

SensorAlertType

Type of sensor as defined in [swSensorAlertType](#) e

Visual Basic for Applications (VBA) Syntax

See [SensorAlertPreNotify Event \(AssemblyDoc\)](#).

Availability

SOLIDWORKS 2009 SP2, Revision Number 17.2

DAssemblyDocEvents_SketchSolveNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_SketchSolveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_SketchSolveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired whenever the sketch is solved; for example, when dragging a sketch entity, adding or editing relations, changing dimensions, and so on.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_SketchSolveNotifyEventHandler( _  
    ByVal featName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_SketchSolveNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_SketchSolveNotifyEventHandler(  
    System.string featName  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_SketchSolveNotifyEventHandler(  
& System.String^ featName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

featName

Name of the sketch feature being updated

Visual Basic for Applications (VBA) Syntax

See [SketchSolveNotify_Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblySketchSolveNotify](#) to register for this notification.

This event returns the name of the sketch feature being updated.

Pressing the Ctrl+Q keys in an assembly-level sketch does not always result in a sketch being solved. A sketch is only solved if it needs to be updated. If the sketch is not solved, then this event is not fired.

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

DAssemblyDocEvents_SolidBodyFolderReorderNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DAssemblyDocEvents_SolidBodyFolderReorderNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_SolidBodyFolderReorderNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired with a solid body folder is reordered, e.g., using [IModelDocExtension::ReorderFeature2](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_SolidBodyFolderReorderNotifyEventHandler( _  
    ByVal Component As System.String, _  
    ByVal Source As System.String, _  
    ByVal Target As System.String, _  
    ByVal ReorderLocation As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_SolidBodyFolderReorderNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_SolidBodyFolderReorderNotifyEventHandler(  
    System.string Component,  
    System.string Source,  
    System.string Target,  
    System.int ReorderLocation  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_SolidBodyFolderReorderNotifyEventHandler(  
& System.String^ Component,  
& System.String^ Source,  
& System.String^ Target,  
& System.int ReorderLocation  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Component
Name of component
Source
Item to move to a location with respect to the Target item
Target
Item around which to move the Source item; could be a body folder
ReorderLocation
Move location as defined by [swMoveLocation_e](#)

Visual Basic for Applications (VBA) Syntax

See [SolidBodyFolderReorderNotify Event \(AssemblyDoc\)](#).

Remarks

The Source and Target items can be these types:

- swSelectType_e.swSelBODYFOLDER
- swSelectType_e.swSelSUBWELDFOLDER
- swSelectType_e.swSelSUBATOMFOLDER
- swSelectType_e.swSelSOLIDBODIES

If developing a C++ application, use [swAssemblySolidBodyFolderReorderNotify](#) to register for this notification.

Availability

DAssemblyDocEvents_SuppressionStateChangeNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_SuppressionStateChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_SuppressionStateChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the suppression state of a feature changes.

Visual Basic Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_SuppressionStateChangeNotifyEventHandler( _  
    ByVal Feature As Feature, _  
    ByVal NewSuppressionState As System.Integer, _  
    ByVal PreviousSuppressionState As System.Integer, _  
    ByVal ConfigurationOption As System.Integer, _  
    ByRef ConfigurationNames As System.Object _  
    ) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_SuppressionStateChangeNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_SuppressionStateChangeNotifyEventHandler(  
    Feature Feature,  
    System.int NewSuppressionState,  
    System.int PreviousSuppressionState,  
    System.int ConfigurationOption,  
    ref System.object ConfigurationNames  
    )
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_SuppressionStateChangeNotifyEventHandler(  
& Feature^ Feature,  
& System.int NewSuppressionState,  
& System.int PreviousSuppressionState,  
& System.int ConfigurationOption,  
& System.Object^% ConfigurationNames  
    )
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Feature
[Feature](#) that changed suppression state
NewSuppressionState
New suppression state for the feature as defined by [swFeatureSuppressionAction_e](#)
PreviousSuppressionState
Previous suppression state for the feature as defined by [swFeatureSuppressionAction_e](#)
ConfigurationOption
Configuration option as defined by [swInConfigurationOpts_e](#)
ConfigurationNames
Array of configurations in which the suppression state of the feature changes

Visual Basic for Applications (VBA) Syntax

See [SuppressionStateChangeNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblySuppressionStateChangeNotify](#) to register for this notification.

Availability

DAssemblyDocEvents_UndoPostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_UndoPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_UndoPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired after an Undo operation occurs in an assembly document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_UndoPostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_UndoPostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_UndoPostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_UndoPostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [UndoPostNotify Event \(AssemblyDoc\)](#).

Example

[Undo Hidden Component and Fire Post-Notify Event \(VBA\)](#)
[Undo Hidden Component and Fire Post-Notify Event \(VB.NET\)](#)
[Undo Hidden Component and Fire Post-Notify Event \(C#\)](#)

Remarks

If developing a C++ application, use [swAssemblyUndoPostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DAssemblyDocEvents_UndoPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_UndoPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_UndoPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired before an Undo operation occurs in an assembly document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_UndoPreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_UndoPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_UndoPreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_UndoPreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [UndoPreNotify_Event \(AssemblyDoc\)](#).

Example

[Fire Undo and Redo Pre- and Post-notifications in Assembly Document \(C#\)](#)
[Fire Undo and Redo Pre- and Post-notifications in Assembly Document \(VB.NET\)](#)
[Fire Undo and Redo Pre- and Post-notifications in Assembly Document \(VBA\)](#)

Remarks

If developing a C++ application, use [swAssemblyUndoPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DAssemblyDocEvents_UnitsChangeNotifyEventHandler (Type)

DAssemblyDocEvents_UnitsChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_UnitsChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the document units change.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_UnitsChangeNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_UnitsChangeNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_UnitsChangeNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_UnitsChangeNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [UnitsChangeNotify Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyUnitsChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2008 FCS, Revision Number 16.0

DAssemblyDocEvents_UserSelectionPostNotifyEventHandler (Type)

DAssemblyDocEvents_UserSelectionPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_UserSelectionPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired after an entity is selected in an assembly document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_UserSelectionPostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_UserSelectionPostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_UserSelectionPostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_UserSelectionPostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [UserSelectionPostNotify_Event \(AssemblyDoc\)](#).

Example

[Fire Event After Selection Made \(C#\)](#)
[Fire Event After Selection Made \(VB.NET\)](#)
[Fire Event After Selection Made \(VBA\)](#)

Remarks

Only selections made interactively fire this event; selections made programmatically are ignored by this event.
If developing a C++ application, use [swAssemblyUserSelectionPostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2011 FCS, Revision Number 19.0

DAssemblyDocEvents_UserSelectionPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DAssemblyDocEvents_UserSelectionPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_UserSelectionPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when an interactive user moves the cursor over or clicks a model view in an assembly document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_UserSelectionPreNotifyEventHandler( _  
    ByVal SelType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_UserSelectionPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_UserSelectionPreNotifyEventHandler(  
    System.int SelType  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_UserSelectionPreNotifyEventHandler(  
& System.int SelType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SelType

Type of object to be selected as defined by [swSelectType_e](#)

Visual Basic for Applications (VBA) Syntax

See [UserSelectionPreNotify Event \(AssemblyDoc\)](#).

Example

[Disable Selection of Faces and Edges Using a Pre-Notify Event \(VBA\)](#)
[Disable Selection of Faces and Edges Using a Pre-Notify Event \(VB.NET\)](#)
[Disable Selection of Faces and Edges Using a Pre-Notify Event \(C#\)](#)
[Get Preselected Object \(C#\)](#)
[Get Preselected Object \(VB.NET\)](#)
[Get Preselected Object \(VBA\)](#)

Remarks

Only selections made interactively fire this event; selections made programmatically are ignored by this event.

If developing a C++ application, use [swAssemblyUserSelectionPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DAssemblyDocEvents_ViewNewNotify2EventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DAssemblyDocEvents_ViewNewNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ViewNewNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when a new view model window has been created.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ViewNewNotify2EventHandler( _  
    ByVal viewBeingAdded As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ViewNewNotify2EventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ViewNewNotify2EventHandler(  
    System.object viewBeingAdded  
)
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ViewNewNotify2EventHandler(  
& System.Object^ viewBeingAdded  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

viewBeingAdded
New [view](#) window

Visual Basic for Applications (VBA) Syntax

See [ViewNewNotify2 Event \(AssemblyDoc\)](#).

Remarks

If developing a C++ application, use [swAssemblyViewNewNotify2](#) to register for this notification.

This event is sent for each new model view created by the window splitter bar. It is also sent for each new model view created in a document when **Window**, **New Window** is selected. A Dispatch pointer to the new model view is passed, which can be used to register for [IModelView](#) events or to run the various ModelView APIs such as [IModelView::GetViewHWND](#).

Because [FileOpenNotify2](#) and [FileNewNotify2](#) are post-notifications, SOLIDWORKS Design has already constructed the model views and has already fired this event by the time your application receives FileOpenNotify2 or FileNewNotify2. Therefore, within your functions that handle FileOpenNotify2 and FileNewNotify2, you should programmatically traverse each model view in the newly opened or created document ([IModelDoc2::EnumModelViews](#) or [IModelDoc2::GetFirstModelView](#) or [IModelDoc2::IGetFirstModelView](#) and [IModelView::GetNext](#) or [IModelView::IGetNext](#)), and register each view for ModelView events.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DAssemblyDocEvents_ViewNewNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DAssemblyDocEvents_ViewNewNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DAssemblyDocEvents_ViewNewNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Obsolete. Superseded by [DAssemblyDocEvents_ViewNewNotify2EventHandler](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DAssemblyDocEvents_ViewNewNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DAssemblyDocEvents\_ViewNewNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DAssemblyDocEvents_ViewNewNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DAssemblyDocEvents_ViewNewNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ViewNewNotify Event \(AssemblyDoc\)](#).

DDrawingDocEvents_ActivateSheetPostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_ActivateSheetPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_ActivateSheetPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the user program after activating the drawing sheet.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_ActivateSheetPostNotifyEventHandler( _  
    ByVal SheetName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_ActivateSheetPostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_ActivateSheetPostNotifyEventHandler(  
    System.string SheetName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_ActivateSheetPostNotifyEventHandler(  
    & System.String^ SheetName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SheetName
Name of the drawing sheet

Visual Basic for Applications (VBA) Syntax

See [ActivateSheetPostNotify_Event \(DrawingDoc\)](#).

Example

[Fire Notification When Activating a Sheet \(VBA\)](#)

Remarks

This event only fires when a drawing sheet is interactively activated in the SOLIDWORKS Design user interface; this event does not fire when a sheet is activated via an API call.

If developing a C++ application, use [swDrawingActivateSheetPostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2013 FCS, Revision Number 21.0

DDrawingDocEvents_ActivateSheetPreNotifyEventHandler (Type)

DDrawingDocEvents_ActivateSheetPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_ActivateSheetPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the user program before activating the drawing sheet.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_ActivateSheetPreNotifyEventHandler( _  
    ByVal SheetName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_ActivateSheetPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_ActivateSheetPreNotifyEventHandler(  
    System.string SheetName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_ActivateSheetPreNotifyEventHandler(  
& System.String^ SheetName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SheetName
Name of the drawing sheet

Visual Basic for Applications (VBA) Syntax

See [ActivateSheetPreNotify Event \(DrawingDoc\)](#).

Example

[Fire Notification When Activating a Sheet \(VBA\)](#)
[Fire Notification When Activating a Sheet \(VB.NET\)](#)
[Fire Notification When Activating a Sheet \(C#\)](#)

Remarks

If developing a C++ application, use [swDrawingActivateSheetPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2013 FCS, Revision Number 21.0

DDrawingDocEvents_ActiveConfigChangeNotifyEventHandler (Type)

DDrawingDocEvents_ActiveConfigChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_ActiveConfigChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when the user is about to switch to a different configuration.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_ActiveConfigChangeNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_ActiveConfigChangeNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_ActiveConfigChangeNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_ActiveConfigChangeNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ActiveConfigChangeNotify Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingConfigChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_ActiveConfigChangePostNotifyEventHandler (Type)

DDrawingDocEvents_ActiveConfigChangePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_ActiveConfigChangePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the user has switched to a different configuration.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_ActiveConfigChangePostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents_ActiveConfigChangePostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_ActiveConfigChangePostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_ActiveConfigChangePostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ActiveConfigChangePostNotify_Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingConfigChangePostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_AddCustomPropertyNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DDrawingDocEvents_AddCustomPropertyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_AddCustomPropertyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the user has added a custom property.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_AddCustomPropertyNotifyEventHandler( _  
    ByVal propName As System.String, _  
    ByVal Configuration As System.String, _  
    ByVal Value As System.String, _  
    ByVal valueType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_AddCustomPropertyNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_AddCustomPropertyNotifyEventHandler(  
    System.string propName,  
    System.string Configuration,  
    System.string Value,  
    System.int valueType  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_AddCustomPropertyNotifyEventHandler(  
& System.String^ propName,  
& System.String^ Configuration,  
& System.String^ Value,  
& System.int valueType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

propName
Name of the new custom property
Configuration
Configuration that contains the property
Value
Value of the new property
valueType
Valid type for VARIANT; see Microsoft MSDN for a list of valid VARIANT types

Visual Basic for Applications (VBA) Syntax

See [AddCustomPropertyNotify_Event \(DrawingDoc\)](#).

Remarks

The ValueType argument is one of the valid types that VARIANT can contain.

If developing a C++ application, use [swDrawingAddCustomPropertyNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_AddDependencyNotifyEventHandler (Type)

DDrawingDocEvents_AddDependencyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_AddDependencyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the drawing references the specified document for the first time.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_AddDependencyNotifyEventHandler( _  
    ByVal PathName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_AddDependencyNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_AddDependencyNotifyEventHandler(  
    System.string PathName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_AddDependencyNotifyEventHandler(  
& System.String^ PathName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

PathName
The full name and path of the newly referenced document.

Remarks

If developing a C++ application, use [swDrawingAddDependencyNotify](#) to register for this notification.

Availability

DDrawingDocEvents_AddItemNotifyEventHandler (Type)

DDrawingDocEvents_AddItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_AddItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the user program when an item is added to one of the SOLIDWORKS tree structures (for example, FeatureManager design tree, ConfigurationManager tree, and so on).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_AddItemNotifyEventHandler( _  
    ByVal EntityType As System.Integer, _  
    ByVal itemName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_AddItemNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_AddItemNotifyEventHandler(  
    System.int EntityType,  
    System.string itemName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_AddItemNotifyEventHandler(  
& System.int EntityType,  
& System.String^ itemName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

- EntityType*
Type of the new item as defined in [swNotifyEntityType_e](#)
- itemName*
Name of the new item

Visual Basic for Applications (VBA) Syntax

See [AddItemNotify Event \(DrawingDoc\)](#).

Remarks

This method supports the addition of configurations.

If developing a C++ application, use [swDrawingAddItemNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_AutoSaveNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_AutoSaveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_AutoSaveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the drawing document is automatically saved.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_AutoSaveNotifyEventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_AutoSaveNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_AutoSaveNotifyEventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_AutoSaveNotifyEventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName

Filename to which to save the drawing document

Visual Basic for Applications (VBA) Syntax

See [AutoSaveNotify Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingAutoSaveNotify](#) to register for this notification.

Availability

SOLIDWORKS 2009 FCS, Revision Number 17.0

DDrawingDocEvents_AutoSaveToStorageNotifyEventHandler (Type)

DDrawingDocEvents_AutoSaveToStorageNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_AutoSaveToStorageNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the drawing document is automatically saved to third-party IStream storage.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_AutoSaveToStorageNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_AutoSaveToStorageNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_AutoSaveToStorageNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_AutoSaveToStorageNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [AutoSaveToStorageNotify Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingAutoSaveToStorageNotify](#) to register for this notification.

Availability

SOLIDWORKS 2009 FCS, Revision Number 17.0