

SOLIDWORKS API (.NET, VBA, C#) — Reference

(3/337)

DDrawingDocEvents_AutoSaveToStorageStore- DModelViewEvents_DestroyNotifyEventHandl

SOLIDWORKS API Documentation (converted from CHM)

DDrawingDocEvents_AutoSaveToStorageStoreNotifyEventHandler (Type)

DDrawingDocEvents_AutoSaveToStorageStoreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_AutoSaveToStorageStoreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the drawing document is automatically saved to third-party IStorage storage.

Visual Basic Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_AutoSaveToStorageStoreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_AutoSaveToStorageStoreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_AutoSaveToStorageStoreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_AutoSaveToStorageStoreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [AutoSaveToStorageStoreNotify Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingAutoSaveToStorageStoreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DDrawingDocEvents_ChangeCustomPropertyNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_ChangeCustomPropertyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_ChangeCustomPropertyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the user has changed a custom property.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_ChangeCustomPropertyNotifyEventHandler( _  
    ByVal propName As System.String, _  
    ByVal Configuration As System.String, _  
    ByVal oldValue As System.String, _  
    ByVal NewValue As System.String, _  
    ByVal valueType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_ChangeCustomPropertyNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_ChangeCustomPropertyNotifyEventHandler(  
    System.string propName,  
    System.string Configuration,  
    System.string oldValue,  
    System.string NewValue,  
    System.int valueType  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_ChangeCustomPropertyNotifyEventHandler(  
& System.String^ propName,  
& System.String^ Configuration,  
& System.String^ oldValue,  
& System.String^ NewValue,  
& System.int valueType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

propName

Name of the changed property

Configuration

Configuration that contains the property

oldValue

Previous value of the property

NewValue

New value of the property

valueType

Valid type for VARIANT; see Microsoft MSDN for a list of the valid VARIANT types

Visual Basic for Applications (VBA) Syntax

See [ChangeCustomPropertyNotify_Event \(DrawingDoc\)](#).

Remarks

The ValueType argument is one of the valid types that VARIANT can contain.

If developing a C++ application, use [swDrawingChangeCustomPropertyNotify](#) to register for this notification.

DDrawingDocEvents_ClearSelectionsNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_ClearSelectionsNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_ClearSelectionsNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the user program when selections are cleared using **Clear Selections**.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_ClearSelectionsNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_ClearSelectionsNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_ClearSelectionsNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_ClearSelectionsNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ClearSelectionsNotify Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingClearNotificationsNotify](#) to register for this notification.

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

DDrawingDocEvents_CommandManagerTabActivatedPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_CommandManagerTabActivatedPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_CommandManagerTabActivatedPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies you that a SOLIDWORKS CommandManager tab is about to be activated.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_CommandManagerTabActivatedPreNotifyEventHandler( _  
    ByVal CommandTabIndex As System.Integer, _  
    ByVal CommandTabName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_CommandManagerTabActivatedPreNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_CommandManagerTabActivatedPreNotifyEventHandler(  
    System.int CommandTabIndex,  
    System.string CommandTabName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_CommandManagerTabActivatedPreNotifyEventHandler(  
& System.int CommandTabIndex,  
& System.String^ CommandTabName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

CommandTabIndex
Index of the tab that is about to be activated
CommandTabName
Name of the tab

Visual Basic for Applications (VBA) Syntax

See [CommandManagerTabActivatedPreNotify_Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingCommandManagerTabActivatedPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2014 FCS, Revision Number 22.0

DDrawingDocEvents_DeleteCustomPropertyNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DDrawingDocEvents_DeleteCustomPropertyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_DeleteCustomPropertyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the user deletes a custom property.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_DeleteCustomPropertyNotifyEventHandler( _  
    ByVal propName As System.String, _  
    ByVal Configuration As System.String, _  
    ByVal Value As System.String, _  
    ByVal valueType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_DeleteCustomPropertyNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_DeleteCustomPropertyNotifyEventHandler(  
    System.string propName,  
    System.string Configuration,  
    System.string Value,  
    System.int valueType  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_DeleteCustomPropertyNotifyEventHandler(  
& System.String^ propName,  
& System.String^ Configuration,  
& System.String^ Value,  
& System.int valueType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

propName

Name of the deleted property

Configuration

Configuration that contains the property

Value

Value of the deleted property

valueType

Valid type for VARIANT; see Microsoft MSDN for a list of valid VARIANT types

Visual Basic for Applications (VBA) Syntax

See [DeleteCustomPropertyNotify_Event \(DrawingDoc\)](#).

Remarks

The ValueType argument is one of the valid types that VARIANT can contain.

If developing a C++ application, use [swDrawingDeleteCustomPropertyNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_DeleteDependencyNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_DeleteDependencyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)

 

[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_DeleteDependencyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the drawing no longer references the specified document.

.NET Syntax

Visual Basic (Declaration)

Public Delegate Function DDrawingDocEvents_DeleteDependencyNotifyEventHandler(_
 ByVal [PathName](#) As System.String _
) As System.Integer

Visual Basic (Usage)

Dim instance As New [DDrawingDocEvents_DeleteDependencyNotifyEventHandler](#)(AddressOf HandlerMethod)

C#

public delegate System.int DDrawingDocEvents_DeleteDependencyNotifyEventHandler(
 System.string [PathName](#)
)

C++/CLI

public delegate System.int DDrawingDocEvents_DeleteDependencyNotifyEventHandler(
& System.String^ [PathName](#)
)

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

PathName
The full name and path of the document no longer referenced.

Remarks

If developing a C++ application, use [swDrawingDeleteDependencyNotify](#) to register for this notification.

Availability

SOLIDWORKS 2026 SP03, Revision Number 34.3

DDrawingDocEvents_DeleteItemNotifyEventHandler (Type)

DDrawingDocEvents_DeleteItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_DeleteItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the user program when an item is deleted from one of the SOLIDWORKS tree structures (for example, the FeatureManager design tree or the ConfigurationManager tree).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_DeleteItemNotifyEventHandler( _  
    ByVal EntityType As System.Integer, _  
    ByVal itemName As System.String _  
) As System.Integer
```

Visual Basic (Usage)

```
Dim instance As New DDrawingDocEvents\_DeleteItemNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_DeleteItemNotifyEventHandler(  
    System.int EntityType,  
    System.string itemName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_DeleteItemNotifyEventHandler(  
& System.int EntityType,  
& System.String^ itemName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

- EntityType*
Type of the item deleted as defined in [swNotifyEntityType_e](#)
- itemName*
Name of the deleted item

Visual Basic for Applications (VBA) Syntax

See [DeleteItemNotify_Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingDeleteItemNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_DeleteItemPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_DeleteItemPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_DeleteItemPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the user program when an item is about to be deleted from one of the SOLIDWORKS tree structures (for example, the FeatureManager design tree or the ConfigurationManager tree).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_DeleteItemPreNotifyEventHandler( _  
    ByVal EntityType As System.Integer, _  
    ByVal itemName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_DeleteItemPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_DeleteItemPreNotifyEventHandler(  
    System.int EntityType,  
    System.string itemName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_DeleteItemPreNotifyEventHandler(  
& System.int EntityType,  
& System.String^ itemName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

EntityType

Type of the item deleted as defined in [swNotifyEntityType_e](#)

itemName

Name of the deleted item

Visual Basic for Applications (VBA) Syntax

See [DeleteItemPreNotify Event \(DrawingDoc\)](#).

Remarks

Use [IDrawingDoc::FeatureByNameFeatureByName Method](#) or [IDrawingDoc::IFeatureByName](#) to get the object being deleted.

If developing a C++ application, use [swDrawingDeleteItemPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2005 SP1, Revision Number 13.1

DDrawingDocEvents_DeleteSelectionPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DDrawingDocEvents_DeleteSelectionPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_DeleteSelectionPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when the selection is deleted.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_DeleteSelectionPreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_DeleteSelectionPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_DeleteSelectionPreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_DeleteSelectionPreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [DeleteSelectionPreNotify_Event \(DrawingDoc\)](#).

Remarks

Returning S_false from your notification handler prevents deletion of the selected item.

If developing a C++ application, use [swDrawingDeleteSelectionPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_DestroyNotify2EventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_DestroyNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_DestroyNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when a drawing document is about to be destroyed.

.NET Syntax

Visual Basic (Declaration)

Public Delegate Function DDrawingDocEvents_DestroyNotify2EventHandler(_
 ByVal [DestroyType](#) As System.Integer _
) As System.Integer

Visual Basic (Usage)

Dim instance As New [DDrawingDocEvents_DestroyNotify2EventHandler](#)(AddressOf HandlerMethod)

C#

public delegate System.int DDrawingDocEvents_DestroyNotify2EventHandler(
 System.int [DestroyType](#)
)

C++/CLI

public delegate System.int DDrawingDocEvents_DestroyNotify2EventHandler(
 & System.int [DestroyType](#)
)

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

DestroyType
Value as defined by [swDestroyNotifyType_e](#)

Visual Basic for Applications (VBA) Syntax

See [DestroyNotify2 Event \(DrawingDoc\)](#).

Remarks

The DestroyType argument indicates whether the drawing is being removed from memory (swDestroyNotifyDestroy) or if it remains open due to an outside reference (swDestroyNotifyHidden).

If developing a C++ application, use [swDrawingDestroyNotify2](#) to register for this notification.

Availability

SOLIDWORKS 2009 FCS, Revision Number 17.0

DDrawingDocEvents_DestroyNotifyEventHandler (Type)

DDrawingDocEvents_DestroyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_DestroyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Obsolete. Superseded by [DDrawingDocEvents_DestroyNotify2EventHandler](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_DestroyNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_DestroyNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_DestroyNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_DestroyNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [DestroyNotify_Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingDestroyNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_DimensionChangeNotifyEventHandler (Type)

DDrawingDocEvents_DimensionChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_DimensionChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a dimension is changed through the **Dimension** dialog.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_DimensionChangeNotifyEventHandler( _  
    ByVal displayDim As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_DimensionChangeNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_DimensionChangeNotifyEventHandler(  
    System.object displayDim  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_DimensionChangeNotifyEventHandler(  
& System.Object^ displayDim  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

displayDim
[Display dimension](#) that changed

Visual Basic for Applications (VBA) Syntax

See [DimensionChangeNotify Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingDimensionChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

DDrawingDocEvents_DisplayPaneCollapseNotifyEventHandler (Type)

DDrawingDocEvents_DisplayPaneCollapseNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_DisplayPaneCollapseNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a display pane is collapsed in this drawing.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_DisplayPaneCollapseNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_DisplayPaneCollapseNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_DisplayPaneCollapseNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_DisplayPaneCollapseNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [DisplayPaneCollapseNotify_Event \(DrawingDoc\)](#).

Example

[Create Task Pane View Add-in \(C#\)](#)

Remarks

If developing a C++ application, use [swDrawingDisplayPaneCollapseNotify](#) to register for this notification.

Availability

SOLIDWORKS 2024 SP02, Revision Number 32.2

DDrawingDocEvents_DisplayPaneExpandNotifyEventHandler (Type)

DDrawingDocEvents_DisplayPaneExpandNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_DisplayPaneExpandNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a display pane is expanded in this drawing.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_DisplayPaneExpandNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)

```
Dim instance As New DDrawingDocEvents\_DisplayPaneExpandNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_DisplayPaneExpandNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_DisplayPaneExpandNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [DisplayPaneExpandNotify_Event \(DrawingDoc\)](#).

Example

[Create Task Pane View Add-in \(C#\)](#).

Remarks

If developing a C++ application, use [swDrawingDisplayPaneExpandNotify](#) to register for this notification.

Availability

SOLIDWORKS 2024 SP02, Revision Number 32.2

DDrawingDocEvents_DrawingStateChangeNotifyEventHandler (Type)

DDrawingDocEvents_DrawingStateChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_DrawingStateChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a drawing's state changes.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_DrawingStateChangeNotifyEventHandler( _  
    ByVal PreviousState As System.Short, _  
    ByVal newState As System.Short _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_DrawingStateChangeNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_DrawingStateChangeNotifyEventHandler(  
    System.short PreviousState,  
    System.short newState  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_DrawingStateChangeNotifyEventHandler(  
& System.short PreviousState,  
& System.short newState  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

PreviousState
Previous state as defined by [swDrawingMode_e](#)
newState
New state as defined by [swDrawingMode_e](#)

Visual Basic for Applications (VBA) Syntax

See [DrawingStateChangeNotify Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingDrawingStateChangeNotify](#) to register for this notification.

Availability

DDrawingDocEvents_DynamicHighlightNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_DynamicHighlightNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_DynamicHighlightNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the application when dynamic highlighting of the selected object changes from on to off, and vice versa.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_DynamicHighlightNotifyEventHandler( _  
    ByVal bHighlightState As System.Boolean _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_DynamicHighlightNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_DynamicHighlightNotifyEventHandler(  
    System.bool bHighlightState  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_DynamicHighlightNotifyEventHandler(  
& System.bool bHighlightState  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

bHighlightState
True if highlighting is on, false if it is off

Visual Basic for Applications (VBA) Syntax

See [DynamicHighlightNotify Event \(DrawingDoc\)](#).

Example

```
Private Function drawdoc_DynamicHighlightNotify() As Long  
Dim one As Object  
Dim x As Integer  
Dim pt As Variant  
Set one = mgr.GetSelectedObject5(-1)  
If Not one Is Nothing Then  
    Debug.Print mgr.GetSelectedObjectType2(-1)  
    one.Select True  
  
    pt = mgr.GetSelectionPoint(-1)  
    If Not IsEmpty(pt) Then  
        Debug.Print pt(0), pt(1), pt(2)  
    Else
```

```
        Debug.Print "Object selected in FeatureManager design tree, so no points."  
    End If  
Else  
    Debug.Print "Dynamic highlighting is now off."  
End If
```

Remarks

To send this notification, specify -1 for the index for any of the [ISelectionMgr](#) methods. See **Example**.
If developing a C++ application, use [swDrawingDynamicHighlightNotify](#) to register for this notification.

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

DDrawingDocEvents_EquationEditorPostNotifyEventHandler (Type)

DDrawingDocEvents_EquationEditorPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_EquationEditorPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies your application that the equation editor is being destroyed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_EquationEditorPostNotifyEventHandler( _  
    ByVal Changed As System.Boolean _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_EquationEditorPostNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_EquationEditorPostNotifyEventHandler(  
    System.bool Changed  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_EquationEditorPostNotifyEventHandler(  
& System.bool Changed  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Changed
True if equations have changed, false if not

Visual Basic for Applications (VBA) Syntax

See [EquationEditorPostNotify Event \(DrawingDoc\)](#).

Remarks

The IDrawingDoc event [EquationEditorPreNotify](#) notifies your application that the equation editor has been constructed.
If developing a C++ application, use [swDrawingEquationEditorPostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2007 SP4, Revision Number 15.4

DDrawingDocEvents_EquationEditorPreNotifyEventHandler (Type)

DDrawingDocEvents_EquationEditorPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_EquationEditorPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies your application that an the equation editor has been constructed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_EquationEditorPreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_EquationEditorPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_EquationEditorPreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_EquationEditorPreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [EquationEditorPreNotify_Event \(DrawingDoc\)](#).

Example

Remarks

The IDrawingDoc event [EquationEditorPostNotify](#) notifies your application that is being destroyed.

If developing a C++ application, use [swDrawingEquationEditorPreNotify](#) to register for this notification.

Availability

SoldiWorks 2007 SP4, Revision Number 15.4

DDrawingDocEvents_FeatureManagerTabActivatedNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_FeatureManagerTabActivatedNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_FeatureManagerTabActivatedNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the active tab in the Manager Pane changes.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_FeatureManagerTabActivatedNotifyEventHandler( _  
    ByVal CommandIndex As System.Integer, _  
    ByVal CommandTabName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_FeatureManagerTabActivatedNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_FeatureManagerTabActivatedNotifyEventHandler(  
    System.int CommandIndex,  
    System.string CommandTabName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_FeatureManagerTabActivatedNotifyEventHandler(  
& System.int CommandIndex,  
& System.String^ CommandTabName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

CommandIndex
Index of the active tab in the Manager Pane
CommandTabName
Name of the active tab in the Manager Pane

Visual Basic for Applications (VBA) Syntax

See [FeatureManagerTabActivatedNotify_Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingFeatureManagerTabActivatedNotify](#) to register for this notification.

Availability

SOLIDWORKS 2017 FCS, Revision Number 25.0

DDrawingDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired before the active tab in the Manager Pane changes.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler( _  
    ByVal CommandIndex As System.Integer, _  
    ByVal CommandTabName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_FeatureManagerTabActivatedPreNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler(  
    System.int CommandIndex,  
    System.string CommandTabName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler(  
& System.int CommandIndex,  
& System.String^ CommandTabName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

CommandIndex
Index of the active tab in the Manager Pane
CommandTabName
Name of the active tab in the Manager Pane

Visual Basic for Applications (VBA) Syntax

See [FeatureManagerTabActivatedPreNotify Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingFeatureManagerTabActivatedPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2017 FCS, Revision Number 25.0

DDrawingDocEvents_FeatureManagerTreeRebuildNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_FeatureManagerTreeRebuildNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_FeatureManagerTreeRebuildNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the active document's FeatureManager design tree is being rebuilt.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_FeatureManagerTreeRebuildNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_FeatureManagerTreeRebuildNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_FeatureManagerTreeRebuildNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_FeatureManagerTreeRebuildNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [FeatureManagerTreeRebuildNotify_Event \(DrawingDoc\)](#).

Remarks

This notification is only used by SOLIDWORKS Animator.

If developing a C++ application, use [swDrawingFeatureManagerTreeRebuildNotify](#) to register for this notification.

Availability

SOLIDWORKS 2003 SP3, Revision Number 11.3

DDrawingDocEvents_FileReloadPreNotifyEventHandler (Type)

DDrawingDocEvents_FileReloadPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_FileReloadPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user application when a drawing document is reloaded.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_FileReloadPreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_FileReloadPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_FileReloadPreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_FileReloadPreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [FileReloadPreNotify Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingFileReloadPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2004 FCS, Revision Number 12.0

DDrawingDocEvents_FileSaveAsNotify2EventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_FileSaveAsNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_FileSaveAsNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

Sends pre-notification before displaying the **File, Save** dialog.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_FileSaveAsNotify2EventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_FileSaveAsNotify2EventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_FileSaveAsNotify2EventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_FileSaveAsNotify2EventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName
Name of the saved file

Visual Basic for Applications (VBA) Syntax

See [FileSaveAsNotify2 Event \(DrawingDoc\)](#).

Remarks

SOLIDWORKS sends this notification before it displays the **Save** dialog.

In the FileSaveAsNotify2 event handler, you can specify an alternate file name using [IModelDoc2::SetSaveAsFileName](#) and return S_false from the event handler to indicate that the notification is handled. If you do not set an alternative filename using IModelDoc2::SetSaveAsFileName and S_false is returned, then the document is not saved. You can omit using IModelDoc2::SetSaveAsFileName to not set an alternative filename.

You can return S_false to stop SOLIDWORKS from proceeding with the action that caused the notification. In .NET, you can return 1 instead of S_false.

NOTE: Because this event is very similar to the now obsolete Drawing Doc event [FileSaveAsNotify](#), do not listen for both notifications at the same time.

If developing a C++ application, use [swDrawingFileSaveAsNotify2](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_FileSaveAsNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DDrawingDocEvents_FileSaveAsNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_FileSaveAsNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Obsolete. Superseded by [DDrawingDocEvents_FileSaveAsNotify2EventHandler](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_FileSaveAsNotifyEventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_FileSaveAsNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_FileSaveAsNotifyEventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_FileSaveAsNotifyEventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName
Name of the current document

Visual Basic for Applications (VBA) Syntax

See [FileSaveAsNotify_Event \(DrawingDoc\)](#).

DDrawingDocEvents_FileSaveNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DDrawingDocEvents_FileSaveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_FileSaveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when a file is about to be saved and passes the current document name.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_FileSaveNotifyEventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_FileSaveNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_FileSaveNotifyEventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_FileSaveNotifyEventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName
Name of the file to save

Visual Basic for Applications (VBA) Syntax

See [FileSaveNotify_Event \(DrawingDoc\)](#).

Remarks

When a user selects **File, Save** for a document that has never been saved, SOLIDWORKS generates [FileSaveAsNotify2](#) instead of FileSaveNotify. You can return S_false to stop SOLIDWORKS from proceeding with the action that generated the notification.

If the user attempts to close the document and S_false is returned, then the document does not close; it remains open and is not saved.

If developing a C++ application, use [swDrawingFileSaveAsNotify2](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_FileSavePostCancelNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_FileSavePostCancelNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_FileSavePostCancelNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired if [FileSavePostNotify](#) is not fired.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_FileSavePostCancelNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_FileSavePostCancelNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_FileSavePostCancelNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_FileSavePostCancelNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [FileSavePostCancelNotify_Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingFileSavePostCancelNotify](#) to register for this notification.

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

DDrawingDocEvents_FileSavePostNotifyEventHandler (Type)

DDrawingDocEvents_FileSavePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_FileSavePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when a drawing is saved in SOLIDWORKS.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_FileSavePostNotifyEventHandler( _  
    ByVal saveType As System.Integer, _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_FileSavePostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_FileSavePostNotifyEventHandler(  
    System.int saveType,  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_FileSavePostNotifyEventHandler(  
& System.int saveType,  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

- saveType*
Type of save as defined in [swFileSaveTypes_e](#)
- FileName*
Saved file name

Visual Basic for Applications (VBA) Syntax

See [FileSavePostNotify_Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingFileSavePostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

DDrawingDocEvents_InsertTableNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DDrawingDocEvents_InsertTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_InsertTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies your program when a table has been inserted in a drawing.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_InsertTableNotifyEventHandler( _  
    ByVal TableAnnotation As TableAnnotation, _  
    ByVal TableType As System.String, _  
    ByVal TemplatePath As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_InsertTableNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_InsertTableNotifyEventHandler(  
    TableAnnotation TableAnnotation,  
    System.string TableType,  
    System.string TemplatePath  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_InsertTableNotifyEventHandler(  
& TableAnnotation^ TableAnnotation,  
& System.String^ TableType,  
& System.String^ TemplatePath  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

TableAnnotation

[ITableAnnotation](#)

TableType

Type of table as defined in [swTableAnnotationType_e](#)

TemplatePath

Full path of template used to create this table

Visual Basic for Applications (VBA) Syntax

See [InsertTableNotify Event \(DrawingDoc\)](#).

Example

[Fire Notification When Inserting a Table in a Drawing Document \(C#\)](#)

[Fire Notification When Inserting a Table in a Drawing Document \(VB.NET\)](#)

[Fire Notification When Inserting a Table in a Drawing Document \(VBA\)](#)

Remarks

If developing a C++ application, use [swDrawingInsertTableNotify](#) to register for this notification.

Availability

SOLIDWORKS 2011 FCS, Revision Number 19.0

DDrawingDocEvents_LoadFromStorageNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_LoadFromStorageNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_LoadFromStorageNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when it is safe to load data from third-party IStream storage.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_LoadFromStorageNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_LoadFromStorageNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_LoadFromStorageNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_LoadFromStorageNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [LoadFromStorageNotify_Event \(DrawingDoc\)](#).

Remarks

Call [IModelDoc2::IGet3rdPartyStorage](#) after receiving this notification. This notification is sent even when the third-party storage node is empty.

If developing a C++ application, use [swDrawingLoadFromStorageNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_LoadFromStorageStoreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_LoadFromStorageStoreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_LoadFromStorageStoreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when it is safe to load data from third-party IStorage storage.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_LoadFromStorageStoreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_LoadFromStorageStoreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_LoadFromStorageStoreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_LoadFromStorageStoreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [LoadFromStorageStoreNotify_Event \(DrawingDoc\)](#).

Remarks

Call [IModelDocExtension::IGet3rdPartyStorageStore](#) after receiving this notification. This notification is sent even when the third-party storage node is empty.

If developing a C++ application, use [swDrawingLoadFromStorageStoreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_ModifyNotifyEventHandler (Type)

DDrawingDocEvents_ModifyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_ModifyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a document is marked as dirty for the first time.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_ModifyNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_ModifyNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_ModifyNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_ModifyNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModifyNotify Event \(DrawingDoc\)](#).

Remarks

If the user saves the document in the current SOLIDWORKS Design session, then the event is fired when the document is marked dirty again.

If developing a C++ application, use [swDrawingModifyNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_ModifyTableNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DDrawingDocEvents_ModifyTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_ModifyTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies your program when a table has been modified in a drawing.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_ModifyTableNotifyEventHandler( _  
    ByVal TableAnnotation As TableAnnotation, _  
    ByVal TableType As System.Integer, _  
    ByVal reason As System.Integer, _  
    ByVal RowInfo As System.Integer, _  
    ByVal ColumnInfo As System.Integer, _  
    ByVal DataInfo As System.String _  
    ) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_ModifyTableNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_ModifyTableNotifyEventHandler(  
    TableAnnotation TableAnnotation,  
    System.int TableType,  
    System.int reason,  
    System.int RowInfo,  
    System.int ColumnInfo,  
    System.string DataInfo  
    )
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_ModifyTableNotifyEventHandler(  
& TableAnnotation^ TableAnnotation,  
& System.int TableType,  
& System.int reason,  
& System.int RowInfo,  
& System.int ColumnInfo,  
& System.String^ DataInfo  
    )
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

TableAnnotation

[TableAnnotation](#)

TableType

Type of table as defined in [swTableAnnotationType_e](#)

reason

Reason as defined in [swModifyTableNotifyReason_e](#)

RowInfo

Index of modified row

ColumnInfo

Index of modified column

DataInfo

Modified string

Visual Basic for Applications (VBA) Syntax

See [ModifyTableNotify Event \(DrawingDoc\)](#).

Example

[Fire Notification When Changing a Table in a Drawing Document \(C#\)](#)
[Fire Notification When Changing a Table in a Drawing Document \(VB.NET\)](#)
[Fire Notification When Changing a Table in a Drawing Document \(VBA\)](#)

Remarks

If developing a C++ application, use [swDrawingModifyTableNotify](#) to register for this notification.

Availability

SOLIDWORKS 2011 FCS, Revision Number 19.0

DDrawingDocEvents_NewSelectionNotifyEventHandler (Type)

DDrawingDocEvents_NewSelectionNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_NewSelectionNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the selection list has changed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_NewSelectionNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)

```
Dim instance As New DDrawingDocEvents\_NewSelectionNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_NewSelectionNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_NewSelectionNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [NewSelectionNotify Event \(DrawingDoc\)](#).

Remarks

This notification is generated when items are added, removed, or reordered in the selection list.

If developing a C++ application, use [swDrawingNewSelectionNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_RedoPostNotifyEventHandler (Type)

DDrawingDocEvents_RedoPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_RedoPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired after a Redo operation occurs in a drawing document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_RedoPostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_RedoPostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_RedoPostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_RedoPostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [RedoPostNotify Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingRedoPostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DDrawingDocEvents_RedoPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_RedoPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_RedoPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired before a Redo operation occurs in a drawing document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_RedoPreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_RedoPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_RedoPreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_RedoPreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [RedoPreNotify_Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingRedoPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DDrawingDocEvents_RegenNotifyEventHandler (Type)

DDrawingDocEvents_RegenNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_RegenNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when a drawing document is about to be regenerated.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_RegenNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_RegenNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_RegenNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_RegenNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [RegenNotify Event \(DrawingDoc\)](#).

Remarks

You can also use [IModelDoc2::GetUpdateStamp](#) to determine when changes have taken place in this document.

If developing a C++ application, use [swDrawingRegenNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_RegenPostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_RegenPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_RegenPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when a drawing document has been regenerated.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_RegenPostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_RegenPostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_RegenPostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_RegenPostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [RegenPostNotify Event \(DrawingDoc\)](#).

Remarks

You can also use [IModelDoc2::GetUpdateStamp](#) to determine when changes have taken place in this document.

If developing a C++ application, use [swDrawingRegenPostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_RenameDisplayTitleNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DDrawingDocEvents_RenameDisplayTitleNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_RenameDisplayTitleNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the user program when the display title changes for an item in the FeatureManager design tree.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_RenameDisplayTitleNotifyEventHandler( _  
    ByVal oldName As System.String, _  
    ByVal NewName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_RenameDisplayTitleNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_RenameDisplayTitleNotifyEventHandler(  
    System.string oldName,  
    System.string NewName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_RenameDisplayTitleNotifyEventHandler(  
& System.String^ oldName,  
& System.String^ NewName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

oldName
Previous display title
NewName
New display title

Visual Basic for Applications (VBA) Syntax

See [RenameDisplayTitleNotify Event \(DrawingDoc\)](#).

Remarks

Change the display title by using [IModelDocExtension::DisplayTitle](#).

If developing a C++ application, use [swDrawingRenamedDisplayTitleNotify](#) to register for this notification.

Availability

SOLIDWORKS 2020 SP4, Revision Number 28.4

DDrawingDocEvents_RenameItemNotifyEventHandler (Type)

DDrawingDocEvents_RenameItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_RenameItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the user program when an item is renamed in one of the SOLIDWORKS tree structures (for example, such as the FeatureManager design tree or the ConfigurationManager tree).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_RenameItemNotifyEventHandler( _  
    ByVal EntityType As System.Integer, _  
    ByVal oldName As System.String, _  
    ByVal NewName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_RenameItemNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_RenameItemNotifyEventHandler(  
    System.int EntityType,  
    System.string oldName,  
    System.string NewName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_RenameItemNotifyEventHandler(  
& System.int EntityType,  
& System.String^ oldName,  
& System.String^ NewName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

- EntityType*
Type of item renamed as defined in [swNotifyEntityType_e](#)
- oldName*
Previous item name
- NewName*
New item name

Visual Basic for Applications (VBA) Syntax

See [RenameItemNotify Event \(DrawingDoc\)](#).

Remarks

This supports the renaming of configurations.

If developing a C++ application, use [swDrawingRenameItemNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_SaveToStorageNotifyEventHandler (Type)

DDrawingDocEvents_SaveToStorageNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_SaveToStorageNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when it is safe to save data to third-party IStream storage.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_SaveToStorageNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_SaveToStorageNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_SaveToStorageNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_SaveToStorageNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [SaveToStorageNotify Event \(DrawingDoc\)](#).

Remarks

Call [IModelDoc2::IGet3rdPartyStorage](#) after receiving this notification.
If developing a C++ application, use [swDrawingSaveToStorageNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_SaveToStorageStoreNotifyEventHandler (Type)

DDrawingDocEvents_SaveToStorageStoreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_SaveToStorageStoreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when it is safe to save data to third-party IStorage storage.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_SaveToStorageStoreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_SaveToStorageStoreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_SaveToStorageStoreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_SaveToStorageStoreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [SaveToStorageStoreNotify_Event \(DrawingDoc\)](#).

Remarks

Call [IModelDocExtension::IGet3rdPartyStorageStore](#) after receiving this notification.
If developing a C++ application, use [swDrawingSaveToStorageStoreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_SketchSolveNotifyEventHandler (Type)

DDrawingDocEvents_SketchSolveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_SketchSolveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired whenever the sketch is solved; for example, when dragging a sketch entity, adding or editing relations, changing dimensions, and so on. This event returns the name of the sketch feature being updated.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_SketchSolveNotifyEventHandler( _  
    ByVal featName As System.String _  
) As System.Integer
```

Visual Basic (Usage)

```
Dim instance As New DDrawingDocEvents\_SketchSolveNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_SketchSolveNotifyEventHandler(  
    System.string featName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_SketchSolveNotifyEventHandler(  
& System.String^ featName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

featName
Name of sketch feature being updated

Visual Basic for Applications (VBA) Syntax

See [SketchSolveNotify Event \(DrawingDoc\)](#).

Remarks

Pressing the Ctrl+Q keys rebuilds drawing sketches ([IView::GetSketch](#) or [IView::IGetSketch](#)), which causes this event to fire.

If developing a C++ application, use [swDrawingSketchSolveNotify](#) to register for this notification.

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

DDrawingDocEvents_UndoPostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DDrawingDocEvents_UndoPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_UndoPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired after an Undo action occurs in a drawing document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_UndoPostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_UndoPostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_UndoPostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_UndoPostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [UndoPostNotify Event \(DrawingDoc\)](#).

Example

[Undo Deleted Note and Fire Undo Pre- and Post-notify Events \(VBA\)](#)
[Undo Deleted Note and Fire Undo Pre- and Post-notify Events \(VB.NET\)](#)
[Undo Deleted Note and Fire Undo Pre- and Post-notify Events \(C#\)](#)

Remarks

If developing a C++ application, use [swDrawingUndoPostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DDrawingDocEvents_UndoPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_UndoPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_UndoPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired before an Undo action occurs in a drawing document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_UndoPreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_UndoPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_UndoPreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_UndoPreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [UndoPreNotify_Event \(DrawingDoc\)](#).

Example

[Undo Deleted Note and Fire Pre- and Post-notify Events \(C#\)](#)
[Undo Deleted Note and Fire Pre- and Post-notify Events \(VB.NET\)](#)
[Undo Deleted Note and Fire Pre- and Post-notify Events \(VBA\)](#)

Remarks

If developing a C++ application, use [swDrawingUndoPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DDrawingDocEvents_UnitsChangeNotifyEventHandler (Type)

DDrawingDocEvents_UnitsChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_UnitsChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Raised when document units change.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_UnitsChangeNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_UnitsChangeNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_UnitsChangeNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_UnitsChangeNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [UnitsChangeNotify Event \(DrawingDoc\)](#).

Remarks

If developing a C++ application, use [swDrawingUnitsChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2008 FCS, Revision Number 16.0

DDrawingDocEvents_UserSelectionPostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_UserSelectionPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_UserSelectionPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired after an entity is selected in a drawing document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_UserSelectionPostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_UserSelectionPostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_UserSelectionPostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_UserSelectionPostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [UserSelectionPostNotify_Event \(DrawingDoc\)](#).

Example

[Fire Event After Selection Made \(C#\)](#)
[Fire Event After Selection Made \(VB.NET\)](#)
[Fire Event After Selection Made \(VBA\)](#)

Remarks

Only selections made interactively fire this event; selections made programmatically are ignored by this event.

If developing a C++ application, use [swDrawingUserSelectionPostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2011 FCS, Revision Number 19.0

DDrawingDocEvents_UserSelectionPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_UserSelectionPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_UserSelectionPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when an interactive user moves the cursor over or clicks a drawing view in a drawing document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_UserSelectionPreNotifyEventHandler( _  
    ByVal SelType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_UserSelectionPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_UserSelectionPreNotifyEventHandler(  
    System.int SelType  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_UserSelectionPreNotifyEventHandler(  
& System.int SelType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SelType

Type of object to be selected as defined by [swSelectType_e](#)

Visual Basic for Applications (VBA) Syntax

See [UserSelectionPreNotify Event \(DrawingDoc\)](#).

Example

[Disable Selection of Faces and Edges Using a Pre-Notify Event \(VBA\)](#)
[Disable Selection of Faces and Edges Using a Pre-Notify Event \(VB.NET\)](#)
[Disable Selection of Faces and Edges Using a Pre-Notify Event \(C#\)](#)
[Get Preselected Object \(C#\)](#)
[Get Preselected Object \(VB.NET\)](#)
[Get Preselected Object \(VBA\)](#)

Remarks

Only selections made interactively fire this event; selections made programmatically are ignored by this event.

If developing a C++ application, use [swDrawingUserSelectionPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DDrawingDocEvents_ViewCreatePreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_ViewCreatePreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_ViewCreatePreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user application when a drawing view is about to be created.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_ViewCreatePreNotifyEventHandler( _  
    ByVal modelDocBeingAdded As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_ViewCreatePreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_ViewCreatePreNotifyEventHandler(  
    System.object modelDocBeingAdded  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_ViewCreatePreNotifyEventHandler(  
& System.Object^ modelDocBeingAdded  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

modelDocBeingAdded
[Model document](#) used to create the drawing view

Visual Basic for Applications (VBA) Syntax

See [ViewCreatePreNotify Event \(DrawingDoc\)](#).

Remarks

This notification occurs just before the drawing view is added as a feature to the drawing document. Use [IModelDoc2::GetPathName](#) and [IConfigurationManager::ActiveConfiguration](#) to get the model document's path, filename, and configuration to use to create the drawing view.

This notification also gets fired for empty drawing views. Because empty drawing views do not have a model document, the argument ModelDocBeingAdded is NULL or Nothing. Use the event handler to check ModelDocBeingAdded for NULL or Nothing before using this notification.

If developing a C++ application, then use [swDrawingViewCreatePreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

DDrawingDocEvents_ViewNewNotify2EventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DDrawingDocEvents_ViewNewNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_ViewNewNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when a new view window is created.

Visual Basic Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_ViewNewNotify2EventHandler( _  
    ByVal viewBeingAdded As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_ViewNewNotify2EventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_ViewNewNotify2EventHandler(  
    System.object viewBeingAdded  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_ViewNewNotify2EventHandler(  
& System.Object^ viewBeingAdded  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

viewBeingAdded
[View](#)

Visual Basic for Applications (VBA) Syntax

See [ViewNewNotify2 Event \(DrawingDoc\)](#).

Remarks

SOLIDWORKS generates this notification when the user selects **Window, New Window**, or uses the splitter and clicks in the new view.

SOLIDWORKS passes a Dispatch pointer to the new view, which you can use to register for [IModelView](#) events or to run IModelView functions, such as [IModelView::GetViewHWND](#).

Since the SOLIDWORKS events [FileOpenNotify2](#) and [FileNewNotify2](#) are post-notifications, SOLIDWORKS has already constructed the views and has already generated this event by the time your application receives FileOpenNotify2 or FileNewNotify2. Therefore, within your functions that handle FileOpenNotify2 and FileNewNotify2, you should programmatically traverse each view in the newly opened or created document ([IEnumModelViews::Next](#) or [IModelDoc2::GetFirstModelView](#) or [IModelDoc2::IGetFirstModelView](#) or [IModelView::GetNext](#) or [IModelView::IGetNext](#)), and register each view for IModelView events.

The difference between [ViewNewNotify](#) and ViewNewNotify2 is that ViewNewNotify is sent only when the view is activated for the first time. With ViewNewNotify2, the notification is sent whenever a new view is initialized and available for use by the third-party application. The view does not need to be activated by the user for the event to be sent.

If developing a C++ application, use [swDrawingViewNewNotify2](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DDrawingDocEvents_ViewNewNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DDrawingDocEvents_ViewNewNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_ViewNewNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Obsolete. Superseded by [DDrawingDocEvents_ViewNewNotify2EventHandler](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_ViewNewNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_ViewNewNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_ViewNewNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_ViewNewNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ViewNewNotify Event \(DrawingDoc\)](#).

DDrawingDocEvents_ViewPositionChangeNotifyEventHandler (Type)

DDrawingDocEvents_ViewPositionChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DDrawingDocEvents_ViewPositionChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when a drawing view changes position.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DDrawingDocEvents_ViewPositionChangeNotifyEventHandler( _  
    ByVal ViewName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DDrawingDocEvents\_ViewPositionChangeNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DDrawingDocEvents_ViewPositionChangeNotifyEventHandler(  
    System.string ViewName  
)
```

C++/CLI

```
public delegate System.int DDrawingDocEvents_ViewPositionChangeNotifyEventHandler(  
& System.String^ ViewName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ViewName
Name of the drawing view whose position changed

Visual Basic for Applications (VBA) Syntax

See [ViewPositionChange_Event \(DrawingDoc\)](#).

Remarks

The event is fired whenever a drawing view is moved. If MoveChildViews is true in [View::SetViewPostion](#), an event is also fired when each child view is moved.

If developing a C++ application, use [swDrawingViewPositionChange](#) to register for this notification.

Availability

DFeatMgrViewEvents_ActivateNotifyEventHandler (Type)

DFeatMgrViewEvents_ActivateNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DFeatMgrViewEvents_ActivateNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program once a FeatureManager design tree view is activated and returns the view handle.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DFeatMgrViewEvents_ActivateNotifyEventHandler( _  
    ByRef View As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DFeatMgrViewEvents\_ActivateNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DFeatMgrViewEvents_ActivateNotifyEventHandler(  
    ref System.object View  
)
```

C++/CLI

```
public delegate System.int DFeatMgrViewEvents_ActivateNotifyEventHandler(  
& System.Object^% View  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

View
[View](#)

Visual Basic for Applications (VBA) Syntax

See [ActivateNotify Event \(FeatMgrView\)](#).

Remarks

This notification is generated if you created the FeatureManager design tree view using [IModelViewManager::CreateFeatureMgrView2](#) instead of [IModelDoc2::AddFeatureMgrView3](#).

If developing a C++ application, use [swFMViewActivateNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DFeatMgrViewEvents_DeactivateNotifyEventHandler (Type)

DFeatMgrViewEvents_DeactivateNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DFeatMgrViewEvents_DeactivateNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program once a FeatureManager design tree view is deactivated and returns the view handle.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DFeatMgrViewEvents_DeactivateNotifyEventHandler( _  
    ByRef View As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DFeatMgrViewEvents\_DeactivateNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DFeatMgrViewEvents_DeactivateNotifyEventHandler(  
    ref System.object View  
)
```

C++/CLI

```
public delegate System.int DFeatMgrViewEvents_DeactivateNotifyEventHandler(  
& System.Object^% View  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

View
[View](#)

Visual Basic for Applications (VBA) Syntax

See [DeactivateNotify Event \(FeatMgrView\)](#).

Remarks

This notification is generated if you created the FeatureManager design tree view using [IModelViewManager::CreateFeatureMgrView2](#) instead of [IModelDoc2::AddFeatureMgrView3](#).

If developing a C++ application, use [swFMViewDeactivateNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DFeatMgrViewEvents_DestroyNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DFeatMgrViewEvents_DestroyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DFeatMgrViewEvents_DestroyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when a FeatureManager design tree view is about to be destroyed and returns the view handle.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DFeatMgrViewEvents_DestroyNotifyEventHandler( _  
    ByRef View As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DFeatMgrViewEvents\_DestroyNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DFeatMgrViewEvents_DestroyNotifyEventHandler(  
    ref System.object View  
)
```

C++/CLI

```
public delegate System.int DFeatMgrViewEvents_DestroyNotifyEventHandler(  
& System.Object^% View  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

View
[View](#)

Visual Basic for Applications (VBA) Syntax

See [DestroyNotify Event \(FeatMgrView\)](#).

Remarks

If developing a C++ application, use [swFMViewDestroyNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DModelViewEvents_BufferSwapNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DModelViewEvents_BufferSwapNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DModelViewEvents_BufferSwapNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired from the model view immediately before the buffers are swapped when rendering shaded graphics in OpenGL.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DModelViewEvents_BufferSwapNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DModelViewEvents\_BufferSwapNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DModelViewEvents_BufferSwapNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DModelViewEvents_BufferSwapNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [BufferSwapNotify Event \(ModelView\)](#).

Remarks

The OpenGL context contains matrices such that graphics are drawn correctly relative to the part or top-level assembly, but not any components within the assembly. This event is also sent when the model is in HLR or HLV mode and being dynamically rotated.

This event is sent for any other wireframe repainting. (GDI is used for all other wireframe painting). You can determine if a model is shaded by using [IModelView::GetDisplayState](#).

This event is fired after rendering to Layer0.

NOTE: When SOLIDWORKS renders to a frame, it renders two layers:

- Layer0: The model, usually shaded, but may be Fast HLR/LG and inactive sketch data.
- Layer2: Active sketch, annotations, and temporary graphic objects like the reference triad, View Orientation box, and the flyout FeatureManager design tree.

[RenderLayer0Notify](#) is fired when SOLIDWORKS renders to Layer0, depending on optimization. [GraphicsRenderPostNotify](#) is always fired after rendering to Layer2.

If developing a C++ application, use [swViewBufferSwapNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

DModelViewEvents_DestroyNotify2EventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DModelViewEvents_DestroyNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DModelViewEvents_DestroyNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when a model view is about to be destroyed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DModelViewEvents_DestroyNotify2EventHandler( _  
    ByVal DestroyType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DModelViewEvents\_DestroyNotify2EventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DModelViewEvents_DestroyNotify2EventHandler(  
    System.int DestroyType  
)
```

C++/CLI

```
public delegate System.int DModelViewEvents_DestroyNotify2EventHandler(  
& System.int DestroyType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

DestroyType

Value as defined by [swDestroyNotifyType_e](#)

Visual Basic for Applications (VBA) Syntax

See [DestroyNotify2 Event \(ModelView\)](#).

Remarks

This event is sent when a view is being destroyed and will no longer be available to the end-user. In this case, the destroyType value is swDestroyNotifyDestroy.

This event is also sent for each view of a model when the document is closed, yet the view is not destroyed. This can happen when the model is being used by an open assembly or drawing document. In this case, the destroyType value is swDestroyNotifyHidden. This indicates that the view is still available for use, but is not visible.

If the part is then reopened, a IPartDoc [ViewNewNotify2](#) event is again sent for all views in the part. At this point, you can recreate your link to these views, or if your application did not destroy the views, you can recognize that these views are no longer hidden. When the document and all referencing assemblies and drawings are finally closed, then the views are destroyed and this event is sent for each of the model views, with the destroyType = swDestroyNotifyDestroy.

If developing a C++ application, use [swViewDestroyNotify2](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

DModelViewEvents_DestroyNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DModelViewEvents_DestroyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DModelViewEvents_DestroyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Obsolete. Superseded by [DModelViewEvents_DestroyNotify2EventHandler](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DModelViewEvents_DestroyNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DModelViewEvents\_DestroyNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DModelViewEvents_DestroyNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DModelViewEvents_DestroyNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [DestroyNotify_Event \(ModelView\)](#).