

SOLIDWORKS API (.NET, VBA, C#) — Reference

(5/337)

DPartDocEvents_EquationEditorPostNotifyE-
DSldWorksEvents_Begin3DInterconnectTrans

SOLIDWORKS API Documentation (converted from CHM)

DPartDocEvents_EquationEditorPostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_EquationEditorPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_EquationEditorPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies your application that the equation editor is being destroyed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_EquationEditorPostNotifyEventHandler( _  
    ByVal Changed As System.Boolean _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_EquationEditorPostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_EquationEditorPostNotifyEventHandler(  
    System.bool Changed  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_EquationEditorPostNotifyEventHandler(  
& System.bool Changed  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Changed

True if equations have changed, false if not

Visual Basic for Applications (VBA) Syntax

See [EquationEditorPostNotify_Event \(PartDoc\)](#).

Remarks

The PartDoc event [EquationEditorPreNotify](#) notifies your application that the equation editor has been constructed.

If developing a C++ application, use [swPartEquationPostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2007 SP4, Revision Number 15.4

DPartDocEvents_EquationEditorPreNotifyEventHandler (Type)

DPartDocEvents_EquationEditorPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_EquationEditorPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies your application that an the equation editor has been constructed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_EquationEditorPreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_EquationEditorPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_EquationEditorPreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_EquationEditorPreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [EquationEditorPreNotify_Event \(PartDoc\)](#).

Remarks

The PartDoc event [EquationEditorPostNotify](#) notifies your application that is being destroyed.

If developing a C++ application, use [swPartEquationPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2007 SP4, Revision Number 15.4

DPartDocEvents_FeatureEditPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DPartDocEvents_FeatureEditPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FeatureEditPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when the user edits the definition of a selected feature.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FeatureEditPreNotifyEventHandler( _  
    ByVal EditFeature As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FeatureEditPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FeatureEditPreNotifyEventHandler(  
    System.object EditFeature  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_FeatureEditPreNotifyEventHandler(  
& System.Object^ EditFeature  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

EditFeature
Edited [feature](#)

Visual Basic for Applications (VBA) Syntax

See [FeatureEditPreNotify Event \(PartDoc\)](#).

Remarks

The interface pointer is passed as an IDispatch. You then have to do a QueryInterface for the IFeature interface. Next, call [IFeature::GetTypeName](#), and then call [IFeature::GetSpecificFeature2](#).

If developing a C++ application, use [swPartFeatureEditPreNotify](#) to register for this event.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DPartDocEvents_FeatureManagerFilterStringChangeNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_FeatureManagerFilterStringChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FeatureManagerFilterStringChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when text is typed in the FeatureManager design tree filter or [IModelDocExtension::FeatureManagerFilterString](#) is called.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FeatureManagerFilterStringChangeNotifyEventHandler( _  
    ByVal FilterString As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FeatureManagerFilterStringChangeNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FeatureManagerFilterStringChangeNotifyEventHandler(  
    System.string FilterString  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_FeatureManagerFilterStringChangeNotifyEventHandler(  
& System.String^ FilterString  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FilterString
String

Visual Basic for Applications (VBA) Syntax

See [FeatureManagerFilterStringChangeNotify Event \(PartDoc\)](#).

Remarks

If developing a C++ application, use [swPartFeatureManagerFilterStringChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2009 FCS, Revision Number 17.0

DPartDocEvents_FeatureManagerTabActivatedNotifyEventHandler (Type)

DPartDocEvents_FeatureManagerTabActivatedNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FeatureManagerTabActivatedNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the active tab changes in the Manager Pane.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FeatureManagerTabActivatedNotifyEventHandler( _  
    ByVal CommandIndex As System.Integer, _  
    ByVal CommandTabName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FeatureManagerTabActivatedNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FeatureManagerTabActivatedNotifyEventHandler(  
    System.int CommandIndex,  
    System.string CommandTabName  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_FeatureManagerTabActivatedNotifyEventHandler(  
& System.int CommandIndex,  
& System.String^ CommandTabName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

CommandIndex
Index of the active tab in the Manager Pane
CommandTabName
Index of the active tab in the Manager Pane

Visual Basic for Applications (VBA) Syntax

See [FeatureManagerTabActivatedNotify_Event \(PartDoc\)](#).

Remarks

If developing a C++ application, use [swPartFeatureManagerTabActivatedNotify](#) to register for this notification.

Availability

SOLIDWORKS 2017 FCS, Revision Number 25.0

DPartDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired before the active tab in the Manager Pane changes.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler( _  
    ByVal CommandIndex As System.Integer, _  
    ByVal CommandTabName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FeatureManagerTabActivatedPreNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler(  
    System.int CommandIndex,  
    System.string CommandTabName  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_FeatureManagerTabActivatedPreNotifyEventHandler(  
& System.int CommandIndex,  
& System.String^ CommandTabName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

CommandIndex
Index of the active tab in the Manager Pane
CommandTabName
Name of the active tab in the Manager Pane

Visual Basic for Applications (VBA) Syntax

See [FeatureManagerTabActivatedPreNotify Event \(PartDoc\)](#).

Remarks

If developing a C++ application, use [swPartFeatureManagerTabActivatedPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2017 FCS, Revision Number 25.0

DPartDocEvents_FeatureManagerTreeRebuildNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_FeatureManagerTreeRebuildNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FeatureManagerTreeRebuildNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the active document's FeatureManager design tree is being rebuilt.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FeatureManagerTreeRebuildNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FeatureManagerTreeRebuildNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FeatureManagerTreeRebuildNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_FeatureManagerTreeRebuildNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [FeatureManagerTreeRebuildNotify_Event \(PartDoc\)](#).

Remarks

If developing a C++ application, use [swPartFeatureManagerTreeRebuildNotify](#) to register for this notification.

Availability

SOLIDWORKS 2003 SP3, Revision Number 11.3

DPartDocEvents_FeatureSketchEditPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_FeatureSketchEditPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FeatureSketchEditPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when the user edits the definition of a sketch.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FeatureSketchEditPreNotifyEventHandler( _  
    ByVal EditFeature As System.Object, _  
    ByVal featureSketch As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FeatureSketchEditPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FeatureSketchEditPreNotifyEventHandler(  
    System.object EditFeature,  
    System.object featureSketch  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_FeatureSketchEditPreNotifyEventHandler(  
& System.Object^ EditFeature,  
& System.Object^ featureSketch  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

EditFeature
[Feature](#) that contains the sketch
featureSketch
Edited [sketch](#)

Visual Basic for Applications (VBA) Syntax

See [FeatureSketchEditPreNotify Event \(PartDoc\)](#).

Remarks

The interface pointer is passed as an IDispatch. You then have to do a QueryInterface for the ISketch interface. If the sketch is not part of a feature, then EditFeature is NULL.

If developing a C++ application, use [swPartFeatureSketchEditPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DPartDocEvents_FileDropPostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_FileDropPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FileDropPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies user applications when a part is dropped from File Explorer into a part document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FileDropPostNotifyEventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FileDropPostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FileDropPostNotifyEventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_FileDropPostNotifyEventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName

Full path and name of file dropped

Visual Basic for Applications (VBA) Syntax

See [FileDropPostNotify Event \(PartDoc\)](#).

Remarks

The part document may be replaced by the dropped file.

SOLIDWORKS passes the file name of the dropped part into the event handler. The event handler can use [IPartDoc::SetDroppedFileName](#) to replace this document with a temporary document. For example, this is useful when the file being dropped is managed by a project data management (PDM) system or otherwise not accessible directly by SOLIDWORKS. Your application (the PDM system in this example) is responsible for ensuring that the files and references are properly updated.

If developing a C++ application, use [swPartFileDropPostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2004 SP4, Revision Number 12.4

DPartDocEvents_FileDropPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_FileDropPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FileDropPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies user applications before a part is dropped from File Explorer into a part document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FileDropPreNotifyEventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FileDropPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FileDropPreNotifyEventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_FileDropPreNotifyEventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName

Name of the file to use for the rest of the drop process

Visual Basic for Applications (VBA) Syntax

See [FileDropPreNotify Event \(PartDoc\)](#).

Remarks

The part document may be replaced by the dropped file.

If developing a C++ application, use [swPartFileDropPreNotify](#) to register for this notification.

SOLIDWORKS passes the file name of the dropped part into the event handler. The event handler can use [IPartDoc::SetDroppedFileName](#) to replace this document with a temporary document. For example, this is useful when the file being dropped is managed by a project data management (PDM) system or otherwise not accessible directly by SOLIDWORKS. Your application (the PDM system in this example) is responsible for ensuring that the files and references are properly updated.

Availability

SOLIDWORKS 2009 FCS, Revision Number 17.0

DPartDocEvents_FileReloadCancelNotifyEventHandler (Type)

DPartDocEvents_FileReloadCancelNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FileReloadCancelNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired if [FileReloadNotify](#) is canceled.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FileReloadCancelNotifyEventHandler( _  
    ByVal ErrorCode As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FileReloadCancelNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FileReloadCancelNotifyEventHandler(  
    System.int ErrorCode  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_FileReloadCancelNotifyEventHandler(  
& System.int ErrorCode  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ErrorCode
Error as defined in [swComponentReloadError_e](#)

Visual Basic for Applications (VBA) Syntax

See [FileReloadCancelNotify_Event \(PartDoc\)](#).

Remarks

If developing a C++ application, use [swPartFileReloadCancelNotify](#) to register for this notification.

Availability

DPartDocEvents_FileReloadNotifyEventHandler (Type)

DPartDocEvents_FileReloadNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FileReloadNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when a part document is reloaded.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FileReloadNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FileReloadNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FileReloadNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_FileReloadNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [FileReloadNotify_Event](#).(PartDoc).

Remarks

If developing a C++ application, use [swPartFileReloadNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DPartDocEvents_FileReloadPreNotifyEventHandler (Type)

DPartDocEvents_FileReloadPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FileReloadPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when an part document is reloaded

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FileReloadPreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FileReloadPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FileReloadPreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_FileReloadPreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [FileReloadPreNotify Event \(PartDoc\)](#).

Remarks

If developing a C++ application, use [swPartFileReloadPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DPartDocEvents_FileSaveAsNotify2EventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DPartDocEvents_FileSaveAsNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FileSaveAsNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

Sends pre-notification before displaying the **File, Save** dialog.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FileSaveAsNotify2EventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FileSaveAsNotify2EventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FileSaveAsNotify2EventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_FileSaveAsNotify2EventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName
Name of the saved file

Visual Basic for Applications (VBA) Syntax

See [FileSaveAsNotify2 Event \(PartDoc\)](#).

Remarks

In this event handler, the user can specify the filename that the file should be saved to by using [IModelDoc2::SetSaveAsFileName](#) and also returning `S_false` from the event handler. After providing an appropriate filename and after `S_false` is returned from the event handler, the **File, Save** dialog is not displayed; instead, the filename that was provided with `IModelDoc2::SetSaveAsFileName` is used.

If developing a C++ application, use [swPartFileSaveAsNotify2](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DPartDocEvents_FileSaveAsNotifyEventHandler (Type)

DPartDocEvents_FileSaveAsNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FileSaveAsNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Obsolete. Superseded by [DPartDocEvents_FileSaveAsNotify2EventHandler](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FileSaveAsNotifyEventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FileSaveAsNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FileSaveAsNotifyEventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_FileSaveAsNotifyEventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName

Return Value

Visual Basic for Applications (VBA) Syntax

See [FileSaveAsNotify Event \(PartDoc\)](#).

Availability

DPartDocEvents_FileSaveNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_FileSaveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FileSaveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when a file is about to be saved and passes the current document name.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FileSaveNotifyEventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FileSaveNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FileSaveNotifyEventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_FileSaveNotifyEventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName

Name of the saved file

Visual Basic for Applications (VBA) Syntax

See [FileSaveNotify_Event \(PartDoc\)](#).

Remarks

When a user selects **File, Save** on a document that has never been saved, you receive a [FileSaveAsNotify2](#) instead of FileSaveNotify.

If developing a C++ application, use [swPartFileSaveNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DPartDocEvents_FileSavePostCancelNotifyEventHandler (Type)

DPartDocEvents_FileSavePostCancelNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FileSavePostCancelNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired if [FileSavePostNotify](#) is not fired.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FileSavePostCancelNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FileSavePostCancelNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FileSavePostCancelNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_FileSavePostCancelNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [FileSavePostCancelNotify_Event \(PartDoc\)](#).

Remarks

If developing a C++ application, use [swPartFileSavePostCancelNotify](#) to register for this notification.

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

DPartDocEvents_FileSavePostNotifyEventHandler (Type)

DPartDocEvents_FileSavePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FileSavePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when a part document is saved.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FileSavePostNotifyEventHandler( _  
    ByVal saveType As System.Integer, _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FileSavePostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FileSavePostNotifyEventHandler(  
    System.int saveType,  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_FileSavePostNotifyEventHandler(  
& System.int saveType,  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

saveType
Type of save as defined in [swFileSaveTypes_e](#)
FileName
Saved file name

Visual Basic for Applications (VBA) Syntax

See [FileSavePostNotify_Event \(PartDoc\)](#).

Remarks

If developing a C++ application, use [swPartFileSavePostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

DPartDocEvents_FlipLoopNotifyEventHandler (Type)

DPartDocEvents_FlipLoopNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_FlipLoopNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a loop is flipped.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_FlipLoopNotifyEventHandler( _  
    ByVal TheLoop As System.Object, _  
    ByVal TheEdge As System.Object _  
    ) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_FlipLoopNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_FlipLoopNotifyEventHandler(  
    System.object TheLoop,  
    System.object TheEdge  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_FlipLoopNotifyEventHandler(  
& System.Object^ TheLoop,  
& System.Object^ TheEdge  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

TheLoop
[Loop](#) that was flipped
TheEdge
[Edge](#) about which the loop was flipped

Visual Basic for Applications (VBA) Syntax

See [FlipLoopNotify Event \(PartDoc\)](#).

Remarks

If developing a C++ application, use [swPartFlipLoopNotify](#) to register for this notification.

Availability

SOLIDWORKS 2009 FCS, Revision Number 17.0

DPartDocEvents_InsertTableNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DPartDocEvents_InsertTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_InsertTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies your program when a table has been inserted in a part.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_InsertTableNotifyEventHandler( _  
    ByVal TableAnnotation As TableAnnotation, _  
    ByVal TableType As System.Integer, _  
    ByVal TemplatePath As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_InsertTableNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_InsertTableNotifyEventHandler(  
    TableAnnotation TableAnnotation,  
    System.int TableType,  
    System.string TemplatePath  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_InsertTableNotifyEventHandler(  
& TableAnnotation^ TableAnnotation,  
& System.int TableType,  
& System.String^ TemplatePath  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

TableAnnotation

[ITableAnnotation](#)

TableType

Type of table as defined in [swTableAnnotationType_e](#)

TemplatePath

Full path of template used to create this table

Visual Basic for Applications (VBA) Syntax

See [InsertTableNotify_Event \(PartDoc\)](#).

Example

[Fire Notification When Inserting a Table in a Part Document \(C#\)](#)

[Fire Notification When Inserting a Table in a Part Document \(VB.NET\)](#)

[Fire Notification When Inserting a Table in a Part Document \(VBA\)](#)

Remarks

If developing a C++ application, use [swPartInsertTableNotify](#) to register for this notification.

Availability

SOLIDWORKS 2011 FCS, Revision Number 19.0

DPartDocEvents_LightingDialogCreateNotifyEventHandler (Type)

DPartDocEvents_LightingDialogCreateNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_LightingDialogCreateNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a lighting dialog has been opened by the user.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_LightingDialogCreateNotifyEventHandler( _  
    ByVal dialog As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_LightingDialogCreateNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_LightingDialogCreateNotifyEventHandler(  
    System.object dialog  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_LightingDialogCreateNotifyEventHandler(  
& System.Object^ dialog  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

dialog
[Light dialog](#)

Visual Basic for Applications (VBA) Syntax

See [LightingDialogCreateNotify Event \(PartDoc\)](#).

Remarks

If developing a C++ application, use [swPartLightingDialogCreateNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DPartDocEvents_LoadFromStorageNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_LoadFromStorageNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_LoadFromStorageNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when it is safe to load data from third-party IStream storage.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_LoadFromStorageNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_LoadFromStorageNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_LoadFromStorageNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_LoadFromStorageNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [LoadFromStorageNotify_Event \(PartDoc\)](#).

Remarks

Call [IModelDoc2::IGet3rdPartyStorage](#) after receiving this notification. This notification is sent even when the third-party storage node is empty.
If developing a C++ application, use [swPartLoadFromStorageNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DPartDocEvents_LoadFromStorageStoreNotifyEventHandler (Type)

DPartDocEvents_LoadFromStorageStoreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_LoadFromStorageStoreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when it is safe to load data from third-party IStorage storage.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_LoadFromStorageStoreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_LoadFromStorageStoreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_LoadFromStorageStoreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_LoadFromStorageStoreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [LoadFromStorageStoreNotify Event \(PartDoc\)](#).

Remarks

Call [IModelDocExtension::IGet3rdPartyStorageStore](#) after receiving this notification. This notification is sent even when the third-party storage node is empty.

If developing a C++ application, use [swPartLoadFromStorageStoreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DPartDocEvents_ModifyNotifyEventHandler (Type)

DPartDocEvents_ModifyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_ModifyNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the user program when a document is marked as dirty for the first time.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_ModifyNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_ModifyNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_ModifyNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_ModifyNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModifyNotify Event \(PartDoc\)](#).

Remarks

If the user saves the document in the current SOLIDWORKS Design session, then the event is fired when the document is marked dirty again.
If developing a C++ application, use [swPartModifyNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

DPartDocEvents_ModifyTableNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DPartDocEvents_ModifyTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_ModifyTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies your program when a table has been modified in a part.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_ModifyTableNotifyEventHandler( _  
    ByVal TableAnnotation As TableAnnotation, _  
    ByVal TableType As System.Integer, _  
    ByVal reason As System.Integer, _  
    ByVal RowInfo As System.Integer, _  
    ByVal ColumnInfo As System.Integer, _  
    ByVal DataInfo As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_ModifyTableNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_ModifyTableNotifyEventHandler(  
    TableAnnotation TableAnnotation,  
    System.int TableType,  
    System.int reason,  
    System.int RowInfo,  
    System.int ColumnInfo,  
    System.string DataInfo  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_ModifyTableNotifyEventHandler(  
& TableAnnotation^ TableAnnotation,  
& System.int TableType,  
& System.int reason,  
& System.int RowInfo,  
& System.int ColumnInfo,  
& System.String^ DataInfo  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

TableAnnotation

[TableAnnotation](#)

TableType

Type of table as defined in [swTableAnnotationType_e](#)

reason

Reason as defined in [swModifyTableNotifyReason_e](#)

RowInfo

Index of modified row

ColumnInfo

Index of modified column

DataInfo

Modified string

Visual Basic for Applications (VBA) Syntax

See [ModifyTableNotify Event \(PartDoc\)](#).

Example

[Fire Notification When Changing a Table in a Part Document \(C#\)](#)
[Fire Notification When Changing a Table in a Part Document \(VB.NET\)](#)
[Fire Notification When Changing a Table in a Part Document \(VBA\)](#)

Remarks

If developing a C++ application, use [swPartModifyTableNotify](#) to register for this notification.

Availability

SOLIDWORKS 2011 FCS, Revision Number 19.0

DPartDocEvents_NewSelectionNotifyEventHandler (Type)

DPartDocEvents_NewSelectionNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_NewSelectionNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the selection list has changed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_NewSelectionNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_NewSelectionNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_NewSelectionNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_NewSelectionNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [NewSelectionNotify_Event \(PartDoc\)](#).

Remarks

This notification is generated when items are added, removed, or reordered in the selection list.

If developing a C++ application, use [swPartNewSelectionNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

DPartDocEvents_OpenDesignTableNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DPartDocEvents_OpenDesignTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_OpenDesignTableNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies your application that a design table has been opened for editing.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_OpenDesignTableNotifyEventHandler( _  
    ByVal DesignTable As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_OpenDesignTableNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_OpenDesignTableNotifyEventHandler(  
    System.object DesignTable  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_OpenDesignTableNotifyEventHandler(  
& System.Object^ DesignTable  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

DesignTable
[Design table](#)

Visual Basic for Applications (VBA) Syntax

See [OpenDesignTableNotify_Event \(PartDoc\)](#).

Remarks

The IPartDoc event [CloseDesignTableNotify](#) pre-notifies your application that a design table that was opened for editing is about to be closed.

If developing a C++ application, use [swPartOpenDesignTableNotify](#) to register for this notification.

Availability

SOLIDWORKS 2007 SP4, Revision Number 15.4

DPartDocEvents_PreRenameItemNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DPartDocEvents_PreRenameItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_PreRenameItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a part document referenced by other documents is about to be renamed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_PreRenameItemNotifyEventHandler( _  
    ByVal EntityType As System.Integer, _  
    ByVal oldName As System.String, _  
    ByVal NewName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_PreRenameItemNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_PreRenameItemNotifyEventHandler(  
    System.int EntityType,  
    System.string oldName,  
    System.string NewName  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_PreRenameItemNotifyEventHandler(  
& System.int EntityType,  
& System.String^ oldName,  
& System.String^ NewName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

EntityType

Type of item to rename as defined in [swNotifyEntityType_e](#)

oldName

Current name of the part document

NewName

New name of the part document

Visual Basic for Applications (VBA) Syntax

See [PreRenameItemNotify Event \(PartDoc\)](#).

Example

[Fire Notifications When Renaming Part Document Belonging to Assembly \(C#\)](#)

[Fire Notifications When Renaming Part Document Belonging to Assembly \(VB.NET\)](#)

[Fire Notifications When Renaming Part Document Belonging to Assembly \(VBA\)](#)

Remarks

If developing a C++ application, use [swPartPreRenameItemNotify](#) to register for this notification.

Availability

SOLIDWORKS 2016 FCS, Revision Number 24.0

DPartDocEvents_PromptBodiesToKeepNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_PromptBodiesToKeepNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_PromptBodiesToKeepNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Generated when a body is cut into multiple bodies.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_PromptBodiesToKeepNotifyEventHandler( _  
    ByVal Feature As System.Object, _  
    ByRef Bodies As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_PromptBodiesToKeepNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_PromptBodiesToKeepNotifyEventHandler(  
    System.object Feature,  
    ref System.object Bodies  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_PromptBodiesToKeepNotifyEventHandler(  
& System.Object^ Feature,  
& System.Object^% Bodies  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Feature
[Feature](#)
Bodies
Array of [bodies](#)

Visual Basic for Applications (VBA) Syntax

See [PromptBodiesToKeepNotify Event \(PartDoc\)](#).

Example

[Cut Body and Keep All Bodies \(C#\)](#)
[Cut Body and Keep All Bodies \(VB.NET\)](#)
[Cut Body and Keep All Bodies \(VBA\)](#)

Remarks

If developing a C++ application, use [swPartPromptBodiesToKeepNotify](#) to register for this notification.

Availability

SOLIDWORKS 2008 FCS, Revision Number 16.0

DPartDocEvents_PublishTo3DPDFNotifyEventHandler (Type)

DPartDocEvents_PublishTo3DPDFNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_PublishTo3DPDFNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when publishing a part document to SOLIDWORKS MBD 3D PDF.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_PublishTo3DPDFNotifyEventHandler( _  
    ByVal Path As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_PublishTo3DPDFNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_PublishTo3DPDFNotifyEventHandler(  
    System.string Path  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_PublishTo3DPDFNotifyEventHandler(  
& System.String^ Path  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Path
Path where SOLIDWORKS MBD 3D PDF is saved

Visual Basic for Applications (VBA) Syntax

See [PublishTo3DPDFNotify_Event \(PartDoc\)](#).

Example

- [Fire Notification When Publishing Part to MBD 3D PDF \(C#\)](#)
- [Fire Notification When Publishing Part to MBD 3D PDF \(VB.NET\)](#)
- [Fire Notification When Publishing Part to MBD 3D PDF \(VBA\)](#)

Remarks

If developing a C++ application, use [swPartPublishTo3DPDFNotify](#) to register for this notification.

Availability

SOLIDWORKS 2017 FCS, Revision Number 25.0

DPartDocEvents_RedoPostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DPartDocEvents_RedoPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_RedoPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired after a Redo operation occurs in a part document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_RedoPostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_RedoPostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_RedoPostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_RedoPostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [RedoPostNotify Event \(PartDoc\)](#).

Example

[Fire Undo and Redo Pre- and Post-notifications in a Part Document \(C#\)](#)
[Fire Undo and Redo Pre- and Post-notifications in a Part Document \(VB.NET\)](#)
[Fire Undo and Redo Pre- and Post-notifications in a Part Document \(VBA\)](#)

Remarks

If developing a C++ application, use [swPartRedoPostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DPartDocEvents_RedoPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DPartDocEvents_RedoPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_RedoPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired before a Redo operation occurs in a part document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_RedoPreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_RedoPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_RedoPreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_RedoPreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [RedoPreNotify_Event \(PartDoc\)](#).

Example

[Fire Undo and Redo Pre- and Post-notifications in Part Document \(C#\)](#)
[Fire Undo and Redo Pre- and Post-notifications in Part Document \(VB.NET\)](#)
[Fire Undo and Redo Pre- and Post-notifications in Part Document \(VBA\)](#)

Remarks

If developing a C++ application, use [swPartRedoPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DPartDocEvents_RegenNotifyEventHandler (Type)

DPartDocEvents_RegenNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_RegenNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Pre-notifies the user program when a part document is about to be rebuilt.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_RegenNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_RegenNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_RegenNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_RegenNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [RegenNotify_Event \(PartDoc\)](#).

Remarks

You can also use [IModelDoc2::GetUpdateStamp](#) to determine when changes have taken place in this document.

Return S_FALSE to stop from proceeding with the action that caused the notification.

If developing a C++ application, use [swPartRegenNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DPartDocEvents_RegenPostNotify2EventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_RegenPostNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_RegenPostNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when a part document has been rebuilt or rolled back.

Visual Basic Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_RegenPostNotify2EventHandler( _  
    ByVal stopFeature As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_RegenPostNotify2EventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_RegenPostNotify2EventHandler(  
    System.object stopFeature  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_RegenPostNotify2EventHandler(  
& System.Object^ stopFeature  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

stopFeature

- If a rollback, [IFeature](#) immediately below the rollback bar in the FeatureManager design tree
- If a rebuild, NULL

Visual Basic for Applications (VBA) Syntax

See [RegenPostNotify2 Event \(PartDoc\)](#).

Remarks

If developing a C++ application, use [swPartRegenPostNotify2](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

DPartDocEvents_RegenPostNotifyEventHandler (Type)

DPartDocEvents_RegenPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_RegenPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Obsolete. Superseded by [DPartDocEvents_RegenPostNotify2EventHandler](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_RegenPostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_RegenPostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_RegenPostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_RegenPostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [RegenPostNotify_Event \(PartDoc\)](#).

DPartDocEvents_RenamedDocumentNotifyEventHandler (Type)

DPartDocEvents_RenamedDocumentNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_RenamedDocumentNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when saving a document in which a renamed part file is referenced by other documents.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_RenamedDocumentNotifyEventHandler( _  
    ByRef RenamedDocumentInterface As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_RenamedDocumentNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_RenamedDocumentNotifyEventHandler(  
    ref System.object RenamedDocumentInterface  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_RenamedDocumentNotifyEventHandler(  
& System.Object^% RenamedDocumentInterface  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

[RenamedDocumentInterface](#)
[RenamedDocumentReferences](#) object

Visual Basic for Applications (VBA) Syntax

See [RenamedDocumentNotify_Event \(PartDoc\)](#).

Remarks

If developing a C++ application, use [swPartRenamedDocumentNotify](#) to register for this notification.

Availability

DPartDocEvents_RenameDisplayTitleNotifyEventHandler (Type)

DPartDocEvents_RenameDisplayTitleNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_RenameDisplayTitleNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the display title is changed for an item in the FeatureManager design tree.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_RenameDisplayTitleNotifyEventHandler( _  
    ByVal oldName As System.String, _  
    ByVal NewName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_RenameDisplayTitleNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_RenameDisplayTitleNotifyEventHandler(  
    System.string oldName,  
    System.string NewName  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_RenameDisplayTitleNotifyEventHandler(  
& System.String^ oldName,  
& System.String^ NewName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

- oldName*
Previous display title
- NewName*
New display title

Visual Basic for Applications (VBA) Syntax

See [RenameDisplayTitleNotify Event \(PartDoc\)](#).

Remarks

Change the display title by using [IModelDocExtension::DisplayTitle](#).
If developing a C++ application, use [swPartRenamedDisplayTitleNotify](#) to register for this notification.

Availability

DPartDocEvents_RenameItemNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DPartDocEvents_RenameItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_RenameItemNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when an item is renamed in one of the SOLIDWORKS tree structures, such as the FeatureManager design tree or the ConfigurationManager.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_RenameItemNotifyEventHandler( _  
    ByVal EntityType As System.Integer, _  
    ByVal oldName As System.String, _  
    ByVal NewName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_RenameItemNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_RenameItemNotifyEventHandler(  
    System.int EntityType,  
    System.string oldName,  
    System.string NewName  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_RenameItemNotifyEventHandler(  
& System.int EntityType,  
& System.String^ oldName,  
& System.String^ NewName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

EntityType

Type of item renamed as defined in [swNotifyEntityType_e](#)

oldName

Previous item name

NewName

New item name

Visual Basic for Applications (VBA) Syntax

See [RenameItemNotify Event \(PartDoc\)](#).

Example

[Fire Notifications When Renaming Part Document Belonging to Assembly \(C#\)](#)
[Fire Notifications When Renaming Part Document Belonging to Assembly \(VB.NET\)](#)
[Fire Notifications When Renaming Part Document Belonging to Assembly \(VBA\)](#)

Remarks

If developing a C++ application, use [swPartRenameItemNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DPartDocEvents_SaveToStorageNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_SaveToStorageNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_SaveToStorageNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when it is safe to save data to third-party IStream storage.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_SaveToStorageNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)

```
Dim instance As New DPartDocEvents\_SaveToStorageNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_SaveToStorageNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_SaveToStorageNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [SaveToStorageNotify Event \(PartDoc\)](#).

Remarks

Call [IModelDoc2::IGet3rdPartyStorage](#) after receiving this notification.
If developing a C++ application, use [swPartSaveToStorageNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DPartDocEvents_SaveToStorageStoreNotifyEventHandler (Type)

DPartDocEvents_SaveToStorageStoreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_SaveToStorageStoreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when it is safe to save data to third-party IStorage storage.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_SaveToStorageStoreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_SaveToStorageStoreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_SaveToStorageStoreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_SaveToStorageStoreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [SaveToStorageStoreNotify Event \(PartDoc\)](#).

Remarks

Call [IModelDocExtension::IGet3rdPartyStorageStore](#) after receiving this notification.

If developing a C++ application, use [swPartSaveToStorageStoreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DPartDocEvents_SensorAlertPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DPartDocEvents_SensorAlertPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_SensorAlertPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired before a sensor's value deviates from its limits in a part document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_SensorAlertPreNotifyEventHandler( _  
    ByVal SensorIn As System.Object, _  
    ByVal SensorAlertType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_SensorAlertPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_SensorAlertPreNotifyEventHandler(  
    System.object SensorIn,  
    System.int SensorAlertType  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_SensorAlertPreNotifyEventHandler(  
& System.Object^ SensorIn,  
& System.int SensorAlertType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SensorIn

[Sensor](#)

SensorAlertType

Type of sensor as defined in [swSensorAlertType e](#)

Visual Basic for Applications (VBA) Syntax

See [SensorAlertPreNotify Event \(PartDoc\)](#).

Example

[Get and Set Sensor \(C#\)](#)

[Get and Set Sensor \(VB.NET\)](#)

[Get and Set Sensor \(VBA\)](#)

Availability

SOLIDWORKS 2009 SP2, Revision Number 17.2

DPartDocEvents_SketchSolveNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_SketchSolveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_SketchSolveNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired whenever the sketch is solved; for example, when dragging a sketch entity, adding or editing relations, changing dimensions, and so on. This event returns the name of the sketch feature being updated.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_SketchSolveNotifyEventHandler( _  
    ByVal featName As System.String _  
) As System.Integer
```

Visual Basic (Usage)

```
Dim instance As New DPartDocEvents\_SketchSolveNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_SketchSolveNotifyEventHandler(  
    System.string featName  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_SketchSolveNotifyEventHandler(  
& System.String^ featName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

featName
Name of sketch feature being updated

Visual Basic for Applications (VBA) Syntax

See [SketchSolveNotify Event \(PartDoc\)](#).

Remarks

If developing a C++ application, use [swPartSketchSolveNotify](#) to register for this notification.

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

DPartDocEvents_SolidBodyFolderReorderNotifyEventHandler (Type)

DPartDocEvents_SolidBodyFolderReorderNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_SolidBodyFolderReorderNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when a solid body folder is reordered, e.g., using [IModelDocExtension::ReorderFeature2](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_SolidBodyFolderReorderNotifyEventHandler( _  
    ByVal Source As System.String, _  
    ByVal Target As System.String, _  
    ByVal ReorderLocation As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_SolidBodyFolderReorderNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_SolidBodyFolderReorderNotifyEventHandler(  
    System.string Source,  
    System.string Target,  
    System.int ReorderLocation  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_SolidBodyFolderReorderNotifyEventHandler(  
& System.String^ Source,  
& System.String^ Target,  
& System.int ReorderLocation  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Source
Item to move with respect to the Target item
Target
Item around which to move the Source item; can be a body folder
ReorderLocation
Move location as defined by [swMoveLocation_e](#)

Visual Basic for Applications (VBA) Syntax

See [SolidBodyFolderReorderNotify Event \(PartDoc\)](#).

Remarks

The Source and Target items can be these types:

- swSelectType_e.swSelBODYFOLDER
- swSelectType_e.swSelSUBWELDFOLDER
- swSelectType_e.swSelSUBATOMFOLDER
- swSelectType_e.swSelSOLIDBODIES

If developing a C++ application, use [swPartSolidBodyFolderReorderNotify](#) to register for this notification.

Availability

DPartDocEvents_SuppressionStateChangeNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DPartDocEvents_SuppressionStateChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_SuppressionStateChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when the suppression state of a feature changes.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_SuppressionStateChangeNotifyEventHandler( _  
    ByVal Feature As Feature, _  
    ByVal NewSuppressionState As System.Integer, _  
    ByVal PreviousSuppressionState As System.Integer, _  
    ByVal ConfigurationOption As System.Integer, _  
    ByRef ConfigurationNames As System.Object _  
    ) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_SuppressionStateChangeNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_SuppressionStateChangeNotifyEventHandler(  
    Feature Feature,  
    System.int NewSuppressionState,  
    System.int PreviousSuppressionState,  
    System.int ConfigurationOption,  
    ref System.object ConfigurationNames  
    )
```

C++/CLI

```
public delegate System.int DPartDocEvents_SuppressionStateChangeNotifyEventHandler(  
& Feature^ Feature,  
& System.int NewSuppressionState,  
& System.int PreviousSuppressionState,  
& System.int ConfigurationOption,  
& System.Object^% ConfigurationNames  
    )
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Feature

[Feature](#) whose suppression state changed

NewSuppressionState

New suppression state for the feature as defined by [swFeatureSuppressionAction_e](#)

PreviousSuppressionState

New suppression state for the feature as defined by [swFeatureSuppressionAction_e](#)

ConfigurationOption

Configuration option as defined by [swInConfigurationOpts_e](#)

ConfigurationNames

Array of configurations in which the suppression state of the feature changes

Visual Basic for Applications (VBA) Syntax

See [SuppressionStateChangeNotify Event \(PartDoc\)](#).

Remarks

If developing a C++ application, use [swPartSuppressionStateChangeNotify](#) to register for this notification.

Availability

DPartDocEvents_UndoPostNotifyEventHandler (Type)

DPartDocEvents_UndoPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_UndoPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired after an Undo action occurs in a part document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_UndoPostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_UndoPostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_UndoPostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_UndoPostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [UndoPostNotify Event \(PartDoc\)](#).

Example

[Undo Feature and Fire Undo Post-Notify Event \(VBA\)](#)
[Undo Feature and Fire Undo Post-Notify Event \(VB.NET\)](#)
[Undo Feature and Fire Undo Post-Notify Event \(C#\)](#)

Remarks

If developing a C++ application, use [swPartUndoPostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DPartDocEvents_UndoPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DPartDocEvents_UndoPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_UndoPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired before an Undo operation occurs in a part document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_UndoPreNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_UndoPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_UndoPreNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_UndoPreNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [UndoPreNotify_Event \(PartDoc\)](#).

Example

[Fire Undo and Redo Pre- and Post-notifications in Part Document \(C#\)](#)
[Fire Undo and Redo Pre- and Post-notifications in Part Document \(VB.NET\)](#)
[Fire Undo and Redo Pre- and Post-notifications in Part Document \(VBA\)](#)

Remarks

If developing a C++ application, use [swPartUndoPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DPartDocEvents_UnitsChangeNotifyEventHandler (Type)

DPartDocEvents_UnitsChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_UnitsChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Generated when document units change.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_UnitsChangeNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_UnitsChangeNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_UnitsChangeNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_UnitsChangeNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [UnitsChangeNotify Event \(PartDoc\)](#).

Remarks

If developing a C++ application, use [swPartUnitsChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2008 FCS, Revision Number 16.0

DPartDocEvents_UserSelectionPostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_UserSelectionPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_UserSelectionPostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired after an entity is selected in a part document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_UserSelectionPostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_UserSelectionPostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_UserSelectionPostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_UserSelectionPostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [UserSelectionPostNotify Event \(PartDoc\)](#).

Example

[Fire Event After Selection Made \(C#\)](#)
[Fire Event After Selection Made \(VB.NET\)](#)
[Fire Event After Selection Made \(VBA\)](#)

Remarks

Only selections made interactively fire this event; selections made programmatically are ignored by this event.

If developing a C++ application, use [swPartUserSelectionPostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2011 FCS, Revision Number 19.0

DPartDocEvents_UserSelectionPreNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_UserSelectionPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_UserSelectionPreNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Fired when an interactive user moves the cursor over or clicks a model view in a part document.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_UserSelectionPreNotifyEventHandler( _  
    ByVal SelType As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_UserSelectionPreNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_UserSelectionPreNotifyEventHandler(  
    System.int SelType  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_UserSelectionPreNotifyEventHandler(  
& System.int SelType  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SelType

Type of object to be selected as defined by [swSelectType_e](#)

Visual Basic for Applications (VBA) Syntax

See [UserSelectionPreNotify Event \(PartDoc\)](#).

Example

[Disable Selection of Faces and Edges Using a Pre-Notify Event \(VBA\)](#)
[Disable Selection of Faces and Edges Using a Pre-Notify Event \(VB.NET\)](#)
[Disable Selection of Faces and Edges Using a Pre-Notify Event \(C#\)](#)
[Get Preselected Object \(C#\)](#)
[Get Preselected Object \(VB.NET\)](#)
[Get Preselected Object \(VBA\)](#)

Remarks

Only selections made interactively fire this event; selections made programmatically are ignored by this event.

If developing a C++ application, use [swPartUserSelectionPreNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DPartDocEvents_ViewNewNotify2EventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_ViewNewNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_ViewNewNotify2EventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when a new model view window is created. For example, this event is sent for each new model view created by the window split bar.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_ViewNewNotify2EventHandler( _  
    ByVal viewBeingAdded As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_ViewNewNotify2EventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_ViewNewNotify2EventHandler(  
    System.object viewBeingAdded  
)
```

C++/CLI

```
public delegate System.int DPartDocEvents_ViewNewNotify2EventHandler(  
& System.Object^ viewBeingAdded  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

viewBeingAdded
New window view

Visual Basic for Applications (VBA) Syntax

See [ViewNewNotify2 Event \(PartDoc\)](#).

Remarks

SOLIDWORKS generates this notification when the user selects **Window, New Window**, or uses the splitter and clicks in the new view.

SOLIDWORKS passes a Dispatch pointer to the new view, which you can use to register for [IModelView](#) events or to run IModelView functions, such as [IModelView::GetViewHWnd](#).

Since the SOLIDWORKS events [FileOpenNotify2](#) and [FileNewNotify2](#) are post-notifications, SOLIDWORKS has already constructed the views and has already generated this event by the time your application receives FileOpenNotify2 or FileNewNotify2. Therefore, within your functions that handle FileOpenNotify2 and FileNewNotify2, you should programmatically traverse each view in the newly opened or created document ([IEnumModelViews::Next](#) or [IModelDoc2::GetFirstModelView](#) or [IModelDoc2::IGetFirstModelView](#) or [IModelView::GetNext](#) or [IModelView::IGetNext](#)), and register each view for IModelView events.

The difference between [ViewNewNotify](#) and ViewNewNotify2 is that ViewNewNotify is sent only when the view is activated for the first time. With ViewNewNotify2, the notification is sent whenever a new view is initialized and available for use by the third-party application. The view does not need to be activated by the user for the event to be sent.

If developing a C++ application, use [swPartViewNewNotify2](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus SP1, Revision Number 10.1

DPartDocEvents_ViewNewNotifyEventHandler (Type)

DPartDocEvents_ViewNewNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_ViewNewNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Obsolete. Superseded by [DPartDocEvents_ViewNewNotify2EventHandler](#).

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_ViewNewNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_ViewNewNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_ViewNewNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_ViewNewNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ViewNewNotify Event \(PartDoc\)](#).

DPartDocEvents_WeldmentCutListUpdatePostNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DPartDocEvents_WeldmentCutListUpdatePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DPartDocEvents_WeldmentCutListUpdatePostNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the weldment cut list in this part is updated.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DPartDocEvents_WeldmentCutListUpdatePostNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DPartDocEvents\_WeldmentCutListUpdatePostNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DPartDocEvents_WeldmentCutListUpdatePostNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DPartDocEvents_WeldmentCutListUpdatePostNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [WeldmentCutListUpdatePostNotify Event \(PartDoc\)](#).

Example

[Update Weldment Cut List and Fire Post-Notify Event \(VBA\)](#)
[Update Weldment Cut List and Fire Post-Notify Event \(VB.NET\)](#)
[Update Weldment Cut List and Fire Post-Notify Event \(C#\)](#)

Remarks

If developing a C++ application, use [swPartWeldmentCutListUpdatePostNotify](#) to register for this notification.

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

DSldWorksEvents_ActiveDocChangeNotifyEventHandler (Type)

DSldWorksEvents_ActiveDocChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DSldWorksEvents_ActiveDocChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the active window has changed. This change can be between windows of the same document or between windows of different documents.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DSldWorksEvents_ActiveDocChangeNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)

```
Dim instance As New DSldWorksEvents\_ActiveDocChangeNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DSldWorksEvents_ActiveDocChangeNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DSldWorksEvents_ActiveDocChangeNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ActiveDocChangeNotify_Event \(SldWorks\)](#).

Remarks

For example, if you open two documents and then select **Window, New Window** for one of the documents, you will have three windows visible in your SOLIDWORKS session. This event is sent when you switch between any combination of those windows.

This event is only sent when the active window in the SOLIDWORKS session actually changes to a new active window. Window activations are not guaranteed during, for example, the shutdown of the SOLIDWORKS application. For example, if the SOLIDWORKS application closes a nor active document, then there re is no need to activate a new window.

If developing a C++ application, use [swAppDocChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

DSldWorksEvents_ActiveModelDocChangeNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DSldWorksEvents_ActiveModelDocChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DSldWorksEvents_ActiveModelDocChangeNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Post-notifies the user program when the active [IModelDoc2](#) object has changed.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DSldWorksEvents_ActiveModelDocChangeNotifyEventHandler() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DSldWorksEvents\_ActiveModelDocChangeNotifyEventHandler(AddressOf HandlerMethod)
```

C#

```
public delegate System.int DSldWorksEvents_ActiveModelDocChangeNotifyEventHandler()
```

C++/CLI

```
public delegate System.int DSldWorksEvents_ActiveModelDocChangeNotifyEventHandler();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ActiveModelDocChangeNotify_Event \(SldWorks\)](#).

Remarks

The active [IModelDoc2](#) object represents the document that is currently being edited by the end-user. This notification is not sent when a part or subassembly is being edited in the context of an assembly. On receiving this event, you can call [ISldWorks::ActiveDoc](#) or [ISldWorks:IActiveDoc2](#) to get the actual IModelDoc2 pointer.

This event is only sent when the active window in the SOLIDWORKS session actually changes to a new active model document. Window changes are not guaranteed during, for example, the shutdown of the SOLIDWORKS application. For example, if the SOLIDWORKS application closes a non-active document, there is no need to activate a new document window.

If developing a C++ application, use [swAppModelDocChangeNotify](#) to register for this notification.

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

DSldWorksEvents_BackgroundProcessingEndNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DSldWorksEvents_BackgroundProcessingEndNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DSldWorksEvents_BackgroundProcessingEndNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the user program when background processing has ended.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DSldWorksEvents_BackgroundProcessingEndNotifyEventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DSldWorksEvents\_BackgroundProcessingEndNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DSldWorksEvents_BackgroundProcessingEndNotifyEventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DSldWorksEvents_BackgroundProcessingEndNotifyEventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName

Drawing file for which background processing has ended

Visual Basic for Applications (VBA) Syntax

See [BackgroundProcessingEndNotify_Event \(SldWorks\)](#).

Example

[Fire Notifications for Background Processing Events \(VBA\)](#)
[Fire Notifications for Background Processing Events \(VB.NET\)](#)
[Fire Notifications for Background Processing Events \(C#\)](#)

Remarks

If developing a C++ application, use [swAppBackgroundProcessingEndNotify](#) to register for this notification.

Availability

SOLIDWORKS 2013 FCS, Revision Number 21.0

DSldWorksEvents_BackgroundProcessingStartNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DSldWorksEvents_BackgroundProcessingStartNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : DSldWorksEvents_BackgroundProcessingStartNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the user program when background processing has started.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DSldWorksEvents_BackgroundProcessingStartNotifyEventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DSldWorksEvents\_BackgroundProcessingStartNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DSldWorksEvents_BackgroundProcessingStartNotifyEventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DSldWorksEvents_BackgroundProcessingStartNotifyEventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName

Drawing file for which background processing has started

Visual Basic for Applications (VBA) Syntax

See [BackgroundProcessingStartNotify_Event \(SldWorks\)](#).

Example

[Fire Notifications for Background Processing Events \(VBA\)](#)
[Fire Notifications for Background Processing Events \(VB.NET\)](#)
[Fire Notifications for Background Processing Events \(C#\)](#)

Remarks

If developing a C++ application, use [swAppBackgroundProcessingStartNotify](#) to register for this notification.

Availability

SOLIDWORKS 2013 FCS, Revision Number 21.0

DSldWorksEvents_Begin3DInterconnectTranslationNotifyEventHandler (Type)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DSldWorksEvents_Begin3DInterconnectTranslationNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : DSldWorksEvents_Begin3DInterconnectTranslationNotifyEventHandler Delegate (SolidWorks.Interop.sldworks)

Notifies the user program when the SOLIDWORKS application starts to import or export a third-party native CAD file.

.NET Syntax

Visual Basic (Declaration)

```
Public Delegate Function DSldWorksEvents_Begin3DInterconnectTranslationNotifyEventHandler( _  
    ByVal FileName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As New DSldWorksEvents\_Begin3DInterconnectTranslationNotifyEventHandler(AddressOf  
HandlerMethod)
```

C#

```
public delegate System.int DSldWorksEvents_Begin3DInterconnectTranslationNotifyEventHandler(  
    System.string FileName  
)
```

C++/CLI

```
public delegate System.int DSldWorksEvents_Begin3DInterconnectTranslationNotifyEventHandler(  
& System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName
Name of imported or exported third-party native CAD file

Visual Basic for Applications (VBA) Syntax

See [Begin3DInterconnectTranslationNotify Event \(SldWorks\)](#).

Example

See the [IImport3DInterconnectData](#) examples.

Remarks

If developing a C++ application, use [swAppBegin3DInterconnectTranslationNotify](#) to register for this notification.

Availability

SOLIDWORKS 2020 FCS, Revision Number 28.0