

SOLIDWORKS API (NET VBA C#) — Reference

(25/337): IBody (part 3 of 3)

SOLIDWORKS API Documentation (converted from CHM)

IBody (part 3 of 3) (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

MaterialPropertyValues Property (IBody)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IBody Interface](#) : MaterialPropertyValues Property (IBody)

Obsolete. Superseded by [IBody2::MaterialPropertyValues2](#).

.NET Syntax

Visual Basic (Declaration)

```
Property MaterialPropertyValues As System.Object
```

Visual Basic (Usage)



```
Dim instance As IBody
Dim value As System.Object

instance.MaterialPropertyValues = value
value = instance.MaterialPropertyValues
```

C#

```
System.object MaterialPropertyValues {get; set;}
```

C++/CLI

```
property System.Object^ MaterialPropertyValues {
    System.Object^ get();
    void set ( & System.Object^ value);
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Body::MaterialPropertyValues](#).

See Also

[IBody Interface](#)
[IBody Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

Operations Method (IBody)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IBody Interface](#) : Operations Method (IBody)

Obsolete. Superseded by [IBody2::Operations2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function Operations( _
    ByVal OperationType As System.Integer, _
    ByVal ToolBody As System.Object, _
    ByVal NumMaxSections As System.Integer _
) As System.Object
```

Visual Basic (Usage)



```

Dim instance As IBody
Dim OperationType As System.Integer
Dim ToolBody As System.Object
Dim NumMaxSections As System.Integer
Dim value As System.Object

value = instance.Operations(OperationType, ToolBody, NumMaxSections)

```

C#

```

System.object Operations(
    System.int OperationType,
    System.object ToolBody,
    System.int NumMaxSections
)

```

C++/CLI

```

System.Object^ Operations(
    & System.int OperationType,
    & System.Object^ ToolBody,
    & System.int NumMaxSections
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

OperationType

ToolBody

NumMaxSections

Visual Basic for Applications (VBA) Syntax

See [Body::Operations](#).

See Also

[IBody Interface](#)
[IBody Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

Operations2 Method (IBody)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IBody Interface](#) : Operations2 Method (IBody)

Obsolete. Superseded by [IBody2::Operations2](#).

.NET Syntax

Visual Basic (Declaration)

```

Function Operations2( _
    ByVal OperationType As System.Integer, _
    ByVal ToolBody As System.Object, _
    ByRef ErrorCode As System.Integer _
) As System.Object

```

Visual Basic (Usage)



```

Dim instance As IBody
Dim OperationType As System.Integer
Dim ToolBody As System.Object
Dim ErrorCode As System.Integer
Dim value As System.Object

```

```
value = instance.Operations2(OperationType, ToolBody, ErrorCode)
```

C#

```
System.object Operations2(  
    System.int OperationType,  
    System.object ToolBody,  
    out System.int ErrorCode  
)
```

C++/CLI

```
System.Object^ Operations2(  
& System.int OperationType,  
& System.Object^ ToolBody,  
& [Out] System.int ErrorCode  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

OperationType

ToolBody

ErrorCode

Visual Basic for Applications (VBA) Syntax

See [Body::Operations2](#).

See Also

[IBody Interface](#)
[IBody Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

RemoveFacesFromSheet Method (IBody)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IBody Interface](#) : RemoveFacesFromSheet Method (IBody)

Obsolete. Superseded by [IBody2::RemoveFacesFromSheet](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub RemoveFacesFromSheet( _  
    ByVal NumOfFaces As System.Integer, _  
    ByVal FacesToRemove As System.Object _  
)
```

Visual Basic (Usage)



```
Dim instance As IBody  
Dim NumOfFaces As System.Integer  
Dim FacesToRemove As System.Object
```

```
instance.RemoveFacesFromSheet(NumOfFaces, FacesToRemove)
```

C#

```
void RemoveFacesFromSheet(  
    System.int NumOfFaces,  
    System.object FacesToRemove  
)
```

C++/CLI

```
void RemoveFacesFromSheet(  
& System.int NumOfFaces,  
& System.Object^ FacesToRemove  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

NumOfFaces

FacesToRemove

Visual Basic for Applications (VBA) Syntax

See [Body::RemoveFacesFromSheet](#).

See Also

[IBody Interface](#)
[IBody Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

RemoveRedundantTopology Method (IBody)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IBody Interface](#) : RemoveRedundantTopology Method (IBody)

Obsolete. Superseded by [IBody2::RemoveRedundantTopology](#).

.NET Syntax

Visual Basic (Declaration)

```
Function RemoveRedundantTopology() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IBody  
Dim value As System.Boolean
```

```
value = instance.RemoveRedundantTopology()
```

C#

```
System.bool RemoveRedundantTopology()
```

C++/CLI

```
System.bool RemoveRedundantTopology();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Body::RemoveRedundantTopology](#).

See Also

[IBody Interface](#)
[IBody Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

ResetPropertyExtension Method (IBody)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IBody Interface](#) : ResetPropertyExtension Method (IBody)

Obsolete. Superseded by [IBody2::ResetPropertyExtension2](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub ResetPropertyExtension()
```

Visual Basic (Usage)



```
Dim instance As IBody  
  
instance.ResetPropertyExtension()
```

C#

```
void ResetPropertyExtension()
```

C++/CLI

```
void ResetPropertyExtension();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Body::ResetPropertyExtension](#).

See Also

[IBody Interface](#)
[IBody Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

Save Method (IBody)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IBody Interface](#) : Save Method (IBody)

Obsolete. Superseded by [IBody2::Save](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub Save( _  
    ByVal StreamIn As System.Object _  
)
```

Visual Basic (Usage)



```
Dim instance As IBody  
Dim StreamIn As System.Object  
  
instance.Save(StreamIn)
```

C#

```
void Save(  
    System.object StreamIn  
)
```

C++/CLI

```
void Save(  
& System.Object^ StreamIn  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Visual Basic for Applications (VBA) Syntax

See [Body::Save](#).

See Also

[IBody Interface](#)
[IBody Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetCurrentSurface Method (IBody)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IBody Interface](#) : SetCurrentSurface Method (IBody)

Obsolete. Superseded by [IBody2::SetCurrentSurface](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetCurrentSurface( _  
    ByVal SurfaceIn As System.Object _  
)
```

Visual Basic (Usage)



```
Dim instance As IBody  
Dim SurfaceIn As System.Object  
  
instance.SetCurrentSurface(SurfaceIn)
```

C#

```
void SetCurrentSurface(  
    System.object SurfaceIn  
)
```

C++/CLI

```
void SetCurrentSurface(  
& System.Object^ SurfaceIn  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SurfaceIn

Visual Basic for Applications (VBA) Syntax

See [Body::SetCurrentSurface](#).

See Also

[IBody Interface](#)
[IBody Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetIgesInfo Method (IBody)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IBody Interface](#) : SetIgesInfo Method (IBody)

Obsolete. Superseded by [IBody2::SetIgesInfo](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetIgesInfo( _  
    ByVal SystemName As System.String, _  
    ByVal Granularity As System.Double, _  
    ByVal AttemptKnitting As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IBody  
Dim SystemName As System.String  
Dim Granularity As System.Double  
Dim AttemptKnitting As System.Boolean  
  
instance.SetIgesInfo(SystemName, Granularity, AttemptKnitting)
```

C#

```
void SetIgesInfo(  
    System.string SystemName,  
    System.double Granularity,  
    System.bool AttemptKnitting.  
)
```

C++/CLI

```
void SetIgesInfo(  
& System.String^ SystemName,  
& System.double Granularity,  
& System.bool AttemptKnitting.  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SystemName

Granularity

AttemptKnitting

Visual Basic for Applications (VBA) Syntax

See [Body::SetIgesInfo](#).

See Also

[IBody Interface](#)

[IBody Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetMaterialIdName Method (IBody)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IBody Interface](#) : SetMaterialIdName Method (IBody)

Obsolete. Superseded by [IBody2::SetMaterialIdName2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetMaterialIdName( _  
    ByVal Name As System.String _  
) As System.Boolean
```



```
Dim instance As IBody
Dim Name As System.String
Dim value As System.Boolean

value = instance.SetMaterialIdName(Name)
```

C#

```
System.bool SetMaterialIdName(
    System.string Name
)
```

C++/CLI

```
System.bool SetMaterialIdName(
    & System.String^ Name
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Name

Visual Basic for Applications (VBA) Syntax

See [Body::SetMaterialIdName](#).

See Also

[IBody Interface](#)
[IBody Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetMaterialUserName Method (IBody)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IBody Interface](#) : SetMaterialUserName Method (IBody)

Obsolete. Superseded by [IBody2::SetMaterialUserName2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetMaterialUserName( _
    ByVal Name As System.String _
) As System.Boolean
```

Visual Basic (Usage)

 Copy Code

```
Dim instance As IBody
Dim Name As System.String
Dim value As System.Boolean

value = instance.SetMaterialUserName(Name)
```

C#

```
System.bool SetMaterialUserName(
    System.string Name
)
```

C++/CLI

```
System.bool SetMaterialUserName(
    & System.String^ Name
)
```

)

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Name

Visual Basic for Applications (VBA) Syntax

See [Body::SetMaterialUserName](#).

See Also

[IBody Interface](#)
[IBody Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetXform Method (IBody)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IBody Interface](#) : SetXform Method (IBody)

Obsolete. Superseded by [IBody2::ApplyTransform](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetXform( _  
    ByVal XformIn As System.Object _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IBody  
Dim XformIn As System.Object  
Dim value As System.Boolean  
  
value = instance.SetXform(XformIn)
```

C#

```
System.bool SetXform(  
    System.object XformIn  
)
```

C++/CLI

```
System.bool SetXform(  
& System.Object^ XformIn  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

XformIn

Visual Basic for Applications (VBA) Syntax

See [Body::SetXform](#).

See Also

[IBody Interface](#)
[IBody Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

Visible Property (IBody)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IBody Interface](#) : Visible Property (IBody)

Obsolete. Superseded by [IBody2::Visible](#).

.NET Syntax

Visual Basic (Declaration)

ReadOnly Property Visible As System.Boolean

Visual Basic (Usage)



```
Dim instance As IBody  
Dim value As System.Boolean
```

```
value = instance.Visible
```

C#

```
System.bool Visible {get;}
```

C++/CLI

```
property System.bool Visible {  
    System.bool get();  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Body::Visible](#).

See Also

[IBody Interface](#)
[IBody Members](#)