

SOLIDWORKS API (.NET VBA C#) — Reference

(47/337): IComponent

SOLIDWORKS API Documentation (converted from CHM)

IComponent (Type)

IComponent Interface

[See Also](#) [Members](#)



[SolidWorks.Interop.sldworks Namespace](#) : IComponent Interface

Obsolete. Superseded by [IComponent2](#).

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface IComponent
```

Visual Basic (Usage)



```
Dim instance As IComponent
```

C#

```
public interface IComponent
```

C++/CLI

```
public interface class IComponent
```

Visual Basic for Applications (VBA) Syntax

See [Component](#).

See Also

[IComponent Members](#)
[SolidWorks.Interop.sldworks Namespace](#)

IComponent Interface Methods

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : IComponent Interface

For a list of all members of this type, see [IComponent members](#).

Public Methods

Name	Description
AddPropertyExtension	Obsolete. Superseded by IComponent2.AddPropertyExtension .
DeSelect	Obsolete. Superseded by IComponent2.DeSelect .
EnumRelatedBodies	Obsolete. Superseded by IComponent2.EnumRelatedBodies .
EnumSectionedBodies	Obsolete. Superseded by IComponent2.EnumSectionedBodies .
FindAttribute	Obsolete. Superseded by IComponent2.FindAttribute .
GetBody	Obsolete. Superseded by IComponent2.GetBody .
GetBox	Obsolete. Superseded by IComponent2.GetBox .
GetChildren	Obsolete. Superseded by IComponent2.GetChildren .
GetConstrainedStatus	Obsolete. Superseded by IComponent2.GetConstrainedStatus .
GetMaterialIdName	Obsolete. Superseded by IComponent2.GetMaterialIdName .
GetMaterialUserName	Obsolete. Superseded by IComponent2.GetMaterialUserName .
GetModelDoc	Obsolete. Superseded by IComponent2.GetModelDoc .

		
	GetPathName	Obsolete. Superseded by IComponent2::GetPathName .
	GetPropertyExtension	Obsolete. Superseded by IComponent2::GetPropertyExtension .
	GetSectionedBodies	Obsolete. Superseded by IComponent2::GetSectionedBodies .
	GetSuppression	Obsolete. Superseded by IComponent2::GetSuppression .
	GetTessNorms	Obsolete. Superseded by IComponent2::GetTessNorms .
	GetTessTriangles	Obsolete. Superseded by IComponent2::GetTessTriangles .
	GetTessTriStripEdges	Obsolete. Superseded by IComponent2::GetTessTriStripEdges .
	GetTessTriStripNorms	Obsolete. Superseded by IComponent2::GetTessTriStripNorms .
	GetTessTriStrips	Obsolete. Superseded by IComponent2::GetTessTriStrips .
	GetXform	Obsolete. Superseded by IComponent2::Transform2 .
	IFindAttribute	Obsolete. Superseded by IComponent2::IFindAttribute .
	IGetBody	Obsolete. Superseded by IComponent2::IGetBody .
	IGetBox	Obsolete. Superseded by IComponent2::IGetBox .
	IGetChildren	Obsolete. Superseded by IComponent2::IGetChildren .
	IGetChildrenCount	Obsolete. Superseded by IComponent2::IGetChildrenCount .
	IGetModelDoc	Obsolete. Superseded by IComponent2::IGetModelDoc .
	IGetTessNorms	Obsolete. Superseded by IComponent2::IGetTessNorms .
	IGetTessTriangleCount	Obsolete. Superseded by IComponent2::IGetTessTriangleCount .
	IGetTessTriangles	Obsolete. Superseded by IComponent2::IGetTessTriangles .
	IGetTessTriStripEdges	Obsolete. Superseded by IComponent2::IGetTessTriStripEdges .
	IGetTessTriStripEdgeSize	Obsolete. Superseded by IComponent2::IGetTessTriStripEdgeSize .
	IGetTessTriStripNorms	Obsolete. Superseded by IComponent2::IGetTessTriStripNorms .
	IGetTessTriStrips	Obsolete. Superseded by IComponent2::IGetTessTriStrips .
	IGetTessTriStripSize	Obsolete. Superseded by IComponent2::IGetTessTriStripSize .
	IGetXform	Obsolete. Superseded by IComponent2::Transform2 .
	IsDisplayDataOutOfDate	Obsolete. Superseded by IComponent2::IsDisplayDataOutOfDate .
	ISetXform	Obsolete. Superseded by IComponent2::Transform2 .
	ISetXformAndSolve	Obsolete. Superseded by IComponent2::SetTransformAndSolve2 .
	IsFixed	Obsolete. Superseded by IComponent2::IsFixed .
	IsHidden	Obsolete. Superseded by IComponent2::IsHidden .
	IsSuppressed	Obsolete. Superseded by IComponent2::IsSuppressed .
	RemoveMaterialProperty	Obsolete. Superseded by IComponent2::RemoveMaterialProperty2 .
	ResetPropertyExtension	Obsolete. Superseded by IComponent2::ResetPropertyExtension .
	Select	Obsolete. Superseded by IComponent2::Select3 .
	SelectByMark	Obsolete. Superseded by IComponent2::Select3 .
	SetMaterialIdName	Obsolete. Superseded by IComponent2::SetMaterialIdName .
	SetMaterialUserName	Obsolete. Superseded by IComponent2::SetMaterialUserName .
	SetSuppression	Obsolete. Superseded by IComponent2::SetSuppression2 .
	SetXform	Obsolete. Superseded by IComponent2::Transform2 .
	SetXformAndSolve	Obsolete. Superseded by IComponent2::SetTransformAndSolve2 .

See Also

[IComponent Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IComponent Interface Members

[See Also](#) [Properties](#) [Methods](#)



[SolidWorks.Interop.sldworks Namespace](#) : IComponent Interface

The following tables list the members exposed by [IComponent](#).

Public Properties

Name	Description
 IMaterialPropertyValues	Obsolete. Superseded by IComponent2::IMaterialPropertyValues .
 MaterialPropertyValues	Obsolete. Superseded by IComponent2::MaterialPropertyValues .
 Name	Obsolete. Superseded by IComponent2::Name2 .
 Name2	Obsolete. Superseded by IComponent2::Name2 .
 ReferencedConfiguration	Obsolete. Superseded by IComponent2::ReferencedConfiguration .
 Solving	Obsolete. Superseded by IComponent2::Solving .
 Visible	Obsolete. Superseded by IComponent2::Visible .

[Top](#)

Public Methods

Name	Description
 AddPropertyExtension	Obsolete. Superseded by IComponent2::AddPropertyExtension .
 DeSelect	Obsolete. Superseded by IComponent2::DeSelect .
 EnumRelatedBodies	Obsolete. Superseded by IComponent2::EnumRelatedBodies .
 EnumSectionedBodies	Obsolete. Superseded by IComponent2::EnumSectionedBodies .
 FindAttribute	Obsolete. Superseded by IComponent2::FindAttribute .
 GetBody	Obsolete. Superseded by IComponent2::GetBody .
 GetBox	Obsolete. Superseded by IComponent2::GetBox .
 GetChildren	Obsolete. Superseded by IComponent2::GetChildren .
 GetConstrainedStatus	Obsolete. Superseded by IComponent2::GetConstrainedStatus .
 GetMaterialIdName	Obsolete. Superseded by IComponent2::GetMaterialIdName .
 GetMaterialUserName	Obsolete. Superseded by IComponent2::GetMaterialUserName .
 GetModelDoc	Obsolete. Superseded by IComponent2::GetModelDoc .
 GetPathName	Obsolete. Superseded by IComponent2::GetPathName .
 GetPropertyExtension	Obsolete. Superseded by IComponent2::GetPropertyExtension .
 GetSectionedBodies	Obsolete. Superseded by IComponent2::GetSectionedBodies .
 GetSuppression	Obsolete. Superseded by IComponent2::GetSuppression .
 GetTessNorms	Obsolete. Superseded by IComponent2::GetTessNorms .
 GetTessTriangles	Obsolete. Superseded by IComponent2::GetTessTriangles .
 GetTessTriStripEdges	Obsolete. Superseded by IComponent2::GetTessTriStripEdges .
 GetTessTriStripNorms	Obsolete. Superseded by IComponent2::GetTessTriStripNorms .
 GetTessTriStrips	Obsolete. Superseded by IComponent2::GetTessTriStrips .
 GetXform	Obsolete. Superseded by IComponent2::Transform2 .

 IFindAttribute	Obsolete. Superseded by IComponent2.IFindAttribute .
 IGetBody	Obsolete. Superseded by IComponent2.IGetBody .
 IGetBox	Obsolete. Superseded by IComponent2.IGetBox .
 IGetChildren	Obsolete. Superseded by IComponent2.IGetChildren .
 IGetChildrenCount	Obsolete. Superseded by Component2.IGetChildrenCount .
 IGetModelDoc	Obsolete. Superseded by IComponent2.IGetModelDoc .
 IGetTessNorms	Obsolete. Superseded by IComponent2.IGetTessNorms .
 IGetTessTriangleCount	Obsolete. Superseded by IComponent2.IGetTessTriangleCount .
 IGetTessTriangles	Obsolete. Superseded by IComponent2.IGetTessTriangles .
 IGetTessTriStripEdges	Obsolete. Superseded by IComponent2.IGetTessTriStripEdges .
 IGetTessTriStripEdgeSize	Obsolete. Superseded by IComponent2.IGetTessTriStripEdgeSize .
 IGetTessTriStripNorms	Obsolete. Superseded by IComponent2.IGetTessTriStripNorms .
 IGetTessTriStrips	Obsolete. Superseded by IComponent2.IGetTessTriStrips .
 IGetTessTriStripSize	Obsolete. Superseded by IComponent2.IGetTessTriStripSize .
 IGetXform	Obsolete. Superseded by IComponent2.Transform2 .
 IsDisplayDataOutOfDate	Obsolete. Superseded by IComponent2.IsDisplayDataOutOfDate .
 ISetXform	Obsolete. Superseded by IComponent2.Transform2 .
 ISetXformAndSolve	Obsolete. Superseded by IComponent2.SetTransformAndSolve2 .
 IsFixed	Obsolete. Superseded by IComponent2.IsFixed .
 IsHidden	Obsolete. Superseded by IComponent2.IsHidden .
 IsSuppressed	Obsolete. Superseded by IComponent2.IsSuppressed .
 RemoveMaterialProperty	Obsolete. Superseded by IComponent2.RemoveMaterialProperty2 .
 ResetPropertyExtension	Obsolete. Superseded by IComponent2.ResetPropertyExtension .
 Select	Obsolete. Superseded by IComponent2.Select3 .
 SelectByMark	Obsolete. Superseded by IComponent2.Select3 .
 SetMaterialIdName	Obsolete. Superseded by IComponent2.SetMaterialIdName .
 SetMaterialUserName	Obsolete. Superseded by IComponent2.SetMaterialUserName .
 SetSuppression	Obsolete. Superseded by IComponent2.SetSuppression2 .
 SetXform	Obsolete. Superseded by IComponent2.Transform2 .
 SetXformAndSolve	Obsolete. Superseded by IComponent2.SetTransformAndSolve2 .

[Top](#)

 See Also

[IComponent Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

IComponent Interface Properties

[See Also](#)

 [SolidWorks.Interop.sldworks Namespace](#) : IComponent Interface

For a list of all members of this type, see [IComponent members](#).

 Public Properties

Name	Description
 IMaterialPropertyValues	Obsolete. Superseded by IComponent2.IMaterialPropertyValues .
MaterialPropertyValues	Obsolete. Superseded by IComponent2.MaterialPropertyValues .



[Name](#)

Obsolete. Superseded by [IComponent2::Name2](#).



[Name2](#)

Obsolete. Superseded by [IComponent2::Name2](#).



[ReferencedConfiguration](#)

Obsolete. Superseded by [IComponent2::ReferencedConfiguration](#).



[Solving](#)

Obsolete. Superseded by [IComponent2::Solving](#).



[Visible](#)

Obsolete. Superseded by [IComponent2::Visible](#).

[Top](#)

See Also

[IComponent Interface](#)

[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

AddPropertyExtension Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : AddPropertyExtension Method (IComponent)

Obsolete. Superseded by [IComponent2::AddPropertyExtension](#).

.NET Syntax

Visual Basic (Declaration)

```
Function AddPropertyExtension( _  
    ByVal PropertyExtension As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim PropertyExtension As System.Object  
Dim value As System.Integer
```

```
value = instance.AddPropertyExtension(PropertyExtension)
```

C#

```
System.int AddPropertyExtension(  
    System.object PropertyExtension  
)
```

C++/CLI

```
System.int AddPropertyExtension(  
    & System.Object^ PropertyExtension  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

PropertyExtension

Visual Basic for Applications (VBA) Syntax

See [Component::AddPropertyExtension](#).

See Also

[IComponent Interface](#)

[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DeSelect Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : DeSelect Method (IComponent)

Obsolete. Superseded by [IComponent2::DeSelect](#).

.NET Syntax

Visual Basic (Declaration)

```
Function DeSelect() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Boolean  
  
value = instance.DeSelect()
```

C#

```
System.bool DeSelect()
```

C++/CLI

```
System.bool DeSelect();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::DeSelect](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EnumRelatedBodies Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : EnumRelatedBodies Method (IComponent)

Obsolete. Superseded by [IComponent2::EnumRelatedBodies](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EnumRelatedBodies() As EnumBodies
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As EnumBodies  
  
value = instance.EnumRelatedBodies()
```

C#

```
EnumBodies EnumRelatedBodies()
```

C++/CLI

```
EnumBodies^ EnumRelatedBodies();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::EnumRelatedBodies](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EnumSectionedBodies Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : EnumSectionedBodies Method (IComponent)

Obsolete. Superseded by [IComponent2::EnumSectionedBodies](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EnumSectionedBodies( _  
    ByVal ViewIn As ModelView _  
) As EnumBodies
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim ViewIn As ModelView  
Dim value As EnumBodies
```

```
value = instance.EnumSectionedBodies(ViewIn)
```

C#

```
EnumBodies EnumSectionedBodies(  
    ModelView ViewIn  
)
```

C++/CLI

```
EnumBodies^ EnumSectionedBodies(  
& ModelView^ ViewIn  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ViewIn

Visual Basic for Applications (VBA) Syntax

See [Component::EnumSectionedBodies](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FindAttribute Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : FindAttribute Method (IComponent)

Obsolete. Superseded by [IComponent2::FindAttribute](#).

.NET Syntax

Visual Basic (Declaration)

```
Function FindAttribute( _  
    ByVal AttributeDef As System.Object, _  
    ByVal WhichOne As System.Integer _  
) As System.Object
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim AttributeDef As System.Object  
Dim WhichOne As System.Integer  
Dim value As System.Object  
  
value = instance.FindAttribute(AttributeDef, WhichOne)
```

C#

```
System.object FindAttribute(  
    System.object AttributeDef,  
    System.int WhichOne  
)
```

C++/CLI

```
System.Object^ FindAttribute(  
& System.Object^ AttributeDef,  
& System.int WhichOne  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

AttributeDef

WhichOne

Visual Basic for Applications (VBA) Syntax

See [Component::FindAttribute](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

GetBody Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetBody Method (IComponent)

Obsolete. Superseded by [IComponent2::GetBody](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetBody() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Object  
  
value = instance.GetBody()
```

C#

```
System.Object GetBody()
```

C++/CLI

```
System.Object^ GetBody();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::GetBody](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

GetBox Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetBox Method (IComponent)

Obsolete. Superseded by [IComponent2::GetBox](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetBox( _  
    ByVal IncludeRefPlanes As System.Boolean, _  
    ByVal IncludeSketches As System.Boolean _  
    ) As System.Object
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim IncludeRefPlanes As System.Boolean  
Dim IncludeSketches As System.Boolean  
Dim value As System.Object  
  
value = instance.GetBox(IncludeRefPlanes, IncludeSketches)
```

C#

```
System.Object GetBox(  
    System.bool IncludeRefPlanes,  
    System.bool IncludeSketches  
)
```

C++/CLI

```
System.Object^ GetBox(  
& System.bool IncludeRefPlanes,  
& System.bool IncludeSketches  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

IncludeRefPlanes

Visual Basic for Applications (VBA) Syntax

See [Component::GetBox](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

GetChildren Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetChildren Method (IComponent)

Obsolete. Superseded by [IComponent2::GetChildren](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetChildren() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IComponent
Dim value As System.Object

value = instance.GetChildren()
```

C#

```
System.object GetChildren()
```

C++/CLI

```
System.Object^ GetChildren();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::GetChildren](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

GetConstrainedStatus Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetConstrainedStatus Method (IComponent)

Obsolete. Superseded by [IComponent2::GetConstrainedStatus](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetConstrainedStatus() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Integer  
  
value = instance.GetConstrainedStatus()
```

C#

```
System.int GetConstrainedStatus()
```

C++/CLI

```
System.int GetConstrainedStatus();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::GetConstrainedStatus](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

GetMaterialIdName Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetMaterialIdName Method (IComponent)

Obsolete. Superseded by [IComponent2::GetMaterialIdName](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetMaterialIdName() As System.String
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.String  
  
value = instance.GetMaterialIdName()
```

C#

```
System.string GetMaterialIdName()
```

C++/CLI

```
System.String^ GetMaterialIdName();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::GetMaterialIdName](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

GetMaterialUserName Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetMaterialUserName Method (IComponent)

Obsolete. Superseded by [IComponent2::GetMaterialUserName](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetMaterialUserName() As System.String
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.String  
  
value = instance.GetMaterialUserName()
```

C#

```
System.string GetMaterialUserName()
```

C++/CLI

```
System.String^ GetMaterialUserName();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::GetMaterialUserName](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

GetModelDoc Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetModelDoc Method (IComponent)

Obsolete. Superseded by [IComponent2::GetModelDoc](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetModelDoc() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Object  
  
value = instance.GetModelDoc()
```

C#

```
System.object GetModelDoc()
```

C++/CLI

```
System.Object^ GetModelDoc();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::GetModelDoc](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

GetPathName Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetPathName Method (IComponent)

Obsolete. Superseded by [IComponent2::GetPathName](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetPathName() As System.String
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.String  
  
value = instance.GetPathName()
```

C#

```
System.string GetPathName()
```

C++/CLI

```
System.String^ GetPathName();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::GetPathName](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

GetPropertyExtension Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetPropertyExtension Method (IComponent)

Obsolete. Superseded by [IComponent2::GetPropertyExtension](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetPropertyExtension( _  
    ByVal ID As System.Integer _  
) As System.Object
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim ID As System.Integer  
Dim value As System.Object
```

```
value = instance.GetPropertyExtension(ID)
```

C#

```
System.object GetPropertyExtension(  
    System.int ID  
)
```

C++/CLI

```
System.Object^ GetPropertyExtension(  
& System.int ID  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ID

Visual Basic for Applications (VBA) Syntax

See [Component::GetPropertyExtension](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

GetSectionedBodies Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetSectionedBodies Method (IComponent)

Obsolete. Superseded by [IComponent2::GetSectionedBodies](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetSectionedBodies( _  
    ByVal ViewIn As System.Object _  
) As System.Object
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim ViewIn As System.Object  
Dim value As System.Object
```

```
value = instance.GetSectionedBodies(ViewIn)
```

C#

```
System.object GetSectionedBodies(  
    System.object ViewIn  
)
```

C++/CLI

```
System.Object^ GetSectionedBodies(  
& System.Object^ ViewIn  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ViewIn

Visual Basic for Applications (VBA) Syntax

See [Component::GetSectionedBodies](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

GetSuppression Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetSuppression Method (IComponent)

Obsolete. Superseded by [IComponent2::GetSuppression](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetSuppression() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Integer  
  
value = instance.GetSuppression()
```

C#

```
System.int GetSuppression()
```

C++/CLI

```
System.int GetSuppression();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::GetSuppression](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

GetTessNorms Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetTessNorms Method (IComponent)

Obsolete. Superseded by [IComponent2::GetTessNorms](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetTessNorms() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IComponent
Dim value As System.Object

value = instance.GetTessNorms()
```

C#

```
System.object GetTessNorms()
```

C++/CLI

```
System.Object^ GetTessNorms();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::GetTessNorms](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

GetTessTriangles Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetTessTriangles Method (IComponent)

Obsolete. Superseded by [IComponent2::GetTessTriangles](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetTessTriangles( _
    ByVal NoConversion As System.Boolean _
) As System.Object
```

Visual Basic (Usage)



```
Dim instance As IComponent
Dim NoConversion As System.Boolean
Dim value As System.Object

value = instance.GetTessTriangles(NoConversion)
```

C#

```
System.object GetTessTriangles(
    System.bool NoConversion
)
```

C++/CLI

```
System.Object^ GetTessTriangles(
    & System.bool NoConversion
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

NoConversion

Visual Basic for Applications (VBA) Syntax

See [Component::GetTessTriangles](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

GetTessTriStripEdges Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetTessTriStripEdges Method (IComponent)

Obsolete. Superseded by [IComponent2::GetTessTriStripEdges](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetTessTriStripEdges() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Object
```

```
value = instance.GetTessTriStripEdges()
```

C#

```
System.object GetTessTriStripEdges()
```

C++/CLI

```
System.Object^ GetTessTriStripEdges();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::GetTessTriStripEdges](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

GetTessTriStripNorms Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetTessTriStripNorms Method (IComponent)

Obsolete. Superseded by [IComponent2::GetTessTriStripNorms](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetTessTriStripNorms() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Object
```

```
value = instance.GetTessTriStripNorms()
```

C#

```
System.Object GetTessTriStripNorms()
```

C++/CLI

```
System.Object^ GetTessTriStripNorms();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::GetTessTriStripNorms](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

GetTessTriStrips Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetTessTriStrips Method (IComponent)

Obsolete. Superseded by [IComponent2::GetTessTriStrips](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetTessTriStrips( _  
    ByVal NoConversion As System.Boolean _  
) As System.Object
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim NoConversion As System.Boolean  
Dim value As System.Object
```

```
value = instance.GetTessTriStrips(NoConversion)
```

C#

```
System.Object GetTessTriStrips(  
    System.bool NoConversion  
)
```

C++/CLI

```
System.Object^ GetTessTriStrips(  
&    System.bool NoConversion  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

NoConversion

Visual Basic for Applications (VBA) Syntax

See [Component::GetTessTriStrips](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

GetXform Method (IComponent)

[See Also](#)[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : GetXform Method (IComponent)

Obsolete. Superseded by [IComponent2::Transform2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetXform() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Object  
  
value = instance.GetXform()
```

C#

```
System.object GetXform()
```

C++/CLI

```
System.Object^ GetXform();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::GetXform](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

IFindAttribute Method (IComponent)

[See Also](#)[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IFindAttribute Method (IComponent)

Obsolete. Superseded by [IComponent2::IFindAttribute](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IFindAttribute( _  
    ByVal AttributeDef As AttributeDef, _  
    ByVal WhichOne As System.Integer _  
) As Attribute
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim AttributeDef As AttributeDef  
Dim WhichOne As System.Integer  
Dim value As Attribute  
  
value = instance.IFindAttribute(AttributeDef, WhichOne)
```

C#

```
Attribute IFindAttribute(  
    AttributeDef AttributeDef,  
    System.int WhichOne  
)
```

C++/CLI

```
Attribute^ IFindAttribute(  
& AttributeDef^ AttributeDef,  
& System.int WhichOne  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

AttributeDef

WhichOne

Visual Basic for Applications (VBA) Syntax

See [Component::IFindAttribute](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetBody Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IGetBody Method (IComponent)

Obsolete. Superseded by [IComponent2::IGetBody](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IGetBody() As Body
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As Body  
  
value = instance.IGetBody()
```

C#

```
Body IGetBody()
```

C++/CLI

```
Body^ IGetBody();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::IGetBody](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

IGetBox Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IGetBox Method (IComponent)

Obsolete. Superseded by [IComponent2::IGetBox](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IGetBox( _  
    ByVal IncludeRefPlanes As System.Boolean, _  
    ByVal IncludeSketches As System.Boolean _  
    ) As System.Double
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim IncludeRefPlanes As System.Boolean  
Dim IncludeSketches As System.Boolean  
Dim value As System.Double  
  
value = instance.IGetBox(IncludeRefPlanes, IncludeSketches)
```

C#

```
System.double IGetBox(  
    System.bool IncludeRefPlanes,  
    System.bool IncludeSketches  
)
```

C++/CLI

```
System.double IGetBox(  
& System.bool IncludeRefPlanes,  
& System.bool IncludeSketches  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

IncludeRefPlanes

IncludeSketches

Visual Basic for Applications (VBA) Syntax

See [Component::IGetBox](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

IGetChildren Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IGetChildren Method (IComponent)

Obsolete. Superseded by [IComponent2::IGetChildren](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IGetChildren() As System.IntPtr
```

Visual Basic (Usage)



```
Dim instance As IComponent
Dim value As System.IntPtr

value = instance.IGetChildren()
```

C#

```
System.IntPtr IGetChildren()
```

C++/CLI

```
System.IntPtr IGetChildren();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::IGetChildren](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IGetChildrenCount Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IGetChildrenCount Method (IComponent)

Obsolete. Superseded by [Component2::IGetChildrenCount](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IGetChildrenCount() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IComponent
Dim value As System.Integer

value = instance.IGetChildrenCount()
```

C#

```
System.int IGetChildrenCount()
```

C++/CLI

```
System.int IGetChildrenCount();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::IGetChildrenCount](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

IGetModelDoc Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IGetModelDoc Method (IComponent)

Obsolete. Superseded by [IComponent2::IGetModelDoc](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IGetModelDoc() As ModelDoc
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As ModelDoc  
  
value = instance.IGetModelDoc()
```

C#

```
ModelDoc IGetModelDoc()
```

C++/CLI

```
ModelDoc^ IGetModelDoc();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::IGetModelDoc](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

IGetTessNorms Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IGetTessNorms Method (IComponent)

Obsolete. Superseded by [IComponent2::IGetTessNorms](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IGetTessNorms() As System.Single
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Single  
  
value = instance.IGetTessNorms()
```

C#

```
System.float IGetTessNorms()
```

C++/CLI

```
System.float IGetTessNorms();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::IGetTessNorms](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetTessTriangleCount Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IGetTessTriangleCount Method (IComponent)

Obsolete. Superseded by [IComponent2::IGetTessTriangleCount](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IGetTessTriangleCount() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Integer  
  
value = instance.IGetTessTriangleCount()
```

C#

```
System.int IGetTessTriangleCount()
```

C++/CLI

```
System.int IGetTessTriangleCount();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::IGetTessTriangleCount](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetTessTriangles Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IGetTessTriangles Method (IComponent)

Obsolete. Superseded by [IComponent2::IGetTessTriangles](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IGetTessTriangles( _  
    ByVal NoConversion As System.Boolean _  
) As System.Single
```

Visual Basic (Usage)



```
Dim instance As IComponent
Dim NoConversion As System.Boolean
Dim value As System.Single

value = instance.IGetTessTriangles(NoConversion)
```

C#

```
System.float IGetTessTriangles(
    System.bool NoConversion
)
```

C++/CLI

```
System.float IGetTessTriangles(
    & System.bool NoConversion
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

NoConversion

Visual Basic for Applications (VBA) Syntax

See [Component::IGetTessTriangles](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IGetTessTriStripEdges Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IGetTessTriStripEdges Method (IComponent)

Obsolete. Superseded by [IComponent2::IGetTessTriStripEdges](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IGetTessTriStripEdges() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IComponent
Dim value As System.Integer

value = instance.IGetTessTriStripEdges()
```

C#

```
System.int IGetTessTriStripEdges()
```

C++/CLI

```
System.int IGetTessTriStripEdges();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::IGetTessTriStripEdges](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IGetTessTriStripEdgeSize Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IGetTessTriStripEdgeSize Method (IComponent)

Obsolete. Superseded by [IComponent2::IGetTessTriStripEdgeSize](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IGetTessTriStripEdgeSize() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Integer  
  
value = instance.IGetTessTriStripEdgeSize()
```

C#

```
System.int IGetTessTriStripEdgeSize()
```

C++/CLI

```
System.int IGetTessTriStripEdgeSize();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::IGetTessTriStripEdgeSize](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IGetTessTriStripNorms Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IGetTessTriStripNorms Method (IComponent)

Obsolete. Superseded by [IComponent2::IGetTessTriStripNorms](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IGetTessTriStripNorms() As System.Single
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Single  
  
value = instance.IGetTessTriStripNorms()
```

C#

```
System.float IGetTessTriStripNorms()
```

C++/CLI

```
System.float IGetTessTriStripNorms();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::IGetTessTriStripNorms](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetTessTriStrips Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IGetTessTriStrips Method (IComponent)

Obsolete. Superseded by [IComponent2::IGetTessTriStrips](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IGetTessTriStrips( _  
    ByVal NoConversion As System.Boolean _  
) As System.Single
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim NoConversion As System.Boolean  
Dim value As System.Single  
  
value = instance.IGetTessTriStrips(NoConversion)
```

C#

```
System.float IGetTessTriStrips(  
    System.bool NoConversion  
)
```

C++/CLI

```
System.float IGetTessTriStrips(  
&    System.bool NoConversion  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

NoConversion

Visual Basic for Applications (VBA) Syntax

See [Component::IGetTessTriStrips](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

IGetTessTriStripSize Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IGetTessTriStripSize Method (IComponent)

Obsolete. Superseded by [IComponent2::IGetTessTriStripSize](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IGetTessTriStripSize() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Integer  
  
value = instance.IGetTessTriStripSize()
```

C#

```
System.int IGetTessTriStripSize()
```

C++/CLI

```
System.int IGetTessTriStripSize();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::IGetTessTriStripSize](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

IGetXform Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IGetXform Method (IComponent)

Obsolete. Superseded by [IComponent2::Transform2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IGetXform() As System.Double
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Double  
  
value = instance.IGetXform()
```

C#

```
System.double IGetXform()
```

C++/CLI

```
System.double IGetXform();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::IGetXform](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IMaterialPropertyValues Property (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IMaterialPropertyValues Property (IComponent)

Obsolete. Superseded by [IComponent2::IMaterialPropertyValues](#).

.NET Syntax

Visual Basic (Declaration)

```
Property IMaterialPropertyValues As System.Double
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Double  
  
instance.IMaterialPropertyValues = value  
value = instance.IMaterialPropertyValues
```

C#

```
System.double IMaterialPropertyValues {get; set;}
```

C++/CLI

```
property System.double IMaterialPropertyValues {  
    System.double get();  
    void set ( & System.double value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::IMaterialPropertyValues](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IsDisplayDataOutOfDate Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IsDisplayDataOutOfDate Method (IComponent)

Obsolete. Superseded by [IComponent2::IsDisplayDataOutOfDate](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IsDisplayDataOutOfDate() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IComponent
Dim value As System.Integer

value = instance.IsDisplayDataOutOfDate()
```

C#

```
System.int IsDisplayDataOutOfDate()
```

C++/CLI

```
System.int IsDisplayDataOutOfDate();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::IsDisplayDataOutOfDate](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

ISetXform Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : ISetXform Method (IComponent)

Obsolete. Superseded by [IComponent2::Transform2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function ISetXform(  
    ByRef XformIn As System.Double _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IComponent
Dim XformIn As System.Double
Dim value As System.Boolean

value = instance.ISetXform(XformIn)
```

C#

```
System.bool ISetXform(  
    ref System.double XformIn  
)
```

C++/CLI

```
System.bool ISetXform(  
& System.double% XformIn  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

XformIn

Visual Basic for Applications (VBA) Syntax

See [Component::ISetXform](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

ISetXformAndSolve Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : ISetXformAndSolve Method (IComponent)

Obsolete. Superseded by [IComponent2::SetTransformAndSolve2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function ISetXformAndSolve( _  
    ByRef XformIn As System.Double _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim XformIn As System.Double  
Dim value As System.Boolean  
  
value = instance.ISetXformAndSolve(XformIn)
```

C#

```
System.bool ISetXformAndSolve(  
    ref System.double XformIn  
)
```

C++/CLI

```
System.bool ISetXformAndSolve(  
& System.double% XformIn  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

XformIn

Visual Basic for Applications (VBA) Syntax

See [Component::ISetXformAndSolve](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IsFixed Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IsFixed Method (IComponent)

Obsolete. Superseded by [IComponent2::IsFixed](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IsFixed() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Boolean  
  
value = instance.IsFixed()
```

C#

```
System.bool IsFixed()
```

C++/CLI

```
System.bool IsFixed();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::IsFixed](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IsHidden Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IsHidden Method (IComponent)

Obsolete. Superseded by [IComponent2::IsHidden](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IsHidden( _  
    ByVal ConsiderSuppressed As System.Boolean _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim ConsiderSuppressed As System.Boolean  
Dim value As System.Boolean  
  
value = instance.IsHidden(ConsiderSuppressed)
```

C#

```
System.bool IsHidden(  
    System.bool ConsiderSuppressed  
)
```

C++/CLI

```
System.bool IsHidden(  
& System.bool ConsiderSuppressed  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ConsiderSuppressed

Visual Basic for Applications (VBA) Syntax

See [Component::IsHidden](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

IsSuppressed Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : IsSuppressed Method (IComponent)

Obsolete. Superseded by [IComponent2::IsSuppressed](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IsSuppressed() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Boolean  
  
value = instance.IsSuppressed()
```

C#

```
System.bool IsSuppressed()
```

C++/CLI

```
System.bool IsSuppressed();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::IsSuppressed](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

MaterialPropertyValues Property (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : MaterialPropertyValues Property (IComponent)

Obsolete. Superseded by [IComponent2::MaterialPropertyValues](#).

.NET Syntax

Visual Basic (Declaration)

```
Property MaterialPropertyValues As System.Object
```

Visual Basic (Usage)



```
Dim instance As IComponent
Dim value As System.Object

instance.MaterialPropertyValues = value

value = instance.MaterialPropertyValues
```

C#

```
System.Object MaterialPropertyValues {get; set;}
```

C++/CLI

```
property System.Object^ MaterialPropertyValues {
    System.Object^ get();
    void set ( & System.Object^ value);
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::MaterialPropertyValues](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

Name Property (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : Name Property (IComponent)

Obsolete. Superseded by [IComponent2::Name2](#).

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property Name As System.String
```

Visual Basic (Usage)



```
Dim instance As IComponent
Dim value As System.String

value = instance.Name
```

C#

```
System.String Name {get;}
```

C++/CLI

```
property System.String^ Name {
    System.String^ get();
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::Name](#).

See Also

Name2 Property (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : Name2 Property (IComponent)

Obsolete. Superseded by [IComponent2::Name2](#).

.NET Syntax

Visual Basic (Declaration)

```
Property Name2 As System.String
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.String
```

```
instance.Name2 = value
```

```
value = instance.Name2
```

C#

```
System.string Name2 {get; set;}
```

C++/CLI

```
property System.String^ Name2 {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::Name2](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

ReferencedConfiguration Property (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : ReferencedConfiguration Property (IComponent)

Obsolete. Superseded by [IComponent2::ReferencedConfiguration](#).

.NET Syntax

Visual Basic (Declaration)

```
Property ReferencedConfiguration As System.String
```

Visual Basic (Usage)



```
Dim instance As IComponent
Dim value As System.String

instance.ReferencedConfiguration = value

value = instance.ReferencedConfiguration
```

C#

```
System.string ReferencedConfiguration {get; set;}
```

C++/CLI

```
property System.String^ ReferencedConfiguration {
    System.String^ get();
    void set ( & System.String^ value);
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::ReferencedConfiguration](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

RemoveMaterialProperty Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : RemoveMaterialProperty Method (IComponent)

Obsolete. Superseded by [IComponent2::RemoveMaterialProperty2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function RemoveMaterialProperty() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IComponent
Dim value As System.Boolean

value = instance.RemoveMaterialProperty()
```

C#

```
System.bool RemoveMaterialProperty()
```

C++/CLI

```
System.bool RemoveMaterialProperty();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::RemoveMaterialProperty](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

ResetPropertyExtension Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : ResetPropertyExtension Method (IComponent)

Obsolete. Superseded by [IComponent2::ResetPropertyExtension](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub ResetPropertyExtension()
```

Visual Basic (Usage)



```
Dim instance As IComponent  
instance.ResetPropertyExtension()
```

C#

```
void ResetPropertyExtension()
```

C++/CLI

```
void ResetPropertyExtension();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::ResetPropertyExtension](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

Select Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : Select Method (IComponent)

Obsolete. Superseded by [IComponent2::Select3](#).

.NET Syntax

Visual Basic (Declaration)

```
Function Select( _  
    ByVal AppendFlag As System.Boolean _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim AppendFlag As System.Boolean  
Dim value As System.Boolean  
  
value = instance.Select(AppendFlag)
```

C#

```
System.bool Select(  
    System.bool AppendFlag  
)
```

C++/CLI

```
System.bool Select(  
& System.bool AppendFlag  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

AppendFlag

Visual Basic for Applications (VBA) Syntax

See [Component::Select](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SelectByMark Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : SelectByMark Method (IComponent)

Obsolete. Superseded by [IComponent2::Select3](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SelectByMark( _  
    ByVal AppendFlag As System.Boolean, _  
    ByVal Mark As System.Integer _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim AppendFlag As System.Boolean  
Dim Mark As System.Integer  
Dim value As System.Boolean
```

```
value = instance.SelectByMark(AppendFlag, Mark)
```

C#

```
System.bool SelectByMark(  
    System.bool AppendFlag,  
    System.int Mark  
)
```

C++/CLI

```
System.bool SelectByMark(  
& System.bool AppendFlag,  
& System.int Mark  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

AppendFlag

Mark

Visual Basic for Applications (VBA) Syntax

See [Component::SelectByMark](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetMaterialIdName Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : SetMaterialIdName Method (IComponent)

Obsolete. Superseded by [IComponent2::SetMaterialIdName](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetMaterialIdName( _  
    ByVal Name As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim Name As System.String  
Dim value As System.Boolean  
  
value = instance.SetMaterialIdName(Name)
```

C#

```
System.bool SetMaterialIdName(  
    System.string Name  
)
```

C++/CLI

```
System.bool SetMaterialIdName(  
& System.String^ Name  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Name

Visual Basic for Applications (VBA) Syntax

See [Component::SetMaterialIdName](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetMaterialUserName Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : SetMaterialUserName Method (IComponent)

Obsolete. Superseded by [IComponent2::SetMaterialUserName](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetMaterialUserName( _  
    ByVal Name As System.String _  
    ) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim Name As System.String  
Dim value As System.Boolean  
  
value = instance.SetMaterialUserName(Name)
```

C#

```
System.bool SetMaterialUserName(  
    System.string Name  
)
```

C++/CLI

```
System.bool SetMaterialUserName(  
& System.String^ Name  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Name

Visual Basic for Applications (VBA) Syntax

See [Component::SetMaterialUserName](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetSuppression Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : SetSuppression Method (IComponent)

Obsolete. Superseded by [IComponent2::SetSuppression2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetSuppression( _  
    ByVal State As System.Integer _  
    ) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim State As System.Integer  
Dim value As System.Integer  
  
value = instance.SetSuppression(State)
```

C#

```
System.int SetSuppression(  
    System.int State  
)
```

C++/CLI

```
System.int SetSuppression(  
& System.int State  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

State

Visual Basic for Applications (VBA) Syntax

See [Component::SetSuppression](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetXform Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : SetXform Method (IComponent)

Obsolete. Superseded by [IComponent2::Transform2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetXform( _  
    ByVal XformIn As System.Object _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim XformIn As System.Object  
Dim value As System.Boolean
```

```
value = instance.SetXform(XformIn)
```

C#

```
System.bool SetXform(  
    System.object XformIn  
)
```

C++/CLI

```
System.bool SetXform(  
& System.Object^ XformIn  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

XformIn

Visual Basic for Applications (VBA) Syntax

See [Component::SetXform](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetXformAndSolve Method (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : SetXformAndSolve Method (IComponent)

Obsolete. Superseded by [IComponent2::SetTransformAndSolve2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetXformAndSolve( _  
    ByVal XformIn As System.Object _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim XformIn As System.Object  
Dim value As System.Boolean  
  
value = instance.SetXformAndSolve(XformIn)
```

C#

```
System.bool SetXformAndSolve(  
    System.object XformIn  
)
```

C++/CLI

```
System.bool SetXformAndSolve(  
    & System.Object^ XformIn  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

XformIn

Visual Basic for Applications (VBA) Syntax

See [Component::SetXformAndSolve](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

Solving Property (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : Solving Property (IComponent)

Obsolete. Superseded by [IComponent2::Solving](#).

.NET Syntax

Visual Basic (Declaration)

ReadOnly Property Solving As System.Integer

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Integer
```

```
value = instance.Solving
```

C#

```
System.int Solving {get;}
```

C++/CLI

```
property System.int Solving {  
    System.int get();  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::Solving](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

Visible Property (IComponent)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IComponent Interface](#) : Visible Property (IComponent)

Obsolete. Superseded by [IComponent2::Visible](#).

.NET Syntax

Visual Basic (Declaration)

```
Property Visible As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IComponent  
Dim value As System.Integer
```

```
instance.Visible = value
```

```
value = instance.Visible
```

C#

```
System.int Visible {get; set;}
```

C++/CLI

```
property System.int Visible {  
    System.int get();  
    void set ( & System.int value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [Component::Visible](#).

See Also

[IComponent Interface](#)
[IComponent Members](#)