

SOLIDWORKS API (.NET VBA C#) — Reference

(126/337): IFoldsFeatureData-IFrame

SOLIDWORKS API Documentation (converted from CHM)

IFoldsFeatureData (Type)

IFoldsFeatureData Interface

[See Also](#) [Members](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : IFoldsFeatureData Interface

Allows access to a fold feature.
NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface IFoldsFeatureData
```

Visual Basic (Usage)

```
Dim instance As IFoldsFeatureData
```

C#

```
public interface IFoldsFeatureData
```

C++/CLI

```
public interface class IFoldsFeatureData
```

Visual Basic for Applications (VBA) Syntax

See [FoldsFeatureData](#).

Example

[Insert and Access Fold Feature \(C#\)](#)
[Insert and Access Fold Feature \(VB.NET\)](#)
[Insert and Access Fold Feature \(VBA\)](#)

Accessors

[IFeature::GetDefinition](#) and [IFeature::IGetDefinition](#)

Access Diagram

[FoldsFeatureData](#)

See Also

[IFoldsFeatureData Members](#)
[SolidWorks.Interop.sldworks Namespace](#)
[SheetMetalFeatureData Interface](#)
[IModelDoc2::InsertSheetMetalFold Method](#)

IFoldsFeatureData Interface Members

[See Also](#) [Properties](#) [Methods](#)



[SolidWorks.Interop.sldworks Namespace](#) : IFoldsFeatureData Interface

The following tables list the members exposed by [IFoldsFeatureData](#).

Public Properties

Name	Description
 Bends	Gets or sets the bend features for this fold feature.
FixedFace	Gets or sets the fixed face of this fold feature.



[Top](#)

Public Methods

Name	Description
 AccessSelections	Gains access to the selections that describe this fold feature.
 IAccessSelections	Obsolete. Superseded by IFoldsFeatureData::IAccessSelections2
 IAccessSelections2	Gains access to the selections that describe this fold feature.
 IGetBends	Gets the bend features for this fold feature.
 IGetBendsCount	Gets the number of bend features in this fold feature.
 ISetBends	Sets the bend features for this fold feature.
 ReleaseSelectionAccess	Releases access to selections that describe this fold feature.

[Top](#)

See Also

[IFoldsFeatureData Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)
[SheetMetalFeatureData Interface](#)
[IModelDoc2::InsertSheetMetalFold Method](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IFoldsFeatureData Interface Methods

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : IFoldsFeatureData Interface

For a list of all members of this type, see [IFoldsFeatureData members](#).

Public Methods

Name	Description
 AccessSelections	Gains access to the selections that describe this fold feature.
 IAccessSelections	Obsolete. Superseded by IFoldsFeatureData::IAccessSelections2
 IAccessSelections2	Gains access to the selections that describe this fold feature.
 IGetBends	Gets the bend features for this fold feature.
 IGetBendsCount	Gets the number of bend features in this fold feature.
 ISetBends	Sets the bend features for this fold feature.
 ReleaseSelectionAccess	Releases access to selections that describe this fold feature.

[Top](#)

See Also

[IFoldsFeatureData Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)
[SheetMetalFeatureData Interface](#)
[IModelDoc2::InsertSheetMetalFold Method](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IFoldsFeatureData Interface Properties

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : IFoldsFeatureData Interface

For a list of all members of this type, see [IFoldsFeatureData members](#).

Public Properties

Name	Description
------	-------------



[Bends](#)

Gets or sets the bend features for this fold feature.



[FixedFace](#)

Gets or sets the fixed face of this fold feature.

[Top](#)

See Also

[IFoldsFeatureData Interface](#)

[SolidWorks.Interop.sldworks Namespace](#)

[SheetMetalFeatureData Interface](#)

[IModelDoc2::InsertSheetMetalFold Method](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

AccessSelections Method (IFoldsFeatureData)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFoldsFeatureData Interface](#) : AccessSelections Method (IFoldsFeatureData)

Gains access to the selections that describe this fold feature.

.NET Syntax

Visual Basic (Declaration)

```
Function AccessSelections(  
    ByVal TopDoc As System.Object, _  
    ByVal Component As System.Object _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IFoldsFeatureData  
Dim TopDoc As System.Object  
Dim Component As System.Object  
Dim value As System.Boolean  
  
value = instance.AccessSelections(TopDoc, Component)
```

C#

```
System.bool AccessSelections(  
    System.object TopDoc,  
    System.object Component  
)
```

C++/CLI

```
System.bool AccessSelections(  
& System.Object^ TopDoc,  
& System.Object^ Component  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

TopDoc

Top-level document (see **Remarks**)

Component

Component in which the feature is to be modified (see **Remarks**)

Return Value

True if the selections are successfully accessed, false if not

Visual Basic for Applications (VBA) Syntax

See [FoldsFeatureData::AccessSelections](#).

Example

[Insert and Access Fold Feature \(C#\)](#)

[Insert and Access Fold Feature \(VB.NET\)](#)

Remarks

To modify a feature in a...	Then...
Part	- TopDoc argument is the IModelDoc2 for the part - Component argument is NULL
Assembly	- TopDoc is the IModelDoc2 object for the assembly - Component argument is the IComponent2 object in which the feature is to be modified

This method puts the model into a rollback state to allow access to the selections that define this feature. You must use either of the following methods to restore the rollback state:

- [IFeature::ModifyDefinition](#) if you modified the feature
- [IFoldsFeatureData::ReleaseSelectionAccess](#) if you did not

See Also

[IFoldsFeatureData Interface](#)
[IFoldsFeatureData Members](#)
[IFoldsFeatureData::AccessSelections2 Method](#)

Availability

SOLIDWORKS 2001 SP2, Revision Numbe 9.2

SOLIDWORKS API Help

[Send comments on this topic.](#)

Bends Property (IFoldsFeatureData)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFoldsFeatureData Interface](#) : Bends Property (IFoldsFeatureData)

Gets or sets the bend features for this fold feature.

.NET Syntax

Visual Basic (Declaration)

Property Bends As System.Object

Visual Basic (Usage)



```
Dim instance As IFoldsFeatureData  
Dim value As System.Object
```

```
instance.Bends = value
```

```
value = instance.Bends
```

C#

```
System.object Bends {get; set;}
```

C++/CLI

```
property System.Object^ Bends {  
    System.Object^ get();  
    void set ( & System.Object^ value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Array of bend [features](#)

Visual Basic for Applications (VBA) Syntax

See [FoldsFeatureData::Bends](#).

Example

[Insert and Access Fold Feature \(C#\)](#)
[Insert and Access Fold Feature \(VB.NET\)](#)
[Insert and Access Fold Feature \(VBA\)](#)

Remarks

See [Accessing Selections that Define Features](#) for additional details on using this property.

See Also

[IFoldsFeatureData Interface](#)
[IFoldsFeatureData Members](#)
[IFoldsFeatureData::IGetBends Method](#)
[IFoldsFeatureData::IGetBendsCount Method](#)
[IFoldsFeatureData::ISetBends Method](#)

Availability

SOLIDWORKS 2001 SP2, Revision Number 9.2

SOLIDWORKS API Help

[Send comments on this topic.](#)

FixedFace Property (IFoldsFeatureData)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFoldsFeatureData Interface](#) : FixedFace Property (IFoldsFeatureData)

Gets or sets the fixed face of this fold feature.

.NET Syntax

Visual Basic (Declaration)

Property FixedFace As System.Object

Visual Basic (Usage)



```
Dim instance As IFoldsFeatureData
Dim value As System.Object
```

```
instance.FixedFace = value
```

```
value = instance.FixedFace
```

C#

```
System.Object FixedFace {get; set;}
```

C++/CLI

```
property System.Object^ FixedFace {
    System.Object^ get();
    void set ( & System.Object^ value);
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Fixed [face](#)

Visual Basic for Applications (VBA) Syntax

See [FoldsFeatureData::FixedFace](#).

Example

[Insert and Access Fold Feature \(C#\)](#)
[Insert and Access Fold Feature \(VB.NET\)](#)
[Insert and Access Fold Feature \(VBA\)](#)

Remarks

See [Accessing Selections that Define Features](#) for additional details on using this property.

See Also

[IFoldsFeatureData Interface](#)
[IFoldsFeatureData Members](#)

Availability

SOLIDWORKS 2001 SP2, Revision Number 9.2

SOLIDWORKS API Help

[Send comments](#) on this topic.

IAccessSelections Method (IFoldsFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFoldsFeatureData Interface](#) : IAccessSelections Method (IFoldsFeatureData)

Obsolete. Superseded by [IFoldsFeatureData::IAccessSelections2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IAccessSelections( _  
    ByVal TopDoc As ModelDoc, _  
    ByVal Component As Component _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IFoldsFeatureData  
Dim TopDoc As ModelDoc  
Dim Component As Component  
Dim value As System.Boolean  
  
value = instance.IAccessSelections(TopDoc, Component)
```

C#

```
System.bool IAccessSelections(  
    ModelDoc TopDoc,  
    Component Component  
)
```

C++/CLI

```
System.bool IAccessSelections(  
& ModelDoc^ TopDoc,  
& Component^ Component  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

TopDoc

Component

Visual Basic for Applications (VBA) Syntax

See [FoldsFeatureData::IAccessSelections](#).

See Also

IAccessSelections2 Method (IFoldsFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFoldsFeatureData Interface](#) : IAccessSelections2 Method (IFoldsFeatureData)

Gains access to the selections that describe this fold feature.

.NET Syntax

Visual Basic (Declaration)

```
Function IAccessSelections2( _  
    ByVal TopDoc As ModelDoc2, _  
    ByVal Component As Component2 _  
) As System.Boolean
```

Visual Basic (Usage)

```
Dim instance As IFoldsFeatureData  
Dim TopDoc As ModelDoc2  
Dim Component As Component2  
Dim value As System.Boolean  
  
value = instance.IAccessSelections2(TopDoc, Component)
```

C#

```
System.bool IAccessSelections2(  
    ModelDoc2 TopDoc,  
    Component2 Component  
)
```

C++/CLI

```
System.bool IAccessSelections2(  
& ModelDoc2^ TopDoc,  
& Component2^ Component  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

TopDoc
Top-level document (see **Remarks**)
Component
Component in which the feature is to be modified (see **Remarks**)

Return Value

True if the selections are successfully accessed, false if not

Visual Basic for Applications (VBA) Syntax

See [FoldsFeatureData::IAccessSelections2](#).

Remarks

To modify a feature in a...	Then...
Part	- TopDoc argument is the IModelDoc2 for the part - Component argument is NULL
Assembly	- TopDoc is the IModelDoc2 object for the assembly - Component argument is the IComponent2 object in which the feature is to be modified

This method puts the model into a rollback state to allow access to the selections that define this feature. You must use either of the following methods to restore the rollback state:

- [IFeature::IModifyDefintion2](#) if you modified the feature
- [IFoldsFeatureData::ReleaseSelectionAccess](#) if you did not

See Also

[IFoldsFeatureData Interface](#)
[IFoldsFeatureData Members](#)
[IFoldsFeatureData::AccessSelections Method](#)

Availability

SOLIDWORKS 2001 SP2, Revision Number 9.2

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetBends Method (IFoldsFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFoldsFeatureData Interface](#) : IGetBends Method (IFoldsFeatureData)

Gets the bend features for this fold feature.

.NET Syntax

Visual Basic (Declaration)

```
Function IGetBends() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IFoldsFeatureData  
Dim value As System.Object
```

```
value = instance.IGetBends()
```

C#

```
System.object IGetBends()
```

C++/CLI

```
System.Object^ IGetBends();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

- in-process, unmanaged C++: Pointer to an array of bend [features](#) of this fold feature
- VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

Remarks

See [Accessing Selections that Define Features](#) for additional details on using this method.

See Also

[IFoldsFeatureData Interface](#)
[IFoldsFeatureData Members](#)
[IFoldsFeatureData::IGetBendsCount Method](#)
[IFoldsFeatureData::ISetBends Method](#)
[IFoldsFeatureData::Bends Property](#)

Availability

SOLIDWORKS 2001 SP2, Revision Number 9.2

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetBendsCount Method (IFoldsFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFoldsFeatureData Interface](#) : IGetBendsCount Method (IFoldsFeatureData)

Gets the number of bend features in this fold feature.

.NET Syntax

Visual Basic (Declaration)

```
Function IGetBendsCount() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IFoldsFeatureData  
Dim value As System.Integer  
  
value = instance.IGetBendsCount()
```

C#

```
System.int IGetBendsCount()
```

C++/CLI

```
System.int IGetBendsCount();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

Number of bend features in this fold feature

Visual Basic for Applications (VBA) Syntax

See [FoldsFeatureData::IGetBendsCount](#).

See Also

[IFoldsFeatureData Interface](#)
[IFoldsFeatureData Members](#)
[IFoldsFeatureData::IGetBends Method](#)
[IFoldsFeatureData::ISetBends Method](#)
[IFoldsFeatureData::Bends Property](#)

Availability

SOLIDWORKS 2001 SP2, Revision Number 9.2

SOLIDWORKS API Help

[Send comments](#) on this topic.

ISetBends Method (IFoldsFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFoldsFeatureData Interface](#) : ISetBends Method (IFoldsFeatureData)

Sets the bend features for this fold feature.

.NET Syntax

Visual Basic (Declaration)

```
Sub ISetBends( _  
    ByVal FaceCount As System.Integer, _  
    ByRef FaceArray As System.Object _  
)
```

Visual Basic (Usage)



```
Dim instance As IFoldsFeatureData  
Dim FaceCount As System.Integer  
Dim FaceArray As System.Object  
  
instance.ISetBends(FaceCount, FaceArray)
```

C#

```
void ISetBends(
    System.int FaceCount,
    ref System.object FaceArray
)
```

C++/CLI

```
void ISetBends(
    & System.int FaceCount,
    & System.Object^% FaceArray
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FaceCount

Number of faces describing the bends

FaceArray

- in-process, unmanaged C++: Pointer to an array of bend [features](#) that describe the bends that belong to this folds feature
- VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

Remarks

See [Accessing Selections that Define Features](#) for additional details on using this method.

See Also

[IFoldsFeatureData Interface](#)
[IFoldsFeatureData Members](#)
[IFoldsFeatureData::IGetBends Method](#)
[IFoldsFeatureData::IGetBendsCount Method](#)
[IFoldsFeatureData::Bends Property](#)

Availability

SOLIDWORKS 2001 SP2, Revision Number 9.2

SOLIDWORKS API Help

[Send comments](#) on this topic.

ReleaseSelectionAccess Method (IFoldsFeatureData)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFoldsFeatureData Interface](#) : ReleaseSelectionAccess Method (IFoldsFeatureData)

Releases access to selections that describe this fold feature.

.NET Syntax

Visual Basic (Declaration)

```
Sub ReleaseSelectionAccess()
```

Visual Basic (Usage)



```
Dim instance As IFoldsFeatureData
instance.ReleaseSelectionAccess()
```

C#

```
void ReleaseSelectionAccess()
```

C++/CLI

```
void ReleaseSelectionAccess();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [IFoldsFeatureData::ReleaseSelectionAccess](#).

Example

[Insert and Access Fold Feature \(C#\)](#)
[Insert and Access Fold Feature \(VB.NET\)](#)
[Insert and Access Fold Feature \(VBA\)](#)

Remarks

[IFoldsFeatureData::AccessSelections](#) and [IFoldsFeatureData::IAccessSelections2](#) put the model into a rollback state to allow access to the selections that define the fold feature.

Use this method to restore the rollback state if you did not modify the fold feature, or use [IFeature::ModifyDefinition](#) or [IFeature::IModifyDefinition2](#) if you did modify the fold feature.

See Also

[IFoldsFeatureData Interface](#)
[IFoldsFeatureData Members](#)

Availability

SOLIDWORKS 2001 SP2, Revision Number 9.2

IFrame (Type)

IFrame Interface

[See Also](#) [Members](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : IFrame Interface

Allows access to SOLIDWORKS frames, including model windows, menus, and toolbars.
NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface IFrame
```

Visual Basic (Usage)



```
Dim instance As IFrame
```

C#

```
public interface IFrame
```

C++/CLI

```
public interface class IFrame
```

Visual Basic for Applications (VBA) Syntax

See [Frame](#).

Example

[Switch Documents \(C#\)](#)
[Switch Documents \(VB.NET\)](#)
[Switch Documents \(VBA\)](#)
[Add Button to Context-sensitive Menu \(C#\)](#)
[Add Button to Context-sensitive Menu \(VB.NET\)](#)

Accessors

[ISldWorks::Frame](#)

Access Diagram

[Frame](#)

See Also

[IFrame Members](#)
[SolidWorks.Interop.sldworks Namespace](#)

IFrame Interface Methods

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : IFrame Interface

For a list of all members of this type, see [IFrame members](#).

Public Methods

Name	Description
 AddMenu	Adds a menu item.
AddMenuItem	Obsolete. Superseded by IFrame::AddMenuItem2 .

		
	AddMenuItem2	Adds a menu item and bitmap or a separator to an existing menu.
	AddMenuPopupIcon	Adds an icon to a context-sensitive menu of a C++ SOLIDWORKS add-in.
	AddMenuPopupIcon2	Obsolete. Superseded by IFrame::AddMenuPopupIcon3 .
	AddMenuPopupIcon3	Adds an icon to a context-sensitive menu of a SOLIDWORKS add-in.
	AddMenuPopupItem	Obsolete. Superseded by IFrame::AddMenuPopupItem2 .
	AddMenuPopupItem2	Adds a menu item or separator to a shortcut menu (i.e., a right-click pop-up menu).
	GetHWnd	Obsolete. Superseded by IFrame::GetHWndx64. This method is unsafe to use with 64-bit SOLIDWORKS, i.e. all versions since SOLIDWORKS 2016. The 32-bit integer returned may be too small to contain the 64-bit window handle/pointer, and will be truncated silently. A critical exception will occur sometime later, when the truncated handle/pointer is used. Gets the window handle for the main frame.
	GetHWndx64	Gets the window handle for the main frame in 64-bit applications.
	GetMenu	Obsolete. Superseded by IFrame::GetMenux64. This method is unsafe to use with 64-bit SOLIDWORKS, i.e. all versions since SOLIDWORKS 2016. The 32-bit integer returned may be too small to contain the 64-bit window handle/pointer, and will be truncated silently. A critical exception will occur sometime later, when the truncated handle/pointer is used. Gets the menu handle for the main frame.
	GetMenuState	Obsolete. Superseded by IFrame::AddMenuItem2 .
	GetMenux64	Gets the menu handle for the main frame in 64-bit applications.
	GetModelWindowCount	Gets the number of child model windows for this frame.
	GetStatusBarPane	Gets a pointer to one of up to five panes on the right side of the status bar.
	GetSubMenuCount	Gets the number of submenus for this frame.
	GetSubMenu	Gets the submenus for this frame.
	IGetModelWindows	Gets the child model windows for this frame.
	IGetSubMenu	Gets the submenus for this frame.
	RemoveMenu	Removes a menu item.
	RemoveMenuPopupIcon	Removes an icon from a context-sensitive shortcut (popup) menu.
	RenameMenu	Renames a menu item.
	SetStatusBarText	Displays a text string in the main status bar area to the left of the status bar.
	ShowModelWindow	Shows a client model window.

[Top](#)

See Also

[IFrame Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

IFrame Interface Members

[See Also](#) [Properties](#) [Methods](#)



[SolidWorks.Interop.sldworks Namespace](#) : IFrame Interface

The following tables list the members exposed by [IFrame](#).

Public Properties

Name	Description
 KeepInvisible	Gets or sets whether to keep the SOLIDWORKS frame invisible.
 MenuPinned	Gets or sets whether the SOLIDWORKS main menu is pinned.
ModelWindows	Gets the client model windows for this frame.



[Top](#)

Public Methods

Name	Description
 AddMenu	Adds a menu item.
 AddMenuItem	Obsolete. Superseded by IFrame::AddMenuItem2 .
 AddMenuItem2	Adds a menu item and bitmap or a separator to an existing menu.
 AddMenuPopupIcon	Adds an icon to a context-sensitive menu of a C++ SOLIDWORKS add-in.
 AddMenuPopupIcon2	Obsolete. Superseded by IFrame::AddMenuPopupIcon3 .
 AddMenuPopupIcon3	Adds an icon to a context-sensitive menu of a SOLIDWORKS add-in.
 AddMenuPopupItem	Obsolete. Superseded by IFrame::AddMenuPopupItem2 .
 AddMenuPopupItem2	Adds a menu item or separator to a shortcut menu (i.e., a right-click pop-up menu).
 GetHWnd	Obsolete. Superseded by IFrame::GetHWndx64. This method is unsafe to use with 64-bit SOLIDWORKS, i.e. all versions since SOLIDWORKS 2016. The 32-bit integer returned may be too small to contain the 64-bit window handle/pointer, and will be truncated silently. A critical exception will occur sometime later, when the truncated handle/pointer is used. Gets the window handle for the main frame.
 GetHWndx64	Gets the window handle for the main frame in 64-bit applications.
 GetMenu	Obsolete. Superseded by IFrame::GetMenux64. This method is unsafe to use with 64-bit SOLIDWORKS, i.e. all versions since SOLIDWORKS 2016. The 32-bit integer returned may be too small to contain the 64-bit window handle/pointer, and will be truncated silently. A critical exception will occur sometime later, when the truncated handle/pointer is used. Gets the menu handle for the main frame.
 GetMenuState	Obsolete. Superseded by IFrame::AddMenuItem2 .
 GetMenux64	Gets the menu handle for the main frame in 64-bit applications.
 GetModelWindowCount	Gets the number of child model windows for this frame.
 GetStatusBarPane	Gets a pointer to one of up to five panes on the right side of the status bar.
 GetSubMenuCount	Gets the number of submenus for this frame.
 GetSubMenus	Gets the submenus for this frame.
 IGetModelWindows	Gets the child model windows for this frame.
 IGetSubMenus	Gets the submenus for this frame.
 RemoveMenu	Removes a menu item.
 RemoveMenuPopupIcon	Removes an icon from a context-sensitive shortcut (popup) menu.
 RenameMenu	Renames a menu item.
 SetStatusBarText	Displays a text string in the main status bar area to the left of the status bar.
 ShowModelWindow	Shows a client model window.

[Top](#)

See Also

[IFrame Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

IFrame Interface Properties

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : IFrame Interface

For a list of all members of this type, see [IFrame members](#).

Public Properties

Name	Description
 KeepInvisible	Gets or sets whether to keep the SOLIDWORKS frame invisible.
 MenuPinned	Gets or sets whether the SOLIDWORKS main menu is pinned.
 ModelWindows	Gets the client model windows for this frame.

[Top](#)

See Also

[IFrame Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

AddMenu Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : AddMenu Method (IFrame)

Adds a menu item.

.NET Syntax

Visual Basic (Declaration)

```
Function AddMenu( _  
    ByVal Menu As System.String, _  
    ByVal Position As System.Integer _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IFrame  
Dim Menu As System.String  
Dim Position As System.Integer  
Dim value As System.Boolean  
  
value = instance.AddMenu(Menu, Position)
```

C#

```
System.bool AddMenu(  
    System.string Menu,  
    System.int Position  
)
```

C++/CLI

```
System.bool AddMenu(  
& System.String^ Menu,  
& System.int Position  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Menu

Name of the menu item to add; including parent menu names, e.g., subMenuString@menuString (see **Remarks**)

Position

Position of the existing menu item before which to insert the new menu item; the first menu item is at position 0; if Position is 1, the new menu item is appended to the end of the menu (see **Remarks**)

Return Value

True if menu item was successfully added, false if not

Visual Basic for Applications (VBA) Syntax

See [Frame::AddMenu](#).

Remarks

If the name of a parent menu name is not specified in Menu, then:

- the menu item appears on the Tools menu below the **XPress products** menu item.
- Position is ignored.

This method is only valid when the application is implemented as a DLL, not as an EXE.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::AddMenuItem2 Method](#)
[IFrame::AddMenuPopupItem Method](#)
[IFrame::GetSubMenuCount Method](#)
[IFrame::GetSubMenus Method](#)
[IFrame::IGetSubMenus Method](#)
[IFrame::RemoveMenu Method](#)
[IFrame::RenameMenu Method](#)
[ISldWorks::GetLocalizedMenuName Method](#)
[IFrame::AddMenuPopupItem2 Method](#)
[IFrame::RemoveMenuPopupIcon Method](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

AddMenuItem Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : AddMenuItem Method (IFrame)

Obsolete. Superseded by [IFrame::AddMenuItem2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function AddMenuItem( _  
    ByVal Menu As System.String, _  
    ByVal Item As System.String, _  
    ByVal Position As System.Integer, _  
    ByVal CallbackFcnAndModule As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IFrame  
Dim Menu As System.String  
Dim Item As System.String  
Dim Position As System.Integer  
Dim CallbackFcnAndModule As System.String  
Dim value As System.Boolean  
  
value = instance.AddMenuItem(Menu, Item, Position, CallbackFcnAndModule)
```

C#

```
System.bool AddMenuItem(  
    System.string Menu,  
    System.string Item,  
    System.int Position,  
    System.string CallbackFcnAndModule  
)
```

C++/CLI

```
System.bool AddMenuItem(  
& System.String^ Menu,  
& System.String^ Item,  
& System.int Position,  
& System.String^ CallbackFcnAndModule  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Menu

Item

Position

CallbackFcnAndModule

Visual Basic for Applications (VBA) Syntax

See [Frame.AddMenuitem](#).

See Also

[IFrame Interface](#)

[IFrame Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

AddMenuitem2 Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : AddMenuitem2 Method (IFrame)

Adds a menu item and bitmap or a separator to an existing menu.

.NET Syntax

Visual Basic (Declaration)

```
Function AddMenuItem2( _  
    ByVal Menu As System.String, _  
    ByVal Item As System.String, _  
    ByVal Position As System.Integer, _  
    ByVal CallbackFcnAndModule As System.String, _  
    ByVal BitmapFileName As System.String _  
    ) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IFrame  
Dim Menu As System.String  
Dim Item As System.String  
Dim Position As System.Integer  
Dim CallbackFcnAndModule As System.String  
Dim BitmapFileName As System.String  
Dim value As System.Boolean  
  
value = instance.AddMenuItem2(Menu, Item, Position, CallbackFcnAndModule, BitmapFileName)
```

C#

```
System.bool AddMenuItem2(  
    System.string Menu,  
    System.string Item,  
    System.int Position,  
    System.string CallbackFcnAndModule,  
    System.string BitmapFileName  
)
```

C++/CLI

```
System.bool AddMenuItem2(  
& System.String^ Menu,  
& System.String^ Item,  
& System.int Position,  
& System.String^ CallbackFcnAndModule,
```

```
& System.String^ BitmapFileName
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Menu

Name of the menu to which to add this menu item

Item

Name of menu item (including accelerator key "&"); if Item is null or empty, then this method adds a separator

Position

Position at which to add the new menu item; the first item is at position 0; if Position is 1, the new menu item is added to the end of the list

CallbackFcnAndModule

Function called when user clicks the menu item (see **Remarks**)

BitmapFileName

Path and filename of the bitmap for the menu item

Return Value

True if menu item is added, false if not

Visual Basic for Applications (VBA) Syntax

See [Frame::AddMenuItem2](#).

Remarks

This method only works for the C++ application implemented as a DLL, not as an EXE. Any function exposed as a callback from a menu item must be declared as an EXPORT or included in your .def file.

You can add a new menu item to any one of the four frames (main frame, part frame, assembly frame, or drawing frame). To do this, you must get the [IFrame](#) object when the desired frame is active.

For example, if you want your menu to be available when a part document is active, then call [ISldWorks::Frame](#) when a part is first loaded or created, and use that IFrame object to call this method. Once you add your menu to the part frame, you do not need to do it again during the current SOLIDWORKS Design session.

The CallbackFcnAndModule argument specifies which function to call when this menu item is selected by the user. The syntax is as follows:

```
"dllname@function@updatefunction,hintstring"
```

where:

dllname	Name of your library as specified in the project .def file. The actual DLL filename and the definition in the .def file must be the same.
function	Name of the function that gets called when the user clicks the menu item. This function must also be declared as an EXPORT in your .def file. See Add-in Callback and Enable Methods to learn how to specify your function.
updatefunction	Optional argument that controls the state of the button. If specified, then SOLIDWORKS Design calls this function before the button is displayed. Define your updatefunction to return an integer and declare it as an EXPORT or included in your .def file. The display of the button is controlled by the return value of the function as follows: • return 0 - Menu item is unchecked and disabled. • return 1 - Menu item is unchecked and enabled. This is the default menu state if no update function is specified. • return 2 - Menu item is checked and disabled. • return 3 - Menu item is checked and enabled. See Add-in Callback and Enable Methods to learn how to specify your updatefunction.
hintstring	Optional argument that contains a text hint displayed in the SOLIDWORKS Design status bar when the user moves the mouse over this menu item. If hintstring is specified, then it must be preceded by a comma. For example: <pre>"Userdll@AddBox@checkForUserSelects,Add a box"</pre>

See Also

[IFrame Interface](#)
[IFrame Members](#)
[AddMenu Method \(IFrame\)](#)
[IFrame::GetSubMenuCount Method](#)
[IFrame::GetSubMenus Method](#)
[IFrame::IGetSubMenus Method](#)
[IFrame::RemoveMenu Method](#)
[IFrame::RenameMenu Method](#)
[ISldWorks::GetLocalizedMenuName Method](#)
[IFrame::AddMenuPopupMenu Method](#)
[IFrame::RemoveMenuPopupMenu Method](#)

Availability

AddMenuPopupIcon Method (IFrame)

[See Also](#)[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : AddMenuPopupIcon Method (IFrame)

Adds an icon to a context-sensitive menu of a C++ SOLIDWORKS add-in.

Visual Basic Syntax

Visual Basic (Declaration)

```
Function AddMenuPopupIcon( _
    ByVal DocType As System.Integer, _
    ByVal SelectType As System.Integer, _
    ByVal HintString As System.String, _
    ByVal CallbackFcnAndModule As System.String, _
    ByVal CustomNames As System.String, _
    ByVal BitmapFilePath As System.String _
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IFrame
Dim DocType As System.Integer
Dim SelectType As System.Integer
Dim HintString As System.String
Dim CallbackFcnAndModule As System.String
Dim CustomNames As System.String
Dim BitmapFilePath As System.String
Dim value As System.Boolean

value = instance.AddMenuPopupIcon(DocType, SelectType, HintString, CallbackFcnAndModule,
CustomNames, BitmapFilePath)
```

C#

```
System.bool AddMenuPopupIcon(
    System.int DocType,
    System.int SelectType,
    System.string HintString,
    System.string CallbackFcnAndModule,
    System.string CustomNames,
    System.string BitmapFilePath
)
```

C++/CLI

```
System.bool AddMenuPopupIcon(
    & System.int DocType,
    & System.int SelectType,
    & System.String^ HintString,
    & System.String^ CallbackFcnAndModule,
    & System.String^ CustomNames,
    & System.String^ BitmapFilePath
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

DocType[Document type](#) to which to add the context-sensitive menu icon*SelectType*[Selection type](#) to which to add the context-sensitive menu icon*HintString*

Text displayed in the SOLIDWORKS status bar when the user moves the mouse over the icon

*CallbackFcnAndModule*Function called when user clicks the context-sensitive menu icon (see **Remarks**)*CustomNames*Names of custom feature types (see **Remarks**)*BitmapFilePath*

Path and file name of the bitmap for the context-sensitive menu icon

Return Value

True if the context-sensitive menu icon is added, false if not

Example

C++



```
//Add a single icon to the standard
//SOLIDWORKS face context menu.
swFrame->AddMenuPopupIcon(
swDocPART,
swSelFACES,
CComBSTR(_T("UserPopupMenu.dll@MinibarItem1_Menu1_Callback,Facehintstring")),
CComBSTR(_T("UserPopupMenu.dll@MinibarItem1_Menu1_Callback")),
CComBSTR(_T("")),
UserItem1_Menu1_bitmapFile,
&iconSuccess
);
```

Remarks

This method is supported in C++ applications only, and it only works for C++ applications implemented as **.dll** files, not as **.exe** files. Any function exposed as a callback from an context-sensitive menu icon must be declared as an EXPORT or included in your **.def** file.

The CallbackFcnAndModule argument specifies which function to call when the shortcut menu icon is clicked by the user. The syntax is as follows:

dllname@function

where:

dllname	Name of your library as specified in the project .def file. The actual file name and the definition in the .def file must be the same.
function	Name of the function that gets called when the user clicks the icon. This function must also be declared as an EXPORT in your .def file.

See [Add-in Callback and Enable Methods](#) to learn how to implement your callback function.

CustomNames is a semi-colon separated list of the names of the custom feature types. This argument is applicable only if SelectType is a custom feature type (like swSelATTRIBUTES); in the case of swSelATTRIBUTES, set this field to the name of the attribute definition.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::RemoveMenuPopupIcon Method](#)
[IFrame::AddMenu Method](#)
[IFrame::AddMenuItem2 Method](#)
[IFrame::GetMenu Method](#)
[IFrame::GetSubMenuCount Method](#)
[IFrame::GetSubMenu Method](#)
[IFrame::RenameMenu Method](#)
[IFrame::AddMenuPopupItem2 Method](#)
[IFrame::AddMenuPopupIcon2 Method](#)
[ISldWorks::AddItemToThirdPartyPopupMenu Method](#)

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

AddMenuPopupIcon2 Method (IFrame)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : AddMenuPopupIcon2 Method (IFrame)

Obsolete. Superseded by [IFrame::AddMenuPopupIcon3](#).

.NET Syntax

Visual Basic (Declaration)

```
Function AddMenuPopupIcon2( _
    ByVal DocType As System.Integer, _
    ByVal SelectType As System.Integer, _
    ByVal HintString As System.String, _
    ByVal Identifier As System.Integer, _
    ByVal CallbackFunction As System.String, _
    ByVal CallbackUpdateFunction As System.String, _
    ByVal CustomNames As System.String, _
    ByVal BitmapFilePath As System.String _
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IFrame
Dim DocType As System.Integer
Dim SelectType As System.Integer
Dim HintString As System.String
Dim Identifier As System.Integer
Dim CallbackFunction As System.String
Dim CallbackUpdateFunction As System.String
Dim CustomNames As System.String
Dim BitmapFilePath As System.String
Dim value As System.Boolean
```

```
value = instance.AddMenuPopupIcon2(DocType, SelectType, HintString, Identifier, CallbackFunction,
    CallbackUpdateFunction, CustomNames, BitmapFilePath)
```

C#

```
System.bool AddMenuPopupIcon2(
    System.int DocType,
    System.int SelectType,
    System.string HintString,
    System.int Identifier,
    System.string CallbackFunction,
    System.string CallbackUpdateFunction,
    System.string CustomNames,
    System.string BitmapFilePath
)
```

C++/CLI

```
System.bool AddMenuPopupIcon2(
    & System.int DocType,
    & System.int SelectType,
    & System.String^ HintString,
    & System.int Identifier,
    & System.String^ CallbackFunction,
    & System.String^ CallbackUpdateFunction,
    & System.String^ CustomNames,
    & System.String^ BitmapFilePath
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

DocType

[Document type](#) whose context-sensitive menus display the icon

SelectType

[Selection type](#) whose context-sensitive menus display the icon

HintString

Text displayed in the SOLIDWORKS status bar when the user moves the pointer over the icon

Identifier

ID of the add-in; value of the Cookie argument passed by [ISwAddin::ConnectToSW](#)

CallbackFunction

Function called when user clicks the context-sensitive menu icon (see [Remarks](#))

CallbackUpdateFunction

Optional function that controls the state of the icon; if specified, then SOLIDWORKS calls this function before displaying the icon

If [CallbackUpdateFunction](#) returns...

Then SOLIDWORKS...

0

Deselects and disables the item

If CallbackUpdateFunction returns...

Then SOLIDWORKS...

1	Deselects and enables the item; this is the default state if no update function is specified
4	Hides the item

(see **Remarks**)

CustomNames

Names of custom feature types (see **Remarks**)

BitmapFilePath

Path and file name of the bitmap for the context-sensitive menu icon

Return Value

True if the context-sensitive menu icon is added, false if not

Visual Basic for Applications (VBA) Syntax

See [Frame::AddMenuPopupIcon2](#).

Example

[Add Shortcut Menus to Add-ins \(C#\)](#)

[Add Shortcut Menus to Add-ins \(VB.NET\)](#)

Remarks

See [Add-in Callback and Enable Methods](#) to learn how to specify CallbackFunction and CallbackUpdateFunction.

When the icon is clicked, the function specified in CallbackFunction can perform actions such as [displaying a third-party pop-up menu](#).

CustomNames is a semi-colon separated list of the names of the custom feature types. This argument is applicable only if SelectType is a custom feature type (like swSelATTRIBUTES); in the case of swSelATTRIBUTES, set this field to the name of the attribute definition.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::AddMenu Method](#)
[IFrame::AddMenuItem2 Method](#)
[IFrame::AddMenuPopupItem2 Method](#)
[IFrame::GetMenu Method](#)
[IFrame::GetMenu64 Method](#)
[IFrame::GetSubMenuCount Method](#)
[IFrame::GetSubMenus Method](#)
[IFrame::IGetSubMenus Method](#)
[IFrame::RemoveMenu Method](#)
[IFrame::RemoveMenuPopupIcon Method](#)
[IFrame::RenameMenu Method](#)
[IFrame::MenuPinned Property](#)
[IFrame::AddMenuPopupIcon Method](#)
[ISldWorks::AddItemToThirdPartyPopupMenu2 Method](#)

Availability

SOLIDWORKS 2011 FCS, Revision Number 19.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

AddMenuPopupIcon3 Method (IFrame)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : AddMenuPopupIcon3 Method (IFrame)

Adds an icon to a context-sensitive menu of a SOLIDWORKS add-in.

.NET Syntax

Visual Basic (Declaration)

```
Function AddMenuPopupIcon3( _  
    ByVal DocType As System.Integer, _  
    ByVal SelectType As System.Integer, _  
    ByVal HintString As System.String, _  
    ByVal Identifier As System.Integer, _  
    ByVal CallbackFunction As System.String, _
```

```

ByVal CallbackUpdateFunction As System.String, _
ByVal CustomNames As System.String, _
ByVal ImageList As System.Object _
) As System.Boolean

```

Visual Basic (Usage)



```

Dim instance As IFrame
Dim DocType As System.Integer
Dim SelectType As System.Integer
Dim HintString As System.String
Dim Identifier As System.Integer
Dim CallbackFunction As System.String
Dim CallbackUpdateFunction As System.String
Dim CustomNames As System.String
Dim ImageList As System.Object
Dim value As System.Boolean

value = instance.AddMenuPopupIcon3(DocType, SelectType, HintString, Identifier, CallbackFunction,
CallbackUpdateFunction, CustomNames, ImageList)

```

C#

```

System.bool AddMenuPopupIcon3(
    System.int DocType,
    System.int SelectType,
    System.string HintString,
    System.int Identifier,
    System.string CallbackFunction,
    System.string CallbackUpdateFunction,
    System.string CustomNames,
    System.object ImageList
)

```

C++/CLI

```

System.bool AddMenuPopupIcon3(
    & System.int DocType,
    & System.int SelectType,
    & System.String^ HintString,
    & System.int Identifier,
    & System.String^ CallbackFunction,
    & System.String^ CallbackUpdateFunction,
    & System.String^ CustomNames,
    & System.Object^ ImageList
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

DocType
[Document type](#) whose context-sensitive menus display the icon
SelectType
[Selection type](#) whose context-sensitive menus display the icon
HintString
Text displayed in the SOLIDWORKS status bar when the user moves the pointer over the icon
Identifier
ID of the add-in; value of the Cookie argument passed by [ISwAddin::ConnectToSW](#)
CallbackFunction
Function called when user clicks the context-sensitive menu icon (see **Remarks**)
CallbackUpdateFunction
Optional function that controls the state of the icon; if specified, then SOLIDWORKS calls this function before displaying the icon

If [CallbackUpdateFunction](#) returns...

	Then SOLIDWORKS...
0	Deselects and disables the item
1	Deselects and enables the item; this is the default state if no update function is specified
4	Hides the item

(see **Remarks**)
CustomNames
Names of custom feature types (see **Remarks**)
ImageList
Array of strings for the paths for the image files for the context-sensitive menu icon (see **Remarks**)

Return Value

True if the context-sensitive menu icon is added, false if not

Visual Basic for Applications (VBA) Syntax

See [Frame::AddMenuPopupIcon3](#).

Example

[Add Button to Context-sensitive Menu \(C#\)](#)
[Add Button to Context-sensitive Menu \(VB.NET\)](#)

Remarks

See [Add-in Callback and Enable Methods](#) to learn how to specify CallbackFunction and CallbackUpdateFunction.

When the icon is clicked, the function specified in CallbackFunction can perform actions such as [displaying a third-party pop-up menu](#).

CustomNames is a semi-colon separated list of the names of the custom feature types. This argument is applicable only if SelectType is a custom feature type (like swSelATTRIBUTES); in the case of swSelATTRIBUTES, set this field to the name of the attribute definition.

This method supports scaling for high resolution screens with high resolution operating system scaling options.

ImageList images can be:

- 20 x 20 pixels
- 32 x 32 pixels
- 40 x 40 pixels
- 64 x 64 pixels
- 96 x 96 pixels
- 128 x128 pixels

Images should use 256-color palette.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::AddMenu Method \(\)](#)
[IFrame::AddMenuItem2 Method \(\)](#)
[IFrame::AddMenuPopupIcon Method \(\)](#)
[IFrame::AddMenuPopupItem2 Method \(\)](#)
[IFrame::GetMenu Method \(\)](#)
[IFrame::GetMenux64 Method \(\)](#)
[IFrame::GetSubMenuCount Method \(\)](#)
[IFrame::GetSubMenus Method \(\)](#)
[IFrame::IGetSubMenus Method \(\)](#)
[IFrame::MenuPinned Property \(\)](#)
[IFrame::RemoveMenu Method \(\)](#)
[IFrame::RemoveMenuPopupIcon Method \(\)](#)
[IFrame::RenameMenu Method \(\)](#)
[IFrame::AddItemToThirdPartyPopupMenu2 Method \(\)](#)
[ISldWorks::GetImageSize Method \(\)](#)

Availability

SOLIDWORKS 2016 FCS, Revision Number 24.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

AddMenuPopupItem Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : AddMenuPopupItem Method (IFrame)

Obsolete. Superseded by [IFrame::AddMenuPopupItem2](#).

.NET Syntax

Visual Basic (Declaration)

```

Function AddMenuPopupItem( _
    ByVal DocType As System.Integer, _
    ByVal SelectType As System.Integer, _
    ByVal Item As System.String, _
    ByVal CallbackFcnAndModule As System.String, _
    ByVal CustomNames As System.String, _
    ByVal Unused As System.Integer _
) As System.Boolean

```

Visual Basic (Usage)



```

Dim instance As IFrame
Dim DocType As System.Integer
Dim SelectType As System.Integer
Dim Item As System.String
Dim CallbackFcnAndModule As System.String
Dim CustomNames As System.String
Dim Unused As System.Integer
Dim value As System.Boolean

```

```

value = instance.AddMenuPopupItem(DocType, SelectType, Item, CallbackFcnAndModule, CustomNames, Unused)

```

C#

```

System.bool AddMenuPopupItem(
    System.int DocType,
    System.int SelectType,
    System.string Item,
    System.string CallbackFcnAndModule,
    System.string CustomNames,
    System.int Unused
)

```

C++/CLI

```

System.bool AddMenuPopupItem(
    & System.int DocType,
    & System.int SelectType,
    & System.String^ Item,
    & System.String^ CallbackFcnAndModule,
    & System.String^ CustomNames,
    & System.int Unused
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

DocType

[Document type](#) to which to add the shortcut menu item

SelectType

[Selection type](#) to which to add the shortcut menu item

Item

Description that appears on the shortcut menu

CallbackFcnAndModule

Function called when user clicks your shortcut menu item (see **Remarks**)

CustomNames

Names of custom feature types (see **Remarks**)

Unused

Reserved for future use, set to 0

Return Value

True if shortcut menu item was added, false if not

Visual Basic for Applications (VBA) Syntax

See [Frame::AddMenuPopupItem](#).

Remarks

To add a separator, set the Item argument to NULL or an empty string.

If you want to create a pull-down menu, use [IFrame::AddMenu](#).

This method only operates when your application is implemented as a DLL, not as an EXE. Any function exposed as a callback from a menu item must be declared as an EXPORT or included in your .def file.

You can add a new menu to any one of the four frames (main frame, part frame, assembly frame, or drawing frame). To do this, you must get the [IFrame](#) object when the desired frame is active.

For example, if you want your menu to be available when a part document is active, then call [ISldWorks::Frame](#) when a part is first loaded or created, and use that IFrame object to call this method. Once you add your menu to the part frame, you do not need to do it again during the current SOLIDWORKS Design session.

The CallbackFcnAndModule argument specifies which function to call when this menu item is selected by the user. The syntax is as follows:

"dllname@function@updatefunction, hintstring"

where:

dllname	Name of your library as specified in the project .def file. The actual DLL filename and the definition in the .def file must be the same.
function	Name of the function that gets called when the user clicks the button. This function must also be declared as an EXPORT in your .def file.
updatefunction	Optional argument that controls the state of the button. If specified, then SOLIDWORKS Design calls this function before the button is displayed. Define your updatefunction to return an integer and declare it as an EXPORT or included in your .def file. The display of the button is controlled by the return value of the function as follows: • return 0 - Menu item is unchecked and disabled. • return 1 - Menu item is unchecked and enabled. This is the default menu state if no update function is specified. • return 2 - Menu item is checked and disabled. • return 3 - Menu item is checked and enabled.
hintstring	Optional argument that contains a text hint displayed in the SOLIDWORKS Design status bar when the user moves the mouse over this menu option. If hintstring is specified, then it must be preceded by a comma. For example: Userdll@AddBox@checkForUserSelects, Add a box

CustomNames is semi-colon separated list of the names of the custom feature types. This argument is applicable only if SelectType is a custom feature type (like swSelATTRIBUTES); in the case of swSelATTRIBUTES, set this field to the name of the attribute definition.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::AddMenuItem2 Method](#)
[IFrame::GetSubMenuCount Method](#)
[IFrame::GetSubMenus Method](#)
[IFrame::IGetSubMenus Method](#)
[IFrame::RemoveMenu Method](#)
[IFrame::RenameMenu Method](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

AddMenuPopupItem2 Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : AddMenuPopupItem2 Method (IFrame)

Adds a menu item or separator to a shortcut menu (i.e., a right-click pop-up menu).

Visual Basic Syntax

Visual Basic (Declaration)

```
Function AddMenuPopupItem2( _  
    ByVal DocType As System.Integer, _  
    ByVal SelectType As System.Integer, _  
    ByVal Item As System.String, _  
    ByVal CallbackFcnAndModule As System.String, _  
    ByVal CustomNames As System.String, _  
    ByVal Unused As System.Integer, _  
    ByVal BitmapFileName As System.String _  
) As System.Boolean
```

```

Dim instance As IFrame
Dim DocType As System.Integer
Dim SelectType As System.Integer
Dim Item As System.String
Dim CallbackFcnAndModule As System.String
Dim CustomNames As System.String
Dim Unused As System.Integer
Dim BitmapFileName As System.String
Dim value As System.Boolean

value = instance.AddMenuPopupItem2(DocType, SelectType, Item, CallbackFcnAndModule, CustomNames, Unused, BitmapFileName)

```

C#

```

System.bool AddMenuPopupItem2(
    System.int DocType,
    System.int SelectType,
    System.string Item,
    System.string CallbackFcnAndModule,
    System.string CustomNames,
    System.int Unused,
    System.string BitmapFileName
)

```

C++/CLI

```

System.bool AddMenuPopupItem2(
    & System.int DocType,
    & System.int SelectType,
    & System.String^ Item,
    & System.String^ CallbackFcnAndModule,
    & System.String^ CustomNames,
    & System.int Unused,
    & System.String^ BitmapFileName
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

DocType

[Document type](#) to which to add the shortcut menu item

SelectType

[Selection type](#) to which to add the shortcut menu item

Item

Description that appears on the shortcut menu item

CallbackFcnAndModule

Functions called when user clicks the shortcut menu item (see **Remarks**)

CustomNames

Names of custom feature types (see **Remarks**)

Unused

Reserved for future use, set to 0

BitmapFileName

Path and filename of bitmap for the shortcut menu item

Return Value

True if shortcut menu item is added, false if not

Visual Basic for Applications (VBA) Syntax

See [Frame::AddMenuPopupItem2](#).

Remarks

To add a separator, set the Item argument to NULL or an empty string.

If you want to create a pull-down menu, use [IFrame::AddMenu](#).

This method only works for the C++ application implemented as a DLL, not as an EXE. Any function exposed as a callback from a menu item must be declared as an EXPORT or included in your .def file.

You can add a new menu to any one of the four SOLIDWORKS frames (Main frame, part frame, assembly frame, or drawing frame). To do this, you must get the [IFrame](#) object when the desired frame is active. For example, if you want your menu to be available when a part document is active, then call [ISldWorks::Frame](#) when a part is first loaded or created, and use that IFrame object to call this method. Once you add your menu to the part frame, you do not need to do it again during the current SOLIDWORKS Design session.

The CallbackFcnAndModule argument specifies which function to call when this menu item is selected by the user. The syntax is as follows:

"dllname@function@updatefunction, hintstring"

where:

dllname	Name of your library as specified in the project .def file. The actual DLL filename and the definition in the .def file must be the same.
function	Name of the function that gets called when the user clicks the button. This function must also be declared as an EXPORT in your .def file. See Add-in Callback and Enable Methods to learn how to implement your callback function.
updatefunction	Optional argument that controls the state of the button. If specified, then SOLIDWORKS Design calls this function before the button is displayed. Define your updatefunction to return an integer and declare it as an EXPORT or included in your .def file. The display of the button is controlled by the return value of the function as follows: • return 0 - Menu item is unchecked and disabled. • return 1 - Menu item is unchecked and enabled. This is the default menu state if no updatefunction is specified. • return 2 - Menu item is checked and disabled. • return 3 - Menu item is checked and enabled. See Add-in Callback and Enable Methods to learn how to implement your updatefunction.
hintstring	Optional argument that contains a text hint displayed in the SOLIDWORKS Design status bar when the user moves the mouse over this menu option. If hintstring is specified, then it must be preceded by a comma. For example: Userdll@AddBox@checkForUserSelects, Add a box

CustomNames is semi-colon separated list of the names of the custom feature types. This argument is applicable only if SelectType is a custom feature type (like swSelATTRIBUTES); in the case of swSelATTRIBUTES, set this field to the name of the attribute definition.

 See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::AddMenuItem2 Method](#)
[IFrame::GetSubMenuCount Method](#)
[IFrame::GetSubMenus Method](#)
[IFrame::GetSubMenus Method](#)
[IFrame::RemoveMenu Method](#)
[IFrame::RenameMenu Method](#)

 Availability

SOLIDWORKS 2009 FCS, Revision Number 17.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

GetHWnd Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : GetHWnd Method (IFrame)

Obsolete. Superseded by [IFrame::GetHWndx64](#).

This method is unsafe to use with 64-bit SOLIDWORKS, i.e. all versions since SOLIDWORKS 2016.

The 32-bit integer returned may be too small to contain the 64-bit window handle/pointer, and will be truncated silently. A critical exception will occur sometime later, when the truncated handle/pointer is used.

Gets the window handle for the main frame.

 Visual Basic Syntax

Visual Basic (Declaration)

Function GetHWnd() As System.Integer

Visual Basic (Usage)



```
Dim instance As IFrame
Dim value As System.Integer
```

```
value = instance.GetHwnd()
```

C#

```
System.int GetHwnd()
```

C++/CLI

```
System.int GetHwnd();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

Window handle

Visual Basic for Applications (VBA) Syntax

See [Frame::GetHwnd](#).

Remarks

All applications are required to be compatible with SOLIDWORKS x64. You must replace all calls to 32-bit only APIs with calls to their 64-bit safe counterparts.

See [Eliminating 32-bit only API use](#) for more information.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::ShowModelWindow Method](#)
[IFrame::ModelWindows Property](#)
[IFrame::GetModelWindowCount Method](#)
[IFrame::IGetModelWindows Method](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

GetHwndx64 Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : GetHwndx64 Method (IFrame)

Gets the window handle for the main frame in 64-bit applications.

.NET Syntax

Visual Basic (Declaration)

```
Function GetHwndx64() As System.Long
```

Visual Basic (Usage)



```
Dim instance As IFrame  
Dim value As System.Long  
  
value = instance.GetHwndx64()
```

C#

```
System.long GetHwndx64()
```

C++/CLI

```
System.int64 GetHwndx64();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

Window handle

Visual Basic for Applications (VBA) Syntax

See [Frame::GetHWndx64](#).

Remarks

This method is only available through early binding and with 64-bit versions of the SOLIDWORKS Design software.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::GetHWnd Method](#)
[IFrame::GetModelWindowCount Method](#)
[IFrame::IGetModelWindows Method](#)
[IFrame::ShowModelWindow Method](#)
[IFrame::ModelWindows Property](#)

Availability

SOLIDWORKS 2006 SP2, Revision Number 14.2

SOLIDWORKS API Help

[Send comments on this topic.](#)

GetMenu Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : GetMenu Method (IFrame)

Obsolete. Superseded by [IFrame::GetMenux64](#).

This method is unsafe to use with 64-bit SOLIDWORKS, i.e. all versions since SOLIDWORKS 2016.

The 32-bit integer returned may be too small to contain the 64-bit window handle/pointer, and will be truncated silently. A critical exception will occur sometime later, when the truncated handle/pointer is used.

Gets the menu handle for the main frame.

.NET Syntax

Visual Basic (Declaration)

```
Function GetMenu() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IFrame
Dim value As System.Integer

value = instance.GetMenu()
```

C#

```
System.int GetMenu()
```

C++/CLI

```
System.int GetMenu();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

Menu handle for the main frame

Visual Basic for Applications (VBA) Syntax

See [Frame::GetMenu](#).

Remarks

All applications are required to be compatible with SOLIDWORKS x64. You must replace all calls to 32-bit only APIs with calls to their 64-bit safe counterparts.

See [Eliminating 32-bit only API use](#) for more information.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::GetHWnd Method](#)

Availability

SOLIDWORKS 2008 SP2, Revision Number 16.2

SOLIDWORKS API Help

[Send comments on this topic.](#)

GetMenuState Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : GetMenuState Method (IFrame)

Obsolete. Superseded by [IFrame::AddMenuItem2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetMenuState( _  
    ByVal MenuItemString As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IFrame  
Dim MenuItemString As System.String  
Dim value As System.Integer  
  
value = instance.GetMenuState(MenuItemString)
```

C#

```
System.int GetMenuState(  
    System.string MenuItemString  
)
```

C++/CLI

```
System.int GetMenuState(  
& System.String^ MenuItemString  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

MenuItemString

Visual Basic for Applications (VBA) Syntax

See [Frame::GetMenuState](#).

See Also

[IFrame Interface](#)
[IFrame Members](#)

GetMenux64 Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : GetMenux64 Method (IFrame)

Gets the menu handle for the main frame in 64-bit applications.

.NET Syntax

Visual Basic (Declaration)

```
Function GetMenux64() As System.Long
```

Visual Basic (Usage)



```
Dim instance As IFrame  
Dim value As System.Long  
  
value = instance.GetMenux64()
```

C#

```
System.long GetMenux64()
```

C++/CLI

```
System.int64 GetMenux64();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

Menu handle for the main frame

Visual Basic for Applications (VBA) Syntax

See [Frame::GetMenux64](#).

Remarks

This method is only available through early binding and with 64-bit versions of the SOLIDWORKS Design software.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::GetMenu Method](#)
[IFrame::GetHWndx64 Method](#)
[IFrame::GetHWnd Method](#)

Availability

SOLIDWORKS 2008 SP2, Revision Number 16.2

GetModelWindowCount Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : GetModelWindowCount Method (IFrame)

Gets the number of child model windows for this frame.

.NET Syntax

Visual Basic (Declaration)

```
Function GetModelWindowCount() As System.Integer
```

```
Dim instance As IFrame
Dim value As System.Integer

value = instance.GetModelWindowCount()
```

C#

```
System.int GetModelWindowCount()
```

C++/CLI

```
System.int GetModelWindowCount();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

Number of child model windows for this frame

Visual Basic for Applications (VBA) Syntax

See [Frame::GetModelWindowCount](#).

Remarks

Call this method before calling [IFrame::IGetModelWindows](#) to get the size of the array.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::GetHwnd Method](#)
[IFrame::GetHwndx64 Method](#)
[IFrame::RemoveMenu Method](#)
[IFrame::RenameMenu Method](#)
[IFrame::ShowModelWindow Method](#)
[IFrame::ModelWindows Property](#)

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

GetStatusBarPane Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : GetStatusBarPane Method (IFrame)

Gets a pointer to one of up to five panes on the right side of the status bar.

.NET Syntax

Visual Basic (Declaration)

```
Function GetStatusBarPane() As StatusBarPane
```

Visual Basic (Usage)

```
Dim instance As IFrame
Dim value As StatusBarPane

value = instance.GetStatusBarPane()
```

C#

```
StatusBarPane GetStatusBarPane()
```

C++/CLI

```
StatusBarPane^ GetStatusBarPane();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

Pointer to a [status bar pane object](#)

Visual Basic for Applications (VBA) Syntax

See [Frame::GetStatusBarPane](#).

Remarks

There are only 5 panes available starting from the right of the screen to the existing SOLIDWORKS panes.

This method returns a null pointer to a pane when you have used all possible panes.

These objects appear on the status bar until they go out of scope. To use them in a project, they should be declared globally in the Visual Basic project and managed during the life cycle of the client application.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::SetStatusBarText Method](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

GetSubMenuCount Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : GetSubMenuCount Method (IFrame)

Gets the number of submenus for this frame.

.NET Syntax

Visual Basic (Declaration)

```
Function GetSubMenuCount( _  
    ByVal DocType As System.Integer, _  
    ByVal FullMenuName As System.String _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IFrame  
Dim DocType As System.Integer  
Dim FullMenuName As System.String  
Dim value As System.Integer  
  
value = instance.GetSubMenuCount(DocType, FullMenuName)
```

C#

```
System.int GetSubMenuCount(  
    System.int DocType,  
    System.string FullMenuName  
)
```

C++/CLI

```
System.int GetSubMenuCount(  
&    System.int DocType,
```

```
& System.String^ FullMenuName
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

DocType

Type of document as defined by [swDocumentTypes_e](#)

FullMenuName

Full name of the menu

Return Value

Number of submenus

Visual Basic for Applications (VBA) Syntax

See [Frame::GetSubMenuCount](#).

Remarks

Call this method before calling [IFrame::!GetSubMenus](#) to get the size of the array.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::GetSubMenus Method](#)
[IFrame::RemoveMenu Method](#)
[IFrame::RenameMenu Method](#)
[IFrame::AddMenu Method](#)
[IFrame::AddMenuItem2 Method](#)
[IFrame::AddMenuPopupItem Method](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

GetSubMenus Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : GetSubMenus Method (IFrame)

Gets the submenus for this frame.

.NET Syntax

Visual Basic (Declaration)

```
Function GetSubMenus( _
    ByVal DocType As System.Integer, _
    ByVal FullMenuName As System.String _
) As System.Object
```

Visual Basic (Usage)

```
Dim instance As IFrame
Dim DocType As System.Integer
Dim FullMenuName As System.String
Dim value As System.Object

value = instance.GetSubMenus(DocType, FullMenuName)
```

C#

```
System.object GetSubMenus(
    System.int DocType,
    System.string FullMenuName
)
```



C++/CLI

```
System.Object^ GetSubMenus(  
& System.int DocType,  
& System.String^ FullMenuName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

DocType

Type of document as defined by [swDocumentTypes_e](#)

FullMenuName

Full name of menu

Return Value

Pointer to an array of the names of the submenus

Visual Basic for Applications (VBA) Syntax

See [Frame::GetSubMenus](#).

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::AddMenu Method](#)
[IFrame::AddMenuItem2 Method](#)
[IFrame::AddMenuPopupItem Method](#)
[IFrame::GetSubMenuCount Method](#)
[IFrame::RemoveMenu Method](#)
[IFrame::RenameMenu Method](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetModelWindows Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : IGetModelWindows Method (IFrame)

Gets the child model windows for this frame.

.NET Syntax

Visual Basic (Declaration)

```
Function IGetModelWindows(  
    ByVal ModelWindowCount As System.Integer _  
) As ModelWindow
```

Visual Basic (Usage)



```
Dim instance As IFrame  
Dim ModelWindowCount As System.Integer  
Dim value As ModelWindow  
  
value = instance.IGetModelWindows(ModelWindowCount)
```

C#

```
ModelWindow IGetModelWindows(  
    System.int ModelWindowCount  
)
```

C++/CLI

```
ModelWindow^ IGetModelWindows(  
& System.int ModelWindowCount  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ModelWindowCount
Number of child windows for this frame

Return Value

- in-process, unmanaged C++: Pointer to an array of [model windows](#)
 - VBA, VB.NET, C#, and C++/CLI: Not supported
- See [In-process Methods](#) for details about this type of method.

Remarks

Call [IFrame::GetModelWindowCount](#) before calling this method to get the size of the array.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::GetHWnd Method](#)
[IFrame::GetHWndx64 Method](#)
[IFrame::ShowModelWindow Method](#)
[IFrame::ModelWindows Property](#)

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetSubMenus Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : IGetSubMenus Method (IFrame)

Gets the submenus for this frame.

.NET Syntax

Visual Basic (Declaration)

```
Function IGetSubMenus( _  
    ByVal DocType As System.Integer, _  
    ByVal FullMenuName As System.String, _  
    ByVal NumSubMenus As System.Integer _  
) As System.String
```

Visual Basic (Usage)



```
Dim instance As IFrame  
Dim DocType As System.Integer  
Dim FullMenuName As System.String  
Dim NumSubMenus As System.Integer  
Dim value As System.String  
  
value = instance.IGetSubMenus(DocType, FullMenuName, NumSubMenus)
```

C#

```
System.string IGetSubMenus(  
    System.int DocType,  
    System.string FullMenuName,  
    System.int NumSubMenus  
)
```

C++/CLI

```
System.String^ IGetSubMenus(
& System.int DocType,
& System.String^ FullMenuName,
& System.int NumSubMenus
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

DocType

Type of document as defined by [swDocumentTypes](#) e

FullMenuName

Full name of menu

NumSubMenus

Number of submenus

Return Value

- in-process, unmanaged C++: Pointer to an array of the names of the submenus of size NumSubMenus
 - VBA, VB.NET, C#, and C++/CLI: Not supported
- See [In-process Methods](#) for details about this type of method.

Remarks

Call [IFrame::GetSubMenuCount](#) before calling this method to get the size of the array.

See Also

[IFrame Interface](#)

[IFrame Members](#)

[IFrame::AddMenu Method](#)

[IFrame::AddMenuItem2 Method](#)

[IFrame::AddMenuPopupItem Method](#)

[IFrame::GetSubMenus Method](#)

Availability

SolidWorks 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

KeepInvisible Property (IFrame)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : KeepInvisible Property (IFrame)

Gets or sets whether to keep the SOLIDWORKS frame invisible.

.NET Syntax

Visual Basic (Declaration)

```
Property KeepInvisible As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IFrame
```

```
Dim value As System.Boolean
```

```
instance.KeepInvisible = value
```

```
value = instance.KeepInvisible
```

C#

```
System.bool KeepInvisible {get; set;}
```

C++/CLI

```
property System.bool KeepInvisible {
    System.bool get();
```

```
void set ( & System.bool value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

True to keep the SOLIDWORKS frame invisible, false to keep it visible

Visual Basic for Applications (VBA) Syntax

See [Frame::KeepInvisible](#).

Example

[Keep SOLIDWORKS Invisible While Activating Documents \(C#\)](#)
[Keep SOLIDWORKS Invisible While Activating Documents \(VB.NET\)](#)
[Keep SOLIDWORKS Invisible While Activating Documents \(VBA\)](#)

Remarks

Use this property when SOLIDWORKS is [invisible](#) and you want to [activate](#) a component and prevent SOLIDWORKS from becoming visible. Be sure to set this property back to false after the operation for which you set it to true completes.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[ISldWorks::UserControl Property](#)
[ISldWorks::Visible Property](#)
[ISldWorks::UserControlBackground Property](#)

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

MenuPinned Property (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : MenuPinned Property (IFrame)

Gets or sets whether the SOLIDWORKS main menu is pinned.

.NET Syntax

Visual Basic (Declaration)

```
Property MenuPinned As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IFrame  
Dim value As System.Boolean  
  
instance.MenuPinned = value  
  
value = instance.MenuPinned
```

C#

```
System.bool MenuPinned {get; set;}
```

C++/CLI

```
property System.bool MenuPinned {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

True to pin the SOLIDWORKS main menu, false to not

Visual Basic for Applications (VBA) Syntax

See [Frame::MenuPinned](#).

See Also

[IFrame Interface](#)
[IFrame Members](#)

Availability

SOLIDWORKS 2008 FCS, Revision Number 16.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

ModelWindows Property (IFrame)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : ModelWindows Property (IFrame)

Gets the client model windows for this frame.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property ModelWindows As System.Object
```

Visual Basic (Usage)



```
Dim instance As IFrame
Dim value As System.Object

value = instance.ModelWindows
```

C#

```
System.Object ModelWindows {get;}
```

C++/CLI

```
property System.Object^ ModelWindows {
    System.Object^ get();
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Array of the client [model windows](#) of this frame

Visual Basic for Applications (VBA) Syntax

See [Frame::ModelWindows](#).

Example

[Switch Documents \(C#\)](#)
[Switch Documents \(VB.NET\)](#)
[Switch Documents \(VBA\)](#)

See Also

[IFrame Interface](#)
[IFrame Members](#)

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

RemoveMenu Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : RemoveMenu Method (IFrame)

Removes a menu item.

.NET Syntax

Visual Basic (Declaration)

```
Sub RemoveMenu( _  
    ByVal MenuItemString As System.String _  
)
```

Visual Basic (Usage)



```
Dim instance As IFrame  
Dim MenuItemString As System.String  
  
instance.RemoveMenu(MenuItemString)
```

C#

```
void RemoveMenu(  
    System.string MenuItemString  
)
```

C++/CLI

```
void RemoveMenu(  
& System.String^ MenuItemString  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

MenuItemString
Name of menu item (see **Remarks**)

Visual Basic for Applications (VBA) Syntax

See [Frame::RemoveMenu](#).

Remarks

Use [ISldWorks::GetMenuStrings](#) to get MenuItemString.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::AddMenu Method](#)
[IFrame::AddMenuItem2 Method](#)
[IFrame::AddMenuPopupItem Method](#)
[IFrame::GetSubMenuCount Method](#)
[IFrame::GetSubMenus Method](#)
[IFrame::IGetSubMenus Method](#)
[IFrame::RenameMenu Method](#)
[ISldWorks::GetMenuStrings Method](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

RemoveMenuPopupIcon Method (IFrame)

[See Also](#)



Removes an icon from a context-sensitive shortcut (popup) menu.

.NET Syntax

Visual Basic (Declaration)

```
Function RemoveMenuPopupIcon( _
    ByVal Index As System.Integer, _
    ByVal DocType As System.Integer, _
    ByVal SelectType As System.Integer _
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IFrame
Dim Index As System.Integer
Dim DocType As System.Integer
Dim SelectType As System.Integer
Dim value As System.Boolean

value = instance.RemoveMenuPopupIcon(Index, DocType, SelectType)
```

C#

```
System.bool RemoveMenuPopupIcon(
    System.int Index,
    System.int DocType,
    System.int SelectType
)
```

C++/CLI

```
System.bool RemoveMenuPopupIcon(
    & System.int Index,
    & System.int DocType,
    & System.int SelectType
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Index

Index value of the context-sensitive menu icon; index is 1-based

DocType

Document type as defined in [swDocumentTypes_e](#)

SelectType

[Selection type](#) from which to remove the context-sensitive menu icon

Return Value

True if the icon is removed from the context-sensitive menu, false if not

Remarks

This method is supported in C++ applications only.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::AddMenuPopupIcon Method](#)
[IFrame::AddMenuPopupItem2 Method](#)
[IFrame::AddMenu Method](#)
[IFrame::GetMenu Method](#)
[IFrame::GetSubMenuCount Method](#)
[IFrame::GetSubMenus Method](#)
[IFrame::IGetSubMenus Method](#)
[IFrame::RemoveMenu Method](#)

Availability

RenameMenu Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : RenameMenu Method (IFrame)

Renames a menu item.

.NET Syntax

Visual Basic (Declaration)

```
Sub RenameMenu( _
    ByVal MenuItemString As System.String, _
    ByVal NewName As System.String _
)
```

Visual Basic (Usage)



```
Dim instance As IFrame
Dim MenuItemString As System.String
Dim NewName As System.String

instance.RenameMenu(MenuItemString, NewName)
```

C#

```
void RenameMenu(
    System.string MenuItemString,
    System.string NewName
)
```

C++/CLI

```
void RenameMenu(
    & System.String^ MenuItemString,
    & System.String^ NewName
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

MenuItemString

Name of the menu item

NewName

New name of this menu item

Visual Basic for Applications (VBA) Syntax

See [Frame::RenameMenu](#).

Remarks

Use [ISldWorks::GetMenuStrings](#) to get MenuItemString.

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::AddMenu Method](#)
[IFrame::AddMenuItem2 Method](#)
[IFrame::GetSubMenuCount Method](#)
[IFrame::GetSubMenus Method](#)
[IFrame::IGetSubMenus Method](#)
[IFrame::RemoveMenu Method](#)
[ISldWorks::GetMenuStrings Method](#)

SetStatusBarText Method (IFrame)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : SetStatusBarText Method (IFrame)

Displays a text string in the main status bar area to the left of the status bar.

.NET Syntax

Visual Basic (Declaration)

```
Sub SetStatusBarText( _  
    ByVal MessageString As System.String _  
)
```

Visual Basic (Usage)



```
Dim instance As IFrame  
Dim MessageString As System.String  
  
instance.SetStatusBarText(MessageString)
```

C#

```
void SetStatusBarText(  
    System.string MessageString  
)
```

C++/CLI

```
void SetStatusBarText(  
& System.String^ MessageString  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

MessageString
Text to display in the status bar

Visual Basic for Applications (VBA) Syntax

See [Frame::SetStatusBarText](#).

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::GetStatusBarPane Method](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

ShowModelWindow Method (IFrame)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IFrame Interface](#) : ShowModelWindow Method (IFrame)

Shows a client model window.

.NET Syntax

Visual Basic (Declaration)

```
Sub ShowModelWindow( _  
    ByVal lpModelWindow As ModelWindow _  
)
```

Visual Basic (Usage)



```
Dim instance As IFrame  
Dim LpModelWindow As ModelWindow  
  
instance.ShowModelWindow(LpModelWindow)
```

C#

```
void ShowModelWindow(  
    ModelWindow LpModelWindow  
)
```

C++/CLI

```
void ShowModelWindow(  
    & ModelWindow^ LpModelWindow  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

LpModelWindow
[Model window](#)

Visual Basic for Applications (VBA) Syntax

See [Frame::ShowModelWindow](#).

Example

[Switch Documents \(C#\)](#)
[Switch Documents \(VB.NET\)](#)
[Switch Documents \(VBA\)](#)

See Also

[IFrame Interface](#)
[IFrame Members](#)
[IFrame::GetHWnd Method](#)
[IFrame::GetHWndx64 Method](#)
[IFrame::GetModelWindowCount Method](#)
[IFrame::IGetModelWindows Method](#)
[IFrame::ModelWindows Property](#)

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0