

SOLIDWORKS API (.NET VBA C#) — Reference (150/337): IMacroFeatureData (part 2 of 2)

SOLIDWORKS API Documentation (converted from CHM)

IMacroFeatureData (part 2 of 2) (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IGetEntitiesNeedUserId Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : IGetEntitiesNeedUserId Method (IMacroFeatureData)

Gets a list of faces and edges that need be assigned user IDs for the macro feature.

.NET Syntax

Visual Basic (Declaration)

```
Sub IGetEntitiesNeedUserId( _  
    ByVal Body As Body2, _  
    ByVal FaceCount As System.Integer, _  
    ByRef Faces As Face2, _  
    ByVal EdgeCount As System.Integer, _  
    ByRef Edges As Edge _  
)
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim Body As Body2  
Dim FaceCount As System.Integer  
Dim Faces As Face2  
Dim EdgeCount As System.Integer  
Dim Edges As Edge  
  
instance.IGetEntitiesNeedUserId(Body, FaceCount, Faces, EdgeCount, Edges)
```

C#

```
void IGetEntitiesNeedUserId(  
    Body2 Body,  
    System.int FaceCount,  
    out Face2 Faces,  
    System.int EdgeCount,  
    out Edge Edges  
)
```

C++/CLI

```
void IGetEntitiesNeedUserId(  
& Body2^ Body,  
& System.int FaceCount,  
& [Out] Face2^ Faces,  
& System.int EdgeCount,  
& [Out] Edge^ Edges  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Body

[Body](#) containing the faces and edges

FaceCount

Number of faces

Faces

- in-process, unmanaged C++: Pointer to an array of [faces](#)

• VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

EdgeCount

Number of edges

Edges

- in-process, unmanaged C++: Pointer to an array of [edges](#)

• VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

Remarks

Before calling this method, call [IMacroFeatureData::GetEntitiesNeedUserIdCount](#) to determine the size of the arrays.

See [Accessing Selections that Define Features](#) for additional details on using this method.

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetEdgeIdType Method](#)
[IMacroFeatureData::GetEdgeUserId Method](#)
[IMacroFeatureData::GetEntitiesNeedUserId Method](#)
[IMacroFeatureData::GetFaceIdType Method](#)
[IMacroFeatureData::GetFaceUserId Method](#)
[IMacroFeatureData::SetEdgeUserId Method](#)
[IMacroFeatureData::SetFaceUserId Method](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetIconFiles Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : IGetIconFiles Method (IMacroFeatureData)

Gets the file names for the icons for this macro feature.

.NET Syntax

Visual Basic (Declaration)

```
Sub IGetIconFiles( _  
    ByVal IconCount As System.Integer, _  
    ByRef IconFiles As System.String _  
)
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim IconCount As System.Integer  
Dim IconFiles As System.String  
  
instance.IGetIconFiles(IconCount, IconFiles)
```

C#

```
void IGetIconFiles(  
    System.int IconCount,  
    out System.string IconFiles  
)
```

C++/CLI

```
void IGetIconFiles(  
& System.int IconCount,  
& [Out] System.String^ IconFiles  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

IconCount

Number of files for the icons

IconFiles

- in-process, unmanaged C++: Pointer to an array of file names for the icons (see **Remarks**)
- VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

Remarks

Before calling this method, call [IMacroFeatureData::GetIconFileCount](#) to determine the size of the array.

The array of the file names for IconFiles can contain either three or nine strings.

Number of strings in array	Types of images in this order	Image format and sizes
Three	1. Regular 2. Suppressed 3. Highlighted	- Windows bitmap (*.bmp) format 16 pixels wide X 18 pixels high
Nine	1. Regular small 2. Suppressed small 3. Highlighted small 4. Regular medium 5. Suppressed medium 6. Highlighted medium 7. Regular large 8. Suppressed large 9. Highlighted large	- Windows bitmap (*.bmp) format - Recommended sizes are: - Small: 20 pixels wide X 20 pixels high - Medium: 32 pixels wide X 32 pixels high - Large: 40 pixels wide X 40 pixels high

NOTES:

- This size array is only valid for macro features created in parts, assemblies, and drawings in SOLIDWORKS 2017 and later.
- SOLIDWORKS displays the appropriate images based on the current DPI setting of the display device.

You can specify either the full path name or just the file name for the strings; for example, `c:\bitmaps\icon1.bmp` or `icon1.bmp`.

 See Also

- [IMacroFeatureData Interface](#)
- [IMacroFeatureData Members](#)
- [IMacroFeatureData::ISetIconFiles Method](#)
- [IMacroFeatureData::IconFiles Property](#)

 Availability

SOLIDWORKS 2004 FCS, Revision Number 12.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetModuleNames Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : IGetModuleNames Method (IMacroFeatureData)

Gets the names of the modules in the macro for the macro feature.

 .NET Syntax

Visual Basic (Declaration)

```
Sub IGetModuleNames( _  
    ByVal ModuleCount As System.Integer, _  
    ByRef ModuleNames As System.String _  
)
```

Visual Basic (Usage)

```
Dim instance As IMacroFeatureData  
Dim ModuleCount As System.Integer  
Dim ModuleNames As System.String  
  
instance.IGetModuleNames(ModuleCount, ModuleNames)
```

C#

```
void IGetModuleNames(  
    System.int ModuleCount,  
    out System.string ModuleNames  
)
```

C++/CLI

```
void IGetModuleNames(  
& System.int ModuleCount,  
& [Out] System.String^ ModuleNames  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ModuleCount
Number of modules in the macro

ModuleNames

- in-process, unmanaged C++: Pointer to an array of the names of the modules of size ModuleCount
- VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

Remarks

Before calling this method, call [IMacroFeatureData::GetModuleCount](#) to determine the size of the array.

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetModuleNames Method](#)
[IMacroFeatureData::GetProcedureCount Method](#)
[IMacroFeatureData::GetProcedureNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::IGetProcedureNames Method](#)
[IMacroFeatureData::IGetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::IGetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::ModuleName Property](#)
[IMacroFeatureData::ProcedureName Property](#)
[IMacroFeatureData::PropertyManagerHandleMacroFileName Property](#)
[IMacroFeatureData::PropertyManagerHandleModuleNames Property](#)
[IMacroFeatureData::PropertyManagerHandleProcedureName Property](#)
[IMacroFeatureData::SecurityHandleMacroFileName Property](#)
[IMacroFeatureData::SecurityHandleModuleNames Property](#)
[IMacroFeatureData::SecurityHandleProcedureName Property](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetParameters Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : IGetParameters Method (IMacroFeatureData)

Gets the user-defined parameters.

.NET Syntax

Visual Basic (Declaration)

```
Sub IGetParameters( _  
    ByVal ParamCount As System.Integer, _  
    ByRef ParamNames As System.String, _  
    ByRef ParamTypes As System.Integer, _  
    ByRef ParamValues As System.String _  
)
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim ParamCount As System.Integer  
Dim ParamNames As System.String  
Dim ParamTypes As System.Integer  
Dim ParamValues As System.String  
  
instance.IGetParameters(ParamCount, ParamNames, ParamTypes, ParamValues)
```

C#

```
void IGetParameters(  
    System.int ParamCount,  
    out System.string ParamNames,  
    out System.int ParamTypes,  
    out System.string ParamValues  
)
```

C++/CLI

```

void IGetParameters(
& System.int ParamCount,
& [Out] System.String^ ParamNames,
& [Out] System.int ParamTypes,
& [Out] System.String^ ParamValues
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ParamCount

Number of user-defined parameters

ParamNames

- in-process, unmanaged C++: Pointer to an array of parameter names of size ParamCount

- VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

ParamTypes

- in-process, unmanaged C++: Pointer to an array of parameter data types of size paramCount as defined in [swMacroFeatureParamType_e](#)

- VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

ParamValues

- in-process, unmanaged C++: Pointer to an array of parameter values of size ParamCount

- VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

Remarks

Before calling this method, call [IMacroFeatureData::GetParameterCount](#) to determine the size of the arrays.

See Also

[IMacroFeatureData Interface](#)

[IMacroFeatureData Members](#)

[IMacroFeatureData::GetDoubleByName Method](#)

[IMacroFeatureData::GetIntegerByName Method](#)

[IMacroFeatureData::GetParameters Method](#)

[IMacroFeatureData::GetStringByName Method](#)

[IMacroFeatureData::ISetParameters Method](#)

[IMacroFeatureData::SetParameters Method](#)

[IMacroFeatureData::SetStringByName Method](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetParents Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : IGetParents Method (IMacroFeatureData)

Gets the parent features of this macro feature.

.NET Syntax

Visual Basic (Declaration)

```

Sub IGetParents( _
    ByVal ParentCount As System.Integer, _
    ByRef PFeatures As Feature _
)

```

Visual Basic (Usage)

```

Dim instance As IMacroFeatureData
Dim ParentCount As System.Integer
Dim PFeatures As Feature

instance.IGetParents(ParentCount, PFeatures)

```

C#



```
void IGetParents(
    System.int ParentCount,
    out Feature PFeatures
)
```

C++/CLI

```
void IGetParents(
    & System.int ParentCount,
    & [Out] Feature^ PFeatures
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ParentCount

Number of parent features for this macro feature

PFeatures

- In-process, unmanaged C++: Pointer to an array of [features](#) of parents of this macro feature
 - VBA, VB.NET, C#, and C++/CLI: Not supported
- See [In-process Methods](#) for details about this type of method.

Remarks

To get the parent features...

Use...

assigned to a macro feature by [IMacroFeatureData::Parents](#) or [IMacroFeatureData::ISetParents](#)

- [IMacroFeatureData::Parents](#) or [IMacroFeatureData::IGetParents](#)
- or -
- [IFeature::GetParents](#) or [IFeature::IGetParents](#)

of a macro feature created by first selecting objects and then calling [IFeatureManager::InsertMacroFeature3](#) or [IFeatureManager::IInsertMacroFeature3](#)

- [IMacroFeatureData::GetSelections3](#) or [IMacroFeatureData::IGetSelections3](#)
- or -
- [IFeature::GetParents](#) or [IFeature::IGetParents](#)

Before calling this method, call [IMacroFeatureData::GetParentsCount](#) to determine the value of ParentCount.

See [Accessing Selections that Define Features](#) for additional details on using this method.

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)

Availability

SOLIDWORKS 2006 FCS, Revision Number 14.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetProcedureNames Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : IGetProcedureNames Method (IMacroFeatureData)

Gets the names of the procedures in the specified module in the macro for the macro feature.

.NET Syntax

Visual Basic (Declaration)

```
Sub IGetProcedureNames( _
    ByVal ModuleName As System.String, _
    ByVal ProcedureCount As System.Integer, _
    ByRef ProcedureNames As System.String _
)
```

Visual Basic (Usage)

```
Dim instance As IMacroFeatureData
Dim ModuleName As System.String
Dim ProcedureCount As System.Integer
Dim ProcedureNames As System.String
```



```
instance.IGetProcedureNames(ModuleName, ProcedureCount, ProcedureNames)
```

C#

```
void IGetProcedureNames(  
    System.string ModuleName,  
    System.int ProcedureCount,  
    out System.string ProcedureNames  
)
```

C++/CLI

```
void IGetProcedureNames(  
& System.String^ ModuleName,  
& System.int ProcedureCount,  
& [Out] System.String^ ProcedureNames  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ModuleName

Name of module

ProcedureCount

Number of procedures in ModuleName

ProcedureNames

- in-process, unmanaged C++: Pointer to an array of procedure names of size ProcedureCount

- VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

Remarks

Before calling this method, call [IMacroFeatureData::GetProcedureCount](#) to determine the size of the array.

See Also

[IMacroFeatureData Interface](#)

[IMacroFeatureData Members](#)

[IMacroFeatureData::GetModuleCount Method](#)

[IMacroFeatureData::GetModuleNames Method](#)

[IMacroFeatureData::GetProcedureNames Method](#)

[IMacroFeatureData::GetPropertyManagerHandleModuleCount Method](#)

[IMacroFeatureData::GetPropertyManagerHandleModuleNames Method](#)

[IMacroFeatureData::GetPropertyManagerHandleProcedureCount Method](#)

[IMacroFeatureData::GetPropertyManagerHandleProcedureNames Method](#)

[IMacroFeatureData::IGetPropertyManagerHandleModuleNames Method](#)

[IMacroFeatureData::IGetPropertyManagerHandleProcedureNames Method](#)

[IMacroFeatureData::ModuleName Property](#)

[IMacroFeatureData::ProcedureName Property](#)

[IMacroFeatureData::PropertyManagerHandleMacroFileName Property](#)

[IMacroFeatureData::PropertyManagerHandleModuleName Property](#)

[IMacroFeatureData::PropertyManagerHandleProcedureName Property](#)

[IMacroFeatureData::SecurityHandleMacroFileName Property](#)

[IMacroFeatureData::SecurityHandleModuleName Property](#)

[IMacroFeatureData::SecurityHandleProcedureName Property](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetPropertyManagerHandleModuleNames Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : IGetPropertyManagerHandleModuleNames Method (IMacroFeatureData)

Gets the names of the modules in the macro from the PropertyManager handle for the macro feature.

.NET Syntax

Visual Basic (Declaration)

```
Sub IGetPropertyManagerHandleModuleNames( _  
    ByVal ModuleCount As System.Integer, _
```

```
ByRef ModuleNames As System.String _  
)
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim ModuleCount As System.Integer  
Dim ModuleNames As System.String  
  
instance.IGetPropertyManagerHandleModuleNames(ModuleCount, ModuleNames)
```

C#

```
void IGetPropertyManagerHandleModuleNames(  
    System.int ModuleCount,  
    out System.string ModuleNames  
)
```

C++/CLI

```
void IGetPropertyManagerHandleModuleNames(  
& System.int ModuleCount,  
& [Out] System.String^ ModuleNames  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ModuleCount

Number of modules

ModuleNames

- in-process, unmanaged C++: Pointer to an array of module names of size ModuleCount

- VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

Remarks

Before calling this method, call [IMacroFeatureData::IGetPropertyManagerHandleModuleCount](#) to determine the size of the array.

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetModuleCount Method](#)
[IMacroFeatureData::GetModuleNames Method](#)
[IMacroFeatureData::GetProcedureCount Method](#)
[IMacroFeatureData::GetProcedureNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::IGetModuleNames Method](#)
[IMacroFeatureData::IGetProcedureNames Method](#)
[IMacroFeatureData::IGetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::ModuleName Property](#)
[IMacroFeatureData::ProcedureName Property](#)
[IMacroFeatureData::PropertyManagerHandleMacroFileName Property](#)
[IMacroFeatureData::PropertyManagerHandleModuleName Property](#)
[IMacroFeatureData::PropertyManagerHandleProcedureName Property](#)
[IMacroFeatureData::SecurityHandleMacroFileName Property](#)
[IMacroFeatureData::SecurityHandleModuleName Property](#)
[IMacroFeatureData::SecurityHandleProcedureName Property](#)
[IMacroFeatureData::MacroFileName Property](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetPropertyManagerHandleProcedureNames Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : IGetPropertyManagerHandleProcedureNames Method (IMacroFeatureData)

Gets the names of the procedures in the specified module in the macro from the PropertyManager handle for the macro feature.

Visual Basic (Declaration)

```
Sub IGetPropertyManagerHandleProcedureNames( _
    ByVal ModuleName As System.String, _
    ByVal ProcedureCount As System.Integer, _
    ByRef ProcedureNames As System.String _
)
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData
Dim ModuleName As System.String
Dim ProcedureCount As System.Integer
Dim ProcedureNames As System.String

instance.IGetPropertyManagerHandleProcedureNames(ModuleName, ProcedureCount, ProcedureNames)
```

C#

```
void IGetPropertyManagerHandleProcedureNames(
    System.string ModuleName,
    System.int ProcedureCount,
    out System.string ProcedureNames
)
```

C++/CLI

```
void IGetPropertyManagerHandleProcedureNames(
    & System.String^ ModuleName,
    & System.int ProcedureCount,
    & [Out] System.String^ ProcedureNames
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ModuleName

Name of the module

ProcedureCount

Number of procedures in ModuleName

ProcedureNames

- in-process, unmanaged C++: Pointer to an array of procedure names of size ProcedureCount

• VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

 See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetModuleCount Method](#)
[IMacroFeatureData::GetModuleNames Method](#)
[IMacroFeatureData::GetProcedureCount Method](#)
[IMacroFeatureData::GetProcedureNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::IGetModuleNames Method](#)
[IMacroFeatureData::IGetProcedureNames Method](#)
[IMacroFeatureData::IGetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::ModuleName Property](#)
[IMacroFeatureData::ProcedureName Property](#)
[IMacroFeatureData::PropertyManagerHandleMacroFileName Property](#)
[IMacroFeatureData::PropertyManagerHandleModuleName Property](#)
[IMacroFeatureData::PropertyManagerHandleProcedureName Property](#)
[IMacroFeatureData::SecurityHandleMacroFileName Property](#)
[IMacroFeatureData::SecurityHandleModuleName Property](#)
[IMacroFeatureData::SecurityHandleProcedureName Property](#)
[IMacroFeatureData::MacroFileName Property](#)

 Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

IGetSelections Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : IGetSelections Method (IMacroFeatureData)

Obsolete. Superseded by [IMacroFeatureData::IGetSelections3](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub IGetSelections( _
    ByVal SelCount As System.Integer, _
    ByRef Objects As System.Object, _
    ByRef ObjectTypes As System.Integer, _
    ByRef SelMarks As System.Integer _
)
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData
Dim SelCount As System.Integer
Dim Objects As System.Object
Dim ObjectTypes As System.Integer
Dim SelMarks As System.Integer

instance.IGetSelections(SelCount, Objects, ObjectTypes, SelMarks)
```

C#

```
void IGetSelections(
    System.int SelCount,
    out System.object Objects,
    out System.int ObjectTypes,
    out System.int SelMarks
)
```

C++/CLI

```
void IGetSelections(
    & System.int SelCount,
    & [Out] System.Object^ Objects,
    & [Out] System.int ObjectTypes,
    & [Out] System.int SelMarks
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SelCount

Objects

ObjectTypes

SelMarks

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::IGetSelections](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)

IGetSelections2 Method (IMacroFeatureData)

[See Also](#)



Obsolete. Superseded by [IMacroFeatureData::IGetSelections3](#).

Visual Basic Syntax

Visual Basic (Declaration)

```
Sub IGetSelections2(  
    ByVal SelCount As System.Integer, _  
    ByRef Objects As System.Object, _  
    ByRef ObjectTypes As System.Integer, _  
    ByRef SelMarks As System.Integer, _  
    ByRef DrViews As View _  
)
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim SelCount As System.Integer  
Dim Objects As System.Object  
Dim ObjectTypes As System.Integer  
Dim SelMarks As System.Integer  
Dim DrViews As View  
  
instance.IGetSelections2(SelCount, Objects, ObjectTypes, SelMarks, DrViews)
```

C#

```
void IGetSelections2(  
    System.int SelCount,  
    out System.object Objects,  
    out System.int ObjectTypes,  
    out System.int SelMarks,  
    out View DrViews  
)
```

C++/CLI

```
void IGetSelections2(  
& System.int SelCount,  
& [Out] System.Object^ Objects,  
& [Out] System.int ObjectTypes,  
& [Out] System.int SelMarks,  
& [Out] View^ DrViews  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SelCount

Objects

ObjectTypes

SelMarks

DrViews

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::IGetSelections2](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)

IGetSelections3 Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : IGetSelections3 Method (IMacroFeatureData)

Gets the selected objects for the macro feature.

.NET Syntax

Visual Basic (Declaration)

```
Sub IGetSelections3( _  
    ByVal SelCount As System.Integer, _  
    ByRef Objects As System.Object, _  
    ByRef ObjectTypes As System.Integer, _  
    ByRef SelMarks As System.Integer, _  
    ByRef DrViews As View, _  
    ByRef ComponentXForms As MathTransform _  
)
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim SelCount As System.Integer  
Dim Objects As System.Object  
Dim ObjectTypes As System.Integer  
Dim SelMarks As System.Integer  
Dim DrViews As View  
Dim ComponentXForms As MathTransform  
  
instance.IGetSelections3(SelCount, Objects, ObjectTypes, SelMarks, DrViews, ComponentXForms)
```

C#

```
void IGetSelections3(  
    System.int SelCount,  
    out System.object Objects,  
    out System.int ObjectTypes,  
    out System.int SelMarks,  
    out View DrViews,  
    out MathTransform ComponentXForms  
)
```

C++/CLI

```
void IGetSelections3(  
& System.int SelCount,  
& [Out] System.Object^ Objects,  
& [Out] System.int ObjectTypes,  
& [Out] System.int SelMarks,  
& [Out] View^ DrViews,  
& [Out] MathTransform^ ComponentXForms  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SelCount

Number of selected objects

Objects

Array of selected objects of size SelCount

ObjectTypes

Array of the selected object types as defined in [swSelectType_e](#) of size SelCount

SelMarks

Array of marks associated with the selected objects of size SelCount

DrViews

Array of [drawing views](#) of size SelCount

ComponentXForms

• In-process, unmanaged C++: Pointer to an array of [transforms](#) for the selections' components

• VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

Remarks

Before calling this method, call [IMacroFeatureData::GetSelectionCount](#) to determine the size of the arrays.

When a macro feature is inserted in-context and an entity on a different component is selected, you may need to know that component's transform.

If the assembly is the active document, then you can use [IEntity::GetComponent2](#) or [IComponent2::Transform2](#) to get the component's transform.

However, if the part for the component is open for editing and a [macro feature is being edited](#), then you must use [IMacroFeatureData::GetSelections3](#) to get the component's transform. This method returns the transform and the selection. If the selection belongs to the same part as the macro feature, then NULL is returned. See also [Macro Features and Component Transforms](#).

See [Accessing Selections that Define Features](#) for additional details on using this method.

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetSelections3 Method](#)
[IMacroFeatureData::ISetSelections2 Method](#)
[IMacroFeatureData::SetSelections2 Method](#)

Availability

SOLIDWORKS 2006 FCS, Revision Number 14.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

IsCOMFeature Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : IsCOMFeature Method (IMacroFeatureData)

Gets whether the feature is a COM feature.

.NET Syntax

Visual Basic (Declaration)

```
Function IsCOMFeature() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim value As System.Boolean  
  
value = instance.IsCOMFeature()
```

C#

```
System.bool IsCOMFeature()
```

C++/CLI

```
System.bool IsCOMFeature();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

True if the feature is a COM feature, false if not

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::IsCOMFeature](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetProgId Method](#)
[IMacroFeatureData::SetProgId Method](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

ISetEditBodies Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : ISetEditBodies Method (IMacroFeatureData)

Sets the bodies to be modified by this macro feature.

.NET Syntax

Visual Basic (Declaration)

```
Sub ISetEditBodies( _  
    ByVal BodiesCount As System.Integer, _  
    ByRef PBodies As Body2 _  
)
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim BodiesCount As System.Integer  
Dim PBodies As Body2  
  
instance.ISetEditBodies(BodiesCount, PBodies)
```

C#

```
void ISetEditBodies(  
    System.int BodiesCount,  
    ref Body2 PBodies  
)
```

C++/CLI

```
void ISetEditBodies(  
& System.int BodiesCount,  
& Body2^% PBodies  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

BodiesCount

Number of bodies to be modified by this macro feature

PBodies

- in-process, unmanaged C++: Pointer to an array of [bodies](#) to be modified by this macro feature
- VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

Remarks

See [Accessing Selections that Define Features](#) for additional details on using this method.

See Also

[IMacroFeatureData Interface](#)

[IMacroFeatureData Members](#)

[IMacroFeatureData::IGetEditBodies Method](#)

[IMacroFeatureData::EditBodies Property](#)

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

ISetIconFiles Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : ISetIconFiles Method (IMacroFeatureData)

Sets the file names for the icons for this macro feature.

.NET Syntax

Visual Basic (Declaration)

```
Sub ISetIconFiles( _  
    ByVal IconCount As System.Integer, _  
    ByRef IconFiles As System.String _  
)
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim IconCount As System.Integer  
Dim IconFiles As System.String  
  
instance.ISetIconFiles(IconCount, IconFiles)
```

C#

```
void ISetIconFiles(  
    System.int IconCount,  
    ref System.string IconFiles  
)
```

C++/CLI

```
void ISetIconFiles(  
& System.int IconCount,  
& System.String^% IconFiles  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

- IconCount*
Number of files for the icons
- IconFiles*
- in-process, unmanaged C++: Pointer to an array of the file names for the icons (see **Remarks**)
 - VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

Remarks

The array of the file names for IconFiles can contain either three or nine strings.

Number of strings in array	Types of images in this order	Image format and sizes
Three	1. Regular 2. Suppressed 3. Highlighted	• Windows bitmap (*.bmp) format • 16 pixels wide X 18 pixels high
Nine	1. Regular small 2. Suppressed small 3. Highlighted small 4. Regular medium 5. Suppressed medium 6. Highlighted medium 7. Regular large 8. Suppressed large 9. Highlighted large	• Windows bitmap (*.bmp) format • Recommended sizes are: • Small: 20 pixels wide X 20 pixels high • Medium: 32 pixels wide X 32 pixels high • Large: 40 pixels wide X 40 pixels high

NOTES:

- This size array is only valid for macro features created in parts, assemblies, and drawings in SOLIDWORKS 2017 and later.
- SOLIDWORKS displays the appropriate images based on the current DPI setting of the display device.

You can specify either the full path name or just the file name for the strings; for example, **c:\bitmaps\icon1.bmp** or **icon1.bmp**.

If you change the bitmaps after inserting them with a macro feature into a SOLIDWORKS document, then the new bitmaps are not displayed until you exit and restart SOLIDWORKS.

See Also

- [IMacroFeatureData Interface](#)
- [IMacroFeatureData Members](#)
- [IMacroFeatureData::IGetIconFiles Method](#)
- [IMacroFeatureData::IconFiles Property](#)

Availability

SOLIDWORKS 2004 FCS, Revision Number 12.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

ISetParameters Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : ISetParameters Method (IMacroFeatureData)

Sets the user-defined parameters.

Visual Basic Syntax

Visual Basic (Declaration)

```
Sub ISetParameters( _  
    ByVal ParamCount As System.Integer, _  
    ByRef ParamNames As System.String, _  
    ByRef ParamTypes As System.Integer, _  
    ByRef ParamValues As System.String _  
)
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim ParamCount As System.Integer  
Dim ParamNames As System.String  
Dim ParamTypes As System.Integer  
Dim ParamValues As System.String  
  
instance.ISetParameters(ParamCount, ParamNames, ParamTypes, ParamValues)
```

C#

```
void ISetParameters(  
    System.int ParamCount,  
    ref System.string ParamNames,  
    ref System.int ParamTypes,  
    ref System.string ParamValues  
)
```

C++/CLI

```
void ISetParameters(  
& System.int ParamCount,  
& System.String^% ParamNames,  
& System.int% ParamTypes,  
& System.String^% ParamValues  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ParamCount

Number of parameters

ParamNames

- in-process, unmanaged C++: Pointer to an array of parameter names of size ParamCount

VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

ParamTypes

- in-process, unmanaged C++: Pointer to an arrayparameter data types of size ParamCount as defined in [swMacroFeatureParamType_e](#)

VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

ParamValues

- in-process, unmanaged C++: Pointer to an array parameter values of size ParamCount

VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

Remarks

See [Accessing Selections that Define Features](#) for additional details on using this method.

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetDoubleByName Method](#)
[IMacroFeatureData::GetIntegerByName Method](#)
[IMacroFeatureData::GetParameterCount Method](#)
[IMacroFeatureData::GetParameters Method](#)
[IMacroFeatureData::GetStringByName Method](#)
[IMacroFeatureData::IGetParameters Method](#)
[IMacroFeatureData::SetParameters Method](#)
[IMacroFeatureData::SetDoubleByName Method](#)
[IMacroFeatureData::SetIntegerByName Method](#)
[IMacroFeatureData::SetStringByName Method](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

ISetParents Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : ISetParents Method (IMacroFeatureData)

Sets the parent features for this macro feature.

Visual Basic Syntax

Visual Basic (Declaration)

```
Sub ISetParents( _  
    ByVal ParentCount As System.Integer, _  
    ByRef PFeatures As Feature _  
)
```

Visual Basic (Usage)

```
Dim instance As IMacroFeatureData  
Dim ParentCount As System.Integer  
Dim PFeatures As Feature  
  
instance.ISetParents(ParentCount, PFeatures)
```

C#

```
void ISetParents(  
    System.int ParentCount,  
    ref Feature PFeatures  
)
```

C++/CLI

```
void ISetParents(  
& System.int ParentCount,  
& Feature^% PFeatures  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ParentCount

Number of parent features for this macro feature

PFeatures

- In-process, unmanaged C++: Pointer to an array of parent [features](#)

• VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::ISetParents](#).

Remarks

Parent features set by this method are not persistent when the macro feature is regenerated. Reset the parent features in the [SwComFeature::Regenerate](#) handler.

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetParentsCount Method](#)
[IMacroFeatureData::!GetParents Method](#)
[IMacroFeatureData::!Parents Property](#)

Availability

SOLIDWORKS 2006 FCS, Revision Number 14.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

ISetSelections Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : ISetSelections Method (IMacroFeatureData)

Obsolete. Superseded by [IMacroFeatureData::!SetSelections2](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub ISetSelections( _  
    ByVal SelCount As System.Integer, _  
    ByRef Objects As System.Object, _  
    ByRef SelMarks As System.Integer _  
)
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim SelCount As System.Integer  
Dim Objects As System.Object  
Dim SelMarks As System.Integer  
  
instance.ISetSelections(SelCount, Objects, SelMarks)
```

C#

```
void ISetSelections(  
    System.int SelCount,  
    ref System.object Objects,  
    ref System.int SelMarks  
)
```

C++/CLI

```
void ISetSelections(  
& System.int SelCount,  
& System.Object^% Objects,  
& System.int% SelMarks  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SelCount

Objects

SelMarks

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::ISetSelections](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

ISetSelections2 Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : ISetSelections2 Method (IMacroFeatureData)

Sets the selected objects for the macro feature.

.NET Syntax

Visual Basic (Declaration)

```
Sub ISetSelections2(  
    ByVal SelCount As System.Integer, _  
    ByRef Objects As System.Object, _  
    ByRef SelMarks As System.Integer, _  
    ByRef DrViews As View _  
)
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim SelCount As System.Integer  
Dim Objects As System.Object  
Dim SelMarks As System.Integer  
Dim DrViews As View  
  
instance.ISetSelections2(SelCount, Objects, SelMarks, DrViews)
```

C#

```
void ISetSelections2(  
    System.int SelCount,  
    ref System.object Objects,  
    ref System.int SelMarks,  
    ref View DrViews  
)
```

C++/CLI

```
void ISetSelections2(  
& System.int SelCount,  
& System.Object^% Objects,  
& System.int% SelMarks,  
& View^% DrViews  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SelCount

Number of selected objects

Objects

- in-process, unmanaged C++: Pointer to an array of objects as defined in [swSelectType_e](#) of size SelCount

• VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

SelMarks

- in-process, unmanaged C++: Pointer to an array of marks (integers or longs) of size SelCount

• VBA, VB.NET, C#, and C++/CLI: Not supported

See [In-process Methods](#) for details about this type of method.

DrViews

- in-process, unmanaged C++: Pointer to an array of [drawing views](#) of size selCount
 - VBA, VB.NET, C#, and C++/CLI: Not supported
- See [In-process Methods](#) for details about this type of method.

Remarks

The method expects to be passed three arrays of the same size.

See [Accessing Selections that Define Features](#) for additional details on using this method.

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetSelections3 Method](#)
[IMacroFeatureData::IGetSelections3 Method](#)
[IMacroFeatureData::SetSelections2 Method](#)
[IMacroFeatureData::GetSelectionCount Method](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

MacroFileEmbedded Property (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : MacroFileEmbedded Property (IMacroFeatureData)

Gets whether the macro file is embedded in the model with the macro feature.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property MacroFileEmbedded As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim value As System.Boolean  
  
value = instance.MacroFileEmbedded
```

C#

```
System.bool MacroFileEmbedded {get;}
```

C++/CLI

```
property System.bool MacroFileEmbedded {  
    System.bool get();  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

True if the macro file is embedded in the model with the macro feature, false if not

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::MacroFileEmbedded](#).

Remarks

If this property is false, you should specify a detailed error message to display in the What's Wrong dialog when SOLIDWORKS fails to find files during macro feature load or rebuild. To specify this error message, use [IMacroFeatureData.Provider](#).

Call [IMacroFeatureData::EmbedMacroFile](#) to set whether to embed the macro file with the macro feature.

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

MacroFileName Property (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : MacroFileName Property (IMacroFeatureData)

Gets or sets the path and file name for the macro for the macro feature.

.NET Syntax

Visual Basic (Declaration)

```
Property MacroFileName As System.String
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim value As System.String
```

```
instance.MacroFileName = value
```

```
value = instance.MacroFileName
```

C#

```
System.string MacroFileName {get; set;}
```

C++/CLI

```
property System.String^ MacroFileName {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Path and file name of the macro

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::MacroFileName](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetModuleCount Method](#)
[IMacroFeatureData::GetModuleNames Method](#)
[IMacroFeatureData::GetProcedureCount Method](#)
[IMacroFeatureData::GetProcedureNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::iGetModuleNames Method](#)
[IMacroFeatureData::iGetProcedureNames Method](#)
[IMacroFeatureData::iGetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::iGetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::ModuleName Property](#)
[IMacroFeatureData::ProcedureName Property](#)
[IMacroFeatureData::PropertyManagerHandleMacroFileName Property](#)
[IMacroFeatureData::PropertyManagerHandleModuleName Property](#)
[IMacroFeatureData::PropertyManagerHandleProcedureName Property](#)
[IMacroFeatureData::SecurityHandleMacroFileName Property](#)
[IMacroFeatureData::SecurityHandleModuleName Property](#)
[IMacroFeatureData::SecurityHandleProcedureName Property](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

ModuleName Property (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : ModuleName Property (IMacroFeatureData)

Gets or sets the name of a module in the macro for this macro feature.

.NET Syntax

Visual Basic (Declaration)

```
Property ModuleName As System.String
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim value As System.String
```

```
instance.ModuleName = value
```

```
value = instance.ModuleName
```

C#

```
System.string ModuleName {get; set;}
```

C++/CLI

```
property System.String^ ModuleName {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Name of the module in the macro

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::ModuleName](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetModuleCount Method](#)
[IMacroFeatureData::GetModuleNames Method](#)
[IMacroFeatureData::GetProcedureCount Method](#)
[IMacroFeatureData::GetProcedureNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::IGetModuleNames Method](#)
[IMacroFeatureData::IGetProcedureNames Method](#)
[IMacroFeatureData::IGetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::IGetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::MacroFileName Property](#)
[IMacroFeatureData::ProcedureName Property](#)
[IMacroFeatureData::PropertyManagerHandleMacroFileName Property](#)
[IMacroFeatureData::PropertyManagerHandleModuleName Property](#)
[IMacroFeatureData::PropertyManagerHandleProcedureName Property](#)
[IMacroFeatureData::SecurityHandleMacroFileName Property](#)
[IMacroFeatureData::SecurityHandleModuleName Property](#)
[SecurityHandleProcedureName Property](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

Parents Property (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : Parents Property (IMacroFeatureData)

Gets or sets the parent features for this macro feature.

.NET Syntax

Visual Basic (Declaration)

Property Parents As System.Object

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData
Dim value As System.Object

instance.Parents = value

value = instance.Parents
```

C#

```
System.Object Parents {get; set;}
```

C++/CLI

```
property System.Object^ Parents {
    System.Object^ get();
    void set ( & System.Object^ value);
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Array of parent [features](#) for this macro feature

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::Parents](#).

Remarks

Parent features set by this property are not persistent when the macro feature is regenerated. Reset the parent features in the [SwComFeature::Regenerate](#) handler.

To get the parent features...

Use...

assigned to a macro feature by `IMacroFeatureData.Parents` or `IMacroFeatureData.SetParents`

- `IMacroFeatureData.Parents` or [IMacroFeatureData.GetParents](#)
- or -
- [IFeature.GetParents](#) or [IFeature.GetParents](#)

of a macro feature created by first selecting objects and then calling [IFeatureManager.InsertMacroFeature3](#) or [IFeatureManager.InsertMacroFeature3](#)

- [IMacroFeatureData.GetSelections3](#) or [IMacroFeatureData.GetSelections3](#)
- or -
- [IFeature.GetParents](#) or [IFeature.GetParents](#)

See [Accessing Selections that Define Features](#) for additional details on using this method.

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData.GetParentsCount Method](#)

Availability

SOLIDWORKS 2006 FCS, Revision Number 14.0

PatternTransform Property (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : PatternTransform Property (IMacroFeatureData)

Gets the pattern transform.

.NET Syntax

Visual Basic (Declaration)

ReadOnly Property PatternTransform As MathTransform

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim value As MathTransform
```

```
value = instance.PatternTransform
```

C#

```
MathTransform PatternTransform {get;}
```

C++/CLI

```
property MathTransform^ PatternTransform {  
    MathTransform^ get();  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

[Math transform](#)

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::PatternTransform](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetEditTargetTransform Method](#)
[IMacroFeatureData::FeatureTransform Property](#)

Availability

SOLIDWORKS 2006 FCS, Revision Number 14.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

ProcedureName Property (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : ProcedureName Property (IMacroFeatureData)

Gets or sets a name of the procedure in the macro for this macro feature.

.NET Syntax

Visual Basic (Declaration)

Property ProcedureName As System.String

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim value As System.String
```

```
instance.ProcedureName = value  
  
value = instance.ProcedureName
```

C#

```
System.string ProcedureName {get; set;}
```

C++/CLI

```
property System.String^ ProcedureName {  
    System.String^ get();  
    void set ( &    System.String^ value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Name of the procedure in the macro

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::ProcedureName](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetModuleCount Method](#)
[IMacroFeatureData::GetModuleNames Method](#)
[IMacroFeatureData::GetProcedureCount Method](#)
[IMacroFeatureData::GetProcedureNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::IGetModuleNames Method](#)
[IMacroFeatureData::IGetProcedureNames Method](#)
[IMacroFeatureData::IGetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::IGetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::MacroFileName Property](#)
[IMacroFeatureData::ModuleName Property](#)
[IMacroFeatureData::PropertyManagerHandleMacroFileName Property](#)
[IMacroFeatureData::PropertyManagerHandleModuleNames Property](#)
[IMacroFeatureData::PropertyManagerHandleProcedureName Property](#)
[IMacroFeatureData::SecurityHandleMacroFileName Property](#)
[IMacroFeatureData::SecurityHandleModuleName Property](#)
[IMacroFeatureData::SecurityHandleProcedureName Property](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

[SOLIDWORKS API Help](#)

[Send comments on this topic.](#)

PropertyManagerHandleMacroFileName Property (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : PropertyManagerHandleMacroFileName Property (IMacroFeatureData)

Gets or sets the path and file name for the macro file from or to the PropertyManager handle for this macro feature.

.NET Syntax

Visual Basic (Declaration)

```
Property PropertyManagerHandleMacroFileName As System.String
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim value As System.String
```

```
instance.PropertyManagerHandleMacroFileName = value  
  
value = instance.PropertyManagerHandleMacroFileName
```

C#

```
System.string PropertyManagerHandleMacroFileName {get; set;}
```

C++/CLI

```
property System.String^ PropertyManagerHandleMacroFileName {  
    System.String^ get();  
    void set ( &    System.String^ value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Path and file name of the macro

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::PropertyManagerHandleMacroFileName](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetModuleCount Method](#)
[IMacroFeatureData::GetModuleNames Method](#)
[IMacroFeatureData::GetProcedureCount Method](#)
[IMacroFeatureData::GetProcedureNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::IGetModuleNames Method](#)
[IMacroFeatureData::IGetProcedureNames Method](#)
[IMacroFeatureData::IGetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::IGetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::MacroFileName Property](#)
[IMacroFeatureData::ModuleName Property](#)
[IMacroFeatureData::ProcedureName Property](#)
[IMacroFeatureData::PropertyManagerHandleModuleName Property](#)
[IMacroFeatureData::PropertyManagerHandleProcedureName Property](#)
[IMacroFeatureData::SecurityHandleMacroFileName Property](#)
[IMacroFeatureData::SecurityHandleModuleName Property](#)
[IMacroFeatureData::SecurityHandleProcedureName Property](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

PropertyManagerHandleModuleName Property (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : PropertyManagerHandleModuleName Property (IMacroFeatureData)

Gets or sets the name of the module in the macro file from or to the PropertyManager handle.

.NET Syntax

Visual Basic (Declaration)

```
Property PropertyManagerHandleModuleName As System.String
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim value As System.String
```

```
instance.PropertyManagerHandleModuleName = value
```

```
value = instance.PropertyManagerHandleModuleName
```

C#

```
System.string PropertyManagerHandleModuleName {get; set;}
```

C++/CLI

```
property System.String^ PropertyManagerHandleModuleName {
    System.String^ get();
    void set ( & System.String^ value);
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Name of the module in the macro file

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::PropertyManagerHandleModuleName](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetModuleCount Method](#)
[IMacroFeatureData::GetModuleNames Method](#)
[IMacroFeatureData::GetProcedureCount Method](#)
[IMacroFeatureData::GetProcedureNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::IGetModuleNames Method](#)
[IMacroFeatureData::IGetProcedureNames Method](#)
[IMacroFeatureData::IGetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::IGetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::MacroFileName Property](#)
[IMacroFeatureData::ModuleName Property](#)
[IMacroFeatureData::ProcedureName Property](#)
[IMacroFeatureData::PropertyManagerHandleMacroFileName Property](#)
[IMacroFeatureData::PropertyManagerHandleProcedureName Property](#)
[IMacroFeatureData::SecurityHandleMacroFileName Property](#)
[IMacroFeatureData::SecurityHandleModuleName Property](#)
[IMacroFeatureData::SecurityHandleProcedureName Property](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

PropertyManagerHandleProcedureName Property (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : PropertyManagerHandleProcedureName Property (IMacroFeatureData)

Gets or sets the name of the procedure in the macro file from or to the PropertyManager handle.

.NET Syntax

Visual Basic (Declaration)

```
Property PropertyManagerHandleProcedureName As System.String
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData
Dim value As System.String
```

```
instance.PropertyManagerHandleProcedureName = value
```

```
value = instance.PropertyManagerHandleProcedureName
```

C#

```
System.string PropertyManagerHandleProcedureName {get; set;}
```

C++/CLI

```
property System.String^ PropertyManagerHandleProcedureName {
    System.String^ get();
```

```
void set ( & System.String^ value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Name of the procedure in the macro file

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::PropertyManagerHandleProcedureName](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetModuleCount Method](#)
[IMacroFeatureData::GetModuleNames Method](#)
[IMacroFeatureData::GetProcedureCount Method](#)
[IMacroFeatureData::GetProcedureNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::IGetModuleNames Method](#)
[IMacroFeatureData::IGetProcedureNames Method](#)
[IMacroFeatureData::IGetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::IGetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::MacroFileName Property](#)
[IMacroFeatureData::ModuleName Property](#)
[IMacroFeatureData::ProcedureName Property](#)
[IMacroFeatureData::PropertyManagerHandleMacroFileName Property](#)
[IMacroFeatureData::PropertyManagerHandleModuleName Property](#)
[IMacroFeatureData::SecurityHandleMacroFileName Property](#)
[IMacroFeatureData::SecurityHandleModuleName Property](#)
[IMacroFeatureData::SecurityHandleProcedureName Property](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

Provider Property (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : Provider Property (IMacroFeatureData)

Gets or sets the error message to display in the What's Wrong dialog when a non-embedded macro feature fails to rebuild due to missing files.

.NET Syntax

Visual Basic (Declaration)

Property Provider As System.String

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim value As System.String
```

```
instance.Provider = value
```

```
value = instance.Provider
```

C#

```
System.string Provider {get; set;}
```

C++/CLI

```
property System.String^ Provider {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Error message

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::Provider](#).

Remarks

This property allows you to replace the generic error message that appears in the What's Wrong dialog with a more detailed error message when this non-embedded macro feature fails to load or rebuild due to missing files.

Possible causes of macro feature rebuild failure:

- The model contains this COM-based macro feature, but the rebuild, edit, and security callbacks exist in an add-in that SOLIDWORKS cannot locate.
- The model references this non-embedded macro feature which exists in a VBA macro that SOLIDWORKS cannot locate.
- Third-party DLLs, add-in files, or other files associated with this non-embedded macro feature are missing.

NOTE: All files required by embedded macro features are serialized with the model, so **File not found** errors do not occur for embedded macros and this property need not be set for them.

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::EmbedMacroFile Method \(\)](#)
[IMacroFeatureData::MacroFileEmbedded Property \(\)](#)
[IModelDocExtension::GetWhatsWrong Method \(\)](#)

Availability

SOLIDWORKS 2016 FCS, Revision Number 24.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

ReleaseSelectionAccess Method (IMacroFeatureData)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : ReleaseSelectionAccess Method (IMacroFeatureData)

Releases access to the selections associated with this macro feature.

.NET Syntax

Visual Basic (Declaration)

```
Sub ReleaseSelectionAccess()
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
instance.ReleaseSelectionAccess()
```

C#

```
void ReleaseSelectionAccess()
```

C++/CLI

```
void ReleaseSelectionAccess();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::ReleaseSelectionAccess](#).

Example

[Cut Body in Half Using Macro Feature \(VBA\)](#)

Remarks

[IMacroFeatureData::AccessSelections](#) and [IMacroFeatureData::!AccessSelections](#) put the model into a rollback state to allow access to the selections that define this feature.

Use this method to restore the rollback state if you did not modify the feature or use [IFeature::ModifyDefinition](#) or [IFeature::!ModifyDefintion2](#) if you did.

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

SecurityHandleMacroFileName Property (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : SecurityHandleMacroFileName Property (IMacroFeatureData)

Gets or sets the name of the procedure in the macro file from or to the security handle.

.NET Syntax

Visual Basic (Declaration)

Property SecurityHandleMacroFileName As System.String

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData
Dim value As System.String

instance.SecurityHandleMacroFileName = value

value = instance.SecurityHandleMacroFileName
```

C#

```
System.string SecurityHandleMacroFileName {get; set;}
```

C++/CLI

```
property System.String^ SecurityHandleMacroFileName {
    System.String^ get();
    void set ( & System.String^ value);
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Name of the procedure in the macro file

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::SecurityHandleMacroFileName](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetModuleCount Method](#)
[IMacroFeatureData::GetModuleNames Method](#)
[IMacroFeatureData::GetProcedureCount Method](#)
[IMacroFeatureData::GetProcedureNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleNames Method](#)

[IMacroFeatureData::GetPropertyManagerHandleProcedureCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::!GetModuleNames Method](#)
[IMacroFeatureData::!GetProcedureNames Method](#)
[IMacroFeatureData::!GetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::!GetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::MacroFileName Property](#)
[IMacroFeatureData::ModuleName Property](#)
[IMacroFeatureData::ProcedureName Property](#)
[IMacroFeatureData::PropertyManagerHandleMacroFileName Property](#)
[IMacroFeatureData::PropertyManagerHandleModuleName Property](#)
[IMacroFeatureData::PropertyManagerHandleProcedureName Property](#)
[IMacroFeatureData::SecurityHandleModuleName Property](#)
[IMacroFeatureData::SecurityHandleProcedureName Property](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

SecurityHandleModuleName Property (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : SecurityHandleModuleName Property (IMacroFeatureData)

Gets and sets the name of the module in the macro file from or to the security handle.

.NET Syntax

Visual Basic (Declaration)

```
Property SecurityHandleModuleName As System.String
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim value As System.String
```

```
instance.SecurityHandleModuleName = value  
  
value = instance.SecurityHandleModuleName
```

C#

```
System.string SecurityHandleModuleName {get; set;}
```

C++/CLI

```
property System.String^ SecurityHandleModuleName {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Name of the module in the macro file

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::SecurityHandleModuleName](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetModuleCount Method](#)
[IMacroFeatureData::GetModuleNames Method](#)
[IMacroFeatureData::GetProcedureCount Method](#)
[IMacroFeatureData::GetProcedureNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::!GetModuleNames Method](#)
[IMacroFeatureData::!GetProcedureNames Method](#)
[IMacroFeatureData::!GetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::!GetPropertyManagerHandleProcedureNames Method](#)

[IMacroFeatureData::MacroFileName Property](#)
[IMacroFeatureData::ModuleName Property](#)
[IMacroFeatureData::ProcedureName Property](#)
[IMacroFeatureData::PropertyManagerHandleMacroFileName Property](#)
[IMacroFeatureData::PropertyManagerHandleModuleName Property](#)
[IMacroFeatureData::PropertyManagerHandleProcedureName Property](#)
[IMacroFeatureData::SecurityHandleMacroFileName Property](#)
[IMacroFeatureData::SecurityHandleProcedureName Property](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

SecurityHandleProcedureName Property (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : SecurityHandleProcedureName Property (IMacroFeatureData)

Gets or sets the name of the procedure in the macro file from or to the security handle.

.NET Syntax

Visual Basic (Declaration)

Property SecurityHandleProcedureName As System.String

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim value As System.String
```

```
instance.SecurityHandleProcedureName = value
```

```
value = instance.SecurityHandleProcedureName
```

C#

```
System.string SecurityHandleProcedureName {get; set;}
```

C++/CLI

```
property System.String^ SecurityHandleProcedureName {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Name of the procedure in the macro file

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::SecurityHandleProcedureName](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetModuleCount Method](#)
[IMacroFeatureData::GetModuleNames Method](#)
[IMacroFeatureData::GetProcedureCount Method](#)
[IMacroFeatureData::GetProcedureNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureCount Method](#)
[IMacroFeatureData::GetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::!GetModuleNames Method](#)
[IMacroFeatureData::!GetProcedureNames Method](#)
[IMacroFeatureData::!GetPropertyManagerHandleModuleNames Method](#)
[IMacroFeatureData::!GetPropertyManagerHandleProcedureNames Method](#)
[IMacroFeatureData::MacroFileName Property](#)
[IMacroFeatureData::ModuleName Property](#)
[IMacroFeatureData::ProcedureName Property](#)
[IMacroFeatureData::PropertyManagerHandleMacroFileName Property](#)
[IMacroFeatureData::PropertyManagerHandleModuleName Property](#)
[IMacroFeatureData::PropertyManagerHandleProcedureName Property](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetDoubleByName Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : SetDoubleByName Method (IMacroFeatureData)

Sets a double value by parameter name for the macro feature.

.NET Syntax

Visual Basic (Declaration)

```
Sub SetDoubleByName( _  
    ByVal ParamName As System.String, _  
    ByVal ParamValue As System.Double _  
)
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim ParamName As System.String  
Dim ParamValue As System.Double  
  
instance.SetDoubleByName(ParamName, ParamValue)
```

C#

```
void SetDoubleByName(  
    System.string ParamName,  
    System.double ParamValue  
)
```

C++/CLI

```
void SetDoubleByName(  
& System.String^ ParamName,  
& System.double ParamValue  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ParamName

Name of the parameter

ParamValue

New double value

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::SetDoubleByName](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetDoubleByName Method](#)
[IMacroFeatureData::GetIntegerByName Method](#)
[IMacroFeatureData::GetParameterCount Method](#)
[IMacroFeatureData::GetParameters Method](#)
[IMacroFeatureData::IGetParameters Method](#)
[IMacroFeatureData::GetStringByName Method](#)
[IMacroFeatureData::ISetParameters Method](#)
[IMacroFeatureData::SetIntegerByName Method](#)
[IMacroFeatureData::SetStringByName Method](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetEdgeUserId Method (IMacroFeatureData)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : SetEdgeUserId Method (IMacroFeatureData)

Sets the user-defined IDs for the specified edge for the macro feature.

.NET Syntax

Visual Basic (Declaration)

```
Function SetEdgeUserId( _  
    ByVal Edge As Edge, _  
    ByVal Id1 As System.Integer, _  
    ByVal Id2 As System.Integer _  
    ) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim Edge As Edge  
Dim Id1 As System.Integer  
Dim Id2 As System.Integer  
Dim value As System.Boolean  
  
value = instance.SetEdgeUserId(Edge, Id1, Id2)
```

C#

```
System.bool SetEdgeUserId(  
    Edge Edge,  
    System.int Id1,  
    System.int Id2  
)
```

C++/CLI

```
System.bool SetEdgeUserId(  
& Edge^ Edge,  
& System.int Id1,  
& System.int Id2  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Edge

[Edge](#)

Id1

First ID

Id2

Second ID

Return Value

True if the IDs are valid, false if not

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::SetEdgeUserId](#).

Example

[Cut Body in Half Using Macro Feature \(VBA\)](#)

[Create Multibody Macro Feature \(VBA\)](#)

Remarks

See [Accessing Selections that Define Features](#) for additional details on using this method.

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetEdgeIdType Method](#)
[IMacroFeatureData::GetEdgeUserId Method](#)
[IMacroFeatureData::GetEntitiesNeedUserId Method](#)
[IMacroFeatureData::GetEntitiesNeedUserIdCount Method](#)
[IMacroFeatureData::GetFaceIdType Method](#)
[IMacroFeatureData::GetFaceUserId Method](#)
[IMacroFeatureData::IGetEntitiesNeedUserId Method](#)
[IMacroFeatureData::SetFaceUserId Method](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetFaceUserId Method (IMacroFeatureData)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : SetFaceUserId Method (IMacroFeatureData)

Sets user-defined IDs for the face for the macro feature.

.NET Syntax

Visual Basic (Declaration)

```
Function SetFaceUserId( _  
    ByVal Face As Face2, _  
    ByVal Id1 As System.Integer, _  
    ByVal Id2 As System.Integer _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim Face As Face2  
Dim Id1 As System.Integer  
Dim Id2 As System.Integer  
Dim value As System.Boolean  
  
value = instance.SetFaceUserId(Face, Id1, Id2)
```

C#

```
System.bool SetFaceUserId(  
    Face2 Face,  
    System.int Id1,  
    System.int Id2  
)
```

C++/CLI

```
System.bool SetFaceUserId(  
& Face2^ Face,  
& System.int Id1,  
& System.int Id2  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Face

Face

Id1

First ID

Id2

Second ID

Return Value

True if the IDs are valid, false if not

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::SetFaceUserId](#).

Example

[Create Multibody Macro Feature \(VBA\)](#)

[Create Multibody Macro Feature \(VB.NET\)](#)

[Create Multibody Macro Feature \(C#\)](#)

Remarks

See [Accessing Selections that Define Features](#) for additional details on using this method.

See Also

[IMacroFeatureData Interface](#)

[IMacroFeatureData Members](#)

[IMacroFeatureData::GetEdgeIdType Method](#)

[IMacroFeatureData::GetEdgeUserId Method](#)

[IMacroFeatureData::GetEntitiesNeedUserId Method](#)

[IMacroFeatureData::GetEntitiesNeedUserIdCount Method](#)

[IMacroFeatureData::GetFacetIdType Method](#)

[IMacroFeatureData::GetFaceUserId Method](#)

[IMacroFeatureData::IGetEntitiesNeedUserId Method](#)

[IMacroFeatureData::SetEdgeUserId Method](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetIntegerByName Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : SetIntegerByName Method (IMacroFeatureData)

Sets an integer value by parameter name.

.NET Syntax

Visual Basic (Declaration)

```
Sub SetIntegerByName( _  
    ByVal ParamName As System.String, _  
    ByVal ParamValue As System.Integer _  
)
```

Visual Basic (Usage)

```
Dim instance As IMacroFeatureData  
Dim ParamName As System.String  
Dim ParamValue As System.Integer
```

```
instance.SetIntegerByName(ParamName, ParamValue)
```

C#

```
void SetIntegerByName(  
    System.string ParamName,
```



```
        System.int ParamValue
    )
```

C++/CLI

```
void SetIntegerByName(
&    System.String^ ParamName,
&    System.int ParamValue
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ParamName

Name of the parameter

ParamValue

New integer value

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::SetIntegerByName](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetDoubleByName Method](#)
[IMacroFeatureData::GetIntegerByName Method](#)
[IMacroFeatureData::GetParameterCount Method](#)
[IMacroFeatureData::GetParameters Method](#)
[IMacroFeatureData::GetStringByName Method](#)
[IMacroFeatureData::!GetParameters Method](#)
[IMacroFeatureData::!SetParameters Method](#)
[IMacroFeatureData::SetDoubleByName Method](#)
[IMacroFeatureData::SetStringByName Method](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetParameters Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : SetParameters Method (IMacroFeatureData)

Sets the user-defined parameters.

.NET Syntax

Visual Basic (Declaration)

```
Sub SetParameters( _
    ByVal ParamNames As System.Object, _
    ByVal ParamTypes As System.Object, _
    ByVal ParamValues As System.Object _
)
```

Visual Basic (Usage)

```
Dim instance As IMacroFeatureData
Dim ParamNames As System.Object
Dim ParamTypes As System.Object
Dim ParamValues As System.Object
```

```
instance.SetParameters(ParamNames, ParamTypes, ParamValues)
```

C#

```
void SetParameters(
    System.object ParamNames,
    System.object ParamTypes,
```



```
        System.Object ParamValues
    )
```

C++/CLI

```
void SetParameters(
&    System.Object^ ParamNames,
&    System.Object^ ParamTypes,
&    System.Object^ ParamValues
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ParamNames

Array of parameter names

ParamTypes

Array parameter data types as defined in [swMacroFeatureParamType_e](#)

ParamValues

Array parameter values

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::SetParameters](#).

See Also

[IMacroFeatureData Interface](#)

[IMacroFeatureData Members](#)

[IMacroFeatureData::GetDoubleByName Method](#)

[IMacroFeatureData::GetIntegerByName Method](#)

[IMacroFeatureData::GetParameterCount Method](#)

[IMacroFeatureData::GetParameters Method](#)

[IMacroFeatureData::GetStringByName Method](#)

[IMacroFeatureData::IGetParameters Method](#)

[IMacroFeatureData::SetDoubleByName Method](#)

[IMacroFeatureData::SetIntegerByName Method](#)

[IMacroFeatureData::SetStringByName Method](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetProgId Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : SetProgId Method (IMacroFeatureData)

Sets the version-independent program ID that is valid for this COM feature.

.NET Syntax

Visual Basic (Declaration)

```
Sub SetProgId( _
    ByVal ProgId As System.String _
)
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData
Dim ProgId As System.String

instance.SetProgId(ProgId)
```

C#

```
void SetProgId(
    System.string ProgId
)
```

```
void SetProgId(
& System.String^ ProgId
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ProgId

Name of the program ID for the component that implements the COM feature handler

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::SetProgId](#).

Remarks

See [Exposed COM DLL or Executable and Macro Features](#) for details about macro features that define their behavior using COM.

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetProgId Method](#)
[IMacroFeatureData::IsCOMFeature Method](#)

Availability

SOLIDWORKS 2006 SP4, Revision Number 14.4

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetSelections Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : SetSelections Method (IMacroFeatureData)

Obsolete. Superseded by [IMacroFeatureData::SetSelections2](#)

.NET Syntax

Visual Basic (Declaration)

```
Sub SetSelections( _
    ByVal Objects As System.Object, _
    ByVal SelMarks As System.Object _
)
```

Visual Basic (Usage)

```
Dim instance As IMacroFeatureData
Dim Objects As System.Object
Dim SelMarks As System.Object

instance.SetSelections(Objects, SelMarks)
```

C#

```
void SetSelections(
    System.object Objects,
    System.object SelMarks
)
```

C++/CLI



Copy Code

```
void SetSelections(  
& System.Object^ Objects,  
& System.Object^ SelMarks  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Objects

SelMarks

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::SetSelections](#).

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetSelections2 Method (IMacroFeatureData)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : SetSelections2 Method (IMacroFeatureData)

Sets the selected objects for the macro feature.

.NET Syntax

Visual Basic (Declaration)

```
Sub SetSelections2(  
    ByVal Objects As System.Object, _  
    ByVal SelMarks As System.Object, _  
    ByVal DrViews As System.Object _  
)
```

Visual Basic (Usage)



```
Dim instance As IMacroFeatureData  
Dim Objects As System.Object  
Dim SelMarks As System.Object  
Dim DrViews As System.Object  
  
instance.SetSelections2(Objects, SelMarks, DrViews)
```

C#

```
void SetSelections2(  
    System.object Objects,  
    System.object SelMarks,  
    System.object DrViews  
)
```

C++/CLI

```
void SetSelections2(  
& System.Object^ Objects,  
& System.Object^ SelMarks,  
& System.Object^ DrViews  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Objects

Array of objects as defined in [swSelectType_e](#) to select (see **Remarks**)

SelMarks

Array of selection marks (integers or longs) for the objects (see **Remarks**)

DrViews

Array of [drawing views](#) (see **Remarks**)

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::SetSelections2](#).

Example

[Cut Body in Half Using Macro Feature \(VBA\)](#)

Remarks

Early bind the Objects, SelMarks, and DrViews arrays when declaring them to avoid possible problems when using other IMacroFeatureData methods.

See [Accessing Selections that Define Features](#) for additional details on using this method.

See Also

[IMacroFeatureData Interface](#)
[IMacroFeatureData Members](#)
[IMacroFeatureData::GetSelectionCount Method](#)
[IMacroFeatureData::GetSelections3 Method](#)
[IMacroFeatureData::IGetSelections3 Method](#)
[IMacroFeatureData::ISetSelections2 Method](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetStringByName Method (IMacroFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IMacroFeatureData Interface](#) : SetStringByName Method (IMacroFeatureData)

Sets a string value by parameter name.

.NET Syntax

Visual Basic (Declaration)

```
Sub SetStringByName( _  
    ByVal ParamName As System.String, _  
    ByVal ParamValue As System.String _  
)
```

Visual Basic (Usage)

```
Dim instance As IMacroFeatureData  
Dim ParamName As System.String  
Dim ParamValue As System.String  
  
instance.SetStringByName(ParamName, ParamValue)
```

C#

```
void SetStringByName(  
    System.string ParamName,  
    System.string ParamValue  
)
```

C++/CLI

```
void SetStringByName(  
& System.String^ ParamName,
```



```
& System.String^ ParamValue  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ParamName

Name of the parameter

ParamValue

New string value

Visual Basic for Applications (VBA) Syntax

See [MacroFeatureData::SetStringByName](#).

See Also

[IMacroFeatureData Interface](#)

[IMacroFeatureData Members](#)

[IMacroFeatureData::GetDoubleByName Method](#)

[IMacroFeatureData::GetIntegerByName Method](#)

[IMacroFeatureData::GetParameterCount Method](#)

[IMacroFeatureData::GetParameters Method](#)

[IMacroFeatureData::GetStringByName Method](#)

[IMacroFeatureData::IGetParameters Method](#)

[IMacroFeatureData::ISetParameters Method](#)

[IMacroFeatureData::SetDoubleByName Method](#)

[IMacroFeatureData::SetIntegerByName Method](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0