

SOLIDWORKS API (.NET VBA C#) — Reference (168/337): IModelDoc (part 4 of 13)

SOLIDWORKS API Documentation (converted from CHM)

IModelDoc (part 4 of 13) (Type)

DeleteSelection Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : DeleteSelection Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::DeleteSelection](#).

.NET Syntax

Visual Basic (Declaration)

```
Function DeleteSelection( _  
    ByVal ConfirmFlag As System.Boolean _  
) As System.Boolean
```

Visual Basic (Usage)

```
Dim instance As IModelDoc  
Dim ConfirmFlag As System.Boolean  
Dim value As System.Boolean  
  
value = instance.DeleteSelection(ConfirmFlag)
```

C#

```
System.bool DeleteSelection(  
    System.bool ConfirmFlag  
)
```

C++/CLI

```
System.bool DeleteSelection(  
& System.bool ConfirmFlag  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ConfirmFlag

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::DeleteSelection](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

DeriveSketch Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : DeriveSketch Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::DeriveSketch](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub DeriveSketch()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
  
instance.DeriveSketch()
```

C#

```
void DeriveSketch()
```

C++/CLI

```
void DeriveSketch();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::DeriveSketch](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

DeSelectByID Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : DeSelectByID Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::DeSelectByID](#).

.NET Syntax

Visual Basic (Declaration)

```
Function DeSelectByID( _  
    ByVal SelID As System.String, _  
    ByVal SelParams As System.String, _  
    ByVal X As System.Double, _  
    ByVal Y As System.Double, _  
    ByVal Z As System.Double _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim SelID As System.String  
Dim SelParams As System.String  
Dim X As System.Double  
Dim Y As System.Double  
Dim Z As System.Double  
Dim value As System.Boolean  
  
value = instance.DeSelectByID(SelID, SelParams, X, Y, Z)
```

C#

```
System.bool DeSelectByID(  
    System.string SelID,  
    System.string SelParams,  
    System.double X,  
    System.double Y,  
    System.double Z  
)
```

C++/CLI

```
System.bool DeSelectByID(  
& System.String^ SelID,  
& System.String^ SelParams,  
& System.double X,  
& System.double Y,  
& System.double Z  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SelID

SelParams

X

Y

Z

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::DeSelectByID](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DimPreferences Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : DimPreferences Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::DimPreferences](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub DimPreferences()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
```

```
instance.DimPreferences()
```

C#

```
void DimPreferences()
```

C++/CLI

```
void DimPreferences();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::DimPreferences](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

DragTo Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : DragTo Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::DragTo](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub DragTo( _  
    ByVal Flags As System.Integer, _  
    ByVal X As System.Double, _  
    ByVal Y As System.Double, _  
    ByVal Z As System.Double _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Flags As System.Integer  
Dim X As System.Double  
Dim Y As System.Double  
Dim Z As System.Double  
  
instance.DragTo(Flags, X, Y, Z)
```

C#

```
void DragTo(  
    System.int Flags,  
    System.double X,  
    System.double Y,  
    System.double Z  
)
```

C++/CLI

```
void DragTo(  
& System.int Flags,  
& System.double X,  
& System.double Y,  
& System.double Z  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Flags

X

Y

Z

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::DragTo](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

DrawLightIcons Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : DrawLightIcons Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::DrawLightIcons](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub DrawLightIcons()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.DrawLightIcons()
```

C#

```
void DrawLightIcons()
```

C++/CLI

```
void DrawLightIcons();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::DrawLightIcons](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditBalloonProperties Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditBalloonProperties Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditBalloonProperties](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditBalloonProperties( _  
    ByVal Style As System.Integer, _  
    ByVal Size As System.Integer, _  
    ByVal UpperTextStyle As System.Integer, _  
    ByVal UpperText As System.String, _  
    ByVal LowerTextStyle As System.Integer, _  
    ByVal LowerText As System.String _  
) As System.Object
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Style As System.Integer  
Dim Size As System.Integer  
Dim UpperTextStyle As System.Integer  
Dim UpperText As System.String  
Dim LowerTextStyle As System.Integer  
Dim LowerText As System.String  
Dim value As System.Object
```

```
value = instance.EditBalloonProperties(Style, Size, UpperTextStyle, UpperText, LowerTextStyle, LowerText)
```

C#

```
System.object EditBalloonProperties(  
    System.int Style,  
    System.int Size,  
    System.int UpperTextStyle,  
    System.string UpperText,  
    System.int LowerTextStyle,  
    System.string LowerText  
)
```

C++/CLI

```
System.Object^ EditBalloonProperties(  
& System.int Style,  
& System.int Size,  
& System.int UpperTextStyle,  
& System.String^ UpperText,  
& System.int LowerTextStyle,  
& System.String^ LowerText  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Style

Size

UpperTextStyle

UpperText

LowerTextStyle

LowerText

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditBalloonProperties](#).

See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditClearAll Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditClearAll Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditClearAll](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub EditClearAll()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
```

```
instance.EditClearAll()
```

C#

```
void EditClearAll()
```

C++/CLI

```
void EditClearAll();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditClearAll](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

EditConfiguration Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditConfiguration Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditConfiguration](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub EditConfiguration( _  
    ByVal Name As System.String, _  
    ByVal NewName As System.String, _  
    ByVal Comment As System.String, _  
    ByVal AlternateName As System.String, _  
    ByVal SuppressByDefault As System.Boolean, _  
    ByVal HideByDefault As System.Boolean, _  
    ByVal MinFeatureManager As System.Boolean, _  
    ByVal InheritProperties As System.Boolean, _  
    ByVal Flags As System.UInteger _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Name As System.String  
Dim NewName As System.String  
Dim Comment As System.String  
Dim AlternateName As System.String  
Dim SuppressByDefault As System.Boolean  
Dim HideByDefault As System.Boolean  
Dim MinFeatureManager As System.Boolean  
Dim InheritProperties As System.Boolean  
Dim Flags As System.UInteger
```

```
instance.EditConfiguration(Name, NewName, Comment, AlternateName, SuppressByDefault,  
HideByDefault, MinFeatureManager, InheritProperties, Flags)
```

C#

```
void EditConfiguration(  
    System.string Name,  
    System.string NewName,  
    System.string Comment,  
    System.string AlternateName,  
    System.bool SuppressByDefault,  
    System.bool HideByDefault,  
    System.bool MinFeatureManager,  
    System.bool InheritProperties,
```



```
        System.uint Flags
    )
```

C++/CLI

```
void EditConfiguration(
& System.String^ Name,
& System.String^ NewName,
& System.String^ Comment,
& System.String^ AlternateName,
& System.bool SuppressByDefault,
& System.bool HideByDefault,
& System.bool MinFeatureManager,
& System.bool InheritProperties,
& System.uint Flags
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Name

NewName

Comment

AlternateName

SuppressByDefault

HideByDefault

MinFeatureManager

InheritProperties

Flags

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditConfiguration](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

EditConfiguration2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditConfiguration2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditConfiguraiton2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditConfiguration2( _
    ByVal Name As System.String, _
    ByVal NewName As System.String, _
    ByVal Comment As System.String, _
    ByVal AlternateName As System.String, _
    ByVal SuppressByDefault As System.Boolean, _
    ByVal HideByDefault As System.Boolean, _
    ByVal MinFeatureManager As System.Boolean, _
    ByVal InheritProperties As System.Boolean, _
    ByVal Flags As System.UInteger _
) As System.Boolean
```

Visual Basic (Usage)



```

Dim instance As IModelDoc
Dim Name As System.String
Dim NewName As System.String
Dim Comment As System.String
Dim AlternateName As System.String
Dim SuppressByDefault As System.Boolean
Dim HideByDefault As System.Boolean
Dim MinFeatureManager As System.Boolean
Dim InheritProperties As System.Boolean
Dim Flags As System.UInteger
Dim value As System.Boolean

```

```

value = instance.EditConfiguration2(Name, NewName, Comment, AlternateName, SuppressByDefault,
HideByDefault, MinFeatureManager, InheritProperties, Flags)

```

C#

```

System.bool EditConfiguration2(
    System.string Name,
    System.string NewName,
    System.string Comment,
    System.string AlternateName,
    System.bool SuppressByDefault,
    System.bool HideByDefault,
    System.bool MinFeatureManager,
    System.bool InheritProperties,
    System.uint Flags
)

```

C++/CLI

```

System.bool EditConfiguration2(
    & System.String^ Name,
    & System.String^ NewName,
    & System.String^ Comment,
    & System.String^ AlternateName,
    & System.bool SuppressByDefault,
    & System.bool HideByDefault,
    & System.bool MinFeatureManager,
    & System.bool InheritProperties,
    & System.uint Flags
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Name

NewName

Comment

AlternateName

SuppressByDefault

HideByDefault

MinFeatureManager

InheritProperties

Flags

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditConfiguration2](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

EditCopy Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditCopy Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditCopy](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub EditCopy()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
```

```
instance.EditCopy()
```

C#

```
void EditCopy()
```

C++/CLI

```
void EditCopy();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditCopy](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

EditCut Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditCut Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditCut](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub EditCut()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
```

```
instance.EditCut()
```

C#

```
void EditCut()
```

C++/CLI

```
void EditCut();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditCut](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditDatumTargetSymbol Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditDatumTargetSymbol Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditDatumTargetSymbol](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditDatumTargetSymbol( _  
    ByVal Datum1 As System.String, _  
    ByVal Datum2 As System.String, _  
    ByVal Datum3 As System.String, _  
    ByVal AreaStyle As System.Short, _  
    ByVal AreaOutside As System.Boolean, _  
    ByVal Value1 As System.Double, _  
    ByVal Value2 As System.Double, _  
    ByVal ValueStr1 As System.String, _  
    ByVal ValueStr2 As System.String, _  
    ByVal ArrowsSmart As System.Boolean, _  
    ByVal ArrowStyle As System.Short, _  
    ByVal LeaderLineStyle As System.Short, _  
    ByVal LeaderBent As System.Boolean, _  
    ByVal ShowArea As System.Boolean, _  
    ByVal ShowSymbol As System.Boolean _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Datum1 As System.String  
Dim Datum2 As System.String  
Dim Datum3 As System.String  
Dim AreaStyle As System.Short  
Dim AreaOutside As System.Boolean  
Dim Value1 As System.Double  
Dim Value2 As System.Double  
Dim ValueStr1 As System.String  
Dim ValueStr2 As System.String  
Dim ArrowsSmart As System.Boolean  
Dim ArrowStyle As System.Short  
Dim LeaderLineStyle As System.Short  
Dim LeaderBent As System.Boolean  
Dim ShowArea As System.Boolean  
Dim ShowSymbol As System.Boolean  
Dim value As System.Boolean
```

```
value = instance.EditDatumTargetSymbol(Datum1, Datum2, Datum3, AreaStyle, AreaOutside, Value1,  
Value2, ValueStr1, ValueStr2, ArrowsSmart, ArrowStyle, LeaderLineStyle, LeaderBent, ShowArea,  
ShowSymbol)
```

C#

```
System.bool EditDatumTargetSymbol(  
    System.string Datum1,  
    System.string Datum2,
```

```

        System.string Datum3,
        System.short AreaStyle,
        System.bool AreaOutside,
        System.double Value1,
        System.double Value2,
        System.string ValueStr1,
        System.string ValueStr2,
        System.bool ArrowsSmart,
        System.short ArrowStyle,
        System.short LeaderLineStyle,
        System.bool LeaderBent,
        System.bool ShowArea,
        System.bool ShowSymbol
    )

```

C++/CLI

```

System.bool EditDatumTargetSymbol(
& System.String^ Datum1,
& System.String^ Datum2,
& System.String^ Datum3,
& System.short AreaStyle,
& System.bool AreaOutside,
& System.double Value1,
& System.double Value2,
& System.String^ ValueStr1,
& System.String^ ValueStr2,
& System.bool ArrowsSmart,
& System.short ArrowStyle,
& System.short LeaderLineStyle,
& System.bool LeaderBent,
& System.bool ShowArea,
& System.bool ShowSymbol
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Datum1

Datum2

Datum3

AreaStyle

AreaOutside

Value1

Value2

ValueStr1

ValueStr2

ArrowsSmart

ArrowStyle

LeaderLineStyle

LeaderBent

ShowArea

ShowSymbol

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditDatumTargetSymbol](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

EditDelete Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditDelete Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditDelete](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub EditDelete()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
  
instance.EditDelete()
```

C#

```
void EditDelete()
```

C++/CLI

```
void EditDelete();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditDelete](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditDimensionProperties Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditDimensionProperties Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditDimensionProperties](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditDimensionProperties( _  
    ByVal TolType As System.Integer, _  
    ByVal TolMax As System.Double, _  
    ByVal TolMin As System.Double, _  
    ByVal TolMaxFit As System.String, _  
    ByVal TolMinFit As System.String, _  
    ByVal UseDocPrec As System.Boolean, _  
    ByVal Precision As System.Integer, _  
    ByVal ArrowsIn As System.Integer, _  
    ByVal UseDocArrows As System.Boolean, _  
    ByVal Arrow1 As System.Integer, _  
    ByVal Arrow2 As System.Integer _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim TolType As System.Integer  
Dim TolMax As System.Double
```

```

Dim TolMin As System.Double
Dim TolMaxFit As System.String
Dim TolMinFit As System.String
Dim UseDocPrec As System.Boolean
Dim Precision As System.Integer
Dim ArrowsIn As System.Integer
Dim UseDocArrows As System.Boolean
Dim Arrow1 As System.Integer
Dim Arrow2 As System.Integer
Dim value As System.Boolean

```

```

value = instance.EditDimensionProperties(TolType, TolMax, TolMin, TolMaxFit, TolMinFit,
UseDocPrec, Precision, ArrowsIn, UseDocArrows, Arrow1, Arrow2)

```

C#

```

System.bool EditDimensionProperties(
    System.int TolType,
    System.double TolMax,
    System.double TolMin,
    System.string TolMaxFit,
    System.string TolMinFit,
    System.bool UseDocPrec,
    System.int Precision,
    System.int ArrowsIn,
    System.bool UseDocArrows,
    System.int Arrow1,
    System.int Arrow2
)

```

C++/CLI

```

System.bool EditDimensionProperties(
    & System.int TolType,
    & System.double TolMax,
    & System.double TolMin,
    & System.String^ TolMaxFit,
    & System.String^ TolMinFit,
    & System.bool UseDocPrec,
    & System.int Precision,
    & System.int ArrowsIn,
    & System.bool UseDocArrows,
    & System.int Arrow1,
    & System.int Arrow2
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

TolType

TolMax

TolMin

TolMaxFit

TolMinFit

UseDocPrec

Precision

ArrowsIn

UseDocArrows

Arrow1

Arrow2

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditDimensionProperties](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditDimensionProperties2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditDimensionProperties2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditDimensionProperties2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditDimensionProperties2( _  
    ByVal TolType As System.Integer, _  
    ByVal TolMax As System.Double, _  
    ByVal TolMin As System.Double, _  
    ByVal TolMaxFit As System.String, _  
    ByVal TolMinFit As System.String, _  
    ByVal UseDocPrec As System.Boolean, _  
    ByVal Precision As System.Integer, _  
    ByVal ArrowsIn As System.Integer, _  
    ByVal UseDocArrows As System.Boolean, _  
    ByVal Arrow1 As System.Integer, _  
    ByVal Arrow2 As System.Integer, _  
    ByVal PrefixText As System.String, _  
    ByVal SuffixText As System.String, _  
    ByVal ShowValue As System.Boolean, _  
    ByVal CalloutText1 As System.String, _  
    ByVal CalloutText2 As System.String, _  
    ByVal CenterText As System.Boolean _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim TolType As System.Integer  
Dim TolMax As System.Double  
Dim TolMin As System.Double  
Dim TolMaxFit As System.String  
Dim TolMinFit As System.String  
Dim UseDocPrec As System.Boolean  
Dim Precision As System.Integer  
Dim ArrowsIn As System.Integer  
Dim UseDocArrows As System.Boolean  
Dim Arrow1 As System.Integer  
Dim Arrow2 As System.Integer  
Dim PrefixText As System.String  
Dim SuffixText As System.String  
Dim ShowValue As System.Boolean  
Dim CalloutText1 As System.String  
Dim CalloutText2 As System.String  
Dim CenterText As System.Boolean  
Dim value As System.Boolean  
  
value = instance.EditDimensionProperties2(TolType, TolMax, TolMin, TolMaxFit, TolMinFit,  
UseDocPrec, Precision, ArrowsIn, UseDocArrows, Arrow1, Arrow2, PrefixText, SuffixText, ShowValue,  
CalloutText1, CalloutText2, CenterText)
```

C#

```
System.bool EditDimensionProperties2(  
    System.int TolType,  
    System.double TolMax,  
    System.double TolMin,
```



```

System.string TolMaxFit,
System.string TolMinFit,
System.bool UseDocPrec,
System.int Precision,
System.int ArrowsIn,
System.bool UseDocArrows,
System.int Arrow1,
System.int Arrow2,
System.string PrefixText,
System.string SuffixText,
System.bool ShowValue,
System.string CalloutText1,
System.string CalloutText2,
System.bool CenterText
)

```

C++/CLI

```

System.bool EditDimensionProperties2(
& System.int TolType,
& System.double TolMax,
& System.double TolMin,
& System.String^ TolMaxFit,
& System.String^ TolMinFit,
& System.bool UseDocPrec,
& System.int Precision,
& System.int ArrowsIn,
& System.bool UseDocArrows,
& System.int Arrow1,
& System.int Arrow2,
& System.String^ PrefixText,
& System.String^ SuffixText,
& System.bool ShowValue,
& System.String^ CalloutText1,
& System.String^ CalloutText2,
& System.bool CenterText
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

TolType

TolMax

TolMin

TolMaxFit

TolMinFit

UseDocPrec

Precision

ArrowsIn

UseDocArrows

Arrow1

Arrow2

PrefixText

SuffixText

ShowValue

CalloutText1

CalloutText2

CenterText

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditDimensionProperties2](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditOrdinate Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditOrdinate Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditOrdinate](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub EditOrdinate()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.EditOrdinate()
```

C#

```
void EditOrdinate()
```

C++/CLI

```
void EditOrdinate();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditOrdinate](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditRebuild3 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditRebuild3 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditRebuild3](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditRebuild3() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean  
  
value = instance.EditRebuild3()
```

C#

```
System.bool EditRebuild3()
```

C++/CLI

```
System.bool EditRebuild3();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditRebuild3](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditRedo Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditRedo Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditRedo](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub EditRedo( _  
    ByVal NSteps As System.UInteger _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim NSteps As System.UInteger  
  
instance.EditRedo(NSteps)
```

C#

```
void EditRedo(  
    System.uint NSteps  
)
```

C++/CLI

```
void EditRedo(  
& System.uint NSteps  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

NSteps

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditRedo](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditRollback Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditRollback Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditRollback](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditRollback() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean  
  
value = instance.EditRollback()
```

C#

```
System.bool EditRollback()
```

C++/CLI

```
System.bool EditRollback();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditRollback](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditRollback2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditRollback2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditRollback2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditRollback2() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean  
  
value = instance.EditRollback2()
```

C#

```
System.bool EditRollback2()
```

C++/CLI

```
System.bool EditRollback2();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditRollback2](#).

 See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditRoute Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditRoute Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditRoute](#).

 .NET Syntax

Visual Basic (Declaration)

```
Sub EditRoute()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
  
instance.EditRoute()
```

C#

```
void EditRoute()
```

C++/CLI

```
void EditRoute();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

 Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditRoute](#).

 See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditSeedFeat Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditSeedFeat Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditSeedFeat](#).

 .NET Syntax

Visual Basic (Declaration)

```
Sub EditSeedFeat()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
  
instance.EditSeedFeat()
```

C#

```
void EditSeedFeat()
```

C++/CLI

```
void EditSeedFeat();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditSeedFeat](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

EditSketch Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditSketch Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditSketch](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub EditSketch()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
```

```
instance.EditSketch()
```

C#

```
void EditSketch()
```

C++/CLI

```
void EditSketch();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditSketch](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

EditSketchOrSingleSketchFeature Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditSketchOrSingleSketchFeature Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditSketchOrSingleSketchFeature](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub EditSketchOrSingleSketchFeature()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.EditSketchOrSingleSketchFeature()
```

C#

```
void EditSketchOrSingleSketchFeature()
```

C++/CLI

```
void EditSketchOrSingleSketchFeature();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditSketchOrSingleSketchFeature](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditSuppress Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditSuppress Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditSuppress](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditSuppress() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean  
  
value = instance.EditSuppress()
```

C#

```
System.bool EditSuppress()
```

C++/CLI

```
System.bool EditSuppress();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditSuppress](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

EditSuppress2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditSuppress2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditSuppress2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditSuppress2() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean  
  
value = instance.EditSuppress2()
```

C#

```
System.bool EditSuppress2()
```

C++/CLI

```
System.bool EditSuppress2();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditSuppress2](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

EditUndo Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditUndo Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditUndo](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub EditUndo( _  
    ByVal NSteps As System.UInteger _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim NSteps As System.UInteger  
  
instance.EditUndo(NSteps)
```

C#

```
void EditUndo(  
    System.uint NSteps  
)
```


C++/CLI

```
void EditUndo(  
& System.uint NSteps  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

NSteps

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditUndo](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditUnsuppress Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditUnsuppress Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditUnsuppress](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditUnsuppress() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean  
  
value = instance.EditUnsuppress()
```

C#

```
System.bool EditUnsuppress()
```

C++/CLI

```
System.bool EditUnsuppress();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditUnsuppress](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditUnsuppress2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditUnsuppress2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditUnsuppress2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditUnsuppress2() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean  
  
value = instance.EditUnsuppress2()
```

C#

```
System.bool EditUnsuppress2()
```

C++/CLI

```
System.bool EditUnsuppress2();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditUnsuppress2](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditUnsuppressDependent Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditUnsuppressDependent Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditUnsuppressDependent](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditUnsuppressDependent() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean  
  
value = instance.EditUnsuppressDependent()
```

C#

```
System.bool EditUnsuppressDependent()
```

C++/CLI

```
System.bool EditUnsuppressDependent();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditUnsuppressDependent](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditUnsuppressDependent2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EditUnsuppressDependent2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EditUnsuppressDependent2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditUnsuppressDependent2() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean  
  
value = instance.EditUnsuppressDependent2()
```

C#

```
System.bool EditUnsuppressDependent2()
```

C++/CLI

```
System.bool EditUnsuppressDependent2();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EditUnsuppressDependent2](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EntityProperties Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EntityProperties Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EntityProperties](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub EntityProperties()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
  
instance.EntityProperties()
```

C#

```
void EntityProperties()
```

C++/CLI

```
void EntityProperties();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EntityProperties](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EnumModelViews Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : EnumModelViews Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::EnumModelViews](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EnumModelViews() As EnumModelViews
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As EnumModelViews  
  
value = instance.EnumModelViews()
```

C#

```
EnumModelViews EnumModelViews()
```

C++/CLI

```
EnumModelViews^ EnumModelViews();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::EnumModelViews](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatEdit Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatEdit Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatEdit](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatEdit()
```

```
Dim instance As IModelDoc  
  
instance.FeatEdit()
```

C#

```
void FeatEdit()
```

C++/CLI

```
void FeatEdit();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatEdit](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatEditDef Method (IModelDoc)

[See Also](#)

[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatEditDef Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatEditDef](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatEditDef()
```

Visual Basic (Usage)

```
Dim instance As IModelDoc  
  
instance.FeatEditDef()
```

C#

```
void FeatEditDef()
```

C++/CLI

```
void FeatEditDef();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatEditDef](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureBoss Method (IModelDoc)

[See Also](#)

 .NET Syntax

Visual Basic (Declaration)

```

Sub FeatureBoss( _
    ByVal Sd As System.Boolean, _
    ByVal Flip As System.Boolean, _
    ByVal Dir As System.Boolean, _
    ByVal T1 As System.Integer, _
    ByVal T2 As System.Integer, _
    ByVal D1 As System.Double, _
    ByVal D2 As System.Double, _
    ByVal Dchk1 As System.Boolean, _
    ByVal Dchk2 As System.Boolean, _
    ByVal Ddir1 As System.Boolean, _
    ByVal Ddir2 As System.Boolean, _
    ByVal Dang1 As System.Double, _
    ByVal Dang2 As System.Double, _
    ByVal OffsetReverse1 As System.Boolean, _
    ByVal OffsetReverse2 As System.Boolean _
)

```

Visual Basic (Usage)



```

Dim instance As IModelDoc
Dim Sd As System.Boolean
Dim Flip As System.Boolean
Dim Dir As System.Boolean
Dim T1 As System.Integer
Dim T2 As System.Integer
Dim D1 As System.Double
Dim D2 As System.Double
Dim Dchk1 As System.Boolean
Dim Dchk2 As System.Boolean
Dim Ddir1 As System.Boolean
Dim Ddir2 As System.Boolean
Dim Dang1 As System.Double
Dim Dang2 As System.Double
Dim OffsetReverse1 As System.Boolean
Dim OffsetReverse2 As System.Boolean

```

```

instance.FeatureBoss(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,
OffsetReverse1, OffsetReverse2)

```

C#

```

void FeatureBoss(
    System.bool Sd,
    System.bool Flip,
    System.bool Dir,
    System.int T1,
    System.int T2,
    System.double D1,
    System.double D2,
    System.bool Dchk1,
    System.bool Dchk2,
    System.bool Ddir1,
    System.bool Ddir2,
    System.double Dang1,
    System.double Dang2,
    System.bool OffsetReverse1,
    System.bool OffsetReverse2
)

```

C++/CLI

```

void FeatureBoss(
& System.bool Sd,
& System.bool Flip,
& System.bool Dir,
& System.int T1,
& System.int T2,
& System.double D1,
& System.double D2,
& System.bool Dchk1,
& System.bool Dchk2,
& System.bool Ddir1,
& System.bool Ddir2,
& System.double Dang1,
& System.double Dang2,
& System.bool OffsetReverse1,
& System.bool OffsetReverse2
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1

T2

D1

D2

Dchk1

Dchk2

Ddir1

Ddir2

Dang1

Dang2

OffsetReverse1

OffsetReverse2

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureBoss](#).

See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureBossThicken Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureBossThicken Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureBossThicken](#).

.NET Syntax

Visual Basic (Declaration)

```

Sub FeatureBossThicken( _
    ByVal Thickness As System.Double, _
    ByVal Direction As System.Integer, _
    ByVal FaceIndex As System.Integer _
)

```

```
Dim instance As IModelDoc
Dim Thickness As System.Double
Dim Direction As System.Integer
Dim FaceIndex As System.Integer

instance.FeatureBossThicken(Thickness, Direction, FaceIndex)
```

C#

```
void FeatureBossThicken(
    System.double Thickness,
    System.int Direction,
    System.int FaceIndex
)
```

C++/CLI

```
void FeatureBossThicken(
    & System.double Thickness,
    & System.int Direction,
    & System.int FaceIndex
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Thickness

Direction

FaceIndex

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureBossThicken](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureBossThicken2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureBossThicken2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureBossThicken2](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureBossThicken2( _
    ByVal Thickness As System.Double, _
    ByVal Direction As System.Integer, _
    ByVal FaceIndex As System.Integer, _
    ByVal FillVolume As System.Boolean _
)
```

Visual Basic (Usage)

```
Dim instance As IModelDoc
Dim Thickness As System.Double
Dim Direction As System.Integer
Dim FaceIndex As System.Integer
Dim FillVolume As System.Boolean
```



```
instance.FeatureBossThicken2(Thickness, Direction, FaceIndex, FillVolume)
```

C#

```
void FeatureBossThicken2(  
    System.double Thickness,  
    System.int Direction,  
    System.int FaceIndex,  
    System.bool FillVolume  
)
```

C++/CLI

```
void FeatureBossThicken2(  
    & System.double Thickness,  
    & System.int Direction,  
    & System.int FaceIndex,  
    & System.bool FillVolume  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Thickness

Direction

FaceIndex

FillVolume

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureBossThicken2](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureBossThin Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureBossThin Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureBossThin](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureBossThin( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _  
    ByVal D1 As System.Double, _  
    ByVal D2 As System.Double, _  
    ByVal Dchk1 As System.Boolean, _  
    ByVal Dchk2 As System.Boolean, _  
    ByVal Ddir1 As System.Boolean, _  
    ByVal Ddir2 As System.Boolean, _  
    ByVal Dang1 As System.Double, _  
    ByVal Dang2 As System.Double, _  
    ByVal OffsetReverse1 As System.Boolean, _  
    ByVal OffsetReverse2 As System.Boolean, _  
    ByVal Thk1 As System.Double, _  
    ByVal Thk2 As System.Double, _
```

```

    ByVal EndThk As System.Double, _
    ByVal RevThinDir As System.Integer, _
    ByVal CapEnds As System.Integer, _
    ByVal AddBends As System.Boolean, _
    ByVal BendRad As System.Double _
)

```

Visual Basic (Usage)



```

Dim instance As IModelDoc
Dim Sd As System.Boolean
Dim Flip As System.Boolean
Dim Dir As System.Boolean
Dim T1 As System.Integer
Dim T2 As System.Integer
Dim D1 As System.Double
Dim D2 As System.Double
Dim Dchk1 As System.Boolean
Dim Dchk2 As System.Boolean
Dim Ddir1 As System.Boolean
Dim Ddir2 As System.Boolean
Dim Dang1 As System.Double
Dim Dang2 As System.Double
Dim OffsetReverse1 As System.Boolean
Dim OffsetReverse2 As System.Boolean
Dim Thk1 As System.Double
Dim Thk2 As System.Double
Dim EndThk As System.Double
Dim RevThinDir As System.Integer
Dim CapEnds As System.Integer
Dim AddBends As System.Boolean
Dim BendRad As System.Double

```

```

instance.FeatureBossThin(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,
OffsetReverse1, OffsetReverse2, Thk1, Thk2, EndThk, RevThinDir, CapEnds, AddBends, BendRad)

```

C#

```

void FeatureBossThin(
    System.bool Sd,
    System.bool Flip,
    System.bool Dir,
    System.int T1,
    System.int T2,
    System.double D1,
    System.double D2,
    System.bool Dchk1,
    System.bool Dchk2,
    System.bool Ddir1,
    System.bool Ddir2,
    System.double Dang1,
    System.double Dang2,
    System.bool OffsetReverse1,
    System.bool OffsetReverse2,
    System.double Thk1,
    System.double Thk2,
    System.double EndThk,
    System.int RevThinDir,
    System.int CapEnds,
    System.bool AddBends,
    System.double BendRad
)

```

C++/CLI

```

void FeatureBossThin(
    & System.bool Sd,
    & System.bool Flip,
    & System.bool Dir,
    & System.int T1,

```

```

& System.int T2,
& System.double D1,
& System.double D2,
& System.bool Dchk1,
& System.bool Dchk2,
& System.bool Ddir1,
& System.bool Ddir2,
& System.double Dang1,
& System.double Dang2,
& System.bool OffsetReverse1,
& System.bool OffsetReverse2,
& System.double Thk1,
& System.double Thk2,
& System.double EndThk,
& System.int RevThinDir,
& System.int CapEnds,
& System.bool AddBends,
& System.double BendRad
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd
Flip
Dir
T1
T2
D1
D2
Dchk1
Dchk2
Ddir1
Ddir2
Dang1
Dang2
OffsetReverse1
OffsetReverse2
Thk1
Thk2
EndThk
RevThinDir
CapEnds
AddBends
BendRad

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureBossThin](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatureByPositionReverse Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureByPositionReverse Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureByPositionReverse](#).

.NET Syntax

Visual Basic (Declaration)

```
Function FeatureByPositionReverse( _  
    ByVal Num As System.Integer _  
) As System.Object
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Num As System.Integer  
Dim value As System.Object  
  
value = instance.FeatureByPositionReverse(Num)
```

C#

```
System.Object FeatureByPositionReverse(  
    System.int Num  
)
```

C++/CLI

```
System.Object^ FeatureByPositionReverse(  
& System.int Num  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Num

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureByPositionReverse](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatureChamfer Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureChamfer Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureChamfer](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureChamfer( _  
    ByVal Width As System.Double, _  
    ByVal Angle As System.Double, _  
    ByVal Flip As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Width As System.Double  
Dim Angle As System.Double  
Dim Flip As System.Boolean
```

```
instance.FeatureChamfer(Width, Angle, Flip)
```

C#

```
void FeatureChamfer(  
    System.double Width,  
    System.double Angle,  
    System.bool Flip  
)
```

C++/CLI

```
void FeatureChamfer(  
& System.double Width,  
& System.double Angle,  
& System.bool Flip  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Width

Angle

Flip

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureChamfer](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatureChamferType Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureChamferType Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureChamferType](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureChamferType(  
    ByVal ChamferType As System.Short, _  
    ByVal Width As System.Double, _  
    ByVal Angle As System.Double, _  
    ByVal Flip As System.Boolean, _  
    ByVal OtherDist As System.Double, _  
    ByVal VertexChamDist1 As System.Double, _  
    ByVal VertexChamDist2 As System.Double, _  
    ByVal VertexChamDist3 As System.Double _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim ChamferType As System.Short  
Dim Width As System.Double  
Dim Angle As System.Double  
Dim Flip As System.Boolean  
Dim OtherDist As System.Double  
Dim VertexChamDist1 As System.Double  
Dim VertexChamDist2 As System.Double
```

```
Dim VertexChamDist3 As System.Double
```

```
instance.FeatureChamferType(ChamferType, Width, Angle, Flip, OtherDist, VertexChamDist1,  
VertexChamDist2, VertexChamDist3)
```

C#

```
void FeatureChamferType(  
    System.short ChamferType,  
    System.double Width,  
    System.double Angle,  
    System.bool Flip,  
    System.double OtherDist,  
    System.double VertexChamDist1,  
    System.double VertexChamDist2,  
    System.double VertexChamDist3  
)
```

C++/CLI

```
void FeatureChamferType(  
& System.short ChamferType,  
& System.double Width,  
& System.double Angle,  
& System.bool Flip,  
& System.double OtherDist,  
& System.double VertexChamDist1,  
& System.double VertexChamDist2,  
& System.double VertexChamDist3  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ChamferType

Width

Angle

Flip

OtherDist

VertexChamDist1

VertexChamDist2

VertexChamDist3

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureChamferType](#).

See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatureCirPattern Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureCirPattern Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureCirPattern](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCirPattern( _  
    ByVal Num As System.Integer, _  
    ByVal Spacing As System.Double, _
```

```
ByVal FlipDir As System.Boolean, _  
ByVal DName As System.String _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Num As System.Integer  
Dim Spacing As System.Double  
Dim FlipDir As System.Boolean  
Dim DName As System.String
```

```
instance.FeatureCirPattern(Num, Spacing, FlipDir, DName)
```

C#

```
void FeatureCirPattern(  
    System.int Num,  
    System.double Spacing,  
    System.bool FlipDir,  
    System.string DName  
)
```

C++/CLI

```
void FeatureCirPattern(  
& System.int Num,  
& System.double Spacing,  
& System.bool FlipDir,  
& System.String^ DName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Num

Spacing

FlipDir

DName

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureCirPattern](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureCut Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureCut Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureCut](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCut( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _
```

```

ByVal D1 As System.Double, _
ByVal D2 As System.Double, _
ByVal Dchk1 As System.Boolean, _
ByVal Dchk2 As System.Boolean, _
ByVal Ddir1 As System.Boolean, _
ByVal Ddir2 As System.Boolean, _
ByVal Dang1 As System.Double, _
ByVal Dang2 As System.Double, _
ByVal OffsetReverse1 As System.Boolean, _
ByVal OffsetReverse2 As System.Boolean _
)

```

Visual Basic (Usage)



```

Dim instance As IModelDoc
Dim Sd As System.Boolean
Dim Flip As System.Boolean
Dim Dir As System.Boolean
Dim T1 As System.Integer
Dim T2 As System.Integer
Dim D1 As System.Double
Dim D2 As System.Double
Dim Dchk1 As System.Boolean
Dim Dchk2 As System.Boolean
Dim Ddir1 As System.Boolean
Dim Ddir2 As System.Boolean
Dim Dang1 As System.Double
Dim Dang2 As System.Double
Dim OffsetReverse1 As System.Boolean
Dim OffsetReverse2 As System.Boolean

```

```

instance.FeatureCut(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,
OffsetReverse1, OffsetReverse2)

```

C#

```

void FeatureCut(
    System.bool Sd,
    System.bool Flip,
    System.bool Dir,
    System.int T1,
    System.int T2,
    System.double D1,
    System.double D2,
    System.bool Dchk1,
    System.bool Dchk2,
    System.bool Ddir1,
    System.bool Ddir2,
    System.double Dang1,
    System.double Dang2,
    System.bool OffsetReverse1,
    System.bool OffsetReverse2
)

```

C++/CLI

```

void FeatureCut(
& System.bool Sd,
& System.bool Flip,
& System.bool Dir,
& System.int T1,
& System.int T2,
& System.double D1,
& System.double D2,
& System.bool Dchk1,
& System.bool Dchk2,
& System.bool Ddir1,
& System.bool Ddir2,
& System.double Dang1,
& System.double Dang2,

```



```
& System.bool OffsetReverse1,  
& System.bool OffsetReverse2  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1

T2

D1

D2

Dchk1

Dchk2

Ddir1

Ddir2

Dang1

Dang2

OffsetReverse1

OffsetReverse2

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureCut](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatureCut2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureCut2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureCut2](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCut2( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _  
    ByVal D1 As System.Double, _  
    ByVal D2 As System.Double, _  
    ByVal Dchk1 As System.Boolean, _  
    ByVal Dchk2 As System.Boolean, _  
    ByVal Ddir1 As System.Boolean, _  
    ByVal Ddir2 As System.Boolean, _  
    ByVal Dang1 As System.Double, _  
    ByVal Dang2 As System.Double, _  
    ByVal OffsetReverse1 As System.Boolean, _  
    ByVal OffsetReverse2 As System.Boolean, _  
    ByVal KeepPieceIndex As System.Integer _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Sd As System.Boolean  
Dim Flip As System.Boolean  
Dim Dir As System.Boolean  
Dim T1 As System.Integer  
Dim T2 As System.Integer  
Dim D1 As System.Double  
Dim D2 As System.Double  
Dim Dchk1 As System.Boolean  
Dim Dchk2 As System.Boolean  
Dim Ddir1 As System.Boolean  
Dim Ddir2 As System.Boolean  
Dim Dang1 As System.Double  
Dim Dang2 As System.Double  
Dim OffsetReverse1 As System.Boolean  
Dim OffsetReverse2 As System.Boolean  
Dim KeepPieceIndex As System.Integer
```

```
instance.FeatureCut2(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,  
OffsetReverse1, OffsetReverse2, KeepPieceIndex)
```

C#

```
void FeatureCut2(  
    System.bool Sd,  
    System.bool Flip,  
    System.bool Dir,  
    System.int T1,  
    System.int T2,  
    System.double D1,  
    System.double D2,  
    System.bool Dchk1,  
    System.bool Dchk2,  
    System.bool Ddir1,  
    System.bool Ddir2,  
    System.double Dang1,  
    System.double Dang2,  
    System.bool OffsetReverse1,  
    System.bool OffsetReverse2,  
    System.int KeepPieceIndex  
)
```

C++/CLI

```
void FeatureCut2(  
& System.bool Sd,  
& System.bool Flip,  
& System.bool Dir,  
& System.int T1,  
& System.int T2,  
& System.double D1,  
& System.double D2,  
& System.bool Dchk1,  
& System.bool Dchk2,  
& System.bool Ddir1,  
& System.bool Ddir2,  
& System.double Dang1,  
& System.double Dang2,  
& System.bool OffsetReverse1,  
& System.bool OffsetReverse2,  
& System.int KeepPieceIndex  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1
T2
D1
D2
Dchk1
Dchk2
Ddir1
Ddir2
Dang1
Dang2
OffsetReverse1
OffsetReverse2
KeepPieceIndex

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureCut2](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureCut3 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureCut3 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureCut3](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCut3( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _  
    ByVal D1 As System.Double, _  
    ByVal D2 As System.Double, _  
    ByVal Dchk1 As System.Boolean, _  
    ByVal Dchk2 As System.Boolean, _  
    ByVal Ddir1 As System.Boolean, _  
    ByVal Ddir2 As System.Boolean, _  
    ByVal Dang1 As System.Double, _  
    ByVal Dang2 As System.Double, _  
    ByVal OffsetReverse1 As System.Boolean, _  
    ByVal OffsetReverse2 As System.Boolean, _  
    ByVal KeepPieceIndex As System.Integer _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Sd As System.Boolean  
Dim Flip As System.Boolean  
Dim Dir As System.Boolean  
Dim T1 As System.Integer  
Dim T2 As System.Integer  
Dim D1 As System.Double  
Dim D2 As System.Double
```

```

Dim Dchk1 As System.Boolean
Dim Dchk2 As System.Boolean
Dim Ddir1 As System.Boolean
Dim Ddir2 As System.Boolean
Dim Dang1 As System.Double
Dim Dang2 As System.Double
Dim OffsetReverse1 As System.Boolean
Dim OffsetReverse2 As System.Boolean
Dim KeepPieceIndex As System.Integer

```

```

instance.FeatureCut3(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,
OffsetReverse1, OffsetReverse2, KeepPieceIndex)

```

C#

```

void FeatureCut3(
    System.bool Sd,
    System.bool Flip,
    System.bool Dir,
    System.int T1,
    System.int T2,
    System.double D1,
    System.double D2,
    System.bool Dchk1,
    System.bool Dchk2,
    System.bool Ddir1,
    System.bool Ddir2,
    System.double Dang1,
    System.double Dang2,
    System.bool OffsetReverse1,
    System.bool OffsetReverse2,
    System.int KeepPieceIndex
)

```

C++/CLI

```

void FeatureCut3(
    & System.bool Sd,
    & System.bool Flip,
    & System.bool Dir,
    & System.int T1,
    & System.int T2,
    & System.double D1,
    & System.double D2,
    & System.bool Dchk1,
    & System.bool Dchk2,
    & System.bool Ddir1,
    & System.bool Ddir2,
    & System.double Dang1,
    & System.double Dang2,
    & System.bool OffsetReverse1,
    & System.bool OffsetReverse2,
    & System.int KeepPieceIndex
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1

T2

D1

D2

Dchk1

Dchk2

Ddir1

Ddir2

Dang1

Dang2

OffsetReverse1

OffsetReverse2

KeepPieceIndex

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureCut3](#).

See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatureCut4 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureCut4 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureCut4](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCut4( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _  
    ByVal D1 As System.Double, _  
    ByVal D2 As System.Double, _  
    ByVal Dchk1 As System.Boolean, _  
    ByVal Dchk2 As System.Boolean, _  
    ByVal Ddir1 As System.Boolean, _  
    ByVal Ddir2 As System.Boolean, _  
    ByVal Dang1 As System.Double, _  
    ByVal Dang2 As System.Double, _  
    ByVal OffsetReverse1 As System.Boolean, _  
    ByVal OffsetReverse2 As System.Boolean, _  
    ByVal KeepPieceIndex As System.Integer, _  
    ByVal NormalCut As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Sd As System.Boolean  
Dim Flip As System.Boolean  
Dim Dir As System.Boolean  
Dim T1 As System.Integer  
Dim T2 As System.Integer  
Dim D1 As System.Double  
Dim D2 As System.Double  
Dim Dchk1 As System.Boolean  
Dim Dchk2 As System.Boolean  
Dim Ddir1 As System.Boolean  
Dim Ddir2 As System.Boolean  
Dim Dang1 As System.Double  
Dim Dang2 As System.Double  
Dim OffsetReverse1 As System.Boolean  
Dim OffsetReverse2 As System.Boolean
```

```
Dim KeepPieceIndex As System.Integer
Dim NormalCut As System.Boolean
```

```
instance.FeatureCut4(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,
OffsetReverse1, OffsetReverse2, KeepPieceIndex, NormalCut)
```

C#

```
void FeatureCut4(
    System.bool Sd,
    System.bool Flip,
    System.bool Dir,
    System.int T1,
    System.int T2,
    System.double D1,
    System.double D2,
    System.bool Dchk1,
    System.bool Dchk2,
    System.bool Ddir1,
    System.bool Ddir2,
    System.double Dang1,
    System.double Dang2,
    System.bool OffsetReverse1,
    System.bool OffsetReverse2,
    System.int KeepPieceIndex,
    System.bool NormalCut
)
```

C++/CLI

```
void FeatureCut4(
& System.bool Sd,
& System.bool Flip,
& System.bool Dir,
& System.int T1,
& System.int T2,
& System.double D1,
& System.double D2,
& System.bool Dchk1,
& System.bool Dchk2,
& System.bool Ddir1,
& System.bool Ddir2,
& System.double Dang1,
& System.double Dang2,
& System.bool OffsetReverse1,
& System.bool OffsetReverse2,
& System.int KeepPieceIndex,
& System.bool NormalCut
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1

T2

D1

D2

Dchk1

Dchk2

Ddir1

Ddir2

Dang1

Dang2

OffsetReverse1

OffsetReverse2

KeepPieceIndex

NormalCut

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureCut4](#).

See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureCutThicken Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureCutThicken Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureCutThicken](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCutThicken( _  
    ByVal Thickness As System.Double, _  
    ByVal Direction As System.Integer, _  
    ByVal FaceIndex As System.Integer _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Thickness As System.Double  
Dim Direction As System.Integer  
Dim FaceIndex As System.Integer  
  
instance.FeatureCutThicken(Thickness, Direction, FaceIndex)
```

C#

```
void FeatureCutThicken(  
    System.double Thickness,  
    System.int Direction,  
    System.int FaceIndex  
)
```

C++/CLI

```
void FeatureCutThicken(  
& System.double Thickness,  
& System.int Direction,  
& System.int FaceIndex  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Thickness

Direction

FaceIndex

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureCutThicken](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatureCutThicken2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureCutThicken2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureCutThicken2](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCutThicken2( _  
    ByVal Thickness As System.Double, _  
    ByVal Direction As System.Integer, _  
    ByVal FaceIndex As System.Integer, _  
    ByVal FillVolume As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Thickness As System.Double  
Dim Direction As System.Integer  
Dim FaceIndex As System.Integer  
Dim FillVolume As System.Boolean  
  
instance.FeatureCutThicken2(Thickness, Direction, FaceIndex, FillVolume)
```

C#

```
void FeatureCutThicken2(  
    System.double Thickness,  
    System.int Direction,  
    System.int FaceIndex,  
    System.bool FillVolume  
)
```

C++/CLI

```
void FeatureCutThicken2(  
& System.double Thickness,  
& System.int Direction,  
& System.int FaceIndex,  
& System.bool FillVolume  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Thickness

Direction

FaceIndex

FillVolume

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureCutThicken2](#).

See Also

FeatureCutThin Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureCutThin Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureCutThin](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCutThin( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _  
    ByVal D1 As System.Double, _  
    ByVal D2 As System.Double, _  
    ByVal Dchk1 As System.Boolean, _  
    ByVal Dchk2 As System.Boolean, _  
    ByVal Ddir1 As System.Boolean, _  
    ByVal Ddir2 As System.Boolean, _  
    ByVal Dang1 As System.Double, _  
    ByVal Dang2 As System.Double, _  
    ByVal OffsetReverse1 As System.Boolean, _  
    ByVal OffsetReverse2 As System.Boolean, _  
    ByVal Thk1 As System.Double, _  
    ByVal Thk2 As System.Double, _  
    ByVal EndThk As System.Double, _  
    ByVal RevThinDir As System.Integer, _  
    ByVal CapEnds As System.Integer, _  
    ByVal AddBends As System.Boolean, _  
    ByVal BendRad As System.Double _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Sd As System.Boolean  
Dim Flip As System.Boolean  
Dim Dir As System.Boolean  
Dim T1 As System.Integer  
Dim T2 As System.Integer  
Dim D1 As System.Double  
Dim D2 As System.Double  
Dim Dchk1 As System.Boolean  
Dim Dchk2 As System.Boolean  
Dim Ddir1 As System.Boolean  
Dim Ddir2 As System.Boolean  
Dim Dang1 As System.Double  
Dim Dang2 As System.Double  
Dim OffsetReverse1 As System.Boolean  
Dim OffsetReverse2 As System.Boolean  
Dim Thk1 As System.Double  
Dim Thk2 As System.Double  
Dim EndThk As System.Double  
Dim RevThinDir As System.Integer  
Dim CapEnds As System.Integer  
Dim AddBends As System.Boolean  
Dim BendRad As System.Double
```

```
instance.FeatureCutThin(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,  
OffsetReverse1, OffsetReverse2, Thk1, Thk2, EndThk, RevThinDir, CapEnds, AddBends, BendRad)
```

C#

```

void FeatureCutThin(
    System.bool Sd,
    System.bool Flip,
    System.bool Dir,
    System.int T1,
    System.int T2,
    System.double D1,
    System.double D2,
    System.bool Dchk1,
    System.bool Dchk2,
    System.bool Ddir1,
    System.bool Ddir2,
    System.double Dang1,
    System.double Dang2,
    System.bool OffsetReverse1,
    System.bool OffsetReverse2,
    System.double Thk1,
    System.double Thk2,
    System.double EndThk,
    System.int RevThinDir,
    System.int CapEnds,
    System.bool AddBends,
    System.double BendRad
)

```

C++/CLI

```

void FeatureCutThin(
& System.bool Sd,
& System.bool Flip,
& System.bool Dir,
& System.int T1,
& System.int T2,
& System.double D1,
& System.double D2,
& System.bool Dchk1,
& System.bool Dchk2,
& System.bool Ddir1,
& System.bool Ddir2,
& System.double Dang1,
& System.double Dang2,
& System.bool OffsetReverse1,
& System.bool OffsetReverse2,
& System.double Thk1,
& System.double Thk2,
& System.double EndThk,
& System.int RevThinDir,
& System.int CapEnds,
& System.bool AddBends,
& System.double BendRad
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1

T2

D1

D2

Dchk1

Dchk2

Ddir1

Ddir2

Dang1

Dang2

OffsetReverse1

OffsetReverse2

Thk1

Thk2

EndThk

RevThinDir

CapEnds

AddBends

BendRad

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureCutThin](#).

See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)