

# SOLIDWORKS API (.NET VBA C#) — Reference (169/337): IModelDoc (part 5 of 13)

SOLIDWORKS API Documentation (converted from CHM)

## IModelDoc (part 5 of 13) (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

### FeatureExtruRefSurface Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureExtruRefSurface Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FetureExtruRefSurface](#).

#### .NET Syntax

Visual Basic (Declaration)

```
Sub FeatureExtruRefSurface( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _  
    ByVal D1 As System.Double, _  
    ByVal D2 As System.Double, _  
    ByVal Dchk1 As System.Boolean, _  
    ByVal Dchk2 As System.Boolean, _  
    ByVal Ddir1 As System.Boolean, _  
    ByVal Ddir2 As System.Boolean, _  
    ByVal Dang1 As System.Double, _  
    ByVal Dang2 As System.Double, _  
    ByVal OffsetReverse1 As System.Boolean, _  
    ByVal OffsetReverse2 As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Sd As System.Boolean  
Dim Flip As System.Boolean  
Dim Dir As System.Boolean  
Dim T1 As System.Integer  
Dim T2 As System.Integer  
Dim D1 As System.Double  
Dim D2 As System.Double  
Dim Dchk1 As System.Boolean  
Dim Dchk2 As System.Boolean  
Dim Ddir1 As System.Boolean  
Dim Ddir2 As System.Boolean  
Dim Dang1 As System.Double  
Dim Dang2 As System.Double  
Dim OffsetReverse1 As System.Boolean  
Dim OffsetReverse2 As System.Boolean
```

```
instance.FeatureExtruRefSurface(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1,  
Dang2, OffsetReverse1, OffsetReverse2)
```

C#

```
void FeatureExtruRefSurface(  
    System.bool Sd,  
    System.bool Flip,  
    System.bool Dir,  
    System.int T1,  
    System.int T2,  
    System.double D1,  
    System.double D2,  
    System.bool Dchk1,  
    System.bool Dchk2,  
    System.bool Ddir1,  
    System.bool Ddir2,
```

```
System.double Dang1,  
System.double Dang2,  
System.bool OffsetReverse1,  
System.bool OffsetReverse2  
)
```

C++/CLI

```
void FeatureExtruRefSurface(  
& System.bool Sd,  
& System.bool Flip,  
& System.bool Dir,  
& System.int T1,  
& System.int T2,  
& System.double D1,  
& System.double D2,  
& System.bool Dchk1,  
& System.bool Dchk2,  
& System.bool Ddir1,  
& System.bool Ddir2,  
& System.double Dang1,  
& System.double Dang2,  
& System.bool OffsetReverse1,  
& System.bool OffsetReverse2  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Sd*

*Flip*

*Dir*

*T1*

*T2*

*D1*

*D2*

*Dchk1*

*Dchk2*

*Ddir1*

*Ddir2*

*Dang1*

*Dang2*

*OffsetReverse1*

*OffsetReverse2*

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureExtruRefSurface](#).

#### See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## FeatureFillet Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureFillet Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureFillet](#).

#### .NET Syntax

Visual Basic (Declaration)

```

Sub FeatureFillet( _
    ByVal R1 As System.Double, _
    ByVal Propagate As System.Boolean, _
    ByVal Ftyp As System.Boolean, _
    ByVal VarRadTyp As System.Boolean, _
    ByVal OverflowType As System.Integer _
)

```

Visual Basic (Usage)



```

Dim instance As IModelDoc
Dim R1 As System.Double
Dim Propagate As System.Boolean
Dim Ftyp As System.Boolean
Dim VarRadTyp As System.Boolean
Dim OverflowType As System.Integer

instance.FeatureFillet(R1, Propagate, Ftyp, VarRadTyp, OverflowType)

```

C#

```

void FeatureFillet(
    System.double R1,
    System.bool Propagate,
    System.bool Ftyp,
    System.bool VarRadTyp,
    System.int OverflowType
)

```

C++/CLI

```

void FeatureFillet(
    & System.double R1,
    & System.bool Propagate,
    & System.bool Ftyp,
    & System.bool VarRadTyp,
    & System.int OverflowType
)

```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*R1*

*Propagate*

*Ftyp*

*VarRadTyp*

*OverflowType*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureFillet](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## FeatureFillet2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureFillet2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureFillet2](#).

### .NET Syntax

```

Function FeatureFillet2( _
    ByVal R1 As System.Double, _
    ByVal Propagate As System.Boolean, _
    ByVal Ftyp As System.Boolean, _
    ByVal VarRadTyp As System.Boolean, _
    ByVal OverflowType As System.Integer, _
    ByVal NRadii As System.Integer, _
    ByVal Radii As System.Object _
) As System.Integer

```



```

Dim instance As IModelDoc
Dim R1 As System.Double
Dim Propagate As System.Boolean
Dim Ftyp As System.Boolean
Dim VarRadTyp As System.Boolean
Dim OverflowType As System.Integer
Dim NRadii As System.Integer
Dim Radii As System.Object
Dim value As System.Integer

```

```
value = instance.FeatureFillet2(R1, Propagate, Ftyp, VarRadTyp, OverflowType, NRadii, Radii)
```

```

System.int FeatureFillet2(
    System.double R1,
    System.bool Propagate,
    System.bool Ftyp,
    System.bool VarRadTyp,
    System.int OverflowType,
    System.int NRadii,
    System.object Radii
)

```

```

System.int FeatureFillet2(
    & System.double R1,
    & System.bool Propagate,
    & System.bool Ftyp,
    & System.bool VarRadTyp,
    & System.int OverflowType,
    & System.int NRadii,
    & System.Object^ Radii
)

```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*R1*

*Propagate*

*Ftyp*

*VarRadTyp*

*OverflowType*

*NRadii*

*Radii*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureFillet2](#).

## See Also

## FeatureFillet3 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureFillet3 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureFillet3](#).

### .NET Syntax

Visual Basic (Declaration)

```
Function FeatureFillet3( _  
    ByVal R1 As System.Double, _  
    ByVal Propagate As System.Boolean, _  
    ByVal Ftyp As System.Integer, _  
    ByVal VarRadTyp As System.Boolean, _  
    ByVal OverflowType As System.Integer, _  
    ByVal NRadii As System.Integer, _  
    ByVal Radii As System.Object, _  
    ByVal UseHelpPoint As System.Boolean, _  
    ByVal UseTangentHoldLine As System.Boolean _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim R1 As System.Double  
Dim Propagate As System.Boolean  
Dim Ftyp As System.Integer  
Dim VarRadTyp As System.Boolean  
Dim OverflowType As System.Integer  
Dim NRadii As System.Integer  
Dim Radii As System.Object  
Dim UseHelpPoint As System.Boolean  
Dim UseTangentHoldLine As System.Boolean  
Dim value As System.Integer  
  
value = instance.FeatureFillet3(R1, Propagate, Ftyp, VarRadTyp, OverflowType, NRadii, Radii,  
    UseHelpPoint, UseTangentHoldLine)
```

C#

```
System.int FeatureFillet3(  
    System.double R1,  
    System.bool Propagate,  
    System.int Ftyp,  
    System.bool VarRadTyp,  
    System.int OverflowType,  
    System.int NRadii,  
    System.object Radii,  
    System.bool UseHelpPoint,  
    System.bool UseTangentHoldLine  
)
```

C++/CLI

```
System.int FeatureFillet3(  
& System.double R1,  
& System.bool Propagate,  
& System.int Ftyp,  
& System.bool VarRadTyp,  
& System.int OverflowType,  
& System.int NRadii,  
& System.Object^ Radii,  
& System.bool UseHelpPoint,
```

```
& System.bool UseTangentHoldLine  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*R1*

*Propagate*

*Ftyp*

*VarRadTyp*

*OverflowType*

*NRadii*

*Radii*

*UseHelpPoint*

*UseTangentHoldLine*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureFillet3](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## FeatureFillet4 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureFillet4 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureFillet4](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Function FeatureFillet4(  
    ByVal R1 As System.Double, _  
    ByVal Propagate As System.Boolean, _  
    ByVal UniformRadius As System.Boolean, _  
    ByVal Ftyp As System.Integer, _  
    ByVal VarRadTyp As System.Boolean, _  
    ByVal OverflowType As System.Integer, _  
    ByVal NRadii As System.Integer, _  
    ByVal Radii As System.Object, _  
    ByVal UseHelpPoint As System.Boolean, _  
    ByVal UseTangentHoldLine As System.Boolean, _  
    ByVal CornerType As System.Boolean, _  
    ByVal SetbackDistCount As System.Integer, _  
    ByVal SetBackDistances As System.Object _  
) As System.Integer
```

#### Visual Basic (Usage)

```
Dim instance As IModelDoc  
Dim R1 As System.Double  
Dim Propagate As System.Boolean  
Dim UniformRadius As System.Boolean  
Dim Ftyp As System.Integer  
Dim VarRadTyp As System.Boolean  
Dim OverflowType As System.Integer  
Dim NRadii As System.Integer  
Dim Radii As System.Object  
Dim UseHelpPoint As System.Boolean  
Dim UseTangentHoldLine As System.Boolean
```



Copy Code

```

Dim CornerType As System.Boolean
Dim SetbackDistCount As System.Integer
Dim SetBackDistances As System.Object
Dim value As System.Integer

```

```

value = instance.FeatureFillet4(R1, Propagate, UniformRadius, Ftyp, VarRadTyp, OverflowType,
NRadii, Radii, UseHelpPoint, UseTangentHoldLine, CornerType, SetbackDistCount, SetBackDistances)

```

C#

```

System.int FeatureFillet4(
    System.double R1,
    System.bool Propagate,
    System.bool UniformRadius,
    System.int Ftyp,
    System.bool VarRadTyp,
    System.int OverflowType,
    System.int NRadii,
    System.object Radii,
    System.bool UseHelpPoint,
    System.bool UseTangentHoldLine,
    System.bool CornerType,
    System.int SetbackDistCount,
    System.object SetBackDistances
)

```

C++/CLI

```

System.int FeatureFillet4(
    & System.double R1,
    & System.bool Propagate,
    & System.bool UniformRadius,
    & System.int Ftyp,
    & System.bool VarRadTyp,
    & System.int OverflowType,
    & System.int NRadii,
    & System.Object^ Radii,
    & System.bool UseHelpPoint,
    & System.bool UseTangentHoldLine,
    & System.bool CornerType,
    & System.int SetbackDistCount,
    & System.Object^ SetBackDistances
)

```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*R1*

*Propagate*

*UniformRadius*

*Ftyp*

*VarRadTyp*

*OverflowType*

*NRadii*

*Radii*

*UseHelpPoint*

*UseTangentHoldLine*

*CornerType*

*SetbackDistCount*

*SetBackDistances*

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureFillet4](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## FeatureLinearPattern Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureLinearPattern Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureLinearPattern](#).

## .NET Syntax

Visual Basic (Declaration)

```
Sub FeatureLinearPattern( _  
    ByVal Num1 As System.Integer, _  
    ByVal Spacing1 As System.Double, _  
    ByVal Num2 As System.Integer, _  
    ByVal Spacing2 As System.Double, _  
    ByVal FlipDir1 As System.Boolean, _  
    ByVal FlipDir2 As System.Boolean, _  
    ByVal DName1 As System.String, _  
    ByVal DName2 As System.String _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Num1 As System.Integer  
Dim Spacing1 As System.Double  
Dim Num2 As System.Integer  
Dim Spacing2 As System.Double  
Dim FlipDir1 As System.Boolean  
Dim FlipDir2 As System.Boolean  
Dim DName1 As System.String  
Dim DName2 As System.String
```

```
instance.FeatureLinearPattern(Num1, Spacing1, Num2, Spacing2, FlipDir1, FlipDir2, DName1, DName2)
```

C#

```
void FeatureLinearPattern(  
    System.int Num1,  
    System.double Spacing1,  
    System.int Num2,  
    System.double Spacing2,  
    System.bool FlipDir1,  
    System.bool FlipDir2,  
    System.string DName1,  
    System.string DName2  
)
```

C++/CLI

```
void FeatureLinearPattern(  
& System.int Num1,  
& System.double Spacing1,  
& System.int Num2,  
& System.double Spacing2,  
& System.bool FlipDir1,  
& System.bool FlipDir2,  
& System.String^ DName1,  
& System.String^ DName2  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Parameters

*Num1*

*Spacing1*

*Num2*

*Spacing2*

*FlipDir1*

*FlipDir2*

*DName1*

*DName2*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureLinearPattern](#).

## See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## FeatureReferenceCurve Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureReferenceCurve Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureReferenceCurve](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Function FeatureReferenceCurve( _  
    ByVal NumOfCurves As System.Integer, _  
    ByVal BaseCurves As System.Object, _  
    ByVal Merge As System.Boolean, _  
    ByVal FromFileName As System.String, _  
    ByRef ErrorCode As System.Integer _  
    ) As System.Object
```

### Visual Basic (Usage)

```
Dim instance As IModelDoc  
Dim NumOfCurves As System.Integer  
Dim BaseCurves As System.Object  
Dim Merge As System.Boolean  
Dim FromFileName As System.String  
Dim ErrorCode As System.Integer  
Dim value As System.Object
```

```
value = instance.FeatureReferenceCurve(NumOfCurves, BaseCurves, Merge, FromFileName, ErrorCode)
```

### C#

```
System.object FeatureReferenceCurve(  
    System.int NumOfCurves,  
    System.object BaseCurves,  
    System.bool Merge,  
    System.string FromFileName,  
    out System.int ErrorCode  
)
```

### C++/CLI

```
System.Object^ FeatureReferenceCurve(  
& System.int NumOfCurves,  
& System.Object^ BaseCurves,
```

```
& System.bool Merge,  
& System.String^ FromFileName,  
& [Out] System.int ErrorCode  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*NumOfCurves*

*BaseCurves*

*Merge*

*FromFileName*

*ErrorCode*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureReferenceCurve](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

### FeatureRevolve2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureRevolve2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureRevolve2](#).

## .NET Syntax

#### Visual Basic (Declaration)

```
Function FeatureRevolve2(  
    ByVal Angle As System.Double, _  
    ByVal ReverseDir As System.Boolean, _  
    ByVal Angle2 As System.Double, _  
    ByVal RevType As System.Integer, _  
    ByVal Options As System.Integer _  
) As System.Integer
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Angle As System.Double  
Dim ReverseDir As System.Boolean  
Dim Angle2 As System.Double  
Dim RevType As System.Integer  
Dim Options As System.Integer  
Dim value As System.Integer
```

```
value = instance.FeatureRevolve2(Angle, ReverseDir, Angle2, RevType, Options)
```

#### C#

```
System.int FeatureRevolve2(  
    System.double Angle,  
    System.bool ReverseDir,  
    System.double Angle2,  
    System.int RevType,  
    System.int Options  
)
```

#### C++/CLI

```

System.int FeatureRevolve2(
& System.double Angle,
& System.bool ReverseDir,
& System.double Angle2,
& System.int RevType,
& System.int Options
)

```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Angle*

*ReverseDir*

*Angle2*

*RevType*

*Options*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureRevolve2](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## FeatureRevolveCut2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureRevolveCut2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FeatureRevolveCut2](#).

### .NET Syntax

#### Visual Basic (Declaration)

```

Function FeatureRevolveCut2( _
    ByVal Angle As System.Double, _
    ByVal ReverseDir As System.Boolean, _
    ByVal Angle2 As System.Double, _
    ByVal RevType As System.Integer, _
    ByVal Options As System.Integer _
) As System.Integer

```

#### Visual Basic (Usage)



```

Dim instance As IModelDoc
Dim Angle As System.Double
Dim ReverseDir As System.Boolean
Dim Angle2 As System.Double
Dim RevType As System.Integer
Dim Options As System.Integer
Dim value As System.Integer

```

```
value = instance.FeatureRevolveCut2(Angle, ReverseDir, Angle2, RevType, Options)
```

#### C#

```

System.int FeatureRevolveCut2(
    System.double Angle,
    System.bool ReverseDir,
    System.double Angle2,
    System.int RevType,

```

```
System.int Options
)
```

C++/CLI

```
System.int FeatureRevolveCut2(
& System.double Angle,
& System.bool ReverseDir,
& System.double Angle2,
& System.int RevType,
& System.int Options
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Angle*

*ReverseDir*

*Angle2*

*RevType*

*Options*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureRevolveCut2](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## FeatureSketchDrivenPattern Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FeatureSketchDrivenPattern Method (IModelDoc)

**Obsolete. Superseded by** [IModelDoc2::FeatureSketchDrivenPattern](#).

### .NET Syntax

Visual Basic (Declaration)

```
Sub FeatureSketchDrivenPattern( _
ByVal UseCentroid As System.Boolean _
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim UseCentroid As System.Boolean

instance.FeatureSketchDrivenPattern(UseCentroid)
```

C#

```
void FeatureSketchDrivenPattern(
System.bool UseCentroid
)
```

C++/CLI

```
void FeatureSketchDrivenPattern(
& System.bool UseCentroid
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Parameters

*UseCentroid*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FeatureSketchDrivenPattern](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## FileReload Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FileReload Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FileReload](#).

## .NET Syntax

Visual Basic (Declaration)

```
Sub FileReload()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.FileReload()
```

C#

```
void FileReload()
```

C++/CLI

```
void FileReload();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FileReload](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## FileSummaryInfo Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FileSummaryInfo Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FileSummaryInfo](#).

## .NET Syntax

Visual Basic (Declaration)

```
Sub FileSummaryInfo()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.FileSummaryInfo()
```

C#

```
void FileSummaryInfo()
```

C++/CLI

```
void FileSummaryInfo();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FileSummaryInfo](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## FirstFeature Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FirstFeature Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::FirstFeature](#).

### .NET Syntax

Visual Basic (Declaration)

```
Function FirstFeature() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Object  
  
value = instance.FirstFeature()
```

C#

```
System.Object FirstFeature()
```

C++/CLI

```
System.Object^ FirstFeature();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FirstFeature](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## FontBold Method (IModelDoc)

[See Also](#)



## .NET Syntax

### Visual Basic (Declaration)

```
Sub FontBold( _  
    ByVal Bold As System.Boolean _  
)
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Bold As System.Boolean  
  
instance.FontBold(Bold)
```

### C#

```
void FontBold(  
    System.bool Bold  
)
```

### C++/CLI

```
void FontBold(  
& System.bool Bold  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Bold*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FontBold](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## FontFace Method (IModelDoc)

[See Also](#)



## .NET Syntax

### Visual Basic (Declaration)

```
Sub FontFace( _  
    ByVal Face As System.String _  
)
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Face As System.String  
  
instance.FontFace(Face)
```

### C#

```
void FontFace(  
    System.string Face  
)
```

C++/CLI

```
void FontFace(  
&    System.String^ Face  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Face*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FontFace](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## FontItalic Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FontItalic Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FontItalic](#).

### .NET Syntax

Visual Basic (Declaration)

```
Sub FontItalic( _  
    ByVal Italic As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Italic As System.Boolean  
  
instance.FontItalic(Italic)
```

C#

```
void FontItalic(  
    System.bool Italic  
)
```

C++/CLI

```
void FontItalic(  
&    System.bool Italic  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Italic*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FontItalic](#).

 See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FontPoints Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FontPoints Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FontPoints](#).

 .NET Syntax

Visual Basic (Declaration)

```
Sub FontPoints( _  
    ByVal Points As System.Short _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Points As System.Short  
  
instance.FontPoints(Points)
```

C#

```
void FontPoints(  
    System.short Points  
)
```

C++/CLI

```
void FontPoints(  
& System.short Points  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

*Points*

 Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FontPoints](#).

 See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FontUnderline Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FontUnderline Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FontUnderline](#).

 .NET Syntax

Visual Basic (Declaration)

```
Sub FontUnderline( _  
    ByVal Underline As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Underline As System.Boolean  
  
instance.FontUnderline(Underline)
```

C#

```
void FontUnderline(  
    System.bool Underline  
)
```

C++/CLI

```
void FontUnderline(  
&    System.bool Underline  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Underline*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FontUnderline](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## FontUnits Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : FontUnits Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::FontUnits](#).

### .NET Syntax

Visual Basic (Declaration)

```
Sub FontUnits( _  
    ByVal Units As System.Double _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Units As System.Double  
  
instance.FontUnits(Units)
```

C#

```
void FontUnits(  
    System.double Units  
)
```

C++/CLI

```
void FontUnits(  
& System.double Units  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Units*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::FontUnits](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## ForceRebuild3 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ForceRebuild3 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ForceRebuild3](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Function ForceRebuild3( _  
    ByVal TopOnly As System.Boolean _  
) As System.Boolean
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim TopOnly As System.Boolean  
Dim value As System.Boolean
```

```
value = instance.ForceRebuild3(TopOnly)
```

#### C#

```
System.bool ForceRebuild3(  
    System.bool TopOnly  
)
```

#### C++/CLI

```
System.bool ForceRebuild3(  
& System.bool TopOnly  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*TopOnly*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ForceRebuild3](#).

### See Also

## GetActiveConfiguration Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetActiveConfiguration Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetActiveConfiguration](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Function GetActiveConfiguration() As System.Object
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Object
```

```
value = instance.GetActiveConfiguration()
```

#### C#

```
System.object GetActiveConfiguration()
```

#### C++/CLI

```
System.Object^ GetActiveConfiguration();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetActiveConfiguration](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

## GetActiveSketch Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetActiveSketch Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetActiveSketch](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Function GetActiveSketch() As System.Object
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Object
```

```
value = instance.GetActiveSketch()
```

#### C#

```
System.object GetActiveSketch()
```

#### C++/CLI

```
System.Object^ GetActiveSketch();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetActiveSketch](#).

#### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetActiveSketch2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetActiveSketch2 Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::GetActiveSketch2](#).

#### .NET Syntax

Visual Basic (Declaration)

```
Function GetActiveSketch2() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Object  
  
value = instance.GetActiveSketch2()
```

C#

```
System.object GetActiveSketch2()
```

C++/CLI

```
System.Object^ GetActiveSketch2();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetActiveSketch2](#).

#### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetAddToDB Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetAddToDB Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::GetAddToDB](#).

#### .NET Syntax

Visual Basic (Declaration)

```
Function GetAddToDB() As System.Boolean
```

Visual Basic (Usage)

```
Dim instance As IModelDoc
Dim value As System.Boolean

value = instance.GetAddToDB()
```

C#

```
System.bool GetAddToDB()
```

C++/CLI

```
System.bool GetAddToDB();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetAddToDB](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## GetAmbientLightProperties Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetAmbientLightProperties Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetAmbientLightProperties](#).

## .NET Syntax

Visual Basic (Declaration)

```
Function GetAmbientLightProperties( _
    ByVal Name As System.String, _
    ByRef Ambient As System.Double, _
    ByRef Diffuse As System.Double, _
    ByRef Specular As System.Double, _
    ByRef Colour As System.Integer, _
    ByRef Enabled As System.Boolean, _
    ByRef Fixed As System.Boolean _
) As System.Boolean
```

Visual Basic (Usage)

```
Dim instance As IModelDoc
Dim Name As System.String
Dim Ambient As System.Double
Dim Diffuse As System.Double
Dim Specular As System.Double
Dim Colour As System.Integer
Dim Enabled As System.Boolean
Dim Fixed As System.Boolean
Dim value As System.Boolean
```

```
value = instance.GetAmbientLightProperties(Name, Ambient, Diffuse, Specular, Colour, Enabled, Fixed)
```

C#

```
System.bool GetAmbientLightProperties(
    System.string Name,
    ref System.double Ambient,
    ref System.double Diffuse,
```

```
ref System.double Specular,  
ref System.int Colour,  
ref System.bool Enabled,  
ref System.bool Fixed  
)
```

C++/CLI

```
System.bool GetAmbientLightProperties(  
& System.String^ Name,  
& System.double% Ambient,  
& System.double% Diffuse,  
& System.double% Specular,  
& System.int% Colour,  
& System.bool% Enabled,  
& System.bool% Fixed  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Name*

*Ambient*

*Diffuse*

*Specular*

*Colour*

*Enabled*

*Fixed*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetAmbientLightProperties](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetAngularUnits Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetAngularUnits Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::GetAngularUnits](#).

### .NET Syntax

Visual Basic (Declaration)

```
Function GetAngularUnits() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Object
```

```
value = instance.GetAngularUnits()
```

C#

```
System.object GetAngularUnits()
```

C++/CLI

```
System.Object^ GetAngularUnits();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetAngularUnits](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## GetArcCentersDisplayed Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetArcCentersDisplayed Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::GetArcCentersDisplayed](#).

## .NET Syntax

Visual Basic (Declaration)

```
Function GetArcCentersDisplayed() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean
```

```
value = instance.GetArcCentersDisplayed()
```

C#

```
System.bool GetArcCentersDisplayed()
```

C++/CLI

```
System.bool GetArcCentersDisplayed();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetArcCentersDisplayed](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## GetBendState Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetBendState Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::GetBendState](#).

## .NET Syntax

Visual Basic (Declaration)

```
Function GetBendState() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Integer  
  
value = instance.GetBendState()
```

C#

```
System.int GetBendState()
```

C++/CLI

```
System.int GetBendState();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetBendState](#).

#### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

### GetBlockingState Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetBlockingState Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetBlockingState](#).

#### .NET Syntax

Visual Basic (Declaration)

```
Function GetBlockingState() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Integer  
  
value = instance.GetBlockingState()
```

C#

```
System.int GetBlockingState()
```

C++/CLI

```
System.int GetBlockingState();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetBlockingState](#).

#### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

### GetColorTable Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetColorTable Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetColorTable](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Function GetColorTable() As System.Object
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Object  
  
value = instance.GetColorTable()
```

### C#

```
System.object GetColorTable()
```

### C++/CLI

```
System.Object^ GetColorTable();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetColorTable](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## GetConfigurationByName Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetConfigurationByName Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetConfigurationByName](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Function GetConfigurationByName( _  
    ByVal Name As System.String _  
) As System.Object
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Name As System.String  
Dim value As System.Object  
  
value = instance.GetConfigurationByName(Name)
```

### C#

```
System.object GetConfigurationByName(  
    System.string Name  
)
```

### C++/CLI

```
System.Object^ GetConfigurationByName(  
& System.String^ Name  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Name*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetConfigurationByName](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetConfigurationCount Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetConfigurationCount Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::GetConfigurationCount](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Function GetConfigurationCount() As System.Integer
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Integer  
  
value = instance.GetConfigurationCount()
```

#### C#

```
System.int GetConfigurationCount()
```

#### C++/CLI

```
System.int GetConfigurationCount();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetConfigurationCount](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetConfigurationNames Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetConfigurationNames Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::GetConfigurationNames](#).

## .NET Syntax

Visual Basic (Declaration)

```
Function GetConfigurationNames() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Object  
  
value = instance.GetConfigurationNames()
```

C#

```
System.object GetConfigurationNames()
```

C++/CLI

```
System.Object^ GetConfigurationNames();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetConfigurationNames](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetConsiderLeadersAsLines Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetConsiderLeadersAsLines Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::GetConsiderLeadersAsLines](#).

## .NET Syntax

Visual Basic (Declaration)

```
Function GetConsiderLeadersAsLines() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean  
  
value = instance.GetConsiderLeadersAsLines()
```

C#

```
System.bool GetConsiderLeadersAsLines()
```

C++/CLI

```
System.bool GetConsiderLeadersAsLines();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetConsiderLeadersAsLines](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetCoordinateSystemXformByName Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetCoordinateSystemXformByName Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetCoordinateSystemXformByName](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Function GetCoordinateSystemXformByName( _  
    ByVal NameIn As System.String _  
) As System.Object
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim NameIn As System.String  
Dim value As System.Object  
  
value = instance.GetCoordinateSystemXformByName(NameIn)
```

### C#

```
System.object GetCoordinateSystemXformByName(  
    System.string NameIn  
)
```

### C++/CLI

```
System.Object^ GetCoordinateSystemXformByName(  
& System.String^ NameIn  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Parameters

*NameIn*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetCoordinateSystemXformByName](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetCurrentCoordinateSystemName Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetCurrentCoordinateSystemName Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetCurrentCoordinateSystemName](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Function GetCurrentCoordinateSystemName() As System.String
```

```
Dim instance As IModelDoc
Dim value As System.String

value = instance.GetCurrentCoordinateSystemName()
```

C#

```
System.string GetCurrentCoordinateSystemName()
```

C++/CLI

```
System.String^ GetCurrentCoordinateSystemName();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetCurrentCoordinateSystemName](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## GetCustomInfoCount Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetCustomInfoCount Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::GetCustomInfoCount](#).

### .NET Syntax

Visual Basic (Declaration)

```
Function GetCustomInfoCount() As System.Integer
```

Visual Basic (Usage)

```
Dim instance As IModelDoc
Dim value As System.Integer

value = instance.GetCustomInfoCount()
```

C#

```
System.int GetCustomInfoCount()
```

C++/CLI

```
System.int GetCustomInfoCount();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetCustomInfoCount](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## GetCustomInfoCount2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetCustomInfoCount2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetCustomInfoCount2](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Function GetCustomInfoCount2( _  
    ByVal Configuration As System.String _  
) As System.Integer
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Configuration As System.String  
Dim value As System.Integer  
  
value = instance.GetCustomInfoCount2(Configuration)
```

### C#

```
System.int GetCustomInfoCount2(  
    System.string Configuration  
)
```

### C++/CLI

```
System.int GetCustomInfoCount2(  
& System.String^ Configuration  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Parameters

*Configuration*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetCustomInfoCount2](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetCustomInfoNames Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetCustomInfoNames Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetCustomInfoNames](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Function GetCustomInfoNames() As System.Object
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Object  
  
value = instance.GetCustomInfoNames()
```

C#

```
System.Object GetCustomInfoNames()
```

C++/CLI

```
System.Object^ GetCustomInfoNames();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetCustomInfoNames](#).

#### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

### GetCustomInfoNames2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetCustomInfoNames2 Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::GetCustomInfoNames2](#).

#### .NET Syntax

Visual Basic (Declaration)

```
Function GetCustomInfoNames2( _  
    ByVal Configuration As System.String _  
) As System.Object
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Configuration As System.String  
Dim value As System.Object  
  
value = instance.GetCustomInfoNames2(Configuration)
```

C#

```
System.Object GetCustomInfoNames2(  
    System.String Configuration  
)
```

C++/CLI

```
System.Object^ GetCustomInfoNames2(  
& System.String^ Configuration  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Configuration*

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetCustomInfoNames2](#).

#### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

## GetCustomInfoType Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetCustomInfoType Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetCustomInfoType](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Function GetCustomInfoType( _  
    ByVal FieldName As System.String _  
) As System.String
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim FieldName As System.String  
Dim value As System.String  
  
value = instance.GetCustomInfoType(FieldName)
```

#### C#

```
System.string GetCustomInfoType(  
    System.string FieldName  
)
```

#### C++/CLI

```
System.String^ GetCustomInfoType(  
& System.String^ FieldName  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*FieldName*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetCustomInfoType](#).

### See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)

## GetCustomInfoType2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetCustomInfoType2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetCustomInfoType2](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Function GetCustomInfoType2( _  
    ByVal FieldName As System.String _  
) As System.Integer
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim FieldName As System.String
Dim value As System.Integer

value = instance.GetCustomInfoType2(FieldName)
```

C#

```
System.int GetCustomInfoType2(
    System.string FieldName
)
```

C++/CLI

```
System.int GetCustomInfoType2(
    & System.String^ FieldName
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*FieldName*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetCustomInfoType2](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetCustomInfoType3 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetCustomInfoType3 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetCustomInfoType3](#).

### .NET Syntax

Visual Basic (Declaration)

```
Function GetCustomInfoType3( _
    ByVal Configuration As System.String, _
    ByVal FieldName As System.String _
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim Configuration As System.String
Dim FieldName As System.String
Dim value As System.Integer

value = instance.GetCustomInfoType3(Configuration, FieldName)
```

C#

```
System.int GetCustomInfoType3(
    System.string Configuration,
    System.string FieldName
)
```

C++/CLI

```
System.int GetCustomInfoType3(
& System.String^ Configuration,
& System.String^ FieldName
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Configuration*

*FieldName*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetCustomInfoType3](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetDefaultTextHeight Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetDefaultTextHeight Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::GetDefaultTextHeight](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Function GetDefaultTextHeight() As System.Double
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim value As System.Double
```

```
value = instance.GetDefaultTextHeight()
```

#### C#

```
System.double GetDefaultTextHeight()
```

#### C++/CLI

```
System.double GetDefaultTextHeight();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetDefaultTextHeight](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetDependencies Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetDependencies Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::GetDependencies](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Function GetDependencies( _  
    ByVal Traverseflag As System.Integer, _  
    ByVal Searchflag As System.Integer _  
) As System.Object
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Traverseflag As System.Integer  
Dim Searchflag As System.Integer  
Dim value As System.Object  
  
value = instance.GetDependencies(Traverseflag, Searchflag)
```

### C#

```
System.object GetDependencies(  
    System.int Traverseflag,  
    System.int Searchflag  
)
```

### C++/CLI

```
System.Object^ GetDependencies(  
& System.int Traverseflag,  
& System.int Searchflag  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Traverseflag*

*Searchflag*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetDependencies](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

### GetDependencies2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetDependencies2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetDependencies2](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Function GetDependencies2( _  
    ByVal Traverseflag As System.Boolean, _  
    ByVal Searchflag As System.Boolean, _  
    ByVal AddReadOnlyInfo As System.Boolean _  
) As System.Object
```

### Visual Basic (Usage)



```

Dim instance As IModelDoc
Dim Traverseflag As System.Boolean
Dim Searchflag As System.Boolean
Dim AddReadOnlyInfo As System.Boolean
Dim value As System.Object

value = instance.GetDependencies2(Traverseflag, Searchflag, AddReadOnlyInfo)

```

C#

```

System.object GetDependencies2(
    System.bool Traverseflag,
    System.bool Searchflag,
    System.bool AddReadOnlyInfo
)

```

C++/CLI

```

System.Object^ GetDependencies2(
    & System.bool Traverseflag,
    & System.bool Searchflag,
    & System.bool AddReadOnlyInfo
)

```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Traverseflag*

*Searchflag*

*AddReadOnlyInfo*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetDependencies2](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetDesignTable Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetDesignTable Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetDesignTable](#).

### .NET Syntax

Visual Basic (Declaration)

```

Function GetDesignTable() As System.Object

```

Visual Basic (Usage)



```

Dim instance As IModelDoc
Dim value As System.Object

value = instance.GetDesignTable()

```

C#

```

System.object GetDesignTable()

```

C++/CLI

```
System.Object^ GetDesignTable();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetDesignTable](#).

#### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetDetailingDefaults Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetDetailingDefaults Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::GetDetailingDefaults](#).

#### .NET Syntax

Visual Basic (Declaration)

```
Function GetDetailingDefaults() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Object  
  
value = instance.GetDetailingDefaults()
```

C#

```
System.object GetDetailingDefaults()
```

C++/CLI

```
System.Object^ GetDetailingDefaults();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetDetailingDefaults](#).

#### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetDirectionLightProperties Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetDirectionLightProperties Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::GetDirectionLightProperties](#).

#### .NET Syntax

Visual Basic (Declaration)

```
Function GetDirectionLightProperties( _  
    ByVal Name As System.String, _
```

```

ByRef Ambient As System.Double, _
ByRef Diffuse As System.Double, _
ByRef Specular As System.Double, _
ByRef Colour As System.Integer, _
ByRef Enabled As System.Boolean, _
ByRef Fixed As System.Boolean, _
ByRef X As System.Double, _
ByRef Y As System.Double, _
ByRef Z As System.Double _
) As System.Boolean

```

Visual Basic (Usage)



```

Dim instance As IModelDoc
Dim Name As System.String
Dim Ambient As System.Double
Dim Diffuse As System.Double
Dim Specular As System.Double
Dim Colour As System.Integer
Dim Enabled As System.Boolean
Dim Fixed As System.Boolean
Dim X As System.Double
Dim Y As System.Double
Dim Z As System.Double
Dim value As System.Boolean

```

```

value = instance.GetDirectionLightProperties(Name, Ambient, Diffuse, Specular, Colour, Enabled,
Fixed, X, Y, Z)

```

C#

```

System.bool GetDirectionLightProperties(
    System.string Name,
    ref System.double Ambient,
    ref System.double Diffuse,
    ref System.double Specular,
    ref System.int Colour,
    ref System.bool Enabled,
    ref System.bool Fixed,
    ref System.double X,
    ref System.double Y,
    ref System.double Z
)

```

C++/CLI

```

System.bool GetDirectionLightProperties(
    & System.String^ Name,
    & System.double% Ambient,
    & System.double% Diffuse,
    & System.double% Specular,
    & System.int% Colour,
    & System.bool% Enabled,
    & System.bool% Fixed,
    & System.double% X,
    & System.double% Y,
    & System.double% Z
)

```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Name*

*Ambient*

*Diffuse*

*Specular*

*Colour*

*Enabled*

Fixed

X

Y

Z

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetDirectionLightProperties](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## GetDisplayWhenAdded Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetDisplayWhenAdded Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetDisplayWhenAdded](#).

## .NET Syntax

Visual Basic (Declaration)

```
Function GetDisplayWhenAdded() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean  
  
value = instance.GetDisplayWhenAdded()
```

C#

```
System.bool GetDisplayWhenAdded()
```

C++/CLI

```
System.bool GetDisplayWhenAdded();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetDisplayWhenAdded](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## GetEntityName Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetEntityName Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetEntityName](#).

## .NET Syntax

Visual Basic (Declaration)

```
Function GetEntityName( _  
    ByVal Entity As System.Object _  
) As System.String
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Entity As System.Object  
Dim value As System.String  
  
value = instance.GetEntityName(Entity)
```

C#

```
System.string GetEntityName(  
    System.object Entity  
)
```

C++/CLI

```
System.String^ GetEntityName(  
& System.Object^ Entity  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Entity*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetEntityName](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## GetExternalReferenceName Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetExternalReferenceName Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetExternalReferenceName](#).

### .NET Syntax

Visual Basic (Declaration)

```
Function GetExternalReferenceName() As System.String
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.String  
  
value = instance.GetExternalReferenceName()
```

C#

```
System.string GetExternalReferenceName()
```

C++/CLI

```
System.String^ GetExternalReferenceName();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetExternalReferenceName](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetFeatureCount Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetFeatureCount Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetFeatureCount](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Function GetFeatureCount() As System.Integer
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Integer  
  
value = instance.GetFeatureCount()
```

### C#

```
System.int GetFeatureCount()
```

### C++/CLI

```
System.int GetFeatureCount();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetFeatureCount](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetFeatureManagerWidth Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetFeatureManagerWidth Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetFeatureManagerWidth](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Function GetFeatureManagerWidth() As System.Integer
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Integer
```

```
value = instance.GetFeatureManagerWidth()
```

C#

```
System.int GetFeatureManagerWidth()
```

C++/CLI

```
System.int GetFeatureManagerWidth();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetFeatureManagerWidth](#).

#### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

### GetFirstAnnotation Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetFirstAnnotation Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetFirstAnnotation](#).

#### .NET Syntax

Visual Basic (Declaration)

```
Function GetFirstAnnotation() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Object
```

```
value = instance.GetFirstAnnotation()
```

C#

```
System.object GetFirstAnnotation()
```

C++/CLI

```
System.Object^ GetFirstAnnotation();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetFirstAnnotation](#).

#### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

### GetFirstAnnotation2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetFirstAnnotation2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetFirstAnnotation2](#).

## .NET Syntax

Visual Basic (Declaration)

```
Function GetFirstAnnotation2() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Object  
  
value = instance.GetFirstAnnotation2()
```

C#

```
System.object GetFirstAnnotation2()
```

C++/CLI

```
System.Object^ GetFirstAnnotation2();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetFirstAnnotation2](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

### GetFirstModelView Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetFirstModelView Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::GetFirstModelView](#).

## .NET Syntax

Visual Basic (Declaration)

```
Function GetFirstModelView() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Object  
  
value = instance.GetFirstModelView()
```

C#

```
System.object GetFirstModelView()
```

C++/CLI

```
System.Object^ GetFirstModelView();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetFirstModelView](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetGridSettings Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetGridSettings Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetGridSettings](#).

## .NET Syntax

Visual Basic (Declaration)

```
Function GetGridSettings() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Object  
  
value = instance.GetGridSettings()
```

C#

```
System.object GetGridSettings()
```

C++/CLI

```
System.Object^ GetGridSettings();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetGridSettings](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## GetInferenceMode Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : GetInferenceMode Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::GetInferenceMode](#).

## .NET Syntax

Visual Basic (Declaration)

```
Function GetInferenceMode() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean  
  
value = instance.GetInferenceMode()
```

C#

```
System.bool GetInferenceMode()
```

C++/CLI

```
System.bool GetInferenceMode();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::GetInferenceMode](#).

#### See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)