

# SOLIDWORKS API (.NET VBA C#) — Reference

## (174/337): IModelDoc (part 10 of 13)

SOLIDWORKS API Documentation (converted from CHM)

## IModelDoc (part 10 of 13) (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

### ISetAngularUnits Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ISetAngularUnits Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ISetAngularUnits](#).

#### .NET Syntax

##### Visual Basic (Declaration)

```
Sub ISetAngularUnits( _  
    ByVal UType As System.Short, _  
    ByVal FractBase As System.Short, _  
    ByVal FractDenom As System.Short, _  
    ByVal SigDigits As System.Short _  
)
```

##### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim UType As System.Short  
Dim FractBase As System.Short  
Dim FractDenom As System.Short  
Dim SigDigits As System.Short  
  
instance.ISetAngularUnits(UType, FractBase, FractDenom, SigDigits)
```

##### C#

```
void ISetAngularUnits(  
    System.short UType,  
    System.short FractBase,  
    System.short FractDenom,  
    System.short SigDigits  
)
```

##### C++/CLI

```
void ISetAngularUnits(  
& System.short UType,  
& System.short FractBase,  
& System.short FractDenom,  
& System.short SigDigits  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*UType*

*FractBase*

*FractDenom*

*SigDigits*

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ISetAngularUnits](#).

#### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

## ISetNextSelectionGroupId Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ISetNextSelectionGroupId Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ISetNextSelectionGroupId](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Sub ISetNextSelectionGroupId( _  
    ByVal ID As System.Integer _  
)
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim ID As System.Integer  
  
instance.ISetNextSelectionGroupId(ID)
```

#### C#

```
void ISetNextSelectionGroupId(  
    System.int ID  
)
```

#### C++/CLI

```
void ISetNextSelectionGroupId(  
& System.int ID  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*ID*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ISetNextSelectionGroupId](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

## ISetUserPreferenceTextFormat Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ISetUserPreferenceTextFormat Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ISetUserPreferenceTextFormat](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Function ISetUserPreferenceTextFormat( _  
    ByVal UserPreferenceValue As System.Integer, _  
    ByVal Value As TextFormat _  
) As System.Boolean
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim UserPreferenceValue As System.Integer
Dim Value As TextFormat
Dim value As System.Boolean

value = instance.ISetUserPreferenceTextFormat(UserPreferenceValue, Value)
```

C#

```
System.bool ISetUserPreferenceTextFormat(
    System.int UserPreferenceValue,
    TextFormat Value
)
```

C++/CLI

```
System.bool ISetUserPreferenceTextFormat(
    & System.int UserPreferenceValue,
    & TextFormat^ Value
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*UserPreferenceValue*

*Value*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ISetUserPreferenceTextFormat](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## IsExploded Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : IsExploded Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::IsExploded](#).

### .NET Syntax

Visual Basic (Declaration)

```
Function IsExploded() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim value As System.Boolean

value = instance.IsExploded()
```

C#

```
System.bool IsExploded()
```

C++/CLI

```
System.bool IsExploded();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::IsExploded](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## ISketchSplineByEqnParams Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ISketchSplineByEqnParams Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ISketchSplineByEqnParams](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Function ISketchSplineByEqnParams( _  
    ByRef PropArray As System.Integer, _  
    ByRef KnotsArray As System.Double, _  
    ByRef CntrlPntCoordArray As System.Double _  
    ) As System.Integer
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim PropArray As System.Integer  
Dim KnotsArray As System.Double  
Dim CntrlPntCoordArray As System.Double  
Dim value As System.Integer  
  
value = instance.ISketchSplineByEqnParams(PropArray, KnotsArray, CntrlPntCoordArray)
```

### C#

```
System.int ISketchSplineByEqnParams(  
    ref System.int PropArray,  
    ref System.double KnotsArray,  
    ref System.double CntrlPntCoordArray  
)
```

### C++/CLI

```
System.int ISketchSplineByEqnParams(  
& System.int% PropArray,  
& System.double% KnotsArray,  
& System.double% CntrlPntCoordArray  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Parameters

*PropArray*

*KnotsArray*

*CntrlPntCoordArray*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ISketchSplineByEqnParams](#).

## See Also

## IsLightLockedToModel Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : IsLightLockedToModel Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::IsLightLockedToModel](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Function IsLightLockedToModel( _  
    ByVal LightId As System.Integer _  
) As System.Boolean
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim LightId As System.Integer  
Dim value As System.Boolean  
  
value = instance.IsLightLockedToModel(LightId)
```

#### C#

```
System.bool IsLightLockedToModel(  
    System.int LightId  
)
```

#### C++/CLI

```
System.bool IsLightLockedToModel(  
& System.int LightId  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*LightId*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::IsLightLockedToModel](#).

### See Also

## IsOpenedReadOnly Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : IsOpenedReadOnly Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::IsOpenedReadOnly](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Function IsOpenedReadOnly() As System.Boolean
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean  
  
value = instance.IsOpenedReadOnly()
```

C#

```
System.bool IsOpenedReadOnly()
```

C++/CLI

```
System.bool IsOpenedReadOnly();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::IsOpenedReadOnly](#).

#### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

### IsOpenedViewOnly Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : IsOpenedViewOnly Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::IsOpenedViewOnly](#).

#### .NET Syntax

Visual Basic (Declaration)

```
Function IsOpenedViewOnly() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean  
  
value = instance.IsOpenedViewOnly()
```

C#

```
System.bool IsOpenedViewOnly()
```

C++/CLI

```
System.bool IsOpenedViewOnly();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::IsOpenedViewOnly](#).

#### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

### IsTessellationValid Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : IsTessellationValid Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::IsTessellationValid](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Function IsTessellationValid() As System.Boolean
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean  
  
value = instance.IsTessellationValid()
```

### C#

```
System.bool IsTessellationValid()
```

### C++/CLI

```
System.bool IsTessellationValid();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::IsTessellationValid](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## IVersionHistory Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : IVersionHistory Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::IVersionHistory](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Function IVersionHistory() As System.String
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.String  
  
value = instance.IVersionHistory()
```

### C#

```
System.string IVersionHistory()
```

### C++/CLI

```
System.String^ IVersionHistory();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::IVersionHistory](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## LBDownAt Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : LBDownAt Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::LBDownAt](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Sub LBDownAt( _  
    ByVal Flags As System.Integer, _  
    ByVal X As System.Double, _  
    ByVal Y As System.Double, _  
    ByVal Z As System.Double _  
)
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Flags As System.Integer  
Dim X As System.Double  
Dim Y As System.Double  
Dim Z As System.Double
```

```
instance.LBDownAt(Flags, X, Y, Z)
```

### C#

```
void LBDownAt(  
    System.int Flags,  
    System.double X,  
    System.double Y,  
    System.double Z  
)
```

### C++/CLI

```
void LBDownAt(  
& System.int Flags,  
& System.double X,  
& System.double Y,  
& System.double Z  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Parameters

*Flags*

*X*

*Y*

*Z*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::LBDownAt](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## LBUAt Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : LBUAt Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::LBUAt](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Sub LBUAt( _  
    ByVal Flags As System.Integer, _  
    ByVal X As System.Double, _  
    ByVal Y As System.Double, _  
    ByVal Z As System.Double _  
)
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Flags As System.Integer  
Dim X As System.Double  
Dim Y As System.Double  
Dim Z As System.Double  
  
instance.LBUAt(Flags, X, Y, Z)
```

### C#

```
void LBUAt(  
    System.int Flags,  
    System.double X,  
    System.double Y,  
    System.double Z  
)
```

### C++/CLI

```
void LBUAt(  
& System.int Flags,  
& System.double X,  
& System.double Y,  
& System.double Z  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Parameters

*Flags*

*X*

*Y*

*Z*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::LBUAt](#).

## See Also

## LengthUnit Property (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : LengthUnit Property (IModelDoc)

Obsolete. Superseded by [IModelDoc2::LengthUnit](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Property LengthUnit As System.Integer
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Integer  
  
instance.LengthUnit = value  
value = instance.LengthUnit
```

#### C#

```
System.int LengthUnit {get; set;}
```

#### C++/CLI

```
property System.int LengthUnit {  
    System.int get();  
    void set ( & System.int value);  
}
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::LengthUnit](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

## Lights Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : Lights Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::Lights](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Sub Lights()
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
  
instance.Lights()
```

#### C#

```
void Lights()
```

C++/CLI

```
void Lights();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::Lights](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## LightSourcePropertyValues Property (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : LightSourcePropertyValues Property (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::LightSourcePropertyValues](#).

## .NET Syntax

Visual Basic (Declaration)

```
Property LightSourcePropertyValues( _  
    ByVal ID As System.Integer _  
) As System.Object
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim ID As System.Integer  
Dim value As System.Object
```

```
instance.LightSourcePropertyValues(ID) = value
```

```
value = instance.LightSourcePropertyValues(ID)
```

C#

```
System.object LightSourcePropertyValues(  
    System.int ID  
) {get; set;}
```

C++/CLI

```
property System.Object^ LightSourcePropertyValues {  
    System.Object^ get(System.int ID);  
    void set (System.int ID, System.Object^ value);  
}
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Parameters

*ID*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::LightSourcePropertyValues](#).

## See Also

## LightSourceUserName Property (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : LightSourceUserName Property (IModelDoc)

Obsolete. Superseded by [IModelDoc2::LightSourceUserName](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Property LightSourceUserName( _  
    ByVal ID As System.Integer _  
) As System.String
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim ID As System.Integer  
Dim value As System.String  
  
instance.LightSourceUserName(ID) = value  
  
value = instance.LightSourceUserName(ID)
```

#### C#

```
System.string LightSourceUserName(  
    System.int ID  
) {get; set;}
```

#### C++/CLI

```
property System.String^ LightSourceUserName {  
    System.String^ get(System.int ID);  
    void set (System.int ID, System.String^ value);  
}
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*ID*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::LightSourceUserName](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

## ListExternalFileReferences Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ListExternalFileReferences Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ListExternalFileReferences](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Function ListExternalFileReferences( _  
    ByVal UseSearchRules As System.Boolean _
```

```
) As System.Object
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim UseSearchRules As System.Boolean
Dim value As System.Object

value = instance.ListExternalFileReferences(UseSearchRules)
```

C#

```
System.object ListExternalFileReferences(
    System.bool UseSearchRules
)
```

C++/CLI

```
System.Object^ ListExternalFileReferences(
    & System.bool UseSearchRules
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*UseSearchRules*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ListExternalFileReferences](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## ListExternalFileReferencesCount Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ListExternalFileReferencesCount Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::ListExternalFileReferencesCount](#).

### .NET Syntax

Visual Basic (Declaration)

```
Function ListExternalFileReferencesCount( _
    ByVal UseSearchRules As System.Boolean _
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim UseSearchRules As System.Boolean
Dim value As System.Integer

value = instance.ListExternalFileReferencesCount(UseSearchRules)
```

C#

```
System.int ListExternalFileReferencesCount(
    System.bool UseSearchRules
)
```

C++/CLI

```
System.int ListExternalFileReferencesCount(
& System.bool UseSearchRules
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*UseSearchRules*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ListExternalFileReferencesCount](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## Lock Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : Lock Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::Lock](#).

### .NET Syntax

Visual Basic (Declaration)

```
Sub Lock()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
```

```
instance.Lock()
```

C#

```
void Lock()
```

C++/CLI

```
void Lock();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::Lock](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## LockAllExternalReferences Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : LockAllExternalReferences Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::LockAllExternalReferences](#).

### .NET Syntax

Visual Basic (Declaration)

```
Sub LockAllExternalReferences()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.LockAllExternalReferences()
```

C#

```
void LockAllExternalReferences()
```

C++/CLI

```
void LockAllExternalReferences();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::LockAllExternalReferences](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## LockFramePoint Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : LockFramePoint Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::LockFramePoint](#).

### .NET Syntax

Visual Basic (Declaration)

```
Sub LockFramePoint()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.LockFramePoint()
```

C#

```
void LockFramePoint()
```

C++/CLI

```
void LockFramePoint();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::LockFramePoint](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

## LockLightToModel Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : LockLightToModel Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::LockLightToModel](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Function LockLightToModel(  
    ByVal LightId As System.Integer, _  
    ByVal Fix As System.Boolean _  
) As System.Boolean
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim LightId As System.Integer  
Dim Fix As System.Boolean  
Dim value As System.Boolean  
  
value = instance.LockLightToModel(LightId, Fix)
```

#### C#

```
System.bool LockLightToModel(  
    System.int LightId,  
    System.bool Fix  
)
```

#### C++/CLI

```
System.bool LockLightToModel(  
& System.int LightId,  
& System.bool Fix  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*LightId*

*Fix*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::LockLightToModel](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

## MaterialIdName Property (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : MaterialIdName Property (IModelDoc)

Obsolete. Superseded by [IModelDoc2::MaterialIdName](#).

### .NET Syntax

#### Visual Basic (Declaration)

Property MaterialIdName As System.String

Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim value As System.String

instance.MaterialIdName = value

value = instance.MaterialIdName
```

C#

```
System.string MaterialIdName {get; set;}
```

C++/CLI

```
property System.String^ MaterialIdName {
    System.String^ get();
    void set ( & System.String^ value);
}
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::MaterialIdName](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## MaterialPropertyValues Property (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : MaterialPropertyValues Property (IModelDoc)

Obsolete. Superseded by [IModelDoc2::MaterialPropertyValues](#).

### .NET Syntax

Visual Basic (Declaration)

Property MaterialPropertyValues As System.Object

Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim value As System.Object

instance.MaterialPropertyValues = value

value = instance.MaterialPropertyValues
```

C#

```
System.object MaterialPropertyValues {get; set;}
```

C++/CLI

```
property System.Object^ MaterialPropertyValues {
    System.Object^ get();
    void set ( & System.Object^ value);
}
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::MaterialPropertyValues](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## MaterialUserName Property (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : MaterialUserName Property (IModelDoc)

Obsolete. Superseded by [IModelDoc2::MaterialUserName](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Property MaterialUserName As System.String
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.String  
  
instance.MaterialUserName = value  
value = instance.MaterialUserName
```

### C#

```
System.string MaterialUserName {get; set;}
```

### C++/CLI

```
property System.String^ MaterialUserName {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::MaterialUserName](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## MultiSelectByRay Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : MultiSelectByRay Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::MultiSelectByRay](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Function MultiSelectByRay( _  
    ByVal DoubleInfoIn As System.Object, _  
    ByVal TypeWanted As System.Integer, _
```

```
ByVal Append As System.Boolean _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim DoubleInfoIn As System.Object  
Dim TypeWanted As System.Integer  
Dim Append As System.Boolean  
Dim value As System.Boolean  
  
value = instance.MultiSelectByRay(DoubleInfoIn, TypeWanted, Append)
```

C#

```
System.bool MultiSelectByRay(  
    System.object DoubleInfoIn,  
    System.int TypeWanted,  
    System.bool Append  
)
```

C++/CLI

```
System.bool MultiSelectByRay(  
    & System.Object^ DoubleInfoIn,  
    & System.int TypeWanted,  
    & System.bool Append  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*DoubleInfoIn*

*TypeWanted*

*Append*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::MultiSelectByRay](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## NameView Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : NameView Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::NameView](#).

### .NET Syntax

Visual Basic (Declaration)

```
Sub NameView( _  
    ByVal VName As System.String _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim VName As System.String  
  
instance.NameView(VName)
```

C#

```
void NameView(  
    System.string VName  
)
```

C++/CLI

```
void NameView(  
& System.String^ VName  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*VName*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::NameView](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## ObjectDisplayAsIcon Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ObjectDisplayAsIcon Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ObjectDisplayAsIcon](#).

### .NET Syntax

Visual Basic (Declaration)

```
Sub ObjectDisplayAsIcon()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.ObjectDisplayAsIcon()
```

C#

```
void ObjectDisplayAsIcon()
```

C++/CLI

```
void ObjectDisplayAsIcon();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ObjectDisplayAsIcon](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## ObjectDisplayContent Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ObjectDisplayContent Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ObjectDisplayContent](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Sub ObjectDisplayContent()
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.ObjectDisplayContent()
```

### C#

```
void ObjectDisplayContent()
```

### C++/CLI

```
void ObjectDisplayContent();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ObjectDisplayContent](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## ObjectResetSize Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ObjectResetSize Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ObjectResetSize](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Sub ObjectResetSize()
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.ObjectResetSize()
```

### C#

```
void ObjectResetSize()
```

### C++/CLI

```
void ObjectResetSize();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ObjectResetSize](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## Parameter Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : Parameter Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::Parameter](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Function Parameter( _  
    ByVal StringIn As System.String _  
) As System.Object
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim StringIn As System.String  
Dim value As System.Object  
  
value = instance.Parameter(StringIn)
```

### C#

```
System.Object Parameter(  
    System.string StringIn  
)
```

### C++/CLI

```
System.Object^ Parameter(  
& System.String^ StringIn  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Parameters

*StringIn*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::Parameter](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## ParentChildRelationship Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ParentChildRelationship Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::PrenetChildRelationship](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Sub ParentChildRelationship()
```

```
Dim instance As IModelDoc  
instance.ParentChildRelationship()
```

C#

```
void ParentChildRelationship()
```

C++/CLI

```
void ParentChildRelationship();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ParentChildRelationship](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## Paste Method (IModelDoc)

[See Also](#)

[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : Paste Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::Paste](#).

### .NET Syntax

Visual Basic (Declaration)

```
Sub Paste()
```

Visual Basic (Usage)

```
Dim instance As IModelDoc  
instance.Paste()
```

C#

```
void Paste()
```

C++/CLI

```
void Paste();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::Paste](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## PostTrimSurface Method (IModelDoc)

[See Also](#)

## .NET Syntax

### Visual Basic (Declaration)

```
Sub PostTrimSurface( _  
    ByVal BSewSurfaceIn As System.Boolean _  
)
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim BSewSurfaceIn As System.Boolean  
  
instance.PostTrimSurface(BSewSurfaceIn)
```

### C#

```
void PostTrimSurface(  
    System.bool BSewSurfaceIn  
)
```

### C++/CLI

```
void PostTrimSurface(  
& System.bool BSewSurfaceIn  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*BSewSurfaceIn*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::PostTrimSurface](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## PreTrimSurface Method (IModelDoc)

[See Also](#)



## .NET Syntax

### Visual Basic (Declaration)

```
Sub PreTrimSurface( _  
    ByVal BMutualTrimIn As System.Boolean _  
)
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim BMutualTrimIn As System.Boolean  
  
instance.PreTrimSurface(BMutualTrimIn)
```

### C#

```
void PreTrimSurface(  
    System.bool BMutualTrimIn  
)
```

C++/CLI

```
void PreTrimSurface(  
&    System.bool BMutualTrimIn  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*BMutualTrimIn*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::PreTrimSurface](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## PrintDirect Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : PrintDirect Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::PrintDirect](#).

### .NET Syntax

Visual Basic (Declaration)

```
Sub PrintDirect()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
```

```
instance.PrintDirect()
```

C#

```
void PrintDirect()
```

C++/CLI

```
void PrintDirect();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::PrintDirect](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## PrintOut Method (IModelDoc)

[See Also](#)



Obsolete. Superseded by [IModelDoc2::PrintOut](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Sub PrintOut( _  
    ByVal FromPage As System.Integer, _  
    ByVal ToPage As System.Integer, _  
    ByVal NumCopies As System.Integer, _  
    ByVal Collate As System.Boolean, _  
    ByVal Printer As System.String, _  
    ByVal Scale As System.Double, _  
    ByVal PrintToFile As System.Boolean _  
)
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim FromPage As System.Integer  
Dim ToPage As System.Integer  
Dim NumCopies As System.Integer  
Dim Collate As System.Boolean  
Dim Printer As System.String  
Dim Scale As System.Double  
Dim PrintToFile As System.Boolean  
  
instance.PrintOut(FromPage, ToPage, NumCopies, Collate, Printer, Scale, PrintToFile)
```

### C#

```
void PrintOut(  
    System.int FromPage,  
    System.int ToPage,  
    System.int NumCopies,  
    System.bool Collate,  
    System.string Printer,  
    System.double Scale,  
    System.bool PrintToFile  
)
```

### C++/CLI

```
void PrintOut(  
& System.int FromPage,  
& System.int ToPage,  
& System.int NumCopies,  
& System.bool Collate,  
& System.String^ Printer,  
& System.double Scale,  
& System.bool PrintToFile  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Parameters

*FromPage*

*ToPage*

*NumCopies*

*Collate*

*Printer*

*Scale*

*PrintToFile*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::PrintOut](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## PrintOut2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : PrintOut2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::PrintOut2](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Sub PrintOut2( _  
    ByVal FromPage As System.Integer, _  
    ByVal ToPage As System.Integer, _  
    ByVal NumCopies As System.Integer, _  
    ByVal Collate As System.Boolean, _  
    ByVal Printer As System.String, _  
    ByVal Scale As System.Double, _  
    ByVal PrintToFile As System.Boolean, _  
    ByVal Pt fName As System.String _  
)
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim FromPage As System.Integer  
Dim ToPage As System.Integer  
Dim NumCopies As System.Integer  
Dim Collate As System.Boolean  
Dim Printer As System.String  
Dim Scale As System.Double  
Dim PrintToFile As System.Boolean  
Dim Pt fName As System.String  
  
instance.PrintOut2(FromPage, ToPage, NumCopies, Collate, Printer, Scale, PrintToFile, Pt fName)
```

### C#

```
void PrintOut2(  
    System.int FromPage,  
    System.int ToPage,  
    System.int NumCopies,  
    System.bool Collate,  
    System.string Printer,  
    System.double Scale,  
    System.bool PrintToFile,  
    System.string Pt fName  
)
```

### C++/CLI

```
void PrintOut2(  
& System.int FromPage,  
& System.int ToPage,  
& System.int NumCopies,  
& System.bool Collate,  
& System.String^ Printer,  
& System.double Scale,
```

```
& System.bool PrintToFile,  
& System.String^ Pt fName  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*FromPage*

*ToPage*

*NumCopies*

*Collate*

*Printer*

*Scale*

*PrintToFile*

*Pt fName*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::PrintOut2](#).

### See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## PrintPreview Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : PrintPreview Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::PrintPreview](#).

### .NET Syntax

Visual Basic (Declaration)

```
Sub PrintPreview()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
```

```
instance.PrintPreview()
```

C#

```
void PrintPreview()
```

C++/CLI

```
void PrintPreview();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::PrintPreview](#).

### See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## PrintSetup Property (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : PrintSetup Property (IModelDoc)

Obsolete. Superseded by [IModelDoc2::PrintSetup](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Property PrintSetup( _  
    ByVal SetupType As System.Integer _  
) As System.Short
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim SetupType As System.Integer  
Dim value As System.Short  
  
instance.PrintSetup(SetupType) = value  
  
value = instance.PrintSetup(SetupType)
```

### C#

```
System.short PrintSetup(  
    System.int SetupType  
) {get; set;}
```

### C++/CLI

```
property System.short PrintSetup {  
    System.short get(System.int SetupType);  
    void set (System.int SetupType, System.short value);  
}
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Parameters

*SetupType*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::PrintSetup](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## PropertySheet Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : PropertySheet Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::PropertySheet](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Sub PropertySheet()
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc
```

```
instance.PropertySheet()
```

C#

```
void PropertySheet()
```

C++/CLI

```
void PropertySheet();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::PropertySheet](#).

#### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## Quit Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : Quit Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::Quit](#).

#### .NET Syntax

Visual Basic (Declaration)

```
Sub Quit()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
```

```
instance.Quit()
```

C#

```
void Quit()
```

C++/CLI

```
void Quit();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::Quit](#).

#### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## RayIntersections Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : RayIntersections Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::RayIntersections](#).

### Visual Basic (Declaration)

```
Function RayIntersections( _
    ByVal BodiesIn As System.Object, _
    ByVal BasePointsIn As System.Object, _
    ByVal VectorsIn As System.Object, _
    ByVal Options As System.Integer, _
    ByVal HitRadius As System.Double, _
    ByVal Offset As System.Double _
) As System.Integer
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim BodiesIn As System.Object
Dim BasePointsIn As System.Object
Dim VectorsIn As System.Object
Dim Options As System.Integer
Dim HitRadius As System.Double
Dim Offset As System.Double
Dim value As System.Integer
```

```
value = instance.RayIntersections(BodiesIn, BasePointsIn, VectorsIn, Options, HitRadius, Offset)
```

### C#

```
System.int RayIntersections(
    System.object BodiesIn,
    System.object BasePointsIn,
    System.object VectorsIn,
    System.int Options,
    System.double HitRadius,
    System.double Offset
)
```

### C++/CLI

```
System.int RayIntersections(
    & System.Object^ BodiesIn,
    & System.Object^ BasePointsIn,
    & System.Object^ VectorsIn,
    & System.int Options,
    & System.double HitRadius,
    & System.double Offset
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Parameters

*BodiesIn*

*BasePointsIn*

*VectorsIn*

*Options*

*HitRadius*

*Offset*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::RayIntersections](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

## ReattachOrdinate Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ReattachOrdinate Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ReattachOrdinate](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Function ReattachOrdinate() As System.Boolean
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Boolean  
  
value = instance.ReattachOrdinate()
```

#### C#

```
System.bool ReattachOrdinate()
```

#### C++/CLI

```
System.bool ReattachOrdinate();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ReattachOrdinate](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

## Rebuild Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : Rebuild Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::Rebuild](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Sub Rebuild( _  
    ByVal Options As System.Integer _  
)
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Options As System.Integer  
  
instance.Rebuild(Options)
```

#### C#

```
void Rebuild(  
    System.int Options  
)
```

C++/CLI

```
void Rebuild(  
& System.int Options  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*Options*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::Rebuild](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## RemoveGroups Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : RemoveGroups Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::RemoveGroups](#).

### .NET Syntax

Visual Basic (Declaration)

```
Sub RemoveGroups()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
  
instance.RemoveGroups()
```

C#

```
void RemoveGroups()
```

C++/CLI

```
void RemoveGroups();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::RemoveGroups](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## RemoveInspectCurvature Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : RemoveInspectCurvature Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::RemoveInspectCurvature](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Sub RemoveInspectCurvature()
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.RemoveInspectCurvature()
```

### C#

```
void RemoveInspectCurvature()
```

### C++/CLI

```
void RemoveInspectCurvature();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::RemoveInspectCurvature](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## RemoveItemsFromGroup Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : RemoveItemsFromGroup Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::RemoveItemsFromGroup](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Sub RemoveItemsFromGroup()
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.RemoveItemsFromGroup()
```

### C#

```
void RemoveItemsFromGroup()
```

### C++/CLI

```
void RemoveItemsFromGroup();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::RemoveItemsFromGroup](#).

## See Also

## ResetBlockingState Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ResetBlockingState Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ResetBlockingState](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Sub ResetBlockingState()
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.ResetBlockingState()
```

#### C#

```
void ResetBlockingState()
```

#### C++/CLI

```
void ResetBlockingState();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ResetBlockingState](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

## ResetLightSourceExtProperty Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ResetLightSourceExtProperty Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ResetLightSourceExtProperty](#).

### .NET Syntax

#### Visual Basic (Declaration)

```
Sub ResetLightSourceExtProperty( _  
    ByVal ID As System.Integer _  
)
```

#### Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim ID As System.Integer  
instance.ResetLightSourceExtProperty(ID)
```

#### C#

```
void ResetLightSourceExtProperty(  
    System.int ID  
)
```

C++/CLI

```
void ResetLightSourceExtProperty(  
&    System.int ID  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*ID*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ResetLightSourceExtProperty](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## ResetPropertyExtension Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ResetPropertyExtension Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::ResetPropertyExtension](#).

### .NET Syntax

Visual Basic (Declaration)

```
Sub ResetPropertyExtension()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
  
instance.ResetPropertyExtension()
```

C#

```
void ResetPropertyExtension()
```

C++/CLI

```
void ResetPropertyExtension();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ResetPropertyExtension](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## ResetSceneExtProperty Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ResetSceneExtProperty Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ResetSceneExtProperty](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Sub ResetSceneExtProperty()
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.ResetSceneExtProperty()
```

### C#

```
void ResetSceneExtProperty()
```

### C++/CLI

```
void ResetSceneExtProperty();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ResetSceneExtProperty](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## Save Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : Save Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::Save](#).

## .NET Syntax

### Visual Basic (Declaration)

```
Sub Save()
```

### Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.Save()
```

### C#

```
void Save()
```

### C++/CLI

```
void Save();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::Save](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## Save2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : Save2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::Save2](#).

## .NET Syntax

Visual Basic (Declaration)

```
Function Save2( _  
    ByVal Silent As System.Boolean _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Silent As System.Boolean  
Dim value As System.Integer  
  
value = instance.Save2(Silent)
```

C#

```
System.int Save2(  
    System.bool Silent  
)
```

C++/CLI

```
System.int Save2(  
& System.bool Silent  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Parameters

*Silent*

## Visual Basic for Applications (VBA) Syntax

See [ModelDoc::Save2](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## SaveAs Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SaveAs Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SaveAs](#).

## .NET Syntax

Visual Basic (Declaration)

```
Function SaveAs( _  
    ByVal NewName As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim NewName As System.String  
Dim value As System.Boolean  
  
value = instance.SaveAs(NewName)
```

C#

```
System.bool SaveAs(  
    System.string NewName  
)
```

C++/CLI

```
System.bool SaveAs(  
& System.String^ NewName  
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*NewName*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SaveAs](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## SaveAs2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SaveAs2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SaveAs2](#).

### .NET Syntax

Visual Basic (Declaration)

```
Function SaveAs2( _  
    ByVal NewName As System.String, _  
    ByVal SaveAsVersion As System.Integer, _  
    ByVal SaveAsCopy As System.Boolean, _  
    ByVal Silent As System.Boolean _  
) As System.Integer
```

Visual Basic (Usage)



```

Dim instance As IModelDoc
Dim NewName As System.String
Dim SaveAsVersion As System.Integer
Dim SaveAsCopy As System.Boolean
Dim Silent As System.Boolean
Dim value As System.Integer

value = instance.SaveAs2(NewName, SaveAsVersion, SaveAsCopy, Silent)

```

C#

```

System.int SaveAs2(
    System.string NewName,
    System.int SaveAsVersion,
    System.bool SaveAsCopy,
    System.bool Silent
)

```

C++/CLI

```

System.int SaveAs2(
    & System.String^ NewName,
    & System.int SaveAsVersion,
    & System.bool SaveAsCopy,
    & System.bool Silent
)

```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*NewName*

*SaveAsVersion*

*SaveAsCopy*

*Silent*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SaveAs2](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## SaveAs3 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SaveAs3 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SaveAs3](#).

### .NET Syntax

Visual Basic (Declaration)

```

Function SaveAs3( _
    ByVal NewName As System.String, _
    ByVal SaveAsVersion As System.Integer, _
    ByVal Options As System.Integer _
) As System.Integer

```

Visual Basic (Usage)

```

Dim instance As IModelDoc
Dim NewName As System.String

```



Copy Code

```
Dim SaveAsVersion As System.Integer
Dim Options As System.Integer
Dim value As System.Integer

value = instance.SaveAs3(NewName, SaveAsVersion, Options)
```

C#

```
System.int SaveAs3(
    System.string NewName,
    System.int SaveAsVersion,
    System.int Options
)
```

C++/CLI

```
System.int SaveAs3(
    & System.String^ NewName,
    & System.int SaveAsVersion,
    & System.int Options
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*NewName*

*SaveAsVersion*

*Options*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SaveAs3](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

## SaveAsSilent Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SaveAsSilent Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SaveAsSilent](#).

### .NET Syntax

Visual Basic (Declaration)

```
Function SaveAsSilent( _
    ByVal NewName As System.String, _
    ByVal SaveAsCopy As System.Boolean _
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim NewName As System.String
Dim SaveAsCopy As System.Boolean
Dim value As System.Integer

value = instance.SaveAsSilent(NewName, SaveAsCopy)
```

C#

```
System.int SaveAsSilent(
    System.string NewName,
```

```
System.bool SaveAsCopy
)
```

C++/CLI

```
System.int SaveAsSilent(
& System.String^ NewName,
& System.bool SaveAsCopy
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

#### Parameters

*NewName*

*SaveAsCopy*

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SaveAsSilent](#).

### See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## SaveBMP Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SaveBMP Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SaveBMP](#).

### .NET Syntax

Visual Basic (Declaration)

```
Function SaveBMP( _
    ByVal FileNameIn As System.String, _
    ByVal WidthIn As System.Integer, _
    ByVal HeightIn As System.Integer _
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim FileNameIn As System.String
Dim WidthIn As System.Integer
Dim HeightIn As System.Integer
Dim value As System.Boolean
```

```
value = instance.SaveBMP(FileNameIn, WidthIn, HeightIn)
```

C#

```
System.bool SaveBMP(
    System.string FileNameIn,
    System.int WidthIn,
    System.int HeightIn
)
```

C++/CLI

```
System.bool SaveBMP(
& System.String^ FileNameIn,
& System.int WidthIn,
& System.int HeightIn
)
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

**Parameters**

*FileNameIn*  
*WidthIn*  
*HeightIn*

 **Visual Basic for Applications (VBA) Syntax**

See [ModelDoc::SaveBMP](#).

 **See Also**

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help [Send comments on this topic.](#)

**SaveSilent Method (IModelDoc)**

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SaveSilent Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::SaveSilent](#).

 **.NET Syntax**

Visual Basic (Declaration)

```
Function SaveSilent() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Integer  
  
value = instance.SaveSilent()
```

C#

```
System.int SaveSilent()
```

C++/CLI

```
System.int SaveSilent();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

 **Visual Basic for Applications (VBA) Syntax**

See [ModelDoc::SaveSilent](#).

 **See Also**

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help [Send comments on this topic.](#)

**Scale Method (IModelDoc)**

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : Scale Method (IModelDoc)

**Obsolete.** Superseded by [IModelDoc2::Scale](#).

 **.NET Syntax**

Visual Basic (Declaration)

## Sub Scale()

Visual Basic (Usage)



```
Dim instance As IModelDoc  
  
instance.Scale()
```

C#

```
void Scale()
```

C++/CLI

```
void Scale();
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::Scale](#).

### See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

## SceneBkgImageFileName Property (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SceneBkgImageFileName Property (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SceneBkgImageFileName](#).

### .NET Syntax

Visual Basic (Declaration)

```
Property SceneBkgImageFileName As System.String
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.String  
  
instance.SceneBkgImageFileName = value  
  
value = instance.SceneBkgImageFileName
```

C#

```
System.string SceneBkgImageFileName {get; set;}
```

C++/CLI

```
property System.String^ SceneBkgImageFileName {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

**NOTE:** See [Differences Between Unmanaged C++ and C++/CLI Code](#).

### Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SceneBkgImageFileName](#).

## See Also

[IModelDoc Interface](#)  
[IModelDoc Members](#)