

SOLIDWORKS API (.NET VBA C#) — Reference

(175/337): IModelDoc (part 11 of 13)

SOLIDWORKS API Documentation (converted from CHM)

IModelDoc (part 11 of 13) (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SceneName Property (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SceneName Property (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SceneName](#).

.NET Syntax

Visual Basic (Declaration)

```
Property SceneName As System.String
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.String  
  
instance.SceneName = value  
value = instance.SceneName
```

C#

```
System.string SceneName {get; set;}
```

C++/CLI

```
property System.String^ SceneName {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SceneName](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SceneUserName Property (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SceneUserName Property (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SceneUserName](#).

.NET Syntax

Visual Basic (Declaration)

```
Property SceneUserName As System.String
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.String  
  
instance.SceneUserName = value
```

```
value = instance.SceneUserName
```

C#

```
System.string SceneUserName {get; set;}
```

C++/CLI

```
property System.String^ SceneUserName {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SceneUserName](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

ScreenRotate Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ScreenRotate Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ScreenRotate](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub ScreenRotate()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.ScreenRotate()
```

C#

```
void ScreenRotate()
```

C++/CLI

```
void ScreenRotate();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ScreenRotate](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

Select Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : Select Method (IModelDoc)

.NET Syntax

Visual Basic (Declaration)

```
Sub Select( _  
    ByVal SelID As System.String, _  
    ByVal SelParams As System.String, _  
    ByVal X As System.Double, _  
    ByVal Y As System.Double, _  
    ByVal Z As System.Double _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim SelID As System.String  
Dim SelParams As System.String  
Dim X As System.Double  
Dim Y As System.Double  
Dim Z As System.Double  
  
instance.Select(SelID, SelParams, X, Y, Z)
```

C#

```
void Select(  
    System.string SelID,  
    System.string SelParams,  
    System.double X,  
    System.double Y,  
    System.double Z  
)
```

C++/CLI

```
void Select(  
& System.String^ SelID,  
& System.String^ SelParams,  
& System.double X,  
& System.double Y,  
& System.double Z  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SelID

SelParams

X

Y

Z

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::Select](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)



Obsolete. Superseded by [IModelDoc2::SelectAt](#).

Visual Basic Syntax

Visual Basic (Declaration)

```
Sub SelectAt( _  
    ByVal Flags As System.Integer, _  
    ByVal X As System.Double, _  
    ByVal Y As System.Double, _  
    ByVal Z As System.Double _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Flags As System.Integer  
Dim X As System.Double  
Dim Y As System.Double  
Dim Z As System.Double
```

```
instance.SelectAt(Flags, X, Y, Z)
```

C#

```
void SelectAt(  
    System.int Flags,  
    System.double X,  
    System.double Y,  
    System.double Z  
)
```

C++/CLI

```
void SelectAt(  
& System.int Flags,  
& System.double X,  
& System.double Y,  
& System.double Z  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Flags

X

Y

Z

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectAt](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)



.NET Syntax

Visual Basic (Declaration)

```
Function SelectByID( _  
    ByVal SelID As System.String, _  
    ByVal SelParams As System.String, _  
    ByVal X As System.Double, _  
    ByVal Y As System.Double, _  
    ByVal Z As System.Double _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim SelID As System.String  
Dim SelParams As System.String  
Dim X As System.Double  
Dim Y As System.Double  
Dim Z As System.Double  
Dim value As System.Boolean  
  
value = instance.SelectByID(SelID, SelParams, X, Y, Z)
```

C#

```
System.bool SelectByID(  
    System.string SelID,  
    System.string SelParams,  
    System.double X,  
    System.double Y,  
    System.double Z  
)
```

C++/CLI

```
System.bool SelectByID(  
& System.String^ SelID,  
& System.String^ SelParams,  
& System.double X,  
& System.double Y,  
& System.double Z  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SelID

SelParams

X

Y

Z

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectByID](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

Obsolete. Superseded by [IModelDoc2::SelectByMark](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SelectByMark( _
    ByVal SelID As System.String, _
    ByVal SelParams As System.String, _
    ByVal X As System.Double, _
    ByVal Y As System.Double, _
    ByVal Z As System.Double, _
    ByVal Mark As System.Integer _
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim SelID As System.String
Dim SelParams As System.String
Dim X As System.Double
Dim Y As System.Double
Dim Z As System.Double
Dim Mark As System.Integer
Dim value As System.Boolean

value = instance.SelectByMark(SelID, SelParams, X, Y, Z, Mark)
```

C#

```
System.bool SelectByMark(
    System.string SelID,
    System.string SelParams,
    System.double X,
    System.double Y,
    System.double Z,
    System.int Mark
)
```

C++/CLI

```
System.bool SelectByMark(
    & System.String^ SelID,
    & System.String^ SelParams,
    & System.double X,
    & System.double Y,
    & System.double Z,
    & System.int Mark
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SelID

SelParams

X

Y

Z

Mark

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectByMark](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SelectByName Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SelectByName Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SelectByName](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SelectByName( _  
    ByVal Flags As System.Integer, _  
    ByVal IdStr As System.String _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Flags As System.Integer  
Dim IdStr As System.String  
  
instance.SelectByName(Flags, IdStr)
```

C#

```
void SelectByName(  
    System.int Flags,  
    System.string IdStr  
)
```

C++/CLI

```
void SelectByName(  
& System.int Flags,  
& System.String^ IdStr  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Flags

IdStr

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectByName](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SelectByRay Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SelectByRay Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SelectByRay](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SelectByRay( _  
    ByVal DoubleInfoIn As System.Object, _  
    ByVal TypeWanted As System.Integer _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim DoubleInfoIn As System.Object  
Dim TypeWanted As System.Integer  
Dim value As System.Boolean  
  
value = instance.SelectByRay(DoubleInfoIn, TypeWanted)
```

C#

```
System.bool SelectByRay(  
    System.object DoubleInfoIn,  
    System.int TypeWanted  
)
```

C++/CLI

```
System.bool SelectByRay(  
& System.Object^ DoubleInfoIn,  
& System.int TypeWanted  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

DoubleInfoIn

TypeWanted

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectByRay](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

SelectedEdgeProperties Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SelectedEdgeProperties Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SelectedEdgeProperties](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SelectedEdgeProperties( _  
    ByVal EdgeName As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim EdgeName As System.String
Dim value As System.Boolean

value = instance.SelectedEdgeProperties(EdgeName)
```

C#

```
System.bool SelectedEdgeProperties(
    System.string EdgeName
)
```

C++/CLI

```
System.bool SelectedEdgeProperties(
    & System.String^ EdgeName
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

EdgeName

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectedEdgeProperties](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SelectedFaceProperties Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SelectedFaceProperties Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SelectedFaceProperties](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SelectedFaceProperties( _
    ByVal RgbColor As System.Integer, _
    ByVal Ambient As System.Double, _
    ByVal Diffuse As System.Double, _
    ByVal Specular As System.Double, _
    ByVal Shininess As System.Double, _
    ByVal Transparency As System.Double, _
    ByVal Emission As System.Double, _
    ByVal UsePartProps As System.Boolean, _
    ByVal FaceName As System.String _
) As System.Boolean
```

Visual Basic (Usage)

```
Dim instance As IModelDoc
Dim RgbColor As System.Integer
Dim Ambient As System.Double
Dim Diffuse As System.Double
Dim Specular As System.Double
Dim Shininess As System.Double
Dim Transparency As System.Double
Dim Emission As System.Double
Dim UsePartProps As System.Boolean
```



```
Dim FaceName As System.String
Dim value As System.Boolean
```

```
value = instance.SelectedFaceProperties(RgbColor, Ambient, Diffuse, Specular, Shininess,
Transparency, Emission, UsePartProps, FaceName)
```

C#

```
System.bool SelectedFaceProperties(
    System.int RgbColor,
    System.double Ambient,
    System.double Diffuse,
    System.double Specular,
    System.double Shininess,
    System.double Transparency,
    System.double Emission,
    System.bool UsePartProps,
    System.string FaceName
)
```

C++/CLI

```
System.bool SelectedFaceProperties(
    & System.int RgbColor,
    & System.double Ambient,
    & System.double Diffuse,
    & System.double Specular,
    & System.double Shininess,
    & System.double Transparency,
    & System.double Emission,
    & System.bool UsePartProps,
    & System.String^ FaceName
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

RgbColor

Ambient

Diffuse

Specular

Shininess

Transparency

Emission

UsePartProps

FaceName

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectedFaceProperties](#).

See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SelectedFeatureProperties Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SelectedFeatureProperties Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SelectedFeatureProperties](#).

.NET Syntax

```

Function SelectedFeatureProperties( _
    ByVal RgbColor As System.Integer, _
    ByVal Ambient As System.Double, _
    ByVal Diffuse As System.Double, _
    ByVal Specular As System.Double, _
    ByVal Shininess As System.Double, _
    ByVal Transparency As System.Double, _
    ByVal Emission As System.Double, _
    ByVal UsePartProps As System.Boolean, _
    ByVal Suppressed As System.Boolean, _
    ByVal FeatureName As System.String _
) As System.Boolean

```

```

Dim instance As IModelDoc
Dim RgbColor As System.Integer
Dim Ambient As System.Double
Dim Diffuse As System.Double
Dim Specular As System.Double
Dim Shininess As System.Double
Dim Transparency As System.Double
Dim Emission As System.Double
Dim UsePartProps As System.Boolean
Dim Suppressed As System.Boolean
Dim FeatureName As System.String
Dim value As System.Boolean

```

```

value = instance.SelectedFeatureProperties(RgbColor, Ambient, Diffuse, Specular, Shininess,
Transparency, Emission, UsePartProps, Suppressed, FeatureName)

```

```

System.bool SelectedFeatureProperties(
    System.int RgbColor,
    System.double Ambient,
    System.double Diffuse,
    System.double Specular,
    System.double Shininess,
    System.double Transparency,
    System.double Emission,
    System.bool UsePartProps,
    System.bool Suppressed,
    System.string FeatureName
)

```

```

System.bool SelectedFeatureProperties(
    & System.int RgbColor,
    & System.double Ambient,
    & System.double Diffuse,
    & System.double Specular,
    & System.double Shininess,
    & System.double Transparency,
    & System.double Emission,
    & System.bool UsePartProps,
    & System.bool Suppressed,
    & System.String^ FeatureName
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

RgbColor

Ambient

Diffuse

Specular
Shininess
Transparency
Emission
UsePartProps
Suppressed
FeatureName

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectedFeatureProperties](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

SelectionManager Property (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SelectionManager Property (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SelectionManager](#).

NOTE: This property is a get-only property. Set is not implemented.

.NET Syntax

Visual Basic (Declaration)

Property SelectionManager As System.Object

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim value As System.Object  
  
instance.SelectionManager = value  
  
value = instance.SelectionManager
```

C#

```
System.object SelectionManager {get; set;}
```

C++/CLI

```
property System.Object^ SelectionManager {  
    System.Object^ get();  
    void set ( & System.Object^ value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectionManager](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

SelectLoop Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SelectLoop Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SelectLoop](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SelectLoop()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.SelectLoop()
```

C#

```
void SelectLoop()
```

C++/CLI

```
void SelectLoop();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectLoop](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SelectMidpoint Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SelectMidpoint Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SelectMidPoint](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SelectMidpoint()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.SelectMidpoint()
```

C#

```
void SelectMidpoint()
```

C++/CLI

```
void SelectMidpoint();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectMidpoint](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SelectSketchArc Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SelectSketchArc Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SelectSketchArc](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SelectSketchArc( _  
    ByVal X0 As System.Double, _  
    ByVal Y0 As System.Double, _  
    ByVal Inc0 As System.Integer, _  
    ByVal X1 As System.Double, _  
    ByVal Y1 As System.Double, _  
    ByVal Inc1 As System.Integer, _  
    ByVal XC As System.Double, _  
    ByVal YC As System.Double, _  
    ByVal IncC As System.Integer, _  
    ByVal RotDir As System.Integer _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim X0 As System.Double  
Dim Y0 As System.Double  
Dim Inc0 As System.Integer  
Dim X1 As System.Double  
Dim Y1 As System.Double  
Dim Inc1 As System.Integer  
Dim XC As System.Double  
Dim YC As System.Double  
Dim IncC As System.Integer  
Dim RotDir As System.Integer  
  
instance.SelectSketchArc(X0, Y0, Inc0, X1, Y1, Inc1, XC, YC, IncC, RotDir)
```

C#

```
void SelectSketchArc(  
    System.double X0,  
    System.double Y0,  
    System.int Inc0,  
    System.double X1,  
    System.double Y1,  
    System.int Inc1,  
    System.double XC,  
    System.double YC,  
    System.int IncC,  
    System.int RotDir  
)
```

C++/CLI

```
void SelectSketchArc(  
& System.double X0,  
& System.double Y0,  
& System.int Inc0,
```

```

& System.double X1,
& System.double Y1,
& System.int Inc1,
& System.double XC,
& System.double YC,
& System.int IncC,
& System.int RotDir
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

X0

Y0

Inc0

X1

Y1

Inc1

XC

YC

IncC

RotDir

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectSketchArc](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SelectSketchItem Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SelectSketchItem Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SelectSketchItem](#).

.NET Syntax

Visual Basic (Declaration)

```

Function SelectSketchItem( _
    ByVal SelOpt As System.Integer, _
    ByVal Name As System.String, _
    ByVal X As System.Double, _
    ByVal Y As System.Double, _
    ByVal Z As System.Double _
) As System.Boolean

```

Visual Basic (Usage)



```

Dim instance As IModelDoc
Dim SelOpt As System.Integer
Dim Name As System.String
Dim X As System.Double
Dim Y As System.Double
Dim Z As System.Double
Dim value As System.Boolean

```

```
value = instance.SelectSketchItem(SelOpt, Name, X, Y, Z)
```

C#

```
System.bool SelectSketchItem(
    System.int SelOpt,
    System.string Name,
    System.double X,
    System.double Y,
    System.double Z
)
```

C++/CLI

```
System.bool SelectSketchItem(
    & System.int SelOpt,
    & System.String^ Name,
    & System.double X,
    & System.double Y,
    & System.double Z
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SelOpt

Name

X

Y

Z

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectSketchItem](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

SelectSketchLine Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SelectSketchLine Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SelectSketchLine](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SelectSketchLine( _
    ByVal X0 As System.Double, _
    ByVal Y0 As System.Double, _
    ByVal Inc0 As System.Integer, _
    ByVal X1 As System.Double, _
    ByVal Y1 As System.Double, _
    ByVal Inc1 As System.Integer _
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim X0 As System.Double
Dim Y0 As System.Double
Dim Inc0 As System.Integer
Dim X1 As System.Double
Dim Y1 As System.Double
Dim Inc1 As System.Integer
```

```
instance.SelectSketchLine(X0, Y0, Inc0, X1, Y1, Inc1)
```

C#

```
void SelectSketchLine(  
    System.double X0,  
    System.double Y0,  
    System.int Inc0,  
    System.double X1,  
    System.double Y1,  
    System.int Inc1  
)
```

C++/CLI

```
void SelectSketchLine(  
& System.double X0,  
& System.double Y0,  
& System.int Inc0,  
& System.double X1,  
& System.double Y1,  
& System.int Inc1  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

X0

Y0

Inc0

X1

Y1

Inc1

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectSketchLine](#).

See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SelectSketchPoint Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SelectSketchPoint Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SelectSketchPoint](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SelectSketchPoint( _  
    ByVal X As System.Double, _  
    ByVal Y As System.Double, _  
    ByVal Incidence As System.Integer _  
)
```

Visual Basic (Usage)

```
Dim instance As IModelDoc  
Dim X As System.Double  
Dim Y As System.Double
```



```
Dim Incidence As System.Integer  
  
instance.SelectSketchPoint(X, Y, Incidence)
```

C#

```
void SelectSketchPoint(  
    System.double X,  
    System.double Y,  
    System.int Incidence  
)
```

C++/CLI

```
void SelectSketchPoint(  
& System.double X,  
& System.double Y,  
& System.int Incidence  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

X

Y

Incidence

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectSketchPoint](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SelectSketchSpline Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SelectSketchSpline Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SelectSketchSpline](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SelectSketchSpline( _  
    ByVal Size As System.Integer, _  
    ByVal X0 As System.Double, _  
    ByVal Y0 As System.Double, _  
    ByVal Inc0 As System.Integer, _  
    ByVal X1 As System.Double, _  
    ByVal Y1 As System.Double, _  
    ByVal Inc1 As System.Integer, _  
    ByVal XC As System.Double, _  
    ByVal YC As System.Double, _  
    ByVal IncC As System.Integer _  
)
```

Visual Basic (Usage)

```
Dim instance As IModelDoc  
Dim Size As System.Integer  
Dim X0 As System.Double  
Dim Y0 As System.Double  
Dim Inc0 As System.Integer
```



```

Dim X1 As System.Double
Dim Y1 As System.Double
Dim Inc1 As System.Integer
Dim XC As System.Double
Dim YC As System.Double
Dim IncC As System.Integer

```

```

instance.SelectSketchSpline(Size, X0, Y0, Inc0, X1, Y1, Inc1, XC, YC, IncC)

```

C#

```

void SelectSketchSpline(
    System.int Size,
    System.double X0,
    System.double Y0,
    System.int Inc0,
    System.double X1,
    System.double Y1,
    System.int Inc1,
    System.double XC,
    System.double YC,
    System.int IncC
)

```

C++/CLI

```

void SelectSketchSpline(
    & System.int Size,
    & System.double X0,
    & System.double Y0,
    & System.int Inc0,
    & System.double X1,
    & System.double Y1,
    & System.int Inc1,
    & System.double XC,
    & System.double YC,
    & System.int IncC
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Size

X0

Y0

Inc0

X1

Y1

Inc1

XC

YC

IncC

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectSketchSpline](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SelectTangency Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SelectTangency](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SelectTangency()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
instance.SelectTangency()
```

C#

```
void SelectTangency()
```

C++/CLI

```
void SelectTangency();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SelectTangency](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetAddToDB Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetAddToDB Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetAddToDB](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetAddToDB( _  
    ByVal Setting As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Setting As System.Boolean  
instance.SetAddToDB(Setting)
```

C#

```
void SetAddToDB(  
    System.bool Setting  
)
```

C++/CLI

```
void SetAddToDB(  
& System.bool Setting
```

)

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Setting

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetAddToDB](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetAmbientLightProperties Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetAmbientLightProperties Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetAmbientLightProperties](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetAmbientLightProperties( _  
    ByVal Name As System.String, _  
    ByVal Ambient As System.Double, _  
    ByVal Diffuse As System.Double, _  
    ByVal Specular As System.Double, _  
    ByVal Colour As System.Integer, _  
    ByVal Enabled As System.Boolean, _  
    ByVal Fixed As System.Boolean _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Name As System.String  
Dim Ambient As System.Double  
Dim Diffuse As System.Double  
Dim Specular As System.Double  
Dim Colour As System.Integer  
Dim Enabled As System.Boolean  
Dim Fixed As System.Boolean  
Dim value As System.Boolean
```

```
value = instance.SetAmbientLightProperties(Name, Ambient, Diffuse, Specular, Colour, Enabled,  
Fixed)
```

C#

```
System.bool SetAmbientLightProperties(  
    System.string Name,  
    System.double Ambient,  
    System.double Diffuse,  
    System.double Specular,  
    System.int Colour,  
    System.bool Enabled,  
    System.bool Fixed  
)
```

C++/CLI

```
System.bool SetAmbientLightProperties(  
& System.String^ Name,
```

```

& System.double Ambient,
& System.double Diffuse,
& System.double Specular,
& System.int Colour,
& System.bool Enabled,
& System.bool Fixed
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Name

Ambient

Diffuse

Specular

Colour

Enabled

Fixed

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetAmbientLightProperties](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetAngularUnits Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetAngularUnits Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetAngularUnits](#).

.NET Syntax

Visual Basic (Declaration)

```

Sub SetAngularUnits( _
    ByVal UType As System.Short, _
    ByVal FractBase As System.Short, _
    ByVal FractDenom As System.Short, _
    ByVal SigDigits As System.Short _
)

```

Visual Basic (Usage)

```

Dim instance As IModelDoc
Dim UType As System.Short
Dim FractBase As System.Short
Dim FractDenom As System.Short
Dim SigDigits As System.Short

instance.SetAngularUnits(UType, FractBase, FractDenom, SigDigits)

```

C#

```

void SetAngularUnits(
    System.short UType,
    System.short FractBase,
    System.short FractDenom,
    System.short SigDigits
)

```

C++/CLI



```
void SetAngularUnits(  
& System.short UType,  
& System.short FractBase,  
& System.short FractDenom,  
& System.short SigDigits  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

UType

FractBase

FractDenom

SigDigits

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetAngularUnits](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetArcCentersDisplayed Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetArcCentersDisplayed Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetArcCentersDisplayed](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetArcCentersDisplayed( _  
    ByVal Setting As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Setting As System.Boolean  
  
instance.SetArcCentersDisplayed(Setting)
```

C#

```
void SetArcCentersDisplayed(  
    System.bool Setting  
)
```

C++/CLI

```
void SetArcCentersDisplayed(  
& System.bool Setting  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Setting

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetArcCentersDisplayed](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetBendState Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetBendState Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetBendState](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetBendState( _  
    ByVal BendState As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim BendState As System.Integer  
Dim value As System.Integer  
  
value = instance.SetBendState(BendState)
```

C#

```
System.int SetBendState(  
    System.int BendState  
)
```

C++/CLI

```
System.int SetBendState(  
    & System.int BendState  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

BendState

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetBendState](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetBlockingState Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetBlockingState Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetBlockingState](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetBlockingState( _  
    ByVal StateIn As System.Integer _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim StateIn As System.Integer  
  
instance.SetBlockingState(StateIn)
```

C#

```
void SetBlockingState(  
    System.int StateIn  
)
```

C++/CLI

```
void SetBlockingState(  
& System.int StateIn  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

StateIn

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetBlockingState](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetConsiderLeadersAsLines Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetConsiderLeadersAsLines Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetConsiderLeadersAsLines](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetConsiderLeadersAsLines( _  
    ByVal LeadersAsLines As System.Boolean _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim LeadersAsLines As System.Boolean  
Dim value As System.Boolean  
  
value = instance.SetConsiderLeadersAsLines(LeadersAsLines)
```

C#

```
System.bool SetConsiderLeadersAsLines(  
    System.bool LeadersAsLines  
)
```

```
System.bool SetConsiderLeadersAsLines(
& System.bool LeadersAsLines
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

LeadersAsLines

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetConsiderLeadersAsLines](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetDirectionLightProperties Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetDirectionLightProperties Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetDirectionLightProperties](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetDirectionLightProperties( _
    ByVal Name As System.String, _
    ByVal Ambient As System.Double, _
    ByVal Diffuse As System.Double, _
    ByVal Specular As System.Double, _
    ByVal Colour As System.Integer, _
    ByVal Enabled As System.Boolean, _
    ByVal Fixed As System.Boolean, _
    ByVal X As System.Double, _
    ByVal Y As System.Double, _
    ByVal Z As System.Double _
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim Name As System.String
Dim Ambient As System.Double
Dim Diffuse As System.Double
Dim Specular As System.Double
Dim Colour As System.Integer
Dim Enabled As System.Boolean
Dim Fixed As System.Boolean
Dim X As System.Double
Dim Y As System.Double
Dim Z As System.Double
Dim value As System.Boolean
```

```
value = instance.SetDirectionLightProperties(Name, Ambient, Diffuse, Specular, Colour, Enabled, Fixed, X, Y, Z)
```

C#

```
System.bool SetDirectionLightProperties(
    System.string Name,
    System.double Ambient,
```

```
System.double Diffuse,  
System.double Specular,  
System.int Colour,  
System.bool Enabled,  
System.bool Fixed,  
System.double X,  
System.double Y,  
System.double Z  
)
```

C++/CLI

```
System.bool SetDirectionLightProperties(  
& System.String^ Name,  
& System.double Ambient,  
& System.double Diffuse,  
& System.double Specular,  
& System.int Colour,  
& System.bool Enabled,  
& System.bool Fixed,  
& System.double X,  
& System.double Y,  
& System.double Z  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Name

Ambient

Diffuse

Specular

Colour

Enabled

Fixed

X

Y

Z

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetDirectionLightProperties](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetDisplayWhenAdded Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetDisplayWhenAdded Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetDisplayWhenAdded](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetDisplayWhenAdded( _  
    ByVal Setting As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Setting As System.Boolean  
  
instance.SetDisplayWhenAdded(Setting)
```

C#

```
void SetDisplayWhenAdded(  
    System.bool Setting  
)
```

C++/CLI

```
void SetDisplayWhenAdded(  
&    System.bool Setting  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Setting

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetDisplayWhenAdded](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetFeatureManagerWidth Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetFeatureManagerWidth Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetFeatureManagerWidth](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetFeatureManagerWidth( _  
    ByVal Width As System.Integer _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Width As System.Integer  
Dim value As System.Integer
```

```
value = instance.SetFeatureManagerWidth(Width)
```

C#

```
System.int SetFeatureManagerWidth(  
    System.int Width  
)
```

C++/CLI

```
System.int SetFeatureManagerWidth(  
&    System.int Width  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Width

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetFeatureManagerWidth](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetInferenceMode Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetInferenceMode Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetInferenceModel](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetInferenceMode( _  
    ByVal InferenceMode As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim InferenceMode As System.Boolean  
  
instance.SetInferenceMode(InferenceMode)
```

C#

```
void SetInferenceMode(  
    System.bool InferenceMode  
)
```

C++/CLI

```
void SetInferenceMode(  
& System.bool InferenceMode  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

InferenceMode

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetInferenceMode](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetLightSourceName Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetLightSourceName Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetLightSourceName](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetLightSourceName( _  
    ByVal ID As System.Integer, _  
    ByVal NewName As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim ID As System.Integer  
Dim NewName As System.String  
Dim value As System.Boolean  
  
value = instance.SetLightSourceName(ID, NewName)
```

C#

```
System.bool SetLightSourceName(  
    System.int ID,  
    System.string NewName  
)
```

C++/CLI

```
System.bool SetLightSourceName(  
& System.int ID,  
& System.String^ NewName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ID

NewName

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetLightSourceName](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetLightSourcePropertyValuesVB Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetLightSourcePropertyValuesVB Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetLightSourcePropertyValuesVB](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetLightSourcePropertyValuesVB( _  
    ByVal IdName As System.String, _  
    ByVal LType As System.Integer, _  
    ByVal Diff As System.Double, _  
    ByVal RgbColor As System.Integer, _  
    ByVal Dist As System.Double, _  
    ByVal DirX As System.Double, _
```

```

ByVal DirY As System.Double, _
ByVal DirZ As System.Double, _
ByVal SpotDirX As System.Double, _
ByVal SpotDirY As System.Double, _
ByVal SpotDirZ As System.Double, _
ByVal SpotAngle As System.Double, _
ByVal FallOff0 As System.Double, _
ByVal FallOff1 As System.Double, _
ByVal FallOff2 As System.Double, _
ByVal Ambient As System.Double, _
ByVal Specular As System.Double, _
ByVal SpotExponent As System.Double, _
ByVal BDisable As System.Boolean _
) As System.Boolean

```

Visual Basic (Usage)



```

Dim instance As IModelDoc
Dim IdName As System.String
Dim LType As System.Integer
Dim Diff As System.Double
Dim RgbColor As System.Integer
Dim Dist As System.Double
Dim DirX As System.Double
Dim DirY As System.Double
Dim DirZ As System.Double
Dim SpotDirX As System.Double
Dim SpotDirY As System.Double
Dim SpotDirZ As System.Double
Dim SpotAngle As System.Double
Dim FallOff0 As System.Double
Dim FallOff1 As System.Double
Dim FallOff2 As System.Double
Dim Ambient As System.Double
Dim Specular As System.Double
Dim SpotExponent As System.Double
Dim BDisable As System.Boolean
Dim value As System.Boolean

```

```

value = instance.SetLightSourcePropertyValuesVB(IdName, LType, Diff, RgbColor, Dist, DirX, DirY,
DirZ, SpotDirX, SpotDirY, SpotDirZ, SpotAngle, FallOff0, FallOff1, FallOff2, Ambient, Specular,
SpotExponent, BDisable)

```

C#

```

System.bool SetLightSourcePropertyValuesVB(
    System.string IdName,
    System.int LType,
    System.double Diff,
    System.int RgbColor,
    System.double Dist,
    System.double DirX,
    System.double DirY,
    System.double DirZ,
    System.double SpotDirX,
    System.double SpotDirY,
    System.double SpotDirZ,
    System.double SpotAngle,
    System.double FallOff0,
    System.double FallOff1,
    System.double FallOff2,
    System.double Ambient,
    System.double Specular,
    System.double SpotExponent,
    System.bool BDisable
)

```

C++/CLI

```

System.bool SetLightSourcePropertyValuesVB(
& System.String^ IdName,
& System.int LType,
& System.double Diff,
& System.int RgbColor,
& System.double Dist,
& System.double DirX,
& System.double DirY,
& System.double DirZ,
& System.double SpotDirX,
& System.double SpotDirY,
& System.double SpotDirZ,
& System.double SpotAngle,
& System.double FallOff0,
& System.double FallOff1,
& System.double FallOff2,
& System.double Ambient,
& System.double Specular,
& System.double SpotExponent,
& System.bool BDisable
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

IdName

LType

Diff

RgbColor

Dist

DirX

DirY

DirZ

SpotDirX

SpotDirY

SpotDirZ

SpotAngle

FallOff0

FallOff1

FallOff2

Ambient

Specular

SpotExponent

BDisable

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetLightSourcePropertyValuesVB](#).

See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetParamValue Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetParamValue Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetParamValue](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetParamValue( _  
    ByVal Val As System.Double _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Val As System.Double  
  
instance.SetParamValue(Val)
```

C#

```
void SetParamValue(  
    System.double Val  
)
```

C++/CLI

```
void SetParamValue(  
&    System.double Val  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Val

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetParamValue](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetPickMode Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetPickMode Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetPickMode](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetPickMode()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
  
instance.SetPickMode()
```

C#

```
void SetPickMode()
```

C++/CLI

```
void SetPickMode();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetPickMode](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetPointLightProperties Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetPointLightProperties Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetPointLightProperties](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetPointLightProperties( _  
    ByVal Name As System.String, _  
    ByVal Ambient As System.Double, _  
    ByVal Diffuse As System.Double, _  
    ByVal Specular As System.Double, _  
    ByVal Colour As System.Integer, _  
    ByVal Enabled As System.Boolean, _  
    ByVal Fixed As System.Boolean, _  
    ByVal X As System.Double, _  
    ByVal Y As System.Double, _  
    ByVal Z As System.Double _  
) As System.Boolean
```

Visual Basic (Usage)

```
Dim instance As IModelDoc  
Dim Name As System.String  
Dim Ambient As System.Double  
Dim Diffuse As System.Double  
Dim Specular As System.Double  
Dim Colour As System.Integer  
Dim Enabled As System.Boolean  
Dim Fixed As System.Boolean  
Dim X As System.Double  
Dim Y As System.Double  
Dim Z As System.Double  
Dim value As System.Boolean
```

```
value = instance.SetPointLightProperties(Name, Ambient, Diffuse, Specular, Colour, Enabled, Fixed,  
X, Y, Z)
```

C#

```
System.bool SetPointLightProperties(  
    System.string Name,  
    System.double Ambient,  
    System.double Diffuse,  
    System.double Specular,  
    System.int Colour,  
    System.bool Enabled,  
    System.bool Fixed,  
    System.double X,  
    System.double Y,
```

```
        System.double Z
    )
```

C++/CLI

```
System.bool SetPointLightProperties(
& System.String^ Name,
& System.double Ambient,
& System.double Diffuse,
& System.double Specular,
& System.int Colour,
& System.bool Enabled,
& System.bool Fixed,
& System.double X,
& System.double Y,
& System.double Z
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Name

Ambient

Diffuse

Specular

Colour

Enabled

Fixed

X

Y

Z

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetPointLightProperties](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetPopupMenuMode Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetPopupMenuMode Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetPopupMenuMode](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetPopupMenuMode( _
    ByVal ModeIn As System.Integer _
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim ModeIn As System.Integer

instance.SetPopupMenuMode(ModeIn)
```

C#

```
void SetPopupMenuMode(  
    System.int ModeIn  
)
```

C++/CLI

```
void SetPopupMenuMode(  
&    System.int ModeIn  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ModeIn

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetPopupMenuMode](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetReadOnlyState Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetReadOnlyState Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetReadOnlyState](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetReadOnlyState( _  
    ByVal SetReadOnly As System.Boolean _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim SetReadOnly As System.Boolean  
Dim value As System.Boolean
```

```
value = instance.SetReadOnlyState(SetReadOnly)
```

C#

```
System.bool SetReadOnlyState(  
    System.bool SetReadOnly  
)
```

C++/CLI

```
System.bool SetReadOnlyState(  
&    System.bool SetReadOnly  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

SetReadOnly

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetReadOnlyState](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetSaveAsFileName Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetSaveAsFileName Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetSaveAsFileName](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetSaveAsFileName( _  
    ByVal FileName As System.String _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim FileName As System.String  
  
instance.SetSaveAsFileName(FileName)
```

C#

```
void SetSaveAsFileName(  
    System.string FileName  
)
```

C++/CLI

```
void SetSaveAsFileName(  
    & System.String^ FileName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FileName

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetSaveAsFileName](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetSaveFlag Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetSaveFlag Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetSaveFlag](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetSaveFlag()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
  
instance.SetSaveFlag()
```

C#

```
void SetSaveFlag()
```

C++/CLI

```
void SetSaveFlag();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetSaveFlag](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetSceneBkgDIB Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetSceneBkgDIB Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetSceneBkgDIB](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetSceneBkgDIB( _  
    ByVal L\_dib As System.Integer _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim L_dib As System.Integer  
  
instance.SetSceneBkgDIB(L_dib)
```

C#

```
void SetSceneBkgDIB(  
    System.int L\_dib  
)
```

C++/CLI

```
void SetSceneBkgDIB(  
& System.int L\_dib  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

L_dib

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetSceneBkgDIB](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetSpotlightProperties Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetSpotlightProperties Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetSpotlightProperties](#)

.NET Syntax

Visual Basic (Declaration)

```
Function SetSpotlightProperties( _  
    ByVal Name As System.String, _  
    ByVal Ambient As System.Double, _  
    ByVal Diffuse As System.Double, _  
    ByVal Specular As System.Double, _  
    ByVal Colour As System.Integer, _  
    ByVal Enabled As System.Boolean, _  
    ByVal Fixed As System.Boolean, _  
    ByVal Posx As System.Double, _  
    ByVal Posy As System.Double, _  
    ByVal Posz As System.Double, _  
    ByVal Targetx As System.Double, _  
    ByVal Targety As System.Double, _  
    ByVal Targetz As System.Double, _  
    ByVal ConeAngle As System.Double _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Name As System.String  
Dim Ambient As System.Double  
Dim Diffuse As System.Double  
Dim Specular As System.Double  
Dim Colour As System.Integer  
Dim Enabled As System.Boolean  
Dim Fixed As System.Boolean  
Dim Posx As System.Double  
Dim Posy As System.Double  
Dim Posz As System.Double  
Dim Targetx As System.Double  
Dim Targety As System.Double  
Dim Targetz As System.Double  
Dim ConeAngle As System.Double  
Dim value As System.Boolean
```

```
value = instance.SetSpotlightProperties(Name, Ambient, Diffuse, Specular, Colour, Enabled, Fixed,  
Posx, Posy, Posz, Targetx, Targety, Targetz, ConeAngle)
```

C#

```
System.bool SetSpotlightProperties(  
    System.string Name,  
    System.double Ambient,  
    System.double Diffuse,  
    System.double Specular,  
    System.int Colour,
```

```
System.bool Enabled,  
System.bool Fixed,  
System.double Posx,  
System.double Posy,  
System.double Posz,  
System.double Targetx,  
System.double Targety,  
System.double Targetz,  
System.double ConeAngle  
)
```

C++/CLI

```
System.bool SetSpotlightProperties(  
& System.String^ Name,  
& System.double Ambient,  
& System.double Diffuse,  
& System.double Specular,  
& System.int Colour,  
& System.bool Enabled,  
& System.bool Fixed,  
& System.double Posx,  
& System.double Posy,  
& System.double Posz,  
& System.double Targetx,  
& System.double Targety,  
& System.double Targetz,  
& System.double ConeAngle  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Name

Ambient

Diffuse

Specular

Colour

Enabled

Fixed

Posx

Posy

Posz

Targetx

Targety

Targetz

ConeAngle

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetSpotlightProperties](#).

See Also

[IModelDoc Interface](#)

[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetTessellationQuality Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetTessellationQuality Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetTessellationQuality](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetTessellationQuality( _  
    ByVal QualityNum As System.Integer _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim QualityNum As System.Integer  
  
instance.SetTessellationQuality(QualityNum)
```

C#

```
void SetTessellationQuality(  
    System.int QualityNum  
)
```

C++/CLI

```
void SetTessellationQuality(  
&    System.int QualityNum  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

QualityNum

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetTessellationQuality](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetTitle2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetTitle2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetTitle2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetTitle2( _  
    ByVal NewTitle As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim NewTitle As System.String  
Dim value As System.Boolean  
  
value = instance.SetTitle2(NewTitle)
```

C#

```
System.bool SetTitle2(  
    System.string NewTitle  
)
```

C++/CLI

```
System.bool SetTitle2(  
& System.String^ NewTitle  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

NewTitle

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetTitle2](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetToolbarVisibility Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetToolbarVisibility Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetToolbarVisibility](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetToolbarVisibility( _  
    ByVal Toolbar As System.Integer, _  
    ByVal Visibility As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim Toolbar As System.Integer  
Dim Visibility As System.Boolean  
  
instance.SetToolbarVisibility(Toolbar, Visibility)
```

C#

```
void SetToolbarVisibility(  
    System.int Toolbar,  
    System.bool Visibility  
)
```

C++/CLI

```
void SetToolbarVisibility(  
& System.int Toolbar,  
& System.bool Visibility  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Toolbar

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::SetToolBarVisibility](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetUnits Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetUnits Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetUnits](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetUnits( _
    ByVal UType As System.Short, _
    ByVal FractBase As System.Short, _
    ByVal FractDenom As System.Short, _
    ByVal SigDigits As System.Short, _
    ByVal RoundToFraction As System.Boolean _
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
Dim UType As System.Short
Dim FractBase As System.Short
Dim FractDenom As System.Short
Dim SigDigits As System.Short
Dim RoundToFraction As System.Boolean

instance.SetUnits(UType, FractBase, FractDenom, SigDigits, RoundToFraction)
```

C#

```
void SetUnits(
    System.short UType,
    System.short FractBase,
    System.short FractDenom,
    System.short SigDigits,
    System.bool RoundToFraction
)
```

C++/CLI

```
void SetUnits(
    & System.short UType,
    & System.short FractBase,
    & System.short FractDenom,
    & System.short SigDigits,
    & System.bool RoundToFraction
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

UType

FractBase

FractDenom

SigDigits

RoundToFraction

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetUnits](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetUserPreferenceDoubleValue Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetUserPreferenceDoubleValue Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetUserPreferenceDoubleValue](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetUserPreferenceDoubleValue(  
    ByVal UserPreferenceValue As System.Integer, _  
    ByVal Value As System.Double _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim UserPreferenceValue As System.Integer  
Dim Value As System.Double  
Dim value As System.Boolean
```

```
value = instance.SetUserPreferenceDoubleValue(UserPreferenceValue, Value)
```

C#

```
System.bool SetUserPreferenceDoubleValue(  
    System.int UserPreferenceValue,  
    System.double Value  
)
```

C++/CLI

```
System.bool SetUserPreferenceDoubleValue(  
& System.int UserPreferenceValue,  
& System.double Value  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

UserPreferenceValue

Value

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetUserPreferenceDoubleValue](#).

See Also

SetUserPreferenceIntegerValue Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetUserPreferenceIntegerValue Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetUserPreferenceIntegerValue](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetUserPreferenceIntegerValue( _  
    ByVal UserPreferenceValue As System.Integer, _  
    ByVal Value As System.Integer _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim UserPreferenceValue As System.Integer  
Dim Value As System.Integer  
Dim value As System.Boolean  
  
value = instance.SetUserPreferenceIntegerValue(UserPreferenceValue, Value)
```

C#

```
System.bool SetUserPreferenceIntegerValue(  
    System.int UserPreferenceValue,  
    System.int Value  
)
```

C++/CLI

```
System.bool SetUserPreferenceIntegerValue(  
& System.int UserPreferenceValue,  
& System.int Value  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

UserPreferenceValue

Value

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetUserPreferenceIntegerValue](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SetUserPreferenceStringValue Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetUserPreferenceStringValue Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetUserPreferenceStringValue](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetUserPreferenceStringValue( _  
    ByVal UserPreference As System.Integer, _  
    ByVal Value As System.String _  
    ) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim UserPreference As System.Integer  
Dim Value As System.String  
Dim value As System.Boolean  
  
value = instance.SetUserPreferenceStringValue(UserPreference, Value)
```

C#

```
System.bool SetUserPreferenceStringValue(  
    System.int UserPreference,  
    System.string Value  
)
```

C++/CLI

```
System.bool SetUserPreferenceStringValue(  
& System.int UserPreference,  
& System.String^ Value  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

UserPreference

Value

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetUserPreferenceStringValue](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetUserPreferenceTextFormat Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetUserPreferenceTextFormat Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetUserPreferenceTextFormat](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetUserPreferenceTextFormat( _  
    ByVal UserPreferenceValue As System.Integer, _  
    ByVal Value As System.Object _  
    ) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim UserPreferenceValue As System.Integer  
Dim Value As System.Object  
Dim value As System.Boolean
```

```
value = instance.SetUserPreferenceTextFormat(UserPreferenceValue, Value)
```

C#

```
System.bool SetUserPreferenceTextFormat(  
    System.int UserPreferenceValue,  
    System.object Value  
)
```

C++/CLI

```
System.bool SetUserPreferenceTextFormat(  
& System.int UserPreferenceValue,  
& System.Object^ Value  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

UserPreferenceValue

Value

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetUserPreferenceTextFormat](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetUserPreferenceToggle Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : SetUserPreferenceToggle Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::SetUserPreferenceToggle](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetUserPreferenceToggle( _  
    ByVal UserPreferenceValue As System.Integer, _  
    ByVal OnFlag As System.Boolean _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim UserPreferenceValue As System.Integer  
Dim OnFlag As System.Boolean  
Dim value As System.Boolean
```

```
value = instance.SetUserPreferenceToggle(UserPreferenceValue, OnFlag)
```

C#

```
System.bool SetUserPreferenceToggle(  
    System.int UserPreferenceValue,  
    System.bool OnFlag  
)
```

C++/CLI

```
System.bool SetUserPreferenceToggle(  
& System.int UserPreferenceValue,  
& System.bool OnFlag  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

UserPreferenceValue

OnFlag

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::SetUserPreferenceToggle](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

ShowComponent2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ShowComponent2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ShowComponent2](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub ShowComponent2()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc
```

```
instance.ShowComponent2()
```

C#

```
void ShowComponent2()
```

C++/CLI

```
void ShowComponent2();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ShowComponent2](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

ShowConfiguration Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ShowConfiguration Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ShowConfiguration](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub ShowConfiguration( _  
    ByVal ConfigurationName As System.String _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim ConfigurationName As System.String  
  
instance.ShowConfiguration(ConfigurationName)
```

C#

```
void ShowConfiguration(  
    System.string ConfigurationName  
)
```

C++/CLI

```
void ShowConfiguration(  
& System.String^ ConfigurationName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ConfigurationName

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ShowConfiguration](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

ShowConfiguration2 Method (IModelDoc)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc Interface](#) : ShowConfiguration2 Method (IModelDoc)

Obsolete. Superseded by [IModelDoc2::ShowConfiguration2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function ShowConfiguration2( _  
    ByVal ConfigurationName As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc  
Dim ConfigurationName As System.String  
Dim value As System.Boolean  
  
value = instance.ShowConfiguration2(ConfigurationName)
```

C#

```
System.bool ShowConfiguration2(  
    System.string ConfigurationName  
)
```

C++/CLI

```
System.bool ShowConfiguration2(  
& System.String^ ConfigurationName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ConfigurationName

Visual Basic for Applications (VBA) Syntax

See [ModelDoc::ShowConfiguration2](#).

See Also

[IModelDoc Interface](#)
[IModelDoc Members](#)