

SOLIDWORKS API (.NET VBA C#) — Reference

(182/337): IModelDoc2 (part 5 of 17)

SOLIDWORKS API Documentation (converted from CHM)

IModelDoc2 (part 5 of 17) (Type)

EditOrdinate Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditOrdinate Method (IModelDoc2)

Puts the currently selected ordinate dimension into edit mode so you could add more ordinate dimensions to this group.

.NET Syntax

Visual Basic (Declaration)

```
Sub EditOrdinate()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
instance.EditOrdinate()
```

C#

```
void EditOrdinate()
```

C++/CLI

```
void EditOrdinate();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditOrdinate](#).

Remarks

You must pre-select the existing ordinate dimension and the entities to which to dimension. The position of the text and type of ordinate is determined by the existing ordinate dimension.

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)
[IModelDoc2::AlignOrdinate Method](#)
[IModelDoc2::ReattachOrdinate Method](#)
[IModelDocExtension::AddOrdinateDimension Method](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

EditRebuild3 Method (IModelDoc2)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditRebuild3 Method (IModelDoc2)

Rebuilds only those features that need to be rebuilt in the active configuration in the model.

.NET Syntax

Visual Basic (Declaration)

```
Function EditRebuild3() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2
Dim value As System.Boolean

value = instance.EditRebuild3()
```

C#

```
System.bool EditRebuild3()
```

C++/CLI

```
System.bool EditRebuild3();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

True if only those features that need to be rebuilt are rebuilt in the active configuration in the model, false if not

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditRebuild3](#).

Example

[Calculate Closest Distance Between Faces \(VBA\)](#)
[Change Dimensions of Gear Mate \(VBA\)](#)
[Find Outside Edges of Face \(VBA\)](#)
[Get Intersecting Face and Edge \(VBA\)](#)
[Get Intersecting Faces \(VBA\)](#)
[Insert DXF File and Add Dimension \(VBA\)](#)
[Rebuild Model \(VBA\)](#)
[Traverse Bodies \(C++\)](#)
[Modify Surface-cut Feature \(C#\)](#)
[Modify Surface-cut Feature \(VB.NET\)](#)
[Modify Surface-cut Feature \(VBA\)](#)

Remarks

This method only works in-context of the active document.

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)
[IModelDoc2::ForceRebuild3 Method](#)
[IModelDoc2::Rebuild Method](#)
[IModelDocExtension::NeedsRebuild2 Property](#)
[IModelDocExtension::EditRebuildAll Method](#)
[IModelDocExtension::ForceRebuildAll Method](#)
[IConfiguration::AddRebuildSaveMark Property](#)
[IConfiguration::NeedsRebuild Property](#)
[IConfigurationManager::AddRebuildSaveMark Method \(\)](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

EditRedo Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditRedo Method (IModelDoc2)

Obsolete. Superseded by [IModelDoc2::EditRedo2](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub EditRedo( _
    ByVal NSteps As System.UInteger _
)
```

```
Dim instance As IModelDoc2
Dim NSteps As System.UInteger

instance.EditRedo(NSteps)
```

C#

```
void EditRedo(
    System.uint NSteps
)
```

C++/CLI

```
void EditRedo(
    & System.uint NSteps
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

NSteps

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditRedo](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditRedo2 Method (IModelDoc2)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditRedo2 Method (IModelDoc2)

Repeats the specified number of actions in this SOLIDWORKS Design session.

.NET Syntax

Visual Basic (Declaration)

```
Sub EditRedo2( _
    ByVal Steps As System.Integer _
)
```

Visual Basic (Usage)

```
Dim instance As IModelDoc2
Dim Steps As System.Integer

instance.EditRedo2(Steps)
```

C#

```
void EditRedo2(
    System.int Steps
)
```

C++/CLI

```
void EditRedo2(
    & System.int Steps
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Steps

Number of actions to repeat

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditRedo2](#).

Example

[Fire Undo and Redo Pre- and Post-notifications in Part Document \(C#\)](#)
[Fire Undo and Redo Pre- and Post-notifications in Part Document \(VB.NET\)](#)
[Fire Undo and Redo Pre- and Post-notifications in Part Document \(VBA\)](#)

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)
[IModelDoc2::ClearUndoList Method](#)
[IModelDoc2::SketchUndo Method](#)
[IModelDocExtension::FinishRecordingUndoObject Method](#)
[IModelDocExtension::StartRecordingUndoObject Method](#)
[IModelDoc2::EditUndo2 Method](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

EditRollback Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditRollback Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::EditRollback](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditRollback() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim value As System.Boolean  
  
value = instance.EditRollback()
```

C#

```
System.bool EditRollback()
```

C++/CLI

```
System.bool EditRollback();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditRollback](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

EditRollback2 Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditRollback2 Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::EditRollback](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditRollback2() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim value As System.Boolean  
  
value = instance.EditRollback2()
```

C#

```
System.bool EditRollback2()
```

C++/CLI

```
System.bool EditRollback2();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditRollback2](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditRoute Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditRoute Method (IModelDoc2)

Makes the last selected route the active route.

.NET Syntax

Visual Basic (Declaration)

```
Sub EditRoute()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
  
instance.EditRoute()
```

C#

```
void EditRoute()
```

C++/CLI

```
void EditRoute();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditRoute](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)
[IModelDoc2::InsertRoutePoint Method](#)
[IAssemblyDoc::GetRouteManager Method](#)
[IAssemblyDoc::IsRouteAssembly Method](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

EditSeedFeat Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditSeedFeat Method (IModelDoc2)

Gets the pattern seed feature, based on the selected face, and displays the **Edit Definition** dialog for that feature.

.NET Syntax

Visual Basic (Declaration)

```
Sub EditSeedFeat()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
instance.EditSeedFeat()
```

C#

```
void EditSeedFeat()
```

C++/CLI

```
void EditSeedFeat();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditSeedFeat](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

EditSketch Method (IModelDoc2)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditSketch Method (IModelDoc2)

Allows the currently selected sketch to be edited.

.NET Syntax

Visual Basic (Declaration)

```
Sub EditSketch()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
  
instance.EditSketch()
```

C#

```
void EditSketch()
```

C++/CLI

```
void EditSketch();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditSketch](#).

Example

[Autodimension All Sketches \(VBA\)](#)
[Delete All Constraints in Selected Sketch \(VBA\)](#)
[Get Sketch Constraints \(VBA\)](#)
[Insert DXF File and Add Dimension \(VBA\)](#)
[Replace Sketch Text \(VBA\)](#)
[Create and Edit Circular Sketch Pattern \(VB.NET\)](#)
[Create and Edit Circular Sketch Pattern \(C#\)](#)
[Create and Edit Circular Sketch Pattern \(VBA\)](#)

Remarks

This method corresponds to **SOLIDWORKS menu > Edit > Sketch**. If the selection is a feature, its underlying sketch is placed in edit mode. After a sketch is in edit mode, you can add or delete geometry from the sketch and perform other standard sketch operations.

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)
[IModelDoc2::EditSketchOrSingleSketchFeature Method](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditSketchOrSingleSketchFeature Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditSketchOrSingleSketchFeature Method (IModelDoc2)

Edits a selected sketch or feature sketch.

.NET Syntax

Visual Basic (Declaration)

```
Sub EditSketchOrSingleSketchFeature()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
  
instance.EditSketchOrSingleSketchFeature()
```

C#

```
void EditSketchOrSingleSketchFeature()
```

C++/CLI

```
void EditSketchOrSingleSketchFeature();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditSketchOrSingleSketchFeature](#).

Remarks

This method is valid when one of the following is pre-selected:

- Sketch
- Body feature that is created from one sketch
- Surface feature that is created from one sketch
- Sketch picture
- Pen sketch
- Any item that supports **Context menu RMB > Edit Sketch**

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)
[IModelDoc2::EditSketch Method](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

EditSuppress Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditSuppress Method (IModelDoc2)

Obsolete. Superseded [IModelDoc2::EditSuppress2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditSuppress() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim value As System.Boolean  
  
value = instance.EditSuppress()
```

C#

```
System.bool EditSuppress()
```

C++/CLI

```
System.bool EditSuppress();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditSuppress](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditSuppress2 Method (IModelDoc2)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditSuppress2 Method (IModelDoc2)

Suppresses the selected feature, the selected component, or the owning feature of the selected face.

.NET Syntax

Visual Basic (Declaration)

```
Function EditSuppress2() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim value As System.Boolean  
  
value = instance.EditSuppress2()
```

C#

```
System.bool EditSuppress2()
```

C++/CLI

```
System.bool EditSuppress2();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

True if the selected feature, component, or owning feature of the selected face is suppressed, false if not

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditSuppress2](#).

Example

[Suppress Feature \(VBA\)](#)
[Set and Get Sheet Metal Part's Persistent Reference IDs \(C#\)](#)
[Set and Get Sheet Metal Part's Persistent Reference IDs \(VB.NET\)](#)
[Set and Get Sheet Metal Part's Persistent Reference IDs \(VBA\)](#)
[Suppress Component Feature \(C#\)](#)
[Suppress Component Feature \(VB.NET\)](#)
[Suppress Component Feature \(VBA\)](#)

Remarks

This routine is identical to the now obsolete IModelDoc2::EditSuppress. The version number was incremented to allow VB applications to take advantage of information not available in the now obsolete IPartDoc::EditSuppress2.

This method closes any component files when called in an assembly. If the components were modified, then those modifications are not automatically saved. You must save any modifications before the files are closed.

SOLIDWORKS does not allow suppressing features or components while a PropertyManager page is open.

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)
[IModelDoc2::EditUnsuppress2 Method](#)
[IModelDoc2::EditUnsuppressDependent2 Method](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditUndo Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditUndo Method (IModelDoc2)

Obsolete. Superseded by [IModelDoc2::EditUndo2](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub EditUndo( _  
    ByVal NSteps As System.UInteger _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim NSteps As System.UInteger  
  
instance.EditUndo(NSteps)
```

C#

```
void EditUndo(  
    System.uint NSteps  
)
```

C++/CLI

```
void EditUndo(  
&    System.uint NSteps  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

NSteps

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditUndo](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditUndo2 Method (IModelDoc2)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditUndo2 Method (IModelDoc2)

Undoes the specified number of actions in the active SOLIDWORKS Design session.

.NET Syntax

Visual Basic (Declaration)

```
Sub EditUndo2( _  
    ByVal Steps As System.Integer _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim Steps As System.Integer  
  
instance.EditUndo2(Steps)
```

C#

```
void EditUndo2(  
    System.int Steps  
)
```

C++/CLI

```
void EditUndo2(  
&    System.int Steps  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Steps

Number of actions to undo

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditUndo2](#).

Example

[Undo Feature and Fire Undo Post-Notify Event \(VBA\)](#)
[Undo Feature and Fire Undo Post-Notify Event \(VB.NET\)](#)
[Undo Feature and Fire Undo Post-Notify Event \(C#\)](#)

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)
[IModelDoc2::ClearUndoList Method](#)
[IModelDoc2::EditRedo2 Method](#)
[IModelDoc2::SketchUndo Method](#)
[IModelDocExtension::FinishRecordingUndoObject Method](#)
[IModelDocExtension::StartRecordingUndoObject Method](#)
[IModelDoc2::SketchUndo Method](#)
[DAssemblyDocEvents UndoPostNotifyEventHandler Delegate](#)
[DDrawingDocEvents UndoPostNotifyEventHandler Delegate](#)
[DPartDocEvents UndoPostNotifyEventHandler Delegate](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

EditUnsuppress Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditUnsuppress Method (IModelDoc2)

Obsolete. Superseded by [IModelDoc2::EditUnsuppress2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditUnsuppress() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim value As System.Boolean  
  
value = instance.EditUnsuppress()
```

C#

```
System.bool EditUnsuppress()
```

C++/CLI

```
System.bool EditUnsuppress();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditUnsuppress](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

EditUnsuppress2 Method (IModelDoc2)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditUnsuppress2 Method (IModelDoc2)

Unsuppresses the selected feature or component.

.NET Syntax

Visual Basic (Declaration)

```
Function EditUnsuppress2() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim value As System.Boolean  
  
value = instance.EditUnsuppress2()
```

C#

```
System.bool EditUnsuppress2()
```

C++/CLI

```
System.bool EditUnsuppress2();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

True if the selected feature or component is unsuppressed, false if not

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditUnsuppress2](#).

Example

[Set and Get Sheet Metal Part's Persistent Reference IDs \(C#\)](#)
[Set and Get Sheet Metal Part's Persistent Reference IDs \(VB.NET\)](#)
[Set and Get Sheet Metal Part's Persistent Reference IDs \(VBA\)](#)

Remarks

This routine is identical to the obsoleted `IModelDoc2::EditUnsuppress`. The version number was incremented to allow VB applications to take advantage of information not available in the obsoleted `IPartDoc::EditUnsuppress`.

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)
[IModelDoc2::EditSuppress2 Method](#)
[IModelDoc2::EditUnsuppressDependent2 Method](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

EditUnsuppressDependent Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditUnsuppressDependent Method (IModelDoc2)

Obsolete. Superseded by [IModelDoc2::EditUnsuppressDependent2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function EditUnsuppressDependent() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim value As System.Boolean  
  
value = instance.EditUnsuppressDependent()
```

C#

```
System.bool EditUnsuppressDependent()
```

C++/CLI

```
System.bool EditUnsuppressDependent();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditUnsuppressDependent](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

EditUnsuppressDependent2 Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EditUnsuppressDependent2 Method (IModelDoc2)

Unsuppresses the selected feature or component and their dependents.

.NET Syntax

Visual Basic (Declaration)

```
Function EditUnsuppressDependent2() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2
Dim value As System.Boolean

value = instance.EditUnsuppressDependent2()
```

C#

```
System.bool EditUnsuppressDependent2()
```

C++/CLI

```
System.bool EditUnsuppressDependent2();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

True if the selected feature or component and their dependents are unsuppressed, false if not

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EditUnsuppressDependent2](#).

Remarks

This method is identical to the obsolete `IModelDoc2::EditUnsuppressDependent` method. The version number was incremented to allow Visual Basic applications to take advantage of information not available in the obsolete `IPartDoc::EditUnsuppressDependent` method.

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)
[IModelDoc2::EditSuppress2 Method](#)
[IModelDoc2::EditUnsuppress2 Method](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

EntityProperties Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EntityProperties Method (IModelDoc2)

Displays the **Properties** dialog for the selected edge or face.

.NET Syntax

Visual Basic (Declaration)

```
Sub EntityProperties()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
instance.EntityProperties()
```

C#

```
void EntityProperties()
```

C++/CLI

```
void EntityProperties();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EntityProperties](#).

Remarks

This is the **Properties** menu selection that appears on the shortcut menu for an edge or face.

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)
[IModelDoc2::SelectedEdgeProperties Method](#)
[IModelDoc2::SelectedFaceProperties Method](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

EnumModelViews Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : EnumModelViews Method (IModelDoc2)

Gets the model views enumeration in this document.

.NET Syntax

Visual Basic (Declaration)

```
Function EnumModelViews() As EnumModelViews
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim value As EnumModelViews  
  
value = instance.EnumModelViews()
```

C#

```
EnumModelViews EnumModelViews()
```

C++/CLI

```
EnumModelViews^ EnumModelViews();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

[Model views enumeration](#)

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::EnumModelViews](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)
[IModelDoc2::GetModelViewCount Method](#)
[IModelDoc2::GetModelViewNames Method](#)
[IModelDoc2::IGetModelViewNames Method](#)
[IModelDoc2::ActiveView Property](#)
[IModelDoc2::IActiveView Property](#)
[IModelDoc2::ModelViewManager Property](#)
[IModelDoc2::IGetFirstModelView Method](#)
[IModelDoc2::GetFirstModelView Method](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

Extension Property (IModelDoc2)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : Extension Property (IModelDoc2)

Gets the [IModelDocExtension](#) object, which also allows access to the model document.

.NET Syntax

Visual Basic (Declaration)

ReadOnly Property Extension As ModelDocExtension

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim value As ModelDocExtension  
  
value = instance.Extension
```

C#

```
ModelDocExtension Extension {get;}
```

C++/CLI

```
property ModelDocExtension^ Extension {  
    ModelDocExtension^ get();  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

[IModelDocExtension](#) object

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::Extension](#).

Example

[Access Assembly \(C++\)](#)
[Create Cylinder \(C++\)](#)
[Traverse Bodies \(C++\)](#)
[Get Names of Bodies in Multibody Part \(VBA\)](#)
[Insert Wrap Feature \(VBA\)](#)
[Use Persistent Reference \(VBA\)](#)
[Create Equation-driven Curve \(C#\)](#)
[Create Equation-driven Curve \(VB.NET\)](#)
[Create Equation-driven Curve \(VBA\)](#)

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatEdit Method (IModelDoc2)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatEdit Method (IModelDoc2)

Puts the current feature into edit mode.

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatEdit()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
instance.FeatEdit()
```

C#

```
void FeatEdit()
```

C++/CLI

```
void FeatEdit();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatEdit](#).

Example

[Get Editing Status of Features \(VB.NET\)](#)
[Get Editing Status of Features \(VBA\)](#)

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)
[IModelDoc2::FeatEditDef Method](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatEditDef Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatEditDef Method (IModelDoc2)

Displays the **Feature Definition** dialog and lets the user edit the values.

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatEditDef()
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2
```

```
instance.FeatEditDef()
```

C#

```
void FeatEditDef()
```

C++/CLI

```
void FeatEditDef();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatEditDef](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)
[IModelDoc2::FeatEdit Method](#)

Availability

SOLIDWORKS 2001PLUS FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureBoss Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureBoss Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureExtrusion2](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureBoss( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _  
    ByVal D1 As System.Double, _  
    ByVal D2 As System.Double, _  
    ByVal Dchk1 As System.Boolean, _  
    ByVal Dchk2 As System.Boolean, _  
    ByVal Ddir1 As System.Boolean, _  
    ByVal Ddir2 As System.Boolean, _  
    ByVal Dang1 As System.Double, _  
    ByVal Dang2 As System.Double, _  
    ByVal OffsetReverse1 As System.Boolean, _  
    ByVal OffsetReverse2 As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2
```

```
Dim Sd As System.Boolean
```

```
Dim Flip As System.Boolean
```

```

Dim Dir As System.Boolean
Dim T1 As System.Integer
Dim T2 As System.Integer
Dim D1 As System.Double
Dim D2 As System.Double
Dim Dchk1 As System.Boolean
Dim Dchk2 As System.Boolean
Dim Ddir1 As System.Boolean
Dim Ddir2 As System.Boolean
Dim Dang1 As System.Double
Dim Dang2 As System.Double
Dim OffsetReverse1 As System.Boolean
Dim OffsetReverse2 As System.Boolean

```

```

instance.FeatureBoss(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,
OffsetReverse1, OffsetReverse2)

```

C#

```

void FeatureBoss(
    System.bool Sd,
    System.bool Flip,
    System.bool Dir,
    System.int T1,
    System.int T2,
    System.double D1,
    System.double D2,
    System.bool Dchk1,
    System.bool Dchk2,
    System.bool Ddir1,
    System.bool Ddir2,
    System.double Dang1,
    System.double Dang2,
    System.bool OffsetReverse1,
    System.bool OffsetReverse2
)

```

C++/CLI

```

void FeatureBoss(
& System.bool Sd,
& System.bool Flip,
& System.bool Dir,
& System.int T1,
& System.int T2,
& System.double D1,
& System.double D2,
& System.bool Dchk1,
& System.bool Dchk2,
& System.bool Ddir1,
& System.bool Ddir2,
& System.double Dang1,
& System.double Dang2,
& System.bool OffsetReverse1,
& System.bool OffsetReverse2
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1

T2

D1

D2

Dchk1

Dchk2
Ddir1
Ddir2
Dang1
Dang2
OffsetReverse1
OffsetReverse2

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureBoss](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureBoss2 Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureBoss2 Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureExtrusion2](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureBoss2( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _  
    ByVal D1 As System.Double, _  
    ByVal D2 As System.Double, _  
    ByVal Dchk1 As System.Boolean, _  
    ByVal Dchk2 As System.Boolean, _  
    ByVal Ddir1 As System.Boolean, _  
    ByVal Ddir2 As System.Boolean, _  
    ByVal Dang1 As System.Double, _  
    ByVal Dang2 As System.Double, _  
    ByVal OffsetReverse1 As System.Boolean, _  
    ByVal OffsetReverse2 As System.Boolean, _  
    ByVal TranslateSurface1 As System.Boolean, _  
    ByVal TranslateSurface2 As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim Sd As System.Boolean  
Dim Flip As System.Boolean  
Dim Dir As System.Boolean  
Dim T1 As System.Integer  
Dim T2 As System.Integer  
Dim D1 As System.Double  
Dim D2 As System.Double  
Dim Dchk1 As System.Boolean  
Dim Dchk2 As System.Boolean  
Dim Ddir1 As System.Boolean  
Dim Ddir2 As System.Boolean  
Dim Dang1 As System.Double  
Dim Dang2 As System.Double  
Dim OffsetReverse1 As System.Boolean
```

```
Dim OffsetReverse2 As System.Boolean
Dim TranslateSurface1 As System.Boolean
Dim TranslateSurface2 As System.Boolean
```

```
instance.FeatureBoss2(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,
OffsetReverse1, OffsetReverse2, TranslateSurface1, TranslateSurface2)
```

C#

```
void FeatureBoss2(
    System.bool Sd,
    System.bool Flip,
    System.bool Dir,
    System.int T1,
    System.int T2,
    System.double D1,
    System.double D2,
    System.bool Dchk1,
    System.bool Dchk2,
    System.bool Ddir1,
    System.bool Ddir2,
    System.double Dang1,
    System.double Dang2,
    System.bool OffsetReverse1,
    System.bool OffsetReverse2,
    System.bool TranslateSurface1,
    System.bool TranslateSurface2
)
```

C++/CLI

```
void FeatureBoss2(
    & System.bool Sd,
    & System.bool Flip,
    & System.bool Dir,
    & System.int T1,
    & System.int T2,
    & System.double D1,
    & System.double D2,
    & System.bool Dchk1,
    & System.bool Dchk2,
    & System.bool Ddir1,
    & System.bool Ddir2,
    & System.double Dang1,
    & System.double Dang2,
    & System.bool OffsetReverse1,
    & System.bool OffsetReverse2,
    & System.bool TranslateSurface1,
    & System.bool TranslateSurface2
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1

T2

D1

D2

Dchk1

Dchk2

Ddir1

Ddir2

Dang1

Dang2

OffsetReverse1

OffsetReverse2

TranslateSurface1

TranslateSurface2

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureBoss2](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatureBossThicken Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureBossThicken Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureBossThicken](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureBossThicken( _  
    ByVal Thickness As System.Double, _  
    ByVal Direction As System.Integer, _  
    ByVal FaceIndex As System.Integer _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim Thickness As System.Double  
Dim Direction As System.Integer  
Dim FaceIndex As System.Integer  
  
instance.FeatureBossThicken(Thickness, Direction, FaceIndex)
```

C#

```
void FeatureBossThicken(  
    System.double Thickness,  
    System.int Direction,  
    System.int FaceIndex  
)
```

C++/CLI

```
void FeatureBossThicken(  
& System.double Thickness,  
& System.int Direction,  
& System.int FaceIndex  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Thickness

Direction

FaceIndex

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureBossThicken](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatureBossThicken2 Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureBossThicken2 Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureBossThicken](#).

Visual Basic Syntax

Visual Basic (Declaration)

```
Sub FeatureBossThicken2( _  
    ByVal Thickness As System.Double, _  
    ByVal Direction As System.Integer, _  
    ByVal FaceIndex As System.Integer, _  
    ByVal FillVolume As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim Thickness As System.Double  
Dim Direction As System.Integer  
Dim FaceIndex As System.Integer  
Dim FillVolume As System.Boolean  
  
instance.FeatureBossThicken2(Thickness, Direction, FaceIndex, FillVolume)
```

C#

```
void FeatureBossThicken2(  
    System.double Thickness,  
    System.int Direction,  
    System.int FaceIndex,  
    System.bool FillVolume  
)
```

C++/CLI

```
void FeatureBossThicken2(  
& System.double Thickness,  
& System.int Direction,  
& System.int FaceIndex,  
& System.bool FillVolume  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Thickness

Direction

FaceIndex

FillVolume

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureBossThicken2](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureBossThin Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureBossThin Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureExtrusionThin2](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureBossThin( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _  
    ByVal D1 As System.Double, _  
    ByVal D2 As System.Double, _  
    ByVal Dchk1 As System.Boolean, _  
    ByVal Dchk2 As System.Boolean, _  
    ByVal Ddir1 As System.Boolean, _  
    ByVal Ddir2 As System.Boolean, _  
    ByVal Dang1 As System.Double, _  
    ByVal Dang2 As System.Double, _  
    ByVal OffsetReverse1 As System.Boolean, _  
    ByVal OffsetReverse2 As System.Boolean, _  
    ByVal Thk1 As System.Double, _  
    ByVal Thk2 As System.Double, _  
    ByVal EndThk As System.Double, _  
    ByVal RevThinDir As System.Integer, _  
    ByVal CapEnds As System.Integer, _  
    ByVal AddBends As System.Boolean, _  
    ByVal BendRad As System.Double _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim Sd As System.Boolean  
Dim Flip As System.Boolean  
Dim Dir As System.Boolean  
Dim T1 As System.Integer  
Dim T2 As System.Integer  
Dim D1 As System.Double  
Dim D2 As System.Double  
Dim Dchk1 As System.Boolean  
Dim Dchk2 As System.Boolean  
Dim Ddir1 As System.Boolean  
Dim Ddir2 As System.Boolean  
Dim Dang1 As System.Double  
Dim Dang2 As System.Double  
Dim OffsetReverse1 As System.Boolean  
Dim OffsetReverse2 As System.Boolean  
Dim Thk1 As System.Double  
Dim Thk2 As System.Double  
Dim EndThk As System.Double  
Dim RevThinDir As System.Integer  
Dim CapEnds As System.Integer  
Dim AddBends As System.Boolean  
Dim BendRad As System.Double
```

instance.FeatureBossThin(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2, OffsetReverse1, OffsetReverse2, Thk1, Thk2, EndThk, RevThinDir, CapEnds, AddBends, BendRad)

C#

```
void FeatureBossThin(  
    System.bool Sd,  
    System.bool Flip,  
    System.bool Dir,  
    System.int T1,  
    System.int T2,  
    System.double D1,  
    System.double D2,  
    System.bool Dchk1,  
    System.bool Dchk2,  
    System.bool Ddir1,  
    System.bool Ddir2,  
    System.double Dang1,  
    System.double Dang2,  
    System.bool OffsetReverse1,  
    System.bool OffsetReverse2,  
    System.double Thk1,  
    System.double Thk2,  
    System.double EndThk,  
    System.int RevThinDir,  
    System.int CapEnds,  
    System.bool AddBends,  
    System.double BendRad  
)
```

C++/CLI

```
void FeatureBossThin(  
& System.bool Sd,  
& System.bool Flip,  
& System.bool Dir,  
& System.int T1,  
& System.int T2,  
& System.double D1,  
& System.double D2,  
& System.bool Dchk1,  
& System.bool Dchk2,  
& System.bool Ddir1,  
& System.bool Ddir2,  
& System.double Dang1,  
& System.double Dang2,  
& System.bool OffsetReverse1,  
& System.bool OffsetReverse2,  
& System.double Thk1,  
& System.double Thk2,  
& System.double EndThk,  
& System.int RevThinDir,  
& System.int CapEnds,  
& System.bool AddBends,  
& System.double BendRad  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1

T2

D1

D2

Dchk1

Dchk2
Ddir1
Ddir2
Dang1
Dang2
OffsetReverse1
OffsetReverse2
Thk1
Thk2
EndThk
RevThinDir
CapEnds
AddBends
BendRad

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureBossThin](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureBossThin2 Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureBossThin2 Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureExtrusionThin2](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureBossThin2( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _  
    ByVal D1 As System.Double, _  
    ByVal D2 As System.Double, _  
    ByVal Dchk1 As System.Boolean, _  
    ByVal Dchk2 As System.Boolean, _  
    ByVal Ddir1 As System.Boolean, _  
    ByVal Ddir2 As System.Boolean, _  
    ByVal Dang1 As System.Double, _  
    ByVal Dang2 As System.Double, _  
    ByVal OffsetReverse1 As System.Boolean, _  
    ByVal OffsetReverse2 As System.Boolean, _  
    ByVal TranslateSurface1 As System.Boolean, _  
    ByVal TranslateSurface2 As System.Boolean, _  
    ByVal Thk1 As System.Double, _  
    ByVal Thk2 As System.Double, _  
    ByVal EndThk As System.Double, _  
    ByVal RevThinDir As System.Integer, _  
    ByVal CapEnds As System.Integer, _  
    ByVal AddBends As System.Boolean, _  
    ByVal BendRad As System.Double _  
)
```

Visual Basic (Usage)



```

Dim instance As IModelDoc2
Dim Sd As System.Boolean
Dim Flip As System.Boolean
Dim Dir As System.Boolean
Dim T1 As System.Integer
Dim T2 As System.Integer
Dim D1 As System.Double
Dim D2 As System.Double
Dim Dchk1 As System.Boolean
Dim Dchk2 As System.Boolean
Dim Ddir1 As System.Boolean
Dim Ddir2 As System.Boolean
Dim Dang1 As System.Double
Dim Dang2 As System.Double
Dim OffsetReverse1 As System.Boolean
Dim OffsetReverse2 As System.Boolean
Dim TranslateSurface1 As System.Boolean
Dim TranslateSurface2 As System.Boolean
Dim Thk1 As System.Double
Dim Thk2 As System.Double
Dim EndThk As System.Double
Dim RevThinDir As System.Integer
Dim CapEnds As System.Integer
Dim AddBends As System.Boolean
Dim BendRad As System.Double

```

```

instance.FeatureBossThin2(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,
OffsetReverse1, OffsetReverse2, TranslateSurface1, TranslateSurface2, Thk1, Thk2, EndThk,
RevThinDir, CapEnds, AddBends, BendRad)

```

C#

```

void FeatureBossThin2(
    System.bool Sd,
    System.bool Flip,
    System.bool Dir,
    System.int T1,
    System.int T2,
    System.double D1,
    System.double D2,
    System.bool Dchk1,
    System.bool Dchk2,
    System.bool Ddir1,
    System.bool Ddir2,
    System.double Dang1,
    System.double Dang2,
    System.bool OffsetReverse1,
    System.bool OffsetReverse2,
    System.bool TranslateSurface1,
    System.bool TranslateSurface2,
    System.double Thk1,
    System.double Thk2,
    System.double EndThk,
    System.int RevThinDir,
    System.int CapEnds,
    System.bool AddBends,
    System.double BendRad
)

```

C++/CLI

```

void FeatureBossThin2(
    & System.bool Sd,
    & System.bool Flip,
    & System.bool Dir,
    & System.int T1,
    & System.int T2,
    & System.double D1,
    & System.double D2,

```

```

& System.bool Dchk1,
& System.bool Dchk2,
& System.bool Ddir1,
& System.bool Ddir2,
& System.double Dang1,
& System.double Dang2,
& System.bool OffsetReverse1,
& System.bool OffsetReverse2,
& System.bool TranslateSurface1,
& System.bool TranslateSurface2,
& System.double Thk1,
& System.double Thk2,
& System.double EndThk,
& System.int RevThinDir,
& System.int CapEnds,
& System.bool AddBends,
& System.double BendRad
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1

T2

D1

D2

Dchk1

Dchk2

Ddir1

Ddir2

Dang1

Dang2

OffsetReverse1

OffsetReverse2

TranslateSurface1

TranslateSurface2

Thk1

Thk2

EndThk

RevThinDir

CapEnds

AddBends

BendRad

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureBossThin2](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatureByPositionReverse Method (IModelDoc2)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureByPositionReverse Method (IModelDoc2)

Gets the *n*th from last feature in the document.

Visual Basic Syntax

Visual Basic (Declaration)

```
Function FeatureByPositionReverse( _  
    ByVal Num As System.Integer _  
) As System.Object
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim Num As System.Integer  
Dim value As System.Object  
  
value = instance.FeatureByPositionReverse(Num)
```

C#

```
System.Object FeatureByPositionReverse(  
    System.int Num  
)
```

C++/CLI

```
System.Object^ FeatureByPositionReverse(  
& System.int Num  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Num

Number of feature from the last feature in the FeatureManager design tree; 0 is the last feature in FeatureManager design tree

Return Value

Pointer to the *n*th from last [feature](#) in the document

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureByPositionReverse](#).

Example

[Traverse Features By Reverse Position \(C#\)](#)
[Traverse Features By Reverse Position \(VB.NET\)](#)
[Traverse Features By Reverse Position \(VBA\)](#)
[Get Features in Reverse Order \(C#\)](#)
[Get Features in Reverse Order \(VB.NET\)](#)
[Get Features in Reverse Order \(VBA\)](#)
[Fill Holes in Part \(C#\)](#)
[Fill Holes in Part \(VB.NET\)](#)
[Fill Holes in Part \(VBA\)](#)
[Specify IGES Levels and Values, Then Import IGES File \(C#\)](#)
[Specify IGES Levels and Values, Then Import IGES File \(VB.NET\)](#)
[Specify IGES Levels and Values, Then Import IGES File \(VBA\)](#)

Remarks

This method returns features in the current order for the model, and this order changes when the model is edited.

Your application should not assume that:

- features retain the same relative or absolute position throughout the model's lifetime. For example, you should not assume that Sketch1 always appears before Sketch2.
- any feature has a specific name. Because features can be renamed, you cannot assume that the first reference plane feature is named Plane1.

When traversing the FeatureManager design tree, your application should use [IFeature::GetTypeName2](#) and [IFeature::GetSpecificFeature2](#) to identify specific features instead of relying solely on [IFeature::Name](#).

This method returns features in the model definition order, which is not the same as the order displayed in the user interface.

See [ITreeControlItem](#) for details.

Because SOLIDWORKS does not guarantee the name or positioning of default features, your application should not make any assumptions in this area. If your application is trying to access geometric features (i.e., sketches, fillets, bosses, reference surfaces, etc.) using [IModelDoc2::FeatureByPositionReverse](#), then it is safest to determine the number of default features at the top and bottom of the list for each particular document. This could be done once for each document by traversing the FeatureManager design tree using

[IModelDoc2::FirstFeature](#) and [IFeature::GetNextFeature](#). Based on the feature type, [IFeature::GetTypeName](#), you can recognize where new features will be placed in the FeatureManager design tree upon creation.

For example, a new fillet is created at position (n-1) where n is the total number of features in the part. Therefore, to obtain this feature, then specify 1 for PositionFromEnd. This allows you to obtain the newly created fillet feature which is 1 from the bottom of the list.

If you are using this method to obtain the last feature object created by your application, then, as a precaution, you might also want to check the feature count immediately before your feature creation and immediately after your feature creation. If the feature count has increased by 1, then is relatively safe to assume that only your application has modified the document and added a feature. However, this is not a guaranteed methodology because another third-party applications might be running and might have also modified your document. Feature count can be determined by calling [IModelDoc2::GetFeatureCount](#). However, [IModelDoc2::GetFeatureCount](#) does not recognize Sheet-Metal and Flat-Pattern folders as features in the FeatureManager design tree. Sheet-Metal and Flat-Pattern folders were introduced in SOLIDWORKS 2013.

To access the first feature in the FeatureManager design tree and sub-features, use [IModelDoc2::FirstFeature](#) and [IFeature::GetFirstSubFeature](#) methods, respectively.

[IModelDoc2::FeatureByPositionReverse](#) can access suppressed features.

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)
[IModelDoc2::IFeatureByPositionReverse Method](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureChamfer Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureChamfer Method (IModelDoc2)

Creates a chamfer feature.

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureChamfer( _  
    ByVal Width As System.Double, _  
    ByVal Angle As System.Double, _  
    ByVal Flip As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim Width As System.Double  
Dim Angle As System.Double  
Dim Flip As System.Boolean  
  
instance.FeatureChamfer(Width, Angle, Flip)
```

C#

```
void FeatureChamfer(  
    System.double Width,  
    System.double Angle,  
    System.bool Flip  
)
```

C++/CLI

```
void FeatureChamfer(  
& System.double Width,  
& System.double Angle,  
& System.bool Flip  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Width

Width of the chamfer in meters

Angle

Angle of the chamfer

Flip

- 0 if angle is to be measured from the right face
- 1 if angle is to be measured from the left face

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureChamfer](#).

See Also

[IModelDoc2 Interface](#)

[IModelDoc2 Members](#)

[IChamferFeatureData2 Interface](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureChamferType Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureChamferType Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::InsertFeatureChamfer](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureChamferType( _  
    ByVal ChamferType As System.Short, _  
    ByVal Width As System.Double, _  
    ByVal Angle As System.Double, _  
    ByVal Flip As System.Boolean, _  
    ByVal OtherDist As System.Double, _  
    ByVal VertexChamDist1 As System.Double, _  
    ByVal VertexChamDist2 As System.Double, _  
    ByVal VertexChamDist3 As System.Double _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim ChamferType As System.Short  
Dim Width As System.Double  
Dim Angle As System.Double  
Dim Flip As System.Boolean  
Dim OtherDist As System.Double  
Dim VertexChamDist1 As System.Double  
Dim VertexChamDist2 As System.Double  
Dim VertexChamDist3 As System.Double  
  
instance.FeatureChamferType(ChamferType, Width, Angle, Flip, OtherDist, VertexChamDist1,  
VertexChamDist2, VertexChamDist3)
```

C#

```
void FeatureChamferType(  
    System.short ChamferType,  
    System.double Width,  
    System.double Angle,
```

```
System.bool Flip,  
System.double OtherDist,  
System.double VertexChamDist1,  
System.double VertexChamDist2,  
System.double VertexChamDist3  
)
```

C++/CLI

```
void FeatureChamferType(  
& System.short ChamferType,  
& System.double Width,  
& System.double Angle,  
& System.bool Flip,  
& System.double OtherDist,  
& System.double VertexChamDist1,  
& System.double VertexChamDist2,  
& System.double VertexChamDist3  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ChamferType

Width

Angle

Flip

OtherDist

VertexChamDist1

VertexChamDist2

VertexChamDist3

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureChamferType](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureCirPattern Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureCirPattern Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureCircularPattern2](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCirPattern(  
    ByVal Num As System.Integer, _  
    ByVal Spacing As System.Double, _  
    ByVal FlipDir As System.Boolean, _  
    ByVal DName As System.String _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim Num As System.Integer  
Dim Spacing As System.Double  
Dim FlipDir As System.Boolean
```

```
Dim DName As System.String
```

```
instance.FeatureCirPattern(Num, Spacing, FlipDir, DName)
```

C#

```
void FeatureCirPattern(  
    System.int Num,  
    System.double Spacing,  
    System.bool FlipDir,  
    System.string DName  
)
```

C++/CLI

```
void FeatureCirPattern(  
& System.int Num,  
& System.double Spacing,  
& System.bool FlipDir,  
& System.String^ DName  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Num

Spacing

FlipDir

DName

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureCirPattern](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureCurvePattern Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureCurvePattern Method (IModelDoc2)

Obsolete. See [IFeatureManager::CreateFeature](#) and the Remarks of [ICurveDrivenPatternFeatureData](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCurvePattern(  
    ByVal Num1 As System.Integer, _  
    ByVal Spacing1 As System.Double, _  
    ByVal Num2 As System.Integer, _  
    ByVal Spacing2 As System.Double, _  
    ByVal FlipDir1 As System.Boolean, _  
    ByVal FlipDir2 As System.Boolean, _  
    ByVal EqualSpacing1 As System.Boolean, _  
    ByVal EqualSpacing2 As System.Boolean, _  
    ByVal UseCentroid As System.Boolean, _  
    ByVal AlignToSeed As System.Boolean, _  
    ByVal OffsetCurve As System.Boolean, _  
    ByVal PatternSeedOnly As System.Boolean _  
)
```

Visual Basic (Usage)



```

Dim instance As IModelDoc2
Dim Num1 As System.Integer
Dim Spacing1 As System.Double
Dim Num2 As System.Integer
Dim Spacing2 As System.Double
Dim FlipDir1 As System.Boolean
Dim FlipDir2 As System.Boolean
Dim EqualSpacing1 As System.Boolean
Dim EqualSpacing2 As System.Boolean
Dim UseCentroid As System.Boolean
Dim AlignToSeed As System.Boolean
Dim OffsetCurve As System.Boolean
Dim PatternSeedOnly As System.Boolean

```

```

instance.FeatureCurvePattern(Num1, Spacing1, Num2, Spacing2, FlipDir1, FlipDir2, EqualSpacing1,
EqualSpacing2, UseCentroid, AlignToSeed, OffsetCurve, PatternSeedOnly)

```

C#

```

void FeatureCurvePattern(
    System.int Num1,
    System.double Spacing1,
    System.int Num2,
    System.double Spacing2,
    System.bool FlipDir1,
    System.bool FlipDir2,
    System.bool EqualSpacing1,
    System.bool EqualSpacing2,
    System.bool UseCentroid,
    System.bool AlignToSeed,
    System.bool OffsetCurve,
    System.bool PatternSeedOnly
)

```

C++/CLI

```

void FeatureCurvePattern(
& System.int Num1,
& System.double Spacing1,
& System.int Num2,
& System.double Spacing2,
& System.bool FlipDir1,
& System.bool FlipDir2,
& System.bool EqualSpacing1,
& System.bool EqualSpacing2,
& System.bool UseCentroid,
& System.bool AlignToSeed,
& System.bool OffsetCurve,
& System.bool PatternSeedOnly
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Num1

Number of instances in the first direction, including the original

Spacing1

Spacing in radians

Num2

Number of instances in the second direction

Spacing2

Spacing in radians

FlipDir1

True flips the direction of the first direction, false does not

FlipDir2

True flips the direction of the second direction, false does not

EqualSpacing1

True uses equal spacing between instances in the first direction, false does not

EqualSpacing2

True uses equal spacing between instances in the second direction, false does not

UseCentroid

True uses the centroid as reference point, false does not

AlignToSeed

True aligns the new objects with the seed feature, false does not

OffsetCurve

True offsets the curve, false transforms it

PatternSeedOnly

True uses only the seed feature in the second direction, false does not

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureCurvePattern](#).

See Also

[IModelDoc2 Interface](#)

[IModelDoc2 Members](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureCut Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureCut Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureCut](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCut( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _  
    ByVal D1 As System.Double, _  
    ByVal D2 As System.Double, _  
    ByVal Dchk1 As System.Boolean, _  
    ByVal Dchk2 As System.Boolean, _  
    ByVal Ddir1 As System.Boolean, _  
    ByVal Ddir2 As System.Boolean, _  
    ByVal Dang1 As System.Double, _  
    ByVal Dang2 As System.Double, _  
    ByVal OffsetReverse1 As System.Boolean, _  
    ByVal OffsetReverse2 As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim Sd As System.Boolean  
Dim Flip As System.Boolean  
Dim Dir As System.Boolean  
Dim T1 As System.Integer  
Dim T2 As System.Integer  
Dim D1 As System.Double  
Dim D2 As System.Double  
Dim Dchk1 As System.Boolean  
Dim Dchk2 As System.Boolean  
Dim Ddir1 As System.Boolean  
Dim Ddir2 As System.Boolean
```

```
Dim Dang1 As System.Double
Dim Dang2 As System.Double
Dim OffsetReverse1 As System.Boolean
Dim OffsetReverse2 As System.Boolean
```

```
instance.FeatureCut(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,
OffsetReverse1, OffsetReverse2)
```

C#

```
void FeatureCut(
    System.bool Sd,
    System.bool Flip,
    System.bool Dir,
    System.int T1,
    System.int T2,
    System.double D1,
    System.double D2,
    System.bool Dchk1,
    System.bool Dchk2,
    System.bool Ddir1,
    System.bool Ddir2,
    System.double Dang1,
    System.double Dang2,
    System.bool OffsetReverse1,
    System.bool OffsetReverse2
)
```

C++/CLI

```
void FeatureCut(
    & System.bool Sd,
    & System.bool Flip,
    & System.bool Dir,
    & System.int T1,
    & System.int T2,
    & System.double D1,
    & System.double D2,
    & System.bool Dchk1,
    & System.bool Dchk2,
    & System.bool Ddir1,
    & System.bool Ddir2,
    & System.double Dang1,
    & System.double Dang2,
    & System.bool OffsetReverse1,
    & System.bool OffsetReverse2
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1

T2

D1

D2

Dchk1

Dchk2

Ddir1

Ddir2

Dang1

Dang2

OffsetReverse1

OffsetReverse2

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureCut](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatureCut2 Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureCut2 Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureCut](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCut2( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _  
    ByVal D1 As System.Double, _  
    ByVal D2 As System.Double, _  
    ByVal Dchk1 As System.Boolean, _  
    ByVal Dchk2 As System.Boolean, _  
    ByVal Ddir1 As System.Boolean, _  
    ByVal Ddir2 As System.Boolean, _  
    ByVal Dang1 As System.Double, _  
    ByVal Dang2 As System.Double, _  
    ByVal OffsetReverse1 As System.Boolean, _  
    ByVal OffsetReverse2 As System.Boolean, _  
    ByVal KeepPieceIndex As System.Integer _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim Sd As System.Boolean  
Dim Flip As System.Boolean  
Dim Dir As System.Boolean  
Dim T1 As System.Integer  
Dim T2 As System.Integer  
Dim D1 As System.Double  
Dim D2 As System.Double  
Dim Dchk1 As System.Boolean  
Dim Dchk2 As System.Boolean  
Dim Ddir1 As System.Boolean  
Dim Ddir2 As System.Boolean  
Dim Dang1 As System.Double  
Dim Dang2 As System.Double  
Dim OffsetReverse1 As System.Boolean  
Dim OffsetReverse2 As System.Boolean  
Dim KeepPieceIndex As System.Integer  
  
instance.FeatureCut2(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,  
OffsetReverse1, OffsetReverse2, KeepPieceIndex)
```

C#

```
void FeatureCut2(  
    System.bool Sd,  
    System.bool Flip,
```

```

    System.bool Dir,
    System.int T1,
    System.int T2,
    System.double D1,
    System.double D2,
    System.bool Dchk1,
    System.bool Dchk2,
    System.bool Ddir1,
    System.bool Ddir2,
    System.double Dang1,
    System.double Dang2,
    System.bool OffsetReverse1,
    System.bool OffsetReverse2,
    System.int KeepPieceIndex
)

```

C++/CLI

```

void FeatureCut2(
& System.bool Sd,
& System.bool Flip,
& System.bool Dir,
& System.int T1,
& System.int T2,
& System.double D1,
& System.double D2,
& System.bool Dchk1,
& System.bool Dchk2,
& System.bool Ddir1,
& System.bool Ddir2,
& System.double Dang1,
& System.double Dang2,
& System.bool OffsetReverse1,
& System.bool OffsetReverse2,
& System.int KeepPieceIndex
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1

T2

D1

D2

Dchk1

Dchk2

Ddir1

Ddir2

Dang1

Dang2

OffsetReverse1

OffsetReverse2

KeepPieceIndex

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureCut2](#).

See Also

FeatureCut3 Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureCut3 Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureCut](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCut3( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _  
    ByVal D1 As System.Double, _  
    ByVal D2 As System.Double, _  
    ByVal Dchk1 As System.Boolean, _  
    ByVal Dchk2 As System.Boolean, _  
    ByVal Ddir1 As System.Boolean, _  
    ByVal Ddir2 As System.Boolean, _  
    ByVal Dang1 As System.Double, _  
    ByVal Dang2 As System.Double, _  
    ByVal OffsetReverse1 As System.Boolean, _  
    ByVal OffsetReverse2 As System.Boolean, _  
    ByVal KeepPieceIndex As System.Integer _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim Sd As System.Boolean  
Dim Flip As System.Boolean  
Dim Dir As System.Boolean  
Dim T1 As System.Integer  
Dim T2 As System.Integer  
Dim D1 As System.Double  
Dim D2 As System.Double  
Dim Dchk1 As System.Boolean  
Dim Dchk2 As System.Boolean  
Dim Ddir1 As System.Boolean  
Dim Ddir2 As System.Boolean  
Dim Dang1 As System.Double  
Dim Dang2 As System.Double  
Dim OffsetReverse1 As System.Boolean  
Dim OffsetReverse2 As System.Boolean  
Dim KeepPieceIndex As System.Integer
```

```
instance.FeatureCut3(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,  
OffsetReverse1, OffsetReverse2, KeepPieceIndex)
```

C#

```
void FeatureCut3(  
    System.bool Sd,  
    System.bool Flip,  
    System.bool Dir,  
    System.int T1,  
    System.int T2,  
    System.double D1,  
    System.double D2,  
    System.bool Dchk1,  
    System.bool Dchk2,  
    System.bool Ddir1,
```

```

        System.bool Ddir2,
        System.double Dang1,
        System.double Dang2,
        System.bool OffsetReverse1,
        System.bool OffsetReverse2,
        System.int KeepPieceIndex
    )

```

C++/CLI

```

void FeatureCut3(
& System.bool Sd,
& System.bool Flip,
& System.bool Dir,
& System.int T1,
& System.int T2,
& System.double D1,
& System.double D2,
& System.bool Dchk1,
& System.bool Dchk2,
& System.bool Ddir1,
& System.bool Ddir2,
& System.double Dang1,
& System.double Dang2,
& System.bool OffsetReverse1,
& System.bool OffsetReverse2,
& System.int KeepPieceIndex
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1

T2

D1

D2

Dchk1

Dchk2

Ddir1

Ddir2

Dang1

Dang2

OffsetReverse1

OffsetReverse2

KeepPieceIndex

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureCut3](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureCut4 Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureCut4 Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureCut](#).

Visual Basic (Declaration)

```
Sub FeatureCut4( _
    ByVal Sd As System.Boolean, _
    ByVal Flip As System.Boolean, _
    ByVal Dir As System.Boolean, _
    ByVal T1 As System.Integer, _
    ByVal T2 As System.Integer, _
    ByVal D1 As System.Double, _
    ByVal D2 As System.Double, _
    ByVal Dchk1 As System.Boolean, _
    ByVal Dchk2 As System.Boolean, _
    ByVal Ddir1 As System.Boolean, _
    ByVal Ddir2 As System.Boolean, _
    ByVal Dang1 As System.Double, _
    ByVal Dang2 As System.Double, _
    ByVal OffsetReverse1 As System.Boolean, _
    ByVal OffsetReverse2 As System.Boolean, _
    ByVal KeepPieceIndex As System.Integer, _
    ByVal NormalCut As System.Boolean _
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2
Dim Sd As System.Boolean
Dim Flip As System.Boolean
Dim Dir As System.Boolean
Dim T1 As System.Integer
Dim T2 As System.Integer
Dim D1 As System.Double
Dim D2 As System.Double
Dim Dchk1 As System.Boolean
Dim Dchk2 As System.Boolean
Dim Ddir1 As System.Boolean
Dim Ddir2 As System.Boolean
Dim Dang1 As System.Double
Dim Dang2 As System.Double
Dim OffsetReverse1 As System.Boolean
Dim OffsetReverse2 As System.Boolean
Dim KeepPieceIndex As System.Integer
Dim NormalCut As System.Boolean
```

```
instance.FeatureCut4(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,
OffsetReverse1, OffsetReverse2, KeepPieceIndex, NormalCut)
```

C#

```

void FeatureCut4(
    System.bool Sd,
    System.bool Flip,
    System.bool Dir,
    System.int T1,
    System.int T2,
    System.double D1,
    System.double D2,
    System.bool Dchk1,
    System.bool Dchk2,
    System.bool Ddir1,
    System.bool Ddir2,
    System.double Dang1,
    System.double Dang2,
    System.bool OffsetReverse1,
    System.bool OffsetReverse2,
    System.int KeepPieceIndex,
    System.bool NormalCut
)

```

C++/CLI

```

void FeatureCut4(
    & System.bool Sd,
    & System.bool Flip,
    & System.bool Dir,
    & System.int T1,
    & System.int T2,
    & System.double D1,
    & System.double D2,
    & System.bool Dchk1,
    & System.bool Dchk2,
    & System.bool Ddir1,
    & System.bool Ddir2,
    & System.double Dang1,
    & System.double Dang2,
    & System.bool OffsetReverse1,
    & System.bool OffsetReverse2,
    & System.int KeepPieceIndex,
    & System.bool NormalCut
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1

T2

D1

D2

Dchk1

Dchk2

Ddir1

Ddir2

Dang1

Dang2

OffsetReverse1

OffsetReverse2

KeepPieceIndex

NormalCut

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureCut4](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatureCut5 Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureCut5 Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureCut](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCut5( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _  
    ByVal D1 As System.Double, _  
    ByVal D2 As System.Double, _  
    ByVal Dchk1 As System.Boolean, _  
    ByVal Dchk2 As System.Boolean, _  
    ByVal Ddir1 As System.Boolean, _  
    ByVal Ddir2 As System.Boolean, _  
    ByVal Dang1 As System.Double, _  
    ByVal Dang2 As System.Double, _  
    ByVal OffsetReverse1 As System.Boolean, _  
    ByVal OffsetReverse2 As System.Boolean, _  
    ByVal TranslateSurface1 As System.Boolean, _  
    ByVal TranslateSurface2 As System.Boolean, _  
    ByVal KeepPieceIndex As System.Integer, _  
    ByVal NormalCut As System.Boolean _  
)
```

Visual Basic (Usage)



```

Dim instance As IModelDoc2
Dim Sd As System.Boolean
Dim Flip As System.Boolean
Dim Dir As System.Boolean
Dim T1 As System.Integer
Dim T2 As System.Integer
Dim D1 As System.Double
Dim D2 As System.Double
Dim Dchk1 As System.Boolean
Dim Dchk2 As System.Boolean
Dim Ddir1 As System.Boolean
Dim Ddir2 As System.Boolean
Dim Dang1 As System.Double
Dim Dang2 As System.Double
Dim OffsetReverse1 As System.Boolean
Dim OffsetReverse2 As System.Boolean
Dim TranslateSurface1 As System.Boolean
Dim TranslateSurface2 As System.Boolean
Dim KeepPieceIndex As System.Integer
Dim NormalCut As System.Boolean

```

```

instance.FeatureCut5(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,
OffsetReverse1, OffsetReverse2, TranslateSurface1, TranslateSurface2, KeepPieceIndex, NormalCut)

```

C#

```

void FeatureCut5(
    System.bool Sd,
    System.bool Flip,
    System.bool Dir,
    System.int T1,
    System.int T2,
    System.double D1,
    System.double D2,
    System.bool Dchk1,
    System.bool Dchk2,
    System.bool Ddir1,
    System.bool Ddir2,
    System.double Dang1,
    System.double Dang2,
    System.bool OffsetReverse1,
    System.bool OffsetReverse2,
    System.bool TranslateSurface1,
    System.bool TranslateSurface2,
    System.int KeepPieceIndex,
    System.bool NormalCut
)

```

C++/CLI

```

void FeatureCut5(
    & System.bool Sd,
    & System.bool Flip,
    & System.bool Dir,
    & System.int T1,
    & System.int T2,
    & System.double D1,
    & System.double D2,
    & System.bool Dchk1,
    & System.bool Dchk2,
    & System.bool Ddir1,
    & System.bool Ddir2,
    & System.double Dang1,
    & System.double Dang2,
    & System.bool OffsetReverse1,
    & System.bool OffsetReverse2,
    & System.bool TranslateSurface1,
    & System.bool TranslateSurface2,
    & System.int KeepPieceIndex,

```

```
& System.bool NormalCut
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1

T2

D1

D2

Dchk1

Dchk2

Ddir1

Ddir2

Dang1

Dang2

OffsetReverse1

OffsetReverse2

TranslateSurface1

TranslateSurface2

KeepPieceIndex

NormalCut

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureCut5](#).

See Also

[IModelDoc2 Interface](#)

[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureCutThicken Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureCutThicken Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureCutThicken](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCutThicken( _
    ByVal Thickness As System.Double, _
    ByVal Direction As System.Integer, _
    ByVal FaceIndex As System.Integer _
)
```

Visual Basic (Usage)

```
Dim instance As IModelDoc2
Dim Thickness As System.Double
Dim Direction As System.Integer
Dim FaceIndex As System.Integer
```

```
instance.FeatureCutThicken(Thickness, Direction, FaceIndex)
```

C#



```
void FeatureCutThicken(  
    System.double Thickness,  
    System.int Direction,  
    System.int FaceIndex  
)
```

C++/CLI

```
void FeatureCutThicken(  
    & System.double Thickness,  
    & System.int Direction,  
    & System.int FaceIndex  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Thickness

Direction

FaceIndex

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureCutThicken](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatureCutThicken2 Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureCutThicken2 Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureCutThicken](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCutThicken2( _  
    ByVal Thickness As System.Double, _  
    ByVal Direction As System.Integer, _  
    ByVal FaceIndex As System.Integer, _  
    ByVal FillVolume As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim Thickness As System.Double  
Dim Direction As System.Integer  
Dim FaceIndex As System.Integer  
Dim FillVolume As System.Boolean
```

```
instance.FeatureCutThicken2(Thickness, Direction, FaceIndex, FillVolume)
```

C#

```
void FeatureCutThicken2(  
    System.double Thickness,  
    System.int Direction,  
    System.int FaceIndex,
```

```
        System.bool FillVolume
    )
```

C++/CLI

```
void FeatureCutThicken2(
&    System.double Thickness,
&    System.int Direction,
&    System.int FaceIndex,
&    System.bool FillVolume
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Thickness

Direction

FaceIndex

FillVolume

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureCutThicken2](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatureCutThin Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureCutThin Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureCutThin](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCutThin( _
    ByVal Sd As System.Boolean, _
    ByVal Flip As System.Boolean, _
    ByVal Dir As System.Boolean, _
    ByVal T1 As System.Integer, _
    ByVal T2 As System.Integer, _
    ByVal D1 As System.Double, _
    ByVal D2 As System.Double, _
    ByVal Dchk1 As System.Boolean, _
    ByVal Dchk2 As System.Boolean, _
    ByVal Ddir1 As System.Boolean, _
    ByVal Ddir2 As System.Boolean, _
    ByVal Dang1 As System.Double, _
    ByVal Dang2 As System.Double, _
    ByVal OffsetReverse1 As System.Boolean, _
    ByVal OffsetReverse2 As System.Boolean, _
    ByVal Thk1 As System.Double, _
    ByVal Thk2 As System.Double, _
    ByVal EndThk As System.Double, _
    ByVal RevThinDir As System.Integer, _
    ByVal CapEnds As System.Integer, _
    ByVal AddBends As System.Boolean, _
    ByVal BendRad As System.Double _
)
```

Visual Basic (Usage)

 Copy Code

```

Dim instance As IModelDoc2
Dim Sd As System.Boolean
Dim Flip As System.Boolean
Dim Dir As System.Boolean
Dim T1 As System.Integer
Dim T2 As System.Integer
Dim D1 As System.Double
Dim D2 As System.Double
Dim Dchk1 As System.Boolean
Dim Dchk2 As System.Boolean
Dim Ddir1 As System.Boolean
Dim Ddir2 As System.Boolean
Dim Dang1 As System.Double
Dim Dang2 As System.Double
Dim OffsetReverse1 As System.Boolean
Dim OffsetReverse2 As System.Boolean
Dim Thk1 As System.Double
Dim Thk2 As System.Double
Dim EndThk As System.Double
Dim RevThinDir As System.Integer
Dim CapEnds As System.Integer
Dim AddBends As System.Boolean
Dim BendRad As System.Double

```

```

instance.FeatureCutThin(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,
OffsetReverse1, OffsetReverse2, Thk1, Thk2, EndThk, RevThinDir, CapEnds, AddBends, BendRad)

```

C#

```

void FeatureCutThin(
    System.bool Sd,
    System.bool Flip,
    System.bool Dir,
    System.int T1,
    System.int T2,
    System.double D1,
    System.double D2,
    System.bool Dchk1,
    System.bool Dchk2,
    System.bool Ddir1,
    System.bool Ddir2,
    System.double Dang1,
    System.double Dang2,
    System.bool OffsetReverse1,
    System.bool OffsetReverse2,
    System.double Thk1,
    System.double Thk2,
    System.double EndThk,
    System.int RevThinDir,
    System.int CapEnds,
    System.bool AddBends,
    System.double BendRad
)

```

C++/CLI

```

void FeatureCutThin(
    & System.bool Sd,
    & System.bool Flip,
    & System.bool Dir,
    & System.int T1,
    & System.int T2,
    & System.double D1,
    & System.double D2,
    & System.bool Dchk1,
    & System.bool Dchk2,
    & System.bool Ddir1,
    & System.bool Ddir2,
    & System.double Dang1,

```

```
& System.double Dang2,  
& System.bool OffsetReverse1,  
& System.bool OffsetReverse2,  
& System.double Thk1,  
& System.double Thk2,  
& System.double EndThk,  
& System.int RevThinDir,  
& System.int CapEnds,  
& System.bool AddBends,  
& System.double BendRad  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd
Flip
Dir
T1
T2
D1
D2
Dchk1
Dchk2
Ddir1
Ddir2
Dang1
Dang2
OffsetReverse1
OffsetReverse2
Thk1
Thk2
EndThk
RevThinDir
CapEnds
AddBends
BendRad

 Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureCutThin](#).

 See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

FeatureCutThin2 Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureCutThin2 Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureCutThin](#).

 .NET Syntax

Visual Basic (Declaration)

```
Sub FeatureCutThin2( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _
```

```

ByVal Dir As System.Boolean, _
ByVal T1 As System.Integer, _
ByVal T2 As System.Integer, _
ByVal D1 As System.Double, _
ByVal D2 As System.Double, _
ByVal Dchk1 As System.Boolean, _
ByVal Dchk2 As System.Boolean, _
ByVal Ddir1 As System.Boolean, _
ByVal Ddir2 As System.Boolean, _
ByVal Dang1 As System.Double, _
ByVal Dang2 As System.Double, _
ByVal OffsetReverse1 As System.Boolean, _
ByVal OffsetReverse2 As System.Boolean, _
ByVal TranslateSurface1 As System.Boolean, _
ByVal TranslateSurface2 As System.Boolean, _
ByVal Thk1 As System.Double, _
ByVal Thk2 As System.Double, _
ByVal EndThk As System.Double, _
ByVal RevThinDir As System.Integer, _
ByVal CapEnds As System.Integer, _
ByVal AddBends As System.Boolean, _
ByVal BendRad As System.Double _
)

```

Visual Basic (Usage)



```

Dim instance As IModelDoc2
Dim Sd As System.Boolean
Dim Flip As System.Boolean
Dim Dir As System.Boolean
Dim T1 As System.Integer
Dim T2 As System.Integer
Dim D1 As System.Double
Dim D2 As System.Double
Dim Dchk1 As System.Boolean
Dim Dchk2 As System.Boolean
Dim Ddir1 As System.Boolean
Dim Ddir2 As System.Boolean
Dim Dang1 As System.Double
Dim Dang2 As System.Double
Dim OffsetReverse1 As System.Boolean
Dim OffsetReverse2 As System.Boolean
Dim TranslateSurface1 As System.Boolean
Dim TranslateSurface2 As System.Boolean
Dim Thk1 As System.Double
Dim Thk2 As System.Double
Dim EndThk As System.Double
Dim RevThinDir As System.Integer
Dim CapEnds As System.Integer
Dim AddBends As System.Boolean
Dim BendRad As System.Double

```

```

instance.FeatureCutThin2(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2,
OffsetReverse1, OffsetReverse2, TranslateSurface1, TranslateSurface2, Thk1, Thk2, EndThk,
RevThinDir, CapEnds, AddBends, BendRad)

```

C#

```

void FeatureCutThin2(
    System.bool Sd,
    System.bool Flip,
    System.bool Dir,
    System.int T1,
    System.int T2,
    System.double D1,
    System.double D2,
    System.bool Dchk1,
    System.bool Dchk2,
    System.bool Ddir1,

```

```

        System.bool Ddir2,
        System.double Dang1,
        System.double Dang2,
        System.bool OffsetReverse1,
        System.bool OffsetReverse2,
        System.bool TranslateSurface1,
        System.bool TranslateSurface2,
        System.double Thk1,
        System.double Thk2,
        System.double EndThk,
        System.int RevThinDir,
        System.int CapEnds,
        System.bool AddBends,
        System.double BendRad
    )

```

C++/CLI

```

void FeatureCutThin2(
& System.bool Sd,
& System.bool Flip,
& System.bool Dir,
& System.int T1,
& System.int T2,
& System.double D1,
& System.double D2,
& System.bool Dchk1,
& System.bool Dchk2,
& System.bool Ddir1,
& System.bool Ddir2,
& System.double Dang1,
& System.double Dang2,
& System.bool OffsetReverse1,
& System.bool OffsetReverse2,
& System.bool TranslateSurface1,
& System.bool TranslateSurface2,
& System.double Thk1,
& System.double Thk2,
& System.double EndThk,
& System.int RevThinDir,
& System.int CapEnds,
& System.bool AddBends,
& System.double BendRad
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1

T2

D1

D2

Dchk1

Dchk2

Ddir1

Ddir2

Dang1

Dang2

OffsetReverse1

OffsetReverse2

TranslateSurface1

TranslateSurface2

Thk1
Thk2
EndThk
RevThinDir
CapEnds
AddBends
BendRad

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureCutThin2](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatureExtruRefSurface Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureExtruRefSurface Method (IModelDoc2)

Obsolete. Superseded by [IModelDoc2::FeatureExtruRefSurface2](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureExtruRefSurface( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _  
    ByVal D1 As System.Double, _  
    ByVal D2 As System.Double, _  
    ByVal Dchk1 As System.Boolean, _  
    ByVal Dchk2 As System.Boolean, _  
    ByVal Ddir1 As System.Boolean, _  
    ByVal Ddir2 As System.Boolean, _  
    ByVal Dang1 As System.Double, _  
    ByVal Dang2 As System.Double, _  
    ByVal OffsetReverse1 As System.Boolean, _  
    ByVal OffsetReverse2 As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim Sd As System.Boolean  
Dim Flip As System.Boolean  
Dim Dir As System.Boolean  
Dim T1 As System.Integer  
Dim T2 As System.Integer  
Dim D1 As System.Double  
Dim D2 As System.Double  
Dim Dchk1 As System.Boolean  
Dim Dchk2 As System.Boolean  
Dim Ddir1 As System.Boolean  
Dim Ddir2 As System.Boolean  
Dim Dang1 As System.Double  
Dim Dang2 As System.Double  
Dim OffsetReverse1 As System.Boolean  
Dim OffsetReverse2 As System.Boolean
```

```
instance.FeatureExtruRefSurface(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1, Dang2, OffsetReverse1, OffsetReverse2)
```

C#

```
void FeatureExtruRefSurface(  
    System.bool Sd,  
    System.bool Flip,  
    System.bool Dir,  
    System.int T1,  
    System.int T2,  
    System.double D1,  
    System.double D2,  
    System.bool Dchk1,  
    System.bool Dchk2,  
    System.bool Ddir1,  
    System.bool Ddir2,  
    System.double Dang1,  
    System.double Dang2,  
    System.bool OffsetReverse1,  
    System.bool OffsetReverse2  
)
```

C++/CLI

```
void FeatureExtruRefSurface(  
& System.bool Sd,  
& System.bool Flip,  
& System.bool Dir,  
& System.int T1,  
& System.int T2,  
& System.double D1,  
& System.double D2,  
& System.bool Dchk1,  
& System.bool Dchk2,  
& System.bool Ddir1,  
& System.bool Ddir2,  
& System.double Dang1,  
& System.double Dang2,  
& System.bool OffsetReverse1,  
& System.bool OffsetReverse2  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

Flip

Dir

T1

T2

D1

D2

Dchk1

Dchk2

Ddir1

Ddir2

Dang1

Dang2

OffsetReverse1

OffsetReverse2

 **Visual Basic for Applications (VBA) Syntax**

See [ModelDoc2::FeatureExtruRefSurface](#).

See Also

[IModelDoc2 Interface](#)
[IModelDoc2 Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FeatureExtruRefSurface2 Method (IModelDoc2)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IModelDoc2 Interface](#) : FeatureExtruRefSurface2 Method (IModelDoc2)

Obsolete. Superseded by [IFeatureManager::FeatureExtruRefSurface](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub FeatureExtruRefSurface2( _  
    ByVal Sd As System.Boolean, _  
    ByVal Flip As System.Boolean, _  
    ByVal Dir As System.Boolean, _  
    ByVal T1 As System.Integer, _  
    ByVal T2 As System.Integer, _  
    ByVal D1 As System.Double, _  
    ByVal D2 As System.Double, _  
    ByVal Dchk1 As System.Boolean, _  
    ByVal Dchk2 As System.Boolean, _  
    ByVal Ddir1 As System.Boolean, _  
    ByVal Ddir2 As System.Boolean, _  
    ByVal Dang1 As System.Double, _  
    ByVal Dang2 As System.Double, _  
    ByVal OffsetReverse1 As System.Boolean, _  
    ByVal OffsetReverse2 As System.Boolean, _  
    ByVal TranslateSurface1 As System.Boolean, _  
    ByVal TranslateSurface2 As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IModelDoc2  
Dim Sd As System.Boolean  
Dim Flip As System.Boolean  
Dim Dir As System.Boolean  
Dim T1 As System.Integer  
Dim T2 As System.Integer  
Dim D1 As System.Double  
Dim D2 As System.Double  
Dim Dchk1 As System.Boolean  
Dim Dchk2 As System.Boolean  
Dim Ddir1 As System.Boolean  
Dim Ddir2 As System.Boolean  
Dim Dang1 As System.Double  
Dim Dang2 As System.Double  
Dim OffsetReverse1 As System.Boolean  
Dim OffsetReverse2 As System.Boolean  
Dim TranslateSurface1 As System.Boolean  
Dim TranslateSurface2 As System.Boolean
```

```
instance.FeatureExtruRefSurface2(Sd, Flip, Dir, T1, T2, D1, D2, Dchk1, Dchk2, Ddir1, Ddir2, Dang1,  
Dang2, OffsetReverse1, OffsetReverse2, TranslateSurface1, TranslateSurface2)
```

C#

```
void FeatureExtruRefSurface2(  
    System.bool Sd,  
    System.bool Flip,  
    System.bool Dir,  
    System.int T1,  
    System.int T2,
```

```

    System.double D1,
    System.double D2,
    System.bool Dchk1,
    System.bool Dchk2,
    System.bool Ddir1,
    System.bool Ddir2,
    System.double Dang1,
    System.double Dang2,
    System.bool OffsetReverse1,
    System.bool OffsetReverse2,
    System.bool TranslateSurface1,
    System.bool TranslateSurface2
)

```

C++/CLI

```

void FeatureExtruRefSurface2(
& System.bool Sd,
& System.bool Flip,
& System.bool Dir,
& System.int T1,
& System.int T2,
& System.double D1,
& System.double D2,
& System.bool Dchk1,
& System.bool Dchk2,
& System.bool Ddir1,
& System.bool Ddir2,
& System.double Dang1,
& System.double Dang2,
& System.bool OffsetReverse1,
& System.bool OffsetReverse2,
& System.bool TranslateSurface1,
& System.bool TranslateSurface2
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Sd

True for single-ended, false for double-ended

Flip

True to flip the direction to cut, false to not

Dir

True to flip direction to extrude, false to not

T1

Termination type for first end as defined in [swEndConditions_e](#)

T2

Termination type for second end as defined in [swEndConditions_e](#)

D1

Depth of extrusion for first end in meters

D2

Depth of extrusion for second end in meters

Dchk1

True allows draft angle in first direction, false does not allow drafting

Dchk2

True allows draft angle in second direction, false does not allow drafting

Ddir1

For first draft angle to be inward use True, for draft angle outward use false

Ddir2

For second draft angle to be inward use True, for draft angle outward use false

Dang1

Draft angle for first end

Dang2

Draft angle for second end

OffsetReverse1

If you chose to offset the first end condition from another face or plane than True would specify offset in direction away from the sketch and false would specify offset from the face or plane in a direction toward the sketch

OffsetReverse2

If you chose to offset the second end condition from another face or plane than True would specify offset in direction away from the sketch and false would specify offset from the face or plane in a direction toward the sketch

TranslateSurface1

If you choose `swEndcondOffsetFromSurface` as the termination type for the first end, then True specifies that the end of the extrusion is a translation of the reference surface, false specifies to use a true offset

TranslateSurface2

If you choose `swEndcondOffsetFromSurface` as the termination type for the second end, then True specifies that the end of the extrusion is a translation of the reference surface, false specifies to use a true offset

Visual Basic for Applications (VBA) Syntax

See [ModelDoc2::FeatureExtruRefSurface2](#).

See Also

[IModelDoc2 Interface](#)

[IModelDoc2 Members](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0