

SOLIDWORKS API (.NET VBA C#) — Reference (232/337): IPropertyManagerPageNumberbox- IPropertyManagerPageSelectionbox

SOLIDWORKS API Documentation (converted from CHM)

IPropertyManagerPageNumberbox (Type)

IPropertyManagerPageNumberbox Interface

[See Also](#) [Members](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : IPropertyManagerPageNumberbox Interface

Allows you to access a [PropertyManager page](#) number box control.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface IPropertyManagerPageNumberbox
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageNumberbox
```

C#

```
public interface IPropertyManagerPageNumberbox
```

C++/CLI

```
public interface class IPropertyManagerPageNumberbox
```

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageNumberbox](#).

Example

See the [IPropertyManagerPage2](#) examples.

Example

[Cut Body in Half Using Macro Feature \(VBA\)](#)

Remarks

If you implement a...	Then...
Spin box	an edit box with attached up and down arrow buttons for incrementing and decrementing the value is created.
Combo box/spin box	a text box with: - a down-arrow button to display the attached drop-down list. You must set up and control the attached drop-down list - up and down buttons for incrementing and decrementing the value is created. Use IPropertyManagerPageNumberbox::Style to select the type of combo-box/spin-box number box you want to implement.

For both types of number boxes, SOLIDWORKS automatically validates the values and units. The up and down arrow buttons automatically increment and decrement the value. Both types of number boxes:

- Accept numerical expressions.
- Store all values as meters or radians and display them in the units specified in the current unit settings.

NOTE: When a document's unit system is set to a non-metric setting, the dimension precision value (the number of digits displayed after a decimal point) is based on the number of digits specified. It is not based on the document's dimension precision settings.

See [Using PropertyManagerPage2 and the Related Objects](#) for more information.

 Accessors

[IPropertyManagerPage2::AddControl](#) and [IPropertyManagerPage2::IAddControl](#)

 Access Diagram

[PropertyManagerPageNumberbox](#)

 See Also

[IPropertyManagerPageNumberbox Members](#)
[SolidWorks.Interop.sldworks Namespace](#)

IPropertyManagerPageNumberbox Interface Members

[See Also](#) [Properties](#) [Methods](#)


SolidWorks.Interop.sldworks Namespace : IPropertyManagerPageNumberbox Interface

The following tables list the members exposed by [IPropertyManagerPageNumberbox](#).

 Public Properties

Name	Description
 CurrentSelection	Gets or sets the item that is currently selected in the number box.
 DisplayedUnit	Gets or sets the unit type to display in this PropertyManager page number box.
 Height	Gets or sets the maximum height of the attached drop-down list for this number box.
 ItemText	Gets the text for an item in the attached drop-down list for this number box.
 Style	Gets or sets the style of the attached drop-down list for this number box.
 Text	Gets the text that appears in the number box.
 Value	Gets and sets the value that appears in the number box.

[Top](#)

 Public Methods

Name	Description
 AddItems	Adds items to the attached drop-down list of a number box.
 Clear	Clears all items from the attached drop-down list for this the number box.
 DeleteItem	Deletes an item from the attached drop-down list for this number box.
 IAddItems	Adds items to the attached drop-down list of a number box.
 InsertItem	Inserts an item in the attached drop-down list for this number box.
 SetRange	Obsolete. Superseded by PropertyManagerPageNumberbox::SetRange2 .
 SetRange2	Sets the range and increment for the slider.
 SetSliderParameters	Sets the parameters for the slider.

[Top](#)

 See Also

[IPropertyManagerPageNumberbox Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

IPropertyManagerPageNumberbox Interface Methods

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : IPropertyManagerPageNumberbox Interface

For a list of all members of this type, see [IPropertyManagerPageNumberbox members](#).

Public Methods

Name	Description
AddItems	Adds items to the attached drop-down list of a number box.
Clear	Clears all items from the attached drop-down list for this the number box.
DeleteItem	Deletes an item from the attached drop-down list for this number box.
AddItems	Adds items to the attached drop-down list of a number box.
InsertItem	Inserts an item in the attached drop-down list for this number box.
SetRange	Obsolete. Superseded by PropertyManagerPageNumberbox::SetRange2
SetRange2	Sets the range and increment for the slider.
SetSliderParameters	Sets the parameters for the slider.

[Top](#)

See Also

[IPropertyManagerPageNumberbox Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

IPropertyManagerPageNumberbox Interface Properties

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : IPropertyManagerPageNumberbox Interface

For a list of all members of this type, see [IPropertyManagerPageNumberbox members](#).

Public Properties

Name	Description
CurrentSelection	Gets or sets the item that is currently selected in the number box.
DisplayedUnit	Gets or sets the unit type to display in this PropertyManager page number box.
Height	Gets or sets the maximum height of the attached drop-down list for this number box.
ItemText	Gets the text for an item in the attached drop-down list for this number box.
Style	Gets or sets the style of the attached drop-down list for this number box.
Text	Gets the text that appears in the number box.
Value	Gets and sets the value that appears in the number box.

[Top](#)

See Also

[IPropertyManagerPageNumberbox Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

AddItems Method (IPropertyManagerPageNumberbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageNumberbox Interface](#) : AddItems Method (IPropertyManagerPageNumberbox)

Adds items to the attached drop-down list of a number box.

.NET Syntax

Visual Basic (Declaration)

```
Sub AddItems( _  
    ByVal Texts As System.Object _  
)
```

Visual Basic (Usage)



```
Dim instance As IPROPERTYMANAGERPageNumberbox  
Dim Texts As System.Object  
  
instance.AddItems(Texts)
```

C#

```
void AddItems(  
    System.object Texts  
)
```

C++/CLI

```
void AddItems(  
& System.Object^ Texts  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Texts
Array of strings of items

Visual Basic for Applications (VBA) Syntax

See [PROPERTYMANAGERPageNumberbox::AddItems](#).

See Also

[IPROPERTYMANAGERPageNumberbox Interface](#)
[IPROPERTYMANAGERPageNumberbox Members](#)
[IPROPERTYMANAGERPageNumberbox::IAddItems Method](#)

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

Clear Method (IPROPERTYMANAGERPageNumberbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPROPERTYMANAGERPageNumberbox Interface](#) : Clear Method (IPROPERTYMANAGERPageNumberbox)

Clears all items from the attached drop-down list for this the number box.

.NET Syntax

Visual Basic (Declaration)

```
Sub Clear()
```

Visual Basic (Usage)



```
Dim instance As IPROPERTYMANAGERPageNumberbox  
  
instance.Clear()
```

C#

```
void Clear()
```

C++/CLI

```
void Clear();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageNumberbox::Clear](#).

See Also

[IPropertyManagerPageNumberbox Interface](#)
[IPropertyManagerPageNumberbox Members](#)

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

CurrentSelection Property (IPropertyManagerPageNumberbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageNumberbox Interface](#) : CurrentSelection Property (IPropertyManagerPageNumberbox)

Gets or sets the item that is currently selected in the number box.

.NET Syntax

Visual Basic (Declaration)

```
Property CurrentSelection As System.Short
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageNumberbox  
Dim value As System.Short
```

```
instance.CurrentSelection = value
```

```
value = instance.CurrentSelection
```

C#

```
System.short CurrentSelection {get; set;}
```

C++/CLI

```
property System.short CurrentSelection {  
    System.short get();  
    void set ( & System.short value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Index number of the item in the 0-based list of items

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageNumberbox::CurrentSelection](#).

See Also

[IPropertyManagerPageNumberbox Interface](#)
[IPropertyManagerPageNumberbox Members](#)

Availability

DeleteItem Method (IPropertyManagerPageNumberbox)

[See Also](#)[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageNumberbox Interface](#) : DeleteItem Method (IPropertyManagerPageNumberbox)

Deletes an item from the attached drop-down list for this number box.

.NET Syntax

Visual Basic (Declaration)

```
Function DeleteItem( _
    ByVal Item As System.Short _
) As System.Short
```

Visual Basic (Usage)

```
Dim instance As IPropertyManagerPageNumberbox
Dim Item As System.Short
Dim value As System.Short
```

```
value = instance.DeleteItem(Item)
```

C#

```
System.short DeleteItem(
    System.short Item
)
```

C++/CLI

```
System.short DeleteItem(
    & System.short Item
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Item

Index number of the item to delete from the 0-based list of items

Return Value

Number of items remaining in the list or -1 if the item is not deleted

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageNumberbox::DeleteItem](#).

See Also

[IPropertyManagerPageNumberbox Interface](#)
[IPropertyManagerPageNumberbox Members](#)

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

DisplayedUnit Property (IPropertyManagerPageNumberbox)

[See Also](#)[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageNumberbox Interface](#) : DisplayedUnit Property (IPropertyManagerPageNumberbox)

Gets or sets the unit type to display in this PropertyManager page number box.

.NET Syntax

```
Property DisplayedUnit As System.Integer
```



```
Dim instance As IPropertyManagerPageNumberbox
Dim value As System.Integer
```

```
instance.DisplayedUnit = value
```

```
value = instance.DisplayedUnit
```

```
System.int DisplayedUnit {get; set;}
```

```
property System.int DisplayedUnit {
    System.int get();
    void set ( & System.int value);
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Unit type to display in this PropertyManager page number box (see **Remarks**)

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageNumberbox::DisplayedUnit](#).

Remarks

This property depends on the unit type specified for the [IPropertyManagerPageNumberbox::SetRange2](#)'s Units parameter, which is a value from [swNumberboxUnitType_e](#).

If IPropertyManagerPageNumberbox::SetRange2's Units parameter is...	Then specify an enumerator from this enumeration for IPropertyManagerPageNumber::DisplayedUnit...
swNumberBox_Length	swLengthUnit_e
swNumberBox_Angle	swAngleUnit_e
swNumberBox_Force	swUnitsForce_e
swNumberBox_Time	swUnitsTimeUnit_e

For example, IPropertyManagerPageNumberbox::DisplayedUnit allows an add-in to have a number box that shows length values in inches, even though the system default units are meters. Remember that the values specified for both [IPropertyManagerPageNumberbox::Value](#) and IPropertyManagerPageNumberbox::SetRange2 are in system units; IPropertyManagerPageNumberbox::DisplayedUnits simply controls how the value is displayed in the PropertyManager page number box.

You can call IPropertyManagerPageNumberbox::DisplayedUnit and change the units displayed in a number box while a Propertymanager page is displayed.

See Also

[IPropertyManagerPageNumberbox Interface](#)
[IPropertyManagerPageNumberbox Members](#)

Height Property (IPropertyManagerPageNumberbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageNumberbox Interface](#) : Height Property (IPropertyManagerPageNumberbox)

Gets or sets the maximum height of the attached drop-down list for this number box.

.NET Syntax

```
Property Height As System.Short
```

```
Dim instance As IPropertyManagerPageNumberbox
Dim value As System.Short

instance.Height = value

value = instance.Height
```

C#

```
System.short Height {get; set;}
```

C++/CLI

```
property System.short Height {
    System.short get();
    void set ( & System.short value);
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Maximum height of attached drop-down list

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageNumberbox::Height](#).

See Also

[IPropertyManagerPageNumberbox Interface](#)
[IPropertyManagerPageNumberbox Members](#)

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

IAddItems Method (IPropertyManagerPageNumberbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageNumberbox Interface](#) : IAddItems Method (IPropertyManagerPageNumberbox)

Adds items to the attached drop-down list of a number box.

.NET Syntax

Visual Basic (Declaration)

```
Sub IAddItems( _
    ByVal TextCount As System.Short, _
    ByRef Texts As System.String _
)
```

Visual Basic (Usage)

Copy Code

```
Dim instance As IPropertyManagerPageNumberbox
Dim TextCount As System.Short
Dim Texts As System.String

instance.IAddItems(TextCount, Texts)
```

C#

```
void IAddItems(
    System.short TextCount,
    ref System.string Texts
)
```

C++/CLI

```
void IAddItems(
    & System.short TextCount,
    & System.String^% Texts
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

TextCount

Number of items to add

Texts

- in-process, unmanaged C++: Pointer to an array of strings of items
 - VBA, VB.NET, C#, and C++/CLI: Not supported
- See [In-process Methods](#) for details about this type of method.

See Also

[IPropertyManagerPageNumberbox Interface](#)
[IPropertyManagerPageNumberbox Members](#)
[IPropertyManagerPageNumberbox::AddItems Method](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

InsertItem Method (IPropertyManagerPageNumberbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageNumberbox Interface](#) : InsertItem Method (IPropertyManagerPageNumberbox)

Inserts an item in the attached drop-down list for this number box.

.NET Syntax

Visual Basic (Declaration)

```
Function InsertItem( _
    ByVal Item As System.Short, _
    ByVal Text As System.String _
) As System.Short
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageNumberbox
Dim Item As System.Short
Dim Text As System.String
Dim value As System.Short

value = instance.InsertItem(Item, Text)
```

C#

```
System.short InsertItem(
    System.short Item,
    System.string Text
)
```

C++/CLI

```
System.short InsertItem(
    & System.short Item,
    & System.String^ Text
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Item

Position where to add the item in the 0-based list or -1 to put the item at the end of the list

Text

Text for item

Return Value

Position in the 0-based list where the item is added or -1 if the item is not added to the list

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageNumberbox::InsertItem](#).

See Also

[IPropertyManagerPageNumberbox Interface](#)
[IPropertyManagerPageNumberbox Members](#)

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

ItemText Property (IPropertyManagerPageNumberbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageNumberbox Interface](#) : ItemText Property (IPropertyManagerPageNumberbox)

Gets the text for an item in the attached drop-down list for this number box.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property ItemText( _  
    ByVal Item As System.Short _  
) As System.String
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageNumberbox  
Dim Item As System.Short  
Dim value As System.String  
  
value = instance.ItemText(Item)
```

C#

```
System.string ItemText(  
    System.short Item  
) {get;}
```

C++/CLI

```
property System.String^ ItemText {  
    System.String^ get(System.short Item);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Item

Position of the item where to get the text in the 0-based list or -1 to get the text of the currently selected item

Property Value

Text for this item

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageNumberbox::ItemText](#).

See Also

[IPropertyManagerPageNumberbox Interface](#)
[IPropertyManagerPageNumberbox Members](#)

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetRange Method (IPropertyManagerPageNumberbox)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageNumberbox Interface](#) : SetRange Method (IPropertyManagerPageNumberbox)

Obsolete. Superseded by [PropertyManagerPageNumberbox::SetRange2](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetRange( _  
    ByVal Units As System.Integer, _  
    ByVal Minimum As System.Double, _  
    ByVal Maximum As System.Double, _  
    ByVal Increment As System.Double, _  
    ByVal Inclusive As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageNumberbox  
Dim Units As System.Integer  
Dim Minimum As System.Double  
Dim Maximum As System.Double  
Dim Increment As System.Double  
Dim Inclusive As System.Boolean
```

```
instance.SetRange(Units, Minimum, Maximum, Increment, Inclusive)
```

C#

```
void SetRange(  
    System.int Units,  
    System.double Minimum,  
    System.double Maximum,  
    System.double Increment,  
    System.bool Inclusive  
)
```

C++/CLI

```
void SetRange(  
& System.int Units,  
& System.double Minimum,  
& System.double Maximum,  
& System.double Increment,  
& System.bool Inclusive  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Units

Number box units as defined in [swNumberboxUnitType_e](#)

Minimum

Number box minimum value

Maximum

Number box maximum value

Increment

Number box increment

Inclusive

True sets the range as inclusive, false sets it as exclusive

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageNumberbox::SetRange](#).

Example

[Cut Body in Half Using Macro Feature \(VBA\)](#)

Remarks

You can only use this method to set properties on the PropertyManager page before it is displayed or while it is closed. See [IPropertyManagerPage2::Show2](#) and [IPropertyManagerPage2::Close](#).

See Also

[IPropertyManagerPageNumberbox Interface](#)
[IPropertyManagerPageNumberbox Members](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetRange2 Method (IPropertyManagerPageNumberbox)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageNumberbox Interface](#) : SetRange2 Method (IPropertyManagerPageNumberbox)

Sets the range and increment for the slider.

.NET Syntax

Visual Basic (Declaration)

```
Sub SetRange2(  
    ByVal Units As System.Integer, _  
    ByVal Minimum As System.Double, _  
    ByVal Maximum As System.Double, _  
    ByVal Inclusive As System.Boolean, _  
    ByVal Increment As System.Double, _  
    ByVal FastIncr As System.Double, _  
    ByVal SlowIncr As System.Double _  
)
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageNumberbox  
Dim Units As System.Integer  
Dim Minimum As System.Double  
Dim Maximum As System.Double  
Dim Inclusive As System.Boolean  
Dim Increment As System.Double  
Dim FastIncr As System.Double  
Dim SlowIncr As System.Double
```

```
instance.SetRange2(Units, Minimum, Maximum, Inclusive, Increment, FastIncr, SlowIncr)
```

C#

```
void SetRange2(  
    System.int Units,
```

```

        System.double Minimum,
        System.double Maximum,
        System.bool Inclusive,
        System.double Increment,
        System.double FastIncr,
        System.double SlowIncr
    )

```

C++/CLI

```

void SetRange2(
& System.int Units,
& System.double Minimum,
& System.double Maximum,
& System.bool Inclusive,
& System.double Increment,
& System.double FastIncr,
& System.double SlowIncr
)

```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Units

Number box units as defined in [swNumberboxUnitType_e](#) (see **Remarks**)

Minimum

Minimum value

Maximum

Maximum value

Inclusive

True sets the range as inclusive, false sets it as exclusive

Increment

Increment value

FastIncr

Fast increment value for scrolling and mouse-wheel

SlowIncr

Slow increment value for scrolling and mouse-wheel

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageNumberbox::SetRange2](#).

Example

[Create PropertyManager Page With Many Controls \(VBA\)](#)

Remarks

This method works while a PropertyManager page is displayed with these restrictions:

- You cannot change Units once the page is displayed. The Units parameter is ignored if specified while the page is displayed.
- If the range is changed to an invalid value by this method, then you must immediately call [IPropertyManagerPageNumberbox::Value](#) and set a valid value to prevent displaying the dialog that requests the user to enter a valid value.

See Also

[IPropertyManagerPageNumberbox Interface](#)

[IPropertyManagerPageNumberbox Members](#)

[IPropertyManagerPageNumberbox::SetSliderParameters Method](#)

[IPropertyManagerPageNumberbox::DisplayedUnit Property](#)

Availability

SOLIDWORKS 2008 FCS, Revision Number 16.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetSliderParameters Method (IPropertyManagerPageNumberbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageNumberbox Interface](#) : SetSliderParameters Method (IPropertyManagerPageNumberbox)

Sets the parameters for the slider.

Visual Basic Syntax

Visual Basic (Declaration)

```
Sub SetSliderParameters( _  
    ByVal PositionCount As System.Integer, _  
    ByVal DivisionCount As System.Integer _  
)
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageNumberbox  
Dim PositionCount As System.Integer  
Dim DivisionCount As System.Integer  
  
instance.SetSliderParameters(PositionCount, DivisionCount)
```

C#

```
void SetSliderParameters(  
    System.int PositionCount,  
    System.int DivisionCount  
)
```

C++/CLI

```
void SetSliderParameters(  
& System.int PositionCount,  
& System.int DivisionCount  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

PositionCount
Number of discreet positions on the slider
DivisionCount
Number of regions separated by tick marks on the slider

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageNumberbox::SetSliderParameters](#).

Remarks

When a user drags the slider, PositionCount defines how sensitive the slider is. Not all of the specified discreet points are displayed if the PropertyManager page is not wide enough to show them. However, if the user widens the PropertyManager page, then more points are displayed.
When a user drags the slider, the user-interface tends to snap to the nearest tick mark when the drag is nearby, making it easier for the user to set whole values.

See Also

[IPropertyManagerPageNumberbox Interface](#)
[IPropertyManagerPageNumberbox Members](#)
[IPropertyManagerPageNumberbox::SetRange2 Method](#)

Availability

SOLIDWORKS 2008 FCS, Revision Number 16.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

Style Property (IPropertyManagerPageNumberbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageNumberbox Interface](#) : Style Property (IPropertyManagerPageNumberbox)

Gets or sets the style of the attached drop-down list for this number box.

.NET Syntax

Visual Basic (Declaration)

Property Style As System.Integer

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageNumberbox  
Dim value As System.Integer
```

```
instance.Style = value
```

```
value = instance.Style
```

C#

```
System.int Style {get; set;}
```

C++/CLI

```
property System.int Style {  
    System.int get();  
    void set ( & System.int value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Style of the attached drop-down list as defined in [swPropMgrPageNumberBoxStyle_e](#)

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageNumberbox::Style](#).

Remarks

Use these methods and properties to set up and control the attached drop-down list:

- [IPropertyManagerPageNumberbox::AddItems](#) and [IPropertyManagerPageNumberbox::IAddItems](#)
- [IPropertyManagerPageNumberbox::DeleteItem](#)
- [IPropertyManagerPageNumberbox::Clear](#)
- [IPropertyManagerPageNumberbox::CurrentSelection](#)
- [IPropertyManagerPageNumberbox::Height](#)
- [IPropertyManagerPageNumberbox::InsertItem](#)
- [IPropertyManagerPageNumberbox::ItemText](#)

See Also

[IPropertyManagerPageNumberbox Interface](#)
[IPropertyManagerPageNumberbox Members](#)

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

Text Property (IPropertyManagerPageNumberbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageNumberbox Interface](#) : Text Property (IPropertyManagerPageNumberbox)

Gets the text that appears in the number box.

.NET Syntax

Visual Basic (Declaration)

ReadOnly Property Text As System.String

```
Dim instance As IPROPERTYMANAGERPageNumberbox
Dim value As System.String

value = instance.Text
```

C#

```
System.string Text {get;}
```

C++/CLI

```
property System.String^ Text {
    System.String^ get();
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Text in number box

Visual Basic for Applications (VBA) Syntax

See [PROPERTYMANAGERPageNumberbox::Text](#).

Remarks

If a user changes the value in an number box by typing in a new value, the [IPROPERTYMANAGERPage2Handler5::OnTextboxChanged](#) is called with the current text string and the ID of the number box. You can then use [IPROPERTYMANAGERPageNumberbox::Text](#) to show the text elsewhere, such as in a callout.

See Also

[IPROPERTYMANAGERPageNumberbox Interface](#)
[IPROPERTYMANAGERPageNumberbox Members](#)

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

Value Property (IPROPERTYMANAGERPageNumberbox)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPROPERTYMANAGERPageNumberbox Interface](#) : Value Property (IPROPERTYMANAGERPageNumberbox)

Gets and sets the value that appears in the number box.

.NET Syntax

Visual Basic (Declaration)

```
Property Value As System.Double
```

Visual Basic (Usage)

Copy Code

```
Dim instance As IPROPERTYMANAGERPageNumberbox
Dim value As System.Double

instance.Value = value

value = instance.Value
```

C#

```
System.double Value {get; set;}
```

C++/CLI

```
property System.double Value {  
    System.double get();  
    void set ( & System.double value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Value in number box

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageNumberbox::Value](#).

Example

[Cut Body in Half Using Macro Feature \(VBA\)](#)

See Also

[IPropertyManagerPageNumberbox Interface](#)
[IPropertyManagerPageNumberbox Members](#)
[IPropertyManagerPageNumberbox::DisplayedUnit Property](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

IPropertyManagerPageOption (Type)

IPropertyManagerPageOption Interface

[See Also](#) [Members](#)



[SolidWorks.Interop.sldworks Namespace](#) : IPropertyManagerPageOption Interface

Allows you to access to a [PropertyManager page](#) radio button control.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface IPropertyManagerPageOption
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageOption
```

C#

```
public interface IPropertyManagerPageOption
```

C++/CLI

```
public interface class IPropertyManagerPageOption
```

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageOption](#).

Example

See the [IPropertyManagerPage2](#) examples.

Remarks

See [Using PropertyManagerPage2 and the Related Objects](#) for more information.

Accessors

[IPropertyManagerPage2::AddControl](#) and [IPropertyManagerPage2::IAddControl](#)

Access Diagram

[PropertyManagerPageOption](#)

See Also

[IPropertyManagerPageOption Members](#)
[SolidWorks.Interop.sldworks Namespace](#)

IPropertyManagerPageOption Interface Members

[See Also](#) [Properties](#)



[SolidWorks.Interop.sldworks Namespace](#) : IPropertyManagerPageOption Interface

The following tables list the members exposed by [IPropertyManagerPageOption](#).

Public Properties

Name	Description
Caption	Gets or sets the caption for this option.



[Checked](#)

gets or sets whether the option is selected.



[Style](#)

Gets or sets style-related properties for an option on a PropertyManager page.

[Top](#)

See Also

[IPropertyManagerPageOption Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

IPropertyManagerPageOption Interface Properties

[See Also](#)

[SolidWorks.Interop.sldworks Namespace](#) : IPropertyManagerPageOption Interface

For a list of all members of this type, see [IPropertyManagerPageOption members](#).

Public Properties

Name	Description
 Caption	Gets or sets the caption for this option.
 Checked	gets or sets whether the option is selected.
 Style	Gets or sets style-related properties for an option on a PropertyManager page.

[Top](#)

See Also

[IPropertyManagerPageOption Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

Caption Property (IPropertyManagerPageOption)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageOption Interface](#) : Caption Property (IPropertyManagerPageOption)

Gets or sets the caption for this option.

.NET Syntax

Visual Basic (Declaration)

Property Caption As System.String

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageOption  
Dim value As System.String
```

```
instance.Caption = value
```

```
value = instance.Caption
```

C#

```
System.string Caption {get; set;}
```

C++/CLI

```
property System.String^ Caption {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageOption::Caption](#).

See Also

[IPropertyManagerPageOption Interface](#)
[IPropertyManagerPageOption Members](#)

Availability

SOLIDWORKS 2001Plus SP2, Revision Number 10.2

SOLIDWORKS API Help

[Send comments on this topic.](#)

Checked Property (IPropertyManagerPageOption)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageOption Interface](#) : Checked Property (IPropertyManagerPageOption)

gets or sets whether the option is selected.

.NET Syntax

Visual Basic (Declaration)

Property Checked As System.Boolean

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageOption  
Dim value As System.Boolean
```

```
instance.Checked = value
```

```
value = instance.Checked
```

C#

```
System.bool Checked {get; set;}
```

C++/CLI

```
property System.bool Checked {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

True if the option is selected, false if not

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageOption::Checked](#).

See Also

[IPropertyManagerPageOption Interface](#)
[IPropertyManagerPageOption Members](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

Style Property (IPropertyManagerPageOption)

[See Also](#)



Gets or sets style-related properties for an option on a PropertyManager page.

.NET Syntax

Visual Basic (Declaration)

```
Property Style As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageOption  
Dim value As System.Integer
```

```
instance.Style = value
```

```
value = instance.Style
```

C#

```
System.int Style {get; set;}
```

C++/CLI

```
property System.int Style {  
    System.int get();  
    void set ( & System.int value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Option style as defined in [swPropMgrPageOptionStyle_e](#)

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageOption::Style](#).

Remarks

You can only use this method to set properties on the PropertyManager page before it is displayed or while it is closed. See [IPropertyManagerPage2::Show2](#) and [IPropertyManagerPage2::Close](#).

See Also

[IPropertyManagerPageOption Interface](#)
[IPropertyManagerPageOption Members](#)

Availability

SOLIDWORKS 2001Plus SP4, Revision Number 10.4

IPropertyManagerPageSelectionbox (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IPropertyManagerPageSelectionbox Interface

[See Also](#) [Members](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : IPropertyManagerPageSelectionbox Interface

Allows you to access a [PropertyManager page](#) selection box control.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface IPropertyManagerPageSelectionbox
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox
```

C#

```
public interface IPropertyManagerPageSelectionbox
```

C++/CLI

```
public interface class IPropertyManagerPageSelectionbox
```

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox](#).

Example

[Show Bubble ToolTip for PropertyManager Page Control \(VBA\)](#).

Remarks

The behavior of your selection boxes imitates the behavior of SOLIDWORKS selection boxes, including:

- Filters that you can use to specify which types of objects can be selected for the selection box.
- Toggled object selection that selects objects on the first click, and clears them on the next click.
- Clear selections item on the shortcut menu in the model view.

See [Using PropertyManagerPage2 and the Related Objects](#) for more information.

Accessors

[IPropertyManagerPage2::AddControl](#) and [IPropertyManagerPage2::IAddControl](#)

Access Diagram

[PropertyManagerPageSelectionbox](#)

See Also

[IPropertyManagerPageSelectionbox Members](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IPropertyManagerPageSelectionbox Interface Methods

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : IPropertyManagerPageSelectionbox Interface

For a list of all members of this type, see [IPropertyManagerPageSelectionbox members](#).

Public Methods

Name	Description
 AddMenuPopupItem	Adds a menu item to the pop-up menu for this selection box of the PropertyManager page.
 GetSelectedItems	Gets the items selected in a PropertyManager selection box.
 GetSelectedItemsCount	Gets the number of currently selected items in this PropertyManager selection box.
 GetSelectionFocus	Gets whether this is the active selection box.
 IGetSelectedItems	Gets the items selected in a PropertyManager selection box.
 ISetSelectionFilters	Defines the types of objects the user can select for this selection box.
 SetCalloutLabel	Sets the default callout label for selections made in this selection box on the PropertyManager page.
 SetSelectedItem	Sets whether an item is selected or cleared in a selection box enabled for multiple selection .
 SetSelectionColor	Sets the color for selections made in this selection box on the PropertyManager page.
 SetSelectionFilters	Defines the types of objects the user can select for this selection box.
 SetSelectionFocus	Sets this object as the active selection box.

[Top](#)

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IPropertyManagerPageSelectionbox Interface Members

[See Also](#) [Properties](#) [Methods](#)



[SolidWorks.Interop.sldworks Namespace](#) : IPropertyManagerPageSelectionbox Interface

The following tables list the members exposed by [IPropertyManagerPageSelectionbox](#).

Public Properties

Name	Description
 AllowMultipleSelectOfSameEntity	Gets or sets whether the same entity can be selected multiple times in this selection box.
 AllowSelectInMultipleBoxes	Gets or sets whether an entity can be selected in this selection box if the entity is selected elsewhere.
 Callout	Gets or sets a multi-row, editable callout for this selection box.
 CurrentSelection	Gets or sets the index number of the currently selected item in this selection box.
 EnableSelectIdenticalComponents	Gets or sets whether to enable Select Identical Components in the context menu of this PropertyManager page selection box.
 Height	Gets or sets the height of this selection box.
 ItemCount	Gets the number of items currently in this selection box.
 ItemText	Gets the specified item in this selection box.
 Mark	Gets or sets the mark used on selected items in this selection box.
 SelectionIndex	Gets the index number of the currently selected item in the selection box.
 SingleEntityOnly	Gets or sets whether this selection box is for single or multiple items.
 Style	Gets or sets style of this selection box.

[Top](#)

Public Methods

Name	Description
 AddMenuPopupItem	Adds a menu item to the pop-up menu for this selection box of the PropertyManager page.
 GetSelectedItems	Gets the items selected in a PropertyManager selection box.

		
	GetSelectedItemsCount	Gets the number of currently selected items in this PropertyManager selection box.
	GetSelectionFocus	Gets whether this is the active selection box.
	IGetSelectedItems	Gets the items selected in a PropertyManager selection box.
	ISetSelectionFilters	Defines the types of objects the user can select for this selection box.
	SetCalloutLabel	Sets the default callout label for selections made in this selection box on the PropertyManager page.
	SetSelectedItem	Sets whether an item is selected or cleared in a selection box enabled for multiple selection .
	SetSelectionColor	Sets the color for selections made in this selection box on the PropertyManager page.
	SetSelectionFilters	Defines the types of objects the user can select for this selection box.
	SetSelectionFocus	Sets this object as the active selection box.

[Top](#)

 See Also

[IPropertyManagerPageSelectionbox Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

IPropertyManagerPageSelectionbox Interface Properties

[See Also](#)

 [SolidWorks.Interop.sldworks Namespace](#) : IPropertyManagerPageSelectionbox Interface

For a list of all members of this type, see [IPropertyManagerPageSelectionbox members](#).

 Public Properties

Name	Description
 AllowMultipleSelectOfSameEntity	Gets or sets whether the same entity can be selected multiple times in this selection box.
 AllowSelectInMultipleBoxes	Gets or sets whether an entity can be selected in this selection box if the entity is selected elsewhere.
 Callout	Gets or sets a multi-row, editable callout for this selection box.
 CurrentSelection	Gets or sets the index number of the currently selected item in this selection box.
 EnableSelectIdenticalComponents	Gets or sets whether to enable Select Identical Components in the context menu of this PropertyManager page selection box.
 Height	Gets or sets the height of this selection box.
 ItemCount	Gets the number of items currently in this selection box.
 ItemText	Gets the specified item in this selection box.
 Mark	Gets or sets the mark used on selected items in this selection box.
 SelectionIndex	Gets the index number of the currently selected item in the selection box.
 SingleEntityOnly	Gets or sets whether this selection box is for single or multiple items.
 Style	Gets or sets style of this selection box.

[Top](#)

 See Also

[IPropertyManagerPageSelectionbox Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

AddMenuPopuPltem Method (IPropertyManagerPageSelectionbox)

[See Also](#)

 

[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : AddMenuPopuPltem Method (IPropertyManagerPageSelectionbox)

Adds a menu item to the pop-up menu for this selection box of the PropertyManager page.

 .NET Syntax

```
Function AddMenuPopupItem( _
    ByVal ID As System.Integer, _
    ByVal ItemText As System.String, _
    ByVal DocumentType As System.Integer, _
    ByVal HintText As System.String _
) As System.Boolean
```



```
Dim instance As IPropertyManagerPageSelectionbox
Dim ID As System.Integer
Dim ItemText As System.String
Dim DocumentType As System.Integer
Dim HintText As System.String
Dim value As System.Boolean

value = instance.AddMenuPopupItem(ID, ItemText, DocumentType, HintText)
```

```
System.bool AddMenuPopupItem(
    System.int ID,
    System.string ItemText,
    System.int DocumentType,
    System.string HintText
)
```

```
System.bool AddMenuPopupItem(
    & System.int ID,
    & System.String^ ItemText,
    & System.int DocumentType,
    & System.String^ HintText
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ID

Unique user-defined value for this pop-up menu item

ItemText

Text for pop-up menu item

DocumentType

Document types for which this pop-up menu item is displayed as defined in [swDocumentTypes_e](#)

HintText

Text displayed in the SOLIDWORKS status bar when the user moves the cursor over this pop-up menu item

Return Value

True if the pop-up menu item is added, false if not

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::AddMenuPopupItem](#).

Remarks

This method requires that you implement these [IPropertyManagerPage2Handler5](#) methods:

- [IPropertyManagerPage2Handler5::OnPopupMenuItem](#). When the user selects a pop-up menu item, this method determines which item was selected. The add-in should then perform the appropriate action.
- [IPropertyManagerPage2Handler5::OnPopupMenuItemUpdate](#). When Windows attempts to select or deselect and enable or disable the pop-up menu item, SOLIDWORKS calls [IPropertyManagerPage2Handler5::OnPopupMenuItemUpdate](#) to get the state of the pop-up menu item from the add-in. Thus, [IPropertyManagerPage2Handler5::OnPopupMenuItemUpdate](#):
 - Processes a request for the state of the specified pop-up menu item associated with the PropertyManager page.
 - Passes the state back to SOLIDWORKS.

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2008 FCS, Revision Number 16.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

AllowMultipleSelectOfSameEntity Property (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : AllowMultipleSelectOfSameEntity Property (IPropertyManagerPageSelectionbox)

Gets or sets whether the same entity can be selected multiple times in this selection box.

.NET Syntax

Visual Basic (Declaration)

```
Property AllowMultipleSelectOfSameEntity As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox  
Dim value As System.Boolean
```

```
instance.AllowMultipleSelectOfSameEntity = value  
value = instance.AllowMultipleSelectOfSameEntity
```

C#

```
System.bool AllowMultipleSelectOfSameEntity {get; set;}
```

C++/CLI

```
property System.bool AllowMultipleSelectOfSameEntity {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

True if the same entity can be selected multiple times in this selection box, false if not

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::AllowMultipleSelectOfSameEntity](#).

Example

See the [IPropertyManagerPage2](#) examples.

Remarks

You can only use this method to set properties on the PropertyManager page before it is displayed or while it is closed. See [IPropertyManagerPage2::Show2](#) and [IPropertyManagerPage2::Close](#).

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2006 FCS, Revision Number 14.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

AllowSelectInMultipleBoxes Property (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : AllowSelectInMultipleBoxes Property (IPropertyManagerPageSelectionbox)

Gets or sets whether an entity can be selected in this selection box if the entity is selected elsewhere.

.NET Syntax

Visual Basic (Declaration)

Property AllowSelectInMultipleBoxes As System.Boolean

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox  
Dim value As System.Boolean
```

```
instance.AllowSelectInMultipleBoxes = value
```

```
value = instance.AllowSelectInMultipleBoxes
```

C#

```
System.bool AllowSelectInMultipleBoxes {get; set;}
```

C++/CLI

```
property System.bool AllowSelectInMultipleBoxes {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

If...	Then...
true	- When an entity is selected while this selection box is active and that entity is selected in a different selection box, then the entity is added to this selection box. - If the entity is already selected in this selection box, then the entity is removed from the selection box.
false	When an entity is selected while this selection box is active and that entity is already selected, then the entity is removed from the selection box. This is the default behavior of a selection box.

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox.AllowSelectInMultipleBoxes](#).

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2005 SP1, Revision Number 13.1

SOLIDWORKS API Help

[Send comments on this topic.](#)

Callout Property (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : Callout Property (IPropertyManagerPageSelectionbox)

Gets or sets a multi-row, editable callout for this selection box.

.NET Syntax

Visual Basic (Declaration)

Property Callout As Callout

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox  
Dim value As Callout
```

```
instance.Callout = value
```

```
value = instance.Callout
```

C#

```
Callout Callout {get; set;}
```

C++/CLI

```
property Callout^ Callout {  
    Callout^ get();  
    void set ( &    Callout^ value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

[Callout](#) for this selection box

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::Callout](#).

Remarks

This property returns NULL if callouts are not enabled for this selection box. Use [IPropertyManagerPageSelectionbox::SetCalloutLabel](#) to enable the default callouts.

To create callouts for selection boxes:

1. Use [ISelectionManager::CreateCallout2](#) to create the basic callout information.
2. Use the [ICallout](#) interface to modify the look and of the callout.
3. Use [ISelectionBox::Callout](#) to set the callout information for the selection box.

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

CurrentSelection Property (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : CurrentSelection Property (IPropertyManagerPageSelectionbox)

Gets or sets the index number of the currently selected item in this selection box.

.NET Syntax

Visual Basic (Declaration)

```
Property CurrentSelection As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox
Dim value As System.Integer

instance.CurrentSelection = value

value = instance.CurrentSelection
```

C#

```
System.int CurrentSelection {get; set;}
```

C++/CLI

```
property System.int CurrentSelection {
    System.int get();
    void set ( & System.int value);
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

0-based index of the currently selected item in this selection box

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::CurrentSelection](#).

Remarks

The return value Item is the item in the selection box that is selected. Only the active selection box can have a current selection. If you use this property with an inactive selection box, -1 is returned. See [IPropertyManagerPageSelectionbox::GetSelectionFocus](#) to determine if a selection box is active or not.

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2004 SP4, Revision Number 12.4

SOLIDWORKS API Help

[Send comments on this topic.](#)

EnableSelectIdenticalComponents Property (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : EnableSelectIdenticalComponents Property (IPropertyManagerPageSelectionbox)

Gets or sets whether to enable **Select Identical Components** in the context menu of this PropertyManager page selection box.

.NET Syntax

Visual Basic (Declaration)

```
Property EnableSelectIdenticalComponents As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox
Dim value As System.Boolean

instance.EnableSelectIdenticalComponents = value

value = instance.EnableSelectIdenticalComponents
```

C#

```
System.bool EnableSelectIdenticalComponents {get; set;}
```

C++/CLI

```
property System.bool EnableSelectIdenticalComponents {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

True to enable **Select Identical Components** in this selection box's context menu, false to not

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::EnableSelectIdenticalComponents](#).

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2019 FCS, Revision Number 27.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

GetSelectedItems Method (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : GetSelectedItems Method (IPropertyManagerPageSelectionbox)

Gets the items selected in a PropertyManager selection box.

.NET Syntax

Visual Basic (Declaration)

```
Function GetSelectedItems() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox  
Dim value As System.Object
```

```
value = instance.GetSelectedItems()
```

C#

```
System.object GetSelectedItems()
```

C++/CLI

```
System.Object^ GetSelectedItems();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

Array of shorts of the indices of the currently selected items

Visual Basic for Applications (VBA) Syntax

See [IPropertyManagerPageSelectionbox::GetSelectedItems](#).

Remarks

Each item is a 0-based index into the list of items. For example, if there are five (5) items in the selection box and the first and last items are selected, then this method will return an array containing 0, 4.

Before calling this method, call [IPropertyManagerPageSelectionbox::Style](#) and set the style to `swPropMgrPageSelectionBoxStyle_MultipleItemSelect` to enable multiple selections.

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)
[IPropertyManagerPageSelectionbox::!GetSelectedItems Method](#)
[IPropertyManagerPageSelectionbox::GetSelectedItemsCount Method](#)
[IPropertyManagerPageSelectionbox::SetSelectedItem Method](#)
[IPropertyManagerPageSelectionbox::Style Property](#)

Availability

SOLIDWORKS 2008 FCS, Revision Number 16.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

GetSelectedItemsCount Method (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : GetSelectedItemsCount Method (IPropertyManagerPageSelectionbox)

Gets the number of currently selected items in this PropertyManager selection box.

.NET Syntax

Visual Basic (Declaration)

```
Function GetSelectedItemsCount() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox  
Dim value As System.Integer  
  
value = instance.GetSelectedItemsCount()
```

C#

```
System.int GetSelectedItemsCount()
```

C++/CLI

```
System.int GetSelectedItemsCount();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

Number of currently selected items

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::GetSelectedItemsCount](#).

Remarks

Before calling:

- this method, call [IPropertyManagerPageSelectionbox::Style](#) and set the style to `swPropMgrPageSelectionBoxStyle_MultipleItemSelect` to enable multiple selections.
- [IPropertyManagerPageSelectionbox::!GetSelectedItems](#), call this method to get the size of the array for that method.

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)
[IPropertyManagerPageSelectionbox::!GetSelectedItems Method](#)
[IPropertyManagerPageSelectionbox::SetSelectedItem Method](#)

Availability

SOLIDWORKS 2008 FCS, Revision Number 16.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

GetSelectionFocus Method (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : GetSelectionFocus Method (IPropertyManagerPageSelectionbox)

Gets whether this is the active selection box.

.NET Syntax

Visual Basic (Declaration)

```
Function GetSelectionFocus() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox  
Dim value As System.Boolean
```

```
value = instance.GetSelectionFocus()
```

C#

```
System.bool GetSelectionFocus()
```

C++/CLI

```
System.bool GetSelectionFocus();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

True if the selection box is active, false if not

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::GetSelectionFocus](#).

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

Height Property (IPropertyManagerPageSelectionbox)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : Height Property (IPropertyManagerPageSelectionbox)

Gets or sets the height of this selection box.

.NET Syntax

Visual Basic (Declaration)

```
Property Height As System.Short
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox
Dim value As System.Short

instance.Height = value

value = instance.Height
```

C#

```
System.short Height {get; set;}
```

C++/CLI

```
property System.short Height {
    System.short get();
    void set ( & System.short value);
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Selection box height

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::Height](#).

Example

See the [IPropertyManagerPage2](#) examples.

Example

[Cut Body in Half Using Macro Feature \(VBA\)](#)

Remarks

You can only use this method to set properties on the PropertyManager page before it is displayed or while it is closed. See [IPropertyManagerPage2::Show2](#) and [IPropertyManagerPage2::Close](#).

The height is in dialog-box units. You can convert these values to screen units (pixels) by using the MapDialogRect function.

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetSelectedItems Method (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : IGetSelectedItems Method (IPropertyManagerPageSelectionbox)

Gets the items selected in a PropertyManager selection box.

.NET Syntax

Visual Basic (Declaration)

```
Function IGetSelectedItems( _
    ByVal Count As System.Integer _
) As System.Short
```

```
Dim instance As IPropertyManagerPageSelectionbox
Dim Count As System.Integer
Dim value As System.Short

value = instance.IGetSelectedItems(Count)
```

C#

```
System.short IGetSelectedItems(
    System.int Count
)
```

C++/CLI

```
System.short IGetSelectedItems(
    & System.int Count
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Count
Number of items selected

Return Value

- in-process, unmanaged C++: Pointer to an array of shorts of the indices of the currently selected items
 - VBA, VB.NET, C#, and C++/CLI: Not supported
- See [In-process Methods](#) for details about this type of method.

Remarks

Each item is a 0-based index into the list of items. For example, if there are five (5) items in the selection box and the first and last items are selected, then this method will return an array containing 0, 4.

Before calling:

- this method, call [IPropertyManagerPageSelectionbox::Style](#) and set the style to `swPropMgrPageSelectionBoxStyle_MultipleItemSelect` to enable multiple selections.
- [IPropertyManagerPageSelectionbox::GetSelectedItemsCount](#) to get the value of Count.

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2008 FCS, Revision Number 16.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

ISetSelectionFilters Method (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : ISetSelectionFilters Method (IPropertyManagerPageSelectionbox)

Defines the types of objects the user can select for this selection box.

.NET Syntax

Visual Basic (Declaration)

```
Sub ISetSelectionFilters( _
    ByVal FilterCount As System.Short, _
    ByRef Filters As System.Integer _
)
```

Visual Basic (Usage)

Copy Code

```
Dim instance As IPropertyManagerPageSelectionbox
Dim FilterCount As System.Short
Dim Filters As System.Integer

instance.ISetSelectionFilters(FilterCount, Filters)
```

C#

```
void ISetSelectionFilters(
    System.short FilterCount,
    ref System.int Filters
)
```

C++/CLI

```
void ISetSelectionFilters(
    & System.short FilterCount,
    & System.int% Filters
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

FilterCount

Number of filters

Filters

- in-proc, unmanaged C++: Array of filter values as defined in [swSelType_e](#) (see **Remarks**)

- VBA, VB.NET, C#, and C++/CLI: Not supported
- See [In-process Methods](#) for details about this type of method.

Remarks

You can only use this method to set properties on the PropertyManager page before it is displayed or while it is closed. See [IPropertyManagerPage2::Show2](#) and [IPropertyManagerPage2::Close](#).

When a user makes a selection in the graphics area, SOLIDWORKS must decide whether to select a face, body, or component. The following table shows what appears in a selection box created with the specified filters after a selection occurs in the graphics area.

Filters	Result
swSelFACES, swSelSOLIDBODIES	Face If you want a body to appear in the selection box, then use swSelSOLIDBODIESFIRST.
swSelFACES, swSelCOMPONENTS	Component If you want a face to appear in the selection box, then use swSelCOMPONENTSDONT OVERRIDE.
swSelSOLIDBODIES, swSelCOMPONENTS	Component If you want a body to appear in the selection box, then use swSelSOLIDBODIESFIRST.
swSelFACES, swSelSOLIDBODIES, swSelCOMPONENTS	Component If you want a face to appear in the selection box, then use swSelCOMPONENTSDONT OVERRIDE. - or - If you want a body to appear in the selection box, then use swSelSOLIDBODIESFIRST.

swSelSURFACEBODIES and swSelSURFBODIESFIRST behave similar to swSelSOLIDBODIES and swSelSOLIDBODIESFIRST. swSelEDGE and swSelVERTICES behave similar to swSelFACES. If the Filters is set to swSelNOTHING or swSelUNSUPPORTED, this the call to this method fails.

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : ItemCount Property (IPropertyManagerPageSelectionbox)

Gets the number of items currently in this selection box.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property ItemCount As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox  
Dim value As System.Integer  
  
value = instance.ItemCount
```

C#

```
System.int ItemCount {get;}
```

C++/CLI

```
property System.int ItemCount {  
    System.int get();  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Number of items currently in this selection box

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::ItemCount](#).

Remarks

Use this property before using [IPropertyManagerPageSelectionBox::SelectionIndex](#).

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2004 SP4, Revision Number 12.4

SOLIDWORKS API Help

[Send comments](#) on this topic.

ItemText Property (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : ItemText Property (IPropertyManagerPageSelectionbox)

Gets the specified item in this selection box.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property ItemText( _  
    ByVal Item As System.Short _  
) As System.String
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox
Dim Item As System.Short
Dim value As System.String

value = instance.ItemText(Item)
```

C#

```
System.string ItemText(
    System.short Item
) {get;}
```

C++/CLI

```
property System.String^ ItemText {
    System.String^ get(System.short Item);
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Item

Position of the item in the 0-based list; -1 to get the currently selected item

Property Value

Text of the specified item

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::ItemText](#).

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2007 FCS, Revision Number 15.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

Mark Property (IPropertyManagerPageSelectionbox)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : Mark Property (IPropertyManagerPageSelectionbox)

Gets or sets the mark used on selected items in this selection box.

.NET Syntax

Visual Basic (Declaration)

```
Property Mark As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox
Dim value As System.Integer

instance.Mark = value

value = instance.Mark
```

C#

```
System.int Mark {get; set;}
```

C++/CLI

```
property System.int Mark {
    System.int get();
    void set ( & System.int value);
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Number to use as a mark; this number is used by methods or properties that require ordered entity selection

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::Mark](#).

Example

[Select Multiple Objects for Selection Boxes \(C#\)](#)
[Select Multiple Objects for Selection Boxes \(VB.NET\)](#)
[Select Multiple Objects for Selection Boxes \(VBA\)](#)

Remarks

You can only use this method to set properties on the PropertyManager page before it is displayed or while it is closed. See [IPropertyManagerPage2::Show2](#) and [IPropertyManagerPage2::Close](#).

It is easiest to use the Mark property as a read-only property. If this property is not set before the PropertyManager is shown, then the Mark value is automatically set. Once the PropertyManager page is displayed, then the application can query the Mark for its value.

If the application must rely on specific mark values for specific selection boxes, then the set the Mark value before the PropertyManager page is shown. In this case, ensure that each selection box contains a different value. Otherwise, the user's selection is displayed in the selection boxes that have the same Mark value.

Mark values (whether set by the SOLIDWORKS Design application or by your application) must be powers of two (for example, 1, 2, 4, 8).

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

SelectionIndex Property (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : SelectionIndex Property (IPropertyManagerPageSelectionbox)

Gets the index number of the currently selected item in the selection box.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property SelectionIndex( _
    ByVal Item As System.Integer _
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox
Dim Item As System.Integer
Dim value As System.Integer

value = instance.SelectionIndex(Item)
```

C#

```
System.int SelectionIndex(  
    System.int Item  
) {get;}
```

C++/CLI

```
property System.int SelectionIndex {  
    System.int get(System.int Item);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Item

0-based index number of the currently selected item (see **Remarks**)

Property Value

1-based index number to use with [ISelectionMgr](#) APIs (see **Remarks**)

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::SelectionIndex](#).

Remarks

Use:

- [IPropertyManagerPageSelectionbox::ItemCount](#) to get the number of items in the selection box.
- the return value Index with such ISelectionMgr APIs as [ISelectionMgr::GetSelectedObject6](#) and [ISelectionMgr::GetSelectedObjectType6](#).

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2004 SP4, Revision Number 12.4

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetCalloutLabel Method (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : SetCalloutLabel Method (IPropertyManagerPageSelectionbox)

Sets the default callout label for selections made in this selection box on the PropertyManager page.

.NET Syntax

Visual Basic (Declaration)

```
Function SetCalloutLabel(  
    ByVal Label As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox  
Dim Label As System.String  
Dim value As System.Boolean
```

```
value = instance.SetCalloutLabel(Label)
```

C#

```
System.bool SetCalloutLabel(  
    System.string Label  
)
```

```
System.bool SetCalloutLabel(
& System.String^ Label
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Label

Default callout label

Return Value

True if the callout label was set, false if not

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::SetCalloutLabel](#).

Remarks

This property can be used at any time, whether or not the callout is displayed. The label must not be an empty string. By default, the selection box is created without callouts for selections. This method overrides that behavior.

For more control, you can implement the [IPropertyManagerPage2Handler5::OnSelectionboxCalloutCreated](#) property, which allows you to collect information such as the selection type from the last selection. Next, use the [IPropertyManagerPageSelectionbox::Callout](#) property to get the [ICallout](#) object. Then, use that object's various properties to control the callout text and display characteristics based on that selection information.

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetSelectedItem Method (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : SetSelectedItem Method (IPropertyManagerPageSelectionbox)

Sets whether an item is selected or cleared in a [selection box enabled for multiple selection](#).

.NET Syntax

Visual Basic (Declaration)

```
Function SetSelectedItem( _
    ByVal Item As System.Short, _
    ByVal Selected As System.Boolean _
) As System.Boolean
```

Visual Basic (Usage)

```
Dim instance As IPropertyManagerPageSelectionbox
Dim Item As System.Short
Dim Selected As System.Boolean
Dim value As System.Boolean
```

```
value = instance.SetSelectedItem(Item, Selected)
```

C#

```
System.bool SetSelectedItem(
    System.short Item,
```



```
System.bool Selected  
)
```

C++/CLI

```
System.bool SetSelectedItem(  
& System.short Item,  
& System.bool Selected  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Item

Index of the item to select or clear

Selected

True to select the item, false to clear it

Return Value

True if the item was selected or cleared, false if not

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::SetSelectedItem](#).

Remarks

The value specified for *Item* must be a valid index number. If it is not, then this method returns false. Thus, set up your list item index before using this method.

If you use this method to set a selected item in a single-selection style list box and another item in the list box is already selected, then that item is automatically cleared. You can use this method to clear a selection in a single-selection style list box, which results in no current selection in that list box.

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)
[IPropertyManagerPageSelectionBox::Style Property](#)
[IPropertyManagerPageSelectionBox::GetSelectedItems Method](#)
[IPropertyManagerPageSelectionBox::IGetSelectedItems Method](#)
[IPropertyManagerPageSelectionBox::GetSelectedItemsCount Method](#)

Availability

SOLIDWORKS 2008 FCS, Revision Number 16.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetSelectionColor Method (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : SetSelectionColor Method (IPropertyManagerPageSelectionbox)

Sets the color for selections made in this selection box on the PropertyManager page.

.NET Syntax

Visual Basic (Declaration)

```
Function SetSelectionColor( _  
    ByVal Special As System.Boolean, _  
    ByVal Color As System.Integer _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox  
Dim Special As System.Boolean  
Dim Color As System.Integer  
Dim value As System.Boolean
```

```
value = instance.SetSelectionColor(Special, Color)
```

C#

```
System.bool SetSelectionColor(  
    System.bool Special,  
    System.int Color  
)
```

C++/CLI

```
System.bool SetSelectionColor(  
& System.bool Special,  
& System.int Color  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Special

True uses a specific color for selections, false does not

Color

Color to use for selections as defined by the swSystemColors; values from [swUserPreferenceIntegerValue_e](#) (see **Remarks**)

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::SetSelectionColor](#).

Remarks

You can only use this method to set properties on the PropertyManager page before it is displayed or while it is closed. See [IPropertyManagerPage2::Show2](#) and [IPropertyManagerPage2::Close](#).

By default, the selection box created uses the default selection color. You can use this method to override that default behavior. When you specify a specific selection color by setting the Special argument to True and specifying a color in the Color argument, the resulting selection box has a narrow color bar next to the selection box that is the same color as any faces selected in the graphics area.

The colors that SOLIDWORKS internal dialogs typically use for selection colors are:

- swSystemColorsSelectedItem1
- swSystemColorsSelectedItem2
- swSystemColorsSelectedItem3

Although you should use the typical selection colors for a consistent look-and-feel among your PropertyManager and SOLIDWORKS PropertyManager pages, you can specify any of the following values:

- swSystemColorsViewportBackground
- swSystemColorsTopGradientColor
- swSystemColorsBottomGradientColor
- swSystemColorsDynamicHighlight
- swSystemColorsHighlight
- swSystemColorsSelectedFaceShaded
- swSystemColorsDrawingsVisibleModelEdge
- swSystemColorsDrawingsHiddenModelEdge
- swSystemColorsDrawingsPaperBorder
- swSystemColorsDrawingsPaperShadow
- swSystemColorsImportedDrivingAnnotation
- swSystemColorsImportedDrivenAnnotation
- swSystemColorsSketchOverDefined
- swSystemColorsSketchFullyDefined
- swSystemColorsSketchUnderDefined
- swSystemColorsSketchInvalidGeometry
- swSystemColorsSketchNotSolved
- swSystemColorsGridLinesMinor

- `swSystemColorsGridLinesMajor`
- `swSystemColorsConstructionGeometry`
- `swSystemColorsDanglingDimension`
- `swSystemColorsText`
- `swSystemColorsAssemblyEditPart`
- `swSystemColorsAssemblyEditPartHiddenLines`
- `swSystemColorsAssemblyNonEditPart`
- `swSystemColorsInactiveEntity`
- `swSystemColorsTemporaryGraphics`
- `swSystemColorsTemporaryGraphicsShaded`
- `swSystemColorsActiveSelectionListBox`
- `swSystemColorsSurfacesOpenEdge`
- `swSystemColorsTreeViewBackground`
- `swSystemColorsShadedEdge`

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2001Plus SP4, Revision Number 10.4

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetSelectionFilters Method (IPropertyManagerPageSelectionbox)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : SetSelectionFilters Method (IPropertyManagerPageSelectionbox)

Defines the types of objects the user can select for this selection box.

.NET Syntax

Visual Basic (Declaration)

```
Sub SetSelectionFilters( _
    ByVal Filters As System.Object _
)
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox
Dim Filters As System.Object

instance.SetSelectionFilters(Filters)
```

C#

```
void SetSelectionFilters(
    System.object Filters
)
```

C++/CLI

```
void SetSelectionFilters(
    & System.Object^ Filters
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Filters

Array of filter values as defined in [swSelectType_e](#) (see **Remarks**)

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::SetSelectionFilters](#).

Example

See the [IPropertyManagerPage2](#) examples.

Example

[Cut Body in Half Using Macro Feature \(VBA\)](#)

Remarks

You can only use this method to set properties on the PropertyManager page before it is displayed or while it is closed. See [IPropertyManagerPage2::Show2](#) and [IPropertyManagerPage2::Close](#).

When a user makes a selection in the graphics area, SOLIDWORKS must decide whether to select a face, body, or component. The following table shows what appears in a selection box created with the specified filters after a selection occurs in the graphics area.

Filters	Result
swSelFACES, swSelSOLIDBODIES	Face If you want a body to appear in the selection box, then use swSelSOLIDBODIESFIRST.
swSelFACES, swSelCOMPONENTS	Component If you want a face to appear in the selection box, then use swSELCOMPSDONTOVERRIDE.
swSelSOLIDBODIES, swSelCOMPONENTS	Component If you want a body to appear in the selection box, then use swSelSOLIDBODIESFIRST.
swSelFACES, swSelSOLIDBODIES, swSelCOMPONENTS	Component If you want a face to appear in the selection box, then use swSelCOMPSDONTOVERRIDE. - or - If you want a body to appear in the selection box, then use swSelSOLIDBODIESFIRST.

swSelSURFACEBODIES and swSelSURFBODIESFIRST behave simliar to swSelSOLIDBODIES and swSelSOLIDBODIESFIRST. swSelEDGE and swSelVERTICES behave similar to swSelFACES. If the Filters is set to swSelNOTHING or swSelUNSUPPORTED, this the call to this method fails.

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)
[IPropertyManagerPageSelectionbox::ISetSelectionFilters Method](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetSelectionFocus Method (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : SetSelectionFocus Method (IPropertyManagerPageSelectionbox)

Sets this object as the active selection box.

.NET Syntax

Visual Basic (Declaration)

Sub SetSelectionFocus()

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox  
instance.SetSelectionFocus()
```

C#

```
void SetSelectionFocus()
```

C++/CLI

```
void SetSelectionFocus();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::SetSelectionFocus](#).

Remarks

This method only works after this selection box control is created.

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

SingleEntityOnly Property (IPropertyManagerPageSelectionbox)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : SingleEntityOnly Property (IPropertyManagerPageSelectionbox)

Gets or sets whether this selection box is for single or multiple items.

.NET Syntax

Visual Basic (Declaration)

```
Property SingleEntityOnly As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox  
Dim value As System.Boolean  
  
instance.SingleEntityOnly = value  
value = instance.SingleEntityOnly
```

C#

```
System.bool SingleEntityOnly {get; set;}
```

C++/CLI

```
property System.bool SingleEntityOnly {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

True if the selection box is for a single item, false for multiple items

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::SingleEntityOnly](#).

Example

See the [IPropertyManagerPage2](#) examples.

Example

[Cut Body in Half Using Macro Feature \(VBA\)](#)

Remarks

You can only use this method to set properties on the PropertyManager page before it is displayed or while it is closed. See [IPropertyManagerPage2::Show2](#) and [IPropertyManagerPage2::Close](#).

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2001Plus FCS, Revision Number 10.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

Style Property (IPropertyManagerPageSelectionbox)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IPropertyManagerPageSelectionbox Interface](#) : Style Property (IPropertyManagerPageSelectionbox)

Gets or sets style of this selection box.

.NET Syntax

Visual Basic (Declaration)

Property Style As System.Integer

Visual Basic (Usage)



```
Dim instance As IPropertyManagerPageSelectionbox  
Dim value As System.Integer
```

```
instance.Style = value
```

```
value = instance.Style
```

C#

```
System.int Style {get; set;}
```

C++/CLI

```
property System.int Style {  
    System.int get();  
    void set ( & System.int value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Style as defined in [swPropMgrPageSelectionboxStyle_e](#)

Visual Basic for Applications (VBA) Syntax

See [PropertyManagerPageSelectionbox::Style](#).

Remarks

You must set this property before the PropertyManager page is displayed.

For a selection list to automatically have a horizontal scroll bar if the text is wider than the selection box, set this property's style to swPropMgrPageSelectionBoxStyle_HScroll.

See Also

[IPropertyManagerPageSelectionbox Interface](#)
[IPropertyManagerPageSelectionbox Members](#)

Availability

SOLIDWORKS 2003 FCS, Revision Number 11.0