

SOLIDWORKS API (.NET VBA C#) — Reference (238/337): IRenamedDocumentReferences

SOLIDWORKS API Documentation (converted from CHM)

IRenamedDocumentReferences (Type)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IRenamedDocumentReferences Interface

[See Also](#) [Members](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : IRenamedDocumentReferences Interface

Allows you to update references to a renamed file in unopened documents.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface IRenamedDocumentReferences
```

Visual Basic (Usage)



```
Dim instance As IRenamedDocumentReferences
```

C#

```
public interface IRenamedDocumentReferences
```

C++/CLI

```
public interface class IRenamedDocumentReferences
```

Visual Basic for Applications (VBA) Syntax

See [RenamedDocumentReferences](#).

Example

[Rename Component and Update References \(C#\)](#)
[Rename Component and Update References \(VB.NET\)](#)
[Rename Component and Update References \(VBA\)](#)

Remarks

This interface corresponds to the Rename Documents dialog box in the SOLIDWORKS Design user interface.

To update references to a renamed file in unopened documents:

1. Set [IRenamedDocumentReferences::UpdateWhereUsedReferences](#) to true.
2. Set [IRenamedDocumentReferences::IncludeFileLocations](#) to true to search the folders listed under **Referenced Documents** in **Tools > Options > System Options > File Locations**.
3. Add or remove folders in which to search using [IRenamedDocumentReferences::AddSearchFolder](#) or [IRenamedDocumentReferences::RemoveSearchFolder](#), respectively.
4. Get the folders to search using [IRenamedDocumentReferences::GetSearchPath](#).
5. Search for references using [IRenamedDocumentReferences::Search](#).
6. Get the references found in the previous step using [IRenamedDocumentReferences::ReferenceArray](#).
7. Remove a reference from the update using [IRenamedDocumentReferences::RemoveReference](#).
8. Set [IRenamedDocumentReferences::CompletionAction](#) to [swRenamedDocumentFinalAction_e.swRenamedDocumentFinalAction_Ok](#).

Accessors

[DAssemblyDocEvents](#) [RenamedDocumentNotifyEventHandler](#)

[DPartDocEvents](#) [RenamedDocumentNotifyEventHandler](#)

Access Diagram

[RenamedDocumentReferences](#)

See Also

[IRenamedDocumentReferences Members](#)
[SolidWorks.Interop.sldworks Namespace](#)
[IModelDocExtension::HasRenamedDocuments Method \(\)](#)
[IModelDocExtension::RenameDocument Method \(\)](#)

IRenamedDocumentReferences Interface Members

[See Also](#) [Properties](#) [Methods](#)



[SolidWorks.Interop.sldworks Namespace](#) : IRenamedDocumentReferences Interface

The following tables list the members exposed by [IRenamedDocumentReferences](#).

Public Properties

Name	Description
 CompletionAction	Gets or sets whether to update references to the renamed file in unopened documents.
 IncludeFileLocations	Gets or sets whether to search the folders listed under Referenced Documents in Tools > Options > System Options > File Locations .
 UpdateWhereUsedReferences	Gets or sets whether to update the references to the new file name.

[Top](#)

Public Methods

Name	Description
 AddSearchFolder	Adds the specified folder in which to search for documents whose references to update.
 GetSearchPath	Gets the folders to search.
 ReferencesArray	Gets the pathnames of the documents with references to this renamed document.
 RemoveReference	Removes the specified reference from the list of references to update.
 RemoveSearchFolder	Removes the specified folder in which to search for documents whose references to update.
 Search	Searches for documents whose references to update.

[Top](#)

See Also

[IRenamedDocumentReferences Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)
[IModelDocExtension::HasRenamedDocuments Method \(\)](#)
[IModelDocExtension::RenameDocument Method \(\)](#)

IRenamedDocumentReferences Interface Methods

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : IRenamedDocumentReferences Interface

For a list of all members of this type, see [IRenamedDocumentReferences members](#).

Public Methods

Name	Description
 AddSearchFolder	Adds the specified folder in which to search for documents whose references to update.
 GetSearchPath	Gets the folders to search.
 ReferencesArray	Gets the pathnames of the documents with references to this renamed document.
 RemoveReference	Removes the specified reference from the list of references to update.
 RemoveSearchFolder	Removes the specified folder in which to search for documents whose references to update.
 Search	Searches for documents whose references to update.

[Top](#)

See Also

[IRenamedDocumentReferences Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)
[IModelDocExtension::HasRenamedDocuments Method \(\)](#)
[IModelDocExtension::RenameDocument Method \(\)](#)

IRenamedDocumentReferences Interface Properties

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : IRenamedDocumentReferences Interface

For a list of all members of this type, see [IRenamedDocumentReferences members](#).

Public Properties

Name	Description
 CompletionAction	Gets or sets whether to update references to the renamed file in unopened documents.
 IncludeFileLocations	Gets or sets whether to search the folders listed under Referenced Documents in Tools > Options > System Options > File Locations .
 UpdateWhereUsedReferences	Gets or sets whether to update the references to the new file name.

[Top](#)

See Also

[IRenamedDocumentReferences Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)
[IModelDocExtension::HasRenamedDocuments Method \(\)](#)
[IModelDocExtension::RenameDocument Method \(\)](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

AddSearchFolder Method (IRenamedDocumentReferences)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IRenamedDocumentReferences Interface](#) : AddSearchFolder Method (IRenamedDocumentReferences)

Adds the specified folder in which to search for documents whose references to update.

.NET Syntax

Visual Basic (Declaration)

```
Function AddSearchFolder(  
    ByVal Folder As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IRenamedDocumentReferences  
Dim Folder As System.String  
Dim value As System.Boolean  
  
value = instance.AddSearchFolder(Folder)
```

C#

```
System.bool AddSearchFolder(  
    System.string Folder  
)
```

C++/CLI

```
System.bool AddSearchFolder(  
& System.String^ Folder  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Folder
Folder in which to search for documents whose references to update

Return Value

True if the specified folder is added to the search, false if not

Visual Basic for Applications (VBA) Syntax

See [RenamedDocumentReferences::AddSearchFolder](#).

Remarks

This method is only available if [IRenamedDocumentReferences::UpdateWhereUsedReferences](#) is true.

See Also

[IRenamedDocumentReferences Interface](#)
[IRenamedDocumentReferences Members](#)
[IRenamedDocumentReferences::RemoveSearchFolder Method \(\)](#)
[IRenamedDocumentReferences::IncludeFileLocations Property \(\)](#)
[IRenamedDocumentReferences::GetSearchPath Method \(\)](#)

Availability

SOLIDWORKS 2016 FCS, Revision Number 24.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

CompletionAction Property (IRenamedDocumentReferences)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IRenamedDocumentReferences Interface](#) : CompletionAction Property (IRenamedDocumentReferences)

Gets or sets whether to update references to the renamed file in unopened documents.

.NET Syntax

Visual Basic (Declaration)

Property CompletionAction As System.Integer

Visual Basic (Usage)



```
Dim instance As IRenamedDocumentReferences
Dim value As System.Integer

instance.CompletionAction = value
value = instance.CompletionAction
```

C#

```
System.int CompletionAction {get; set;}
```

C++/CLI

```
property System.int CompletionAction {
    System.int get();
    void set ( & System.int value);
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

Update references to the renamed file in unopened documents as defined in [swRenamedDocumentFinalAction_e](#)

Visual Basic for Applications (VBA) Syntax

See [RenamedDocumentReferences::CompletionAction](#).

Example

[Rename Component and Update References \(C#\)](#)
[Rename Component and Update References \(VB.NET\)](#)
[Rename Component and Update References \(VBA\)](#)

Remarks

This property is only available if [IRenamedDocumentReferences::UpdateWhereUsedReferences](#) is true.

See Also

[IRenamedDocumentReferences Interface](#)
[IRenamedDocumentReferences Members](#)

Availability

SOLIDWORKS 2016 FCS, Revision Number 24.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

GetSearchPath Method (IRenamedDocumentReferences)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IRenamedDocumentReferences Interface](#) : GetSearchPath Method (IRenamedDocumentReferences)

Gets the folders to search.

.NET Syntax

Visual Basic (Declaration)

```
Function GetSearchPath() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IRenamedDocumentReferences  
Dim value As System.Object  
  
value = instance.GetSearchPath()
```

C#

```
System.Object GetSearchPath()
```

C++/CLI

```
System.Object^ GetSearchPath();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

Array of strings of the folders to search

Visual Basic for Applications (VBA) Syntax

See [RenamedDocumentReferences::Search](#).

Example

[Rename Component and Update References \(C#\)](#)
[Rename Component and Update References \(VB.NET\)](#)
[Rename Component and Update References \(VBA\)](#)

Remarks

This method is only available if [IRenamedDocumentReferences::UpdateWhereUsedReferences](#) is true.

See Also

[IRenamedDocumentReferences Interface](#)
[IRenamedDocumentReferences Members](#)
[IRenamedDocumentReferences::AddSearchFolder Method \(\)](#)
[IRenamedDocumentReferences::RemoveSearchFolder Method \(\)](#)
[IRenamedDocumentReferences::IncludeFileLocations Property \(\)](#)

Availability

IncludeFileLocations Property (IRenamedDocumentReferences)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IRenamedDocumentReferences Interface](#) : IncludeFileLocations Property (IRenamedDocumentReferences)

Gets or sets whether to search the folders listed under **Referenced Documents** in **Tools > Options > System Options > File Locations**.

.NET Syntax

Visual Basic (Declaration)

```
Property IncludeFileLocations As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IRenamedDocumentReferences  
Dim value As System.Boolean
```

```
instance.IncludeFileLocations = value  
value = instance.IncludeFileLocations
```

C#

```
System.bool IncludeFileLocations {get; set;}
```

C++/CLI

```
property System.bool IncludeFileLocations {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

True to search the folders listed under **Referenced Documents** in **Tools > Options > System Options > File Locations**, false to not

Visual Basic for Applications (VBA) Syntax

See [RenamedDocumentReferences::IncludeFileLocations](#).

Example

[Rename Component and Update References \(C#\)](#)
[Rename Component and Update References \(VB.NET\)](#)
[Rename Component and Update References \(VBA\)](#)

Remarks

This property is only available if [IRenamedDocumentReferences::UpdateWhereUsedReferences](#) is true.

See Also

[IRenamedDocumentReferences Interface](#)
[IRenamedDocumentReferences Members](#)
[IRenamedDocumentReferences::AddSearchFolder Method \(\)](#)
[IRenamedDocumentReferences::RemoveSearchFolder Method \(\)](#)
[IRenamedDocumentReferences::GetSearchPath Method \(\)](#)

Availability

SOLIDWORKS 2016 FCS, Revision Number 24.0

ReferencesArray Method (IRenamedDocumentReferences)

[See Also](#) [Example](#)



Gets the pathnames of the documents with references to this renamed document.

.NET Syntax

Visual Basic (Declaration)

```
Function ReferencesArray() As System.Object
```

Visual Basic (Usage)



```
Dim instance As IRenamedDocumentReferences  
Dim value As System.Object
```

```
value = instance.ReferencesArray()
```

C#

```
System.Object ReferencesArray()
```

C++/CLI

```
System.Object^ ReferencesArray();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

Array of strings of the pathnames of the documents with references to this renamed document

Visual Basic for Applications (VBA) Syntax

See [RenamedDocumentReferences::ReferencesArray](#).

Example

[Rename Component and Update References \(C#\)](#)
[Rename Component and Update References \(VB.NET\)](#)
[Rename Component and Update References \(VBA\)](#)

Remarks

This method is only available if [IRenamedDocumentReferences::UpdateWhereUsedReferences](#) is true.

See Also

[IRenamedDocumentReferences Interface](#)
[IRenamedDocumentReferences Members](#)
[IRenamedDocumentReferences::RemoveReference Method \(\)](#)

Availability

SOLIDWORKS 2016 FCS, Revision Number 24.0

RemoveReference Method (IRenamedDocumentReferences)

[See Also](#)



Removes the specified reference from the [list of references](#) to update.

.NET Syntax

Visual Basic (Declaration)

```
Function RemoveReference( _  
    ByVal Reference As System.String _
```

) As System.Boolean

Visual Basic (Usage)



```
Dim instance As IRenamedDocumentReferences  
Dim Reference As System.String  
Dim value As System.Boolean  
  
value = instance.RemoveReference(Reference)
```

C#

```
System.bool RemoveReference(  
    System.string Reference  
)
```

C++/CLI

```
System.bool RemoveReference(  
& System.String^ Reference  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Reference

Pathname of the reference to the renamed document to remove

Return Value

True if the reference to the renamed document is removed, false if not

Visual Basic for Applications (VBA) Syntax

See [RenamedDocumentReferences::RemoveReference](#).

Remarks

This method is only available if [IRenamedDocumentReferences::UpdateWhereUsedReferences](#) is true.

Removing a reference results in that reference referencing the old file name of the document and not the new name of the document.

See Also

[IRenamedDocumentReferences Interface](#)
[IRenamedDocumentReferences Members](#)

Availability

SOLIDWORKS 2016 FCS, Revision Number 24.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

RemoveSearchFolder Method (IRenamedDocumentReferences)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IRenamedDocumentReferences Interface](#) : RemoveSearchFolder Method (IRenamedDocumentReferences)

Removes the specified folder in which to search for documents whose references to update.

Visual Basic Syntax

Visual Basic (Declaration)

```
Function RemoveSearchFolder( _  
    ByVal Folder As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IRenamedDocumentReferences  
Dim Folder As System.String  
Dim value As System.Boolean  
  
value = instance.RemoveSearchFolder(Folder)
```

C#

```
System.bool RemoveSearchFolder(  
    System.string Folder  
)
```

C++/CLI

```
System.bool RemoveSearchFolder(  
& System.String^ Folder  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Folder

Folder in which to search for documents whose references to update

Return Value

True if the specified folder is removed from the search, false if not

Visual Basic for Applications (VBA) Syntax

See [RenamedDocumentReferences::RemoveSearchFolder](#).

Remarks

This method is only available if [IRenamedDocumentReferences::UpdateWhereUsedReferences](#) is true.

See Also

[IRenamedDocumentReferences Interface](#)
[IRenamedDocumentReferences Members](#)
[IRenamedDocumentReferences::AddSearchFolder Method \(\)](#)
[IRenamedDocumentReferences::GetSearchPath Method \(\)](#)
[IRenamedDocumentReferences::IncludeFileLocations Property \(\)](#)

Availability

SOLIDWORKS 2016 FCS, Revision Number 24.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

Search Method (IRenamedDocumentReferences)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IRenamedDocumentReferences Interface](#) : Search Method (IRenamedDocumentReferences)

Searches for documents whose references to update.

.NET Syntax

Visual Basic (Declaration)

```
Sub Search()
```

Visual Basic (Usage)



```
Dim instance As IRenamedDocumentReferences  
  
instance.Search()
```

C#

```
void Search()
```

C++/CLI

```
void Search();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [RenamedDocumentReferences::Search](#).

Example

[Rename Component and Update References \(C#\)](#)
[Rename Component and Update References \(VB.NET\)](#)
[Rename Component and Update References \(VBA\)](#)

Remarks

This method is only available if [IRenamedDocumentReferences::UpdateWhereUsedReferences](#) is true.

See Also

[IRenamedDocumentReferences Interface](#)
[IRenamedDocumentReferences Members](#)

Availability

SOLIDWORKS 2016 FCS, Revision Number 24.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

UpdateWhereUsedReferences Property (IRenamedDocumentReferences)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IRenamedDocumentReferences Interface](#) : UpdateWhereUsedReferences Property (IRenamedDocumentReferences)

Gets or sets whether to update the references to the new file name.

.NET Syntax

Visual Basic (Declaration)

```
Property UpdateWhereUsedReferences As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IRenamedDocumentReferences  
Dim value As System.Boolean
```

```
instance.UpdateWhereUsedReferences = value
```

```
value = instance.UpdateWhereUsedReferences
```

C#

```
System.bool UpdateWhereUsedReferences {get; set;}
```

C++/CLI

```
property System.bool UpdateWhereUsedReferences {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Property Value

True to update the references to the new file name, false to continue to reference the old file name

Visual Basic for Applications (VBA) Syntax

See [RenamedDocumentReferences.UpdateWhereUsedReferences](#).

Example

[Rename Component and Update References \(C#\)](#)
[Rename Component and Update References \(VB.NET\)](#)
[Rename Component and Update References \(VBA\)](#)

See Also

[IRenamedDocumentReferences Interface](#)
[IRenamedDocumentReferences Members](#)

Availability

SOLIDWORKS 2016 FCS, Revision Number 24.0