

SOLIDWORKS API (.NET VBA C#) — Reference

(311/337): TaskpaneView

SOLIDWORKS API Documentation (converted from CHM)

ITaskpaneView (Type)

ITaskpaneView Interface

[See Also](#) [Members](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) : ITaskpaneView Interface

Provides access to an application-level Task Pane.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

Public Interface ITaskpaneView

Visual Basic (Usage)

Dim instance As [ITaskpaneView](#)

C#

public interface ITaskpaneView

C++/CLI

public interface class ITaskpaneView

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView](#).

Example

- [Add Buttons to Task Pane \(VBA\)](#)
- [Add Buttons to Task Pane \(VB.NET\)](#)
- [Add Buttons to Task Pane \(C#\)](#)
- [Add .NET Controls to SOLIDWORKS using an Add-in \(C#\)](#)
- [Add .NET Controls to SOLIDWORKS using an Add-in \(VB.NET\)](#)

Remarks

Events are implemented with delegates in the Microsoft .NET Framework. See the [Overview](#) topic for a list of delegates for this interface.

Accessors

[ISldWorks::CreateTaskpaneView2](#)

Access Diagram

[TaskpaneView](#)

See Also

- [ITaskpaneView Members](#)
- [SolidWorks.Interop.sldworks Namespace](#)

ITaskpaneView Interface Members

[See Also](#) [Methods](#)



[SolidWorks.Interop.sldworks Namespace](#) : ITaskpaneView Interface

The following tables list the members exposed by [ITaskpaneView](#).

Public Methods

Name	Description
 AddControl	Adds an ActiveX control to the Task Pane view.
 AddCustomButton	Obsolete. Superseded by ITaskpaneView.AddCustomButton2
 AddCustomButton2	Adds a custom button to the Task Pane.
 AddStandardButton	Adds a standard SOLIDWORKS button to the Task Pane.
 DeleteView	Removes the application-level tab from the Task Pane view.
 DisplayWindowFromHandle	Obsolete. Superseded by ITaskpaneView::DisplayWindowFromHandlex64. This method is unsafe to use with 64-bit SOLIDWORKS, i.e. all versions since SOLIDWORKS 2016. The 32-bit integer returned may be too small to contain the 64-bit window handle/pointer, and will be truncated silently. A critical exception will occur sometime later, when the truncated handle/pointer is used.
 DisplayWindowFromHandlex64	Adds a .NET control to the Task Pane view on 64-bit machines.
 GetButtonState	Gets whether the Task Pane button is enabled.
 GetControl	Gets the control assigned to the Task Pane view.
 GetTaskpaneViewWnd	Obsolete. Superseded by ITaskpaneView.GetTaskpaneViewWndx64.
 GetTaskpaneViewWndx64	Gets the Taskpane view window handle.
 HideView	Hides the application-level tab on the Task Pane.
 IGetControl	Gets the control assigned to the Task Pane view.
 IsActiveTab	Gets whether this Task Pane view is active.
 SetButtonState	Sets whether the Task Pane button is enabled.
 ShowView	Activates the application-level tab of the Task Pane view and makes the view visible.

[Top](#)

 See Also

[ITaskpaneView Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

ITaskpaneView Interface Methods

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : ITaskpaneView Interface

For a list of all members of this type, see [ITaskpaneView members](#).

 Public Methods

Name	Description
 AddControl	Adds an ActiveX control to the Task Pane view.
 AddCustomButton	Obsolete. Superseded by ITaskpaneView.AddCustomButton2
 AddCustomButton2	Adds a custom button to the Task Pane.
 AddStandardButton	Adds a standard SOLIDWORKS button to the Task Pane.
 DeleteView	Removes the application-level tab from the Task Pane view.
 DisplayWindowFromHandle	Obsolete. Superseded by ITaskpaneView::DisplayWindowFromHandlex64. This method is unsafe to use with 64-bit SOLIDWORKS, i.e. all versions since SOLIDWORKS 2016. The 32-bit integer returned may be too small to contain the 64-bit window handle/pointer, and will be truncated silently. A critical exception will occur sometime later, when the truncated handle/pointer is used.
 DisplayWindowFromHandlex64	Adds a .NET control to the Task Pane view on 64-bit machines.
 GetButtonState	Gets whether the Task Pane button is enabled.
 GetControl	Gets the control assigned to the Task Pane view.
 GetTaskpaneViewWnd	Obsolete. Superseded by ITaskpaneView::GetTaskpaneViewWndx64.

	
 GetTaskpaneViewWndx64	Gets the Taskpane view window handle.
 HideView	Hides the application-level tab on the Task Pane.
 IGetControl	Gets the control assigned to the Task Pane view.
 IsActiveTab	Gets whether this Task Pane view is active.
 SetButtonState	Sets whether the Task Pane button is enabled.
 ShowView	Activates the application-level tab of the Task Pane view and makes the view visible.

[Top](#)

See Also

[ITaskpaneView Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

AddControl Method (ITaskpaneView)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [ITaskpaneView Interface](#) : AddControl Method (ITaskpaneView)

Adds an ActiveX control to the Task Pane view.

.NET Syntax

Visual Basic (Declaration)

```
Function AddControl( _
    ByVal ClassName As System.String, _
    ByVal LicKey As System.String _
) As System.Object
```

Visual Basic (Usage)



```
Dim instance As ITaskpaneView
Dim ClassName As System.String
Dim LicKey As System.String
Dim value As System.Object

value = instance.AddControl(ClassName, LicKey)
```

C#

```
System.object AddControl(
    System.string ClassName,
    System.string LicKey
)
```

C++/CLI

```
System.Object^ AddControl(
    & System.String^ ClassName,
    & System.String^ LicKey
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ClassName
Name or class ID for the ActiveX control
LicKey
License key for the ActiveX control

Return Value

Pointer to the IUnknown interface for this ActiveX control

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView::AddControl](#).

Example

[Add Buttons to Task Pane \(VBA\)](#)
[Add Buttons to Task Pane \(VB.NET\)](#)
[Add Buttons to Task Pane \(C#\)](#)

Remarks

If the ActiveX control added is a dialog, then see [Microsoft KB Archive/92905](#), "DlgTab.exe - Infinite Loop Moving through Dialog Ctrl". Follow the instructions in this article, or turn off Control Parent in Extended Styles of Dialog for the dialog.

See also [Keystrokes and Accelerator Keys in ActiveX Modeless Dialogs and PropertyManager Pages](#).

See Also

[ITaskpaneView Interface](#)
[ITaskpaneView Members](#)

Availability

SOLIDWORKS 2006 FCS, Revision Number 14.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

AddCustomButton Method (ITaskpaneView)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [ITaskpaneView Interface](#) : AddCustomButton Method (ITaskpaneView)

Obsolete. Superseded by [ITaskpaneView::AddCustomButton2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function AddCustomButton( _  
    ByVal BitmapPath As System.String, _  
    ByVal ToolTip As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As ITaskpaneView  
Dim BitmapPath As System.String  
Dim ToolTip As System.String  
Dim value As System.Boolean  
  
value = instance.AddCustomButton(BitmapPath, ToolTip)
```

C#

```
System.bool AddCustomButton(  
    System.string BitmapPath,  
    System.string ToolTip  
)
```

C++/CLI

```
System.bool AddCustomButton(  
& System.String^ BitmapPath,  
& System.String^ ToolTip  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

BitmapPath

Path and filename of the bitmap for the custom button

ToolTip

ToolTip for the custom button

Return Value

True if the custom button is added to the Task Pane, false if not

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView::AddCustomButton](#).

Remarks

Button images can be either BMP (bitmap) or PNG and should be 16 pixels wide x 16 pixels high. The bitmap image can be 8-, 16-, 24-, or 32-bit depth.

See Also

[ITaskpaneView Interface](#)
[ITaskpaneView Members](#)
[ITaskpaneView::AddStandardButton Method](#)
[ITaskpaneViewEvents TaskPaneToolBarButtonClickedEventHandler Delegate](#)
[ITaskpaneView::GetButtonState Method](#)
[ITaskpaneView::SetButtonState Method](#)

Availability

SOLIDWORKS 2011 FCS, Revision Number 19.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

AddCustomButton2 Method (ITaskpaneView)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [ITaskpaneView Interface](#) : AddCustomButton2 Method (ITaskpaneView)

Adds a custom button to the Task Pane.

.NET Syntax

Visual Basic (Declaration)

```
Function AddCustomButton2( _  
    ByVal ImageList As System.Object, _  
    ByVal ToolTip As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As ITaskpaneView  
Dim ImageList As System.Object  
Dim ToolTip As System.String  
Dim value As System.Boolean  
  
value = instance.AddCustomButton2(ImageList, ToolTip)
```

C#

```
System.bool AddCustomButton2(  
    System.object ImageList,  
    System.string ToolTip  
)
```

C++/CLI

```
System.bool AddCustomButton2(  
    & System.Object^ ImageList,  
    & System.String^ ToolTip  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ImageList

Array of strings for the paths for the image files for the custom button (see **Remarks**)

ToolTip

ToolTip for the custom button

Return Value

True if the custom button is added to the Task Pane, false if not

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView::AddCustomButton2](#).

Remarks

This method supports scaling for high resolution screens with high resolution operating system scaling options.

ImageList images can be:

- 20 x 20 pixels
- 32 x 32 pixels
- 40 x 40 pixels
- 64 x 64 pixels
- 96 x 96 pixels
- 128 x128 pixels

The images should use 256-color palette.

The size of the custom button displayed is dictated by both the monitor's or laptop's screen resolution and SOLIDWORKS icon size. You must set the custom button size before executing a macro or application that calls this method.

For example, if running Windows 7:

1. To set your monitor's or laptop's screen resolution:
 - a. Click **Start > Control Panel > Appearance and Personalization > Display**.
 - b. Select a different icon size.
 - c. Click **Apply**.
 - d. Click **Log off now**.
2. Log back in.
3. Start SOLIDWORKS and open a part, assembly, or drawing.
4. Click **Tools > Customize** and on the Toolbars tab, click the **Icon size** that matches the size that you set in step 1b and click **OK** two times.

See Also

[ITaskpaneView Interface](#)
[ITaskpaneView Members](#)
[ITaskpaneView::AddStandardButton Method \(\)](#)
[ITaskpaneView::GetButtonState Method \(\)](#)
[ITaskpaneView::SetButtonState Method \(\)](#)
[ITaskpaneViewEvents.TaskPaneToolBarButtonClickedEventHandler Delegate \(ITaskpaneView\)](#)
[ISldWorks::GetImageSize Method](#)

Availability

SOLIDWORKS 2016 FCS, Revision Number 24.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

AddStandardButton Method (ITaskpaneView)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [ITaskpaneView Interface](#) : AddStandardButton Method (ITaskpaneView)

Adds a standard SOLIDWORKS button to the Task Pane.

.NET Syntax

Visual Basic (Declaration)

```
Function AddStandardButton( _  
    ByVal BitmapOption As System.Integer, _  
    ByVal ToolTip As System.String _  
) As System.Boolean
```

Visual Basic (Usage)

```
Dim instance As ITaskpaneView  
Dim BitmapOption As System.Integer  
Dim ToolTip As System.String  
Dim value As System.Boolean
```



```
value = instance.AddStandardButton(BitmapOption, ToolTip)
```

C#

```
System.bool AddStandardButton(  
    System.int BitmapOption,  
    System.string ToolTip  
)
```

C++/CLI

```
System.bool AddStandardButton(  
& System.int BitmapOption,  
& System.String^ ToolTip  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

BitmapOption

Type of standard SOLIDWORKS button as defined in [swTaskPaneBitmapsOptions_e](#)

ToolTip

ToolTip for the standard SOLIDWORKS button

Return Value

True if a standard SOLIDWORKS button is added to the Task Pane, false if not

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView::AddStandardButton](#).

Example

[Add Buttons to Task Pane \(VBA\)](#)

[Add Buttons to Task Pane \(VB.NET\)](#)

[Add Buttons to Task Pane \(C#\)](#)

See Also

[ITaskpaneView Interface](#)

[ITaskpaneView Members](#)

[ITaskpaneView::AddCustomButton Method](#)

[ITaskpaneViewEvents.TaskPane.ToolbarButtonClickedEventHandler Delegate](#)

[ITaskpaneView::GetButtonState Method](#)

[ITaskpaneView::SetButtonState Method](#)

Availability

SOLIDWORKS 2011 FCS, Revision Number 19.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

DeleteView Method (ITaskpaneView)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [ITaskpaneView Interface](#) : DeleteView Method (ITaskpaneView)

Removes the application-level tab from the Task Pane view.

.NET Syntax

Visual Basic (Declaration)

```
Function DeleteView() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As ITaskpaneView
Dim value As System.Boolean

value = instance.DeleteView()
```

C#

```
System.bool DeleteView()
```

C++/CLI

```
System.bool DeleteView();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

True if tab is removed, false if not

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView::DeleteView](#).

Example

[Add Buttons to Task Pane \(VBA\)](#)
[Add Buttons to Task Pane \(VB.NET\)](#)
[Add Buttons to Task Pane \(C#\)](#)

See Also

[ITaskpaneView Interface](#)
[ITaskpaneView Members](#)

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

DisplayWindowFromHandle Method (ITaskpaneView)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [ITaskpaneView Interface](#) : DisplayWindowFromHandle Method (ITaskpaneView)

Obsolete. Superseded by [ITaskpaneView::DisplayWindowFromHandle64](#).

This method is unsafe to use with 64-bit SOLIDWORKS, i.e. all versions since SOLIDWORKS 2016.

The 32-bit integer returned may be too small to contain the 64-bit window handle/pointer, and will be truncated silently. A critical exception will occur sometime later, when the truncated handle/pointer is used.

.NET Syntax

Visual Basic (Declaration)

```
Function DisplayWindowFromHandle( _
    ByVal WindowHandle As System.Integer _
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As ITaskpaneView
Dim WindowHandle As System.Integer
Dim value As System.Boolean

value = instance.DisplayWindowFromHandle(WindowHandle)
```

C#

```
System.bool DisplayWindowFromHandle(  
    System.int WindowHandle  
)
```

C++/CLI

```
System.bool DisplayWindowFromHandle(  
& System.int WindowHandle  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

WindowHandle
Handle of .NET control

Return Value

True if .NET control is added, false if not

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView::DisplayWindowFromHandle](#).

Remarks

All applications are required to be compatible with SOLIDWORKS x64. You must replace all calls to 32-bit only APIs with calls to their 64-bit safe counterparts.

See [Eliminating 32-bit only API use](#) for more information.

See Also

[ITaskpaneView Interface](#)
[ITaskpaneView Members](#)
[ITaskpaneView::AddControl Method](#)

Availability

SOLIDWORKS 2011 FCS, Revision Number 19.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

DisplayWindowFromHandlex64 Method (ITaskpaneView)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [ITaskpaneView Interface](#) : DisplayWindowFromHandlex64 Method (ITaskpaneView)

Adds a .NET control to the Task Pane view on 64-bit machines.

.NET Syntax

Visual Basic (Declaration)

```
Function DisplayWindowFromHandlex64( _  
    ByVal WindowHandle As System.Long _  
) As System.Boolean
```

Visual Basic (Usage)

```
Dim instance As ITaskpaneView  
Dim WindowHandle As System.Long  
Dim value As System.Boolean
```

```
value = instance.DisplayWindowFromHandlex64(WindowHandle)
```

C#



```
System.bool DisplayWindowFromHandlex64(  
    System.long WindowHandle  
)
```

C++/CLI

```
System.bool DisplayWindowFromHandlex64(  
& System.int64 WindowHandle  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

WindowHandle
64-bit handle of .NET control

Return Value

True if .NET control is added, false if not

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView::DisplayWindowFromHandlex64](#).

Example

[Add .NET Controls to SOLIDWORKS using an Add-in \(C#\)](#)
[Add .NET Controls to SOLIDWORKS using an Add-in \(VB.NET\)](#)

Remarks

This method is only available through early binding and with 64-bit versions of the SOLIDWORKS Design software.

To insert a Task Pane view window, use this method to create your Task Pane view window and pass its handle to SOLIDWORKS Design.

See Also

[ITaskpaneView Interface](#)
[ITaskpaneView Members](#)
[ITaskpaneView::GetTaskpaneViewWndx64 Method\(\)](#)

Availability

SOLIDWORKS 2011 FCS, Revision Number 19.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

GetButtonState Method (ITaskpaneView)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [ITaskpaneView Interface](#) : GetButtonState Method (ITaskpaneView)

Gets whether the Task Pane button is enabled.

.NET Syntax

Visual Basic (Declaration)

```
Function GetButtonState( _  
    ByVal ButtonIndex As System.Integer _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As ITaskpaneView
Dim ButtonIndex As System.Integer
Dim value As System.Boolean

value = instance.GetButtonState(ButtonIndex)
```

C#

```
System.bool GetButtonState(
    System.int ButtonIndex
)
```

C++/CLI

```
System.bool GetButtonState(
    & System.int ButtonIndex
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ButtonIndex
Index of Task Pane button

Return Value

True if the Task Pane button is enabled, false if not

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView::GetButtonState](#).

Example

[Add Buttons to Task Pane \(C#\)](#)
[Add Buttons to Task Pane \(VB.NET\)](#)
[Add Buttons to Task Pane \(VBA\)](#)

See Also

[ITaskpaneView Interface](#)
[ITaskpaneView Members](#)
[ITaskpaneView::SetButtonState Method](#)
[ITaskpaneView::AddCustomButton Method](#)
[ITaskpaneView::AddStandardButton Method](#)
[ITaskpaneViewEvents](#) [TaskPane ToolbarButtonClickedEventHandler Delegate](#)

Availability

SOLIDWORKS 2011 FCS, Revision Number 19.0

SOLIDWORKS API Help

[Send comments on this topic](#).

GetControl Method (ITaskpaneView)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [ITaskpaneView Interface](#) : GetControl Method (ITaskpaneView)

Gets the control assigned to the Task Pane view.

.NET Syntax

Visual Basic (Declaration)

```
Function GetControl() As System.Object
```

Visual Basic (Usage)

```
Dim instance As ITaskpaneView
Dim value As System.Object
```



```
value = instance.GetControl()
```

C#

```
System.object GetControl()
```

C++/CLI

```
System.Object^ GetControl();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

Control object

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView::GetControl](#).

See Also

[ITaskpaneView Interface](#)
[ITaskpaneView Members](#)
[ITaskpaneView::IGetControl Method](#)

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

SOLIDWORKS API Help

[Send comments](#) on this topic.

GetTaskpaneViewWnd Method (ITaskpaneView)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [ITaskpaneView Interface](#) : GetTaskpaneViewWnd Method (ITaskpaneView)

Obsolete. Superseded by [ITaskpaneView::GetTaskpaneViewWndx64](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetTaskpaneViewWnd() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As ITaskpaneView  
Dim value As System.Integer  
  
value = instance.GetTaskpaneViewWnd()
```

C#

```
System.int GetTaskpaneViewWnd()
```

C++/CLI

```
System.int GetTaskpaneViewWnd();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

CWnd object pointer

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView::GetTaskpaneViewWnd](#).

Remarks

This method gets a Task Pane view window object pointer for 32-bit MFC applications only.

Because this method is valid only for 32-bit applications, it is now obsolete.

To insert a Task Pane view window, create your Task Pane view window and pass its handle to SOLIDWORKS using [ITaskpaneView::DisplayWindowFromHandlex64](#).

See Also

[ITaskpaneView Interface](#)
[ITaskpaneView Members](#)

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

GetTaskpaneViewWndx64 Method (ITaskpaneView)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [ITaskpaneView Interface](#) : GetTaskpaneViewWndx64 Method (ITaskpaneView)

Gets the Taskpane view window handle.

.NET Syntax

Visual Basic (Declaration)

```
Function GetTaskpaneViewWndx64() As System.Long
```

Visual Basic (Usage)



```
Dim instance As ITaskpaneView
Dim value As System.Long

value = instance.GetTaskpaneViewWndx64()
```

C#

```
System.long GetTaskpaneViewWndx64()
```

C++/CLI

```
System.int64 GetTaskpaneViewWndx64();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

Window handle

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView::GetTaskpaneViewWndx64](#).

Remarks

This method is only available through early binding and with 64-bit versions of the SOLIDWORKS Design software.

To insert a Task Pane view window, create your Task Pane view window and pass its handle to SOLIDWORKS Design using [ITaskpaneView::DisplayWindowFromHandlex64](#).

See Also

[ITaskpaneView Interface](#)
[ITaskpaneView Members](#)

Availability

SOLIDWORKS 2025 SP02, Revision Number 33.2

SOLIDWORKS API Help

[Send comments on this topic.](#)

HideView Method (ITaskpaneView)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [ITaskpaneView Interface](#) : HideView Method (ITaskpaneView)

Hides the application-level tab on the Task Pane.

.NET Syntax

Visual Basic (Declaration)

```
Function HideView() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As ITaskpaneView  
Dim value As System.Boolean  
  
value = instance.HideView()
```

C#

```
System.bool HideView()
```

C++/CLI

```
System.bool HideView();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

True if the application-level tab is hidden, false if not

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView::HideView](#).

See Also

[ITaskpaneView Interface](#)
[ITaskpaneView Members](#)
[ITaskpaneView::ShowView Method](#)

Availability

SOLIDWORKS 2006 FCS, Revision Number 14.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetControl Method (ITaskpaneView)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [ITaskpaneView Interface](#) : IGetControl Method (ITaskpaneView)

Gets the control assigned to the Task Pane view.

.NET Syntax

Visual Basic (Declaration)

```
Function IGetControl() As System.Object
```

Visual Basic (Usage)



```
Dim instance As ITaskpaneView  
Dim value As System.Object  
  
value = instance.IGetControl()
```

C#

```
System.object IGetControl()
```

C++/CLI

```
System.Object^ IGetControl();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

Control object

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView::IGetControl](#).

See Also

[ITaskpaneView Interface](#)
[ITaskpaneView Members](#)
[ITaskpaneView::GetControl Method](#)

Availability

SOLIDWORKS 2005 FCS, Revision Number 13.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

IsActiveTab Method (ITaskpaneView)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [ITaskpaneView interface](#) : IsActiveTab Method (ITaskpaneView)

Gets whether this Task Pane view is active.

.NET Syntax

Visual Basic (Declaration)

```
Function IsActiveTab() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As ITaskpaneView  
Dim value As System.Boolean  
  
value = instance.IsActiveTab()
```

C#

```
System.bool IsActiveTab()
```

C++/CLI

```
System.bool IsActiveTab();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

True if this Task Pane view is active, false if not

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView::IsActiveTab](#).

Example

[Create Task Pane View Add-in \(C#\)](#)

See Also

[ITaskpaneView Interface](#)
[ITaskpaneView Members](#)

Availability

SOLIDWORKS 2024 SP02, Revision Number 32.2

SOLIDWORKS API Help

[Send comments on this topic.](#)

SetButtonState Method (ITaskpaneView)

[See Also](#) [Example](#)



[SolidWorks.Interop.sldworks Namespace](#) > [ITaskpaneView Interface](#) : SetButtonState Method (ITaskpaneView)

Sets whether the Task Pane button is enabled.

.NET Syntax

Visual Basic (Declaration)

```
Sub SetButtonState( _  
    ByVal ButtonIndex As System.Integer, _  
    ByVal Enable As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As ITaskpaneView  
Dim ButtonIndex As System.Integer  
Dim Enable As System.Boolean  
  
instance.SetButtonState(ButtonIndex, Enable)
```

C#

```
void SetButtonState(  
    System.int ButtonIndex,  
    System.bool Enable  
)
```

C++/CLI

```
void SetButtonState(  
& System.int ButtonIndex,  
& System.bool Enable  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

ButtonIndex

Index of Task Pane button

Enable

True to enable Task Pane button, false to disable it

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView::SetButtonState](#).

Example

[Add Buttons to Task Pane \(C#\)](#)
[Add Buttons to Task Pane \(VB.NET\)](#)
[Add Buttons to Task Pane \(VBA\)](#)

See Also

[ITaskpaneView Interface](#)
[ITaskpaneView Members](#)
[ITaskpaneView::GetButtonState Method](#)
[ITaskpaneView::AddCustomButton Method](#)
[ITaskpaneView::AddStandardButton Method](#)
[ITaskpaneViewEvents](#) [TaskPane.ToolbarButtonClickedEventHandler Delegate](#)

Availability

SOLIDWORKS 2011 FCS, Revision Number 19.0

SOLIDWORKS API Help

[Send comments on this topic.](#)

ShowView Method (ITaskpaneView)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [ITaskpaneView Interface](#) : ShowView Method (ITaskpaneView)

Activates the application-level tab of the Task Pane view and makes the view visible.

.NET Syntax

Visual Basic (Declaration)

```
Function ShowView() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As ITaskpaneView  
Dim value As System.Boolean  
  
value = instance.ShowView()
```

C#

```
System.bool ShowView()
```

C++/CLI

```
System.bool ShowView();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Return Value

True if application-level tab of the Task Pane view is visible, false if not

Visual Basic for Applications (VBA) Syntax

See [TaskpaneView::ShowView](#).

See Also

[ITaskpaneView Interface](#)
[ITaskpaneView Members](#)
[ITaskpaneView::HideView Method](#)

Availability

SOLIDWORKS 2006 FCS, Revision Number 14.0