

SOLIDWORKS API (.NET VBA C#) — Reference

(318/337): IVariableFilletFeatureData

SOLIDWORKS API Documentation (converted from CHM)

IVariableFilletFeatureData (Type)

IVariableFilletFeatureData Interface

[See Also](#) [Members](#)



[SolidWorks.Interop.sldworks Namespace](#) : IVariableFilletFeatureData Interface

Obsolete. Superseded by [IVariableFilletFeatureData2](#).

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface IVariableFilletFeatureData
```

Visual Basic (Usage)



```
Dim instance As IVariableFilletFeatureData
```

C#

```
public interface IVariableFilletFeatureData
```

C++/CLI

```
public interface class IVariableFilletFeatureData
```

Visual Basic for Applications (VBA) Syntax

See [VariableFilletFeatureData](#).

Accessors

See Also

[IVariableFilletFeatureData Members](#)
[SolidWorks.Interop.sldworks Namespace](#)

IVariableFilletFeatureData Interface Members

[See Also](#) [Properties](#) [Methods](#)



[SolidWorks.Interop.sldworks Namespace](#) : IVariableFilletFeatureData Interface

The following tables list the members exposed by [IVariableFilletFeatureData](#).

Public Properties

Name	Description
DefaultRadius	Obsolete. Superseded by IVariableFilletFeatureData2.DefaultRadius .
FilletEdgeCount	Obsolete. Superseded by IVariableFilletFeatureData2.FilletEdgeCount .
OverflowType	Obsolete. Superseded by IVariableFilletFeatureData2.OverflowType .
PropagateToTangentFaces	Obsolete. Superseded by IVariableFilletFeatureData2.PropagateToTangentFaces .
TransitionType	Obsolete. Superseded by IVariableFilletFeatureData2.TransitionType .

[Top](#)

Public Methods

Name	Description
------	-------------

	AccessSelections	Obsolete. Superseded by IVariableFilletFeatureData2::AccessSelections .
	GetFilletEdgeAtIndex	Obsolete. Superseded by IVariableFilletFeatureData2::GetFilletEdgeAtIndex .
	GetRadius	Obsolete. Superseded by IVariableFilletFeatureData2::GetRadius2 .
	IAccessSelections	Obsolete. Superseded by IVariableFilletFeatureData2::IAccessSelections .
	IGetFilletEdgeAtIndex	Obsolete. Superseded by IVariableFilletFeatureData2::IGetFilletEdgeAtIndex .
	IGetRadius	Obsolete. Superseded by IVariableFilletFeatureData2::GetRadius2 .
	ISetRadius	Obsolete. Superseded by IVariableFilletFeatureData2::ISetRadius .
	ReleaseSelectionAccess	Obsolete. Superseded by IVariableFilletFeatureData2::ReleaseSelectionAccess .
	SetRadius	Obsolete. Superseded by IVariableFilletFeatureData2::SetRadius .

[Top](#)

 See Also

[IVariableFilletFeatureData Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help [Send comments on this topic.](#)

IVariableFilletFeatureData Interface Methods

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : IVariableFilletFeatureData Interface

For a list of all members of this type, see [IVariableFilletFeatureData members](#).

 Public Methods

Name	Description
	AccessSelections Obsolete. Superseded by IVariableFilletFeatureData2::AccessSelections .
	GetFilletEdgeAtIndex Obsolete. Superseded by IVariableFilletFeatureData2::GetFilletEdgeAtIndex .
	GetRadius Obsolete. Superseded by IVariableFilletFeatureData2::GetRadius2 .
	IAccessSelections Obsolete. Superseded by IVariableFilletFeatureData2::IAccessSelections .
	IGetFilletEdgeAtIndex Obsolete. Superseded by IVariableFilletFeatureData2::IGetFilletEdgeAtIndex .
	IGetRadius Obsolete. Superseded by IVariableFilletFeatureData2::GetRadius2 .
	ISetRadius Obsolete. Superseded by IVariableFilletFeatureData2::ISetRadius .
	ReleaseSelectionAccess Obsolete. Superseded by IVariableFilletFeatureData2::ReleaseSelectionAccess .
	SetRadius Obsolete. Superseded by IVariableFilletFeatureData2::SetRadius .

[Top](#)

 See Also

[IVariableFilletFeatureData Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help [Send comments on this topic.](#)

IVariableFilletFeatureData Interface Properties

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) : IVariableFilletFeatureData Interface

For a list of all members of this type, see [IVariableFilletFeatureData members](#).

 Public Properties

Name	Description
	DefaultRadius Obsolete. Superseded by IVariableFilletFeatureData2::DefaultRadius .
	FilletEdgeCount Obsolete. Superseded by IVariableFilletFeatureData2::FilletEdgeCount .

 OverflowType	Obsolete. Superseded by IVariableFilletFeatureData2::OverflowType .
 PropagateToTangentFaces	Obsolete. Superseded by IVariableFilletFeatureData2::PropagateToTangentFaces .
 TransitionType	Obsolete. Superseded by IVariableFilletFeatureData2::TransitionType .

[Top](#)

See Also

[IVariableFilletFeatureData Interface](#)
[SolidWorks.Interop.sldworks Namespace](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

AccessSelections Method (IVariableFilletFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IVariableFilletFeatureData Interface](#) : AccessSelections Method (IVariableFilletFeatureData)

Obsolete. Superseded by [IVariableFilletFeatureData2::AccessSelections](#).

Visual Basic Syntax

Visual Basic (Declaration)

```
Function AccessSelections( _
    ByVal TopDoc As System.Object, _
    ByVal Component As System.Object _
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IVariableFilletFeatureData
Dim TopDoc As System.Object
Dim Component As System.Object
Dim value As System.Boolean
```

```
value = instance.AccessSelections(TopDoc, Component)
```

C#

```
System.bool AccessSelections(
    System.object TopDoc,
    System.object Component
)
```

C++/CLI

```
System.bool AccessSelections(
    & System.Object^ TopDoc,
    & System.Object^ Component
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

TopDoc

Component

Visual Basic for Applications (VBA) Syntax

See [VariableFilletFeatureData::AccessSelections](#).

See Also

[IVariableFilletFeatureData Interface](#)
[IVariableFilletFeatureData Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

DefaultRadius Property (IVariableFilletFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IVariableFilletFeatureData Interface](#) : DefaultRadius Property (IVariableFilletFeatureData)

Obsolete. Superseded by [IVariableFilletFeatureData2::DefaultRadius](#).

.NET Syntax

Visual Basic (Declaration)

```
Property DefaultRadius As System.Double
```

Visual Basic (Usage)



```
Dim instance As IVariableFilletFeatureData  
Dim value As System.Double
```

```
instance.DefaultRadius = value
```

```
value = instance.DefaultRadius
```

C#

```
System.double DefaultRadius {get; set;}
```

C++/CLI

```
property System.double DefaultRadius {  
    System.double get();  
    void set ( & System.double value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [VariableFilletFeatureData::DefaultRadius](#).

See Also

[IVariableFilletFeatureData Interface](#)
[IVariableFilletFeatureData Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

FilletEdgeCount Property (IVariableFilletFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IVariableFilletFeatureData Interface](#) : FilletEdgeCount Property (IVariableFilletFeatureData)

Obsolete. Superseded by [IVariableFilletFeatureData2::FilletEdgeCount](#).

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property FilletEdgeCount As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IVariableFilletFeatureData  
Dim value As System.Integer
```

```
value = instance.FilletEdgeCount
```

C#

```
System.int FilletEdgeCount {get;}
```

C++/CLI

```
property System.int FilletEdgeCount {  
    System.int get();  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [VariableFilletFeatureData::FilletEdgeCount](#).

See Also

[IVariableFilletFeatureData Interface](#)
[IVariableFilletFeatureData Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

GetFilletEdgeAtIndex Method (IVariableFilletFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IVariableFilletFeatureData Interface](#) : GetFilletEdgeAtIndex Method (IVariableFilletFeatureData)

Obsolete. Superseded by [IVariableFilletFeatureData2::GetFilletEdgeAtIndex](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetFilletEdgeAtIndex( _  
    ByVal Index As System.Integer _  
) As System.Object
```

Visual Basic (Usage)

```
Dim instance As IVariableFilletFeatureData  
Dim Index As System.Integer  
Dim value As System.Object  
  
value = instance.GetFilletEdgeAtIndex(Index)
```

C#

```
System.object GetFilletEdgeAtIndex(  
    System.int Index  
)
```

C++/CLI

```
System.Object^ GetFilletEdgeAtIndex(  
& System.int Index  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Index

Visual Basic for Applications (VBA) Syntax

See [VariableFilletFeatureData::GetFilletEdgeAtIndex](#).

See Also

[IVariableFilletFeatureData Interface](#)
[IVariableFilletFeatureData Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

GetRadius Method (IVariableFilletFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IVariableFilletFeatureData Interface](#) : GetRadius Method (IVariableFilletFeatureData)

Obsolete. Superseded by [IVariableFilletFeatureData2::GetRadius2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetRadius( _  
    ByVal PFilletItem As System.Object _  
) As System.Double
```

Visual Basic (Usage)



```
Dim instance As IVariableFilletFeatureData  
Dim PFilletItem As System.Object  
Dim value As System.Double  
  
value = instance.GetRadius(PFilletItem)
```

C#

```
System.double GetRadius(  
    System.object PFilletItem  
)
```

C++/CLI

```
System.double GetRadius(  
& System.Object^ PFilletItem  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

PFilletItem

Visual Basic for Applications (VBA) Syntax

See [VariableFilletFeatureData::GetRadius](#).

See Also

[IVariableFilletFeatureData Interface](#)
[IVariableFilletFeatureData Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

IAccessSelections Method (IVariableFilletFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IVariableFilletFeatureData Interface](#) : IAccessSelections Method (IVariableFilletFeatureData)

Obsolete. Superseded by [IVariableFilletFeatureData2::IAccessSelections](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IAccessSelections( _  
    ByVal TopDoc As ModelDoc, _  
    ByVal Component As Component _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IVariableFilletFeatureData
Dim TopDoc As ModelDoc
Dim Component As Component
Dim value As System.Boolean

value = instance.IAccessSelections(TopDoc, Component)
```

C#

```
System.bool IAccessSelections(
    ModelDoc TopDoc,
    Component Component
)
```

C++/CLI

```
System.bool IAccessSelections(
    & ModelDoc^ TopDoc,
    & Component^ Component
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

TopDoc

Component

Visual Basic for Applications (VBA) Syntax

See [VariableFilletFeatureData::IAccessSelections](#).

See Also

[IVariableFilletFeatureData Interface](#)
[IVariableFilletFeatureData Members](#)

SOLIDWORKS API Help

[Send comments on this topic.](#)

IGetFilletEdgeAtIndex Method (IVariableFilletFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IVariableFilletFeatureData Interface](#) : IGetFilletEdgeAtIndex Method (IVariableFilletFeatureData)

Obsolete. Superseded by [IVariableFilletFeatureData2::IGetFilletEdgeAtIndex](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IGetFilletEdgeAtIndex( _
    ByVal Index As System.Integer _
) As Edge
```

Visual Basic (Usage)



```
Dim instance As IVariableFilletFeatureData
Dim Index As System.Integer
Dim value As Edge
```

```
value = instance.IGetFilletEdgeAtIndex(Index)
```

C#

```
Edge IGetFilletEdgeAtIndex(
    System.int Index
)
```

C++/CLI

```
Edge^ IGetFilletEdgeAtIndex(  
& System.int Index  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

Index

Visual Basic for Applications (VBA) Syntax

See [VariableFilletFeatureData::IGetFilletEdgeAtIndex](#).

See Also

[IVariableFilletFeatureData Interface](#)
[VariableFilletFeatureData Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

IGetRadius Method (IVariableFilletFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IVariableFilletFeatureData Interface](#) : IGetRadius Method (IVariableFilletFeatureData)

Obsolete. Superseded by [IVariableFilletFeatureData2::GetRadius2](#).

.NET Syntax

Visual Basic (Declaration)

```
Function IGetRadius(  
    ByVal PFilletItem As Vertex  
) As System.Double
```

Visual Basic (Usage)



```
Dim instance As IVariableFilletFeatureData  
Dim PFilletItem As Vertex  
Dim value As System.Double  
  
value = instance.IGetRadius(PFilletItem)
```

C#

```
System.double IGetRadius(  
    Vertex PFilletItem  
)
```

C++/CLI

```
System.double IGetRadius(  
& Vertex^ PFilletItem  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

PFilletItem

Visual Basic for Applications (VBA) Syntax

See [VariableFilletFeatureData::IGetRadius](#).

See Also

ISetRadius Method (IVariableFilletFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IVariableFilletFeatureData Interface](#) : ISetRadius Method (IVariableFilletFeatureData)

Obsolete. Superseded by [IVariableFilletFeatureData2::ISetRadius](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub ISetRadius( _  
    ByVal PFilletItem As Vertex, _  
    ByVal Radius As System.Double _  
)
```

Visual Basic (Usage)



```
Dim instance As IVariableFilletFeatureData  
Dim PFilletItem As Vertex  
Dim Radius As System.Double  
  
instance.ISetRadius(PFilletItem, Radius)
```

C#

```
void ISetRadius(  
    Vertex PFilletItem,  
    System.double Radius  
)
```

C++/CLI

```
void ISetRadius(  
& Vertex^ PFilletItem,  
& System.double Radius  
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

PFilletItem

Radius

Visual Basic for Applications (VBA) Syntax

See [VariableFilletFeatureData::ISetRadius](#).

See Also

[IVariableFilletFeatureData Interface](#)
[IVariableFilletFeatureData Members](#)

OverflowType Property (IVariableFilletFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IVariableFilletFeatureData Interface](#) : OverflowType Property (IVariableFilletFeatureData)

Obsolete. Superseded by [IVariableFilletFeatureData2::OverflowType](#).

.NET Syntax

Visual Basic (Declaration)

Property OverflowType As System.Integer

Visual Basic (Usage)



```
Dim instance As IVariableFilletFeatureData  
Dim value As System.Integer
```

```
instance.OverflowType = value
```

```
value = instance.OverflowType
```

C#

```
System.int OverflowType {get; set;}
```

C++/CLI

```
property System.int OverflowType {  
    System.int get();  
    void set ( & System.int value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [VariableFilletFeatureData::OverflowType](#).

See Also

[IVariableFilletFeatureData Interface](#)
[IVariableFilletFeatureData Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

PropagateToTangentFaces Property (IVariableFilletFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IVariableFilletFeatureData Interface](#) : PropagateToTangentFaces Property (IVariableFilletFeatureData)

Obsolete. Superseded by [IVariableFilletFeatureData2::PropagateToTangentFaces](#).

.NET Syntax

Visual Basic (Declaration)

Property PropagateToTangentFaces As System.Boolean

Visual Basic (Usage)



```
Dim instance As IVariableFilletFeatureData  
Dim value As System.Boolean
```

```
instance.PropagateToTangentFaces = value
```

```
value = instance.PropagateToTangentFaces
```

C#

```
System.bool PropagateToTangentFaces {get; set;}
```

C++/CLI

```
property System.bool PropagateToTangentFaces {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [VariableFilletFeatureData::PropagateToTangentFaces](#).

See Also

[IVariableFilletFeatureData Interface](#)
[IVariableFilletFeatureData Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

ReleaseSelectionAccess Method (IVariableFilletFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IVariableFilletFeatureData Interface](#) : ReleaseSelectionAccess Method (IVariableFilletFeatureData)

Obsolete. Superseded by [IVariableFilletFeatureData2::ReleaseSelectionAccess](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub ReleaseSelectionAccess()
```

Visual Basic (Usage)



```
Dim instance As IVariableFilletFeatureData  
instance.ReleaseSelectionAccess()
```

C#

```
void ReleaseSelectionAccess()
```

C++/CLI

```
void ReleaseSelectionAccess();
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [VariableFilletFeatureData::ReleaseSelectionAccess](#).

See Also

[IVariableFilletFeatureData Interface](#)
[IVariableFilletFeatureData Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

SetRadius Method (IVariableFilletFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IVariableFilletFeatureData Interface](#) : SetRadius Method (IVariableFilletFeatureData)

Obsolete. Superseded by [IVariableFilletFeatureData2::SetRadius](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetRadius( _  
    ByVal PFilletItem As System.Object, _  
    ByVal Radius As System.Double _  
)
```

Visual Basic (Usage)



```
Dim instance As IVariableFilletFeatureData
Dim PFilletItem As System.Object
Dim Radius As System.Double

instance.SetRadius(PFilletItem, Radius)
```

C#

```
void SetRadius(
    System.object PFilletItem,
    System.double Radius
)
```

C++/CLI

```
void SetRadius(
    & System.Object^ PFilletItem,
    & System.double Radius
)
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Parameters

PFilletItem

Radius

Visual Basic for Applications (VBA) Syntax

See [VariableFilletFeatureData::SetRadius](#).

See Also

[IVariableFilletFeatureData Interface](#)
[IVariableFilletFeatureData Members](#)

SOLIDWORKS API Help

[Send comments](#) on this topic.

TransitionType Property (IVariableFilletFeatureData)

[See Also](#)



[SolidWorks.Interop.sldworks Namespace](#) > [IVariableFilletFeatureData Interface](#) : TransitionType Property (IVariableFilletFeatureData)

Obsolete. Superseded by [IVariableFilletFeatureData2::TransitionType](#).

.NET Syntax

Visual Basic (Declaration)

```
Property TransitionType As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IVariableFilletFeatureData
Dim value As System.Integer

instance.TransitionType = value

value = instance.TransitionType
```

C#

```
System.int TransitionType {get; set;}
```

C++/CLI

```
property System.int TransitionType {
    System.int get();
```

```
void set ( & System.int value);  
}
```

NOTE: See [Differences Between Unmanaged C++ and C++/CLI Code](#).

Visual Basic for Applications (VBA) Syntax

See [VariableFilletFeatureData::TransitionType](#).

See Also

[IVariableFilletFeatureData Interface](#)
[IVariableFilletFeatureData Members](#)