

SOLIDWORKS API (VB6 COM) — Reference (16/102): CustomSymbol-DeleteFaceFeatureData


SOLIDWORKS API Documentation (converted from CHM)

CustomSymbol (Type)

SOLIDWORKS Type Library

CustomSymbol Object

Object Model



SOLIDWORKS Type Library

CustomSymbol Object Members

Public Methods

	GetAnnotation
	GetArcAtIndex
	GetArcCount
	GetArrowHeadAtIndex
	GetArrowHeadCount
	GetArrowHeadInfo
	GetLeaderAtIndex
	GetLeaderCount
	GetLineAtIndex
	GetLineCount
	GetNext
	GetNoteCount
	GetNotes
	GetSketch
	GetSketchPosition
	GetText
	GetTextAngleAtIndex
	GetTextAtIndex
	GetTextCount
	GetTextHeightAtIndex
	GetTextInvertAtIndex
	GetTextJustificationAtIndex
	GetTextLineSpacingAtIndex
	GetTextPositionAtIndex
	GetTextRefPositionAtIndex
	GetTriangleAtIndex
	GetTriangleCount

	
	HasExtraLeader
	IGetAnnotation
	IGetArcAtIndex
	IGetArrowHeadAtIndex
	IGetArrowHeadInfo
	IGetLeaderAtIndex
	IGetLineAtIndex
	IGetNext
	IGetNotes
	IGetSketch
	IGetSketchPosition
	IGetTextPositionAtIndex
	IGetTriangleAtIndex
	IsAttached
	SetText
	SetTextJustificationAtIndex

Public Properties

	Angle
	Scale2
	TextVisible

SOLIDWORKS Type Library

Angle Property (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)
Public Property Angle As Double

SOLIDWORKS Type Library

GetAnnotation Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)
Public Function GetAnnotation() As Object

SOLIDWORKS Type Library

GetArcAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)
Public Function GetArcAtIndex(_ ByVal Index As Long _) As Variant

SOLIDWORKS Type Library

GetArcCount Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetArcCount() As Long
```

SOLIDWORKS Type Library

GetArrowHeadAtIndex Method (CustomSymbol)



Visual Basic for Applications (VBA)

```
Public Function GetArrowHeadAtIndex( _  
    ByVal Index As Long _  
) As Variant
```

SOLIDWORKS Type Library

GetArrowHeadCount Method (CustomSymbol)



Visual Basic for Applications (VBA)

```
Public Function GetArrowHeadCount() As Long
```

SOLIDWORKS Type Library

GetArrowHeadInfo Method (CustomSymbol)



Visual Basic for Applications (VBA)

```
Public Function GetArrowHeadInfo() As Variant
```

SOLIDWORKS Type Library

GetLeaderAtIndex Method (CustomSymbol)



Visual Basic for Applications (VBA)

```
Public Function GetLeaderAtIndex( _  
    ByVal Index As Long _  
) As Variant
```

SOLIDWORKS Type Library

GetLeaderCount Method (CustomSymbol)



Visual Basic for Applications (VBA)

```
Public Function GetLeaderCount() As Long
```

SOLIDWORKS Type Library

GetLineAtIndex Method (CustomSymbol)



Visual Basic for Applications (VBA)

```
Public Function GetLineAtIndex( _  
    ByVal Index As Long _  
) As Variant
```

SOLIDWORKS Type Library

GetLineCount Method (CustomSymbol)



Visual Basic for Applications (VBA)

```
Public Function GetLineCount() As Long
```

SOLIDWORKS Type Library

GetNext Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetNext() As Object
```

SOLIDWORKS Type Library

GetNoteCount Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetNoteCount() As Long
```

SOLIDWORKS Type Library

GetNotes Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetNotes() As Variant
```

SOLIDWORKS Type Library

GetSketch Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetSketch() As Object
```

SOLIDWORKS Type Library

GetSketchPosition Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetSketchPosition() As Variant
```

SOLIDWORKS Type Library

GetText Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetText( _  
    ByVal Index As Long _  
) As String
```

SOLIDWORKS Type Library

GetTextAngleAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextAngleAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

GetTextAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextAtIndex( _  
    ByVal Index As Long _  
    ) As String
```

SOLIDWORKS Type Library

GetTextCount Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextCount() As Long
```

SOLIDWORKS Type Library

GetTextHeightAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextHeightAtIndex( _  
    ByVal Index As Long _  
    ) As Double
```

SOLIDWORKS Type Library

GetTextInvertAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextInvertAtIndex( _  
    ByVal Index As Long _  
    ) As Long
```

SOLIDWORKS Type Library

GetTextJustificationAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextJustificationAtIndex( _  
    ByVal Index As Long _  
    ) As Long
```

SOLIDWORKS Type Library

GetTextLineSpacingAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextLineSpacingAtIndex( _  
    ByVal Index As Long _  
    ) As Double
```

SOLIDWORKS Type Library

GetTextPositionAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextPositionAtIndex( _  
    ByVal Index As Long _  
    ) As Variant
```

SOLIDWORKS Type Library

GetTextRefPositionAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextRefPositionAtIndex( _  
    ByVal Index As Long _  
) As Long
```

SOLIDWORKS Type Library

GetTriangleAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTriangleAtIndex( _  
    ByVal Index As Long _  
) As Variant
```

SOLIDWORKS Type Library

GetTriangleCount Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTriangleCount() As Long
```

SOLIDWORKS Type Library

HasExtraLeader Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function HasExtraLeader() As Boolean
```

SOLIDWORKS Type Library

IGetAnnotation Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetAnnotation() As Annotation
```

SOLIDWORKS Type Library

IGetArcAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetArcAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

IGetArrowHeadAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetArrowHeadAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

IGetArrowHeadInfo Method (CustomSymbol)

Syntax

```
Public Function IGetArrowHeadInfo() As Double
```

SOLIDWORKS Type Library

IGetLeaderAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetLeaderAtIndex( _  
    ByVal Index As Long, _  
    ByRef PointCount As Long _  
) As Double
```

SOLIDWORKS Type Library

IGetLineAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetLineAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

IGetNext Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetNext() As CustomSymbol
```

SOLIDWORKS Type Library

IGetNotes Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetNotes( _  
    ByVal Count As Long _  
) As Note
```

SOLIDWORKS Type Library

IGetSketch Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetSketch() As Sketch
```

SOLIDWORKS Type Library

IGetSketchPosition Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetSketchPosition() As Double
```

SOLIDWORKS Type Library

IGetTextPositionAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetTextPositionAtIndex( _  
    ByVal Index As Long _  
    ) As Double
```

SOLIDWORKS Type Library

IGetTriangleAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetTriangleAtIndex( _  
    ByVal Index As Long _  
    ) As Double
```

SOLIDWORKS Type Library

IsAttached Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IsAttached() As Boolean
```

SOLIDWORKS Type Library

Scale2 Property (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Property Scale2 As Double
```

SOLIDWORKS Type Library

SetText Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Function SetText( _  
    ByVal Index As Long, _  
    ByVal Text As String _  
    ) As Boolean
```

SOLIDWORKS Type Library

SetTextJustificationAtIndex Method (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub SetTextJustificationAtIndex( _  
    ByVal Index As Long, _  
    ByVal Justification As Long _  
    )
```

SOLIDWORKS Type Library

TextVisible Property (CustomSymbol)

Syntax

Visual Basic for Applications (VBA)

```
Public Property TextVisible As Boolean
```

CutListItem (Type)

SOLIDWORKS Type Library

CutListItem Object

Object Model

CutListItem

CustomPropertyManager

SOLIDWORKS Type Library

CutListItem Object Members

Public Properties

CustomPropertyManager

SOLIDWORKS Type Library

CustomPropertyManager Property (CutListItem)

Syntax

Visual Basic for Applications (VBA)

Public Property CustomPropertyManager As [CustomPropertyManager](#)

CutListSortOptions (Type)

SOLIDWORKS Type Library

CutListSortOptions Object

Object Model

CutListSortOptions

SOLIDWORKS Type Library

CutListSortOptions Object Members

Public Methods

 [GetFacesOrFeaturesToExclude](#)

 [SetFacesOrFeaturesToExclude](#)

Public Properties

 [CollectIdenticalBodies](#)

SOLIDWORKS Type Library

CollectIdenticalBodies Property (CutListSortOptions)

Syntax

Visual Basic for Applications (VBA)

```
Public Property CollectIdenticalBodies As Boolean
```

SOLIDWORKS Type Library

GetFacesOrFeaturesToExclude Method (CutListSortOptions)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetFacesOrFeaturesToExclude() As Variant
```

SOLIDWORKS Type Library

SetFacesOrFeaturesToExclude Method (CutListSortOptions)

Syntax

Visual Basic for Applications (VBA)


```
Public Function SetFacesOrFeaturesToExclude( _  
    ByVal Entities As Variant _  
) As Long
```

DatumOrigin (Type)

SOLIDWORKS Type Library

DatumOrigin Object

Object Model



SOLIDWORKS Type Library

DatumOrigin Object Members



Public Methods

	GetAnnotation
	GetAxisPoints
	GetAxisPoints2
	GetNext
	IGetAxisPoints
	IGetAxisPoints2
	ISetAxisPoints
	Reattach
	SetAxisPoints

Public Properties

	Table
	XLabel
	YLabel

SOLIDWORKS Type Library

GetAnnotation Method (DatumOrigin)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetAnnotation() As Annotation
```

SOLIDWORKS Type Library

GetAxisPoints Method (DatumOrigin)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetAxisPoints() As Variant
```

SOLIDWORKS Type Library

GetAxisPoints2 Method (DatumOrigin)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetAxisPoints2() As Variant
```

SOLIDWORKS Type Library

GetNext Method (DatumOrigin)



Visual Basic for Applications (VBA)

```
Public Function GetNext() As DatumOrigin
```

SOLIDWORKS Type Library

IGetAxisPoints Method (DatumOrigin)



Visual Basic for Applications (VBA)

```
Public Function IGetAxisPoints() As Double
```

SOLIDWORKS Type Library

IGetAxisPoints2 Method (DatumOrigin)



Visual Basic for Applications (VBA)

```
Public Function IGetAxisPoints2() As Double
```

SOLIDWORKS Type Library

ISetAxisPoints Method (DatumOrigin)



Visual Basic for Applications (VBA)

```
Public Function ISetAxisPoints( _  
    ByRef PointData As Double _  
) As Boolean
```

SOLIDWORKS Type Library

Reattach Method (DatumOrigin)



Visual Basic for Applications (VBA)

```
Public Function Reattach() As Boolean
```

SOLIDWORKS Type Library

SetAxisPoints Method (DatumOrigin)



Visual Basic for Applications (VBA)

```
Public Function SetAxisPoints( _  
    ByVal PointData As Variant _  
) As Boolean
```

SOLIDWORKS Type Library

Table Property (DatumOrigin)



Visual Basic for Applications (VBA)

```
Public Property Table As HoleTable
```

SOLIDWORKS Type Library

XLabel Property (DatumOrigin)



Visual Basic for Applications (VBA)

```
Public Property XLabel As String
```

SOLIDWORKS Type Library

YLabel Property (DatumOrigin)



Visual Basic for Applications (VBA)


```
Public Property YLabel As String
```

DatumTag (Type)

SOLIDWORKS Type Library

DatumTag Object

Object Model



SOLIDWORKS Type Library

DatumTag Object Members

Public Methods

	GetAnnotation
	GetArcAtIndex
	GetArcCount
	GetArrowHeadAtIndex
	GetArrowHeadCount
	GetDisplayStyle
	GetLabel
	GetLineAtIndex
	GetLineCount
	GetNext
	GetTextAngleAtIndex
	GetTextAtIndex
	GetTextCount
	GetTextHeightAtIndex
	GetTextInvertAtIndex
	GetTextPositionAtIndex
	GetTextRefPositionAtIndex
	GetTriangleAtIndex
	GetTriangleCount
	GetUseDocDisplayStyle
	IGetAnnotation
	IGetArcAtIndex
	IGetArrowHeadAtIndex
	IGetLineAtIndex
	IGetNext
	IGetTextPositionAtIndex
	IGetTriangleAtIndex
	SetDisplayStyle
	SetLabel
	SetText



Public Properties

 [FilledTriangle](#)

 [ForcedShoulder](#)

 [LeaderOrientation](#)

 [Shoulder](#)

SOLIDWORKS Type Library

FilledTriangle Property (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Property FilledTriangle As Boolean
```

SOLIDWORKS Type Library

ForcedShoulder Property (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Property ForcedShoulder As Boolean
```

SOLIDWORKS Type Library

GetAnnotation Method (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetAnnotation() As Object
```

SOLIDWORKS Type Library

GetArcAtIndex Method (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetArcAtIndex( _  
    ByVal Index As Long _  
) As Variant
```

SOLIDWORKS Type Library

GetArcCount Method (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetArcCount() As Long
```

SOLIDWORKS Type Library

GetArrowHeadAtIndex Method (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetArrowHeadAtIndex( _  
    ByVal Index As Long _  
) As Variant
```

SOLIDWORKS Type Library

GetArrowHeadCount Method (DatumTag)



Visual Basic for Applications (VBA)

```
Public Function GetArrowHeadCount() As Long
```

SOLIDWORKS Type Library

GetDisplayStyle Method (DatumTag)



Visual Basic for Applications (VBA)

```
Public Function GetDisplayStyle() As Long
```

SOLIDWORKS Type Library

GetLabel Method (DatumTag)



Visual Basic for Applications (VBA)

```
Public Function GetLabel() As String
```

SOLIDWORKS Type Library

GetLineAtIndex Method (DatumTag)



Visual Basic for Applications (VBA)

```
Public Function GetLineAtIndex( _  
    ByVal Index As Long _  
) As Variant
```

SOLIDWORKS Type Library

GetLineCount Method (DatumTag)



Visual Basic for Applications (VBA)

```
Public Function GetLineCount() As Long
```

SOLIDWORKS Type Library

GetNext Method (DatumTag)



Visual Basic for Applications (VBA)

```
Public Function GetNext() As Object
```

SOLIDWORKS Type Library

GetTextAngleAtIndex Method (DatumTag)



Visual Basic for Applications (VBA)

```
Public Function GetTextAngleAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

GetTextAtIndex Method (DatumTag)



Visual Basic for Applications (VBA)

```
Public Function GetTextAtIndex( _  
    ByVal Index As Long _
```

```
) As String
```

SOLIDWORKS Type Library

GetTextCount Method (DatumTag)



Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextCount() As Long
```

SOLIDWORKS Type Library

GetTextHeightAtIndex Method (DatumTag)



Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextHeightAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

GetTextInvertAtIndex Method (DatumTag)



Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextInvertAtIndex( _  
    ByVal Index As Long _  
) As Long
```

SOLIDWORKS Type Library

GetTextPositionAtIndex Method (DatumTag)



Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextPositionAtIndex( _  
    ByVal Index As Long _  
) As Variant
```

SOLIDWORKS Type Library

GetTextRefPositionAtIndex Method (DatumTag)



Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextRefPositionAtIndex( _  
    ByVal Index As Long _  
) As Long
```

SOLIDWORKS Type Library

GetTriangleAtIndex Method (DatumTag)



Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTriangleAtIndex( _  
    ByVal Index As Long _  
) As Variant
```

SOLIDWORKS Type Library

GetTriangleCount Method (DatumTag)



Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTriangleCount() As Long
```

SOLIDWORKS Type Library

GetUseDocDisplayStyle Method (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetUseDocDisplayStyle() As Boolean
```

SOLIDWORKS Type Library

IGetAnnotation Method (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetAnnotation() As Annotation
```

SOLIDWORKS Type Library

IGetArcAtIndex Method (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetArcAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

IGetArrowHeadAtIndex Method (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetArrowHeadAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

IGetLineAtIndex Method (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetLineAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

IGetNext Method (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetNext() As DatumTag
```

SOLIDWORKS Type Library

IGetTextPositionAtIndex Method (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetTextPositionAtIndex( _  
    ByVal Index As Long _
```

) As Double

SOLIDWORKS Type Library

IGetTriangleAtIndex Method (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetTriangleAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

LeaderOrientation Property (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Property LeaderOrientation As Long
```

SOLIDWORKS Type Library

SetDisplayStyle Method (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Function SetDisplayStyle( _  
    ByVal UseDoc As Boolean, _  
    ByVal Style As Long _  
) As Boolean
```

SOLIDWORKS Type Library

SetLabel Method (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Function SetLabel( _  
    ByVal Label As String _  
) As Boolean
```

SOLIDWORKS Type Library

SetText Method (DatumTag)

Syntax

Visual Basic for Applications (VBA)

```
Public Function SetText( _  
    ByVal WhichText As Long, _  
    ByVal Text As String _  
) As Boolean
```

SOLIDWORKS Type Library

Shoulder Property (DatumTag)

Syntax


Visual Basic for Applications (VBA)

```
Public Property Shoulder As Boolean
```

DatumTargetSym (Type)

SOLIDWORKS Type Library
DatumTargetSym Object

Object Model



SOLIDWORKS Type Library
DatumTargetSym Object Members

Public Methods

	GetAnnotation
	GetArcAtIndex
	GetArcCount
	GetArrowHeadAtIndex
	GetArrowHeadCount
	GetDatumReferenceLabel
	GetDisplaySizeOutside
	GetDisplaySymbol
	GetDisplayTargetArea
	GetLineAtIndex
	GetLineCount
	GetNext
	GetTargetAreaSize
	GetTargetShape
	GetTextAngleAtIndex
	GetTextAtIndex
	GetTextCount
	GetTextHeightAtIndex
	GetTextInvertAtIndex
	GetTextPositionAtIndex
	GetTextRefPositionAtIndex
	GetTriangleAtIndex
	GetTriangleCount
	IGetAnnotation
	IGetArcAtIndex
	IGetArrowHeadAtIndex
	IGetLineAtIndex
	IGetNext
	IGetTextPositionAtIndex
	IGetTriangleAtIndex


 SetDatumReferenceLabel
 SetDatumTargetHorizontal
 SetDatumTargetNotMoveable
 SetDatumTargetRotational
 SetDisplay
 SetTargetArea

SOLIDWORKS Type Library

GetAnnotation Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetAnnotation() As Object
```

SOLIDWORKS Type Library

GetArcAtIndex Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetArcAtIndex( _  
    ByVal Index As Long _  
) As Variant
```

SOLIDWORKS Type Library

GetArcCount Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetArcCount() As Long
```

SOLIDWORKS Type Library

GetArrowHeadAtIndex Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetArrowHeadAtIndex( _  
    ByVal Index As Long _  
) As Variant
```

SOLIDWORKS Type Library

GetArrowHeadCount Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetArrowHeadCount() As Long
```

SOLIDWORKS Type Library

GetDatumReferenceLabel Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetDatumReferenceLabel( _  
    ByVal WhichOne As Long _  
) As String
```

SOLIDWORKS Type Library

GetDisplaySizeOutside Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetDisplaySizeOutside() As Boolean
```

SOLIDWORKS Type Library

GetDisplaySymbol Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetDisplaySymbol() As Boolean
```

SOLIDWORKS Type Library

GetDisplayTargetArea Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetDisplayTargetArea() As Boolean
```

SOLIDWORKS Type Library

GetLineAtIndex Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetLineAtIndex( _  
    ByVal Index As Long _  
) As Variant
```

SOLIDWORKS Type Library

GetLineCount Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetLineCount() As Long
```

SOLIDWORKS Type Library

GetNext Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetNext() As Object
```

SOLIDWORKS Type Library

GetTargetAreaSize Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTargetAreaSize( _  
    ByVal WhichOne As Long _  
) As String
```

SOLIDWORKS Type Library

GetTargetShape Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTargetShape() As Long
```

SOLIDWORKS Type Library

GetTextAngleAtIndex Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextAngleAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

GetTextAtIndex Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextAtIndex( _  
    ByVal Index As Long _  
) As String
```

SOLIDWORKS Type Library

GetTextCount Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextCount() As Long
```

SOLIDWORKS Type Library

GetTextHeightAtIndex Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextHeightAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

GetTextInvertAtIndex Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextInvertAtIndex( _  
    ByVal Index As Long _  
) As Long
```

SOLIDWORKS Type Library

GetTextPositionAtIndex Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextPositionAtIndex( _  
    ByVal Index As Long _  
) As Variant
```

SOLIDWORKS Type Library

GetTextRefPositionAtIndex Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTextRefPositionAtIndex( _  
    ByVal Index As Long _  
) As Long
```

SOLIDWORKS Type Library

GetTriangleAtIndex Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTriangleAtIndex( _  
    ByVal Index As Long _  
) As Variant
```

SOLIDWORKS Type Library

GetTriangleCount Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetTriangleCount() As Long
```

SOLIDWORKS Type Library

IGetAnnotation Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetAnnotation() As Annotation
```

SOLIDWORKS Type Library

IGetArcAtIndex Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetArcAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

IGetArrowHeadAtIndex Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetArrowHeadAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

IGetLineAtIndex Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetLineAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

IGetNext Method (DatumTargetSym)

Syntax

```
Public Function IGetNext() As DatumTargetSym
```

SOLIDWORKS Type Library

IGetTextPositionAtIndex Method (DatumTargetSym)

Visual Basic for Applications (VBA)

```
Public Function IGetTextPositionAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

IGetTriangleAtIndex Method (DatumTargetSym)

Visual Basic for Applications (VBA)

```
Public Function IGetTriangleAtIndex( _  
    ByVal Index As Long _  
) As Double
```

SOLIDWORKS Type Library

SetDatumReferenceLabel Method (DatumTargetSym)

Visual Basic for Applications (VBA)

```
Public Function SetDatumReferenceLabel( _  
    ByVal WhichOne As Long, _  
    ByVal Text As String _  
) As Boolean
```

SOLIDWORKS Type Library

SetDatumTargetHorizontal Method (DatumTargetSym)

Visual Basic for Applications (VBA)

```
Public Function SetDatumTargetHorizontal( _  
    ByVal MoveableDatumDirection As Long, _  
    ByVal LockLeader As Boolean, _  
    ByVal LockLeaderAngle As Double _  
) As Boolean
```

SOLIDWORKS Type Library

SetDatumTargetNotMoveable Method (DatumTargetSym)

Visual Basic for Applications (VBA)

```
Public Function SetDatumTargetNotMoveable() As Boolean
```

SOLIDWORKS Type Library

SetDatumTargetRotational Method (DatumTargetSym)

Visual Basic for Applications (VBA)

```
Public Function SetDatumTargetRotational( _  
    ByVal MoveableDatumDirection As Long, _  
    ByVal LockLeader As Boolean, _  
    ByVal LockLeaderAngle As Double, _  
    ByVal GeometryRef As Boolean, _
```

```
ByRef RefGeometryError As Long _  
) As Boolean
```

SOLIDWORKS Type Library

SetDisplay Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function SetDisplay( _  
    ByVal Symbol As Boolean, _  
    ByVal TargetArea As Boolean, _  
    ByVal SizeOutside As Boolean _  
) As Boolean
```

SOLIDWORKS Type Library

SetTargetArea Method (DatumTargetSym)

Syntax

Visual Basic for Applications (VBA)

```
Public Function SetTargetArea( _  
    ByVal Shape As Long, _  
    ByVal Size1 As String, _  
    ByVal Size2 As String _  
) As Boolean
```

Decal (Type)

SOLIDWORKS Type Library

Decal Object

Object Model

Decal

SOLIDWORKS Type Library

Decal Object Members

Public Methods

-  [GetMaskExcludedColorsCount](#)
-  [IGetMaskExcludedColors](#)
-  [ISetMaskExcludedColors](#)

Public Properties

-  [DecalID](#)
-  [Hidden](#)
-  [MaskFilename](#)
-  [MaskInvert](#)
-  [MaskType](#)

SOLIDWORKS Type Library

DecalID Property (Decal)

Syntax

Visual Basic for Applications (VBA)

Public Property DecalID As Long

SOLIDWORKS Type Library

GetMaskExcludedColorsCount Method (Decal)

Syntax

Visual Basic for Applications (VBA)

Public Function GetMaskExcludedColorsCount() As Long

SOLIDWORKS Type Library

Hidden Property (Decal)

Syntax

Visual Basic for Applications (VBA)

Public Property Hidden As Boolean

SOLIDWORKS Type Library

IGetMaskExcludedColors Method (Decal)

Syntax

Visual Basic for Applications (VBA)

Public Function IGetMaskExcludedColors(_
 ByVal Count As Long _
) As Long

ISetMaskExcludedColors Method (Decal)

Visual Basic for Applications (VBA)

```
Public Sub ISetMaskExcludedColors( _  
    ByVal Count As Long, _  
    ByRef MaskColors As Long _  
)
```

MaskFilename Property (Decal)

Visual Basic for Applications (VBA)

```
Public Property MaskFilename As String
```

MaskInvert Property (Decal)

Visual Basic for Applications (VBA)

```
Public Property MaskInvert As Boolean
```

MaskType Property (Decal)

Visual Basic for Applications (VBA)

```
Public Property MaskType As Long
```

DeleteBodyFeatureData (Type)

SOLIDWORKS Type Library

DeleteBodyFeatureData Object

 Object Model

DeleteBodyFeatureData

IGetBodies (Body2)

SOLIDWORKS Type Library

DeleteBodyFeatureData Object Members



 Public Methods

-  [AccessSelections](#)
-  [GetBodiesCount](#)
-  [IGetBodies](#)
-  [ISetBodies](#)
-  [ReleaseSelectionAccess](#)

 Public Properties

-  [Bodies](#)
-  [KeepBodies](#)

SOLIDWORKS Type Library

AccessSelections Method (DeleteBodyFeatureData)

 Syntax

Visual Basic for Applications (VBA)

```
Public Function AccessSelections( _  
    ByVal TopDoc As ModelDoc2, _  
    ByVal Component As Component2 _  
    ) As Boolean
```

SOLIDWORKS Type Library

Bodies Property (DeleteBodyFeatureData)

 Syntax

Visual Basic for Applications (VBA)

```
Public Property Bodies As Variant
```

SOLIDWORKS Type Library

GetBodiesCount Method (DeleteBodyFeatureData)

 Syntax

Visual Basic for Applications (VBA)

```
Public Function GetBodiesCount() As Long
```

SOLIDWORKS Type Library

IGetBodies Method (DeleteBodyFeatureData)

 Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetBodies( _  
    ByVal Count As Long _  
    ) As Body2
```

SOLIDWORKS Type Library

ISetBodies Method (DeleteBodyFeatureData)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub ISetBodies( _  
    ByVal Count As Long, _  
    ByVal Bodies As Body2 _  
    )
```

SOLIDWORKS Type Library

KeepBodies Property (DeleteBodyFeatureData)

Syntax

Visual Basic for Applications (VBA)

```
Public Property KeepBodies As Boolean
```

SOLIDWORKS Type Library

ReleaseSelectionAccess Method (DeleteBodyFeatureData)


Syntax

Visual Basic for Applications (VBA)

```
Public Sub ReleaseSelectionAccess()
```

DeleteFaceFeatureData (Type)

SOLIDWORKS Type Library
DeleteFaceFeatureData Object



SOLIDWORKS Type Library
DeleteFaceFeatureData Object Members

Public Methods

	AccessSelections
	GetDeletedFaces
	GetDeletedFacesCount
	IAccessSelections
	IGetDeletedFaces
	ISetDeletedFaces
	ReleaseSelectionAccess
	SetDeletedFaces

Public Properties

	Options
---	-------------------------

SOLIDWORKS Type Library
AccessSelections Method (DeleteFaceFeatureData)

Syntax

```
Visual Basic for Applications (VBA)

Public Function AccessSelections( _
    ByVal TopDoc As Object, _
    ByVal Component As Object _
) As Boolean
```

SOLIDWORKS Type Library
GetDeletedFaces Method (DeleteFaceFeatureData)

Syntax

```
Visual Basic for Applications (VBA)

Public Function GetDeletedFaces() As Variant
```

SOLIDWORKS Type Library
GetDeletedFacesCount Method (DeleteFaceFeatureData)

Syntax

```
Visual Basic for Applications (VBA)

Public Function GetDeletedFacesCount() As Long
```

SOLIDWORKS Type Library
IAccessSelections Method (DeleteFaceFeatureData)



Syntax

Visual Basic for Applications (VBA)

```
Public Function IAccessSelections( _  
    ByVal TopDoc As ModelDoc2, _  
    ByVal Component As Component2 _  
    ) As Boolean
```

SOLIDWORKS Type Library

IGetDeletedFaces Method (DeleteFaceFeatureData)



Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetDeletedFaces( _  
    ByVal Count As Long _  
    ) As Face2
```

SOLIDWORKS Type Library

ISetDeletedFaces Method (DeleteFaceFeatureData)



Syntax

Visual Basic for Applications (VBA)

```
Public Function ISetDeletedFaces( _  
    ByVal Count As Long, _  
    ByVal Facedisp As Face2 _  
    ) As Boolean
```

SOLIDWORKS Type Library

Options Property (DeleteFaceFeatureData)



Syntax

Visual Basic for Applications (VBA)

```
Public Property Options As Long
```

SOLIDWORKS Type Library

ReleaseSelectionAccess Method (DeleteFaceFeatureData)



Syntax

Visual Basic for Applications (VBA)

```
Public Sub ReleaseSelectionAccess()
```

SOLIDWORKS Type Library

SetDeletedFaces Method (DeleteFaceFeatureData)



Syntax

Visual Basic for Applications (VBA)

```
Public Function SetDeletedFaces( _  
    ByVal Faces As Variant _  
    ) As Boolean
```