

SOLIDWORKS API (VB6 COM) — Reference (23/102): DrawingDoc (part 2 of 3)

SOLIDWORKS API Documentation (converted from CHM)

DrawingDoc (part 2 of 3) (Type)

SOLIDWORKS Type Library

FileSavePostCancelNotify Event (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

Public Event FileSavePostCancelNotify()

SOLIDWORKS Type Library

FileSavePostNotify Event (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

Public Event FileSavePostNotify(_
 ByVal saveType As Long, _
 ByVal FileName As String _
)

SOLIDWORKS Type Library

FlipSectionLine Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

Public Sub FlipSectionLine()

SOLIDWORKS Type Library

ForceRebuild Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

Public Sub ForceRebuild()

SOLIDWORKS Type Library

GenerateViewPaletteViews Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

Public Function GenerateViewPaletteViews(_
 ByVal FileName As String _
) As Boolean

SOLIDWORKS Type Library

GetBlockDefinition Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

Public Function GetBlockDefinition(_
 ByVal Name As String _
) As [BlockDefinition](#)

SOLIDWORKS Type Library

GetBlockDefinitionCount Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetBlockDefinitionCount() As Long
```

SOLIDWORKS Type Library

GetBlockDefinitions Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function GetBlockDefinitions() As Variant
```

SOLIDWORKS Type Library

GetCurrentSheet Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function GetCurrentSheet() As Object
```

SOLIDWORKS Type Library

GetDrawingPaletteViewNames Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function GetDrawingPaletteViewNames() As Variant
```

SOLIDWORKS Type Library

GetEditBlock Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function GetEditBlock() As Boolean
```

SOLIDWORKS Type Library

GetEditSheet Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function GetEditSheet() As Boolean
```

SOLIDWORKS Type Library

GetFirstView Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function GetFirstView() As Object
```

SOLIDWORKS Type Library

GetInsertionPoint Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function GetInsertionPoint() As Variant
```

SOLIDWORKS Type Library

GetLineFontCount Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function GetLineFontCount() As Long
```

SOLIDWORKS Type Library

GetLineFontCount2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetLineFontCount2() As Long
```

SOLIDWORKS Type Library

GetLineFontId Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetLineFontId( _  
    ByVal Index As Long _  
) As Long
```

SOLIDWORKS Type Library

GetLineFontInfo Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetLineFontInfo( _  
    ByVal Index As Long _  
) As Variant
```

SOLIDWORKS Type Library

GetLineFontInfo2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetLineFontInfo2( _  
    ByVal Index As Long _  
) As Variant
```

SOLIDWORKS Type Library

GetLineFontName Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetLineFontName( _  
    ByVal Index As Long _  
) As String
```

SOLIDWORKS Type Library

GetLineFontName2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetLineFontName2( _  
    ByVal Index As Long _  
) As String
```

SOLIDWORKS Type Library

GetLineStyles Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function GetLineStyle( _  
    ByRef StyleNameList As Variant, _  
    ByRef StyleList As Variant _  
    ) As Boolean
```

SOLIDWORKS Type Library

GetPenCount Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function GetPenCount() As Long
```

SOLIDWORKS Type Library

GetPenInfo Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function GetPenInfo() As Variant
```

SOLIDWORKS Type Library

GetSheetCount Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function GetSheetCount() As Long
```

SOLIDWORKS Type Library

GetSheetNames Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function GetSheetNames() As Variant
```

SOLIDWORKS Type Library

GetViewCount Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function GetViewCount() As Long
```

SOLIDWORKS Type Library

GetViews Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function GetViews() As Variant
```

SOLIDWORKS Type Library

HiddenViewsVisible Property (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Property HiddenViewsVisible As Boolean
```

SOLIDWORKS Type Library

HideEdge Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Sub HideEdge()
```

SOLIDWORKS Type Library

HideShowDimensions Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Sub HideShowDimensions()
```

SOLIDWORKS Type Library

HideShowDrawingViews Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Sub HideShowDrawingViews()
```

SOLIDWORKS Type Library

IActiveDrawingView Property (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Property IActiveDrawingView As View
```

SOLIDWORKS Type Library

IAddChamferDim Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function IAddChamferDim( _  
    ByVal X As Double, _  
    ByVal Y As Double, _  
    ByVal Z As Double _  
) As DisplayDimension
```

SOLIDWORKS Type Library

IAddHoleCallout2 Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function IAddHoleCallout2( _  
    ByVal X As Double, _  
    ByVal Y As Double, _  
    ByVal Z As Double _  
) As DisplayDimension
```

SOLIDWORKS Type Library

ICreateAngDim Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Sub ICreateAngDim( _  
    ByRef P0 As Double, _  
    ByRef P1 As Double, _  
    ByRef P2 As Double, _  
    ByRef P3 As Double, _  
    ByRef P4 As Double, _  
    ByRef P5 As Double, _
```

```

ByRef P6 As Double, _
ByVal ArrowSize As Double, _
ByVal Text As String, _
ByVal TextHeight As Double, _
ByVal WitnessGap As Double, _
ByVal WitnessOvershoot As Double _
)

```

SOLIDWORKS Type Library

ICreateAngDim2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```

Public Sub ICreateAngDim2( _
    ByRef P0 As Double, _
    ByRef P1 As Double, _
    ByRef P2 As Double, _
    ByRef P3 As Double, _
    ByRef P4 As Double, _
    ByRef P5 As Double, _
    ByRef P6 As Double, _
    ByVal ArrowSize As Double, _
    ByVal Text As String, _
    ByVal TextHeight As Double, _
    ByVal WitnessGap As Double, _
    ByVal WitnessOvershoot As Double, _
    ByRef TextPoint As Double _
)

```

SOLIDWORKS Type Library

ICreateAngDim3 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```

Public Function ICreateAngDim3( _
    ByRef P0 As Double, _
    ByRef P1 As Double, _
    ByRef P2 As Double, _
    ByRef P3 As Double, _
    ByRef P4 As Double, _
    ByRef P5 As Double, _
    ByRef P6 As Double, _
    ByVal ArrowSize As Double, _
    ByVal Text As String, _
    ByVal TextHeight As Double, _
    ByVal WitnessGap As Double, _
    ByVal WitnessOvershoot As Double, _
    ByRef TextPoint As Double _
) As DisplayDimension

```

SOLIDWORKS Type Library

ICreateAngDim4 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```

Public Function ICreateAngDim4( _
    ByRef P0 As Double, _
    ByRef P1 As Double, _
    ByRef P2 As Double, _
    ByRef P3 As Double, _
    ByRef P4 As Double, _
    ByRef P5 As Double, _
    ByRef P6 As Double, _
    ByRef TextPoint As Double, _
)

```

```
ByVal TextHeight As Double _  
) As DisplayDimension
```

SOLIDWORKS Type Library

ICreateAuxiliaryViewAt2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function ICreateAuxiliaryViewAt2( _  
    ByVal X As Double, _  
    ByVal Y As Double, _  
    ByVal Z As Double, _  
    ByVal NotAligned As Boolean, _  
    ByVal Label As String, _  
    ByVal Showarrow As Boolean, _  
    ByVal Flip As Boolean _  
) As View
```

SOLIDWORKS Type Library

ICreateBlockDefinition Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function ICreateBlockDefinition( _  
    ByVal Name As String, _  
    ByVal XRefFileName As String, _  
    ByVal Instance As Boolean, _  
    ByVal SegmentCount As Long, _  
    ByVal Segments As SketchSegment, _  
    ByVal PointCount As Long, _  
    ByVal Points As SketchPoint, _  
    ByVal NoteCount As Long, _  
    ByVal Notes As Note, _  
    ByVal DimensionCount As Long, _  
    ByVal Dimensions As DisplayDimension, _  
    ByVal BlockCount As Long, _  
    ByVal Blocks As BlockInstance _  
) As BlockDefinition
```

SOLIDWORKS Type Library

ICreateCompoundNote Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function ICreateCompoundNote( _  
    ByVal Height As Double, _  
    ByVal X As Double, _  
    ByVal Y As Double, _  
    ByVal Z As Double _  
) As Note
```

SOLIDWORKS Type Library

ICreateCustomSymbol Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function ICreateCustomSymbol( _
    ByVal SegmentCount As Long, _
    ByVal Segments As SketchSegment, _
    ByVal PointCount As Long, _
    ByVal Points As SketchPoint, _
    ByVal NoteCount As Long, _
    ByVal Notes As Note _
) As CustomSymbol
```

SOLIDWORKS Type Library

ICreateDetailViewAt3 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function ICreateDetailViewAt3( _
    ByVal X As Double, _
    ByVal Y As Double, _
    ByVal Z As Double, _
    ByVal Style As Long, _
    ByVal Scale1 As Double, _
    ByVal Scale2 As Double, _
    ByVal LabelIn As String, _
    ByVal Showtype As Long, _
    ByVal FullOutline As Boolean _
) As View
```

SOLIDWORKS Type Library

ICreateDiamDim Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub ICreateDiamDim( _
    ByVal DimValue As Double, _
    ByRef P0 As Double, _
    ByRef P1 As Double, _
    ByRef P2 As Double, _
    ByRef P3 As Double, _
    ByVal ArrowSize As Double, _
    ByVal Text As String, _
    ByVal TextHeight As Double, _
    ByVal WitnessGap As Double, _
    ByVal WitnessOvershoot As Double _
)
```

SOLIDWORKS Type Library

ICreateDiamDim2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub ICreateDiamDim2( _
    ByVal DimValue As Double, _
    ByRef P0 As Double, _
    ByRef P1 As Double, _
    ByRef P2 As Double, _
    ByRef P3 As Double, _
    ByVal ArrowSize As Double, _
    ByVal Text As String, _
    ByVal TextHeight As Double, _
    ByVal WitnessGap As Double, _
    ByVal WitnessOvershoot As Double, _
    ByRef TextPoint As Double _
)
```

SOLIDWORKS Type Library

ICreateDiamDim3 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function ICreateDiamDim3( _  
    ByVal DimValue As Double, _  
    ByRef P0 As Double, _  
    ByRef P1 As Double, _  
    ByRef P2 As Double, _  
    ByRef P3 As Double, _  
    ByVal ArrowSize As Double, _  
    ByVal Text As String, _  
    ByVal TextHeight As Double, _  
    ByVal WitnessGap As Double, _  
    ByVal WitnessOvershoot As Double, _  
    ByRef TextPoint As Double _  
) As DisplayDimension
```

SOLIDWORKS Type Library

ICreateDiamDim4 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function ICreateDiamDim4( _  
    ByRef P0 As Double, _  
    ByRef P1 As Double, _  
    ByRef P2 As Double, _  
    ByRef P3 As Double, _  
    ByRef TextPoint As Double, _  
    ByVal Val As Double, _  
    ByVal TextHeight As Double _  
) As DisplayDimension
```

SOLIDWORKS Type Library

ICreateLinearDim Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub ICreateLinearDim( _  
    ByRef P0 As Double, _  
    ByRef P1 As Double, _  
    ByRef P2 As Double, _  
    ByRef P3 As Double, _  
    ByRef P4 As Double, _  
    ByVal Angle As Double, _  
    ByVal ArrowSize As Double, _  
    ByVal Text As String, _  
    ByVal TextHeight As Double, _  
    ByVal WitnessGap As Double, _  
    ByVal WitnessOvershoot As Double _  
)
```

SOLIDWORKS Type Library

ICreateLinearDim2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub ICreateLinearDim2( _  
    ByRef P0 As Double, _  
    ByRef P1 As Double, _  
    ByRef P2 As Double, _  
    ByRef P3 As Double, _  
    ByRef P4 As Double, _  
    ByVal Val As Double, _
```

```

    ByVal PrimPrec As Long, _
    ByVal Text As String, _
    ByRef TextPoint As Double, _
    ByVal Angle As Double, _
    ByVal TextHeight As Double, _
    ByVal Prefix As String, _
    ByVal Suffix As String, _
    ByVal Callout1 As String, _
    ByVal Callout2 As String, _
    ByVal TolType As Long, _
    ByVal TolMin As String, _
    ByVal TolMax As String, _
    ByVal TolPrec As Long, _
    ByVal ArrowSize As Double, _
    ByVal ArrowStyle As Long, _
    ByVal ArrowDir As Long, _
    ByVal WitnessGap As Double, _
    ByVal WitnessOvershoot As Double, _
    ByVal DualDisplay As Boolean, _
    ByVal DualPrecision As Long _
)

```

SOLIDWORKS Type Library

ICreateLinearDim3 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```

Public Function ICreateLinearDim3( _
    ByRef P0 As Double, _
    ByRef P1 As Double, _
    ByRef P2 As Double, _
    ByRef P3 As Double, _
    ByRef P4 As Double, _
    ByVal Val As Double, _
    ByVal PrimPrec As Long, _
    ByVal Text As String, _
    ByRef TextPoint As Double, _
    ByVal Angle As Double, _
    ByVal TextHeight As Double, _
    ByVal Prefix As String, _
    ByVal Suffix As String, _
    ByVal Callout1 As String, _
    ByVal Callout2 As String, _
    ByVal TolType As Long, _
    ByVal TolMin As String, _
    ByVal TolMax As String, _
    ByVal TolPrec As Long, _
    ByVal ArrowSize As Double, _
    ByVal ArrowStyle As Long, _
    ByVal ArrowDir As Long, _
    ByVal WitnessGap As Double, _
    ByVal WitnessOvershoot As Double, _
    ByVal DualDisplay As Boolean, _
    ByVal DualPrecision As Long _
) As DisplayDimension

```

SOLIDWORKS Type Library

ICreateLinearDim4 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```

Public Function ICreateLinearDim4( _
    ByRef P0 As Double, _
    ByRef P1 As Double, _
    ByRef P2 As Double, _
    ByRef P3 As Double, _
    ByRef P4 As Double, _

```

```
ByRef TextPoint As Double, _  
ByVal Val As Double, _  
ByVal Angle As Double, _  
ByVal TextHeight As Double _  
) As DisplayDimension
```

SOLIDWORKS Type Library

ICreateOrdinateDim Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub ICreateOrdinateDim( _  
ByRef P0 As Double, _  
ByRef P1 As Double, _  
ByRef P2 As Double, _  
ByRef P3 As Double, _  
ByRef P4 As Double, _  
ByVal Angle As Double, _  
ByVal ArrowSize As Double, _  
ByVal Text As String, _  
ByVal TextHeight As Double, _  
ByVal WitnessGap As Double, _  
ByVal WitnessOvershoot As Double _  
)
```

SOLIDWORKS Type Library

ICreateOrdinateDim2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub ICreateOrdinateDim2( _  
ByRef P0 As Double, _  
ByRef P1 As Double, _  
ByRef P2 As Double, _  
ByRef P3 As Double, _  
ByRef P4 As Double, _  
ByVal Angle As Double, _  
ByVal ArrowSize As Double, _  
ByVal Text As String, _  
ByVal TextHeight As Double, _  
ByVal WitnessGap As Double, _  
ByVal WitnessOvershoot As Double, _  
ByRef P5 As Double _  
)
```

SOLIDWORKS Type Library

ICreateOrdinateDim3 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function ICreateOrdinateDim3( _  
ByRef P0 As Double, _  
ByRef P1 As Double, _  
ByRef P2 As Double, _  
ByRef P3 As Double, _  
ByRef P4 As Double, _  
ByVal Angle As Double, _  
ByVal ArrowSize As Double, _  
ByVal Text As String, _  
ByVal TextHeight As Double, _  
ByVal WitnessGap As Double, _  
ByVal WitnessOvershoot As Double, _  
ByRef P5 As Double _  
) As DisplayDimension
```

 Syntax

Visual Basic for Applications (VBA)

```
Public Function ICreateOrdinateDim4( _
    ByRef P0 As Double, _
    ByRef P1 As Double, _
    ByRef P2 As Double, _
    ByRef P3 As Double, _
    ByRef P4 As Double, _
    ByRef P5 As Double, _
    ByVal Val As Double, _
    ByVal Angle As Double, _
    ByVal TextHeight As Double _
) As DisplayDimension
```

 Syntax

Visual Basic for Applications (VBA)

```
Public Function ICreateSectionViewAt2( _
    ByVal X As Double, _
    ByVal Y As Double, _
    ByVal Z As Double, _
    ByVal NotAligned As Boolean, _
    ByVal IsOffsetSection As Boolean, _
    ByVal Label As String, _
    ByVal Chgdirection As Boolean, _
    ByVal Scwithmodel As Boolean, _
    ByVal Partial As Boolean, _
    ByVal Dispsurfcut As Boolean _
) As View
```

 Syntax

Visual Basic for Applications (VBA)

```
Public Function ICreateSectionViewAt3( _
    ByVal X As Double, _
    ByVal Y As Double, _
    ByVal Z As Double, _
    ByVal NotAligned As Boolean, _
    ByVal IsOffsetSection As Boolean, _
    ByVal Label As String, _
    ByVal Chgdirection As Boolean, _
    ByVal Scwithmodel As Boolean, _
    ByVal Partial As Boolean, _
    ByVal Dispsurfcut As Boolean, _
    ByVal NumExcludedComponents As Long, _
    ByRef PExcludedComponents As Object _
) As View
```

 Syntax

Visual Basic for Applications (VBA)

```
Public Function ICreateSectionViewAt4( _
    ByVal X As Double, _
    ByVal Y As Double, _
    ByVal Z As Double, _
```

```
ByVal SectionLabel As String, _  
ByVal Options As Long, _  
ByVal NumExcludedComponents As Long, _  
ByRef ExcludedComponents As Object _  
) As View
```

SOLIDWORKS Type Library

ICreateSectionViewAt5 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function ICreateSectionViewAt5( _  
    ByVal X As Double, _  
    ByVal Y As Double, _  
    ByVal Z As Double, _  
    ByVal SectionLabel As String, _  
    ByVal Options As Long, _  
    ByVal NumExcludedComponents As Long, _  
    ByRef ExcludedComponents As Object, _  
    ByVal SectionDepth As Double _  
) As View
```

SOLIDWORKS Type Library

ICreateText2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function ICreateText2( _  
    ByVal TextString As String, _  
    ByVal TextX As Double, _  
    ByVal TextY As Double, _  
    ByVal TextZ As Double, _  
    ByVal TextHeight As Double, _  
    ByVal TextAngle As Double _  
) As Note
```

SOLIDWORKS Type Library

IEditSelectedGtol Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IEditSelectedGtol() As Gtol
```

SOLIDWORKS Type Library

IFeatureByName Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IFeatureByName( _  
    ByVal Name As String _  
) As Feature
```

SOLIDWORKS Type Library

IGetBlockDefinitions Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetBlockDefinitions( _  
    ByVal Count As Long _  
) As BlockDefinition
```

SOLIDWORKS Type Library

IGetCurrentSheet Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetCurrentSheet() As Sheet
```

SOLIDWORKS Type Library

IGetFirstView Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetFirstView() As View
```

SOLIDWORKS Type Library

IGetInsertionPoint Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetInsertionPoint() As Double
```

SOLIDWORKS Type Library

IGetPenInfo Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetPenInfo() As Long
```

SOLIDWORKS Type Library

IGetSheetNames Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IGetSheetNames( _  
    ByRef Count As Long _  
    ) As String
```

SOLIDWORKS Type Library

IInsertCustomSymbol2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IInsertCustomSymbol2( _  
    ByVal FileName As String _  
    ) As CustomSymbol
```

SOLIDWORKS Type Library

IInsertDowelSymbol Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IInsertDowelSymbol() As DowelSymbol
```

SOLIDWORKS Type Library

IInsertMultiJogLeader2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IInsertMultiJogLeader2( _  
    ByVal PointsCount As Long, _  
    ByVal Points As MathPoint _  
    ) As MultiJogLeader
```

SOLIDWORKS Type Library

IInsertMultiJogLeader3 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IInsertMultiJogLeader3( _  
    ByVal PointsCount As Long, _  
    ByVal Points As MathPoint, _  
    ByVal StartPointArrowStyle As Long, _  
    ByVal EndPointArrowStyle As Long _  
    ) As MultiJogLeader
```

SOLIDWORKS Type Library

InsertRevisionCloud Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IInsertRevisionCloud( _  
    ByVal CloudShape As Long _  
    ) As RevisionCloud
```

SOLIDWORKS Type Library

IMakeCustomSymbol2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IMakeCustomSymbol2() As CustomSymbol
```

SOLIDWORKS Type Library

INewGtol Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function INewGtol() As Gtol
```

SOLIDWORKS Type Library

InsertAngularRunningDim Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub InsertAngularRunningDim()
```

SOLIDWORKS Type Library

InsertBaseDim Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub InsertBaseDim()
```

SOLIDWORKS Type Library

InsertBlock Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function InsertBlock( _  
    ByVal FileName As String, _  
    ByVal X As Double, _  
    ByVal Y As Double, _  
    ByVal Angle As Double, _  
    ByVal Scale As Double _  
) As BlockInstance
```

SOLIDWORKS Type Library

InsertBreakHorizontal Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Sub InsertBreakHorizontal()
```

SOLIDWORKS Type Library

InsertBreakVertical Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Sub InsertBreakVertical()
```

SOLIDWORKS Type Library

InsertCenterLine Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function InsertCenterLine() As Boolean
```

SOLIDWORKS Type Library

InsertCenterLine2 Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function InsertCenterLine2() As Centerline
```

SOLIDWORKS Type Library

InsertCenterMark Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function InsertCenterMark( _  
    ByVal UseDoc As Boolean, _  
    ByVal Size As Double, _  
    ByVal ShowLines As Boolean, _  
    ByVal Angle As Double _  
) As CenterMark
```

SOLIDWORKS Type Library

InsertCenterMark2 Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function InsertCenterMark2( _  
    ByVal Style As Long, _  
    ByVal Propagate As Boolean _  
) As CenterMark
```

InsertCenterMark3 Method (DrawingDoc)**Syntax**

Visual Basic for Applications (VBA)

```
Public Function InsertCenterMark3( _  
    ByVal Style As Long, _  
    ByVal Propagate As Boolean, _  
    ByVal Slot As Boolean _  
    ) As CenterMark
```

InsertChainDim Method (DrawingDoc)**Syntax**

Visual Basic for Applications (VBA)

```
Public Sub InsertChainDim()
```

InsertCircularNotePattern Method (DrawingDoc)**Syntax**

Visual Basic for Applications (VBA)

```
Public Function InsertCircularNotePattern( _  
    ByVal ArcRadius As Double, _  
    ByVal ArcAngle As Double, _  
    ByVal PatternNum As Long, _  
    ByVal PatternSpacing As Double, _  
    ByVal PatternRotate As Boolean, _  
    ByVal DeleteInstances As String _  
    ) As Boolean
```

InsertCustomSymbol Method (DrawingDoc)**Syntax**

Visual Basic for Applications (VBA)

```
Public Sub InsertCustomSymbol( _  
    ByVal SymbolPath As String _  
    )
```

InsertCustomSymbol2 Method (DrawingDoc)**Syntax**

Visual Basic for Applications (VBA)

```
Public Function InsertCustomSymbol2( _  
    ByVal FileName As String _  
    ) As Object
```

InsertDatumTag Method (DrawingDoc)**Syntax**

Visual Basic for Applications (VBA)

```
Public Sub InsertDatumTag()
```

InsertDowelSymbol Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function InsertDowelSymbol() As Object
```

SOLIDWORKS Type Library

InsertGroup Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Sub InsertGroup()
```

SOLIDWORKS Type Library

InsertHorizontalOrdinate Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Sub InsertHorizontalOrdinate()
```

SOLIDWORKS Type Library

InsertLinearNotePattern Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function InsertLinearNotePattern( _  
    ByVal NumX As Long, _  
    ByVal NumY As Long, _  
    ByVal SpacingX As Double, _  
    ByVal SpacingY As Double, _  
    ByVal AngleX As Double, _  
    ByVal AngleY As Double, _  
    ByVal DeleteInstances As String _  
) As Boolean
```

SOLIDWORKS Type Library

InsertModelAnnotations Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function InsertModelAnnotations( _  
    ByVal Option As Long, _  
    ByVal AllTypes As Boolean, _  
    ByVal Types As Long, _  
    ByVal AllViews As Boolean _  
) As Boolean
```

SOLIDWORKS Type Library

InsertModelAnnotations2 Method (DrawingDoc)



Visual Basic for Applications (VBA)

```
Public Function InsertModelAnnotations2( _  
    ByVal Option As Long, _  
    ByVal AllTypes As Boolean, _  
    ByVal Types As Long, _  
    ByVal AllViews As Boolean, _  
    ByVal DuplicateDims As Boolean, _  
    ByVal HiddenFeatureDims As Boolean _  
) As Boolean
```

SOLIDWORKS Type Library

InsertModelAnnotations3 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function InsertModelAnnotations3( _  
    ByVal Option As Long, _  
    ByVal Types As Long, _  
    ByVal AllViews As Boolean, _  
    ByVal DuplicateDims As Boolean, _  
    ByVal HiddenFeatureDims As Boolean, _  
    ByVal UsePlacementInSketch As Boolean _  
) As Variant
```

SOLIDWORKS Type Library

InsertModelAnnotations4 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function InsertModelAnnotations4( _  
    ByVal Option As Long, _  
    ByVal Types As Long, _  
    ByVal AllViews As Boolean, _  
    ByVal DuplicateDims As Boolean, _  
    ByVal HiddenFeatureDims As Boolean, _  
    ByVal UsePlacementInSketch As Boolean, _  
    ByVal InsertAllAnnotations As Boolean, _  
    ByVal InsertAllReferenceGeometry As Boolean _  
) As Variant
```

SOLIDWORKS Type Library

InsertModelDimensions Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub InsertModelDimensions( _  
    ByVal Option As Long _  
)
```

SOLIDWORKS Type Library

InsertModelInPredefinedView Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function InsertModelInPredefinedView( _  
    ByVal ModelName As String _  
) As Boolean
```

SOLIDWORKS Type Library

InsertMultiJogLeader Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub InsertMultiJogLeader()
```

SOLIDWORKS Type Library

InsertMultiJogLeader2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function InsertMultiJogLeader2( _  
    ByVal Points As Variant _  
) As Object
```

SOLIDWORKS Type Library

InsertMultiJogLeader3 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function InsertMultiJogLeader3( _  
    ByVal Points As Variant, _  
    ByVal StartPointArrowStyle As Long, _  
    ByVal EndPointArrowStyle As Long _  
) As Object
```

SOLIDWORKS Type Library

InsertNewNote Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub InsertNewNote( _  
    ByVal Text As String, _  
    ByVal NoLeader As Boolean, _  
    ByVal BalloonNote As Boolean, _  
    ByVal BentLeader As Boolean, _  
    ByVal ArrowStyle As Integer, _  
    ByVal LeaderSide As Integer _  
)
```

SOLIDWORKS Type Library

InsertNewNote2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub InsertNewNote2( _  
    ByVal UpperText As String, _  
    ByVal LowerText As String, _  
    ByVal NoLeader As Boolean, _  
    ByVal BentLeader As Boolean, _  
    ByVal ArrowStyle As Integer, _  
    ByVal LeaderSide As Integer, _  
    ByVal Angle As Double, _  
    ByVal BalloonStyle As Integer, _  
    ByVal BalloonFit As Integer, _  
    ByVal UpperNoteContent As Integer, _  
    ByVal LowerNoteContent As Integer _  
)
```

SOLIDWORKS Type Library

InsertOrdinate Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub InsertOrdinate()
```

SOLIDWORKS Type Library

InsertRefDim Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub InsertRefDim()
```

SOLIDWORKS Type Library

InsertRevisionCloud Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function InsertRevisionCloud( _  
    ByVal CloudShape As Long _  
) As Object
```

SOLIDWORKS Type Library

InsertRevisionSymbol Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function InsertRevisionSymbol( _  
    ByVal X As Double, _  
    ByVal Y As Double _  
) As Note
```

SOLIDWORKS Type Library

InsertSurfaceFinishSymbol Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function InsertSurfaceFinishSymbol( _  
    ByVal SymType As Long, _  
    ByVal LeaderType As Long, _  
    ByVal LocX As Double, _  
    ByVal LocY As Double, _  
    ByVal LocZ As Double, _  
    ByVal LaySymbol As Long, _  
    ByVal ArrowType As Long, _  
    ByVal MachAllowance As String, _  
    ByVal OtherVals As String, _  
    ByVal ProdMethod As String, _  
    ByVal SampleLen As String, _  
    ByVal MaxRoughness As String, _  
    ByVal MinRoughness As String, _  
    ByVal RoughnessSpacing As String _  
) As Boolean
```

SOLIDWORKS Type Library

InsertTableAnnotation Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function InsertTableAnnotation( _  
    ByVal X As Double, _  
    ByVal Y As Double, _  
    ByVal AnchorType As Long, _  
    ByVal Rows As Long, _  
    ByVal Columns As Long _  
) As TableAnnotation
```

SOLIDWORKS Type Library

InsertTableAnnotation2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function InsertTableAnnotation2( _  
    ByVal UseAnchorPoint As Boolean, _  
    ByVal X As Double, _  
    ByVal Y As Double, _  
    ByVal AnchorType As Long, _  
    ByVal TableTemplate As String, _  
    ByVal Rows As Long, _  
    ByVal Columns As Long _  
) As TableAnnotation
```

SOLIDWORKS Type Library

InsertTableNotify Event (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Event InsertTableNotify( _  
    ByVal TableAnnotation As TableAnnotation, _  
    ByVal TableType As String, _  
    ByVal TemplatePath As String _  
)
```

SOLIDWORKS Type Library

InsertThreadCallout Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub InsertThreadCallout()
```

SOLIDWORKS Type Library

InsertVerticalOrdinate Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub InsertVerticalOrdinate()
```

SOLIDWORKS Type Library

InsertWeldSymbol Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub InsertWeldSymbol( _  
    ByVal Dim1 As String, _  
    ByVal Symbol As String, _  
    ByVal Dim2 As String, _  
    ByVal Symmetric As Boolean, _  
    ByVal FieldWeld As Boolean, _  
    ByVal ShowOtherSide As Boolean, _  
    ByVal DashOnTop As Boolean, _  
    ByVal Peripheral As Boolean, _  
    ByVal HasProcess As Boolean, _  
    ByVal ProcessValue As String _  
)
```

SOLIDWORKS Type Library

IReorderSheets Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function IReorderSheets( _  
    ByVal SheetCount As Long, _  
    ByRef NewSheetList As String _  
    ) As Boolean
```

SOLIDWORKS Type Library

IsDetailingMode Method (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Function IsDetailingMode() As Boolean
```

SOLIDWORKS Type Library

IsolateChangedDimensions Method (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Sub IsolateChangedDimensions()
```

SOLIDWORKS Type Library

LoadFromStorageNotify Event (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Event LoadFromStorageNotify()
```

SOLIDWORKS Type Library

LoadFromStorageStoreNotify Event (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Event LoadFromStorageStoreNotify()
```

SOLIDWORKS Type Library

LoadLineStyle Method (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Function LoadLineStyle( _  
    ByVal StyleFiles As String, _  
    ByVal StyleNameList As Variant, _  
    ByVal ReplaceExisting As Boolean _  
    ) As Boolean
```

SOLIDWORKS Type Library

MakeBlockDefinition Method (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Function MakeBlockDefinition( _  
    ByVal Name As String, _  
    ByVal XRefFileName As String, _  
    ByVal Instance As Boolean _  
    ) As BlockDefinition
```

SOLIDWORKS Type Library

MakeCustomSymbol Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub MakeCustomSymbol()
```

SOLIDWORKS Type Library

MakeCustomSymbol2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function MakeCustomSymbol2() As Object
```

SOLIDWORKS Type Library

MakeSectionLine Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub MakeSectionLine()
```

SOLIDWORKS Type Library

ModifyNotify Event (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Event ModifyNotify()
```

SOLIDWORKS Type Library

ModifySurfaceFinishSymbol Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function ModifySurfaceFinishSymbol( _  
    ByVal SymType As Long, _  
    ByVal LeaderType As Long, _  
    ByVal LocX As Double, _  
    ByVal LocY As Double, _  
    ByVal LocZ As Double, _  
    ByVal LaySymbol As Long, _  
    ByVal ArrowType As Long, _  
    ByVal MachAllowance As String, _  
    ByVal OtherVals As String, _  
    ByVal ProdMethod As String, _  
    ByVal SampleLen As String, _  
    ByVal MaxRoughness As String, _  
    ByVal MinRoughness As String, _  
    ByVal RoughnessSpacing As String _  
    ) As Boolean
```

SOLIDWORKS Type Library

ModifyTableNotify Event (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Event ModifyTableNotify( _  
    ByVal TableAnnotation As TableAnnotation, _
```

```
ByVal TableType As Long, _  
ByVal reason As Long, _  
ByVal RowInfo As Long, _  
ByVal ColumnInfo As Long, _  
ByVal DataInfo As String _  
)
```

SOLIDWORKS Type Library

NewGtol Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function NewGtol() As Object
```

SOLIDWORKS Type Library

NewNote Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub NewNote( _  
    ByVal Text As String, _  
    ByVal Height As Double _  
)
```

SOLIDWORKS Type Library

NewSelectionNotify Event (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Event NewSelectionNotify()
```

SOLIDWORKS Type Library

NewSheet Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub NewSheet( _  
    ByVal Name As String, _  
    ByVal PaperSize As Integer, _  
    ByVal TemplateIn As Integer, _  
    ByVal Scale1 As Double, _  
    ByVal Scale2 As Double _  
)
```

SOLIDWORKS Type Library

NewSheet2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function NewSheet2( _  
    ByVal Name As String, _  
    ByVal PaperSize As Long, _  
    ByVal TemplateIn As Long, _  
    ByVal Scale1 As Double, _  
    ByVal Scale2 As Double, _  
    ByVal FirstAngle As Boolean, _  
    ByVal TemplateName As String, _  
    ByVal Width As Double, _  
    ByVal Height As Double _  
) As Boolean
```

 Syntax

Visual Basic for Applications (VBA)

```
Public Function NewSheet3( _  
    ByVal Name As String, _  
    ByVal PaperSize As Long, _  
    ByVal TemplateIn As Long, _  
    ByVal Scale1 As Double, _  
    ByVal Scale2 As Double, _  
    ByVal FirstAngle As Boolean, _  
    ByVal TemplateName As String, _  
    ByVal Width As Double, _  
    ByVal Height As Double, _  
    ByVal PropertyViewName As String _  
) As Boolean
```

 Syntax

Visual Basic for Applications (VBA)

```
Public Function NewSheet4( _  
    ByVal Name As String, _  
    ByVal PaperSize As Long, _  
    ByVal TemplateIn As Long, _  
    ByVal Scale1 As Double, _  
    ByVal Scale2 As Double, _  
    ByVal FirstAngle As Boolean, _  
    ByVal TemplateName As String, _  
    ByVal Width As Double, _  
    ByVal Height As Double, _  
    ByVal PropertyViewName As String, _  
    ByVal ZoneLeftMargin As Double, _  
    ByVal ZoneRightMargin As Double, _  
    ByVal ZoneTopMargin As Double, _  
    ByVal ZoneBottomMargin As Double, _  
    ByVal ZoneRow As Long, _  
    ByVal ZoneCol As Long _  
) As Boolean
```

 Syntax

Visual Basic for Applications (VBA)

```
Public Sub OnComponentProperties()
```

 Syntax

Visual Basic for Applications (VBA)

```
Public Function PasteSheet( _  
    ByVal InsertOption As Long, _  
    ByVal RenameOption As Long _  
) As Boolean
```



Syntax

Visual Basic for Applications (VBA)

```
Public Event RedoPostNotify()
```

SOLIDWORKS Type Library

RedoPreNotify Event (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Event RedoPreNotify()
```

SOLIDWORKS Type Library

RegenNotify Event (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Event RegenNotify()
```

SOLIDWORKS Type Library

RegenPostNotify Event (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Event RegenPostNotify()
```

SOLIDWORKS Type Library

RenameDisplayTitleNotify Event (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Event RenameDisplayTitleNotify( _  
    ByVal oldName As String, _  
    ByVal NewName As String _  
)
```

SOLIDWORKS Type Library

RenameItemNotify Event (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Event RenameItemNotify( _  
    ByVal EntityType As Long, _  
    ByVal oldName As String, _  
    ByVal NewName As String _  
)
```

SOLIDWORKS Type Library

ReorderSheets Method (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Function ReorderSheets( _  
    ByVal NewSheetList As Variant _  
) As Boolean
```

SOLIDWORKS Type Library

ReplaceViewModel Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function ReplaceViewModel( _  
    ByVal NewModelPathName As String, _  
    ByVal Views As Variant, _  
    ByVal Instances As Variant _  
) As Boolean
```

SOLIDWORKS Type Library

ResolveOutOfDateLightWeightComponents Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function ResolveOutOfDateLightWeightComponents() As Boolean
```

SOLIDWORKS Type Library

RestoreRotation Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub RestoreRotation()
```

SOLIDWORKS Type Library

SaveBlock Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function SaveBlock( _  
    ByVal FileName As String _  
) As Boolean
```

SOLIDWORKS Type Library

SaveCustomSymbol Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub SaveCustomSymbol( _  
    ByVal FileNameIn As String _  
)
```

SOLIDWORKS Type Library

SaveLineStyle Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function SaveLineStyle( _  
    ByVal StyleFiles As String, _  
    ByVal StyleNameList As Variant, _  
    ByVal ReplaceExisting As Boolean _  
) As Boolean
```

SaveToStorageNotify Event (DrawingDoc) **Syntax**

Visual Basic for Applications (VBA)

```
Public Event SaveToStorageNotify()
```

SaveToStorageStoreNotify Event (DrawingDoc) **Syntax**

Visual Basic for Applications (VBA)

```
Public Event SaveToStorageStoreNotify()
```

SetCurrentLayer Method (DrawingDoc) **Syntax**

Visual Basic for Applications (VBA)

```
Public Function SetCurrentLayer( _  
    ByVal Layername As String _  
) As Boolean
```

SetLineColor Method (DrawingDoc) **Syntax**

Visual Basic for Applications (VBA)

```
Public Sub SetLineColor( _  
    ByVal Color As Long _  
)
```

SetLineStyle Method (DrawingDoc) **Syntax**

Visual Basic for Applications (VBA)

```
Public Sub SetLineStyle( _  
    ByVal StyleName As String _  
)
```

SetLineWidth Method (DrawingDoc) **Syntax**

Visual Basic for Applications (VBA)

```
Public Sub SetLineWidth( _  
    ByVal Width As Long _  
)
```

SetLineWidthCustom Method (DrawingDoc) **Syntax**

Visual Basic for Applications (VBA)

```
Public Sub SetLineWidthCustom( _  
    ByVal Width As Double _  
)
```

SOLIDWORKS Type Library

SetSheetsSelected Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub SetSheetsSelected( _  
    ByVal NewSheetList As Variant _  
)
```

SOLIDWORKS Type Library

SetupSheet Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub SetupSheet( _  
    ByVal Name As String, _  
    ByVal PaperSize As Integer, _  
    ByVal TemplateIn As Integer, _  
    ByVal Scale1 As Double, _  
    ByVal Scale2 As Double _  
)
```

SOLIDWORKS Type Library

SetupSheet2 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Sub SetupSheet2( _  
    ByVal Name As String, _  
    ByVal PaperSize As Integer, _  
    ByVal TemplateIn As Integer, _  
    ByVal Scale1 As Double, _  
    ByVal Scale2 As Double, _  
    ByVal SkPointsFlag As Long _  
)
```

SOLIDWORKS Type Library

SetupSheet3 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function SetupSheet3( _  
    ByVal Name As String, _  
    ByVal PaperSize As Long, _  
    ByVal TemplateIn As Long, _  
    ByVal Scale1 As Double, _  
    ByVal Scale2 As Double, _  
    ByVal FirstAngle As Boolean, _  
    ByVal TemplateName As String, _  
    ByVal Width As Double, _  
    ByVal Height As Double _  
) As Boolean
```

SOLIDWORKS Type Library

SetupSheet4 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function SetupSheet4( _
    ByVal Name As String, _
    ByVal PaperSize As Long, _
    ByVal TemplateIn As Long, _
    ByVal Scale1 As Double, _
    ByVal Scale2 As Double, _
    ByVal FirstAngle As Boolean, _
    ByVal TemplateName As String, _
    ByVal Width As Double, _
    ByVal Height As Double, _
    ByVal PropertyViewName As String _
) As Boolean
```

SOLIDWORKS Type Library

SetupSheet5 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function SetupSheet5( _
    ByVal Name As String, _
    ByVal PaperSize As Long, _
    ByVal TemplateIn As Long, _
    ByVal Scale1 As Double, _
    ByVal Scale2 As Double, _
    ByVal FirstAngle As Boolean, _
    ByVal TemplateName As String, _
    ByVal Width As Double, _
    ByVal Height As Double, _
    ByVal PropertyViewName As String, _
    ByVal RemoveModifiedNotes As Boolean _
) As Boolean
```

SOLIDWORKS Type Library

SetupSheet6 Method (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Function SetupSheet6( _
    ByVal Name As String, _
    ByVal PaperSize As Long, _
    ByVal TemplateIn As Long, _
    ByVal Scale1 As Double, _
    ByVal Scale2 As Double, _
    ByVal FirstAngle As Boolean, _
    ByVal TemplateName As String, _
    ByVal Width As Double, _
    ByVal Height As Double, _
    ByVal PropertyViewName As String, _
    ByVal RemoveModifiedNotes As Boolean, _
    ByVal ZoneLeftMargin As Double, _
    ByVal ZoneRightMargin As Double, _
    ByVal ZoneTopMargin As Double, _
    ByVal ZoneBottomMargin As Double, _
    ByVal ZoneRow As Long, _
    ByVal ZoneCol As Long _
) As Boolean
```

SOLIDWORKS Type Library

Sheet Property (DrawingDoc)

Syntax

Visual Basic for Applications (VBA)

```
Public Property Sheet( _
    ByVal Name As String _
```

) As [Sheet](#)

SOLIDWORKS Type Library

SheetNext Method (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Sub SheetNext()
```

SOLIDWORKS Type Library

SheetPrevious Method (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Sub SheetPrevious()
```

SOLIDWORKS Type Library

ShowEdge Method (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Sub ShowEdge()
```

SOLIDWORKS Type Library

SketchDim Method (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Sub SketchDim()
```

SOLIDWORKS Type Library

SketchSolveNotify Event (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Event SketchSolveNotify( _  
    ByVal featName As String _  
)
```

SOLIDWORKS Type Library

StartDrawing Method (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Sub StartDrawing()
```

SOLIDWORKS Type Library

SuppressView Method (DrawingDoc)



Syntax

Visual Basic for Applications (VBA)

```
Public Sub SuppressView()
```