

SOLIDWORKS Enumerations (swconst) — Reference (17/17): swWeldmentTrimExtendOptionType_e- swZoomLevelOnOpenType_e

SOLIDWORKS API Documentation (converted from CHM)

swWeldmentTrimExtendOptionType_e (Type)

SOLIDWORKS API Enumerations

swWeldmentTrimExtendOptionType_e Enumeration

[See Also](#) [Example](#)

 

[SolidWorks.Interop.swconst Namespace](#) : swWeldmentTrimExtendOptionType_e Enumeration

Options for weldment trim extensions. [Bitmask](#)

[Send comments on this topic.](#)

Syntax

Visual Basic (Declaration)

```
Public Enum swWeldmentTrimExtendOptionType_e
    Inherits System.Enum
```

Visual Basic (Usage)



```
Dim instance As swWeldmentTrimExtendOptionType\_e
```

C#

```
public enum swWeldmentTrimExtendOptionType_e : System.Enum
```

C++/CLI

```
public enum class swWeldmentTrimExtendOptionType_e : public System.Enum
```

Members

Member	Description
swWeldmentTrimExtendOption_AllowTrimmedExtensionTrim	1
swWeldmentTrimExtendOption_AllowTrimmingExtensionTrim	2
swWeldmentTrimExtendOption_CopedCut	4
swWeldmentTrimExtendOption_WeldGap	8

Example

[Insert Weldment Features Example \(VBA\)](#)
[Insert Weldment Features Example \(VB.NET\)](#)

See Also

[SolidWorks.Interop.swconst Namespace](#)

swWeldSymbolContourTypes_e (Type)

SOLIDWORKS API Enumerations

swWeldSymbolContourTypes_e Enumeration

See Also

 

[SolidWorks.Interop.swconst Namespace](#) : swWeldSymbolContourTypes_e Enumeration

Weld symbol contour types.

[Send comments on this topic.](#)

 Syntax

Visual Basic (Declaration)

Public Enum swWeldSymbolContourTypes_e
Inherits System.Enum

Visual Basic (Usage)

Dim instance As [swWeldSymbolContourTypes_e](#)



C#

public enum swWeldSymbolContourTypes_e : System.Enum

C++/CLI

public enum class swWeldSymbolContourTypes_e : public System.Enum

 Members

Member	Description
swWeldContourConcave	4
swWeldContourConvex	3
swWeldContourFlat	2
swWeldContourNone	1

 See Also

[SolidWorks.Interop.swconst Namespace](#)

swWeldSymbolField_e (Type)

SOLIDWORKS API Enumerations

swWeldSymbolField_e Enumeration

See Also

[Send comments on this topic.](#)

 

SolidWorks.Interop.swconst Namespace : swWeldSymbolField_e Enumeration

Field weld characteristics of weld symbols.

 Syntax

Visual Basic (Declaration)

```
Public Enum swWeldSymbolField_e
    Inherits System.Enum
```

Visual Basic (Usage)  Copy Code

```
Dim instance As swWeldSymbolField\_e
```

C#

```
public enum swWeldSymbolField_e : System.Enum
```

C++/CLI

```
public enum class swWeldSymbolField_e : public System.Enum
```

 Members

Member	Description
swFieldWeldDown	3 = The field or site weld marking is pointing down
swFieldWeldNone	1 = No field or site weld marking on this annotation
swFieldWeldUp	2 = The field or site weld marking is pointing up

 See Also

[SolidWorks.Interop.swconst Namespace](#)

swWeldSymbolSymmetric_e (Type)

SOLIDWORKS API Enumerations

swWeldSymbolSymmetric_e Enumeration

See Also

[Send comments on this topic.](#)

 

[SolidWorks.Interop.swconst Namespace](#) : swWeldSymbolSymmetric_e Enumeration

Symmetric characteristics of weld symbols.

 Syntax

Visual Basic (Declaration)

Public Enum swWeldSymbolSymmetric_e
Inherits System.Enum

Visual Basic (Usage)

Dim instance As [swWeldSymbolSymmetric_e](#)

 Copy Code

C#

public enum swWeldSymbolSymmetric_e : System.Enum

C++/CLI

public enum class swWeldSymbolSymmetric_e : public System.Enum

 Members

Member	Description
swWeldDashedLineOnBottom	3 = The symbol is not symmetric, with the dashed horizontal line below
swWeldDashedLineOnTop	2 = The symbol is not symmetric, with the dashed horizontal line above
swWeldSymmetric	1 = The symbol is symmetric on this weld annotation

 See Also

[SolidWorks.Interop.swconst Namespace](#)

swWeldSymbolTextTypes_e (Type)

SOLIDWORKS API Enumerations

swWeldSymbolTextTypes_e Enumeration

See Also

[SolidWorks.Interop.swconst Namespace](#) : swWeldSymbolTextTypes_e Enumeration

Types of weld symbol text.

[Send comments on this topic.](#)

Syntax

Visual Basic (Declaration)

```
Public Enum swWeldSymbolTextTypes_e
    Inherits System.Enum
```

Visual Basic (Usage)



```
Dim instance As swWeldSymbolTextTypes\_e
```

C#

```
public enum swWeldSymbolTextTypes_e : System.Enum
```

C++/CLI

```
public enum class swWeldSymbolTextTypes_e : public System.Enum
```

Members

Member	Description
swWeldLeftTextAbove	1 = The text just to the left of the weld symbol, above the horizontal line
swWeldLeftTextBelow	5 = The text just to the left of the weld symbol, below the horizontal line
swWeldProcessText	9 = The text related to the process indicators characteristic
swWeldRightTextAbove	3 = The text just to the right of the weld symbol, above the horizontal line
swWeldRightTextBelow	7 = The text just to the right of the weld symbol, below the horizontal line
swWeldStaggerTextAbove	4 = The text related to the stagger characteristic, above the horizontal line
swWeldStaggerTextBelow	8 = The text related to the stagger characteristic, below the horizontal line
swWeldSymbolTextAbove	2 = The weld symbol, above the horizontal line
swWeldSymbolTextBelow	6 = The weld symbol, below the horizontal line

See Also

[SolidWorks.Interop.swconst Namespace](#)

swWindowState_e (Type)

SOLIDWORKS API Enumerations

swWindowState_e Enumeration

[Send comments on this topic.](#)

[See Also](#)

 

[SolidWorks.Interop.swconst Namespace](#) : swWindowState_e Enumeration

Window states.

Syntax

Visual Basic (Declaration)

```
Public Enum swWindowState_e
    Inherits System.Enum
```

Visual Basic (Usage)



```
Dim instance As swWindowState\_e
```

C#

```
public enum swWindowState_e : System.Enum
```

C++/CLI

```
public enum class swWindowState_e : public System.Enum
```

Members

Member	Description
swWindowMaximized	1 = The window fills the whole client area
swWindowMinimized	2 = The window is represented by an icon only
swWindowNormal	0 = The window is displayed in its normal state

See Also

[SolidWorks.Interop.swconst Namespace](#)

swWitnessLineVisibility_e (Type)

SOLIDWORKS API Enumerations

swWitnessLineVisibility_e Enumeration

See Also

[Send comments on this topic.](#)

 

[SolidWorks.Interop.swconst Namespace](#) : swWitnessLineVisibility_e Enumeration

Values for the visibility of extension lines.

 Syntax

Visual Basic (Declaration)

```
Public Enum swWitnessLineVisibility_e
    Inherits System.Enum
```

Visual Basic (Usage)  Copy Code

```
Dim instance As swWitnessLineVisibility\_e
```

C#

```
public enum swWitnessLineVisibility_e : System.Enum
```

C++/CLI

```
public enum class swWitnessLineVisibility_e : public System.Enum
```

 Members

Member	Description
swWitnessLineBoth	0 = Both extension lines are visible
swWitnessLineFirst	1 = Only the first extension line is visible
swWitnessLineNone	3 = Neither extension line is visible
swWitnessLineSecond	2 = Only second extension line is visible

 See Also

[SolidWorks.Interop.swconst Namespace](#)

swWrapMethods_e (Type)

SOLIDWORKS API Enumerations

swWrapMethods_e Enumeration

See Also

 

[SolidWorks.Interop.swconst Namespace](#) : swWrapMethods_e Enumeration

Wrap feature methods.

[Send comments on this topic.](#)

Syntax

Visual Basic (Declaration)

Public Enum swWrapMethods_e
Inherits System.Enum

Visual Basic (Usage)

Dim instance As [swWrapMethods_e](#)

C#

public enum swWrapMethods_e : System.Enum

C++/CLI

public enum class swWrapMethods_e : public System.Enum

Members

Member	Description
swWrapMethods_Analytical	0
swWrapMethods_SplineSurface	1

See Also

[SolidWorks.Interop.swconst Namespace](#)

swWrapSketchType_e (Type)

SOLIDWORKS API Enumerations

swWrapSketchType_e Enumeration

See Also

[Send comments on this topic.](#)

 

[SolidWorks.Interop.swconst Namespace](#) : swWrapSketchType_e Enumeration

Wrap sketch types.

 Syntax

Visual Basic (Declaration)

```
Public Enum swWrapSketchType_e
    Inherits System.Enum
```

Visual Basic (Usage)  Copy Code

```
Dim instance As swWrapSketchType\_e
```

C#

```
public enum swWrapSketchType_e : System.Enum
```

C++/CLI

```
public enum class swWrapSketchType_e : public System.Enum
```

 Members

Member	Description
swWrapSketchType_Emboss	0 = Emboss creates a raised feature on the selected face or faces
swWrapSketchType_Engrave	1 = Engrave, which appears as Deboss in the user interface, creates an indented feature on the selected face or faces
swWrapSketchType_Scribe	2 = Scribe creates an imprint of the sketch contours on the selected face or faces

 See Also

[SolidWorks.Interop.swconst Namespace](#)

swWzdGeneralHoleTypes_e (Type)

SOLIDWORKS API Enumerations

swWzdGeneralHoleTypes_e Enumeration

[See Also](#)

[Send comments on this topic.](#)

 

[SolidWorks.Interop.swconst Namespace](#) : swWzdGeneralHoleTypes_e Enumeration

General Hole Wizard types.

 Syntax

Visual Basic (Declaration)

Public Enum swWzdGeneralHoleTypes_e
Inherits System.Enum

Visual Basic (Usage)

Dim instance As [swWzdGeneralHoleTypes_e](#)

C#

public enum swWzdGeneralHoleTypes_e : System.Enum

C++/CLI

public enum class swWzdGeneralHoleTypes_e : public System.Enum

 Members

Member	Description
swWzdCounterBore	0
swWzdCounterBoreSlot	6
swWzdCounterSink	1
swWzdCounterSinkSlot	7
swWzdHole	2
swWzdHoleSlot	8
swWzdLegacy	5
swWzdPipeTap	3 = Tapered tap hole
swWzdTap	4 = Pipe/straight tap hole

 See Also

[SolidWorks.Interop.swconst Namespace](#)

swWzdHoleCosmeticThreadTypes_e (Type)

SOLIDWORKS API Enumerations

swWzdHoleCosmeticThreadTypes_e Enumeration

[See Also](#)

[Send comments on this topic.](#)

 

SolidWorks.Interop.swconst Namespace : swWzdHoleCosmeticThreadTypes_e Enumeration

Hole Wizard cosmetic thread types.

Syntax

Visual Basic (Declaration)

```
Public Enum swWzdHoleCosmeticThreadTypes_e
    Inherits System.Enum
```

Visual Basic (Usage)



```
Dim instance As swWzdHoleCosmeticThreadTypes\_e
```

C#

```
public enum swWzdHoleCosmeticThreadTypes_e : System.Enum
```

C++/CLI

```
public enum class swWzdHoleCosmeticThreadTypes_e : public System.Enum
```

Members

Member	Description
swCosmeticThreadNone	0
swCosmeticThreadWithCallout	1
swCosmeticThreadWithoutCallout	2

Remarks

See Also

[SolidWorks.Interop.swconst Namespace](#)

swWzdHoleCounterSinkHeadClearanceTypes_e (Type)

SOLIDWORKS API Enumerations

swWzdHoleCounterSinkHeadClearanceTypes_e Enumeration

[See Also](#)

[Send comments on this topic.](#)

 

[SolidWorks.Interop.swconst Namespace](#) : swWzdHoleCounterSinkHeadClearanceTypes_e Enumeration

Hole Wizard countersink hole clearance types.

Syntax

Visual Basic (Declaration)

```
Public Enum swWzdHoleCounterSinkHeadClearanceTypes_e
    Inherits System.Enum
```

Visual Basic (Usage)



```
Dim instance As swWzdHoleCounterSinkHeadClearanceTypes\_e
```

C#

```
public enum swWzdHoleCounterSinkHeadClearanceTypes_e : System.Enum
```

C++/CLI

```
public enum class swWzdHoleCounterSinkHeadClearanceTypes_e : public System.Enum
```

Members

Member	Description
swHeadClearanceAddToCbore	1
swHeadClearanceIncreasedCsink	0

See Also

[SolidWorks.Interop.swconst Namespace](#)

swWzdHoleHcoilTapTypes_e (Type)

SOLIDWORKS API Enumerations

swWzdHoleHcoilTapTypes_e Enumeration

See Also

 

[SolidWorks.Interop.swconst Namespace](#) : swWzdHoleHcoilTapTypes_e Enumeration

Hole Wizard helicoil tap types.

[Send comments on this topic.](#)

Syntax

Visual Basic (Declaration)

Public Enum swWzdHoleHcoilTapTypes_e
Inherits System.Enum

Visual Basic (Usage)

Dim instance As [swWzdHoleHcoilTapTypes_e](#)

C#

public enum swWzdHoleHcoilTapTypes_e : System.Enum

C++/CLI

public enum class swWzdHoleHcoilTapTypes_e : public System.Enum

Members

Member	Description
swTapTypeBottom	1
swTapTypePlug	0

See Also

[SolidWorks.Interop.swconst Namespace](#)

swWzdHoleScrewClearanceTypes_e (Type)

SOLIDWORKS API Enumerations

swWzdHoleScrewClearanceTypes_e Enumeration

[See Also](#)

 

[SolidWorks.Interop.swconst Namespace](#) : swWzdHoleScrewClearanceTypes_e Enumeration

Hole Wizard screw clearance types.

[Send comments on this topic.](#)

 Syntax

Visual Basic (Declaration)

Public Enum swWzdHoleScrewClearanceTypes_e
Inherits System.Enum

Visual Basic (Usage)

Dim instance As [swWzdHoleScrewClearanceTypes_e](#)

C#

public enum swWzdHoleScrewClearanceTypes_e : System.Enum

C++/CLI

public enum class swWzdHoleScrewClearanceTypes_e : public System.Enum

 Members

Member	Description
swScrewClearanceClose	0
swScrewClearanceLoose	2
swScrewClearanceNormal	1

 See Also

[SolidWorks.Interop.swconst Namespace](#)

swWzdHoleStandardFastenerTypes_e (Type)

SOLIDWORKS API Enumerations

swWzdHoleStandardFastenerTypes_e Enumeration

See Also

[Send comments on this topic.](#)



SolidWorks.Interop.swconst Namespace : swWzdHoleStandardFastenerTypes_e Enumeration
Hole Wizard standard fastener types.

Syntax

Visual Basic (Declaration)

```
Public Enum swWzdHoleStandardFastenerTypes_e
    Inherits System.Enum
```

Visual Basic (Usage)



```
Dim instance As swWzdHoleStandardFastenerTypes\_e
```

C#

```
public enum swWzdHoleStandardFastenerTypes_e : System.Enum
```

C++/CLI

```
public enum class swWzdHoleStandardFastenerTypes_e : public System.Enum
```

Members

Member	Description
swStandardAnsiInchAllDrillSizes	18 = Hole
swStandardAnsiInchBinding	0 = Counterbore hole
swStandardAnsiInchBottomingTappedHole	26 = Tapped hole
swStandardAnsiInchButton	1 = Counterbore hole
swStandardAnsiInchDowelHole	703 = Ansi inch - Dowel hole
swStandardAnsiInchFillister	2 = Counterbore hole
swStandardAnsiInchFlatHead100	14 = Countersink hole
swStandardAnsiInchFlatHead82	15 = Countersink hole
swStandardAnsiInchFlatSocket82	13 = Countersink hole
swStandardAnsiInchFractionalDrillSizes	19 = Hole
swStandardAnsiInchHcoilTapDrills	17 = Hole
swStandardAnsiInchHexBolt	3 = Counterbore hole
swStandardAnsiInchHexBoltFinished	4 = Counterbore hole
swStandardAnsiInchHexBoltHeavy	5 = Counterbore hole
swStandardAnsiInchHexScrew	6 = Counterbore hole
swStandardAnsiInchHexWasherScrew	7 = Counterbore hole
swStandardAnsiInchLetterDrillSizes	20 = Hole
swStandardAnsiInchNumberDrillSizes	24 = Hole
swStandardAnsiInchOval	16 = Countersink hole
swStandardAnsiInchPan	8 = Counterbore hole
swStandardAnsiInchPipeTapDrills	21 = Hole
swStandardAnsiInchScrewClearances	22 = Hole
swStandardAnsiInchSocketCapScrew	9 = Counterbore hole
swStandardAnsiInchSocketShoulderScrew	10 = Counterbore hole
swStandardAnsiInchSquare	11 = Counterbore hole
swStandardAnsiInchTapDrills	23 = Hole
swStandardAnsiInchTaperedPipeTap	25 = Pipe tapped hole
swStandardAnsiInchTappedHole	27 = Tapped hole
swStandardAnsiInchTruss	12 = Counterbore hole
swStandardAnsiMetricBottomingTappedHole	42 = ANSI Metric - Tapped hole
swStandardAnsiMetricButton	28 = ANSI Metric - Counterbore hole
swStandardAnsiMetricDowelHole	704 = ANSI Metric - Dowel hole
swStandardAnsiMetricDrillSizes	39 = ANSI Metric - Hole
swStandardAnsiMetricFlatHead82	36 = ANSI Metric - Counterbore hole
swStandardAnsiMetricFlatSocket82	35 = ANSI Metric - Countersink hole
swStandardAnsiMetricHcoilTapDrills	38 = ANSI Metric - Hole
swStandardAnsiMetricHexBolt	29 = ANSI Metric - Counterbore hole
swStandardAnsiMetricHexCapScrew	30 = ANSI Metric - Counterbore hole
swStandardAnsiMetricHexScrewFormed	31 = ANSI Metric - Counterbore hole
swStandardAnsiMetricOval	37 = ANSI Metric - Counterbore hole
swStandardAnsiMetricPan	32 = ANSI Metric - Counterbore hole
swStandardAnsiMetricScrewClearances	40 = ANSI Metric - Hole
swStandardAnsiMetricSocketHeadCapScrew	33 = ANSI Metric - Counterbore hole
swStandardAnsiMetricSocketShoulderScrew	34 = ANSI Metric - Counterbore hole
swStandardAnsiMetricTapDrills	41 = ANSI Metric - Hole
swStandardAnsiMetricTappedHole	43 = ANSI Metric - Tapped hole
swStandardASBottomingTappedHole	654 = Standard Australian - Bottoming tapped hole
swStandardASCheeseHeadScrew	661 = Standard Australian - Cheese head screw
swStandardASCrossCountersunkHeadScrew	657 = Standard Australian - Cross countersunk head screw
swStandardASDowelHole	705 = Standard Australian - Dowel hole
swStandardASDrillSizes	650 = Standard Australian - Drill sizes
swStandardASHexBoltGradeC	669 = Standard Australian - Hex bolt grade C
swStandardASHexBoltGradesAB	664 = Standard Australian - Hex bolt grades AB
swStandardASHexScrewGradeC	670 = Standard Australian - Hex screw grade c
swStandardASHexScrewGradesAB	668 = Standard Australian - Hex screw grades AB
swStandardASHexStructuralBolt	666 = Standard Australian - Hex structural bolt
swStandardASMushroomHeadScrew	662 = Standard Australian - Mushroom head screw

swStandardASPanCrossHeadScrew	659 = Standard Australian - Pan cross head screw
swStandardASPanSlottedHeadScrew	660 = Standard Australian - Pan slotted head screw
swStandardASRaisedCrossCountersunkHeadScrew	658 = Standard Australian - Raised cross countersunk head screw
swStandardASScrewClearances	651 = Standard Australian - Screw clearances
swStandardASSocketHeadCapScrew	663 = Standard Australian - Socket head cap screw
swStandardASTapDrills	652 = Standard Australian - Tap drills
swStandardASTaperedPipeTap	653 = Standard Australian - Tapered pipe tap
swStandardASTappedHole	655 = Standard Australian - Tapped hole
swStandardASUnifiedHexBolt	665 = Standard Australian - Unified hex bolt
swStandardASUnifiedHexScrew	667 = Standard Australian - Unified hex screw
swStandardBSI Cheese	44 = BSI - Counterbore hole
swStandardBSIDowelHole	706 = BSI Dowel hole
swStandardBSIDrillSizes	54 = BSI - Hole
swStandardBSIFlatHead	51 = BSI - Countersink hole
swStandardBSIFlatSocketCap	50 = BSI - Countersink hole
swStandardBSIHcoilTapDrills	53 = BSI - Hole
swStandardBSIHexBolt	45 = BSI - Counterbore hole
swStandardBSIHexCapScrew	46 = BSI - Counterbore hole
swStandardBSIHexMachineScrew	47 = BSI - Counterbore hole
swStandardBSIOvalHead	52 = BSI - Countersink hole
swStandardBSIPanHead	48 = BSI - Counterbore hole
swStandardBSIScrewClearances	55 = BSI - Hole
swStandardBSISocketCapScrew	49 = BSI - Counterbore hole
swStandardBSTapDrills	56 = BSI - Hole
swStandardBSITaperedPipeTap	59 = BSI - Pipe tapped hole
swStandardBSTappedHole	58 = BSI - Tapped hole
swStandardBSTappedHoleBottoming	57 = BSI - Tapped hole
swStandardDIN CheeseHead	62 = DIN - Counterbore hole
swStandardDINConduitTappedHole	351 = BSI - Miscellaneous
swStandardDINCTSKFlatHead	69 = DIN - Countersink hole
swStandardDINCTSKRaisedHead	70 = DIN - Countersink hole
swStandardDINDowelHole	707 = DIN - Dowel hole
swStandardDINDrillSizes	72 = DIN - Hole
swStandardDINensatTappedHoleforAL	352 = BSI - Miscellaneous
swStandardDINensatTappedHoleforCU	353 = BSI - Miscellaneous
swStandardDINensatTappedHoleforST	354 = BSI - Miscellaneous
swStandardDINHcoilTapDrills	71 = DIN - Hole
swStandardDINHeavyHexBolt	60 DIN - Counterbore hole
swStandardDINHexBolt	63 = DIN - Counterbore hole
swStandardDINHexCapScrew	64 = DIN - Counterbore hole
swStandardDINHexFlangeBolt	61 = DIN - Counterbore hole
swStandardDINHexMachineScrew	65 = DIN - Counterbore hole
swStandardDINHexSocketHead6912	249 = BSI - Miscellaneous
swStandardDINHexSocketHeadFine912	701 = DIN - Hex socket head - Fine 912
swStandardDINHexSocketHeadThin7984	702 = DIN - Hex socket head - Thin 7984
swStandardDINPan	66 = DIN - Counterbore hole
swStandardDINScrewClearances	73 = DIN - Hole
swStandardDINSocketCTSKFlatHead	68 = DIN - Countersink hole
swStandardDINSocketHeadCap	67 = DIN - Counterbore hole
swStandardDINStraightPipeTappedHole	250 = BSI - Miscellaneous
swStandardDINTapDrills	74 = DIN - Hole
swStandardDINTaperedPipeTap	77 = DIN - Pipe tapped hole
swStandardDINTappedHole	76 = DIN - Tapped hole
swStandardDINTappedHoleBottoming	75 = DIN - Tapped hole
swStandardDMEAllDrillSizes	94 = DME - Hole
swStandardDMEBottomingTappedHole	106 = DME - Tapped hole
swStandardDMECCorePinClearances	99 = DME - Hole
swStandardDMECCorePins	78 = DME - Counterbore hole
swStandardDMECCorePinClearances	100 = DME - Hole
swStandardDMECCorePins	79 = DME - Counterbore hole
swStandardDMEFlatHead100	88 = DME - Countersink hole
swStandardDMEFlatHead82	89 = DME - Countersink hole
swStandardDMEFlatSocket82	87 = DME - Countersink hole
swStandardDMEFractionalDrillSizes	92 = DME - Hole
swStandardDMEHcoilTapDrills	93 = DME - Hole
swStandardDMELeaderPinClearances	102 = DME - Hole
swStandardDMELetterDrillSizes	95 = DME - Hole
swStandardDMENumberDrillSizes	96 = DME - Hole
swStandardDMEOval	90 = DME - Countersink hole
swStandardDMEPipeTapDrills	97 = DME - Hole
swStandardDMEReturnPinClearances	103 = DME - Hole
swStandardDMEReturnPins	82 = DME - Counterbore hole
swStandardDMEscrewClearances	98 = DME - Hole
swStandardDMESocketCapScrew	83 = DME - Counterbore hole
swStandardDMESpruPulleyPinClearances	104 = DME - Hole
swStandardDMESpruPulleyPins	85 = DME - Counterbore hole
swStandardDMEStandardLeaderPins	81 = DME - Counterbore hole
swStandardDMEStripperBolt	86 = DME - Counterbore hole
swStandardDMESupportPillarClearance	91 = DME - Hole
swStandardDMESupportPillarSHCS	84 = DME - Counterbore hole
swStandardDMETapDrills	105 = DME - Hole
swStandardDMETaperedPipeTap	108 = DME - Pipe tapped hole
swStandardDME TappedHole	107 = DME - Tapped hole
swStandardDMETHXEjectorPinClearances	101 = DME - Hole
swStandardDMETHXEjectorPins	80 = DME - Counterbore hole
swStandardGBCrossRecessedCountersunkHeadTappingScrews	372 = Standard GB - countersunk head screw
swStandardGBCrossRecessedCountersunkHeadWoodScrews	368 = Standard GB - Countersunk head screw
swStandardGBCrossRecessedRaisedCountersunkHeadTappingScrews	373 = Standard GB - countersunk head screw
swStandardGBCrossRecessedRaisedCountersunkHeadWoodScrews	369 = Standard GB - Countersunk head screw
swStandardGBDowelHole	708 = Standard GB - Dowel hole
swStandardGBDrillSizes	355 = Standard GB - Hole
swStandardGBHexagonHeadBoltsFullThreadProductGradeC	377 = Standard GB - Hexagon head bo
swStandardGBHexagonHeadBoltsFullThreadProductGradesAB	378 = Standard GB - Hexagon head bo
swStandardGBHexagonHeadBoltsGB	376 = Standard GB - Hexagon head bolt
swStandardGBHexagonHeadBoltsProductGradeC	379 = Standard GB - Hexagon head bo
swStandardGBHexagonLobularSocketCountersunkHeadScrews	362 = Standard GB - Countersunk head screw
swStandardGBHexagonLobularSocketHeadCapScrewsPropertyClass	364 = Standard GB - Head cap screw
swStandardGBHexagonLobularSocketHeadCapScrewsPropertyClass4	375 = Standard GB - Hexagon lobular socket head cap screw
swStandardGBHexagonLobularSocketRaisedCountersunkHeadScrews	363 = Standard GB - Countersunk head screw
swStandardGBHexagonSocketHeadCapScrews	361 = Standard GB - Head cap screw
swStandardGBScrewClearances	356 = Standard GB - Hole
swStandardGBSlottedCheeseHeadScrews	374 = Standard GB - countersunk head screw
swStandardGBSlottedCountersinkHeadWoodScrews	366 = Standard GB - Countersunk head screw
swStandardGBSlottedCountersunkHeadTappingScrews	370 = Standard GB - countersunk head screw
swStandardGBSlottedRaisedCountersunkHeadScrews	365 = Standard GB - Countersunk head screw
swStandardGBSlottedRaisedCountersunkHeadTappingScrews	371 = Standard GB - countersunk head screw
swStandardGBSlottedRaisedCountersunkHeadWoodScrews	367 = Standard GB - Countersunk head screw
swStandardGBTapDrills	357 = Standard GB - Hole

swStandardGBTaperedPipeTap	360 = Standard GB - Pipe tapped hole
swStandardGBTappedHole	359 = Standard GB - Tapped hole
swStandardGBTappedHoleBottoming	358 = Standard GB - Tapped hole
swStandardHascoMetricBottomingTappedHole	122 = HASCO metric - Tapped hole
swStandardHascoMetricCCorePins	109 = HASCO metric - Counterbore hole
swStandardHascoMetricCenteringSleeve	120 = HASCO metric - hole
swStandardHascoMetricCorePinClearances	119 = HASCO metric - hole
swStandardHascoMetricCTSKFlatHead	116 = HASCO metric - Countersink hole
swStandardHascoMetricDrillSizes	117 = HASCO metric - hole
swStandardHascoMetricEjectorRodClearances	121 = HASCO metric - hole
swStandardHascoMetricGuideBushings	110 = HASCO metric - Counterbore hole
swStandardHascoMetricGuidePillars	111 = HASCO metric - Counterbore hole
swStandardHascoMetricLocatingGuideBushings	112 = HASCO metric - Counterbore hole
swStandardHascoMetricLocatingGuidePillars	113 = HASCO metric - Counterbore hole
swStandardHascoMetricScrewClearances	118 = HASCO metric - hole
swStandardHascoMetricShoulderScrew	115 = HASCO metric - Counterbore hole
swStandardHascoMetricSocketCapScrew	114 = HASCO metric - Counterbore hole
swStandardHascoMetricTappedHole	123 = HASCO metric - Tapped hole
swStandardHcoilinchInsert10Dia	124 = HCOIL inch - Tapped hole
swStandardHcoilinchInsert15Dia	125 = HCOIL inch - Tapped hole
swStandardHcoilinchInsert20Dia	126 = HCOIL inch - Tapped hole
swStandardHcoilinchInsert25Dia	127 = HCOIL inch - Tapped hole
swStandardHcoilinchInsert30Dia	128 = HCOIL inch - Tapped hole
swStandardHcoilMetricInsert10Dia	129 = HCOIL metric - Tapped hole
swStandardHcoilMetricInsert15Dia	130 = HCOIL metric - Tapped hole
swStandardHcoilMetricInsert20Dia	131 = HCOIL metric - Tapped hole
swStandardHcoilMetricInsert25Dia	132 = HCOIL metric - Tapped hole
swStandardHcoilMetricInsert30Dia	133 = HCOIL metric - Tapped hole
swStandardISBottomingTappedHole	554 = Standard Indian - Bottoming tapped hole
swStandardISCrossRecessFlatHeadScrew	556 = Standard Indian - Cross recess flat head screw
swStandardISCrossRecessPanHeadScrew	557 = Standard Indian - Cross recess pan head screw
swStandardISCrossRecessRaisedHeadScrew	558 = Standard Indian - Cross recess raised head screw
swStandardISDowelHole	709 = Standard Indian - Dowel hole
swStandardISDrillSizes	550 = Standard Indian - Drill sizes
swStandardISHexagonHeadBoltC	559 = Standard Indian - Hexagon head bolt C
swStandardISHexagonHeadScrewA	560 = Standard Indian - Hexagon head screw A
swStandardISHexagonHeadScrewB	561 = Standard Indian - Hexagon head screw B
swStandardISHexagonHeadScrewC	562 = Standard Indian - Hexagon head screw C
swStandardISOCheeseHead	134 = ISO - Counterbore hole
swStandardISOCTSKFlatHead	141 = ISO - Countersink hole
swStandardISOCTSKRaisedHead	142 = ISO - Countersink hole
swStandardISODowelHole	710 = ISO - Dowel hole
swStandardISODrillSizes	143 = ISO - Hole
swStandardISOHexBolt	135 = ISO - Counterbore hole
swStandardISOHexCapScrew	136 = ISO - Counterbore hole
swStandardISOHexMachineScrew	137 = ISO - Counterbore hole
swStandardISOPan	138 = ISO - Counterbore hole
swStandardISOScrewClearances	144 = ISO - Hole
swStandardISOCKETCTSKFlatHead	140 = ISO - Countersink hole
swStandardISOCKETHeadCap	139 = ISO - Counterbore hole
swStandardISOTapDrills	145 = ISO - Hole
swStandardISOTaperedPipeTap	148 = ISO - Pipe tapped hole
swStandardISOTappedHole	147 = ISO - Tapped hole
swStandardISOTappedHoleBottoming	146 = ISO - Tapped hole
swStandardISScrewClearances	551 = Standard Indian - Screw clearances
swStandardISSlottedCheeseHeadScrew	563 = Standard Indian - Slotted cheese head screw
swStandardISOCKETHeadCapScrew	564 = Standard Indian - Socket head cap screw
swStandardISTapDrills	552 = Standard Indian - Tap drills
swStandardISTaperedPipeTap	553 = Standard Indian - Tapered pipe tap
swStandardISTappedHole	555 = Standard Indian - Tapped hole
swStandardJISButton	151 = IS - Counterbore hole
swStandardJISCheeseHead	149 = JIS - Counterbore hole
swStandardJISDowelHole	711 = JIS - Dowel hole
swStandardJISDrillSizes	160 = JIS - Hole
swStandardJISFillisterHead	150 = JIS - Counterbore hole
swStandardJISFlatCTSKHead	158 = JIS - Countersink hole
swStandardJISHexBolt	152 = JIS - Counterbore hole
swStandardJISHexCapScrew	153 = JIS - Counterbore hole
swStandardJISHexMachineScrew	154 = JIS - Counterbore hole
swStandardJISPan	155 = JIS - Counterbore hole
swStandardJISRaisedCTSKHead	159 = JIS - Countersink hole
swStandardJISScrewClearances	161 = JIS - Hole
swStandardJISSocketHeadCap	156 = JIS - Counterbore hole
swStandardJISSocketShoulderScrew	157 = JIS - Counterbore hole
swStandardJISTapDrills	162 = JIS - Hole
swStandardJISTaperedPipeTap	165 = JIS - Pipe tapped hole
swStandardJISTappedHole	164 = JIS - Tapped hole
swStandardJISTappedHoleBottoming	163 = JIS - Tapped hole
swStandardKSBottomingTappedHole	454 = Standard Korean - Bottoming tapped hole
swStandardKSCheeseSlottedHead	462 = Standard Korean - Cheese slotted head
swStandardKSDowelHole	712 = Standard Korean - Dowel hole
swStandardKSDrillSizes	450 = Standard Korean - Drill sizes
swStandardKSFlatCrossHeadScrew	456 = Standard Korean - Flat crosshead screw
swStandardKSHexHeadBoltA	459 = Standard Korean - Hex head bolt A
swStandardKSHexHeadBoltB	460 = Standard Korean - Hex head bolt B
swStandardKSHexHeadBoltC	461 = Standard Korean - Hex head bolt C
swStandardKSRaisedCrossHeadScrew	457 = Standard Korean - Raised crosshead screw
swStandardKSScrewClearances	451 = Standard Korean - Screw clearances
swStandardKSSocketHeadCapScrew	458 = Standard Korean - Socket head cap screw
swStandardKSTapDrills	452 = Standard Korean - Tap drills
swStandardKSTaperedPipeTap	453 = Standard Korean - Tapered pipe tap
swStandardKSTappedHole	455 = Standard Korean - Tapped hole
swStandardPCSAIILDrillSizes	182 = PCS - Hole
swStandardPCSBOTTOMINGTappedHole	190 = PCS - Tapped hole
swStandardPCSCorePinClearances	186 = PCS - Hole
swStandardPCSCorePins	167 = PCS - Counterbore hole
swStandardPCSEjectorPinClearances	183 = PCS - Hole
swStandardPCSEjectorPins	168 = PCS - Counterbore hole
swStandardPCSFFlatHead100	173 = PCS - Countersink hole
swStandardPCSFFlatHead82	174 = PCS - Countersink hole
swStandardPCSFFlatSocket82	176 = PCS - Countersink hole
swStandardPCSFractionalDrillSizes	178 = PCS - Hole
swStandardPCSHcoilTapDrills	177 = PCS - Hole
swStandardPCSLaderPinClearances	187 = PCS - Hole
swStandardPCSLetterDrillSizes	184 = PCS - Hole
swStandardPCSNumerDrillSizes	179 = PCS - Hole
swStandardPCSOval	175 = PCS - Countersink hole
swStandardPCSPipeTapDrills	180 = PCS - Hole

swStandardPCSReturnPinClearances	188 = PCS - Hole
swStandardPCSReturnPins	166 = PCS - Counterbore hole
swStandardPCSScrewClearances	181 = PCS - Hole
swStandardPCSSocketCapScrew	170 = PCS - Counterbore hole
swStandardPCSStandardLeaderPins	169 = PCS - Counterbore hole
swStandardPCSStripperBolt	171 = PCS - Counterbore hole
swStandardPCSSupportPillarClearances	185 = PCS - Hole
swStandardPCSSupportPillarSHCS	172 = PCS - Counterbore hole
swStandardPCSTapDrills	189 = PCS - Hole
swStandardPCSTaperedPipeTap	192 = PCS - Pipe tapped hole
swStandardPCSTappedHole	191 = PCS - Tapped hole
swStandardPEMInch300SCNuts	906 = PEM Inch - 300 Self-clinching Nuts
swStandardPEMInchAluminumSCNuts	901 = PEM Inch - Aluminum Self-clinching Nuts
swStandardPEMInchBlindFasteners	902 = PEM Inch - Blind Fasteners
swStandardPEMInchBlindSO	947 = PEM Inch - Blind Standoffs
swStandardPEMInchConcealedStandoffs	948 = PEM Inch - Concealed Standoffs
swStandardPEMInchConcealedStuds	929 = PEM Inch - Concealed Studs
swStandardPEMInchFHDogPointStuds	932 = PEM Inch - Flush Head Dog Point Studs
swStandardPEMInchFloating	903 = PEM Inch - Floating Fastener
swStandardPEMInchFlushheadPins	930 = PEM Inch - Flush Head Pins
swStandardPEMInchFlushheadStuds	931 = PEM Inch - Flush Head Studs
swStandardPEMInchFlushPilotPins	933 = PEM Inch - Flush Pilot Pins
swStandardPEMInchHigh_strengthStuds	934 = PEM Inch - High-strength Head Studs
swStandardPEMInchHSDogPointStuds	935 = PEM Inch - High-strength Dog Point Studs
swStandardPEMInchKEYHOLEStandoffs	949 = PEM Inch - KEYHOLE Standoffs
swStandardPEMInchLow_displacementStuds	936 = PEM Inch - Low-displacement Studs
swStandardPEMInchMiniature	904 = PEM Inch - Miniature Fasteners
swStandardPEMInchNon_flushheadStuds	937 = PEM Inch - Non-flush Head Studs
swStandardPEMInchNon_lockingNuts	905 = PEM Inch - Non-locking Nuts
swStandardPEMInchPEMHEXFasteners	914 = PEM Inch - PEMHEX Fasteners
swStandardPEMInchPEMSERTFlushFasteners	907 = PEM Inch - PEMSERT Flush Fasteners
swStandardPEMInchSelf_clinchingNuts	909 = PEM Inch - Self-clinching Nuts
swStandardPEMInchSelf_lockingFasteners	911 = PEM Inch - Self-locking Fasteners
swStandardPEMInchSelf_lockingNuts	910 = PEM Inch - Self-locking Nuts
swStandardPEMInchSNAP_TOPSBStandoffs	950 = PEM Inch - SNAP-TOP SB Standoffs
swStandardPEMInchSNAP_TOPSCStandoffs	951 = PEM Inch - SNAP-TOP SC Standoffs
swStandardPEMInchThinSheet	912 = PEM Inch - Thin Sheet Nuts
swStandardPEMInchTHStandoffs	952 = PEM Inch - TH Standoffs
swStandardPEMInchTRI_DENT	913 = PEM Inch - TRI-DENT Nuts
swStandardPEMInchTSStandoffs	953 = PEM Inch - TS Standoffs
swStandardPEMInchUStandoffs	954 = PEM Inch - U Standoffs
swStandardPEMInchWeldNuts	908 = PEM Inch - Weld Nuts
swStandardPEMMetric300SCNuts	920 = PEM Metric - 300 Self-clinching Nuts
swStandardPEMMetricAluminumSCNuts	915 = PEM Metric - Aluminum Self-clinching Nuts
swStandardPEMMetricBlindFasteners	916 = PEM Metric - Blind Fasteners
swStandardPEMMetricBlindSO	955 = PEM Metric - Blind Standoffs
swStandardPEMMetricConcealedStandoffs	956 = PEM Metric - Concealed Standoffs
swStandardPEMMetricConcealedStuds	938 = PEM Metric - Concealed Studs
swStandardPEMMetricFHDogPointStuds	941 = PEM Metric - Flush Head Dog Point Studs
swStandardPEMMetricFloating	917 = PEM Metric - Floating Fasteners
swStandardPEMMetricFlushheadPins	939 = PEM Metric - Flush Head Pins
swStandardPEMMetricFlushheadStuds	940 = PEM Metric - Flush Head Studs
swStandardPEMMetricFlushPilotPins	942 = PEM Metric - Flush Pilot Pins
swStandardPEMMetricHigh_strengthStuds	943 = PEM Metric - High-strength Studs
swStandardPEMMetricHSDogPointStuds	944 = PEM Metric - High-strength Dog Point Studs
swStandardPEMMetricKEYHOLEStandoffs	957 = PEM Metric - KEYHOLE Standoffs
swStandardPEMMetricLow_displacementStuds	945 = PEM Metric - Low-displacement Studs
swStandardPEMMetricMiniature	918 = PEM Metric - Miniature Fasteners
swStandardPEMMetricNon_flushheadStuds	946 = PEM Metric - Non-flush Head Studs
swStandardPEMMetricNon_lockingNuts	919 = PEM Metric - Non-locking Nuts
swStandardPEMMetricPEMHEXFasteners	928 = PEM Metric - PEMHEX Fasteners
swStandardPEMMetricPEMSERTFlushFasteners	921 = PEM Metric - PEMSERT Flush Fasteners
swStandardPEMMetricSelf_clinchingNuts	923 = PEM Metric - Self-clinching Nuts
swStandardPEMMetricSelf_lockingFasteners	925 = PEM Metric - Self-locking Fasteners
swStandardPEMMetricSelf_lockingNuts	924 = PEM Metric - Self-locking Nuts
swStandardPEMMetricSNAP_TOPSBStandoffs	958 = PEM Metric - SNAP-TOP SB Standoffs
swStandardPEMMetricSNAP_TOPSCStandoffs	959 = PEM Metric - SNAP-TOP SC Standoffs
swStandardPEMMetricThinSheet	926 = PEM Metric - Thin Sheet Nuts
swStandardPEMMetricTHStandoffs	961 = PEM Metric - TH Standoffs
swStandardPEMMetricTRI_DENT	927 = PEM Metric - TRI-DENT Nuts
swStandardPEMMetricTSStandoffs	960 = PEM Metric - TS Standoffs
swStandardPEMMetricUStandoffs	962 = PEM Metric - U Standoffs
swStandardPEMMetricWeldNuts	922 = PEM Metric - Weld Nuts
swStandardProgressiveAllDrillSizes	210 = Progressive - Hole
swStandardProgressiveBottomingTappedHole	220 = Progressive - Tapped hole
swStandardProgressiveCorePinClearances	214 = Progressive - Hole
swStandardProgressiveCorePins	195 = Progressive - Counterbore hole
swStandardProgressiveEjectorPinClearances	211 = Progressive - Hole
swStandardProgressiveEjectorPins	196 = Progressive - Counterbore hole
swStandardProgressiveFlatHead100	203 = Progressive - Countersink hole
swStandardProgressiveFlatHead82	204 = Progressive - Countersink hole
swStandardProgressiveFlatSocket82	201 = Progressive - Countersink hole
swStandardProgressiveFractionalDrillSizes	206 = Progressive - Hole
swStandardProgressiveHcoilTapDrills	205 = Progressive - Hole
swStandardProgressiveLeaderPinClearances	215 = Progressive - Hole
swStandardProgressiveLetterDrillSizes	212 = Progressive - Hole
swStandardProgressiveNumberDrillSizes	207 = Progressive - Hole
swStandardProgressiveOval	202 = Progressive - Countersink hole
swStandardProgressivePipeTapDrills	208 = Progressive - Hole
swStandardProgressiveReturnPinClearances	217 = Progressive - Hole
swStandardProgressiveReturnPins	194 = Progressive - Counterbore hole
swStandardProgressiveScrewClearances	209 = Progressive - Hole
swStandardProgressiveSocketCapScrew	193 = Progressive - Counterbore hole
swStandardProgressiveSpruePullerPinClearances	216 = Progressive - Hole
swStandardProgressiveSpruePullerPins	197 = Progressive - Counterbore hole
swStandardProgressiveStandardLeaderPins	200 = Progressive - Counterbore hole
swStandardProgressiveStripperBolt	199 = Progressive - Counterbore hole
swStandardProgressiveSupportPillarClearances	213 = Progressive - Hole
swStandardProgressiveSupportPillarSHCS	198 = Progressive - Counterbore hole
swStandardProgressiveTapDrills	218 = Progressive - Hole
swStandardProgressiveTaperedPipeTap	221 = Progressive - Pipe tapped hole
swStandardProgressiveTappedHole	219 = Progressive - Tapped hole
swStandardSuperiorAllDrillSizes	238 = Superior - Hole
swStandardSuperiorBottomingTappedHole	Obsolete; see Remarks
swStandardSuperiorBottomingTappedHole2	249 = Superior - Tapped hole
swStandardSuperiorEjectorPinClearances	239 = Superior - Hole
swStandardSuperiorEjectorPins	223 = Superior - Counterbore hole
swStandardSuperiorFlatHead100	229 = Superior - Countersink hole

swStandardSuperiorFlatHead82	230 = Superior - Countersink hole
swStandardSuperiorFlatSocket82	232 = Superior - Countersink hole
swStandardSuperiorFractionalDrillSizes	234 = Superior - Hole
swStandardSuperiorHcoilTapDrills	233 = Superior - Hole
swStandardSuperiorLeaderPinClearances	242 = Superior - Hole
swStandardSuperiorLetterDrillSizes	240 = Superior - Hole
swStandardSuperiorNumberDrillSizes	235 = Superior - Hole
swStandardSuperiorOval	231 = Superior - Countersink hole
swStandardSuperiorPipeTapDrills	236 = Superior - Hole
swStandardSuperiorReturnPinClearances	244 = Superior - Hole
swStandardSuperiorReturnPins	222 = Superior - Counterbore hole
swStandardSuperiorScrewClearances	237 = Superior - Hole
swStandardSuperiorSocketCapScrew	227 = Superior - Counterbore hole
swStandardSuperiorSpruePullerPinClearances	243 = Superior - Hole
swStandardSuperiorSpruePullerPins	224 = Superior - Counterbore hole
swStandardSuperiorStandardLeaderPins	228 = Superior - Counterbore hole
swStandardSuperiorStripperBolt	226 = Superior - Counterbore hole
swStandardSuperiorSupportPillarClearances	241 = Superior - Hole
swStandardSuperiorSupportPillarSHCS	225 = Superior - Counterbore hole
swStandardSuperiorTapDrills	245 = Superior - Hole
swStandardSuperiorTaperedPipeTap	248 = Superior - Piped tapped hole
swStandardSuperiorTappedHole	Obsolete ; see Remarks
swStandardSuperiorTappedHole2	247 = Superior - Tapped hole

Remarks

If you used the now obsolete swStandardSuperiorTappedHole or swStandardSuperiorBottomingTappedHole enumerations with [IFeatureManager::HoleWizard2](#) or [IWizardHoleFeatureData2::FastenerType2](#), then switch to using swStandardSuperiorTappedHole2 or swStandardSuperiorBottomingTappedHole2. If you recorded a macro, then the correct values may already be in use.

See Also

[SolidWorks.Interop.swconst Namespace](#)

swWzdHoleStandards_e (Type)

SOLIDWORKS API Enumerations

swWzdHoleStandards_e Enumeration

[Send comments on this topic.](#)

[See Also](#)

 

[SolidWorks.Interop.swconst Namespace](#) : swWzdHoleStandards_e Enumeration

Hole Wizard standards.

Syntax

Visual Basic (Declaration)

```
Public Enum swWzdHoleStandards_e
    Inherits System.Enum
```

Visual Basic (Usage)



```
Dim instance As swWzdHoleStandards\_e
```

C#

```
public enum swWzdHoleStandards_e : System.Enum
```

C++/CLI

```
public enum class swWzdHoleStandards_e : public System.Enum
```

Members

Member	Description
swStandardAnsiInch	0
swStandardAnsiMetric	1
swStandardAS	16 = Australian
swStandardBSI	2
swStandardDIN	4
swStandardDME	3
swStandardGB	13
swStandardHascoMetric	5
swStandardHelicoilInch	6
swStandardHelicoilMetric	7
swStandardIS	15 = Indian
swStandardISO	8
swStandardJIS	9
swStandardKS	14 = Korean
swStandardPCS	10
swStandardPEMInch	17 = PEM Inch
swStandardPEMMetric	18 = PEM Metric
swStandardProgressive	11
swStandardSuperior	12

Remarks

See Also

[SolidWorks.Interop.swconst Namespace](#)

swWzdHoleThreadEndCondition_e (Type)

SOLIDWORKS API Enumerations

swWzdHoleThreadEndCondition_e Enumeration

See Also

 

[SolidWorks.Interop.swconst Namespace](#) : swWzdHoleThreadEndCondition_e Enumeration

Hole Wizard thread end conditions.

[Send comments on this topic.](#)

 Syntax

Visual Basic (Declaration)

Public Enum swWzdHoleThreadEndCondition_e
Inherits System.Enum

Visual Basic (Usage)

Dim instance As [swWzdHoleThreadEndCondition_e](#)



C#

public enum swWzdHoleThreadEndCondition_e : System.Enum

C++/CLI

public enum class swWzdHoleThreadEndCondition_e : public System.Enum

 Members

Member	Description
swEndThreadTypeBLIND	0
swEndThreadTypeTHROUGH_ALL	1
swEndThreadTypeTHROUGH_NEXT	2

 See Also

[SolidWorks.Interop.swconst Namespace](#)

swWzdHoleTypes_e (Type)

SOLIDWORKS API Enumerations

swWzdHoleTypes_e Enumeration

See Also

[Send comments on this topic.](#)



[SolidWorks.Interop.swconst Namespace](#) : swWzdHoleTypes_e Enumeration
Hole Wizard types.

Syntax

Visual Basic (Declaration)

```
Public Enum swWzdHoleTypes_e
    Inherits System.Enum
```

Visual Basic (Usage)



```
Dim instance As swWzdHoleTypes\_e
```

C#

```
public enum swWzdHoleTypes_e : System.Enum
```

C++/CLI

```
public enum class swWzdHoleTypes_e : public System.Enum
```

Members

Member	Description
swCounterBoreBlind	10 = Counterbore hole
swCounterBoreBlindCounterSinkMiddle	11 = Counterbore hole
swCounterBoreBlindCounterSinkTop	12 = Counterbore hole
swCounterBoreBlindCounterSinkTopmiddle	13 = Counterbore hole
swCounterBored	2 = Legacy hole
swCounterBoredDrilled	7 = Legacy hole
swCounterBoreSlotBlind	57 = Counterbore slot
swCounterBoreSlotBlindCounterSinkMiddle	58 = Counterbore slot
swCounterBoreSlotBlindCounterSinkTop	59 = Counterbore slot
swCounterBoreSlotBlindCounterSinkTopMiddle	60 = Counterbore slot
swCounterBoreSlotThru	61 = Counterbore slot
swCounterBoreSlotThruCounterSinkBottom	62 = Counterbore slot
swCounterBoreSlotThruCounterSinkMiddle	63 = Counterbore slot
swCounterBoreSlotThruCounterSinkMiddleBottom	64 = Counterbore slot
swCounterBoreSlotThruCounterSinkTop	65 = Counterbore slot
swCounterBoreSlotThruCounterSinkTopBottom	66 = Counterbore slot
swCounterBoreSlotThruCounterSinkTopMiddle	67 = Counterbore slot
swCounterBoreSlotThruCounterSinkTopMiddleBottom	68 = Counterbore slot
swCounterBoreThru	14 = Counterbore hole
swCounterBoreThruCounterSinkBottom	15 = Counterbore hole
swCounterBoreThruCounterSinkMiddle	16 = Counterbore hole
swCounterBoreThruCounterSinkMiddleBottom	17 = Counterbore hole
swCounterBoreThruCounterSinkTop	18 = Counterbore hole
swCounterBoreThruCounterSinkTopBottom	19 = Counterbore hole
swCounterBoreThruCounterSinkTopMiddle	20 = Counterbore hole
swCounterBoreThruCounterSinkTopMiddleBottom	21 = Counterbore hole
swCounterDrilled	4 = Legacy hole
swCounterDrilledDrilled	9 = Legacy hole
swCounterSinkBlind	24 = Simple and countersink hole
swCounterSinkBlindWithoutHeadClearance	43 = Countersink without head clearance hole
swCounterSinkSlotBlind	71 = Countersink slot
swCounterSinkSlotBlindWithoutHeadClearance	78 = Countersink slot
swCounterSinkSlotThru	76 = Countersink slot
swCounterSinkSlotThruCounterSinkBottom	77 = Countersink slot
swCounterSinkSlotThruCounterSinkBottomWithoutHeadClearance	90 = Countersink slot
swCounterSinkSlotThruWithoutHeadClearance	79 = Countersink slot
swCounterSinkThru	29 = Simple and countersink hole
swCounterSinkThruCounterSinkBottom	30 = Simple and countersink hole
swCounterSinkThruCounterSinkBottomWithoutHeadClearance	45 = Countersink without head clearance hole
swCounterSinkThruWithoutHeadClearance	44 = Countersink without head clearance hole
swCounterSunk	3 = Legacy hole
swCounterSunkDrilled	8 = Legacy hole
swHoleBlind	22 = Simple and countersink hole
swHoleBlindCounterSinkTop	23 = Simple and countersink hole
swHoleThru	25 = Simple and countersink hole
swHoleThruCounterSinkBottom	26 = Simple and countersink hole
swHoleThruCounterSinkTop	27 = Simple and countersink hole
swHoleThruCounterSinkTopBottom	28 = Simple and countersink hole
swPipeTapBlind	37 = Pipe tapped hole
swPipeTapBlindCounterSinkTop	38 = Pipe tapped hole
swPipeTapThru	39 = Pipe tapped hole
swPipeTapThruCounterSinkBottom	40 = Pipe tapped hole
swPipeTapThruCounterSinkTop	41 = Pipe tapped hole
swPipeTapThruCounterSinkTopBottom	42 = Pipe tapped hole
swSimple	0 = Legacy hole
swSimpleDrilled	5 = Legacy hole
swSlotBlind	69 = Slot

swSlotBlindCounterSinkTop	70 = Slot
swSlotThru	72 = Slot
swSlotThruCounterSinkBottom	73 = Slot
swSlotThruCounterSinkTop	74 = Slot
swSlotThruCounterSinkTopBottom	75 = Slot
swTapBlind	31 = Tapped hole
swTapBlindCosmeticThread	46 = Cosmetic thread tapped hole
swTapBlindCosmeticThreadCounterSinkTop	47 = Cosmetic thread tapped hole
swTapBlindCounterSinkTop	32 = Tapped hole
swTapBlindRemoveThread	56 = Cosmetic thread tapped hole
swTapered	1 = Legacy hole
swTaperedDrilled	6 = Legacy hole
swTapThru	33 = Tapped hole
swTapThruCosmeticThread	48 = Cosmetic thread tapped hole
swTapThruCosmeticThreadCounterSinkBottom	50 = Cosmetic thread tapped hole
swTapThruCosmeticThreadCounterSinkTop	49 = Cosmetic thread tapped hole
swTapThruCosmeticThreadCounterSinkTopBottom	51 = Cosmetic thread tapped hole
swTapThruCounterSinkBottom	34 = Tapped hole
swTapThruCounterSinkTop	35 = Tapped hole
swTapThruCounterSinkTopBottom	36 = Tapped hole
swTapThruThreadThru	52 = Tapped thru thread hole
swTapThruThreadThruCounterSinkBottom	54 = Tapped thru thread hole
swTapThruThreadThruCounterSinkTop	53 = Tapped thru thread hole
swTapThruThreadThruCountersinkTopBottom	55 = Tapped thru thread hole

 See Also

[SolidWorks.Interop.swconst Namespace](#)

swZeroQuantityDisplay_e (Type)

SOLIDWORKS API Enumerations

swZeroQuantityDisplay_e Enumeration

See Also

[Send comments on this topic.](#)

 

[SolidWorks.Interop.swconst Namespace](#) : swZeroQuantityDisplay_e Enumeration

Characters or values to display when values are zero (0).

 Syntax

Visual Basic (Declaration)

Public Enum swZeroQuantityDisplay_e
Inherits System.Enum

Visual Basic (Usage)

Dim instance As [swZeroQuantityDisplay_e](#)



C#

public enum swZeroQuantityDisplay_e : System.Enum

C++/CLI

public enum class swZeroQuantityDisplay_e : public System.Enum

 Members

Member	Description
swZeroQuantityBlank	3
swZeroQuantityDashed	1
swZeroQuantityZero	2

 See Also

[SolidWorks.Interop.swconst Namespace](#)

swZonalSectionViewZones_e (Type)

SOLIDWORKS API Enumerations

swZonalSectionViewZones_e Enumeration

[See Also](#)

[Send comments on this topic.](#)

 

[SolidWorks.Interop.swconst Namespace](#) : swZonalSectionViewZones_e Enumeration

Intersection zones for section views. [Bitmask](#)

Syntax

Visual Basic (Declaration)

```
Public Enum swZonalSectionViewZones_e
    Inherits System.Enum
```

Visual Basic (Usage)



```
Dim instance As swZonalSectionViewZones\_e
```

C#

```
public enum swZonalSectionViewZones_e : System.Enum
```

C++/CLI

```
public enum class swZonalSectionViewZones_e : public System.Enum
```

Members

Member	Description
swZonalSectionViewZones.swZonalSectionViewZone_1	1 or 0x1
swZonalSectionViewZones.swZonalSectionViewZone_2	2 or 0x2
swZonalSectionViewZones.swZonalSectionViewZone_3	4 or 0x4
swZonalSectionViewZones.swZonalSectionViewZone_4	8 or 0x8
swZonalSectionViewZones.swZonalSectionViewZone_5	16 or 0x10
swZonalSectionViewZones.swZonalSectionViewZone_6	32 or 0x20
swZonalSectionViewZones.swZonalSectionViewZone_7	64 or 0x40
swZonalSectionViewZones.swZonalSectionViewZone_8	128 or 0x80

Remarks

Descriptions of the intersection zones in relation to the number of sectioning planes appear in [ISectionViewData::SectionedZones](#).

See Also

[SolidWorks.Interop.swconst Namespace](#)

swZoneMargin_e (Type)

SOLIDWORKS API Enumerations

swZoneMargin_e Enumeration

See Also

[Send comments on this topic.](#)

 [SolidWorks.Interop.swconst Namespace](#) : swZoneMargin_e Enumeration

Zone margins.

 Syntax

Visual Basic (Declaration)

```
Public Enum swZoneMargin_e
    Inherits System.Enum
```

Visual Basic (Usage)  Copy Code

```
Dim instance As swZoneMargin\_e
```

C#

```
public enum swZoneMargin_e : System.Enum
```

C++/CLI

```
public enum class swZoneMargin_e : public System.Enum
```

 Members

Member	Description
swZoneBottomMargin	1
swZoneLeftMargin	3
swZoneRightMargin	2
swZoneTopMargin	0

 See Also

[SolidWorks.Interop.swconst Namespace](#)

swZoneSizeDistribution_e (Type)

SOLIDWORKS API Enumerations

swZoneSizeDistribution_e Enumeration

See Also

[Send comments on this topic.](#)

 

[SolidWorks.Interop.swconst Namespace](#) : swZoneSizeDistribution_e Enumeration

Zone size distribution types.

 Syntax

Visual Basic (Declaration)

Public Enum swZoneSizeDistribution_e
Inherits System.Enum

Visual Basic (Usage)  Copy Code

Dim instance As [swZoneSizeDistribution_e](#)

C#

public enum swZoneSizeDistribution_e : System.Enum

C++/CLI

public enum class swZoneSizeDistribution_e : public System.Enum

 Members

Member	Description
swZoneSizeDistribution_50mmFromCenter	0
swZoneSizeDistribution_EvenlySized	1

 See Also

[SolidWorks.Interop.swconst Namespace](#)

swZoomLevelOnOpenType_e (Type)

SOLIDWORKS API Enumerations

swZoomLevelOnOpenType_e Enumeration

See Also

[Send comments on this topic.](#)

 

[SolidWorks.Interop.swconst Namespace](#) : swZoomLevelOnOpenType_e Enumeration

Display zoom-to level when opening drawings.

 Syntax

Visual Basic (Declaration)

```
Public Enum swZoomLevelOnOpenType_e
    Inherits System.Enum
```

Visual Basic (Usage)  Copy Code

```
Dim instance As swZoomLevelOnOpenType\_e
```

C#

```
public enum swZoomLevelOnOpenType_e : System.Enum
```

C++/CLI

```
public enum class swZoomLevelOnOpenType_e : public System.Enum
```

 Members

Member	Description
swZoomLevelOnOpenType_LastSave	0
swZoomLevelOnOpenType_ToFit	1
swZoomLevelOnOpenType_ToSheet	2

 See Also

[SolidWorks.Interop.swconst Namespace](#)