

SOLIDWORKS Document Manager API (.NET) — Reference (3/19): ISwDMConfiguration10- ISwDMConfiguration18

SOLIDWORKS API Documentation (converted from CHM)

ISwDMConfiguration10 (Type)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMConfiguration10 Interface

[See Also](#) [Members](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMConfiguration10 Interface

Accesses configuration-specific information for the part, assembly, or drawing document.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

Public Interface ISwDMConfiguration10

Inherits

[ISwDMConfiguration](#), [ISwDMConfiguration2](#), [ISwDMConfiguration3](#), [ISwDMConfiguration4](#), [ISwDMConfiguration5](#), [ISwDMConfiguration6](#), [ISwDMConfiguration7](#), [ISwDMConfiguration8](#), [ISwDMConfiguration9](#)

Visual Basic (Usage)



Dim instance As [ISwDMConfiguration10](#)

C#

public interface ISwDMConfiguration10 :

[ISwDMConfiguration](#), [ISwDMConfiguration2](#), [ISwDMConfiguration3](#), [ISwDMConfiguration4](#), [ISwDMConfiguration5](#), [ISwDMConfiguration6](#), [ISwDMConfiguration7](#), [ISwDMConfiguration8](#), [ISwDMConfiguration9](#)

C++/CLI

public interface class ISwDMConfiguration10 : public

[ISwDMConfiguration](#), [ISwDMConfiguration2](#), [ISwDMConfiguration3](#), [ISwDMConfiguration4](#), [ISwDMConfiguration5](#), [ISwDMConfiguration6](#), [ISwDMConfiguration7](#), [ISwDMConfiguration8](#), [ISwDMConfiguration9](#)

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration10](#).

Remarks

- You can access an ISwDMConfiguration10 object by calling QueryInterface on an [ISwDMConfiguration](#) object in C++ or by direct assignment in Visual Basic.
- The ISwDMConfiguration object can be assigned to an ISwDMConfiguration10 variable, just like the SOLIDWORKS [IModelDoc2](#) object can be assigned to a SOLIDWORKS [IPartDoc](#) variable.

Accessors

[ISwDMConfigurationMgr::GetConfigurationByName](#)

See Also

[ISwDMConfiguration10 Members](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMConfiguration10 Interface Methods

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMConfiguration10 Interface

For a list of all members of this type, see [ISwDMConfiguration10 members](#).

Public Methods

Name	Description
 GetDisplayStates	Gets the names of the display states for this configuration.
 IsDirty	Gets whether this configuration is dirty (i.e., needs to be updated).

[Top](#)

See Also

[ISwDMConfiguration10 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMConfiguration10 Interface Members

[See Also](#) [Methods](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : [ISwDMConfiguration10 Interface](#)

The following tables list the members exposed by [ISwDMConfiguration10](#).

Public Methods

Name	Description
 GetDisplayStates	Gets the names of the display states for this configuration.
 IsDirty	Gets whether this configuration is dirty (i.e., needs to be updated).

[Top](#)

See Also

[ISwDMConfiguration10 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

GetDisplayStates Method (ISwDMConfiguration10)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration10 Interface](#) : [GetDisplayStates Method \(ISwDMConfiguration10\)](#)

Gets the names of the display states for this configuration.

.NET Syntax

Visual Basic (Declaration)

Function GetDisplayStates() As System.Object

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration10  
Dim value As System.Object
```

```
value = instance.GetDisplayStates()
```

C#

```
System.Object GetDisplayStates()
```

C++/CLI

```
System.Object^ GetDisplayStates();
```

Return Value

Array of the names of the display states for this configuration

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration10::GetDisplayStates](#).

Remarks

The first name in the list is the active display state.

See Also

[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration10 Members](#)

Availability

SOLIDWORKS Document Manager API 2008 SP5

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

IsDirty Method (ISwDMConfiguration10)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration10 Interface](#) : IsDirty Method (ISwDMConfiguration10)

Gets whether this configuration is dirty (i.e., needs to be updated).

.NET Syntax

Visual Basic (Declaration)

```
Function IsDirty() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration10  
Dim value As System.Boolean  
  
value = instance.IsDirty()
```

C#

```
System.bool IsDirty()
```

C++/CLI

```
System.bool IsDirty();
```

Return Value

True if the configuration is dirty, false if not

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration10::IsDirty](#).

Example

Visual Basic for Applications (VBA)

```
Option Explicit
```

```
Sub main()
```

```

    Const sLicenseKey          As String = "your_license_key" ' Specify your license key
    Const sDocFileName        As String = "c:\test\Wiper_Plate_Assy.SLDASM" ' Specify
your document

    Dim swClassFact           As SwDocumentMgr.SwDMClassFactory
    Dim swDocMgr              As SwDocumentMgr.SwDMAApplication
    Dim swDoc                 As SwDocumentMgr.SwDMDocument
    Dim swCfgMgr              As SwDocumentMgr.SwDMConfigurationMgr
    Dim vCfgNameArr           As Variant
    Dim vCfgName              As Variant
    Dim swCfg                 As SwDocumentMgr.SwDMConfiguration10
    Dim nDocType              As Long
    Dim nRetVal               As Long
    Dim i                     As Long
    Dim bRet                  As Boolean

    ' Determine type of SOLIDWORKS file based on filename extension
    If InStr(LCase(sDocFileName), "sldprt") > 0 Then
        nDocType = swDmDocumentPart
    ElseIf InStr(LCase(sDocFileName), "sldasm") > 0 Then
        nDocType = swDmDocumentAssembly
    ElseIf InStr(LCase(sDocFileName), "slddrw") > 0 Then
        nDocType = swDmDocumentDrawing
    Else
        ' Probably not a SOLIDWORKS file
        nDocType = swDmDocumentUnknown
        ' So cannot open
        Exit Sub
    End If

    Set swClassFact = CreateObject("SwDocumentMgr.SwDMClassFactory")
    Set swDocMgr = swClassFact.GetApplication(sLicenseKey)

    Set swDoc = swDocMgr.GetDocument(sDocFileName, nDocType, True, nRetVal): Debug.Assert
swDmDocumentOpenErrorNone = nRetVal

    Set swCfgMgr = swDoc.ConfigurationManager

    Debug.Print "File = " & swDoc.FullName
    Debug.Print "  ActiveCfgName    = " & swCfgMgr.GetActiveConfigurationName

    vCfgNameArr = swCfgMgr.GetConfigurationNames

    For Each vCfgName In vCfgNameArr
        Set swCfg = swCfgMgr.GetConfigurationByName(vCfgName)
        Debug.Print vCfgName & " -> Dirty Flag = " & swCfg.IsDirty
    Next

End Sub

```

Remarks

This method only supports documents saved in SOLIDWORKS 2006 and later.

If the configuration is dirty, then you can update its date by activating the configuration in SOLIDWORKS and saving the document while the configuration is active

See Also

[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration10 Members](#)

ISwDMConfiguration11 (Type)

ISwDMConfiguration11 Interface

[See Also](#) [Members](#)



SolidWorks.Interop.swdocumentmgr Namespace : ISwDMConfiguration11 Interface

Accesses configuration-specific information for the part, assembly, or drawing document.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

Visual Basic Syntax

Visual Basic (Declaration)

```
Public Interface ISwDMConfiguration11
    Inherits
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration11
```

C#

```
public interface ISwDMConfiguration11 :
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

C++/CLI

```
public interface class ISwDMConfiguration11 : public
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration11](#).

Remarks

- You can access an ISwDMConfiguration11 object by calling QueryInterface on an [ISwDMConfiguration](#) object in C++ or by direct assignment in Visual Basic.
- The ISwDMConfiguration object can be assigned to an ISwDMConfiguration11 variable, just like the SOLIDWORKS [IModelDoc2](#) object can be assigned to a SOLIDWORKS [IPartDoc](#) variable.

Accessors

[ISwDMConfigurationMgr::GetConfigurationByName](#)

See Also

[ISwDMConfiguration11 Members](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

ISwDMConfiguration11 Interface Members

[See Also](#) [Properties](#) [Methods](#)



SolidWorks.Interop.swdocumentmgr Namespace : ISwDMConfiguration11 Interface

The following tables list the members exposed by [ISwDMConfiguration11](#).

Public Properties

Name	Description
 BOMPartNoSource	Gets or sets the source of the part number used in the bill of materials (BOM) for this configuration.
 ShowChildComponentsInBOM	Obsolete. Superseded by ISwDMConfiguration15.ShowChildComponentsInBOM2 .

[Top](#)

Public Methods

Name	Description
 GetReplacedComponents	Gets information about the components that were replaced by ISwDMComponent6.Replace .
 IsSpeedPak	Gets whether this configuration is a SpeedPak.

[Top](#)

See Also

[ISwDMConfiguration11 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMConfiguration11 Interface Methods

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : [ISwDMConfiguration11 Interface](#)

For a list of all members of this type, see [ISwDMConfiguration11 members](#).

Public Methods

Name	Description
 GetReplacedComponents	Gets information about the components that were replaced by ISwDMComponent6.Replace .
 IsSpeedPak	Gets whether this configuration is a SpeedPak.

[Top](#)

See Also

[ISwDMConfiguration11 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMConfiguration11 Interface Properties

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : [ISwDMConfiguration11 Interface](#)

For a list of all members of this type, see [ISwDMConfiguration11 members](#).

Public Properties

Name	Description
 BOMPartNoSource	Gets or sets the source of the part number used in the bill of materials (BOM) for this configuration.
 ShowChildComponentsInBOM	Obsolete. Superseded by ISwDMConfiguration15::ShowChildComponentsInBOM2 .

[Top](#)

See Also

[ISwDMConfiguration11 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

BOMPartNoSource Property (ISwDMConfiguration11)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration11 Interface](#) : BOMPartNoSource Property (ISwDMConfiguration11)

Gets or sets the source of the part number used in the bill of materials (BOM) for this configuration.

.NET Syntax

Visual Basic (Declaration)

Property BOMPartNoSource As System.Integer

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration11
Dim value As System.Integer

instance.BOMPartNoSource = value
value = instance.BOMPartNoSource
```

C#

```
System.int BOMPartNoSource {get; set;}
```

C++/CLI

```
property System.int BOMPartNoSource {
    System.int get();
    void set ( & System.int value);
}
```

Property Value

Source of part number used in the BOM as defined in [swDmBOMPartNumberSource](#)

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration11::BOMPartNoSource](#).

Remarks

If you set this property to anything other than swDmBOMPartNumber_UserSpecified, then [ISwDMConfiguration7::AlternateName2](#) is set to an empty string.

See Also

[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration11 Members](#)
[ISwDMConfiguration11::ShowChildComponentsInBOM Property](#)
[ISwDMTable2::GetBOMNumberIncrement Method](#)
[ISwDMTable2::GetBOMTableType Method](#)
[ISwDMTable2::GetBOMTableType Method](#)
[ISwDMTable2::GetFeatureName Method](#)
[ISwDMTable2::ReferencedConfigurationNames Method](#)

[ISwDMTable2::ReferencedDocumentName Method](#)
[ISwDMComponent5::ExcludeFromBOM Property](#)

Availability

SOLIDWORKS Document Manager API 2009 SP0

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

GetReplacedComponents Method (ISwDMConfiguration11)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration11 Interface](#) : GetReplacedComponents Method (ISwDMConfiguration11)

Gets information about the components that were replaced by [ISwDMComponent6::Replace](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub GetReplacedComponents(  
    ByRef ComponentNames As System.Object, _  
    ByRef ConfigurationNames As System.Object, _  
    ByRef NewFileNames As System.Object, _  
    ByRef MatesReattached As System.Object _  
)
```

Visual Basic (Usage)

```
Dim instance As ISwDMConfiguration11  
Dim ComponentNames As System.Object  
Dim ConfigurationNames As System.Object  
Dim NewFileNames As System.Object  
Dim MatesReattached As System.Object  
  
instance.GetReplacedComponents(ComponentNames, ConfigurationNames, NewFileNames, MatesReattached)
```

C#

```
void GetReplacedComponents(  
    out System.object ComponentNames,  
    out System.object ConfigurationNames,  
    out System.object NewFileNames,  
    out System.object MatesReattached  
)
```

C++/CLI

```
void GetReplacedComponents(  
& [Out] System.Object^ ComponentNames,  
& [Out] System.Object^ ConfigurationNames,  
& [Out] System.Object^ NewFileNames,  
& [Out] System.Object^ MatesReattached  
)
```

Parameters

ComponentNames

Array of component names that were replaced

ConfigurationNames

Array of configuration names for the components that were replaced in the document

NewFileNames

Array of the path and filenames of the components that were replaced

MatesReattached

Array of Booleans indicating whether the mates for the components that were replaced were reattached

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration11::GetReplacedComponents](#).

See Also

[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration11 Members](#)
[ISwDMDocument8::GetChangedReferences Method](#)

Availability

SOLIDWORKS Document Manager API 2009 SP0

IsSpeedPak Method (ISwDMConfiguration11)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration11 Interface](#) : IsSpeedPak Method (ISwDMConfiguration11)

Gets whether this configuration is a SpeedPak.

.NET Syntax

Visual Basic (Declaration)

```
Function IsSpeedPak() As System.Boolean
```

Visual Basic (Usage)

```
Dim instance As ISwDMConfiguration11  
Dim value As System.Boolean  
  
value = instance.IsSpeedPak()
```

C#

```
System.bool IsSpeedPak()
```

C++/CLI

```
System.bool IsSpeedPak();
```

Return Value

True if SpeedPak, false if not

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration10::IsSpeedPak](#).

See Also

[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration11 Members](#)

Availability

SOLIDWORKS Document Manager API 2009 SP0

ShowChildComponentsInBOM Property (ISwDMConfiguration11)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration11 Interface](#) : ShowChildComponentsInBOM Property (ISwDMConfiguration11)

Obsolete. Superseded by [ISwDMConfiguration15::ShowChildComponentsInBOM2](#).

.NET Syntax

Visual Basic (Declaration)

```
Property ShowChildComponentsInBOM As System.Integer
```

Visual Basic (Usage)

```
Dim instance As ISwDMConfiguration11  
Dim value As System.Integer  
  
instance.ShowChildComponentsInBOM = value  
  
value = instance.ShowChildComponentsInBOM
```

C#

```
System.int ShowChildComponentsInBOM {get; set;}
```

C++/CLI

```
property System.int ShowChildComponentsInBOM {  
    System.int get();  
    void set ( & System.int value);  
}
```

Property Value

Show child components in BOM as defined in [swDmShowChildComponetsInBOMResult](#)

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration11::ShowChildComponentsInBOM](#).

Remarks

This property only supports documents saved in SOLIDWORKS 2009 and later.

See Also

[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration11 Members](#)

ISwDMConfiguration12 (Type)

ISwDMConfiguration12 Interface

[See Also](#) [Members](#)



[SolidWorks.Interop.swdocumentmgr.Namespace](#) : ISwDMConfiguration12 Interface

Accesses configuration-specific information for the part, assembly, or drawing document.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface ISwDMConfiguration12
    Inherits
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration12
```

C#

```
public interface ISwDMConfiguration12 :
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

C++/CLI

```
public interface class ISwDMConfiguration12 : public
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration12](#).

Remarks

- You can access an ISwDMConfiguration12 object by calling QueryInterface on an [ISwDMConfiguration](#) object in C++ or by direct assignment in Visual Basic.
- The ISwDMConfiguration object can be assigned to an ISwDMConfiguration12 variable, just like the SOLIDWORKS [IModelDoc2](#) object can be assigned to a SOLIDWORKS [IPartDoc](#) variable.

Accessors

[ISwDMConfigurationMgr::GetConfigurationByName](#)

See Also

[ISwDMConfiguration12 Members](#)
[SolidWorks.Interop.swdocumentmgr.Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

ISwDMConfiguration12 Interface Methods

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMConfiguration12 Interface

For a list of all members of this type, see [ISwDMConfiguration12 members](#).

Public Methods

Name	Description
GetComponentVisibleByDisplayStateName	Gets the visibility states and path and file names of the components in the given display state.
GetID	Gets the ID of the configuration.
GetLinkedDisplayStates	Gets the names and number of linked display states.

[Top](#)

See Also

[ISwDMConfiguration12 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMConfiguration12 Interface Members

[See Also](#) [Properties](#) [Methods](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMConfiguration12 Interface

The following tables list the members exposed by [ISwDMConfiguration12](#).

Public Properties

Name	Description
DimXpertPart	Gets the DimXpert part associated with this configuration.

[Top](#)

Public Methods

Name	Description
GetComponentVisibleByDisplayStateName	Gets the visibility states and path and file names of the components in the given display state.
GetID	Gets the ID of the configuration.
GetLinkedDisplayStates	Gets the names and number of linked display states.

[Top](#)

See Also

[ISwDMConfiguration12 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMConfiguration12 Interface Properties

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMConfiguration12 Interface

For a list of all members of this type, see [ISwDMConfiguration12 members](#).

Public Properties

Name	Description
 DimXpertPart	Gets the DimXpert part associated with this configuration.

[Top](#)

See Also

- [ISwDMConfiguration12 Interface](#)
- [SolidWorks.Interop.swdocumentmgr Namespace](#)
- [ISwDMConfiguration Interface](#)
- [ISwDMConfiguration2 Interface](#)
- [ISwDMConfiguration3 Interface](#)
- [ISwDMConfiguration4 Interface](#)
- [ISwDMConfiguration5 Interface](#)
- [ISwDMConfiguration6 Interface](#)
- [ISwDMConfiguration7 Interface](#)
- [ISwDMConfiguration8 Interface](#)
- [ISwDMConfiguration9 Interface](#)
- [ISwDMConfiguration10 Interface](#)
- [ISwDMConfiguration11 Interface](#)
- [ISwDMConfiguration13 Interface](#)
- [ISwDMConfiguration14 Interface](#)
- [ISwDMConfiguration15 Interface](#)
- [ISwDMConfiguration16 Interface](#)
- [ISwDMConfigurationMgr2 Interface](#)
- [ISwDMConfiguration17 Interface](#)
- [ISwDMConfiguration18 Interface](#)

DimXpertPart Property (ISwDMConfiguration12)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration12 Interface](#) : DimXpertPart Property (ISwDMConfiguration12)

Gets the DimXpert part associated with this configuration.

NET Syntax

Visual Basic (Declaration)

ReadOnly Property DimXpertPart As SwMDimXpertPart

Visual Basic (Usage)

Copy Code

Dim instance As [ISwDMConfiguration12](#)
Dim value As SwMDimXpertPart

value = instance.DimXpertPart

C#

SwMDimXpertPart DimXpertPart {get;}

C++/CLI

property SwMDimXpertPart^ DimXpertPart {
 SwMDimXpertPart^ get();
}

Property Value
[ISwMDimXpertPart](#)

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration12::DimXpertPart](#).

Example

[Get DimXpert Block Tolerance \(VB.NET\)](#)
[Get DimXpert Block Tolerance \(C#\)](#)

See Also

[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration12 Members](#)

Availability

GetComponentVisibleByDisplayStateName Method (ISwDMConfiguration12)

[See Also](#) [Example](#)[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration12 Interface](#) : GetComponentVisibleByDisplayStateName Method (ISwDMConfiguration12)

Gets the visibility states and path and file names of the components in the given display state.

.NET Syntax

Visual Basic (Declaration)

```
Sub GetComponentVisibleByDisplayStateName( _
    ByVal DisplayStateName As System.String, _
    ByRef ComponentVisibleList As System.Object, _
    ByRef ComponentFileDirectory As System.Object _
)
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration12
Dim DisplayStateName As System.String
Dim ComponentVisibleList As System.Object
Dim ComponentFileDirectory As System.Object

instance.GetComponentVisibleByDisplayStateName(DisplayStateName, ComponentVisibleList, ComponentFileDirectory)
```

C#

```
void GetComponentVisibleByDisplayStateName(
    System.string DisplayStateName,
    out System.object ComponentVisibleList,
    out System.object ComponentFileDirectory
)
```

C++/CLI

```
void GetComponentVisibleByDisplayStateName(
    & System.String^ DisplayStateName,
    & [Out] System.Object^ ComponentVisibleList,
    & [Out] System.Object^ ComponentFileDirectory
)
```

Parameters

DisplayStateName

Display state name

*ComponentVisibleList*Array of booleans indicating whether the components in *ComponentFileDirectory* are visible in the given display state; true if visible, false if suppressed*ComponentFileDirectory*

Array of paths and file names of the components in the given display state

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration12::GetComponentVisibleByDisplayStateName](#).

Example

[Get Linked Display States \(VB.NET\)](#)[Get Linked Display States \(C#\)](#)

See Also

[ISwDMConfiguration12 Interface](#)[ISwDMConfiguration12 Members](#)[ISwDMConfiguration12::GetLinkedDisplayStates Method](#)

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

GetID Method (ISwDMConfiguration12)

[See Also](#) [Example](#)[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration12 Interface](#) : GetID Method (ISwDMConfiguration12)

Gets the ID of the configuration.

.NET Syntax

Visual Basic (Declaration)

```
Function GetID() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration12  
Dim value As System.Integer
```

```
value = instance.GetID()
```

C#

```
System.int GetID()
```

C++/CLI

```
System.int GetID();
```

Return Value

ID of the configuration

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration12::GetID](#).

Example

[Get Linked Display States \(C#\)](#)
[Get Linked Display States \(VB.NET\)](#)

Remarks

Each configuration is assigned a unique and persistent ID. This ID does not change if you change the name of the configuration.

See Also

[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration12 Members](#)

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

GetLinkedDisplayStates Method (ISwDMConfiguration12)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration12 Interface](#) : GetLinkedDisplayStates Method (ISwDMConfiguration12)

Gets the names and number of linked display states.

.NET Syntax

Visual Basic (Declaration)

```
Function GetLinkedDisplayStates(  
    ByRef DisplayStateNameList As System.Object _  
) As System.Integer
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration12  
Dim DisplayStateNameList As System.Object  
Dim value As System.Integer
```

```
value = instance.GetLinkedDisplayStates(DisplayStateNameList)
```

C#

```
System.int GetLinkedDisplayStates(  
    out System.object DisplayStateNameList
```

)

C++/CLI

```
System.int GetLinkedDisplayStates(  
& [Out] System.Object^ DisplayStateNameList  
)
```

Parameters

DisplayStateNameList

Array of strings containing the linked display state names

Return Value

Number of linked display states

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration12::GetLinkedDisplayStates](#).

Example

[Get Linked Display States \(VB.NET\)](#)
[Get Linked Display States \(C#\)](#)

See Also

[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration12 Members](#)
[ISwDMConfiguration12::GetComponentVisibleByDisplayName Method](#)

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

ISwDMConfiguration13 (Type)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMConfiguration13 Interface

[See Also](#) [Members](#) [Example](#)



SolidWorks.Interop.swdocumentmgr Namespace : ISwDMConfiguration13 Interface

Accesses configuration-specific information for the part, assembly, or drawing document.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface ISwDMConfiguration13
    Inherits
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration13
```

C#

```
public interface ISwDMConfiguration13 :
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

C++/CLI

```
public interface class ISwDMConfiguration13 : public
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration13](#).

Example

[Get Configuration Information \(VB.NET\)](#)
[Get Configuration Information \(C#\)](#)

Remarks

- You can access an ISwDMConfiguration13 object by calling QueryInterface on an [ISwDMConfiguration](#) object in C++ or by direct assignment in Visual Basic.
- The ISwDMConfiguration object can be assigned to an ISwDMConfiguration13 variable, just like the SOLIDWORKS [IModelDoc2](#) object can be assigned to a SOLIDWORKS [IPartDoc](#) variable.

Accessors

[ISwDMConfigurationMgr::GetConfigurationByName](#)

See Also

[ISwDMConfiguration13 Members](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)

ISwDMConfiguration13 Interface Members

[See Also](#) [Properties](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMConfiguration13 Interface

The following tables list the members exposed by [ISwDMConfiguration13](#).

Public Properties

Name	Description
type	Gets the type of this configuration.

[Top](#)

See Also

[ISwDMConfiguration13 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

ISwDMConfiguration13 Interface Properties

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMConfiguration13 Interface

For a list of all members of this type, see [ISwDMConfiguration13 members](#).

Public Properties

Name	Description
type	Gets the type of this configuration.

[Top](#)

See Also

[ISwDMConfiguration13 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

type Property (ISwDMConfiguration13)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration13 Interface](#) : type Property (ISwDMConfiguration13)

Gets the type of this configuration.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property type As System.Integer
```

```
Dim instance As ISwDMConfiguration13  
Dim value As System.Integer  
  
value = instance.type
```

C#

```
System.int type {get;}
```

C++/CLI

```
property System.int type {  
    System.int get();  
}
```

Property Value

Configuration type as defined in [swDmConfigurationType](#)

 Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration13::type](#).

 Example

[Get Configuration Information \(VB.NET\)](#),
[Get Configuration Information \(C#\)](#)

 See Also

[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration13 Members](#)

 Availability

SOLIDWORKS Document Manager API 2010 SP05

ISwDMConfiguration14 (Type)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMConfiguration14 Interface

[See Also](#) [Members](#) [Example](#)



SolidWorks.Interop.swdocumentmgr Namespace : ISwDMConfiguration14 Interface

Accesses configuration-specific information for the part, assembly, or drawing document.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface ISwDMConfiguration14
    Inherits
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration13, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration14
```

C#

```
public interface ISwDMConfiguration14 :
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration13, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

C++/CLI

```
public interface class ISwDMConfiguration14 : public
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration13, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration14](#).

Example

[Get Configuration Information \(C#\)](#)
[Get Configuration Information \(VB.NET\)](#)

Remarks

- You can access an ISwDMConfiguration14 object by calling QueryInterface on an [ISwDMConfiguration](#) object in C++ or by direct assignment in Visual Basic.
- The ISwDMConfiguration object can be assigned to an ISwDMConfiguration14 variable, just like the SOLIDWORKS [IModelDoc2](#) object can be assigned to a SOLIDWORKS [IPartDoc](#) variable.

Accessors

[ISwDMConfigurationMgr::GetConfigurationByName](#)

See Also

[ISwDMConfiguration14 Members](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)

ISwDMConfiguration14 Interface Methods

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMConfiguration14 Interface

For a list of all members of this type, see [ISwDMConfiguration14 members](#).

Public Methods

Name	Description
GetCustomProperty2	Gets the specified custom property for this configuration.

[Top](#)

See Also

[ISwDMConfiguration14 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

ISwDMConfiguration14 Interface Members

[See Also](#) [Methods](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMConfiguration14 Interface

The following tables list the members exposed by [ISwDMConfiguration14](#).

Public Methods

Name	Description
GetCustomProperty2	Gets the specified custom property for this configuration.

[Top](#)

See Also

[ISwDMConfiguration14 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

GetCustomProperty2 Method (ISwDMConfiguration14)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration14 Interface](#) : GetCustomProperty2 Method (ISwDMConfiguration14)

Gets the specified custom property for this configuration.

.NET Syntax

Visual Basic (Declaration)

```
Function GetCustomProperty2( _
    ByVal FieldName As System.String, _
    ByRef type As SwDmCustomInfoType _
) As System.String
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration14
Dim FieldName As System.String
Dim type As SwDmCustomInfoType
Dim value As System.String

value = instance.GetCustomProperty2(FieldName, type)
```

C#

```
System.string GetCustomProperty2(
    System.string FieldName,
    out SwDmCustomInfoType type
)
```

C++/CLI

```
System.String^ GetCustomProperty2(
    & System.String^ FieldName,
    & [Out] SwDmCustomInfoType type
)
```

Parameters

FieldName

Name of custom property (see **Remarks**)

type

Type of custom property as defined by [SwDmCustomInfoType](#)

Return Value

Value of custom property

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration14::GetCustomProperty2](#).

Example

[Get Configuration Information \(C#\)](#)

[Get Configuration Information \(VB.NET\)](#)

Remarks

To populate *FieldName*, use [ISwDMConfiguration::GetCustomPropertyNames](#) to get the names of all of the custom properties.

This method returns an evaluated value:

- from when the file was last saved in SOLIDWORKS. If you used [ISwDMConfiguration::SetCustomProperty](#) to set a linked custom property, then you need to open and save the file in SOLIDWORKS before your DocumentMgr application calls this method to retrieve the evaluated value of the linked custom property.
- without the **fromparent+** preface for external referenced documents. Use [ISwDMConfiguration::GetCustomProperty](#) to return resolved evaluated values prefaced with **fromparent+**.

See Also

[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration14 Members](#)
[ISwDMConfiguration::AddCustomProperty](#)
[ISwDMConfiguration::DeleteCustomProperty](#)
[ISwDMConfiguration::GetCustomPropertyCount](#)
[ISwDMConfiguration4::GetAllCustomPropertyNamesAndValues Method \(\)](#)
[ISwDMConfiguration5::GetCustomPropertyValues Method \(\)](#)
[ISwDMDocument::GetCustomProperty Method \(\)](#)
[ISwDMDocument17::GetCustomProperty2 Method \(\)](#)
[ISwDMConfiguration15::IsCustomPropertyEditable Method \(\)](#)

Availability

SOLIDWORKS Document Manager API 2013 FCS

ISwDMConfiguration15 (Type)

ISwDMConfiguration15 Interface

[See Also](#) [Members](#)



SolidWorks.Interop.swdocumentmgr Namespace : ISwDMConfiguration15 Interface

Accesses configuration-specific information for the part, assembly, or drawing document.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface ISwDMConfiguration15
    Inherits
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration13, ISwDMConfiguration14, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration15
```

C#

```
public interface ISwDMConfiguration15 :
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration13, ISwDMConfiguration14, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

C++/CLI

```
public interface class ISwDMConfiguration15 : public
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration13, ISwDMConfiguration14, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration15](#).

Remarks

- You can access an ISwDMConfiguration15 object by calling QueryInterface on an [ISwDMConfiguration](#) object in C++ or by direct assignment in Visual Basic.
- The ISwDMConfiguration object can be assigned to an ISwDMConfiguration15 variable, just like the SOLIDWORKS [IModelDoc2](#) object can be assigned to a SOLIDWORKS [IPartDoc](#) variable.

Accessors

[ISwDMConfigurationMgr::GetConfigurationByName](#)

See Also

[ISwDMConfiguration15 Members](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

ISwDMConfiguration15 Interface Members

[See Also](#) [Properties](#) [Methods](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMConfiguration15 Interface

The following tables list the members exposed by [ISwDMConfiguration15](#).

Public Properties

Name	Description
ShowChildComponentsInBOM2	Gets whether to show child components in the bill of materials (BOM) for this configuration.

[Top](#)

Public Methods

Name	Description
IsCustomPropertyEditable	Gets whether the specified custom property is editable.

[Top](#)

See Also

[ISwDMConfiguration15 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMConfiguration15 Interface Methods

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMConfiguration15 Interface

For a list of all members of this type, see [ISwDMConfiguration15 members](#).

Public Methods

Name	Description
IsCustomPropertyEditable	Gets whether the specified custom property is editable.

[Top](#)

See Also

[ISwDMConfiguration15 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMConfiguration15 Interface Properties

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMConfiguration15 Interface

For a list of all members of this type, see [ISwDMConfiguration15 members](#).

Public Properties

Name	Description
ShowChildComponentsInBOM2	Gets whether to show child components in the bill of materials (BOM) for this configuration.



[Top](#)

See Also

[ISwDMConfiguration15 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

IsCustomPropertyEditable Method (ISwDMConfiguration15)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration15 Interface](#) : IsCustomPropertyEditable Method (ISwDMConfiguration15)

Gets whether the specified custom property is editable.

NET Syntax

Visual Basic (Declaration)

```
Sub IsCustomPropertyEditable( _  
    ByVal FieldName As System.String, _  
    ByRef IsEditable As System.Boolean _  
)
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration15  
Dim FieldName As System.String  
Dim IsEditable As System.Boolean  
  
instance.IsCustomPropertyEditable(FieldName, IsEditable)
```

C#

```
void IsCustomPropertyEditable(  
    System.string FieldName,  
    out System.bool IsEditable  
)
```

C++/CLI

```
void IsCustomPropertyEditable(  
& System.String^ FieldName,  
& [Out] System.bool IsEditable  
)
```

Parameters

FieldName
Name of the custom property (see **Remarks**)
IsEditable
True if editable, false if not

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration15::IsCustomPropertyEditable](#).

Remarks

To populate FieldName, use [ISwDMConfiguration::GetCustomPropertyNames](#) to get the names of all of the custom properties.

See Also

[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration15 Members](#)
[ISwDMConfiguration14::GetCustomProperty2 Method \(\)](#)
[ISwDMConfiguration4::GetAllCustomPropertyNamesAndValues Method \(\)](#)

Availability

SOLIDWORKS Document Manager API 2018 SP0

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ShowChildComponentsInBOM2 Property (ISwDMConfiguration15)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration15 Interface](#) : ShowChildComponentsInBOM2 Property (ISwDMConfiguration15)

Gets whether to show child components in the bill of materials (BOM) for this configuration.

.NET Syntax

Visual Basic (Declaration)

Property ShowChildComponentsInBOM2 As System.Integer

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration15  
Dim value As System.Integer  
  
instance.ShowChildComponentsInBOM2 = value  
  
value = instance.ShowChildComponentsInBOM2
```

C#

```
System.int ShowChildComponentsInBOM2 {get; set;}
```

C++/CLI

```
property System.int ShowChildComponentsInBOM2 {  
    System.int get();  
    void set ( &    System.int value);  
}
```

Property Value

Show child components in BOM as defined in [swDmShowChildComponentsInBOMResult](#)

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration15::ShowChildComponentsInBOM2](#)

Remarks

This property only supports documents saved in SOLIDWORKS 2009 and later.

See Also

[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration15 Members](#)

Availability

SOLIDWORKS Document Manager API 2018 SP0

ISwDMConfiguration16 (Type)

ISwDMConfiguration16 Interface

[See Also](#) [Members](#)



SolidWorks.Interop.swdocumentmgr Namespace : ISwDMConfiguration16 Interface

Accesses configuration-specific information for the part, assembly, or drawing document.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface ISwDMConfiguration16
    Inherits
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration13, ISwDMConfiguration14, ISwDMConfiguration15, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration16
```

C#

```
public interface ISwDMConfiguration16 :
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration13, ISwDMConfiguration14, ISwDMConfiguration15, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

C++/CLI

```
public interface class ISwDMConfiguration16 : public
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration13, ISwDMConfiguration14, ISwDMConfiguration15, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration16](#).

Remarks

- You can access an ISwDMConfiguration16 object by calling QueryInterface on an [ISwDMConfiguration](#) object in C++ or by direct assignment in Visual Basic.
- The ISwDMConfiguration object can be assigned to an ISwDMConfiguration16 variable, just like the SOLIDWORKS [IModelDoc2](#) object can be assigned to a SOLIDWORKS [IPartDoc](#) variable.

Accessors

[ISwDMConfigurationMgr::GetConfigurationByName](#)

See Also

[ISwDMConfiguration16 Members](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

ISwDMConfiguration16 Interface Members

[See Also](#) [Methods](#)



SolidWorks.Interop.swdocumentmgr Namespace : ISwDMConfiguration16 Interface

The following tables list the members exposed by [ISwDMConfiguration16](#).

Public Methods

Name	Description
GetCutListItems	Gets the cut-list items for this configuration.

[Top](#)

See Also

[ISwDMConfiguration16 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMConfiguration16 Interface Methods

[See Also](#)



SolidWorks.Interop.swdocumentmgr Namespace : ISwDMConfiguration16 Interface

For a list of all members of this type, see [ISwDMConfiguration16 members](#).

Public Methods

Name	Description
GetCutListItems	Gets the cut-list items for this configuration.

[Top](#)

See Also

[ISwDMConfiguration16 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration18 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

GetCutListItems Method (ISwDMConfiguration16)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration16 Interface](#) : GetCutListItems Method (ISwDMConfiguration16)

Gets the cut-list items for this configuration.

.NET Syntax

Visual Basic (Declaration)

Function GetCutListItems() As System.Object

Visual Basic (Usage)

Dim instance As [ISwDMConfiguration16](#)
Dim value As System.Object



Copy Code

```
value = instance.GetCutListItems()
```

C#

```
System.Object GetCutListItems()
```

C++/CLI

```
System.Object^ GetCutListItems();
```

Return Value

Array of [cut-list items](#)

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration16::GetCutListItems](#).

Example

[Get, Add, Change, and Delete Cut-List Custom Properties \(VB.NET\)](#)
[Get, Add, Change, and Delete Cut-List Custom Properties \(C#\)](#)

Remarks

This method only works with documents saved in SOLIDWORKS 2019 or later for:

- the active configuration
- OR -
- those configurations for which **Add Rebuild on Save Mark** was selected in the SOLIDWORKS ConfigurationManager before the document was saved.

See Also

[ISwDMConfiguration16 Interface](#)
[ISwDMConfiguration16 Members](#)

Availability

SOLIDWORKS Document Manager API 2019 SP0

ISwDMConfiguration17 (Type)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMConfiguration17 Interface

[See Also](#) [Members](#) [Example](#)



SolidWorks.Interop.swdocumentmgr Namespace : ISwDMConfiguration17 Interface

Accesses configuration-specific information for the part, assembly, or drawing document.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface ISwDMConfiguration17
    Inherits
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration13, ISwDMConfiguration14, ISwDMConfiguration15, ISwDMConfiguration16, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration17
```

C#

```
public interface ISwDMConfiguration17 :
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration13, ISwDMConfiguration14, ISwDMConfiguration15, ISwDMConfiguration16, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

C++/CLI

```
public interface class ISwDMConfiguration17 : public
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration13, ISwDMConfiguration14, ISwDMConfiguration15, ISwDMConfiguration16, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration17](#).

Example

[Get Configuration Information \(VB.NET\)](#)
[Get Configuration Information \(C#\)](#)

Remarks

- You can access an ISwDMConfiguration17 object by calling QueryInterface on an [ISwDMConfiguration](#) object in C++ or by direct assignment in Visual Basic.
- The ISwDMConfiguration object can be assigned to an ISwDMConfiguration17 variable, just like the SOLIDWORKS [IModelDoc2](#) object can be assigned to a SOLIDWORKS [IPartDoc](#) variable.

Accessors

[ISwDMConfigurationMgr::GetConfigurationByName](#)

See Also

[ISwDMConfiguration17 Members](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)

[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfiguration18 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMConfiguration17 Interface Members

[See Also](#) [Methods](#)

[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMConfiguration17 Interface

The following tables list the members exposed by [ISwDMConfiguration17](#).

Public Methods

Name	Description
 Get3DExperienceType	Gets how SOLIDWORKS Design connected to the 3DEXPERIENCE platform views this configuration.
 GetRepresentationParent	Gets the Physical Product represented by this configuration in SOLIDWORKS Design connected to the 3DEXPERIENCE platform .

[Top](#)

See Also

[ISwDMConfiguration17 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfiguration18 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMConfiguration17 Interface Methods

[See Also](#)

[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMConfiguration17 Interface

For a list of all members of this type, see [ISwDMConfiguration17 members](#).

Public Methods

Name	Description
 Get3DExperienceType	Gets how SOLIDWORKS Design connected to the 3DEXPERIENCE platform views this configuration.
 GetRepresentationParent	Gets the Physical Product represented by this configuration in SOLIDWORKS Design connected to the 3DEXPERIENCE platform .

[Top](#)

See Also

[ISwDMConfiguration17 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfiguration18 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

Get3DExperienceType Method (ISwDMConfiguration17)

[See Also](#)

[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration17 Interface](#) : Get3DExperienceType Method (ISwDMConfiguration17)

Gets how [SOLIDWORKS Design connected to the 3DEXPERIENCE platform](#) views this configuration.

.NET Syntax

Visual Basic (Declaration)

```
Function Get3DExperienceType() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration17  
Dim value As System.Integer  
  
value = instance.Get3DExperienceType()
```

C#

```
System.int Get3DExperienceType()
```

C++/CLI

```
System.int Get3DExperienceType();
```

Return Value

Treatment of this configuration as defined by [swDm3DExperienceCfgType_e](#)

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration17::Get3DExperienceType](#).

Example

See the [ISwDMConfiguration17](#) examples.

See Also

[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration17 Members](#)
[ISwDMConfiguration17::GetRepresentationParent Method \(\)](#)

Availability

SOLIDWORKS Document Manager API 2020 SP03.1

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

GetRepresentationParent Method (ISwDMConfiguration17)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration17 Interface](#) : GetRepresentationParent Method (ISwDMConfiguration17)

Gets the Physical Product represented by this configuration in [SOLIDWORKS Design connected to the 3DEXPERIENCE platform](#).

.NET Syntax

Visual Basic (Declaration)

```
Function GetRepresentationParent() As System.String
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration17  
Dim value As System.String  
  
value = instance.GetRepresentationParent()
```

C#

```
System.string GetRepresentationParent()
```

C++/CLI

```
System.String^ GetRepresentationParent();
```

Return Value

Physical Product name

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration17::GetRepresentationParent](#).

Example

See the [ISwDMConfiguration17](#) examples.

Remarks

This method is valid only:

- For [SOLIDWORKS Design connected to the 3DEXPERIENCE platform](#)
- and -
- If [ISwDMConfiguration17::Get3DEXperienceType](#) does not return 0.

See Also

[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration17 Members](#)

Availability

SOLIDWORKS Document Manager API 2020 SP03.1

ISwDMConfiguration18 (Type)

ISwDMConfiguration18 Interface

[See Also](#) [Members](#)



SolidWorks.Interop.swdocumentmgr Namespace : ISwDMConfiguration18 Interface

Accesses configuration-specific information for the part, assembly, or drawing document.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

Visual Basic Syntax

Visual Basic (Declaration)

```
Public Interface ISwDMConfiguration18
    Inherits
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration13, ISwDMConfiguration14, ISwDMConfiguration15, ISwDMConfiguration16, ISwDMConfiguration17, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration18
```

C#

```
public interface ISwDMConfiguration18 :
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration13, ISwDMConfiguration14, ISwDMConfiguration15, ISwDMConfiguration16, ISwDMConfiguration17, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

C++/CLI

```
public interface class ISwDMConfiguration18 : public
    ISwDMConfiguration, ISwDMConfiguration10, ISwDMConfiguration11, ISwDMConfiguration12, ISwDMConfiguration13, ISwDMConfiguration14, ISwDMConfiguration15, ISwDMConfiguration16, ISwDMConfiguration17, ISwDMConfiguration2, ISwDMConfiguration3, ISwDMConfiguration4, ISwDMConfiguration5, ISwDMConfiguration6, ISwDMConfiguration7, ISwDMConfiguration8, ISwDMConfiguration9
```

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration18](#).

Remarks

- You can access an ISwDMConfiguration18 object by calling QueryInterface on an [ISwDMConfiguration](#) object in C++ or by direct assignment in Visual Basic.
- The ISwDMConfiguration object can be assigned to an ISwDMConfiguration18 variable, just like the SOLIDWORKS [IModelDoc2](#) object can be assigned to a SOLIDWORKS [IPartDoc](#) variable.

Accessors

[ISwDMConfigurationMgr::GetConfigurationByName](#)

See Also

[ISwDMConfiguration18 Members](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfigurationMgr Interface](#)

ISwDMConfiguration18 Interface Methods

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMConfiguration18 Interface

For a list of all members of this type, see [ISwDMConfiguration18 members](#).

Public Methods

Name	Description
 SetCustomProperty2	Sets the specified custom property for this configuration.

[Top](#)

See Also

[ISwDMConfiguration18 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfigurationMgr Interface](#)

ISwDMConfiguration18 Interface Members

[See Also](#) [Methods](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMConfiguration18 Interface

The following tables list the members exposed by [ISwDMConfiguration18](#).

Public Methods

Name	Description
 SetCustomProperty2	Sets the specified custom property for this configuration.

[Top](#)

See Also

[ISwDMConfiguration18 Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMConfiguration17 Interface](#)
[ISwDMConfiguration16 Interface](#)
[ISwDMConfiguration15 Interface](#)
[ISwDMConfiguration14 Interface](#)
[ISwDMConfiguration13 Interface](#)
[ISwDMConfiguration12 Interface](#)
[ISwDMConfiguration11 Interface](#)
[ISwDMConfiguration10 Interface](#)
[ISwDMConfiguration9 Interface](#)
[ISwDMConfiguration8 Interface](#)
[ISwDMConfiguration7 Interface](#)
[ISwDMConfiguration6 Interface](#)
[ISwDMConfiguration5 Interface](#)
[ISwDMConfiguration4 Interface](#)
[ISwDMConfiguration3 Interface](#)
[ISwDMConfiguration2 Interface](#)
[ISwDMConfiguration Interface](#)
[ISwDMConfigurationMgr2 Interface](#)
[ISwDMConfigurationMgr Interface](#)

SetCustomProperty2 Method (ISwDMConfiguration18)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMConfiguration18 Interface](#) : SetCustomProperty2 Method (ISwDMConfiguration18)

Sets the specified custom property for this configuration.

.NET Syntax

Visual Basic (Declaration)

```
Function SetCustomProperty2( _  
    ByVal FieldName As System.String, _
```

```
ByVal newValue As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As ISwDMConfiguration18  
Dim fieldName As System.String  
Dim newValue As System.String  
Dim value As System.Boolean  
  
value = instance.SetCustomProperty2(fieldName, newValue)
```

C#

```
System.bool SetCustomProperty2(  
    System.string fieldName,  
    System.string newValue  
)
```

C++/CLI

```
System.bool SetCustomProperty2(  
& System.String^ fieldName,  
& System.String^ newValue  
)
```

Parameters

fieldName
Custom property to set
newValue
Value for custom property

Return Value

True if custom property successfully set, false if not

Visual Basic for Applications (VBA) Syntax

See [SwDMConfiguration18::SetCustomProperty2](#).

Remarks

This method sets an existing custom property.

Before calling this method, call [ISwDMConfiguration::GetCustomPropertyNames](#) to populate fieldName.

If you call this method to set a linked custom property with an expression value, then you need to open and save the file in SOLIDWORKS before calling [ISwDMConfiguration::GetCustomProperty](#), [ISwDMConfiguration14::GetCustomProperty2](#), [ISwDMConfiguration4::GetAllCustomPropertyNamesAndValues](#), or [ISwDMConfiguration5::GetCustomPropertyValues](#). SOLIDWORKS needs to process the linked custom property before your DocumentMgr application attempts to get its evaluated value.

See Also

[ISwDMConfiguration18 Interface](#)
[ISwDMConfiguration18 Members](#)
[ISwDMConfiguration::AddCustomProperty Method \(\)](#)
[ISwDMConfiguration::DeleteCustomProperty Method \(\)](#)
[ISwDMConfiguration::GetCustomPropertyCount Method \(\)](#)
[ISwDMConfiguration::GetCustomPropertyNames Method \(\)](#)
[ISwDMDocument29::SetCustomProperty2 Method \(\)](#)

Availability

SOLIDWORKS Document Manager API 2023 FCS