

ISwDMDimXpertSymmetryGeoTol (Type)

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

ISwDMDimXpertSymmetryGeoTol Interface

[See Also](#) [Members](#) [Example](#)

[SolidWorks.Interop.swdocumentmgr.Namespace](#) : ISwDMDimXpertSymmetryGeoTol Interface

Allows you to access DimXpert symmetry geometric tolerance information.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

■ .NET Syntax

Visual Basic (Declaration)

Public Interface ISwDMDimXpertSymmetryGeoTol

Visual Basic (Usage)

Dim instance As [ISwDMDimXpertSymmetryGeoTol](#)

C#

public interface ISwDMDimXpertSymmetryGeoTol

C++/CLI

public interface class ISwDMDimXpertSymmetryGeoTol

■ Visual Basic for Applications (VBA) Syntax

See [SwDMDimXpertSymmetryGeoTol](#).

■ Example

[Get DimXpert Tolerance2 \(VB .NET\)](#)
[Get DimXpert Tolerance2 \(C#\)](#)

■ Remarks

You can access more general information from [ISwDMDimXpertGeometricTolerance](#).

■ Accessors

[ISwDMDimXpertPart.GetAnnotations](#) and [ISwDMDimXpertPart.IGetAnnotations](#)

■ See Also

[ISwDMDimXpertSymmetryGeoTol Members](#)
[SolidWorks.Interop.swdocumentmgr.Namespace](#)

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

ISwDMDimXpertSymmetryGeoTol Interface Members

[See Also](#) [Properties](#) [Methods](#)

[SolidWorks.Interop.swdocumentmgr.Namespace](#) : ISwDMDimXpertSymmetryGeoTol Interface

The following tables list the members exposed by [ISwDMDimXpertSymmetryGeoTol](#).

■ Public Properties

Name	Description
 Modifier	Gets the material condition modifier for this DimXpert symmetry geometric tolerance.

[Top](#)

■ Public Methods

Name	Description
 GetMaxTolerance	Gets the maximum tolerance for this DimXpert symmetry geometric tolerance.
 GetZoneDirection	Gets the zone direction of this DimXpert symmetry geometric tolerance.

[Top](#)

■ See Also

[ISwDMDimXpertSymmetryGeoTol Interface](#)
[SolidWorks.Interop.swdocumentmgr.Namespace](#)

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

ISwDMDimXpertSymmetryGeoTol Interface Methods

[See Also](#)

[SolidWorks.Interop.swdocumentmgr.Namespace](#) : ISwDMDimXpertSymmetryGeoTol Interface

For a list of all members of this type, see [ISwDMDimXpertSymmetryGeoTol members](#).

■ Public Methods

Name	Description
 GetMaxTolerance	Gets the maximum tolerance for this DimXpert symmetry geometric tolerance.
 GetZoneDirection	Gets the zone direction of this DimXpert symmetry geometric tolerance.

[Top](#)

■ See Also

ISwDMDimXpertSymmetryGeoTol Interface Properties

[See Also](#)

 [SolidWorks.Interop.svdocumentmgr Namespace](#) : ISwDMDimXpertSymmetryGeoTol Interface

For a list of all members of this type, see [ISwDMDimXpertSymmetryGeoTol members](#).

 Public Properties

Name	Description
 Modifier	Gets the material condition modifier for this DimXpert symmetry geometric tolerance.

[Top](#)

 See Also

[ISwDMDimXpertSymmetryGeoTol Interface](#)
[SolidWorks.Interop.svdocumentmgr Namespace](#)

GetMaxTolerance Method (ISwDMDimXpertSymmetryGeoTol)

[See Also](#)

 [SolidWorks.Interop.svdocumentmgr Namespace](#) > [ISwDMDimXpertSymmetryGeoTol Interface](#) : GetMaxTolerance Method (ISwDMDimXpertSymmetryGeoTol)

Gets the maximum tolerance for this DimXpert symmetry geometric tolerance.

 .NET Syntax

Visual Basic (Declaration)

```
Function GetMaxTolerance( _  
    ByRef IsMax As System.Boolean, _  
    ByRef Tolerance As System.Double _  
) As System.Boolean
```

Visual Basic (Usage)

```
Dim instance As ISwDMDimXpertSymmetryGeoTol  
Dim IsMax As System.Boolean  
Dim Tolerance As System.Double  
Dim value As System.Boolean  
  
value = instance.GetMaxTolerance(IsMax, Tolerance)
```

C#

```
System.bool GetMaxTolerance(  
    out System.bool IsMax,  
    out System.double Tolerance  
)
```

C++/CLI

```
System.bool GetMaxTolerance(  
& [Out] System.bool IsMax,  
& [Out] System.double Tolerance  
)
```

Parameters

IsMax
True, if maximum tolerance is set; false, otherwise
Tolerance
Maximum tolerance

Return Value

True if method call is successful; false otherwise

 Visual Basic for Applications (VBA) Syntax

See [SwDMDimXpertSymmetryGeoTol.GetMaxTolerance](#).

 Example

See the examples on the interface page.

 See Also

[ISwDMDimXpertSymmetryGeoTol Interface](#)
[ISwDMDimXpertSymmetryGeoTol Members](#)

 Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

GetZoneDirection Method (ISwDMDimXpertSymmetryGeoTol)

[See Also](#)

 [SolidWorks.Interop.svdocumentmgr Namespace](#) > [ISwDMDimXpertSymmetryGeoTol Interface](#) : GetZoneDirection Method (ISwDMDimXpertSymmetryGeoTol)

Gets the zone direction of this DimXpert symmetry geometric tolerance.

 .NET Syntax

Visual Basic (Declaration)

```
Function GetZoneDirection( _  
    ByRef I As System.Double, _  
    ByRef J As System.Double, _  
    ByRef K As System.Double _  
) As System.Boolean
```

Visual Basic (Usage)

```
Dim instance As ISwDMDimXpertSymmetryGeoTol  
Dim I As System.Double  
Dim J As System.Double  
Dim K As System.Double  
Dim value As System.Boolean  
  
value = instance.GetZoneDirection(I, J, K)
```

C#

```
System.bool GetZoneDirection(  
    out System.double I,  
    out System.double J,  
    out System.double K  
)
```

C++/CLI

```
System.bool GetZoneDirection(  
& [Out] System.double I,  
& [Out] System.double J,  
& [Out] System.double K  
)
```

Parameters

I
i component of zone direction vector
J
j component of zone direction vector
K
k component of zone direction vector

Return Value

True if method call is successful; false otherwise

Visual Basic for Applications (VBA) Syntax

See [SwDMDimXpertSymmetryGeoTol::GetZoneDirection](#).

Example

See the examples on the interface page.

See Also

[ISwDMDimXpertSymmetryGeoTol Interface](#)
[SwDMDimXpertSymmetryGeoTol Members](#)

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

SOLIDWORKS Document Manager API Help

Modifier Property (ISwDMDimXpertSymmetryGeoTol)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDimXpertSymmetryGeoTol Interface](#) : Modifier Property (ISwDMDimXpertSymmetryGeoTol)
Gets the material condition modifier for this DimXpert symmetry geometric tolerance.

[Send comments on this topic.](#)

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property Modifier As swDmDimXpertMaterialConditionModifier\_e
```

Visual Basic (Usage)

```
Dim instance As ISwDMDimXpertSymmetryGeoTol  
Dim value As swDmDimXpertMaterialConditionModifier\_e  
  
value = instance.Modifier
```

C#

```
swDmDimXpertMaterialConditionModifier\_e Modifier {get;}
```

C++/CLI

```
property swDmDimXpertMaterialConditionModifier\_e Modifier {  
    swDmDimXpertMaterialConditionModifier\_e get();  
}
```

Property Value

Material condition modifier as defined in [swDmDimXpertMaterialConditionModifier_e](#)

Visual Basic for Applications (VBA) Syntax

See [SwDMDimXpertSymmetryGeoTol::Modifier](#).

Example

See the examples on the interface page.

See Also

[ISwDMDimXpertSymmetryGeoTol Interface](#)
[ISwDMDimXpertSymmetryGeoTol Members](#)

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

ISwDMDimXpertTangencyGeoTol (Type)

ISwDMDimXpertTangencyGeoTol Interface

[See Also](#) [Members](#) [Example](#)

[SolidWorks.Interop.swdocumentmgr.Namespace](#) : ISwDMDimXpertTangencyGeoTol Interface

Allows you to access DimXpert tangency geometric tolerance information.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

■ .NET Syntax

Visual Basic (Declaration)

Public Interface ISwDMDimXpertTangencyGeoTol

Visual Basic (Usage)

Dim instance As [ISwDMDimXpertTangencyGeoTol](#)

C#

public interface ISwDMDimXpertTangencyGeoTol

C++/CLI

public interface class ISwDMDimXpertTangencyGeoTol

■ Visual Basic for Applications (VBA) Syntax

See [SwDMDimXpertTangencyGeoTol](#)

■ Example

[Get DimXpert Tolerances \(VB .NET\)](#)
[Get DimXpert Tolerances \(C#\)](#)

■ Remarks

You can access more general information from [ISwDMDimXpertGeometricTolerance](#).

■ Accessors

[ISwDMDimXpertPart.GetAnnotations](#) and [ISwDMDimXpertPart.IGetAnnotations](#)

■ See Also

[ISwDMDimXpertTangencyGeoTol Members](#)
[SolidWorks.Interop.swdocumentmgr.Namespace](#)

ISwDMDimXpertTangencyGeoTol Interface Methods

[See Also](#)

[SolidWorks.Interop.swdocumentmgr.Namespace](#) : ISwDMDimXpertTangencyGeoTol Interface

For a list of all members of this type, see [ISwDMDimXpertTangencyGeoTol members](#).

■ Public Methods

Name	Description
 GetOriginFeature	Gets the DimXpert feature of origin for this DimXpert tangency geometric tolerance.

[Top](#)

■ See Also

[ISwDMDimXpertTangencyGeoTol Interface](#)
[SolidWorks.Interop.swdocumentmgr.Namespace](#)

ISwDMDimXpertTangencyGeoTol Interface Members

[See Also](#) [Methods](#)

[SolidWorks.Interop.swdocumentmgr.Namespace](#) : ISwDMDimXpertTangencyGeoTol Interface

The following tables list the members exposed by [ISwDMDimXpertTangencyGeoTol](#).

■ Public Methods

Name	Description
 GetOriginFeature	Gets the DimXpert feature of origin for this DimXpert tangency geometric tolerance.

[Top](#)

■ See Also

[ISwDMDimXpertTangencyGeoTol Interface](#)
[SolidWorks.Interop.swdocumentmgr.Namespace](#)

GetOriginFeature Method (ISwDMDimXpertTangencyGeoTol)

[See Also](#)

[SolidWorks.Interop.swdocumentmgr.Namespace](#) > [ISwDMDimXpertTangencyGeoTol Interface](#) : GetOriginFeature Method (ISwDMDimXpertTangencyGeoTol)

Gets the DimXpert feature of origin for this DimXpert tangency geometric tolerance.

■ .NET Syntax

Visual Basic (Declaration)

```
Function GetOriginFeature(  
    ByRef Feature As SwDMDimXpertFeature _  
) As System.Boolean
```

Visual Basic (Usage)

```
Dim instance As ISwDMDimXpertTangencyGeoTol  
Dim Feature As SwDMDimXpertFeature  
Dim value As System.Boolean  
  
value = instance.GetOriginFeature(Feature)
```

C#

```
System.bool GetOriginFeature(  
    out SwDMDimXpertFeature Feature  
)
```

C++/CLI

```
System.bool GetOriginFeature(  
& [Out] SwDMDimXpertFeature^ Feature  
)
```

Parameters

Feature
[ISwDMDimXpertFeature](#)

Return Value

True if method call is successful; false otherwise

Visual Basic for Applications (VBA) Syntax

See [SwDMDimXpertTangencyGeoTol.GetOriginFeature](#).

Example

See the examples on the interface page.

See Also

[ISwDMDimXpertTangencyGeoTol Interface](#)
[ISwDMDimXpertTangencyGeoTol Members](#)

Availability

SOLIDWORKS 2010 FCS, Revision Number 18.0

ISwDMDimXpertTotalRunoutGeoTol (Type)

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

ISwDMDimXpertTotalRunoutGeoTol Interface

[See Also](#) [Members](#) [Example](#)

SolidWorks.Interop.swdocumentmgr Namespace : ISwDMDimXpertTotalRunoutGeoTol Interface

Allows you to access DimXpert total runout geometric tolerance information.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

NET Syntax

Visual Basic (Declaration)

Public Interface ISwDMDimXpertTotalRunoutGeoTol

Visual Basic (Usage)

Dim instance As [ISwDMDimXpertTotalRunoutGeoTol](#)

C#

public interface ISwDMDimXpertTotalRunoutGeoTol

C++/CLI

public interface class ISwDMDimXpertTotalRunoutGeoTol

Visual Basic for Applications (VBA) Syntax

See [SwDMDimXpertTotalRunoutGeoTol](#).

Example

[Get DimXpert Tolerances8 \(VB .NET\)](#)
[Get DimXpert Tolerances8 \(C#\)](#)

Remarks

You can access more general information from [ISwDMDimXpertGeometricTolerance](#).

Accessors

[ISwDMDimXpertPart.GetAnnotations](#) and [ISwDMDimXpertPart.IGetAnnotations](#)

See Also

[ISwDMDimXpertTotalRunoutGeoTol Members](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

ISwDMDimXpertTotalRunoutGeoTol Interface Members

[See Also](#)

SolidWorks.Interop.swdocumentmgr Namespace : ISwDMDimXpertTotalRunoutGeoTol Interface

The following tables list the members exposed by [ISwDMDimXpertTotalRunoutGeoTol](#).

See Also

[ISwDMDimXpertTotalRunoutGeoTol Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)

ISwDMDimXpertWidthDimTol (Type)

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

ISwDMDimXpertWidthDimTol Interface

[See Also](#) [Members](#) [Example](#)

[SolidWorks.Interop.swdocumentmgr.Namespace](#) : ISwDMDimXpertWidthDimTol Interface

Allows you to access tolerance information for DimXpert width dimensions.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

NET Syntax

Visual Basic (Declaration)

Public Interface ISwDMDimXpertWidthDimTol

Visual Basic (Usage)



Dim instance As [ISwDMDimXpertWidthDimTol](#)

C#

public interface ISwDMDimXpertWidthDimTol

C++/CLI

public interface class ISwDMDimXpertWidthDimTol

Visual Basic for Applications (VBA) Syntax

See [SwDMDimXpertWidthDimTol](#)

Example

[Get DimXpert Tolerance1 \(VB .NET\)](#)
[Get DimXpert Tolerance1 \(C#\)](#)

Remarks

You can access more general information from [ISwDMDimXpertDimensionTolerance](#).

Accessors

[ISwDMDimXpertPart.GetAnnotations](#) and [ISwDMDimXpertPart.IGetAnnotations](#)

See Also

[ISwDMDimXpertWidthDimTol Members](#)
[SolidWorks.Interop.swdocumentmgr.Namespace](#)

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

ISwDMDimXpertWidthDimTol Interface Members

[See Also](#)

[SolidWorks.Interop.swdocumentmgr.Namespace](#) : ISwDMDimXpertWidthDimTol Interface

The following tables list the members exposed by [ISwDMDimXpertWidthDimTol](#).

See Also

[ISwDMDimXpertWidthDimTol Interface](#)
[SolidWorks.Interop.swdocumentmgr.Namespace](#)

ISwDMDocument (Type)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMDocument Interface

[See Also](#) [Members](#) [Example](#)

[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMDocument Interface

Accesses the document.

NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

Public Interface ISwDMDocument

Visual Basic (Usage)

Dim instance As [ISwDMDocument](#)

C#

public interface ISwDMDocument

C++/CLI

public interface class ISwDMDocument

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument](#).

Example

[Get Current Name of Configuration of Suppressed Component \(VB.NET\)](#)
[Get Current Name of Configuration of Suppressed Component \(C#\)](#)
[Get XML Stream \(C#\)](#)
[Get XML Stream \(VB.NET\)](#)
[Get Hyperlinks \(C#\)](#)
[Get Hyperlinks \(VB.NET\)](#)
[Get Configuration Information \(C#\)](#)
[Get Configuration Information \(VB.NET\)](#)

Remarks

Before you can access this object, you must call [ISwDMApplcation::GetDocument](#).

Accessors

[ISwDMApplcation::GetDocument](#)

[ISwDMConfiguration::Document](#)

[ISwDMConfigurationMgr::Document](#)

See Also

[ISwDMDocument Members](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMDocument3 Interface](#)
[ISwDMDocument4 Interface](#)
[ISwDMDocument5 Interface](#)
[ISwDMDocument6 Interface](#)
[ISwDMDocument7 Interface](#)
[ISwDMDocument8 Interface](#)
[ISwDMDocument10 Interface](#)
[ISwDMDocument13 Interface](#)
[ISwDMDocument14 Interface](#)
[ISwDMDocument15 Interface](#)
[ISwDMDocument16 Interface](#)
[ISwDMDocument17 Interface](#)
[ISwDMDocument18 Interface](#)
[ISwDMDocument19 Interface](#)
[ISwDMDocument20 Interface](#)
[ISwDMDocument21 Interface](#)
[ISwDMDocument22 Interface](#)
[ISwDMDocument24 Interface](#)
[ISwDMDocument25 Interface](#)
[ISwDMDocument26 Interface](#)
[ISwDMDocument27 Interface](#)
[ISwDMDocument28 Interface](#)
[ISwDMDocument29 Interface](#)
[ISwDMDocument30 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ISwDMDocument Interface Members

[See Also](#) [Properties](#) [Methods](#)

[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMDocument Interface

The following tables list the members exposed by [ISwDMDocument](#).

Public Properties

Name	Description
 Application	Gets the application for this document.
 Author	Gets or sets the name of the person who authored this document.
 Comments	Gets or sets the comments for this document.
 ConfigurationManager	Gets the ConfigurationMgr for this document.
 CreationDate	Gets the date in string format that this document was created.
 FullName	Gets the full path and filename of this document.
 Keywords	Gets or sets the keywords for this document.
 LastSavedBy	Gets the name of the person who last saved this document.
 LastSavedDate	Gets the date in string format that this document was last saved.

 Subject	Gets or sets the subject text for this document.
 Title	Gets or sets the title for this document.
 ToolboxPath	Gets or sets whether this file is a SOLIDWORKS Toolbox file.

[Top](#)

Public Methods

Name	Description
 AddCustomProperty	Adds a custom property to document.
 CloseDoc	Closes the document.
 DeleteCustomProperty	Deletes the specified custom property from this document.
 GetAllExternalReferences	Obsolete. Superseded by ISwDMDocument6::GetAllExternalReferences2
 GetCustomProperty	Gets the specified custom property for this document.
 GetCustomPropertyCount	Gets the number of custom properties for this document.
 GetCustomPropertyNames	Gets the names of the custom properties for this document.
 GetDrawingData	Obsolete as of SOLIDWORKS Document Manager API 2005 FCS. Not superseded.
 GetHyperlinkAt	Gets the embedded hyperlinks at the specified index for this document.
 GetHyperlinkAtCount	Gets the number of embedded hyperlinks for this document.
 GetLastUpdateStamp	Gets the date on which this document was last updated.
 GetVersion	Gets the version of this document.
 GetXmlStream	Gets the embedded XML data for this assembly and saves it to an XML document.
 IsDetachedDrawing	Gets whether this file is a detached drawing.
 ModifyHyperlinkAt	Sets the embedded hyperlink at the specified index for this document.
 ReplaceReference	Changes all instances of the specified original reference to the specified replacement reference in this document.
 Save	Saves the document.
 SaveAs	Saves the document as the specified filename.
 SetCustomProperty	Obsolete. Superseded by ISwDMDocument29::SetCustomProperty2
 WhereUsed	Gets the names of the files that reference this document using the specified search options.

[Top](#)

See Also

[ISwDMDocument Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwDMDocument3 Interface](#)
[ISwDMDocument4 Interface](#)
[ISwDMDocument5 Interface](#)
[ISwDMDocument6 Interface](#)
[ISwDMDocument7 Interface](#)
[ISwDMDocument8 Interface](#)
[ISwDMDocument10 Interface](#)
[ISwDMDocument13 Interface](#)
[ISwDMDocument14 Interface](#)
[ISwDMDocument15 Interface](#)
[ISwDMDocument16 Interface](#)
[ISwDMDocument17 Interface](#)
[ISwDMDocument18 Interface](#)
[ISwDMDocument19 Interface](#)
[ISwDMDocument20 Interface](#)
[ISwDMDocument21 Interface](#)
[ISwDMDocument22 Interface](#)
[ISwDMDocument24 Interface](#)
[ISwDMDocument25 Interface](#)
[ISwDMDocument26 Interface](#)
[ISwDMDocument27 Interface](#)
[ISwDMDocument28 Interface](#)
[ISwDMDocument29 Interface](#)
[ISwDMDocument30 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

ISwDMDocument Interface Methods

[See Also](#)

[SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwDMDocument Interface

For a list of all members of this type, see [ISwDMDocument members](#).

Public Methods

Name	Description
 AddCustomProperty	Adds a custom property to document.
 CloseDoc	Closes the document.
 DeleteCustomProperty	Deletes the specified custom property from this document.
 GetAllExternalReferences	Obsolete. Superseded by ISwDMDocument6::GetAllExternalReferences2
 GetCustomProperty	Gets the specified custom property for this document.
 GetCustomPropertyCount	Gets the number of custom properties for this document.
 GetCustomPropertyNames	Gets the names of the custom properties for this document.
 GetDrawingData	Obsolete as of SOLIDWORKS Document Manager API 2005 FCS. Not superseded.
 GetHyperlinkAt	Gets the embedded hyperlinks at the specified index for this document.
 GetHyperlinkAtCount	Gets the number of embedded hyperlinks for this document.
 GetLastUpdateStamp	Gets the date on which this document was last updated.
 GetVersion	Gets the version of this document.
 GetXmlStream	Gets the embedded XML data for this assembly and saves it to an XML document.
 IsDetachedDrawing	Gets whether this file is a detached drawing.
 ModifyHyperlinkAt	Sets the embedded hyperlink at the specified index for this document.

 ReplaceReference	Changes all instances of the specified original reference to the specified replacement reference in this document.
 Save	Saves the document.
 SaveAs	Saves the document as the specified filename.
 SetCustomProperty	Obsolete Superseded by ISwMDocument28-SetCustomProperty
 WhereUsed	Gets the names of the files that reference this document using the specified search options.

[Top](#)

See Also

[ISwMDocument Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwMDocument3 Interface](#)
[ISwMDocument4 Interface](#)
[ISwMDocument5 Interface](#)
[ISwMDocument6 Interface](#)
[ISwMDocument7 Interface](#)
[ISwMDocument8 Interface](#)
[ISwMDocument10 Interface](#)
[ISwMDocument13 Interface](#)
[ISwMDocument14 Interface](#)
[ISwMDocument15 Interface](#)
[ISwMDocument16 Interface](#)
[ISwMDocument17 Interface](#)
[ISwMDocument18 Interface](#)
[ISwMDocument19 Interface](#)
[ISwMDocument20 Interface](#)
[ISwMDocument21 Interface](#)
[ISwMDocument22 Interface](#)
[ISwMDocument24 Interface](#)
[ISwMDocument25 Interface](#)
[ISwMDocument26 Interface](#)
[ISwMDocument27 Interface](#)
[ISwMDocument28 Interface](#)
[ISwMDocument29 Interface](#)
[ISwMDocument30 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

ISwMDocument Interface Properties

[See Also](#)

 [SolidWorks.Interop.swdocumentmgr Namespace](#) : ISwMDocument Interface

For a list of all members of this type, see [ISwMDocument members](#).

Public Properties

Name	Description
 Application	Gets the application for this document.
 Author	Gets or sets the name of the person who authored this document.
 Comments	Gets or sets the comments for this document.
 ConfigurationManager	Gets the ConfigurationManager for this document.
 CreationDate	Gets the date in string format that this document was created.
 FullName	Gets the full path and filename of this document.
 Keywords	Gets or sets the keywords for this document.
 LastSavedBy	Gets the name of the person who last saved this document.
 LastSavedDate	Gets the date in string format that this document was last saved.
 Subject	Gets or sets the subject text for this document.
 Title	Gets or sets the title for this document.
 ToolboxPart	Gets or sets whether this file is a SOLIDWORKS Toolbox file.

[Top](#)

See Also

[ISwMDocument Interface](#)
[SolidWorks.Interop.swdocumentmgr Namespace](#)
[ISwMDocument3 Interface](#)
[ISwMDocument4 Interface](#)
[ISwMDocument5 Interface](#)
[ISwMDocument6 Interface](#)
[ISwMDocument7 Interface](#)
[ISwMDocument8 Interface](#)
[ISwMDocument10 Interface](#)
[ISwMDocument13 Interface](#)
[ISwMDocument14 Interface](#)
[ISwMDocument15 Interface](#)
[ISwMDocument16 Interface](#)
[ISwMDocument17 Interface](#)
[ISwMDocument18 Interface](#)
[ISwMDocument19 Interface](#)
[ISwMDocument20 Interface](#)
[ISwMDocument21 Interface](#)
[ISwMDocument22 Interface](#)
[ISwMDocument24 Interface](#)
[ISwMDocument25 Interface](#)
[ISwMDocument26 Interface](#)
[ISwMDocument27 Interface](#)
[ISwMDocument28 Interface](#)
[ISwMDocument29 Interface](#)
[ISwMDocument30 Interface](#)

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

AddCustomProperty Method (ISwMDocument)

[See Also](#)

 [SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwMDocument Interface](#) : AddCustomProperty Method (ISwMDocument)

Adds a custom property to document.

.NET Syntax

Visual Basic (Declaration)

```
Function AddCustomProperty( _  
    ByVal FieldName As System.String, _  
    ByVal FieldType As SwDmCustomInfoType, _  
    ByVal FieldValue As System.String _  
    ) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As ISwMDocument
Dim FieldName As System.String
Dim FieldType As SwDmCustomInfoType
Dim FieldValue As System.String
Dim value As System.Boolean

value = instance.AddCustomProperty(FieldName, FieldType, FieldValue)
```

VB

```
System.bool AddCustomProperty(
    System.string FieldName,
    SwDmCustomInfoType FieldType,
    System.string FieldValue
)
```

C++/CLI

```
System.bool AddCustomProperty(
    & System.String^ FieldName,
    & SwDmCustomInfoType FieldType,
    & System.String^ FieldValue
)
```

Parameters

FieldName
Name of custom property
FieldType
Type of custom property as defined by [SwDmCustomInfoType](#)
FieldValue
Value for custom property

Return Value

True if custom property is added, false if not

Visual Basic for Applications (VBA) Syntax

See [SwMDocument.AddCustomProperty](#).

Remarks

This method also returns false if you attempt to add a custom property name that already exists.

If you call this method to add a linked custom property with an expression value, then you need to open and save the file in SOLIDWORKS before calling [ISwMDocument.GetCustomProperty](#), [ISwMDocument17.GetCustomProperty2](#), [ISwMDocument3.GetAllCustomPropertyNamesAndValues](#), or [ISwMDocument5.GetCustomPropertyValues](#). SOLIDWORKS needs to process the linked custom property before your DocumentMgr application attempts to get its evaluated value.

See Also

[ISwMDocument Interface](#)
[ISwMDocument Members](#)
[ISwMDocument.DeleteCustomProperty Method](#)
[ISwMDocument.GetCustomPropertyCount Method](#)
[ISwMDocument.GetCustomPropertyNames Method](#)
[ISwMDocument.GetCustomProperty Method](#)
[ISwMDocument.SetCustomProperty Method](#)
[ISwMDocument.AddCustomProperty Method \(\)](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

Application Property (ISwMDocument)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwMDocument Interface](#) : Application Property (ISwMDocument)

Gets the application for this document.

[Send comments](#) on this topic.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property Application As SwDMAApplication
```

Visual Basic (Usage)



```
Dim instance As ISwMDocument
Dim value As SwDMAApplication

value = instance.Application
```

C#

```
SwDMAApplication Application {get;}
```

C++/CLI

```
property SwDMAApplication^ Application {
    SwDMAApplication^ get();
}
```

Property Value

Pointer to the [ISwDMAApplication](#) object

Visual Basic for Applications (VBA) Syntax

See [SwMDocument.Application](#).

See Also

[ISwMDocument Interface](#)
[ISwMDocument Members](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

Author Property (ISwMDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwMDocument Interface](#) : Author Property (ISwMDocument)

Gets or sets the name of the person who authored this document.

.NET Syntax

Visual Basic (Declaration)

Property Author As System.String

Visual Basic (Usage)



```
Dim instance As ISwMDocument  
Dim value As System.String
```

```
instance.Author = value
```

```
value = instance.Author
```

C#

```
System.string Author {get; set;}
```

C++/CLI

```
property System.String^ Author {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Author of document

Visual Basic for Applications (VBA) Syntax

See [SwMDocument.Author](#).

Example

[Get Configuration Information \(C#\)](#)

[Get Configuration Information \(VB.NET\)](#)

See Also

[ISwMDocument Interface](#)
[ISwMDocument Members](#)
[ISwMDocument.Comments Property](#)
[ISwMDocument.CreationDate Property](#)
[ISwMDocument19.CreationDate2 Property](#)
[ISwMDocument.Keywords Property](#)
[ISwMDocument.LastSavedBy Property](#)
[ISwMDocument.LastSavedDate Property](#)
[ISwMDocument19.LastSavedDate2 Property](#)
[ISwMDocument.Subject Property](#)
[ISwMDocument.Title Property](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

CloseDoc Method (ISwMDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwMDocument Interface](#) : CloseDoc Method (ISwMDocument)

Closes the document.

.NET Syntax

Visual Basic (Declaration)

Sub CloseDoc()

Visual Basic (Usage)



```
Dim instance As ISwMDocument
```

```
instance.CloseDoc()
```

C#

```
void CloseDoc()
```

C++/CLI

```
void CloseDoc();
```

Visual Basic for Applications (VBA) Syntax

See [SwMDocument.CloseDoc](#).

Example

[Open and Close Document \(C++\)](#)
[Get Drawing Sheets' Properties \(C#\)](#)
[Get Drawing Sheets' Properties \(VB.NET\)](#)

Remarks

You must call this method to close a document before calling:

- [ISwDmApplication::CloseDocument](#)
- [ISwDmApplication::MoveDocument](#)

If you update a document, call this method to close it before attempting to create a new assembly with it.

See Also

[ISwDmDocument Interface](#)
[ISwDmDocument Members](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

Comments Property (ISwDmDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDmDocument Interface](#) : Comments Property (ISwDmDocument)

Gets or sets the comments for this document.

.NET Syntax

Visual Basic (Declaration)

Property Comments As System.String

Visual Basic (Usage)

```
Dim instance As ISwDmDocument
Dim value As System.String

instance.Comments = value

value = instance.Comments
```

C#

```
System.string Comments {get; set;}
```

C++/CLI

```
property System.String^ Comments {
    System.String^ get();
    void set ( & System.String^ value);
}
```

Property Value

Comments

Visual Basic for Applications (VBA) Syntax

See [SwDmDocument.Comments](#).

Example

[Get Configuration Information \(C#\)](#)
[Get Configuration Information \(VB.NET\)](#)

See Also

[ISwDmDocument Interface](#)
[ISwDmDocument Members](#)
[ISwDmDocument.Author Property](#)
[ISwDmDocument.CreationDate Property](#)
[ISwDmDocument19.CreationDate2 Property](#)
[ISwDmDocument.Keywords Property](#)
[ISwDmDocument.LastSavedBy Property](#)
[ISwDmDocument.LastSavedDate Property](#)
[ISwDmDocument19.LastSavedDate2 Property](#)
[ISwDmDocument.Subject Property](#)
[ISwDmDocument.Title Property](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

ConfigurationManager Property (ISwDmDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDmDocument Interface](#) : ConfigurationManager Property (ISwDmDocument)

Gets the ConfigurationMgr for this document.

.NET Syntax

Visual Basic (Declaration)

ReadOnly Property ConfigurationManager As SwDmConfigurationMgr

Visual Basic (Usage)

```
Dim instance As ISwDMDocument
Dim value As SwDMConfigurationMgr

value = instance.ConfigurationManager
```

C#

```
SwDMConfigurationMgr ConfigurationManager {get;}
```

C++/CLI

```
property SwDMConfigurationMgr^ ConfigurationManager {
    SwDMConfigurationMgr^ get();
}
```

Property Value

Pointer to the [ISwDMConfigurationMgr](#) object

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.ConfigurationManager](#).

Example

[Get Current Name of Configuration of Suppressed Component \(VB.NET\)](#)
[Get Current Name of Configuration of Suppressed Component \(C#\)](#)
[Write Parasolid Partition Stream to File \(C++\)](#)
[Get Whether Component is Envelope and Excluded from BOM \(C#\)](#)
[Get Whether Component is Envelope and Excluded from BOM \(VB.NET\)](#)
[Replace Component \(C#\)](#)
[Replace Component \(VB.NET\)](#)

Remarks

This method returns:

- data for part and assembly documents.
- NULL for drawing documents.

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

CreationDate Property (ISwDMDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : CreationDate Property (ISwDMDocument)

Gets the date in string format that this document was created.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property CreationDate As System.String
```

Visual Basic (Usage)



```
Dim instance As ISwDMDocument
Dim value As System.String

value = instance.CreationDate
```

C#

```
System.string CreationDate {get;}
```

C++/CLI

```
property System.String^ CreationDate {
    System.String^ get();
}
```

Property Value

Date in string format that this document was created

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.CreationDate](#).

Example

[Get Configuration Information \(C#\)](#)
[Get Configuration Information \(VB.NET\)](#)

Remarks

To get the date in numeric format that this document was created, use [ISwDMDocument19.CreationDate2](#).

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)
[ISwDocument.Author Property](#)
[ISwDocument.Comments Property](#)

[ISwDocument::Keywords Property](#)
[ISwDocument::LastSavedBy Property](#)
[ISwDocument::LastSavedDate Property](#)
[ISwDocument19::LastSavedDate2 Property](#)
[ISwDocument::Subject Property](#)
[ISwDocument::Title Property](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

[Send comments](#) on this topic.

SOLIDWORKS Document Manager API Help

DeleteCustomProperty Method (ISwMDocument)

[See Also](#)



SolidWorks.Interop.swdocumentmgr Namespace > ISwMDocument Interface : DeleteCustomProperty Method (ISwMDocument)

Deletes the specified custom property from this document.

.NET Syntax

Visual Basic (Declaration)

```
Function DeleteCustomProperty( _  
    ByVal FieldName As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As ISwMDocument  
Dim FieldName As System.String  
Dim value As System.Boolean  
  
value = instance.DeleteCustomProperty(FieldName)
```

C#

```
System.bool DeleteCustomProperty(  
    System.string FieldName  
)
```

C++/CLI

```
System.bool DeleteCustomProperty(  
& System.String^ FieldName  
)
```

Parameters

FieldName
Name of custom property to delete

Return Value

True if custom property is deleted, false if not

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.DeleteCustomProperty](#).

Remarks

Before calling this method, call [ISwMDocument::GetCustomPropertyNames](#).

See Also

[ISwMDocument Interface](#)
[ISwMDocument Members](#)
[ISwMDocument::AddCustomProperty Method](#)
[ISwMDocument::GetCustomProperty Method](#)
[ISwMDocument::GetCustomPropertyCount Method](#)
[ISwMDocument::SetCustomProperty Method](#)
[ISwMDocument3::GetAllCustomPropertyNamesAndValues Method](#)
[ISwDMConfiguration::DeleteCustomProperty Method](#)
[ISwMDocument17::GetCustomProperty2 Method \(\)](#)
[ISwDocuments::GetCustomPropertyValues Method \(\)](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

[Send comments](#) on this topic.

SOLIDWORKS Document Manager API Help

FullName Property (ISwMDocument)

[See Also](#) [Example](#)



SolidWorks.Interop.swdocumentmgr Namespace > ISwMDocument Interface : FullName Property (ISwMDocument)

Gets the full path and filename of this document.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property FullName As System.String
```

Visual Basic (Usage)



```
Dim instance As ISwMDocument  
Dim value As System.String  
  
value = instance.FullName
```

C#

```
System.string FullName {get;}
```

C++/CLI

```
property System.String^ FullName {  
    System.String^ get();  
}
```

Property Value

Full path and filename of this document

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.FullName](#).

Example

[Get Current Name of Configuration of Suppressed Component \(C#\)](#)
[Get Current Name of Configuration of Suppressed Component \(VB.NET\)](#)
[Get Configuration Information \(C#\)](#)
[Get Configuration Information \(VB.NET\)](#)

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)
[SwDMDocument.Title Property\(\)](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

GetAllExternalReferences Method (ISwDMDocument)

See Also [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : GetAllExternalReferences Method (ISwDMDocument)

Obsolete. Superseded by [ISwDMDocument5.GetAllExternalReferences2](#).

NET Syntax

Visual Basic (Declaration)

```
Function GetAllExternalReferences( _  
    ByVal pSrcOption As SwDMSearchOption _  
) As System.Object
```

Visual Basic (Usage)

```
Dim instance As ISwDMDocument  
Dim pSrcOption As SwDMSearchOption  
Dim value As System.Object  
  
value = instance.GetAllExternalReferences(pSrcOption)
```

C#

```
System.Object GetAllExternalReferences(  
    SwDMSearchOption pSrcOption  
)
```

C++/CLI

```
System.Object^ GetAllExternalReferences(  
& SwDMSearchOption^ pSrcOption  
)
```

Parameters

pSrcOption

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.GetAllExternalReferences](#).

Example

[Open and Close Document \(C++\)](#)

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)
[SwDMDocument.WhereUsed Method](#)
[SwDMDocument.ReplaceReference Method](#)
[SwDMDocumentB.GetChangedReferences Method](#)

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

GetCustomProperty Method (ISwDMDocument)

See Also [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : GetCustomProperty Method (ISwDMDocument)

Gets the specified custom property for this document.

NET Syntax

Visual Basic (Declaration)

```
Function GetCustomProperty(  
    ByVal FieldName As System.String, _
```

```
ByRef type As SwDmCustomInfoType _  
) As System.String
```

Visual Basic (Usage)

```
Dim instance As ISwDMDocument  
Dim fieldName As System.String  
Dim type As SwDmCustomInfoType  
Dim value As System.String  
  
value = instance.GetCustomProperty(fieldName, type)
```

C#

```
System.string GetCustomProperty(  
    System.string fieldName,  
    out SwDmCustomInfoType type  
)
```

C++/CLI

```
System.String^ GetCustomProperty(  
& System.String^ fieldName,  
& [Out] SwDmCustomInfoType type  
)
```

Parameters

fieldName
Name of custom property
type
Type of custom property as defined by [SwDmCustomInfoType](#)

Return Value

Value of custom property

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.GetCustomProperty](#)

Example

[Get Configuration Information \(C#\)](#)
[Get Configuration Information \(VB.NET\)](#)

Remarks

Before calling this method, call [ISwDMDocument::GetCustomPropertyNames](#) to populate FieldNames.

This method returns an evaluated value:

- from when the document was last saved in SOLIDWORKS. If you called [ISwDMDocument::SetCustomProperty](#) to set a linked custom property, then you must open and save the file in SOLIDWORKS before calling this method. SOLIDWORKS must process the linked custom property before your DocumentMgr application can retrieve its evaluated value.
- prefaced with **fromparent+** for external referenced documents. Use [ISwDocument17::GetCustomProperty2](#) to return resolved evaluated values without the **fromparent+** preface.

See Also

[ISwDMDocument Interface](#)
[SwDMDocument Members](#)
[ISwDMDocument.AddCustomProperty Method](#)
[ISwDMDocument.DeleteCustomProperty Method](#)
[ISwDMDocument.GetCustomPropertyCount Method](#)
[ISwDMDocumentB.GetAllCustomPropertyNamesAndValues Method](#)
[ISwDMDocumentS.GetCustomPropertyValues Method \(\)](#)
[ISwDMConfiguration.GetCustomProperty Method \(\)](#)
[ISwDMConfiguration14.GetCustomProperty2 Method \(\)](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

GetCustomPropertyCount Method (ISwDMDocument)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : GetCustomPropertyCount Method (ISwDMDocument)

Gets the number of custom properties for this document.

NET Syntax

Visual Basic (Declaration)

```
Function GetCustomPropertyCount() As System.Integer
```

Visual Basic (Usage)

```
Dim instance As ISwDMDocument  
Dim value As System.Integer  
  
value = instance.GetCustomPropertyCount()
```

C#

```
System.int GetCustomPropertyCount()
```

C++/CLI

```
System.int GetCustomPropertyCount();
```

Return Value

Number of custom properties

Visual Basic for Applications (VBA) Syntax

See [ISwMDocument::GetCustomPropertyCount](#).

See Also

[ISwMDocument Interface](#)
[ISwMDocument Members](#)
[ISwMDocument::AddCustomProperty Method](#)
[ISwMDocument::DeleteCustomProperty Method](#)
[ISwMDocument::GetCustomProperty Method](#)
[ISwMDocument::GetCustomPropertyNames Method](#)
[ISwMDocument::SetCustomProperty Method](#)
[ISwMDocument3::GetAllCustomPropertyNamesAndValues Method](#)
[ISwDMConfiguration::GetCustomPropertyCount Method](#)
[ISwMDocument17::GetCustomProperty2 Method \(\)](#)
[ISwMDocument15::GetCustomPropertyValues Method \(\)](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

GetCustomPropertyNames Method (ISwMDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwMDocument Interface](#) : GetCustomPropertyNames Method (ISwMDocument)

Gets the names of the custom properties for this document.

.NET Syntax

Visual Basic (Declaration)

```
Function GetCustomPropertyNames() As System.Object
```

Visual Basic (Usage)



```
Dim instance As ISwMDocument  
Dim value As System.Object  
  
value = instance.GetCustomPropertyNames()
```

C#

```
System.Object GetCustomPropertyNames()
```

C++/CLI

```
System.Object^ GetCustomPropertyNames();
```

Return Value

Array of custom property name strings

Visual Basic for Applications (VBA) Syntax

See [SwMDocument::GetCustomPropertyNames](#).

Example

[Get Configuration Information \(C#\)](#)
[Get Configuration Information \(VB.NET\)](#)

Remarks

Call this method before calling [ISwMDocument::DeleteCustomProperty](#), [ISwMDocument::GetCustomProperty](#), or [ISwMDocument::SetCustomProperty](#).

See Also

[ISwMDocument Interface](#)
[ISwMDocument Members](#)
[ISwMDocument::AddCustomProperty Method](#)
[ISwMDocument::DeleteCustomProperty Method](#)
[ISwMDocument::GetCustomProperty Method](#)
[ISwMDocument::GetCustomPropertyNames Method](#)
[ISwMDocument::SetCustomProperty Method](#)
[ISwMDocument3::GetAllCustomPropertyNamesAndValues Method](#)
[ISwDMConfiguration::GetCustomPropertyNames Method](#)
[ISwMDocument15::GetCustomPropertyValues Method \(\)](#)
[ISwMDocument17::GetCustomProperty2 Method \(\)](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

GetEDrawingsData Method (ISwMDocument)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwMDocument Interface](#) : GetEDrawingsData Method (ISwMDocument)

Obsolete as of SOLIDWORKS Document Manager API 2005 FCS. Not superseded.

.NET Syntax

Visual Basic (Declaration)

```
Function GetEDrawingsData( _  
    ByVal eModelFileName As System.String _  
) As SwDmEDwgDataError
```

Visual Basic (Usage)



```
Dim instance As ISwMDocument  
Dim eModelFileName As System.String  
Dim value As SwDmEDwgDataError
```

```
value = instance.GetEDrawingsData(eModelFileName)
```

C#

```
SwDmEDwgDataError GetEDrawingsData(  
    System.string eModelFileName  
)
```

C++/CLI

```
SwDmEDwgDataError GetEDrawingsData(  
    & System.String^ eModelFileName  
)
```

Parameters

eModelFileName
Filename of eDrawings file to which to save the data

Return Value

Success or error code as defined by [SwDmEDwgDataError](#)

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.GetEDrawingsData](#).

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

[Send comments on this topic.](#)

SOLIDWORKS Document Manager API Help

GetHyperLinkAt Method (ISwDMDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmrv Namespace](#) > [ISwDMDocument Interface](#) : GetHyperLinkAt Method (ISwDMDocument)

Gets the embedded hyperlinks at the specified index for this document.

NET Syntax

Visual Basic (Declaration)

```
Function GetHyperLinkAt( _  
    ByVal at As System.Integer _  
) As System.String
```

Visual Basic (Usage)

```
Dim instance As ISwDMDocument  
Dim at As System.Integer  
Dim value As System.String  
  
value = instance.GetHyperLinkAt(at)
```

C#

```
System.string GetHyperLinkAt(  
    System.int at  
)
```

C++/CLI

```
System.String^ GetHyperLinkAt(  
    & System.int at  
)
```

Parameters

at
0-based index at which to get the embedded hyperlinks

Return Value

Hyperlinks

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.GetHyperLinkAt](#).

Example

[Get Hyperlinks \(C#\)](#)
[Get Hyperlinks \(VB.NET\)](#)

Remarks

Before calling this method, call [ISwDMDocument::GetHyperLinksCount](#) to get the number of embedded hyperlinks associated with this document.

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)
[ISwDMDocument.ModifyHyperLinkAt Method](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

GetHyperLinksCount Method (ISwDMDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : GetHyperLinksCount Method (ISwDMDocument)

Gets the number of embedded hyperlinks for this document.

.NET Syntax

Visual Basic (Declaration)

```
Function GetHyperLinksCount() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As ISwDMDocument  
Dim value As System.Integer
```

```
value = instance.GetHyperLinksCount()
```

C#

```
System.int GetHyperLinksCount()
```

C++/CLI

```
System.int GetHyperLinksCount();
```

Return Value

Number of embedded hyperlinks

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.GetHyperLinksCount](#).

Example

[Get Hyperlinks \(C#\)](#)
[Get Hyperlinks \(VB.NET\)](#)

Remarks

Call this method before calling [ISwDMDocument.GetHyperLinkAt](#) and [ISwDMDocument.ModifyHyperLinkAt](#).

See Also

[ISwDMDocument Interface](#)
[SwDMDocument Members](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

GetLastUpdateStamp Method (ISwDMDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : GetLastUpdateStamp Method (ISwDMDocument)

Gets the date on which this document was last updated.

.NET Syntax

Visual Basic (Declaration)

```
Function GetLastUpdateStamp() As System.Integer
```

Visual Basic (Usage)



```
Dim instance As ISwDMDocument  
Dim value As System.Integer
```

```
value = instance.GetLastUpdateStamp()
```

C#

```
System.int GetLastUpdateStamp()
```

C++/CLI

```
System.int GetLastUpdateStamp();
```

Return Value

Date document last updated

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.GetLastUpdateStamp](#).

Example

[Get Configuration Information \(C#\)](#)
[Get Configuration Information \(VB.NET\)](#)

Remarks

The update stamp is an integer representing a time stamp. The update stamp in a SOLIDWORKS document is incremented when:

- the state of the model changes (for example, you suppress or unsuppress a feature in a part or an assembly)
- the geometry changes (for example, any action that requires a rebuild)

This time stamp is not incremented for such operations as color changes, feature or configuration name changes, and so on.

This method returns 0 for non-SOLIDWORKS documents.

See Also

[ISwMDocument Interface](#)
[ISwMDocument Members](#)
[ISwMDocument.CreationDate Property](#)
[ISwMDocument.LastSavedBy Property](#)
[ISwMDocument.LastSavedDate Property](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help [Send comments on this topic.](#)

GetVersion Method (ISwMDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwMDocument Interface](#) : GetVersion Method (ISwMDocument)

Gets the version of this document.

.NET Syntax

Visual Basic (Declaration)

```
Function GetVersion() As System.Integer
```

Visual Basic (Usage)

```
Dim instance As ISwMDocument
Dim value As System.Integer

value = instance.GetVersion()
```

C#

```
System.int GetVersion()
```

C++/CLI

```
System.int GetVersion();
```

Return Value

Version

Visual Basic for Applications (VBA) Syntax

See [SwMDocument.GetVersion](#).

Example

[Get Configuration Information \(C#\)](#)
[Get Configuration Information \(VB.NET\)](#)

Remarks

Major SOLIDWORKS Release	Return Value
SOLIDWORKS 2000	1500
SOLIDWORKS 2001	1750
SOLIDWORKS 2001Plus	1950
SOLIDWORKS 2003	2200
SOLIDWORKS 2004	2500
SOLIDWORKS 2005	2800
SOLIDWORKS 2006	3100
SOLIDWORKS 2007	3400
SOLIDWORKS 2008	3800
SOLIDWORKS 2009	4100
SOLIDWORKS 2010	4400
SOLIDWORKS 2011	4700
SOLIDWORKS 2012	5000
SOLIDWORKS 2013	6000
SOLIDWORKS 2014	7000
SOLIDWORKS 2015	8000

SOLIDWORKS 2016	9000
SOLIDWORKS 2017	10000
SOLIDWORKS 2018	11000
SOLIDWORKS 2019	12000
SOLIDWORKS 2020	13000
SOLIDWORKS 2021	14000
SOLIDWORKS 2022	15000
SOLIDWORKS 2023	16000
SOLIDWORKS 2024	17000
SOLIDWORKS 2025	18000
SOLIDWORKS 2026	19000

See [ISwDMDocument::GetXmlStream](#) and [ISwDMConfiguration::GetMassProperties](#) for additional version restrictions.

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)
[ISwDMApplication::GetLatestSupportedFileVersion Method](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

GetXmlStream Method (ISwDMDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr.Namespace](#) > [ISwDMDocument Interface](#) : GetXmlStream Method (ISwDMDocument)

Gets the embedded XML data for this assembly and saves it to an XML document.

[Send comments](#) on this topic.

.NET Syntax

Visual Basic (Declaration)

```
Sub GetXmlStream( _  
    ByVal xmlFileName As System.String, _  
    ByRef result As SwDmXmlDataError _  
)
```

Visual Basic (Usage)



```
Dim instance As ISwDMDocument  
Dim xmlFileName As System.String  
Dim result As SwDmXmlDataError  
  
instance.GetXmlStream(xmlFileName, result)
```

C#

```
void GetXmlStream(  
    System.string xmlFileName,  
    ref SwDmXmlDataError result  
)
```

C++/CLI

```
void GetXmlStream(  
& System.String^ xmlFileName,  
& SwDmXmlDataError% result  
)
```

Parameters

xmlFileName
Filename for the XML document
result
Success or error code as defined by [SwDMXmlDataError](#)

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.GetXmlStream](#).

Example

[Get XML Stream \(C#\)](#)
[Get XML Stream \(VB.NET\)](#)
[Get External References for Part \(C#\)](#)
[Get External References for Part \(VB.NET\)](#)

Remarks

This method only returns data for documents created using SOLIDWORKS 2003 (Version 2200) and later. To get the version of a document, use [ISwDMDocument::GetVersion](#).

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)

Availability

IsDetachedDrawing Method (ISwDMDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : IsDetachedDrawing Method (ISwDMDocument)

Gets whether this file is a detached drawing.

■ .NET Syntax

Visual Basic (Declaration)

```
Function IsDetachedDrawing() As System.Boolean
```

Visual Basic (Usage)

```
Dim instance As ISwDMDocument  
Dim value As System.Boolean  
  
value = instance.IsDetachedDrawing()
```

C#

```
System.bool IsDetachedDrawing()
```

C++/CLI

```
System.bool IsDetachedDrawing();
```

■ Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.IsDetachedDrawing](#).

■ Example

[Get Configuration Information \(C#\)](#)
[Get Configuration Information \(VB.NET\)](#)

■ Remarks

True if the file is detached drawing, false if not

■ See Also

[ISwDMDocument Interface](#)
[SwDMDocument Members](#)

■ Availability

SOLIDWORKS Document Manager API 2004 FCS

Keywords Property (ISwDMDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : Keywords Property (ISwDMDocument)

Gets or sets the keywords for this document.

■ .NET Syntax

Visual Basic (Declaration)

```
Property Keywords As System.String
```

Visual Basic (Usage)

```
Dim instance As ISwDMDocument  
Dim value As System.String  
  
instance.Keywords = value  
  
value = instance.Keywords
```

C#

```
System.string Keywords {get; set;}
```

C++/CLI

```
property System.String^ Keywords {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Keywords for document

■ Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.Keywords](#).

■ Example

[Get Configuration Information \(C#\)](#)
[Get Configuration Information \(VB.NET\)](#)

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)
[ISwDMDocument.Author Property](#)
[ISwDMDocument.Comments Property](#)
[ISwDMDocument.CreationDate Property](#)
[ISwDMDocument19.CreationDate2 Property](#)
[ISwDMDocument.LastSavedBy Property](#)
[ISwDMDocument.LastSavedDate Property](#)
[ISwDMDocument19.LastSavedDate2 Property](#)
[ISwDMDocument.Subject Property](#)
[ISwDMDocument.Title Property](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

LastSavedBy Property (ISwDMDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : LastSavedBy Property (ISwDMDocument)

Gets the name of the person who last saved this document.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property LastSavedBy As System.String
```

Visual Basic (Usage)



```
Dim instance As ISwDMDocument  
Dim value As System.String  
  
value = instance.LastSavedBy
```

C#

```
System.string LastSavedBy {get;}
```

C++/CLI

```
property System.String^ LastSavedBy {  
    System.String^ get();  
}
```

Property Value

Name of the person who last saved this document

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.LastSavedBy](#)

Example

[Get Configuration Information \(C#\)](#)
[Get Configuration Information \(VB.NET\)](#)

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)
[ISwDocument.Author Property](#)
[ISwDocument.Comments Property](#)
[ISwDocument.CreationDate Property](#)
[ISwDocument19.CreationDate2 Property](#)
[ISwDocument.FullName Property](#)
[ISwDocument.Keywords Property](#)
[ISwDocument.LastSavedDate Property](#)
[ISwDocument19.LastSavedDate2 Property](#)
[ISwDocument.Subject Property](#)
[ISwDocument.Title Property](#)
[ISwDocument.Save Method](#)
[ISwDocument.SaveAs Method](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

LastSavedDate Property (ISwDMDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : LastSavedDate Property (ISwDMDocument)

Gets the date in string format that this document was last saved.

.NET Syntax

Visual Basic (Declaration)

```
ReadOnly Property LastSavedDate As System.String
```

Visual Basic (Usage)



```
Dim instance As ISwDMDocument  
Dim value As System.String  
  
value = instance.LastSavedDate
```

C#

```
System.string LastSavedDate {get;}
```

C++/CLI

```
property System.String^ LastSavedDate {
    System.String^ get();
}
```

Property Value

Date in string format that this document was last saved

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.LastSavedDate](#).

Example

[Get Configuration Information \(C#\)](#)
[Get Configuration Information \(VB.NET\)](#)

Remarks

To get the date in numeric format that this document was last saved, use [ISwDMDocument19.LastSaveDate2](#).

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)
[SwDMDocument.Author Property \(\)](#)
[SwDMDocument.Comments Property \(\)](#)
[SwDMDocument.CreationDate Property \(\)](#)
[SwDMDocument19.CreationDate? Property \(\)](#)
[SwDMDocument.FullName Property \(\)](#)
[SwDMDocument.Keywords Property \(\)](#)
[SwDMDocument.LastSavedBy Property \(\)](#)
[SwDMDocument.Subject Property \(\)](#)
[SwDMDocument.Title Property \(\)](#)
[SwDMDocument.Save Method \(\)](#)
[SwDMDocument.SaveAs Method \(\)](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments on this topic.](#)

ModifyHyperLinkAt Method (ISwDMDocument)

[See Also](#)



[SolidWorks.Interop.slddocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : ModifyHyperLinkAt Method (ISwDMDocument)

Sets the embedded hyperlink at the specified index for this document.

.NET Syntax

Visual Basic (Declaration)

```
Sub ModifyHyperLinkAt( _
    ByVal at As System.Integer, _
    ByVal newlink As System.String _
)
```

Visual Basic (Usage)



```
Dim instance As ISwDMDocument
Dim at As System.Integer
Dim newlink As System.String

instance.ModifyHyperLinkAt(at, newlink)
```

C#

```
void ModifyHyperLinkAt(
    System.int at,
    System.string newlink
)
```

C++/CLI

```
void ModifyHyperLinkAt(
    & System.int at,
    & System.String^ newlink
)
```

Parameters

[at](#)
0-based index at which to set the embedded hyperlink
[newlink](#)
New embedded hyperlink

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.ModifyHyperLinkAt](#).

Remarks

Before calling this method, call [ISwDMDocument19.GetHyperLinksCount](#) to get the number of embedded hyperlinks for this document.

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)
[ISwDMDocument19.GetHyperLinkAt Method](#)

Availability

ReplaceReference Method (ISwDMDocument)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : ReplaceReference Method (ISwDMDocument)

Changes all instances of the specified original reference to the specified replacement reference in this document.

.NET Syntax

Visual Basic (Declaration)

```
Sub ReplaceReference( _  
    ByVal OriginalReference As System.String, _  
    ByVal ReplacementReference As System.String _  
)
```

Visual Basic (Usage)



```
Dim instance As ISwDMDocument  
Dim OriginalReference As System.String  
Dim ReplacementReference As System.String  
  
instance.ReplaceReference(OriginalReference, ReplacementReference)
```

C#

```
void ReplaceReference(  
    System.string OriginalReference,  
    System.string ReplacementReference  
)
```

C++/CLI

```
void ReplaceReference(  
& System.String^ OriginalReference,  
& System.String^ ReplacementReference  
)
```

Parameters

OriginalReference
Name of original reference to replace
ReplacementReference
Name of reference with which to replace OriginalReference

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.ReplaceReference](#).

Remarks

Before calling this method, you must call [ISwDMDocument13::GetAllExternalReferences4](#).
ISwDMDocument::ReplaceReference expects the fully qualified path names, exactly as those returned by [ISwDMDocument13::GetAllExternalReferences4](#).

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)
[ISwDMDocumentB::GetChangedReferences Method](#)
[ISwDMDocument3D::ClearChangedReferences Method \(\)](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

Save Method (ISwDMDocument)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : Save Method (ISwDMDocument)

Saves the document.

.NET Syntax

Visual Basic (Declaration)

```
Function Save() As SwDmDocumentSaveError
```

Visual Basic (Usage)



```
Dim instance As ISwDMDocument  
Dim value As SwDmDocumentSaveError  
  
value = instance.Save()
```

C#

```
SwDmDocumentSaveError Save()
```

C++/CLI

```
SwDmDocumentSaveError Save();
```

Return Value

Success or error code as defined by [SwDmDocumentSaveError](#)

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.Save](#).

Remarks

This method returns an error if you try to save a read-only document.

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)
[ISwDMDocument.SaveAs Method](#)
[ISwDMDocument.LastSavedBy Property](#)
[ISwDMDocument.LastSavedDate Property](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

SaveAs Method (ISwDMDocument)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : SaveAs Method (ISwDMDocument)

Saves the document as the specified filename.

.NET Syntax

Visual Basic (Declaration)

```
Function SaveAs( _  
    ByVal saveName As System.String _  
) As SwDmDocumentSaveError
```

Visual Basic (Usage)

```
Dim instance As ISwDMDocument  
Dim saveName As System.String  
Dim value As SwDmDocumentSaveError  
  
value = instance.SaveAs(saveName)
```

C#

```
SwDmDocumentSaveError SaveAs(  
    System.string saveName  
)
```

C++/CLI

```
SwDmDocumentSaveError SaveAs(  
    & System.String^ saveName  
)
```

Parameters

[saveName](#)
Filename to which to save the document

Return Value

Success or error code as defined by [SwDmDocumentSaveError](#)

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.SaveAs](#).

Remarks

A read-only document saved as a different file results in the new file being read-write.
This method lets you save a file to a different filename; this method does not let you save a file to a different file type.

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)
[ISwDMDocument.SaveAs Method](#)
[ISwDMDocument.LastSavedBy Property](#)
[ISwDMDocument.LastSavedDate Property](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

SetCustomProperty Method (ISwDMDocument)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : SetCustomProperty Method (ISwDMDocument)

Obsolete. Superseded by [ISwDMDocument29.SetCustomProperty2](#).

.NET Syntax

Visual Basic (Declaration)

```
Sub SetCustomProperty( _  
    ByVal FieldName As System.String, _
```

```
) ByVal newValue As System.String _  
)
```

Visual Basic (Usage)



```
Dim instance As ISwDMDocument  
Dim fieldName As System.String  
Dim newValue As System.String  
  
instance.SetCustomProperty(fieldName, newValue)
```

C#

```
void SetCustomProperty(  
    System.String fieldName,  
    System.String newValue  
)
```

C++/CLI

```
void SetCustomProperty(  
& System.String^ fieldName,  
& System.String^ newValue  
)
```

Parameters

fieldName
Name of custom property
newValue
Value for custom property

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.SetCustomProperty](#).

Remarks

Before calling this method, call [ISwDMDocument::GetCustomPropertyNames](#) to populate fieldName.

If you call this method to set a linked custom property with an expression value, then you need to open and save the file in SOLIDWORKS before calling [ISwDMDocument::GetCustomProperty](#), [ISwDMDocument17::GetCustomProperty2](#), [ISwDMDocument3::GetAllCustomPropertyNamesAndValues](#), or [ISwDMDocument5::GetCustomPropertyValues](#). SOLIDWORKS needs to process the linked custom property before your DocumentMgr application attempts to get its evaluated value.

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)
[ISwDMDocument.AddCustomProperty Method](#)
[ISwDMDocument.DeleteCustomProperty Method](#)
[ISwDMDocument.GetCustomPropertyCount Method](#)
[ISwDMConfiguration.SetCustomProperty Method](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

Subject Property (ISwDMDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : Subject Property (ISwDMDocument)

Gets or sets the subject text for this document.

.NET Syntax

Visual Basic (Declaration)

```
Property Subject As System.String
```

Visual Basic (Usage)



```
Dim instance As ISwDMDocument  
Dim value As System.String  
  
instance.Subject = value  
  
value = instance.Subject
```

C#

```
System.String Subject {get; set;}
```

C++/CLI

```
property System.String^ Subject {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Subject text

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.Subject](#).

Example

[Get Configuration Information \(C#\)](#)
[Get Configuration Information \(VB.NET\)](#)

See Also

[ISwMDocument Interface](#)
[ISwMDocument Members](#)
[ISwMDocument.Author Property\(\)](#)
[ISwMDocument.Comments Property\(\)](#)
[ISwMDocument.CreationDate Property\(\)](#)
[ISwMDocument19.CreationDate? Property\(\)](#)
[ISwMDocument.Keywords Property\(\)](#)
[ISwMDocument.LastSavedBy Property\(\)](#)
[ISwMDocument.LastSavedDate Property\(\)](#)
[ISwMDocument19.LastSavedDate? Property\(\)](#)
[ISwMDocument.Title Property\(\)](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

Title Property (ISwMDocument)

[See Also](#) [Example](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwMDocument Interface](#) : Title Property (ISwMDocument)

Gets or sets the title for this document.

.NET Syntax

Visual Basic (Declaration)

```
Property Title As System.String
```

Visual Basic (Usage)

```
Dim instance As ISwMDocument  
Dim value As System.String
```

```
instance.Title = value
```

```
value = instance.Title
```

C#

```
System.string Title {get; set;}
```

C++/CLI

```
property System.String^ Title {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Title for this document

Visual Basic for Applications (VBA) Syntax

See [SwMDocument.Title](#).

Example

[Get Configuration Information \(C#\)](#)

[Get Configuration Information \(VB.NET\)](#)

See Also

[ISwMDocument Interface](#)
[ISwMDocument Members](#)
[ISwMDocument.Author Property](#)
[ISwMDocument.Comments Property](#)
[ISwMDocument.CreationDate Property](#)
[ISwMDocument19.CreationDate? Property](#)
[ISwMDocument.FullName Property](#)
[ISwMDocument.Keywords Property](#)
[ISwMDocument.LastSavedBy Property](#)
[ISwMDocument.LastSavedDate Property](#)
[ISwMDocument19.LastSavedDate? Property](#)
[ISwMDocument.Subject Property](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

[Send comments](#) on this topic.

ToolboxPart Property (ISwMDocument)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwMDocument Interface](#) : ToolboxPart Property (ISwMDocument)

Gets or sets whether this file is a SOLIDWORKS Toolbox file.

.NET Syntax

Visual Basic (Declaration)

```
Property ToolboxPart As SwDmToolboxPartType
```

Visual Basic (Usage)

```
Dim instance As ISwMDocument  
Dim value As SwDmToolboxPartType
```

```
instance.ToolboxPart = value
```

```
value = instance.ToolboxPart
```

C#

[SwDmToolboxPartType](#) ToolboxPart {get; set;}

C++/CLI

```
property SwDmToolboxPartType ToolboxPart {  
    SwDmToolboxPartType get();  
    void set ( & SwDmToolboxPartType value);  
}
```

Property Value

Type of SOLIDWORKS Toolbox part as defined by [SwDmToolboxPartType](#)

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.ToolboxPart](#).

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS

SOLIDWORKS Document Manager API Help

WhereUsed Method (ISwDMDocument)

[See Also](#)



[SolidWorks.Interop.swdocumentmgr Namespace](#) > [ISwDMDocument Interface](#) : WhereUsed Method (ISwDMDocument)

Gets the names of the files that reference this document using the specified search options.

[Send comments](#) on this topic.

.NET Syntax

Visual Basic (Declaration)

```
Function WhereUsed(  
    ByVal pSrcOption As SwDMSearchOption _  
) As System.Object
```

Visual Basic (Usage)



```
Dim instance As ISwDMDocument  
Dim pSrcOption As SwDMSearchOption  
Dim value As System.Object  
  
value = instance.WhereUsed(pSrcOption)
```

C#

```
System.object WhereUsed(  
    SwDMSearchOption pSrcOption  
)
```

C++/CLI

```
System.Object^ WhereUsed(  
& SwDMSearchOption^ pSrcOption  
)
```

Parameters

pSrcOption
[ISwDMSearchOption](#)

Return Value

Array of the names of the files that reference this document

Visual Basic for Applications (VBA) Syntax

See [SwDMDocument.WhereUsed](#).

See Also

[ISwDMDocument Interface](#)
[ISwDMDocument Members](#)
[ISwDMDocument.ReplaceReference Method](#)
[ISwDMDocumentB.GetChangedReferences Method](#)
[ISwDMDocumentB.GetAllExternalReferences2 Method](#)

Availability

SOLIDWORKS Document Manager API 2004 FCS