

SOLIDWORKS Inspection Add-in API (.NET) — Reference (2/7): CharacteristicsDataClass- IBalloonSettings

SOLIDWORKS API Documentation (converted from CHM)

CharacteristicsDataClass (Type)

CharacteristicsDataClass Class

[See Also](#) [Members](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : CharacteristicsDataClass Class

Object Model

CharacteristicsDataClass

.NET Syntax

Visual Basic (Declaration)

```
Public Class CharacteristicsDataClass
    Implements CharacteristicsData, ICharacteristicsData
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass
```

C#

```
public class CharacteristicsDataClass : CharacteristicsData, ICharacteristicsData
```

C++/CLI

```
public ref class CharacteristicsDataClass : public CharacteristicsData, ICharacteristicsData
```

See Also

[CharacteristicsDataClass Members](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

CharacteristicsDataClass Class Members

[See Also](#) [Properties](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : CharacteristicsDataClass Class

The following tables list the members exposed by [CharacteristicsDataClass](#).

Public Constructors

Name	Description
 CharacteristicsDataClass Constructor	

[Top](#)

Public Properties

Name	Description
 Accept	
 AQL	
 CharId	
 CharZone	
 Classification	
 Comments	

 public Pr ConfigurationName
 public Pr ID
 public Pr Key
 public Pr LowerLimit
 public Pr Method
 public Pr Operation
 public Pr Quantity
 public Pr Reference
 public Pr Reject
 public Pr SampleSize
 public Pr Selected
 public Pr Sheet
 public Pr SubType
 public Pr ToleranceMinus
 public Pr TolerancePlus
 public Pr Units
 public Pr UpperLimit
 public Pr Value
 public Pr View

[Top](#)

 See Also

[CharacteristicsDataClass Class](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

CharacteristicsDataClass Class Properties

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : CharacteristicsDataClass Class

For a list of all members of this type, see [CharacteristicsDataClass members](#).

 Public Properties

Name	Description
 public Pr Accept	
 public Pr AQL	
 public Pr CharId	
 public Pr CharZone	
 public Pr Classification	
 public Pr Comments	
 public Pr ConfigurationName	
 public Pr ID	
 public Pr Key	
 public Pr LowerLimit	
 public Pr Method	
 public Pr Operation	

	public Pr Quantity
	public Pr Reference
	public Pr Reject
	public Pr SampleSize
	public Pr Selected
	public Pr Sheet
	public Pr SubType
	public Pr ToleranceMinus
	public Pr TolerancePlus
	public Pr Units
	public Pr UpperLimit
	public Pr Value
	public Pr View

[Top](#)

See Also

[CharacteristicsDataClass Class](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

CharacteristicsDataClass Constructor

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : CharacteristicsDataClass Constructor

.NET Syntax

Visual Basic (Declaration)

```
Public Function New()
```

Visual Basic (Usage)



```
Dim instance As New CharacteristicsDataClass()
```

C#

```
public CharacteristicsDataClass()
```

C++/CLI

```
public:  
CharacteristicsDataClass();
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

Accept Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : Accept Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable ReadOnly Property Accept As System.String
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.String  
  
value = instance.Accept
```

C#

```
public virtual System.string Accept {get;}
```

C++/CLI

```
public:  
virtual property System.String^ Accept {  
    System.String^ get();  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

AQL Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : AQL Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Property AQL As System.String
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.String  
  
instance.AQL = value  
value = instance.AQL
```

C#

```
public virtual System.string AQL {get; set;}
```

C++/CLI

```
public:  
virtual property System.String^ AQL {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

CharId Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : CharId Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable ReadOnly Property CharId As System.Double
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.Double  
  
value = instance.CharId
```

C#

```
public virtual System.double CharId {get;}
```

C++/CLI

```
public:  
virtual property System.double CharId {  
    System.double get();  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

CharZone Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : CharZone Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable ReadOnly Property CharZone As System.String
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.String  
  
value = instance.CharZone
```

C#

```
public virtual System.string CharZone {get;}
```

C++/CLI

```
public:  
virtual property System.String^ CharZone {  
    System.String^ get();  
}
```

See Also

Classification Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : Classification Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Property Classification As System.Integer
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.Integer
```

```
instance.Classification = value  
value = instance.Classification
```

C#

```
public virtual System.int Classification {get; set;}
```

C++/CLI

```
public:  
virtual property System.int Classification {  
    System.int get();  
    void set ( & System.int value);  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

Comments Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : Comments Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Property Comments As System.String
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.String
```

```
instance.Comments = value  
value = instance.Comments
```

C#

```
public virtual System.string Comments {get; set;}
```

C++/CLI

```
public:
virtual property System.String^ Comments {
    System.String^ get();
    void set ( & System.String^ value);
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

ConfigurationName Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : ConfigurationName Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable ReadOnly Property ConfigurationName As System.String
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass
Dim value As System.String

value = instance.ConfigurationName
```

C#

```
public virtual System.string ConfigurationName {get;}
```

C++/CLI

```
public:
virtual property System.String^ ConfigurationName {
    System.String^ get();
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

ID Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : ID Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable ReadOnly Property ID As System.String
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass
Dim value As System.String

value = instance.ID
```


C#

```
public virtual System.string ID {get;}
```

C++/CLI

```
public:  
virtual property System.String^ ID {  
    System.String^ get();  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Key Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : Key Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Property Key As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.Boolean
```

```
instance.Key = value
```

```
value = instance.Key
```

C#

```
public virtual System.bool Key {get; set;}
```

C++/CLI

```
public:  
virtual property System.bool Key {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

LowerLimit Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : LowerLimit Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Property LowerLimit As System.String
```

Visual Basic (Usage)

```
Dim instance As CharacteristicsDataClass  
Dim value As System.String  
  
instance.LowerLimit = value  
value = instance.LowerLimit
```

C#

```
public virtual System.string LowerLimit {get; set;}
```

C++/CLI

```
public:  
virtual property System.String^ LowerLimit {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

Method Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : Method Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Property Method As System.String
```

Visual Basic (Usage)

```
Dim instance As CharacteristicsDataClass  
Dim value As System.String  
  
instance.Method = value  
value = instance.Method
```

C#

```
public virtual System.string Method {get; set;}
```

C++/CLI

```
public:  
virtual property System.String^ Method {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

Operation Property (CharacteristicsDataClass)

[See Also](#)



.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Property Operation As System.String
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.String  
  
instance.Operation = value  
value = instance.Operation
```

C#

```
public virtual System.string Operation {get; set;}
```

C++/CLI

```
public:  
virtual property System.String^ Operation {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Quantity Property (CharacteristicsDataClass)

[See Also](#)



.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Property Quantity As System.Integer
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.Integer  
  
instance.Quantity = value  
value = instance.Quantity
```

C#

```
public virtual System.int Quantity {get; set;}
```

C++/CLI

```

public:
virtual property System.int Quantity {
    System.int get();
    void set ( & System.int value);
}

```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Reference Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : Reference Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Property Reference As System.Boolean
```

Visual Basic (Usage)



```

Dim instance As CharacteristicsDataClass
Dim value As System.Boolean

```

```
instance.Reference = value
```

```
value = instance.Reference
```

C#

```
public virtual System.bool Reference {get; set;}
```

C++/CLI

```

public:
virtual property System.bool Reference {
    System.bool get();
    void set ( & System.bool value);
}

```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Reject Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : Reject Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable ReadOnly Property Reject As System.String
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.String  
  
value = instance.Reject
```

C#

```
public virtual System.string Reject {get;}
```

C++/CLI

```
public:  
virtual property System.String^ Reject {  
    System.String^ get();  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

SampleSize Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : SampleSize Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable ReadOnly Property SampleSize As System.String
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.String  
  
value = instance.SampleSize
```

C#

```
public virtual System.string SampleSize {get;}
```

C++/CLI

```
public:  
virtual property System.String^ SampleSize {  
    System.String^ get();  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

Selected Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : Selected Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

Public Overridable Property Selected As System.Boolean

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.Boolean  
  
instance.Selected = value  
  
value = instance.Selected
```

C#

```
public virtual System.bool Selected {get; set;}
```

C++/CLI

```
public:  
virtual property System.bool Selected {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Sheet Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : Sheet Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

Public Overridable ReadOnly Property Sheet As System.String

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.String  
  
value = instance.Sheet
```

C#

```
public virtual System.string Sheet {get;}
```

C++/CLI

```
public:  
virtual property System.String^ Sheet {  
    System.String^ get();  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

SubType Property (CharacteristicsDataClass)

[See Also](#)



.NET Syntax

Visual Basic (Declaration)

```
Public Overridable ReadOnly Property SubType As System.Integer
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.Integer  
  
value = instance.SubType
```

C#

```
public virtual System.int SubType {get;}
```

C++/CLI

```
public:  
virtual property System.int SubType {  
    System.int get();  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

ToleranceMinus Property (CharacteristicsDataClass)

[See Also](#)



.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Property ToleranceMinus As System.String
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.String  
  
instance.ToleranceMinus = value  
value = instance.ToleranceMinus
```

C#

```
public virtual System.string ToleranceMinus {get; set;}
```

C++/CLI

```
public:  
virtual property System.String^ ToleranceMinus {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

TolerancePlus Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : TolerancePlus Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Property TolerancePlus As System.String
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.String  
  
instance.TolerancePlus = value  
  
value = instance.TolerancePlus
```

C#

```
public virtual System.string TolerancePlus {get; set;}
```

C++/CLI

```
public:  
virtual property System.String^ TolerancePlus {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

Units Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : Units Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable ReadOnly Property Units As System.String
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.String  
  
value = instance.Units
```

C#

```
public virtual System.string Units {get;}
```

C++/CLI


```
public:
virtual property System.String^ Units {
    System.String^ get();
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

UpperLimit Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : UpperLimit Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Property UpperLimit As System.String
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass
Dim value As System.String

instance.UpperLimit = value

value = instance.UpperLimit
```

C#

```
public virtual System.string UpperLimit {get; set;}
```

C++/CLI

```
public:
virtual property System.String^ UpperLimit {
    System.String^ get();
    void set ( & System.String^ value);
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

Value Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : Value Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Property Value As System.String
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass
Dim value As System.String
```

```
instance.Value = value
```

```
value = instance.Value
```

C#

```
public virtual System.string Value {get; set;}
```

C++/CLI

```
public:  
virtual property System.String^ Value {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

View Property (CharacteristicsDataClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [CharacteristicsDataClass Class](#) : View Property (CharacteristicsDataClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable ReadOnly Property View As System.String
```

Visual Basic (Usage)



```
Dim instance As CharacteristicsDataClass  
Dim value As System.String
```

```
value = instance.View
```

C#

```
public virtual System.string View {get;}
```

C++/CLI

```
public:  
virtual property System.String^ View {  
    System.String^ get();  
}
```

See Also

[CharacteristicsDataClass Class](#)
[CharacteristicsDataClass Members](#)

IBalloonSettings (Type)

IBalloonSettings Interface

[See Also](#) [Members](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : IBalloonSettings Interface

Allows access to inspection balloon settings.
NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface IBalloonSettings
```

Visual Basic (Usage)



```
Dim instance As IBalloonSettings
```

C#

```
public interface IBalloonSettings
```

C++/CLI

```
public interface class IBalloonSettings
```

Visual Basic for Applications (VBA) Syntax

See [BalloonSettings](#).

Remarks

This interface:

- is valid only after the inspection project is created and the model has been ballooned.
- can be used to add or edit balloons in ballooned drawings only.
- analogous to the Ballooning Settings PropertyManager that displays when you select **Tools > SOLIDWORKS Inspection > Add/Edit Balloons**.

For more information, see the **SOLIDWORKS Inspection Add-in user-interface help > SOLIDWORKS Inspection > SOLIDWORKS Inspection Add-in > Getting Started > Balloons** topic.

Accessors

[IInspectionAddInMgr::GetBalloonSettings](#)

See Also

[IBalloonSettings Members](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

IBalloonSettings Interface Members

[See Also](#) [Properties](#) [Methods](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : IBalloonSettings Interface

The following tables list the members exposed by [IBalloonSettings](#).

Public Properties

Name	Description
AttachToCharacteristic	Gets and sets whether to attach this balloon to each characteristic (item extracted from the drawing).
Fit	Gets and sets the number of digits that fit in a regular characteristic balloon.
KeyCharFit	Gets and sets the number of digits that fit in a key characteristic balloon.

 KeyCharPrefix	Gets and sets the prefix to add to the balloons for key characteristics.
 KeyCharShape	Gets and sets the balloon shape for key characteristics.
 Layer	Gets and sets the drawing layer to which to add this balloon.
 Prefix	Gets and sets the prefix to add to the balloons of regular characteristics.
 RotateToMatchCharacteristic	Gets and sets whether to rotate this balloon to match the angle of the characteristic.
 Shape	Gets and sets the balloon shape for regular characteristics.
 UserSpecifiedLayer	Gets and sets the user-specified layer.

[Top](#)

Public Methods

Name	Description
 Apply	Applies any modified balloon settings and re-balloons the model.
 GetOffsets	Gets whether to balloon the specified offset type in the document and gets the current offsets for the specified offset type.
 SetOffsets	Sets whether to balloon the specified offset type in the document and gets the current offsets for the specified offset type.

[Top](#)

See Also

[IBalloonSettings Interface](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

IBalloonSettings Interface Methods

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : IBalloonSettings Interface

For a list of all members of this type, see [IBalloonSettings members](#).

Public Methods

Name	Description
 Apply	Applies any modified balloon settings and re-balloons the model.
 GetOffsets	Gets whether to balloon the specified offset type in the document and gets the current offsets for the specified offset type.
 SetOffsets	Sets whether to balloon the specified offset type in the document and gets the current offsets for the specified offset type.

[Top](#)

See Also

[IBalloonSettings Interface](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

IBalloonSettings Interface Properties

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : IBalloonSettings Interface

For a list of all members of this type, see [IBalloonSettings members](#).

Public Properties

Name	Description
 AttachToCharacteristic	Gets and sets whether to attach this balloon to each characteristic (item extracted from the drawing).
 Fit	Gets and sets the number of digits that fit in a regular characteristic balloon.
 KeyCharFit	Gets and sets the number of digits that fit in a key characteristic balloon.
 KeyCharPrefix	Gets and sets the prefix to add to the balloons for key characteristics.

 KeyCharShape	Gets and sets the balloon shape for key characteristics.
 Layer	Gets and sets the drawing layer to which to add this balloon.
 Prefix	Gets and sets the prefix to add to the balloons of regular characteristics.
 RotateToMatchCharacteristic	Gets and sets whether to rotate this balloon to match the angle of the characteristic.
 Shape	Gets and sets the balloon shape for regular characteristics.
 UserSpecifiedLayer	Gets and sets the user-specified layer.

[Top](#)

See Also

[IBalloonSettings Interface](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Apply Method (IBalloonSettings)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IBalloonSettings Interface](#) : Apply Method (IBalloonSettings)

Applies any modified balloon settings and re-balloons the model.

.NET Syntax

Visual Basic (Declaration)

```
Function Apply() As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IBalloonSettings
Dim value As System.Boolean

value = instance.Apply()
```

C#

```
System.bool Apply()
```

C++/CLI

```
System.bool Apply();
```

Return Value

True if balloon settings successfully applied, false if not

Visual Basic for Applications (VBA) Syntax

See [BalloonSettings](#) methods.

See Also

[IBalloonSettings Interface](#)
[IBalloonSettings Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

AttachToCharacteristic Property (IBalloonSettings)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IBalloonSettings Interface](#) : AttachToCharacteristic Property (IBalloonSettings)

Gets and sets whether to attach this balloon to each characteristic (item extracted from the drawing).

.NET Syntax

Visual Basic (Declaration)

```
Property AttachToCharacteristic As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IBalloonSettings  
Dim value As System.Boolean  
  
instance.AttachToCharacteristic = value  
  
value = instance.AttachToCharacteristic
```

C#

```
System.bool AttachToCharacteristic {get; set;}
```

C++/CLI

```
property System.bool AttachToCharacteristic {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to attach this balloon to each characteristic, false to not

Visual Basic for Applications (VBA) Syntax

See [BalloonSettings](#) properties.

Remarks

This property is valid only for drawings.

If this property is set to true, then when the balloon moves the dimension characteristic moves with it.

See Also

[IBalloonSettings Interface](#)
[IBalloonSettings Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

Fit Property (IBalloonSettings)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IBalloonSettings Interface](#) : Fit Property (IBalloonSettings)

Gets and sets the number of digits that fit in a regular characteristic balloon.

.NET Syntax

Visual Basic (Declaration)

```
Property Fit As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IBalloonSettings  
Dim value As System.Integer
```

```
instance.Fit = value
```

```
value = instance.Fit
```

C#

```
System.int Fit {get; set;}
```

C++/CLI

```
property System.int Fit {  
    System.int get();  
    void set ( & System.int value);  
}
```

Property Value

Number of digits that fit as defined by [swiBalloonSettingsFit_e](#)

Visual Basic for Applications (VBA) Syntax

See [BalloonSettings](#) properties.

See Also

[IBalloonSettings Interface](#)
[IBalloonSettings Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

GetOffsets Method (IBalloonSettings)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IBalloonSettings Interface](#) : GetOffsets Method (IBalloonSettings)

Gets whether to balloon the specified offset type in the document and gets the current offsets for the specified offset type.

.NET Syntax

Visual Basic (Declaration)

```
Function GetOffsets( _  
    ByVal Type As System.Integer, _  
    ByRef IsVisible As System.Boolean, _  
    ByRef X\_Offset As System.Double, _  
    ByRef Y\_Offset As System.Double _  
    ) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IBalloonSettings  
Dim Type As System.Integer  
Dim IsVisible As System.Boolean  
Dim X_Offset As System.Double  
Dim Y_Offset As System.Double  
Dim value As System.Boolean
```

```
value = instance.GetOffsets(Type, IsVisible, X_Offset, Y_Offset)
```

C#

```
System.bool GetOffsets(
    System.int Type,
    out System.bool IsVisible,
    out System.double X\_Offset,
    out System.double Y\_Offset
)
```

C++/CLI

```
System.bool GetOffsets(
    & System.int Type,
    & [Out] System.bool IsVisible,
    & [Out] System.double X\_Offset,
    & [Out] System.double Y\_Offset
)
```

Parameters

Type

Offset type as defined by [swiBalloonSettingsOffsetTypes_e](#)

IsVisible

True to balloon the offset type in the document, false to just include it in the inspection report

X_Offset

X offset for the default location of the balloons

Y_Offset

Y offset for the default location of the balloons

Return Value

True if offset settings successfully retrieved, false if not

Visual Basic for Applications (VBA) Syntax

See [BalloonSettings](#) methods.

Remarks

X_Offset and Y_Offset are from the upper left-hand corner of the attribute to the upper left-hand corner of the balloon. The offsets can be positive or negative numbers.

For more information, see the Ballooning Settings PropertyManager - Offsets section of the **SOLIDWORKS Inspection Add-in user-interface help > SOLIDWORKS Inspection > SOLIDWORKS Inspection Add-in > Getting Started > Balloons** topic.

See Also

[IBalloonSettings Interface](#)

[IBalloonSettings Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

KeyCharFit Property (IBalloonSettings)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IBalloonSettings Interface](#) : KeyCharFit Property (IBalloonSettings)

Gets and sets the number of digits that fit in a key characteristic balloon.

.NET Syntax

Visual Basic (Declaration)

```
Property KeyCharFit As System.Integer
```

Visual Basic (Usage)

```
Dim instance As IBalloonSettings
Dim value As System.Integer
```




```
instance.KeyCharFit = value  
value = instance.KeyCharFit
```

C#

```
System.int KeyCharFit {get; set;}
```

C++/CLI

```
property System.int KeyCharFit {  
    System.int get();  
    void set ( & System.int value);  
}
```

Property Value

Number of digits that fit as defined by [swiBalloonSettingsFit_e](#)

Visual Basic for Applications (VBA) Syntax

See [BalloonSettings](#) properties.

Remarks

Key characteristics are characteristics whose variation has a significant impact on the quality of the part.

See Also

[IBalloonSettings Interface](#)
[IBalloonSettings Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

KeyCharPrefix Property (IBalloonSettings)

[See Also](#)



[SolidWorks.Interop.swinspectionAddin Namespace](#) > [IBalloonSettings Interface](#) : KeyCharPrefix Property (IBalloonSettings)

Gets and sets the prefix to add to the balloons for key characteristics.

.NET Syntax

Visual Basic (Declaration)

```
Property KeyCharPrefix As System.String
```

Visual Basic (Usage)



```
Dim instance As IBalloonSettings  
Dim value As System.String
```

```
instance.KeyCharPrefix = value  
value = instance.KeyCharPrefix
```

C#

```
System.string KeyCharPrefix {get; set;}
```

C++/CLI

```
property System.String^ KeyCharPrefix {  
    System.String^ get();
```

```
void set ( & System.String^ value);  
}
```

Property Value

Prefix

Visual Basic for Applications (VBA) Syntax

See [BalloonSettings](#) properties.

Remarks

Key characteristics are characteristics whose variation has a significant impact on the quality of the part.

See Also

[IBalloonSettings Interface](#)
[IBalloonSettings Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

KeyCharShape Property (IBalloonSettings)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IBalloonSettings Interface](#) : KeyCharShape Property (IBalloonSettings)

Gets and sets the balloon shape for key characteristics.

.NET Syntax

Visual Basic (Declaration)

Property KeyCharShape As System.Integer

Visual Basic (Usage)



```
Dim instance As IBalloonSettings  
Dim value As System.Integer
```

```
instance.KeyCharShape = value
```

```
value = instance.KeyCharShape
```

C#

```
System.int KeyCharShape {get; set;}
```

C++/CLI

```
property System.int KeyCharShape {  
    System.int get();  
    void set ( & System.int value);  
}
```

Property Value

Balloon shape as defined by [swIBalloonSettingsShape_e](#)

Visual Basic for Applications (VBA) Syntax

See [BalloonSettings](#) properties.

Remarks

Key characteristics are characteristics whose variation has a significant impact on the quality of the part.

See Also

[IBalloonSettings Interface](#)
[IBalloonSettings Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Layer Property (IBalloonSettings)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IBalloonSettings Interface](#) : Layer Property (IBalloonSettings)

Gets and sets the drawing layer to which to add this balloon.

.NET Syntax

Visual Basic (Declaration)

Property Layer As System.Integer

Visual Basic (Usage)



```
Dim instance As IBalloonSettings  
Dim value As System.Integer
```

```
instance.Layer = value
```

```
value = instance.Layer
```

C#

```
System.int Layer {get; set;}
```

C++/CLI

```
property System.int Layer {  
    System.int get();  
    void set ( & System.int value);  
}
```

Property Value

Drawing layer as defined by [swiBalloonSettingLayer_e](#)

Visual Basic for Applications (VBA) Syntax

See [BalloonSettings](#) properties.

Remarks

This property is valid only for drawings.

If you set this property to swiLayer_UseSpecificLayer, use [IBalloonSettings::UserSpecifiedLayer](#) to set the name of the layer.

See Also

[IBalloonSettings Interface](#)
[IBalloonSettings Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Prefix Property (IBalloonSettings)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IBalloonSettings Interface](#) : Prefix Property (IBalloonSettings)

Gets and sets the prefix to add to the balloons of regular characteristics.

.NET Syntax

Visual Basic (Declaration)

Property Prefix As System.String

Visual Basic (Usage)



```
Dim instance As IBalloonSettings
Dim value As System.String

instance.Prefix = value

value = instance.Prefix
```

C#

```
System.string Prefix {get; set;}
```

C++/CLI

```
property System.String^ Prefix {
    System.String^ get();
    void set ( & System.String^ value);
}
```

Property Value

Prefix

Visual Basic for Applications (VBA) Syntax

See [BalloonSettings](#) properties.

See Also

[IBalloonSettings Interface](#)
[IBalloonSettings Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

RotateToMatchCharacteristic Property (IBalloonSettings)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IBalloonSettings Interface](#) : RotateToMatchCharacteristic Property (IBalloonSettings)

Gets and sets whether to rotate this balloon to match the angle of the characteristic.

.NET Syntax

Visual Basic (Declaration)

Property RotateToMatchCharacteristic As System.Boolean

Visual Basic (Usage)



```
Dim instance As IBalloonSettings
Dim value As System.Boolean
```

```
instance.RotateToMatchCharacteristic = value  
value = instance.RotateToMatchCharacteristic
```

C#

```
System.bool RotateToMatchCharacteristic {get; set;}
```

C++/CLI

```
property System.bool RotateToMatchCharacteristic {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to rotate the balloon to match the characteristic's angle, false to not

Visual Basic for Applications (VBA) Syntax

See [BalloonSettings](#) properties.

Remarks

This property is valid only for drawings.

See Also

[IBalloonSettings Interface](#)
[IBalloonSettings Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

SetOffsets Method (IBalloonSettings)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IBalloonSettings Interface](#) : SetOffsets Method (IBalloonSettings)

Sets whether to balloon the specified offset type in the document and gets the current offsets for the specified offset type.

.NET Syntax

Visual Basic (Declaration)

```
Function SetOffsets( _  
    ByVal Type As System.Integer, _  
    ByVal IsVisible As System.Boolean, _  
    ByVal X\_Offset As System.Double, _  
    ByVal Y\_Offset As System.Double _  
    ) As System.Boolean
```

Visual Basic (Usage)

```
Dim instance As IBalloonSettings  
Dim Type As System.Integer  
Dim IsVisible As System.Boolean  
Dim X_Offset As System.Double  
Dim Y_Offset As System.Double  
Dim value As System.Boolean
```

```
value = instance.SetOffsets(Type, IsVisible, X_Offset, Y_Offset)
```

C#

 Copy Code

```
System.bool SetOffsets(
    System.int Type,
    System.bool IsVisible,
    System.double X\_Offset,
    System.double Y\_Offset
)
```

C++/CLI

```
System.bool SetOffsets(
    & System.int Type,
    & System.bool IsVisible,
    & System.double X\_Offset,
    & System.double Y\_Offset
)
```

Parameters

Type

Offset type as defined by [swiBalloonSettingsOffsetTypes_e](#)

IsVisible

True to balloon the offset type in the document, false to just include it in the inspection report

X_Offset

X offset for the default location of the balloons

Y_Offset

Y offset for the default location of the balloons

Return Value

True if offset settings successfully set, false if not

Visual Basic for Applications (VBA) Syntax

See [BalloonSettings](#) methods.

Remarks

X_Offset and Y_Offset are from the upper left-hand corner of the attribute to the upper left-hand corner of the balloon. The offsets can be positive or negative numbers.

For more information, see the Ballooning Settings PropertyManager - Offsets section of the **SOLIDWORKS Inspection Add-in user-interface help > SOLIDWORKS Inspection > SOLIDWORKS Inspection Add-in > Getting Started > Balloons** topic.

See Also

[IBalloonSettings Interface](#)

[IBalloonSettings Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Shape Property (IBalloonSettings)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IBalloonSettings Interface](#) : Shape Property (IBalloonSettings)

Gets and sets the balloon shape for regular characteristics.

.NET Syntax

Visual Basic (Declaration)

Property Shape As System.Integer

Visual Basic (Usage)

```
Dim instance As IBalloonSettings
Dim value As System.Integer
```



```
instance.Shape = value
```

```
value = instance.Shape
```

C#

```
System.int Shape {get; set;}
```

C++/CLI

```
property System.int Shape {  
    System.int get();  
    void set ( & System.int value);  
}
```

Property Value

Balloon shape as defined by [swiBalloonSettingsShape_e](#)

Visual Basic for Applications (VBA) Syntax

See [BalloonSettings](#) properties.

See Also

[IBalloonSettings Interface](#)
[IBalloonSettings Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

UserSpecifiedLayer Property (IBalloonSettings)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IBalloonSettings Interface](#) : UserSpecifiedLayer Property (IBalloonSettings)

Gets and sets the user-specified layer.

.NET Syntax

Visual Basic (Declaration)

```
Property UserSpecifiedLayer As System.String
```

Visual Basic (Usage)



```
Dim instance As IBalloonSettings  
Dim value As System.String  
  
instance.UserSpecifiedLayer = value  
  
value = instance.UserSpecifiedLayer
```

C#

```
System.string UserSpecifiedLayer {get; set;}
```

C++/CLI

```
property System.String^ UserSpecifiedLayer {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Name of user-specified layer

Visual Basic for Applications (VBA) Syntax

See [BalloonSettings](#) properties.

Remarks

This property is valid only:

- for drawings.
- when [IBalloonSettings::Layer](#) is set to [swiBalloonSettingLayer_e.swiLayer_UseSpecificLayer](#).

See Also

[IBalloonSettings Interface](#)
[IBalloonSettings Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS