

SOLIDWORKS Inspection Add-in API (.NET) — Reference (4/7): InspectionProject- InspectionProjectData

SOLIDWORKS API Documentation (converted from CHM)

IInspectionProject (Type)

IInspectionProject Interface

[See Also](#) [Members](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : IInspectionProject Interface

Allows exporting an inspection project.
NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

```
Public Interface IInspectionProject
```

Visual Basic (Usage)



```
Dim instance As IInspectionProject
```

C#

```
public interface IInspectionProject
```

C++/CLI

```
public interface class IInspectionProject
```

Visual Basic for Applications (VBA) Syntax

See [InspectionProject](#).

Remarks

For more information, see the **SOLIDWORKS Inspection Add-in user-interface help > SOLIDWORKS Inspection > SOLIDWORKS Inspection Add-in > Publishing and Exporting Documents** topic.

Accessors

[IInspectionAddinMgr::CreateInspectionProject](#)

[IInspectionAddinMgr::GetInspectionProject](#)

See Also

[IInspectionProject Members](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

IInspectionProject Interface Members

[See Also](#) [Methods](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : IInspectionProject Interface

The following tables list the members exposed by [IInspectionProject](#).

Public Methods

Name	Description
 ExportTo2DPDF	Exports the inspection report in 2D PDF format.
 ExportTo3DPDF	Exports the inspection report in 3D PDF format.
 ExportToEDrawings	Exports the inspection report to eDrawings.
 ExportToExcel	Exports the inspection report to Microsoft Excel.

[Top](#)

See Also

[IInspectionProject Interface](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

IInspectionProject Interface Methods

[See Also](#)

[SolidWorks.Interop.swinspectionAddIn Namespace](#) : IInspectionProject Interface

For a list of all members of this type, see [IInspectionProject members](#).

Public Methods

Name	Description
 ExportTo2DPDF	Exports the inspection report in 2D PDF format.
 ExportTo3DPDF	Exports the inspection report in 3D PDF format.
 ExportToEDrawings	Exports the inspection report to eDrawings.
 ExportToExcel	Exports the inspection report to Microsoft Excel.

[Top](#)

See Also

[IInspectionProject Interface](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

ExportTo2DPDF Method (IInspectionProject)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProject Interface](#) : ExportTo2DPDF Method (IInspectionProject)

Exports the inspection report in 2D PDF format.

.NET Syntax

Visual Basic (Declaration)

```
Function ExportTo2DPDF( _  
    ByVal FilePath As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IInspectionProject  
Dim FilePath As System.String  
Dim value As System.Boolean  
  
value = instance.ExportTo2DPDF(FilePath)
```

C#

```
System.bool ExportTo2DPDF(  
    System.string FilePath  
)
```

C++/CLI

```
System.bool ExportTo2DPDF(  
    & System.String^ FilePath  
)
```

Parameters

FilePath
Full path name of the PDF to export

Return Value

True if export is successful, false if not

Visual Basic for Applications (VBA) Syntax

See [InspectionProject](#) methods.

See Also

[IInspectionProject Interface](#)
[IInspectionProject Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

ExportTo3DPDF Method (IInspectionProject)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProject Interface](#) : ExportTo3DPDF Method (IInspectionProject)

Exports the inspection report in 3D PDF format.

.NET Syntax

Visual Basic (Declaration)

```
Function ExportTo3DPDF( _  
    ByVal FilePath As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IInspectionProject  
Dim FilePath As System.String  
Dim value As System.Boolean  
  
value = instance.ExportTo3DPDF(FilePath)
```

C#

```
System.bool ExportTo3DPDF(  
    System.string FilePath  
)
```

C++/CLI

```
System.bool ExportTo3DPDF(  
    & System.String^ FilePath  
)
```

Parameters

FilePath

Full path name of the PDF to export

Return Value

True if export is successful, false if not

Visual Basic for Applications (VBA) Syntax

See [InspectionProject](#) methods.

Remarks

This method is valid only for parts.

See Also

[IInspectionProject Interface](#)
[IInspectionProject Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

ExportToEDrawings Method (IInspectionProject)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProject Interface](#) : ExportToEDrawings Method (IInspectionProject)

Exports the inspection report to eDrawings.

.NET Syntax

Visual Basic (Declaration)

```
Function ExportToEDrawings( _  
    ByVal FilePath As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IInspectionProject  
Dim FilePath As System.String  
Dim value As System.Boolean  
  
value = instance.ExportToEDrawings(FilePath)
```

C#

```
System.bool ExportToEDrawings(  
    System.string FilePath  
)
```

C++/CLI

```
System.bool ExportToEDrawings(  
& System.String^ FilePath  
)
```

Parameters

FilePath

Full path name of the eDrawings file to export

Return Value

True if export is successful, false if not

Visual Basic for Applications (VBA) Syntax

See [InspectionProject](#) methods.

See Also

[IInspectionProject Interface](#)
[IInspectionProject Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

ExportToExcel Method (IInspectionProject)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProject Interface](#) : ExportToExcel Method (IInspectionProject)

Exports the inspection report to Microsoft Excel.

.NET Syntax

Visual Basic (Declaration)

```
Function ExportToExcel( _  
    ByVal TemplatePath As System.String, _  
    ByVal FilePath As System.String, _  
    ByVal Multisheet As System.Boolean _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IInspectionProject  
Dim TemplatePath As System.String  
Dim FilePath As System.String  
Dim Multisheet As System.Boolean  
Dim value As System.Boolean  
  
value = instance.ExportToExcel(TemplatePath, FilePath, Multisheet)
```

C#

```
System.bool ExportToExcel(  
    System.string TemplatePath,  
    System.string FilePath,  
    System.bool Multisheet  
)
```

C++/CLI

```
System.bool ExportToExcel(  
& System.String^ TemplatePath,  
& System.String^ FilePath,  
& System.bool Multisheet  
)
```

Parameters

TemplatePath

Full path name of the inspection report template to use (see **Remarks**)

FilePath

Full path name of the Microsoft Excel file to export

Multisheet

True if multisheet, false if not

Return Value

True if export is successful, false if not

Visual Basic for Applications (VBA) Syntax

See [IInspectionProject](#) methods.

Remarks

The templates are installed in c:\ProgramData\SOLIDWORKS\SOLIDWORKS Inspection 2022 Addin\Templates.

See Also

[IInspectionProject Interface](#)
[IInspectionProject Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

IInspectionProjectData (Type)

IInspectionProjectData Interface

[See Also](#) [Members](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : IInspectionProjectData Interface

Allows access to inspection project data.
NOTE: Click the **Members** link, located near the top of the topic, to see this interface's methods and properties.

.NET Syntax

Visual Basic (Declaration)

Public Interface IInspectionProjectData

Visual Basic (Usage)



Dim instance As [IInspectionProjectData](#)

C#

public interface IInspectionProjectData

C++/CLI

public interface class IInspectionProjectData

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#).

Remarks

This interface sets initial properties before the inspection project is created. Use [ICharacteristicsData](#) and [IBalloonSettings](#) to modify these properties for individual characteristics and balloons after the inspection project is created.

For more information, see the **SOLIDWORKS Inspection Add-in user-interface help > SOLIDWORKS Inspection > SOLIDWORKS Inspection Add-in > Getting Started > Creating an Inspection Project > Create Inspection Project PropertyManager** topic.

Accessors

[IInspectionAddinMgr::CreateInspectionProjectData](#)
[IInspectionAddinMgr::GetInspectionProjectData](#)

See Also

[IInspectionProjectData Members](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

IInspectionProjectData Interface Members

[See Also](#) [Properties](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : IInspectionProjectData Interface

The following tables list the members exposed by [IInspectionProjectData](#).

Public Properties

Name	Description
 AQL	Gets and sets the sampling acceptable quality level (AQL) for this inspection project.
 AutoBalloon	Gets and sets whether to autoballoon drawings in this inspection project.
 AutoExplodeHoleCallout	Gets and sets whether to auto-explode hole callouts.

 Basic	Gets and sets whether to extract basic dimensions from the drawing for this inspection project.
 Classification	Gets and sets the defect classification for this inspection project.
 CreateForEachInstance	Gets and sets whether to create a separate instance for characteristics having a quantity of more than one.
 DocumentName	Gets and sets the document name for this inspection report.
 DocumentNumber	Gets and sets the document number for this inspection report.
 DocumentRevision	Gets and sets the document revision for this inspection report.
 Extraction	Gets and sets the type of extraction for this inspection project.
 ExtractionCriteria	Gets and sets the regular expression to filter notes for this inspection project.
 Feature	Gets and sets whether to extract feature dimensions from the drawing for this inspection project.
 IncludeDimensions	Gets and sets whether to extract all dimension types from the drawing for this inspection project.
 IncludeGDT	Gets and sets whether to extract geometric tolerance symbols from the drawing for this inspection project.
 IncludeHoleCallout	Gets and sets whether to extract hole callouts from the drawing for this inspection project.
 IncludeHoleTable	Gets and sets whether to extract hole tables from the drawing for this inspection project.
 IncludeNotes	Gets and sets whether to extract all notes from the drawing for this inspection project.
 IncludeSurfaceFinish	Gets and sets whether to extract surface finishes from the drawing for this inspection project.
 IncludeWeld	Gets and sets whether to extract welds from the drawing for this inspection project.
 InspectionOnly	Gets and sets whether to extract inspection-only dimensions from the drawing for this inspection project.
 JobNumber	Gets and sets the job number for this inspection report.
 Level	Gets and sets the sampling level for this inspection project.
 LotSize	Gets and sets the sampling lot size for this inspection project.
 NotesAutoExplode	Gets and sets whether to create a separate instance for each section of the note.
 OverriddenValue	Gets and sets whether to extract overridden dimension values from the drawing for this inspection project.
 PartName	Gets and sets the part name for this inspection report.
 PartNumber	Gets and sets the part number for this inspection report.
 PartRevision	Gets and sets the part revision for this inspection report.
 PreventAutoReNumbering	Gets and sets whether to re-order balloons when one is removed.
 Reference	Gets and sets whether to extract driven (e.g., read-only) dimensions from the drawing for this inspection project.
 SamplingType	Gets and sets the statistical sampling type for this inspection project.
 SecondaryUnits	Gets and sets whether to extract dual dimensions from the drawing for this inspection project.
 SheetFormat	Gets and sets whether to extract sheet format notes from the drawing for this inspection project.
 Sort	Gets and sets the ballooning arrangement for this inspection project.
 SplitChamferDimensions	Gets and sets whether to treat each part of a chamfer dimension as a separate characteristic for this inspection project.
 StartNumber	Gets and sets the starting balloon number for this inspection project.
 Vendor	Gets and sets the vendor for this inspection report.

[Top](#)

See Also

[IInspectionProjectData Interface](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

IInspectionProjectData Interface Properties

[See Also](#)

[SolidWorks.Interop.swinspectionAddIn Namespace](#) : IInspectionProjectData Interface

For a list of all members of this type, see [IInspectionProjectData members](#).

Public Properties

Name	Description
 AQL	Gets and sets the sampling acceptable quality level (AQL) for this inspection project.
 AutoBalloon	Gets and sets whether to autoballoon drawings in this inspection project.
 AutoExplodeHoleCallout	Gets and sets whether to auto-explode hole callouts.
 Basic	Gets and sets whether to extract basic dimensions from the drawing for this inspection project.
 Classification	Gets and sets the defect classification for this inspection project.
 CreateForEachInstance	Gets and sets whether to create a separate instance for characteristics having a quantity of more than one.
 DocumentName	Gets and sets the document name for this inspection report.
 DocumentNumber	Gets and sets the document number for this inspection report.
 DocumentRevision	Gets and sets the document revision for this inspection report.
 Extraction	Gets and sets the type of extraction for this inspection project.
 ExtractionCriteria	Gets and sets the regular expression to filter notes for this inspection project.
 Feature	Gets and sets whether to extract feature dimensions from the drawing for this inspection project.
 IncludeDimensions	Gets and sets whether to extract all dimension types from the drawing for this inspection project.
 IncludeGDT	Gets and sets whether to extract geometric tolerance symbols from the drawing for this inspection project.
 IncludeHoleCallout	Gets and sets whether to extract hole callouts from the drawing for this inspection project.
 IncludeHoleTable	Gets and sets whether to extract hole tables from the drawing for this inspection project.
 IncludeNotes	Gets and sets whether to extract all notes from the drawing for this inspection project.
 IncludeSurfaceFinish	Gets and sets whether to extract surface finishes from the drawing for this inspection project.
 IncludeWeld	Gets and sets whether to extract welds from the drawing for this inspection project.
 InspectionOnly	Gets and sets whether to extract inspection-only dimensions from the drawing for this inspection project.
 JobNumber	Gets and sets the job number for this inspection report.
 Level	Gets and sets the sampling level for this inspection project.
 LotSize	Gets and sets the sampling lot size for this inspection project.
 NotesAutoExplode	Gets and sets whether to create a separate instance for each section of the note.
 OverriddenValue	Gets and sets whether to extract overridden dimension values from the drawing for this inspection project.
 PartName	Gets and sets the part name for this inspection report.
 PartNumber	Gets and sets the part number for this inspection report.
 PartRevision	Gets and sets the part revision for this inspection report.
 PreventAutoReNumbering	Gets and sets whether to re-order balloons when one is removed.
 Reference	Gets and sets whether to extract driven (e.g., read-only) dimensions from the drawing for this inspection project.
 SamplingType	Gets and sets the statistical sampling type for this inspection project.
 SecondaryUnits	Gets and sets whether to extract dual dimensions from the drawing for this inspection project.
 SheetFormat	Gets and sets whether to extract sheet format notes from the drawing for this inspection project.
 Sort	Gets and sets the ballooning arrangement for this inspection project.
 SplitChamferDimensions	Gets and sets whether to treat each part of a chamfer dimension as a separate characteristic for this inspection project.
 StartNumber	Gets and sets the starting balloon number for this inspection project.
 Vendor	Gets and sets the vendor for this inspection report.

[Top](#)

See Also

AQL Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : AQL Property (IInspectionProjectData)

Gets and sets the sampling acceptable quality level (AQL) for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property AQL As System.String

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.String
```

```
instance.AQL = value
```

```
value = instance.AQL
```

C#

```
System.string AQL {get; set;}
```

C++/CLI

```
property System.String^ AQL {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Acceptable quality level (see [Remarks](#))

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks

Acceptable Quality Levels:

- 0.010
- 0.015
- 0.025
- 0.040
- 0.065
- 0.10
- 0.15
- 0.25
- 0.40
- 0.65
- 1.0
- 1.5
- 2.5
- 4.0
- 6.5
- 10
- 15
- 25
- 40
- 65
- 100
- 150
- 250
- 400
- 650
- 1000

See Also

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

AutoBalloon Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : AutoBalloon Property (IInspectionProjectData)

Gets and sets whether to autoballoon drawings in this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property AutoBalloon As System.Boolean

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.Boolean
```

```
instance.AutoBalloon = value
```

```
value = instance.AutoBalloon
```

C#

```
System.bool AutoBalloon {get; set;}
```

C++/CLI

```
property System.bool AutoBalloon {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to autoballoon the drawing, false to manually add balloons to the drawing

Visual Basic for Applications (VBA) Syntax

See [IInspectionProjectData](#) properties.

See Also

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

AutoExplodeHoleCallout Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : AutoExplodeHoleCallout Property (IInspectionProjectData)

Gets and sets whether to auto-explode hole callouts.

.NET Syntax

Visual Basic (Declaration)

Property AutoExplodeHoleCallout As System.Boolean

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.Boolean  
  
instance.AutoExplodeHoleCallout = value  
  
value = instance.AutoExplodeHoleCallout
```

C#

```
System.bool AutoExplodeHoleCallout {get; set;}
```

C++/CLI

```
property System.bool AutoExplodeHoleCallout {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to create a separate instance for each section of the hole callout, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Basic Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : Basic Property (IInspectionProjectData)

Gets and sets whether to extract basic dimensions from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property Basic As System.Boolean

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.Boolean  
  
instance.Basic = value  
  
value = instance.Basic
```

C#

```
System.bool Basic {get; set;}
```

C++/CLI

```
property System.bool Basic {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to extract basic dimensions, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks

This property is valid only if [InspectionProjectData::InspectionOnly](#) is false.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

Classification Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : Classification Property (IInspectionProjectData)

Gets and sets the defect classification for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property Classification As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData
Dim value As System.Integer
```

```
instance.Classification = value
```

```
value = instance.Classification
```

C#

```
System.int Classification {get; set;}
```

C++/CLI

```
property System.int Classification {
    System.int get();
    void set ( & System.int value);
}
```

Property Value

Defect classification as defined by [swiCharacteristicClassification](#) e

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

CreateForEachInstance Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : CreateForEachInstance Property (IInspectionProjectData)

Gets and sets whether to create a separate instance for characteristics having a quantity of more than one.

.NET Syntax

Visual Basic (Declaration)

Property CreateForEachInstance As System.Boolean

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.Boolean
```

```
instance.CreateForEachInstance = value
```

```
value = instance.CreateForEachInstance
```

C#

```
System.bool CreateForEachInstance {get; set;}
```

C++/CLI

```
property System.bool CreateForEachInstance {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to create separate rows in the inspection report for characteristics of multiplicity, false to not

Visual Basic for Applications (VBA) Syntax

See [IInspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

DocumentName Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : DocumentName Property (IInspectionProjectData)

Gets and sets the document name for this inspection report.

.NET Syntax

Visual Basic (Declaration)

```
Property DocumentName As System.String
```

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.String  
  
instance.DocumentName = value  
value = instance.DocumentName
```

C#

```
System.string DocumentName {get; set;}
```

C++/CLI

```
property System.String^ DocumentName {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Document name

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

[SOLIDWORKS Inspection API Help](#)

[Send comments on this topic.](#)

DocumentNumber Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : DocumentNumber Property (IInspectionProjectData)

Gets and sets the document number for this inspection report.

.NET Syntax

Visual Basic (Declaration)

```
Property DocumentNumber As System.String
```

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.String  
  
instance.DocumentNumber = value  
value = instance.DocumentNumber
```

C#

```
System.string DocumentNumber {get; set;}
```

C++/CLI

```
property System.String^ DocumentNumber {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Document number

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

DocumentRevision Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : DocumentRevision Property (IInspectionProjectData)

Gets and sets the document revision for this inspection report.

.NET Syntax

Visual Basic (Declaration)

```
Property DocumentRevision As System.String
```

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.String
```

```
instance.DocumentRevision = value
```

```
value = instance.DocumentRevision
```

C#

```
System.string DocumentRevision {get; set;}
```

C++/CLI

```
property System.String^ DocumentRevision {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Document revision

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Extraction Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : Extraction Property (IInspectionProjectData)

Gets and sets the type of extraction for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property Extraction As System.Integer

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.Integer
```

```
instance.Extraction = value
```

```
value = instance.Extraction
```

C#

```
System.int Extraction {get; set;}
```

C++/CLI

```
property System.int Extraction {  
    System.int get();  
    void set ( & System.int value);  
}
```

Property Value

Type of extraction as defined by [swCharacteristicInfoExtraction_e](#)

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

ExtractionCriteria Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : ExtractionCriteria Property (IInspectionProjectData)

Gets and sets the regular expression to filter notes for this inspection project.

Visual Basic Syntax

Visual Basic (Declaration)

Property ExtractionCriteria As System.String

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.String
```

```
instance.ExtractionCriteria = value
```

```
value = instance.ExtractionCriteria
```

C#

```
System.string ExtractionCriteria {get; set;}
```

C++/CLI

```
property System.String^ ExtractionCriteria {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Regular expression

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks

This property is valid only if [InspectionProjectData::IncludeNotes](#) is set to true.

For definitions, constructs and examples, see the Note Extraction Criteria topic in **SOLIDWORKS Inspection Add-in user-interface help > SOLIDWORKS Inspection > SOLIDWORKS Inspection Add-in > Getting Started > Creating an Inspection Project > Create Inspection Project PropertyManager > Extraction Settings**.

See Also

[IInspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Feature Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : Feature Property (IInspectionProjectData)

Gets and sets whether to extract feature dimensions from the drawing for this inspection project.

Visual Basic Syntax

Visual Basic (Declaration)

Property Feature As System.Boolean

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData
Dim value As System.Boolean

instance.Feature = value

value = instance.Feature
```

C#

```
System.bool Feature {get; set;}
```

C++/CLI

```
property System.bool Feature {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to extract feature dimensions, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks

This property is valid only if [IInspectionProjectData::InspectionOnly](#) is false.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

IncludeDimensions Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : IncludeDimensions Property (IInspectionProjectData)

Gets and sets whether to extract all dimension types from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property IncludeDimensions As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData
Dim value As System.Boolean
```

```
instance.IncludeDimensions = value

value = instance.IncludeDimensions
```

C#

```
System.bool IncludeDimensions {get; set;}
```

C++/CLI

```
property System.bool IncludeDimensions {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to extract all dimension types, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks

When set to true, this property extracts all of these dimension types:

- Reference
- Basic
- Feature
- Dual (secondary units)
- Overridden
- Split chamfer

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

IncludeGDT Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : IncludeGDT Property (IInspectionProjectData)

Gets and sets whether to extract geometric tolerance symbols from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property IncludeGDT As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData
Dim value As System.Boolean
```

```
instance.IncludeGDT = value
```

```
value = instance.IncludeGDT
```

C#

```
System.bool IncludeGDT {get; set;}
```

C++/CLI

```
property System.bool IncludeGDT {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to extract GTols, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

IncludeHoleCallout Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : IncludeHoleCallout Property (IInspectionProjectData)

Gets and sets whether to extract hole callouts from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property IncludeHoleCallout As System.Boolean

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.Boolean
```

```
instance.IncludeHoleCallout = value
```

```
value = instance.IncludeHoleCallout
```

C#

```
System.bool IncludeHoleCallout {get; set;}
```

C++/CLI

```
property System.bool IncludeHoleCallout {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to extract hole callouts, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

IncludeHoleTable Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : IncludeHoleTable Property (IInspectionProjectData)

Gets and sets whether to extract hole tables from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property IncludeHoleTable As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.Boolean
```

```
instance.IncludeHoleTable = value
```

```
value = instance.IncludeHoleTable
```

C#

```
System.bool IncludeHoleTable {get; set;}
```

C++/CLI

```
property System.bool IncludeHoleTable {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to extract hole tables, false to not

Visual Basic for Applications (VBA) Syntax

See [IInspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

IncludeNotes Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : IncludeNotes Property (IInspectionProjectData)

Gets and sets whether to extract all notes from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property IncludeNotes As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.Boolean
```

```
instance.IncludeNotes = value
```

```
value = instance.IncludeNotes
```

C#

```
System.bool IncludeNotes {get; set;}
```

C++/CLI

```
property System.bool IncludeNotes {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to extract all notes, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks

When set to true, this property extracts all notes including sheet format notes.

Set `IIInspectionProjectData::SheetFormat` to false to not include sheet format notes.

See Also

[IIInspectionProjectData Interface](#)
[IIInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

IncludeSurfaceFinish Property (IIInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IIInspectionProjectData Interface](#) : IncludeSurfaceFinish Property (IIInspectionProjectData)

Gets and sets whether to extract surface finishes from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property IncludeSurfaceFinish As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IIInspectionProjectData  
Dim value As System.Boolean
```

```
instance.IncludeSurfaceFinish = value
```

```
value = instance.IncludeSurfaceFinish
```

C#

```
System.bool IncludeSurfaceFinish {get; set;}
```

C++/CLI

```
property System.bool IncludeSurfaceFinish {  
    System.bool get();
```

```
void set ( & System.bool value);  
}
```

Property Value

True to extract surface finishes, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

IncludeWeld Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : IncludeWeld Property (IInspectionProjectData)

Gets and sets whether to extract welds from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property IncludeWeld As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.Boolean
```

```
instance.IncludeWeld = value
```

```
value = instance.IncludeWeld
```

C#

```
System.bool IncludeWeld {get; set;}
```

C++/CLI

```
property System.bool IncludeWeld {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to extract welds, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

InspectionOnly Property (IInspectionProjectData)

[See Also](#)[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : InspectionOnly Property (IInspectionProjectData)

Gets and sets whether to extract inspection-only dimensions from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property InspectionOnly As System.Boolean

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData
Dim value As System.Boolean
```

```
instance.InspectionOnly = value
```

```
value = instance.InspectionOnly
```

C#

```
System.bool InspectionOnly {get; set;}
```

C++/CLI

```
property System.bool InspectionOnly {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to extract inspection-only dimensions, false to not

Visual Basic for Applications (VBA) Syntax

See [IInspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

JobNumber Property (IInspectionProjectData)

[See Also](#)[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : JobNumber Property (IInspectionProjectData)

Gets and sets the job number for this inspection report.

.NET Syntax

Visual Basic (Declaration)

Property JobNumber As System.String

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData
Dim value As System.String

instance.JobNumber = value

value = instance.JobNumber
```

C#

```
System.string JobNumber {get; set;}
```

C++/CLI

```
property System.String^ JobNumber {
    System.String^ get();
    void set ( &    System.String^ value);
}
```

Property Value

Job number

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Level Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : Level Property (IInspectionProjectData)

Gets and sets the sampling level for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property Level As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData
Dim value As System.Integer

instance.Level = value

value = instance.Level
```

C#

```
System.int Level {get; set;}
```

C++/CLI

```
property System.int Level {
    System.int get();
    void set ( &    System.int value);
}
```

Property Value

Sampling level as defined by [swiSamplingLevel_e](#)

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

LotSize Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : LotSize Property (IInspectionProjectData)

Gets and sets the sampling lot size for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property LotSize As System.Integer

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.Integer
```

```
instance.LotSize = value
```

```
value = instance.LotSize
```

C#

```
System.int LotSize {get; set;}
```

C++/CLI

```
property System.int LotSize {  
    System.int get();  
    void set ( & System.int value);  
}
```

Property Value

Lot size

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

NotesAutoExplode Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : NotesAutoExplode Property (IInspectionProjectData)

Gets and sets whether to create a separate instance for each section of the note.

.NET Syntax

Visual Basic (Declaration)

Property NotesAutoExplode As System.Boolean

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.Boolean
```

```
instance.NotesAutoExplode = value
```

```
value = instance.NotesAutoExplode
```

C#

```
System.bool NotesAutoExplode {get; set;}
```

C++/CLI

```
property System.bool NotesAutoExplode {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to create sub-notes from a large, multi-item note, false to not

Visual Basic for Applications (VBA) Syntax

See [IInspectionProjectData](#) properties.

Remarks

This property is valid only if [IInspectionProjectData::IncludeNotes](#) is set to true.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

OverriddenValue Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : OverriddenValue Property (IInspectionProjectData)

Gets and sets whether to extract overridden dimension values from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property OverriddenValue As System.Boolean

Visual Basic (Usage)

```
Dim instance As IInspectionProjectData
Dim value As System.Boolean

instance.OverriddenValue = value

value = instance.OverriddenValue
```

C#

```
System.bool OverriddenValue {get; set;}
```

C++/CLI

```
property System.bool OverriddenValue {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to always use overridden dimension values when they are defined, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

PartName Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : PartName Property (IInspectionProjectData)

Gets and sets the part name for this inspection report.

.NET Syntax

Visual Basic (Declaration)

```
Property PartName As System.String
```

Visual Basic (Usage)

```
Dim instance As IInspectionProjectData
Dim value As System.String

instance.PartName = value

value = instance.PartName
```

C#

```
System.string PartName {get; set;}
```

C++/CLI

```
property System.String^ PartName {
    System.String^ get();
```

```
void set ( & System.String^ value);  
}
```

Property Value

Part name

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

PartNumber Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : PartNumber Property (IInspectionProjectData)

Gets and sets the part number for this inspection report.

.NET Syntax

Visual Basic (Declaration)

```
Property PartNumber As System.String
```

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.String
```

```
instance.PartNumber = value
```

```
value = instance.PartNumber
```

C#

```
System.string PartNumber {get; set;}
```

C++/CLI

```
property System.String^ PartNumber {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Part number

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

PartRevision Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : PartRevision Property (IInspectionProjectData)

Gets and sets the part revision for this inspection report.

.NET Syntax

Visual Basic (Declaration)

Property PartRevision As System.String

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.String
```

```
instance.PartRevision = value
```

```
value = instance.PartRevision
```

C#

```
System.string PartRevision {get; set;}
```

C++/CLI

```
property System.String^ PartRevision {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Part revision

Visual Basic for Applications (VBA) Syntax

See [IInspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

PreventAutoReNumbering Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : PreventAutoReNumbering Property (IInspectionProjectData)

Gets and sets whether to re-order balloons when one is removed.

.NET Syntax

Visual Basic (Declaration)

Property PreventAutoReNumbering As System.Boolean

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData
Dim value As System.Boolean

instance.PreventAutoReNumbering = value
value = instance.PreventAutoReNumbering
```

C#

```
System.bool PreventAutoReNumbering {get; set;}
```

C++/CLI

```
property System.bool PreventAutoReNumbering {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to prevent re-ordering of balloons, false to re-order when balloons are added or removed

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Reference Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : Reference Property (IInspectionProjectData)

Gets and sets whether to extract driven (e.g., read-only) dimensions from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property Reference As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData
Dim value As System.Boolean

instance.Reference = value
value = instance.Reference
```

C#

```
System.bool Reference {get; set;}
```

C++/CLI

```
property System.bool Reference {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to extract driven dimensions, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks

This property is valid only if [IIInspectionProjectData::InspectionOnly](#) is false.

See Also

[IIInspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

SamplingType Property (IIInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : SamplingType Property (IIInspectionProjectData)

Gets and sets the statistical sampling type for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property SamplingType As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IIInspectionProjectData  
Dim value As System.Integer
```

```
instance.SamplingType = value
```

```
value = instance.SamplingType
```

C#

```
System.int SamplingType {get; set;}
```

C++/CLI

```
property System.int SamplingType {  
    System.int get();  
    void set ( & System.int value);  
}
```

Property Value

Sampling type as defined by [swiSamplingType_e](#)

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IIInspectionProjectData Interface](#)
[IIInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

SecondaryUnits Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : SecondaryUnits Property (IInspectionProjectData)

Gets and sets whether to extract dual dimensions from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property SecondaryUnits As System.Boolean

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.Boolean
```

```
instance.SecondaryUnits = value
```

```
value = instance.SecondaryUnits
```

C#

```
System.bool SecondaryUnits {get; set;}
```

C++/CLI

```
property System.bool SecondaryUnits {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to extract dual dimensions, false to not

Visual Basic for Applications (VBA) Syntax

See [IInspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

SheetFormat Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : SheetFormat Property (IInspectionProjectData)

Gets and sets whether to extract sheet format notes from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property SheetFormat As System.Boolean

```
Dim instance As IInspectionProjectData
Dim value As System.Boolean

instance.SheetFormat = value

value = instance.SheetFormat
```

C#

```
System.bool SheetFormat {get; set;}
```

C++/CLI

```
property System.bool SheetFormat {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to extract sheet format notes, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks**See Also**

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

Sort Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddin Namespace](#) > [IInspectionProjectData Interface](#) : Sort Property (IInspectionProjectData)

Gets and sets the ballooning arrangement for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property Sort As System.Integer
```

Visual Basic (Usage)

```
Dim instance As IInspectionProjectData
Dim value As System.Integer

instance.Sort = value

value = instance.Sort
```

C#

```
System.int Sort {get; set;}
```

C++/CLI

```
property System.int Sort {
    System.int get();
    void set ( & System.int value);
}
```

Property Value

Ballooning arrangement as defined by [swiCharacteristicInfoSort](#) e

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

SplitChamferDimensions Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : SplitChamferDimensions Property (IInspectionProjectData)

Gets and sets whether to treat each part of a chamfer dimension as a separate characteristic for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property SplitChamferDimensions As System.Boolean

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData
Dim value As System.Boolean

instance.SplitChamferDimensions = value
value = instance.SplitChamferDimensions
```

C#

```
System.bool SplitChamferDimensions {get; set;}
```

C++/CLI

```
property System.bool SplitChamferDimensions {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to create separate rows for the linear dimension and angle of a chamfer dimension, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

StartNumber Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : StartNumber Property (IInspectionProjectData)

Gets and sets the starting balloon number for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property StartNumber As System.Integer
```

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.Integer  
  
instance.StartNumber = value  
value = instance.StartNumber
```

C#

```
System.int StartNumber {get; set;}
```

C++/CLI

```
property System.int StartNumber {  
    System.int get();  
    void set ( & System.int value);  
}
```

Property Value

Starting balloon number

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

Vendor Property (IInspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [IInspectionProjectData Interface](#) : Vendor Property (IInspectionProjectData)

Gets and sets the vendor for this inspection report.

.NET Syntax

Visual Basic (Declaration)

Property Vendor As System.String

Visual Basic (Usage)



```
Dim instance As IInspectionProjectData  
Dim value As System.String
```

```
instance.Vendor = value
```

```
value = instance.Vendor
```

C#

```
System.string Vendor {get; set;}
```

C++/CLI

```
property System.String^ Vendor {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Vendor

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[IInspectionProjectData Interface](#)
[IInspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS