

SOLIDWORKS Inspection Add-in API (.NET) — Reference (6/7): InspectionProjectClass- InspectionProjectData

SOLIDWORKS API Documentation (converted from CHM)

InspectionProjectClass (Type)

InspectionProjectClass Class

[See Also](#) [Members](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : InspectionProjectClass Class

Object Model

InspectionProjectClass

.NET Syntax

Visual Basic (Declaration)

```
Public Class InspectionProjectClass
    Implements IInspectionProject, InspectionProject
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectClass
```

C#

```
public class InspectionProjectClass : IInspectionProject, InspectionProject
```

C++/CLI

```
public ref class InspectionProjectClass : public IInspectionProject, InspectionProject
```

See Also

[InspectionProjectClass Members](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

InspectionProjectClass Class Methods

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : InspectionProjectClass Class

For a list of all members of this type, see [InspectionProjectClass members](#).

Public Methods

Name	Description
public N ExportTo2DPDF	
public N ExportTo3DPDF	
public N ExportToEDrawings	
public N ExportToExcel	

[Top](#)

See Also

[InspectionProjectClass Class](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

InspectionProjectClass Class Members

[See Also](#) [Methods](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : InspectionProjectClass Class

The following tables list the members exposed by [InspectionProjectClass](#).

Public Constructors

Name	Description
 public Cons InspectionProjectClass Constructor	

[Top](#)

Public Methods

Name	Description
 public M ExportTo2DPDF	
 public M ExportTo3DPDF	
 public M ExportToEDrawings	
 public M ExportToExcel	

[Top](#)

See Also

[InspectionProjectClass Class](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

InspectionProjectClass Constructor

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectClass Class](#) : InspectionProjectClass Constructor

.NET Syntax

Visual Basic (Declaration)

```
Public Function New()
```

Visual Basic (Usage)



```
Dim instance As New InspectionProjectClass()
```

C#

```
public InspectionProjectClass()
```

C++/CLI

```
public:  
InspectionProjectClass();
```

See Also

[InspectionProjectClass Class](#)
[InspectionProjectClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

ExportTo2DPDF Method (InspectionProjectClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectClass Class](#) : ExportTo2DPDF Method (InspectionProjectClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Function ExportTo2DPDF( _  
    ByVal FilePath As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectClass  
Dim FilePath As System.String  
Dim value As System.Boolean  
  
value = instance.ExportTo2DPDF(FilePath)
```

C#

```
public virtual System.bool ExportTo2DPDF(  
    System.string FilePath  
)
```

C++/CLI

```
public:  
virtual System.bool ExportTo2DPDF(  
& System.String^ FilePath  
)
```

Parameters

FilePath

See Also

[InspectionProjectClass Class](#)
[InspectionProjectClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

ExportTo3DPDF Method (InspectionProjectClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectClass Class](#) : ExportTo3DPDF Method (InspectionProjectClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Function ExportTo3DPDF( _  
    ByVal FilePath As System.String _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectClass  
Dim FilePath As System.String  
Dim value As System.Boolean  
  
value = instance.ExportTo3DPDF(FilePath)
```

C#

```
public virtual System.bool ExportTo3DPDF(  
    System.string FilePath  
)
```

C++/CLI

```
public:  
virtual System.bool ExportTo3DPDF(  

```

```
& System.String^ FilePath
)
```

Parameters

FilePath

See Also

[InspectionProjectClass Class](#)
[InspectionProjectClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

ExportToEDrawings Method (InspectionProjectClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectClass Class](#) : ExportToEDrawings Method (InspectionProjectClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Function ExportToEDrawings( _
    ByVal FilePath As System.String _
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectClass
Dim FilePath As System.String
Dim value As System.Boolean
```

```
value = instance.ExportToEDrawings(FilePath)
```

C#

```
public virtual System.bool ExportToEDrawings(
    System.string FilePath
)
```

C++/CLI

```
public:
    virtual System.bool ExportToEDrawings(
        & System.String^ FilePath
    )
```

Parameters

FilePath

See Also

[InspectionProjectClass Class](#)
[InspectionProjectClass Members](#)

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

ExportToExcel Method (InspectionProjectClass)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectClass Class](#) : ExportToExcel Method (InspectionProjectClass)

.NET Syntax

Visual Basic (Declaration)

```
Public Overridable Function ExportToExcel( _  
    ByVal TemplatePath As System.String, _  
    ByVal FilePath As System.String, _  
    ByVal Multisheet As System.Boolean _  
) As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectClass  
Dim TemplatePath As System.String  
Dim FilePath As System.String  
Dim Multisheet As System.Boolean  
Dim value As System.Boolean  
  
value = instance.ExportToExcel(TemplatePath, FilePath, Multisheet)
```

C#

```
public virtual System.bool ExportToExcel(  
    System.string TemplatePath,  
    System.string FilePath,  
    System.bool Multisheet  
)
```

C++/CLI

```
public:  
virtual System.bool ExportToExcel(  
& System.String^ TemplatePath,  
& System.String^ FilePath,  
& System.bool Multisheet  
)
```

Parameters

TemplatePath
FilePath
Multisheet

See Also

[InspectionProjectClass Class](#)
[InspectionProjectClass Members](#)

InspectionProjectData (Type)

InspectionProjectData Interface

[See Also](#) [Members](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : InspectionProjectData Interface

.NET Syntax

Visual Basic (Declaration)

Public Interface InspectionProjectData
Inherits [IInspectionProjectData](#)

Visual Basic (Usage)



Dim instance As [InspectionProjectData](#)

C#

public interface InspectionProjectData : [IInspectionProjectData](#)

C++/CLI

public interface class InspectionProjectData : public [IInspectionProjectData](#)

See Also

[InspectionProjectData Members](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

InspectionProjectData Interface Members

[See Also](#) [Properties](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : InspectionProjectData Interface

The following tables list the members exposed by [InspectionProjectData](#).

See Also

[InspectionProjectData Interface](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

InspectionProjectData Interface Properties

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) : InspectionProjectData Interface

For a list of all members of this type, see [InspectionProjectData members](#).

See Also

[InspectionProjectData Interface](#)
[SolidWorks.Interop.swinspectionAddIn Namespace](#)

AQL Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : AQL Property (InspectionProjectData)

Gets and sets the sampling acceptable quality level (AQL) for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property AQL As System.String

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.String
```

```
instance.AQL = value
```

```
value = instance.AQL
```

C#

```
System.string AQL {get; set;}
```

C++/CLI

```
property System.String^ AQL {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Acceptable quality level (see **Remarks**)

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks

Acceptable Quality Levels:

- 0.010
- 0.015
- 0.025
- 0.040
- 0.065
- 0.10
- 0.15
- 0.25
- 0.40
- 0.65
- 1.0
- 1.5
- 2.5
- 4.0
- 6.5
- 10
- 15
- 25
- 40
- 65
- 100
- 150
- 250
- 400
- 650
- 1000

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

AutoBalloon Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : AutoBalloon Property (InspectionProjectData)

Gets and sets whether to autoballoon drawings in this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property AutoBalloon As System.Boolean

Visual Basic (Usage)



```
Dim instance As InspectionProjectData
Dim value As System.Boolean

instance.AutoBalloon = value
value = instance.AutoBalloon
```

C#

```
System.bool AutoBalloon {get; set;}
```

C++/CLI

```
property System.bool AutoBalloon {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to autoballoon the drawing, false to manually add balloons to the drawing

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

AutoExplodeHoleCallout Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : AutoExplodeHoleCallout Property (InspectionProjectData)

Gets and sets whether to auto-explode hole callouts.

.NET Syntax

Visual Basic (Declaration)

Property AutoExplodeHoleCallout As System.Boolean

Visual Basic (Usage)



```
Dim instance As InspectionProjectData
Dim value As System.Boolean

instance.AutoExplodeHoleCallout = value
value = instance.AutoExplodeHoleCallout
```

C#

```
System.bool AutoExplodeHoleCallout {get; set;}
```

C++/CLI

```
property System.bool AutoExplodeHoleCallout {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to create a separate instance for each section of the hole callout, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

Basic Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : Basic Property (InspectionProjectData)

Gets and sets whether to extract basic dimensions from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property Basic As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Boolean
```

```
instance.Basic = value
```

```
value = instance.Basic
```

C#

```
System.bool Basic {get; set;}
```

C++/CLI

```
property System.bool Basic {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to extract basic dimensions, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks

This property is valid only if [InspectionProjectData::InspectionOnly](#) is false.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Classification Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : Classification Property (InspectionProjectData)

Gets and sets the defect classification for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property Classification As System.Integer

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Integer
```

```
instance.Classification = value
```

```
value = instance.Classification
```

C#

```
System.int Classification {get; set;}
```

C++/CLI

```
property System.int Classification {  
    System.int get();  
    void set ( & System.int value);  
}
```

Property Value

Defect classification as defined by [swiCharacteristicClassification_e](#)

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

CreateForEachInstance Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : CreateForEachInstance Property (InspectionProjectData)

Gets and sets whether to create a separate instance for characteristics having a quantity of more than one.

.NET Syntax

Visual Basic (Declaration)

```
Property CreateForEachInstance As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Boolean
```

```
instance.CreateForEachInstance = value
```

```
value = instance.CreateForEachInstance
```

C#

```
System.bool CreateForEachInstance {get; set;}
```

C++/CLI

```
property System.bool CreateForEachInstance {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to create separate rows in the inspection report for characteristics of multiplicity, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

DocumentName Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : DocumentName Property (InspectionProjectData)

Gets and sets the document name for this inspection report.

.NET Syntax

Visual Basic (Declaration)

```
Property DocumentName As System.String
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.String
```

```
instance.DocumentName = value
```

```
value = instance.DocumentName
```

C#

```
System.string DocumentName {get; set;}
```

C++/CLI

```
property System.String^ DocumentName {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Document name

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

DocumentNumber Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : DocumentNumber Property (InspectionProjectData)

Gets and sets the document number for this inspection report.

.NET Syntax

Visual Basic (Declaration)

```
Property DocumentNumber As System.String
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.String
```

```
instance.DocumentNumber = value
```

```
value = instance.DocumentNumber
```

C#

```
System.string DocumentNumber {get; set;}
```

C++/CLI

```
property System.String^ DocumentNumber {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Document number

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

DocumentRevision Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : DocumentRevision Property (InspectionProjectData)

Gets and sets the document revision for this inspection report.

.NET Syntax

Visual Basic (Declaration)

Property DocumentRevision As System.String

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.String
```

```
instance.DocumentRevision = value
```

```
value = instance.DocumentRevision
```

C#

```
System.string DocumentRevision {get; set;}
```

C++/CLI

```
property System.String^ DocumentRevision {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Document revision

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Extraction Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : Extraction Property (InspectionProjectData)

Gets and sets the type of extraction for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property Extraction As System.Integer

Visual Basic (Usage)



```
Dim instance As InspectionProjectData
Dim value As System.Integer

instance.Extraction = value

value = instance.Extraction
```

C#

```
System.int Extraction {get; set;}
```

C++/CLI

```
property System.int Extraction {
    System.int get();
    void set ( & System.int value);
}
```

Property Value

Type of extraction as defined by [swCharacteristicInfoExtraction_e](#)

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

ExtractionCriteria Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : ExtractionCriteria Property (InspectionProjectData)

Gets and sets the regular expression to filter notes for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property ExtractionCriteria As System.String

Visual Basic (Usage)



```
Dim instance As InspectionProjectData
Dim value As System.String

instance.ExtractionCriteria = value
```

```
value = instance.ExtractionCriteria
```

C#

```
System.string ExtractionCriteria {get; set;}
```

C++/CLI

```
property System.String^ ExtractionCriteria {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Regular expression

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks

This property is valid only if [InspectionProjectData::IncludeNotes](#) is set to true.

For definitions, constructs and examples, see the Note Extraction Criteria topic in **SOLIDWORKS Inspection Add-in user-interface help > SOLIDWORKS Inspection > SOLIDWORKS Inspection Add-in > Getting Started > Creating an Inspection Project > Create Inspection Project PropertyManager > Extraction Settings**.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Feature Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : Feature Property (InspectionProjectData)

Gets and sets whether to extract feature dimensions from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property Feature As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Boolean
```

```
instance.Feature = value
```

```
value = instance.Feature
```

C#

```
System.bool Feature {get; set;}
```

C++/CLI

```
property System.bool Feature {  
    System.bool get();
```

```
void set ( & System.bool value);  
}
```

Property Value

True to extract feature dimensions, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks

This property is valid only if [InspectionProjectData::InspectionOnly](#) is false.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

IncludeDimensions Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : IncludeDimensions Property (InspectionProjectData)

Gets and sets whether to extract all dimension types from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property IncludeDimensions As System.Boolean

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Boolean
```

```
instance.IncludeDimensions = value
```

```
value = instance.IncludeDimensions
```

C#

```
System.bool IncludeDimensions {get; set;}
```

C++/CLI

```
property System.bool IncludeDimensions {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to extract all dimension types, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks

When set to true, this property extracts all of these dimension types:

- Reference
- Basic
- Feature
- Dual (secondary units)
- Overridden
- Split chamfer

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

IncludeGDT Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : IncludeGDT Property (InspectionProjectData)

Gets and sets whether to extract geometric tolerance symbols from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property IncludeGDT As System.Boolean

Visual Basic (Usage)



```
Dim instance As InspectionProjectData
Dim value As System.Boolean

instance.IncludeGDT = value

value = instance.IncludeGDT
```

C#

```
System.bool IncludeGDT {get; set;}
```

C++/CLI

```
property System.bool IncludeGDT {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to extract GTols, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

IncludeHoleCallout Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : IncludeHoleCallout Property (InspectionProjectData)

Gets and sets whether to extract hole callouts from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property IncludeHoleCallout As System.Boolean

Visual Basic (Usage)



```
Dim instance As InspectionProjectData
Dim value As System.Boolean

instance.IncludeHoleCallout = value
value = instance.IncludeHoleCallout
```

C#

```
System.bool IncludeHoleCallout {get; set;}
```

C++/CLI

```
property System.bool IncludeHoleCallout {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to extract hole callouts, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

IncludeHoleTable Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : IncludeHoleTable Property (InspectionProjectData)

Gets and sets whether to extract hole tables from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property IncludeHoleTable As System.Boolean

Visual Basic (Usage)



```
Dim instance As InspectionProjectData
Dim value As System.Boolean

instance.IncludeHoleTable = value
```

```
value = instance.IncludeHoleTable
```

C#

```
System.bool IncludeHoleTable {get; set;}
```

C++/CLI

```
property System.bool IncludeHoleTable {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to extract hole tables, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

IncludeNotes Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : IncludeNotes Property (InspectionProjectData)

Gets and sets whether to extract all notes from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property IncludeNotes As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Boolean
```

```
instance.IncludeNotes = value
```

```
value = instance.IncludeNotes
```

C#

```
System.bool IncludeNotes {get; set;}
```

C++/CLI

```
property System.bool IncludeNotes {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to extract all notes, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks

When set to true, this property extracts all notes including sheet format notes.

Set `InspectionProjectData::SheetFormat` to false to not include sheet format notes.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

IncludeSurfaceFinish Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : IncludeSurfaceFinish Property (InspectionProjectData)

Gets and sets whether to extract surface finishes from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property IncludeSurfaceFinish As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Boolean
```

```
instance.IncludeSurfaceFinish = value
```

```
value = instance.IncludeSurfaceFinish
```

C#

```
System.bool IncludeSurfaceFinish {get; set;}
```

C++/CLI

```
property System.bool IncludeSurfaceFinish {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to extract surface finishes, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

IncludeWeld Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : IncludeWeld Property (InspectionProjectData)

Gets and sets whether to extract welds from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property IncludeWeld As System.Boolean

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Boolean
```

```
instance.IncludeWeld = value
```

```
value = instance.IncludeWeld
```

C#

```
System.bool IncludeWeld {get; set;}
```

C++/CLI

```
property System.bool IncludeWeld {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to extract welds, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

InspectionOnly Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : InspectionOnly Property (InspectionProjectData)

Gets and sets whether to extract inspection-only dimensions from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property InspectionOnly As System.Boolean

Visual Basic (Usage)



```
Dim instance As InspectionProjectData
Dim value As System.Boolean

instance.InspectionOnly = value

value = instance.InspectionOnly
```

C#

```
System.bool InspectionOnly {get; set;}
```

C++/CLI

```
property System.bool InspectionOnly {
    System.bool get();
    void set ( &    System.bool value);
}
```

Property Value

True to extract inspection-only dimensions, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

JobNumber Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : JobNumber Property (InspectionProjectData)

Gets and sets the job number for this inspection report.

.NET Syntax

Visual Basic (Declaration)

```
Property JobNumber As System.String
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData
Dim value As System.String

instance.JobNumber = value

value = instance.JobNumber
```

C#

```
System.string JobNumber {get; set;}
```

C++/CLI

```
property System.String^ JobNumber {
    System.String^ get();
    void set ( &    System.String^ value);
}
```

Property Value

Job number

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

Level Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : Level Property (InspectionProjectData)

Gets and sets the sampling level for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property Level As System.Integer

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Integer
```

```
instance.Level = value
```

```
value = instance.Level
```

C#

```
System.int Level {get; set;}
```

C++/CLI

```
property System.int Level {  
    System.int get();  
    void set ( & System.int value);  
}
```

Property Value

Sampling level as defined by [swiSamplingLevel_e](#)

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

LotSize Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : LotSize Property (InspectionProjectData)

Gets and sets the sampling lot size for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property LotSize As System.Integer

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Integer
```

```
instance.LotSize = value
```

```
value = instance.LotSize
```

C#

```
System.int LotSize {get; set;}
```

C++/CLI

```
property System.int LotSize {  
    System.int get();  
    void set ( & System.int value);  
}
```

Property Value

Lot size

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

NotesAutoExplode Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : NotesAutoExplode Property (InspectionProjectData)

Gets and sets whether to create a separate instance for each section of the note.

.NET Syntax

Visual Basic (Declaration)

Property NotesAutoExplode As System.Boolean

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Boolean
```

```
instance.NotesAutoExplode = value  
value = instance.NotesAutoExplode
```

C#

```
System.bool NotesAutoExplode {get; set;}
```

C++/CLI

```
property System.bool NotesAutoExplode {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to create sub-notes from a large, multi-item note, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks

This property is valid only if [InspectionProjectData::IncludeNotes](#) is set to true.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

OverriddenValue Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : OverriddenValue Property (InspectionProjectData)

Gets and sets whether to extract overridden dimension values from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property OverriddenValue As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Boolean
```

```
instance.OverriddenValue = value
```

```
value = instance.OverriddenValue
```

C#

```
System.bool OverriddenValue {get; set;}
```

C++/CLI

```
property System.bool OverriddenValue {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to always use overridden dimension values when they are defined, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

PartName Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : PartName Property (InspectionProjectData)

Gets and sets the part name for this inspection report.

.NET Syntax

Visual Basic (Declaration)

```
Property PartName As System.String
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData
Dim value As System.String
```

```
instance.PartName = value
```

```
value = instance.PartName
```

C#

```
System.string PartName {get; set;}
```

C++/CLI

```
property System.String^ PartName {
    System.String^ get();
    void set ( & System.String^ value);
}
```

Property Value

Part name

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

PartNumber Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : PartNumber Property (InspectionProjectData)

Gets and sets the part number for this inspection report.

.NET Syntax

Visual Basic (Declaration)

```
Property PartNumber As System.String
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.String
```

```
instance.PartNumber = value
```

```
value = instance.PartNumber
```

C#

```
System.string PartNumber {get; set;}
```

C++/CLI

```
property System.String^ PartNumber {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Part number

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

PartRevision Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : PartRevision Property (InspectionProjectData)

Gets and sets the part revision for this inspection report.

.NET Syntax

Visual Basic (Declaration)

Property PartRevision As System.String

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.String
```

```
instance.PartRevision = value
```

```
value = instance.PartRevision
```

C#

```
System.string PartRevision {get; set;}
```

C++/CLI

```
property System.String^ PartRevision {  
    System.String^ get();  
    void set ( & System.String^ value);  
}
```

Property Value

Part revision

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

PreventAutoReNumbering Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : PreventAutoReNumbering Property (InspectionProjectData)

Gets and sets whether to re-order balloons when one is removed.

.NET Syntax

Visual Basic (Declaration)

```
Property PreventAutoReNumbering As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Boolean
```

```
instance.PreventAutoReNumbering = value
```

```
value = instance.PreventAutoReNumbering
```

C#

```
System.bool PreventAutoReNumbering {get; set;}
```

C++/CLI

```
property System.bool PreventAutoReNumbering {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to prevent re-ordering of balloons, false to re-order when balloons are added or removed

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

Reference Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : Reference Property (InspectionProjectData)

Gets and sets whether to extract driven (e.g., read-only) dimensions from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property Reference As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Boolean
```

```
instance.Reference = value
```

```
value = instance.Reference
```

C#

```
System.bool Reference {get; set;}
```

C++/CLI

```
property System.bool Reference {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to extract driven dimensions, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks

This property is valid only if [InspectionProjectData.InspectionOnly](#) is false.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

SamplingType Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : SamplingType Property (InspectionProjectData)

Gets and sets the statistical sampling type for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property SamplingType As System.Integer

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Integer
```

```
instance.SamplingType = value
```

```
value = instance.SamplingType
```

C#

```
System.int SamplingType {get; set;}
```

C++/CLI

```
property System.int SamplingType {  
    System.int get();  
    void set ( & System.int value);  
}
```

Property Value

Sampling type as defined by [swiSamplingType_e](#)

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

SecondaryUnits Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : SecondaryUnits Property (InspectionProjectData)

Gets and sets whether to extract dual dimensions from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property SecondaryUnits As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Boolean  
  
instance.SecondaryUnits = value  
value = instance.SecondaryUnits
```

C#

```
System.bool SecondaryUnits {get; set;}
```

C++/CLI

```
property System.bool SecondaryUnits {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to extract dual dimensions, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

SheetFormat Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : SheetFormat Property (InspectionProjectData)

Gets and sets whether to extract sheet format notes from the drawing for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property SheetFormat As System.Boolean
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Boolean  
  
instance.SheetFormat = value  
value = instance.SheetFormat
```

C#

```
System.bool SheetFormat {get; set;}
```

C++/CLI

```
property System.bool SheetFormat {  
    System.bool get();  
    void set ( & System.bool value);  
}
```

Property Value

True to extract sheet format notes, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

Remarks

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments](#) on this topic.

Sort Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : Sort Property (InspectionProjectData)

Gets and sets the ballooning arrangement for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property Sort As System.Integer
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Integer
```

```
instance.Sort = value
```

```
value = instance.Sort
```

C#

```
System.int Sort {get; set;}
```

C++/CLI

```
property System.int Sort {  
    System.int get();  
    void set ( & System.int value);  
}
```

Property Value

Ballooning arrangement as defined by [swCharacteristicInfoSort_e](#)

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

SplitChamferDimensions Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : SplitChamferDimensions Property (InspectionProjectData)

Gets and sets whether to treat each part of a chamfer dimension as a separate characteristic for this inspection project.

.NET Syntax

Visual Basic (Declaration)

Property SplitChamferDimensions As System.Boolean

Visual Basic (Usage)



```
Dim instance As InspectionProjectData
Dim value As System.Boolean

instance.SplitChamferDimensions = value
value = instance.SplitChamferDimensions
```

C#

```
System.bool SplitChamferDimensions {get; set;}
```

C++/CLI

```
property System.bool SplitChamferDimensions {
    System.bool get();
    void set ( & System.bool value);
}
```

Property Value

True to create separate rows for the linear dimension and angle of a chamfer dimension, false to not

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

StartNumber Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : StartNumber Property (InspectionProjectData)

Gets and sets the starting balloon number for this inspection project.

.NET Syntax

Visual Basic (Declaration)

```
Property StartNumber As System.Integer
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.Integer  
  
instance.StartNumber = value  
  
value = instance.StartNumber
```

C#

```
System.int StartNumber {get; set;}
```

C++/CLI

```
property System.int StartNumber {  
    System.int get();  
    void set ( & System.int value);  
}
```

Property Value

Starting balloon number

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS

SOLIDWORKS Inspection API Help

[Send comments on this topic.](#)

Vendor Property (InspectionProjectData)

[See Also](#)



[SolidWorks.Interop.swinspectionAddIn Namespace](#) > [InspectionProjectData Interface](#) : Vendor Property (InspectionProjectData)

Gets and sets the vendor for this inspection report.

.NET Syntax

Visual Basic (Declaration)

```
Property Vendor As System.String
```

Visual Basic (Usage)



```
Dim instance As InspectionProjectData  
Dim value As System.String  
  
instance.Vendor = value
```

```
value = instance.Vendor
```

C#

```
System.string Vendor {get; set;}
```

C++/CLI

```
property System.String^ Vendor {  
    System.String^ get();  
    void set ( &    System.String^ value);  
}
```

Property Value

Vendor

Visual Basic for Applications (VBA) Syntax

See [InspectionProjectData](#) properties.

See Also

[InspectionProjectData Interface](#)
[InspectionProjectData Members](#)

Availability

SOLIDWORKS Inspection API 2022 FCS