

ISAAP Accessibility Feature Codes

Updated 19 November 2015

Introduction

The Individual Student Assessment Accessibility Profile (ISAAP) process represents a thoughtful and systematic approach to addressing student access needs for the Smarter Balanced assessments. The ISAAP tool may be used to facilitate the selection of Designated Supports and Accommodations. The Accessibility Feature Codes defined in this specification are the digital encoding of those accessibility settings. The feature codes can be combined with Accessibility Feature Delivery Codes to indicate whether a feature was designated for, made available to, and/or used by a student.

The <u>SmarterBalanced.org</u> website includes Usability, Accessibility, and Accommodations Guidelines (UAAG) and the process for developing an ISAAP for each student.

In the <u>Four-Layer Framework for Data Standards</u> this specification operates at the data dictionary and logical data model layers. This spec also includes a suggested serialization format that can be incorporated into other specifications.

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in RFC 2119.

Listing Accessibility Feature Codes at Registration

Each accessibility feature setting has a specific code. Table 1 lists the current set of feature codes. This specification will be updated when accessibility features are added.

The ISAAP set of features to be made available to a student can be described by a simple list of codes which are recorded during test registration and provided to the test delivery system.

The list of codes for a particular student can be serialized in any method that is appropriate to the file format (e.g. CSV, XML, JSON, etc.). A common method is to use a semicolon-delimited list. Here is an example:

TDS CCInvert;TDS ESN;NEDS Other(Mechanical Pencil)

This would indicate that the student is designated to receive reverse contrast (white on black text), stacked Spanish translation, and a custom indication that they should be provided with a mechanical pencil – presumably for use with scratch paper since the test is online.

Listing Accessibility Feature Codes when Reporting

When reporting, each Accessibility Feature Code is paired with a "Delivery Code" which indicates whether the feature was designated, made available, and/or used. For each of these contexts (designated, made available, used) the values can be "U" (unknown), "Y" (yes), or "N" (no). So "YYU" indicates that a feature was designated and made available but it is unknown whether it was used. Table 2 lists the full set of delivery codes.

A common format for reporting Delivery Codes is to list the feature code followed by a colon and the delivery code. These pairs are combined into a list using semicolon delimiters. For example:

TDS_CCInvert:UYU;TDS_ESN:UYU;NEDS_Other(Mechanical Pencil):YUU

This would indicate that "inverted color contrast", and "Spanish stacked translation" were made available to the student and that "separate setting" was designated for the student.

Table 1 lists the current Accessibility Feature Codes. Please see the Usability, Accessibility, and Accommodations Guidelines (UAAG) on <u>SmarterBalanced.org</u> for detailed descriptions of these accessibility resources. See the UAAG and the annual ISAAP configuration files for the codes designated for per-student selection in each grade and subject.

Codes are case-insensitive. Systems generating codes SHOULD use the cases as shown in the table. Systems receiving codes MUST be case-insensitive when interpreting codes.

Table 1: Accessibility Feature Codes

Feature Family	Feature Code	Description
AmericanSignLanguage	TDS_ASL0	Do not show ASL Videos (default)
	TDS_ASL1	Show ASL Videos
BrailleType	TDS_BT0	No Braille (default)
	TDS_BT_G1	Uncontracted
	TDS_BT_G2	Contracted
	TDS_BT_NM	Nemeth
ClosedCaptioning	TDS_ClosedCap0	Closed captioning not available
		(default)
	TDS_ClosedCap1	Closed captioning available
ColorContrast	TDS_CCO	Black on White (default)
	TDS_CCInvert	Reverse Contrast
	TDS_CCMagenta	BlackOnRose
	TDS_CCMedGrayLtGray	Medium Gray on Light Gray
	TDS_CCYellowB	Yellow on Blue
Highlight	TDS_Highlight1	Permit highlighting (default)
	TDS_Highlight0	Disable highlighting
Language	ENU	English (default)
	ENU-Braille	Braille
	ESN	Spanish stacked translation (math
		only)
Mark for Review	TDS_MfR1	Allow mark for review (default)
	TDS_MfR0	Disable mark for review
Masking	TDS_Masking0	Masking not available (default)
	TDS_Masking1	Masking available: allows blocking of
		content that is not of immediate
		need or that might be distracting to
		the student.
Notepad (comments)	TDS_SCNotepad	Notepad available (default)
	TDS_SC0	Notepad disabled
PermissiveMode	TDS_PM0	Permissive mode disabled (default)
	TDS_PM1	Permissive mode enabled: Allows
		assistive technology software such
		as screen readers, magnifiers, etc. to
		be run on the computer. When
		disabled, only the secure web
DrintOnDonond	TDC DaDO	browser is allowed to run.
PrintOnDemand	TDS_PoD0	Print on demand disabled (default)

Feature Family	Feature Code	Description	
-	TDS_PoD_Stim	Allows students to request a printout	
		of the item stimulus.	
	TDS_PoD_Item	Print on Demand for items	
	TDS_PoD_Stim&TDS_PoD_It	Print on Demand for items and	
	em	stimuli	
PrintSize	TDS_PS_L0	Default initial print size. (default)	
	TDS_PS_L1	Initial print size set to zoom level 1	
	TDS_PS_L2	Initial print size set to zoom level 2	
	TDS_PS_L3	Initial print size set to zoom level 3	
	TDS PS L4	Initial print size set to zoom level 4	
StreamlinedInterface	TDS_TS_Modern	Standard layout with stimulus	
	TDS_SLM0	displayed alongside assessment	
		items.	
	TDS_TS_Accessibility	Streamlined layout with stimulus	
	TDS_SLM1	displayed above and items displayed	
	_	below. All tool and navigation buttons	
		are on the bottom of the screen.	
		Important: The streamlined interface	
		is not intended to be tablet	
		compatible.	
Strikethrough	TDS_ST1	Strikethrough enabled (default)	
	TDS_ST0	Strikethrough disabled	
System Volume Control	TDS_SVC1	System volume control enabled	
TextToSpeech	TDS_TTS0	No text-to-speech available. (default)	
•	TDS_TTS_Item	Text-to-speech available for items.	
	TDS_TTS_Stim	Text-to-speech available for stimuli.	
	TDS_TTS_Stim&TDS_TTS_It	Text-to-speech available for stimuli	
	em	and items.	
Translation (Glossary) (default)		If no code is specified, English	
, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		glossary is made available by default.	
	TDS_WL0	No glossary (suppresses all	
		glossaries	
	TDS_WL_Glossary	English glossary	
	TDS_WL_ArabicGloss	Arabic glossary	
	TDS_WL_CantoneseGloss	Cantonese glossary	
	TDS_WL_ESNGloss	Spanish glossary	
	TDS_WL_KoreanGloss	Korean glossary	
	TDS_WL_MandarinGloss	Mandarin glossary	
	TDS_WL_PunjabiGloss	Punjabi glossary	
	TDS_WL_RussianGloss	Russian glossary	
	TDS_WL_TagalGloss	Filipino glossary	
	TDS_WL_UkrainianGloss	Ukrainian glossary	
	TDS_WL_VietnameseGloss	Vietnamese glossary	
	Multiple	English one language glossaries can	
	Multiple		
	Multiple	be combined using an ampersand.	
	Multiple		
	Multiple	be combined using an ampersand.	
	Multiple	be combined using an ampersand. The language glossary should be	

Feature Family	Feature Code	Description
NonEmbeddedDesignatedS	NEDS0	No non-embedded designated
upports		supports (default)
	NEDS_BD	Bilingual dictionary
	NEDS_CC	Color Contrast
	NEDS_CO	Color Overlay
	NEDS_Mag	Magnification
	NEDS_RA_Items	Read aloud items
	NEDS_RA_Stimuli	Read aloud stimuli
	NEDS_SC_Items	Scribe items (non-writing)
	NEDS_SS	Separate setting
	NEDS_TArabic	Arabic glossary
	NEDS_TCantonese	Cantonese glossary
	NEDS_TFilipino	Filipino glossary
	NEDS_TKorean	Korean glossary
	NEDS_TMandarin	Mandarin glossary
	NEDS_TPunjabi	Punjabi glossary
	NEDS_TRussian	Russian glossary
	NEDS_TSpanish	Spanish glossary
	NEDS_TUkrainian	Ukrainian glossary
	NEDS_TVietnamese	Vietnamese glossary
	NEDS_TransDirs	Translated test directions
	NEDS_NoiseBuf	Noise buffers
	NEDS_Other(text)	A custom non-embedded designated
		support (see below)
NonEmbeddedAccommoda	NEAO	No non-embedded accommodations
tions		(default)
	NEA_AR	Alternate response options
	NEA_RA_Stimuli	Read aloud stimuli
	NEA_SC_WritItems	Scribe items (writing)
	NEA_STT	Speech-to-Text
	NEA_Abacus	Abacus
	NEA_Calc	Calculator
	NEA_MT	Multiplication Table
	NEA_NoiseBuf	Noise buffers (deprecated) ¹

Non-Embedded designated supports and non-embedded accommodations are accessibility features provided by the school or test administrator. They include paper documents such as a multiplication table or translated test directions.

"NEDS_Other(text)" provides a means for describing a custom accessibility resource that should be provided by the test administrator. The description is included between the parentheses. For example, NEDS_Other(Mechanical Pencil).

Descriptions are limited to 100 characters and MUST NOT include any of the following characters: open parentheses, close parentheses, colon, semicolon, comma, percent, carriage return, or

ISAAP Codes 4

_

¹ Noise buffers were previously included as a non-embedded Accommodation. That code, NEA_NoiseBuf, is not deprecated. New code should use the NEDS_NoiseBuf which is a non-embedded designated support.

linefeed. Percent encoding such as that used in URL query strings SHOULD be used to encode special characters.

Accessibility Feature Delivery Codes

The Accessibility Feature Delivery Codes indicate whether a feature was designated, made available, and/or used by the student.

The 2015 version of the test delivery system does not sense whether the student actually uses an accessibility feature. Likewise, it cannot sense whether a non-embedded accommodation or support was made available. Therefore, only a subset of these codes are used in the 2015 release.

The 2015 version of "Data Warehouse Data Specification – Student Assessments" uses the numeric codes.

Feature delivery codes are case-insensitive. Systems generating codes SHOULD use upper case as shown in the table. Systems receiving codes MUST be case-insensitive when interpreting codes.

Table 2: Accessibility Feature Delivery Codes

Feature Delivery Code	Numeric Code	Designated	Available	Used	Notes	Reported by v1
UUU	0	unknown	unknown	unknown		
UUN	1	unknown	unknown	No		
UUY	2	unknown	unknown	Yes		
UNU	3	unknown	No	unknown		X
UNN	4	unknown	No	No		X
UNY	5	unknown	No	Yes	Invalid state	
UYU	6	unknown	Yes	unknown		X
UYN	7	unknown	Yes	No		
UYY	8	unknown	Yes	Yes		
NUU	9	No	unknown	unknown		
NUN	10	No	unknown	No		
NUY	11	No	unknown	Yes	Testing irregularity	
NNU	12	No	No	unknown		
NNN	13	No	No	No		
NNY	14	No	No	Yes	Invalid state	
NYU	15	No	Yes	unknown		
NYN	16	No	Yes	No		
NYY	17	No	Yes	Yes	Testing irregularity	
YUU	18	Yes	unknown	unknown		Х
YUN	19	Yes	unknown	No		
YUY	20	Yes	unknown	Yes		
YNU	21	Yes	No	unknown	Testing irregularity	
YNN	22	Yes	No	No	Testing irregularity	
YNY	23	Yes	No	Yes	Invalid state	

Feature Delivery Code	Numeric Code	Designated	Available	Used	Notes	Reported by v1
YYU	24	Yes	Yes	unknown		Х
YYN	25	Yes	Yes	No		
YYY	26	Yes	Yes	Yes		

Additional Accessibility Feature Codes

The following additional codes are defined by the test delivery system. Many of these codes reference features that are offered by default (such as dictionaries), are used for internal configuration and messaging (such as audio controls or Braille embossing), or that are designated by the test (such as calculator type). Others provide for features that are not presently used by Smarter Balanced Tests. And some report on features that were made available during the test (such as Pool Filters)

AudioPlaybackControls	TDS_APC_PSP	Play Stop and Pause (default)	
Calculator	TDS_Calc0	No Calculator	
	TDS_CalcSciInv&Tds_CalcGr	Scientific Graphing and Regression	
	aphingInv&TDS_CalcRegres	Calculator	
	S		
	TDS_CalcBasic	Basic Calculator	
	TDS)SciInv	Scientific Calculator	
Dictionary	TDS_Dict0	No Dictionary	
	TDS_Dict_SD2	Merriam Webster Elementary	
		Dictionary	
	TDS_Dict_SD3	Merriam Webster Intermediate	
		Dictionary	
	TDS_Dict_SD4	Merriam Webster School Dictionary	
	TDS_DO_AII	All Dictionary Options	
Emboss (Braille)	TDS_Emboss0	No embossing (default)	
	TDS_Emboss_Stim&TDS_E	Emboss stimuli and items	
	mboss_Item		
Emboss Request Type TDS_ERT0		Not Applicable (default	
	TDS_ERT_OR&TDS_ERT_Aut	Auto Request	
	0		
	TDS_ERT_OR	Emboss on request	
Expandable Passages	TDS_ExpandablePassages0	Expandable Passages Off	
	TDS_ExpandablePassages1	Expandable Passages On (default)	
Font Type	TDS_FT_Serif	Times New Roman	
	TDS_FT_Verdana	Verdana	
Global Notes	TDS_GN0	Global Notes Off	
	TDS_GN1	Global Notes On (default)	
Hardware Checks	TDS_HWPlayback	Check Playback Capabilities	
Item Font Size	TDS_IF_S14	14pt items	
Item Tools Menu	TDS_ITM1	On	
Passage Font Size	TDS_F_S14	14pt Passages	
Mute System Volume	TDS_Mute0	Not muted (default)	
	TDS_Mute1	Muted	
Review Screen Layout	TDS_RSL_ListView	List view	

Pool Filter	OFFGRADE BELOW IN	Below-grade items included in pool	
	OFFGRADE BELOW OUT	Below-grade items not included in	
		pool	
	OFFGRADE ABOVE IN	Above-grade items included in pool	
	OFFGRADE ABOVE OUT	Above-grade items not included in	
		pool	
Test Shell	TDS_TS_Universal	Universal test shell	
Thesaurus	TDS_TH0	No thesaurus	
	TDS_TH_TA	Merriam Webster Intermediate	
		Thesaurus	
Thesaurus Options	TDS_TO_AII	All thesaurus options	
Text-to-Speech Pausing	TTS_AA0		