# Tehnička Škola Čakovec

# Programiranje za Internet

Za internu upotrebu u Školi

RJEŠENJA

Sastavio: Krešimir Kočiš, dipl. ing. rač.

```
Responzivne web stranice sa Flexbox
Zadatak 1 R:
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
    <link rel="stylesheet" type="text/css" href="stil.css" />
    <meta charset="utf-8">
  </head>
    <body>
        <header>Header</header>
        <div id="mainID">
          <aside>Aside</aside>
          <div id="slaveID">
             <article>Article</article>
            <nav>Nav</nav>
          </div>
        </div>
    </body>
</html>
```

```
* { /* selects all elements */
   box-sizing: border-box;
body {
   display: flex;
    flex-direction: column;
   margin: 0;
header {
   background-color: rgb(100, 156, 240);
   height: 18vh;
   margin: 1vh 1vw 1vh 1vw;
#mainID {
   display: flex;
    flex-direction: row;
   min-height: 78vh;
#slaveID {
   display: flex;
    flex-direction: row;
aside {
   width: 18vw;
    background-color: rgb(14, 202, 39);
   margin: 1vh 1vw 1vh 1vw;
article {
   width: 58vw;
    background-color: rgb(241, 50, 50);
   margin: 1vh 1vw 1vh 1vw;
nav {
   width: 18vw;
    background-color: rgb(243, 240, 76);
   margin: 1vh 1vw 1vh 1vw;
}
@media (max-width: 800px) {
   #mainID {
       flex-direction: column;
       height: 78vh;
    #slaveID {
        flex-direction: row;
       height: 78vh;
   aside {
       width: 98vw;
       height: 25vh;
    article {
       width: 58vw;
   nav {
       width: 38vw;
   }
@media (max-width: 500px) {
   #mainID {
       flex-direction: column;
    #slaveID {
       flex-direction: column;
   aside {
       width: 98vw;
       min-height: 20vh;
    article {
        width: 98vw;
        height: 70vh;
   nav {
        width: 98vw;
       height: 60vh;
   }
```

## Zadatak 2 R:




```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
    <link rel="stylesheet" type="text/css" href="stil.css" />
    <meta charset="utf-8">
  </head>
    <body>
        <header>Header</header>
        <div id="mainID">
          <article>Article</article>
          <div id="slaveID">
            <aside>Aside</aside>
            <nav>Nav</nav>
          </div>
        </div>
    </body>
</html>
```

```
/* selects all elements */
    box-sizing: border-box;
body {
    display: flex;
    flex-direction: column;
    margin: 0;
header {
    background-color: rgb(100, 156, 240);
    height: 18vh;
    margin: 1vh 1vw 1vh 1vw;
#mainID {
    display: flex;
    flex-direction: row;
    height: 80vh;
#slaveID {
    display: flex;
    flex-direction: column;
article {
    width: 48vw;
    background-color: rgb(241, 50, 50);
    margin: 1vh 1vw 1vh 1vw;
nav {
    width: 48vw;
    height: 38vh;
    background-color: rgb(243, 240, 76);
    margin: 1vh 1vw 1vh 1vw;
aside {
    width: 48vw;
    height: 38vh;
    background-color: rgb(14, 202, 39);
margin: 1vh 1vw 1vh 1vw;
@media (max-width: 800px) {
    #mainID {
        flex-direction: column;
        height: 78vh;
    #slaveID {
        flex-direction: row;
        height: 78vh;
    article {
        width: 98vw;
        height: 45vh;
    aside {
        width: 48vw;
        height: 45vh;
    nav {
        width: 48vw;
        height: 45vh;
}
@media (max-width: 500px) {
    #mainID {
        flex-direction: column;
    #slaveID {
        flex-direction: column;
    article {
        width: 98vw;
        height: 70vh;
        min-height: 20vh;
    aside {
        width: 98vw;
        min-height: 20vh;
    nav {
        width: 98vw;
        height: 60vh;
    }
}
```

# 


```
<meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
    <link rel="stylesheet" type="text/css" href="stil.css" />
    <meta charset="utf-8">
  </head>
    <body>
      <div id="divHeader">
        <header id="headerID1">Header1</header>
        <header id="headerID2">Header2</header>
      </div>
      <nav>Nav</nav>
      <div id="mainID">
        <div id="slaveID1">
          <article>Article 1</article>
          <article>Article 2</article>
        </div>
        <div id="slaveID2">
          <article>Article 3</article>
          <article>Article 4</article>
        </div>
    </div>
    </body>
</html>
```

```
/* selects all elements */
    box-sizing: border-box;
body {
    display: flex;
    flex-direction: column;
    margin: 0;
#divHeader {
    display: flex;
    flex-direction: row;
    margin: 0;
#headerID1 {
    width: 28vw;
    background-color: rgb(36, 84, 156);
    height: 18vh;
    margin: 1vh 1vw 1vh 1vw;
#headerID2 {
    width: 68vw;
background-color: rgb(125, 170, 238);
    height: 18vh;
    margin: 1vh 1vw 1vh 1vw;
nav {
    width: 98vw;
    height: 28vh;
    background-color: rgb(241, 194, 90);
    margin: 1vh 1vw 1vh 1vw;
#mainID {
    display: flex;
    flex-direction: row;
    height: 80vh;
#slaveID1, #slaveID2 {
    display: flex;
    flex-direction: row;
article {
    width: 23vw;
    height: 40vh;
    background-color: rgb(183, 219, 20);
    margin: 1vh 1vw 1vh 1vw;
@media (max-width: 800px) {
    #mainID {
        flex-direction: column;
    nav {
        width: 98vw;
        height: 25vh;
    article {
        width: 98vw;
        height: 35vh;
    }
}
@media (max-width: 500px) {
    #divHeader {
        flex-direction: column;
    #headerID1, #headerID2 {
        width: 98vw;
        margin: 1vh 1vw 1vh 1vw;
    #mainID {
        flex-direction: column;
    #slaveID1, #slaveID2 {
        flex-direction: column;
    nav {
        width: 98vw;
        height: 25vh;
    article {
        width: 98vw;
        height: 35vh;
```



#### Grid

# Zadatak 2 R:



### Responzivne web strancie sa GRID

```
* {
    box-sizing: border-box;
}
.row::after {
    content: "";
    clear: both;
    display: table;
}
```



```
<!DOCTYPE html>
<html>
    <head>
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <link rel="stylesheet" type="text/css" href="grid1zad.css" />
        <meta charset="UTF-8">
    </head>
    <body>
        <div class="col-12 col-s-12" style="background-color: blue;">
            <h1>Plava</h1>
        </div>
        <div class="row">
            <div class="col-3 col-s-12" style="background-color: green;">
                <h1 c>Zelena</h1>
            </div>
            <div class="col-6 col-s-6" style="background-color: red;">
            <div class="col-3 col-s-6" style="background-color: orange;">
                <h1>Narančasta</h1>
            </div>
        </div>
    </body>
</html>
```

```
[class*="col-"] {
    float: left;
    padding: 15px;
}
/* For mobile phones: */
[class*="col-"] {
    width: 100%;
@media only screen and (min-width:
600px) {
   /* For tablets: */
    .col-s-1 {width: 8.33%;}
    .col-s-2 {width: 16.66%;}
    .col-s-3 {width: 25%;}
    .col-s-4 {width: 33.33%;}
    .col-s-5 {width: 41.66%;}
    .col-s-6 {width: 50%;}
    .col-s-7 {width: 58.33%;}
    .col-s-8 {width: 66.66%;}
    .col-s-9 {width: 75%;}
    .col-s-10 {width: 83.33%;}
    .col-s-11 {width: 91.66%;}
    .col-s-12 {width: 100%;}
@media only screen and (min-width:
768px) {
    /* For desktop: */
    .col-1 {width: 8.33%;}
    .col-2 {width: 16.66%;}
    .col-3 {width: 25%;}
    .col-4 {width: 33.33%;}
    .col-5 {width: 41.66%;}
    .col-6 {width: 50%;}
    .col-7 {width: 58.33%;}
    .col-8 {width: 66.66%;}
    .col-9 {width: 75%;}
    .col-10 {width: 83.33%;}
    .col-11 {width: 91.66%;}
    .col-12 {width: 100%;}
```

## Zadatak 2 R:



```
<!DOCTYPE html>
<html>
    <head>
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <link rel="stylesheet" type="text/css" href="grid2zad.css" />
      <meta charset="UTF-8">
    </head>
    <body>
        <div class="grid-container">
            <div class="item1" style="background-color: blue;">
                <h1>1</h1>
            </div>
            <div class="item2" style="background-color: orange;">
                <h1>2</h1>
            </div>
            <div class="item3" style="background-color: greenyellow;">
            <div class="item4" style="background-color: red;">
                <h1>4</h1>
            </div>
        </div>
    </body>
</html>
```

```
box-sizing: border-box;
}
.grid-container {
   display: grid;
    grid-gap: 10px;
   padding: 10px;
  .grid-container > div {
    background-color: white;
    text-align: center;
    padding: 20px 0;
    font-size: 30px;
/* For mobile phones: */
.item1 {
   grid-column: 1;
    grid-row: 1;
}
.item2 {
    grid-column: 1;
    grid-row: 2;
}
.item3 {
    grid-column: 1;
    grid-row: 3;
.item4 {
   grid-column: 1;
    grid-row: 4;
@media only screen and (min-width: 600px)
    /* For tablets: */
    .item1 {
        grid-column: 1 / span 2;
        grid-row: 1;
    .item2 {
        grid-column: 1 / span 2;
        grid-row: 2 / span 2;
    .item3 {
        grid-column: 1;
        grid-row: 4;
    .item4 {
        grid-column: 2;
        grid-row: 4;
   }
}
@media only screen and (min-width: 768px)
    /* For desktop: */
    .item1 {
        grid-column: 1 / span 2;
        grid-row: 1;
    .item2 {
        grid-column: 1;
        grid-row: 2 / span 2;
   }
    .item3 {
        grid-column: 2;
        grid-row: 2;
    .item4 {
        grid-column: 2;
        grid-row: 3;
    }
```

## Zadatak 3 R:



```
<!DOCTYPE html>
<html>
    <head>
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <link rel="stylesheet" type="text/css" href="grid3zad.css" />
        <meta charset="UTF-8">
    </head>
    <body>
    <div class="row">
        <div>
            <div class="col-4 col-s-4" style="background-color: blue;">
                <h1>Plava 1</h1>
            </div>
            <div class="col-8 col-s-8" style="background-color: cyan;">
                <h1>Plava 2</h1>
            </div>
        </div>
        <div class="col-12 col-s-12" style="background-color: orange;">
            <h1>Narančasta</h1>
        </div>
        <div>
            <div class="col-3 col-s-6" style="background-color: lawngreen;">
                <h1 c>Zelena</h1>
            </div>
            <div class="col-3 col-s-6" style="background-color: lawngreen;">
                <h1 c>Zelena</h1>
            </div>
            <div class="col-3 col-s-6" style="background-color: lawngreen;">
                <h1 c>Zelena</h1>
            </div>
            <div class="col-3 col-s-6" style="background-color: lawngreen;">
                <h1 c>Zelena</h1>
            </div>
        </div>
   </div>
    </body>
</html>
```

```
box-sizing: border-box;
.row::after {
   content: "";
    clear: both;
    display: table;
[class*="col-"] {
    float: left;
    padding: 15px;
/* For mobile phones: */
[class*="col-"] {
    width: 100%;
@media only screen and (min-width: 600px) {
    /* For tablets: */
    .col-s-1 {width: 8.33%;}
    .col-s-2 {width: 16.66%;}
    .col-s-3 {width: 25%;}
    .col-s-4 {width: 33.33%;}
    .col-s-5 {width: 41.66%;}
    .col-s-6 {width: 50%;}
    .col-s-7 {width: 58.33%;}
    .col-s-8 {width: 66.66%;}
    .col-s-9 {width: 75%;}
    .col-s-10 {width: 83.33%;}
    .col-s-11 {width: 91.66%;}
    .col-s-12 {width: 100%;}
@media only screen and (min-width: 768px) {
    /* For desktop: */
    .col-1 {width: 8.33%;}
    .col-2 {width: 16.66%;}
    .col-3 {width: 25%;}
    .col-4 {width: 33.33%;}
    .col-5 {width: 41.66%;}
    .col-6 {width: 50%;}
    .col-7 {width: 58.33%;}
    .col-8 {width: 66.66%;}
    .col-9 {width: 75%;}
    .col-10 {width: 83.33%;}
    .col-11 {width: 91.66%;}
    .col-12 {width: 100%;}
```

