Visualize the EEG output from the PREP processing pipeline.

Table of Contents

write data status and report neader	. 4
Line noise removal step	
Initial detrend for reference calculation	. 3
Spectrum after line noise and detrend	. 3
Report referencing step	. 4
Robust channel deviation (referenced)	. 7
Robust channel deviation (original)	. 9
Robust channel deviation (marking interpolated)	10
Robust deviation window statistics	10
Median max abs correlation (referenced)	12
Median max abs correlation (original)	13
Median max abs correlation (marking interpolated)	14
Mean max abs correlation (referenced)	15
Mean max abs correlation (original)	16
Mean max abs correlation (marking interpolated)	17
Bad min max correlation fraction (referenced)	18
Bad min max correlation fraction(original)	19
Bad min max correlation fraction (marking interpolated)	20
Correlation window statistics	20
Bad ransac fraction (referenced)	22
Bad ransac fraction (original)	
Bad ransac fraction (marking interpolated)	24
Channels with poor ransac correlations	24
HF noise Z-score (referenced)	26
HF noise Z-score (original)	27
HF noise Z-score (marking interpolated)	28
HF noise window stats	28
Noisy average reference vs robust average reference	30
Noisy average reference - robust average reference by time	31
Noisy average reference vs robust average reference (filtered)	31
Noisy average reference - robust average reference by time	33

Calling directly: prepPipelineReport

This helper reporting script expects that EEG will be in the base workspace with an EEG.etc.noiseDetection structure containing the report. It also expects the following variables in the base workspace:

- summaryReportName name of the summary report
- summaryFolder folder where summary report goes
- sessionFolder folder where specific report goes
- · sessionReportName name of individual report

relativeReportLocation report location relative to summary

The reporting function appends a summary to the summary report.

Usually the prepPipelineReport script is called through the function:

publishPrepPipelineReport

Write data status and report header

```
RSVP Study, session 7, task main, recording 1[289 channels, 1303296 frames Error status: good

Versions:

Detrend:v0.48 GlobalTrend:v0.48 LineNoise:v0.48 Resampling:v0.48 Reference Sampling rate: 256Hz

Events: 26717, Original events: 26717

Unique event types: 9

Bad channels interpolated for reference: []
```

Line noise removal step

```
Version v0.48
Sampling frequency Fs: 256 Hz
Line noise frequencies:
  [ 60 120 ]
Maximum iterations: 10
Significant frequency p-value: 0.01
+/- frequency BW for significant peaks (fScanBandWidth): 2
Taper bandwidth: 2 Hz
Taper window size (seconds): 4
Taper step size (seconds): 1
Sigmoidal smoothing factor (tau): 100
Spectral pad factor: 0
Analysis frequency interval(fPassBand): [ 0, 128 ] Hz
Taper template: [ 1, 4, 1 ]
Line noise channels (256 channels):
  [ 1 2 3 4 5 6 7 8 9 10
  11 12 13 14 15 16 17 18 19 20
  21 22 23 24 25 26 27 28 29 30
  31 32 33 34 35 36 37 38 39 40
  41 42 43 44 45 46 47 48 49 50
  51 52 53 54 55 56 57 58 59 60
  61 62 63 64 65 66 67 68 69 70
  71 72 73 74 75 76 77 78 79 80
  81 82 83 84 85 86 87 88 89 90
  91 92 93 94 95 96 97 98 99 100
  101 102 103 104 105 106 107 108 109 110
  111 112 113 114 115 116 117 118 119 120
  121 122 123 124 125 126 127 128 129 130
  131 132 133 134 135 136 137 138 139 140
  141 142 143 144 145 146 147 148 149 150
  151 152 153 154 155 156 157 158 159 160
```

```
      161
      162
      163
      164
      165
      166
      167
      168
      169
      170

      171
      172
      173
      174
      175
      176
      177
      178
      179
      180

      181
      182
      183
      184
      185
      186
      187
      188
      189
      190

      191
      192
      193
      194
      195
      196
      197
      198
      199
      200

      201
      202
      203
      204
      205
      206
      207
      208
      209
      210

      211
      212
      213
      214
      215
      216
      217
      218
      219
      220

      221
      222
      223
      224
      225
      226
      227
      228
      229
      230

      231
      232
      233
      234
      235
      236
      237
      238
      239
      240

      241
      242
      243
      244
      245
      246
      247
      248
      249
      250

      251
      252
      253
      254
      255
      256
      1

  <
```

Initial detrend for reference calculation

```
Detrend version v0.48
Detrend cutoff: 1 Hz
Detrend type: high pass
Detrend step size: 2.000000e-02
Detrend command:
EEG1 = pop_eegfiltnew(EEG1, [], 1, 846, true, [], 0);
Detrended channels (256 channels):
  [ 1 2 3 4 5 6 7 8 9 10
  11 12 13 14 15 16 17 18 19 20
  21 22 23 24 25 26 27 28 29 30
  31 32 33 34 35 36 37 38 39 40
  41 42 43 44 45 46 47 48 49 50
  51 52 53 54 55 56 57 58 59 60
  61 62 63 64 65 66 67 68 69 70
  71 72 73 74 75 76 77 78 79 80
  81 82 83 84 85 86 87 88 89 90
  91 92 93 94 95 96 97 98 99 100
  101 102 103 104 105 106 107 108 109 110
  111 112 113 114 115 116 117 118 119 120
  121 122 123 124 125 126 127 128 129 130
  131 132 133 134 135 136 137 138 139 140
  141 142 143 144 145 146 147 148 149 150
  151 152 153 154 155 156 157 158 159 160
  161 162 163 164 165 166 167 168 169 170
  171 172 173 174 175 176 177 178 179 180
  181 182 183 184 185 186 187 188 189 190
  191 192 193 194 195 196 197 198 199 200
  201 202 203 204 205 206 207 208 209 210
  211 212 213 214 215 216 217 218 219 220
  221 222 223 224 225 226 227 228 229 230
  231 232 233 234 235 236 237 238 239 240
  241 242 243 244 245 246 247 248 249 250
  251 252 253 254 255 256 ]
```

Spectrum after line noise and detrend

pop_eegfiltnew() - performing 847 point highpass filtering.

```
pop_eegfiltnew() - transition band width: 1 Hz
     pop_eegfiltnew() - passband edge(s): 1 Hz
     pop_eegfiltnew() - cutoff frequency(ies) (-6 dB): 0.5 Hz
     pop_eegfiltnew() - filtering the data
     firfilt(): |========= | 100%, ETE 00:00
                   RSVP Study, session 7, task main, recording 1
                                Selected channels
    60
                                                              1 (A1)
                                                              52 (B20)
    50
                                                              103 (D7)
                                                              154 (E26)
                                                              205 (G13)
    40
                                                              256 (EXG8)
Power 10*log(mV<sup>2</sup>/Hz)
    30
    20
    10
     Ó
   -10
   -20
               20
                         40
                                  60
                                           80
                                                    100
                                                              120
                                                                       140
                                 Frequency (Hz)
```

Report referencing step

Referencing version v0.48
Reference type robust

```
Interpolation order post-reference

Reference channels (248 channels):
[ 1 2 3 4 5 6 7 8 9 10
11 12 13 14 15 16 17 18 19 20
21 22 23 24 25 26 27 28 29 30
31 32 33 34 35 36 37 38 39 40
41 42 43 44 45 46 47 48 49 50
51 52 53 54 55 56 57 58 59 60
61 62 63 64 65 66 67 68 69 70
71 72 73 74 75 76 77 78 79 80
81 82 83 84 85 86 87 88 89 90
91 92 93 94 95 96 97 98 99 100
101 102 103 104 105 106 107 108 109 110
111 112 113 114 115 116 117 118 119 120
```


```
121 122 123 124 125 126 127 128 129 130
  131 132 133 134 135 136 137 138 139 140
  141 142 143 144 145 146 147 148 149 150
  151 152 153 154 155 156 157 158 159 160
  161 162 163 164 165 166 167 168 169 170
  171 172 173 174 175 176 177 178 179 180
  181 182 183 184 185 186 187 188 189 190
  191 192 193 194 195 196 197 198 199 200
  201 202 203 204 205 206 207 208 209 210
  211 212 213 214 215 216 217 218 219 220
  221 222 223 224 225 226 227 228 229 230
  231 232 233 234 235 236 237 238 239 240
  241 242 243 244 245 246 247 248 ]
Evaluation channels (248 channels):
  [ 1 2 3 4 5 6 7 8 9 10
  11 12 13 14 15 16 17 18 19 20
  21 22 23 24 25 26 27 28 29 30
  31 32 33 34 35 36 37 38 39 40
  41 42 43 44 45 46 47 48 49 50
  51 52 53 54 55 56 57 58 59 60
  61 62 63 64 65 66 67 68 69 70
  71 72 73 74 75 76 77 78 79 80
  81 82 83 84 85 86 87 88 89 90
  91 92 93 94 95 96 97 98 99 100
  101 102 103 104 105 106 107 108 109 110
  111 112 113 114 115 116 117 118 119 120
  121 122 123 124 125 126 127 128 129 130
  131 132 133 134 135 136 137 138 139 140
  141 142 143 144 145 146 147 148 149 150
  151 152 153 154 155 156 157 158 159 160
  161 162 163 164 165 166 167 168 169 170
  171 172 173 174 175 176 177 178 179 180
  181 182 183 184 185 186 187 188 189 190
  191 192 193 194 195 196 197 198 199 200
  201 202 203 204 205 206 207 208 209 210
 211 212 213 214 215 216 217 218 219 220
  221 222 223 224 225 226 227 228 229 230
  231 232 233 234 235 236 237 238 239 240
  241 242 243 244 245 246 247 248 ]
RereferencedChannels (256 channels):
  [ 1 2 3 4 5 6 7 8 9 10
  11 12 13 14 15 16 17 18 19 20
  21 22 23 24 25 26 27 28 29 30
  31 32 33 34 35 36 37 38 39 40
  41 42 43 44 45 46 47 48 49 50
  51 52 53 54 55 56 57 58 59 60
  61 62 63 64 65 66 67 68 69 70
  71 72 73 74 75 76 77 78 79 80
  81 82 83 84 85 86 87 88 89 90
  91 92 93 94 95 96 97 98 99 100
  101 102 103 104 105 106 107 108 109 110
  111 112 113 114 115 116 117 118 119 120
```

```
121 122 123 124 125 126 127 128 129 130
    131 132 133 134 135 136 137 138 139 140
    141 142 143 144 145 146 147 148 149 150
    151 152 153 154 155 156 157 158 159 160
    161 162 163 164 165 166 167 168 169 170
    171 172 173 174 175 176 177 178 179 180
   181 182 183 184 185 186 187 188 189 190
   191 192 193 194 195 196 197 198 199 200
    201 202 203 204 205 206 207 208 209 210
    211 212 213 214 215 216 217 218 219 220
    221 222 223 224 225 226 227 228 229 230
    231 232 233 234 235 236 237 238 239 240
    241 242 243 244 245 246 247 248 249 250
    251 252 253 254 255 256 ]
Noisy channel detection parameters:
   Robust deviation threshold (z score): 5
   High frequency noise threshold (ratio): 5
   Correlation window size (in seconds): 1
   Correlation threshold (with any channel): 0.4
    Bad correlation threshold: 0.01
        (fraction of time with low correlation or dropout)
    Ransac off (if 1 Ransac turned off): 0
   Ransac sample size : 50
        (number channels to use for interpolated estimate)
   Ransac channel fraction (for ransac sample size): 0.25
   RansacCorrelationThreshold: 0.75
   RansacUnbrokenTime (input parameter): 0.4
   RansacWindowSeconds (in seconds): 5
   RansacPerformed (if 1, Ransac on and enough channels): 1
   Maximum reference iterations: 4
   Actual reference iterations: 2
Bad channels interpolated:
     [ 1(A1) 2(A2) 16(A16) 22(A22) 26(A26) 60(B28) 65(C1) 66(C2) 67(C3) 68(C
    73(C9) 81(C17) 86(C22) 91(C27) 109(D13) 116(D20) 132(E4) 143(E15) 147(E1
    151(E23) 157(E29) 158(E30) 159(E31) 160(E32) 162(F2) 166(F6) 168(F8) 184
    186(F26) \ 193(G1) \ 199(G7) \ 200(G8) \ 204(G12) \ 205(G13) \ 206(G14) \ 207(G15) \ 209(G15) \ 2
    212(G20) 213(G21) 214(G22) 216(G24) 239(H15) ]
Bad because of NaN:
   [ ]
Bad because data is constant:
   [\ ]
Bad because of low SNR:
    [ 16(A16) 81(C17) 109(D13) 132(E4) 143(E15) 149(E21) 151(E23) 157(E29) 1
    216(G24) ]
Bad because of drop outs:
   [ ]
Bad because of poor max correlation:
    [ 1(A1) \ 2(A2) \ 22(A22) \ 26(A26) \ 65(C1) \ 66(C2) \ 67(C3) \ 68(C4) \ 73(C9) \ 81(C17)
   91(C27) 116(D20) 132(E4) 147(E19) 158(E30) 160(E32) 162(F2) 166(F6) 168(
    185(F25) 186(F26) 193(G1) 200(G8) 204(G12) 205(G13) 206(G14) 207(G15) 20
    212(G20) 213(G21) 214(G22) 216(G24) 239(H15) ]
Bad because of large deviation:
```


```
[ 1(A1) 2(A2) 22(A22) 26(A26) 67(C3) 68(C4) 132(E4) 147(E19) 158(E30) 16
  166(F6) 168(F8) 184(F24) 186(F26) 193(G1) 205(G13) 207(G15) 216(G24) ]
Bad because of HF noise:
 [ 81(C17) 132(E4) 216(G24) ]
Bad because of poor Ransac predictability :
  [ 16(A16) 60(B28) 86(C22) 109(D13) 143(E15) 149(E21) 151(E23) 157(E29) 1
  ]
Bad channels after interpolation+referencing:
   [ 158(E30) 201(G9) 205(G13) ]
Bad because of NaN:
 [ ]
Bad because data is constant:
  [ ]
Bad because of low SNR:
 [ ]
Bad because of drop outs:
 [ ]
Bad because of poor max correlation:
 [ 158(E30) 205(G13) ]
Bad because of large deviation:
 [ ]
Bad because of HF noise:
Bad because of poor Ransac predictability :
 [ 201(G9) ]
Actual interpolation iterations: 2
```

Robust channel deviation (referenced)


```
Noisy channel legend: NaN: n
NoData: z
LowSNR: s
Corr: c
Amp: +
Noise: x
Ran: ?
```



Robust channel deviation (original)




Robust channel deviation (marking interpolated)




Robust deviation window statistics


```
Deviation window statistics (over 5090 windows):
Large deviation channel fraction:
   [before=0.091738, after=0.1912]
Median channel deviation: [before=11.4971, after=8.898]
SD channel deviation: [before=3.244, after=1.6091]
Max raw deviation level [before=337669.078, after=337047.9228]
Average fraction 0.091738 (22.7511 channels)
   not meeting threshold before in each window
Average fraction 0.1912 (47.4185 channels)
   not meeting threshold after in each window
Windows with > 1/4 deviation channels:
  [before=345, after=1274]
Windows with > 1/2 deviation channels:
  [before=58, after=796]
Median window deviations: [before=10.3563, after=8.0117]
SD window deviations: [before=4.4412, after=4.2498]
Channels with dropouts: None
```




Median max abs correlation (referenced)




Median max abs correlation (original)




Median max abs correlation (marking interpolated)




Mean max abs correlation (referenced)




Mean max abs correlation (original)




Mean max abs correlation (marking interpolated)




Bad min max correlation fraction (referenced)



Bad min max correlation fraction(original)



Bad min max correlation fraction (marking interpolated)



Correlation window statistics

Max correlation window statistics (over 5090 windows):

Overall median maximum correlation [before=0.93358, after=0.9222]

Low max correlation fraction [before=0.04476, after=0.00061395]

Minimum max correlation level [before=0.089964, after=0.09526]

Average fraction 0.04476 (11.1004 channels):


not meeting threshold before in each window


Average fraction 0.00061395 (0.15226 channels):

not meeting threshold after in each window


Windows with > 1/4 bad channels: [before=0, after=0]

Windows with > 1/2 bad channels: [before=0, after=0]







Bad ransac fraction (referenced)



Bad ransac fraction (original)





Bad ransac fraction (marking interpolated)




Channels with poor ransac correlations

Ransac window statistics (over 1018 windows):
Low ransac channel fraction [before=0.044276, after=0.041289]
Minimum ransac correlation [before=-0.73527, after=-0.99972]
Average fraction 0.044276 (10.9804 channels):
 not meeting threshold before in each window
Average fraction 0.041289 (10.2397 channels):
 not meeting threshold after in each window
Windows with > 1/4 bad ransac channels: [before=36, after=1]
Windows with > 1/2 bad ransac channels: [before=25, after=0]







HF noise **Z**-score (referenced)



HF noise **Z**-score (original)





HF noise Z-score (marking interpolated)




HF noise window stats

```
Noise window statistics (over 5090 windows):
Channel fraction with HF noise:
  [before=0.027877, after=0.0039728]
Median noisiness: [before=0.34908, after=0.25905]
SD noisiness: [before=0.074503, after=0.1019]
Max HF noise levels [before=217.8743, after=8.2895]
Average fraction 0.027877 (6.9136 channels):
   not meeting threshold before in each window
Average fraction 0.0039728 (0.98527 channels):
   not meeting threshold after in each window
   not meeting threshold after relative to before in each window
Windows with > 1/4 HF channels:
  [before=19, after=9]
Windows with > 1/2 HF channels:
  [before=6, after=3]
Median window HF: [before=0.36728, after=0.2841]
SD window HF: [before=0.15516, after=0.20134]
```







Noisy average reference vs robust average reference




Noisy average reference - robust average reference by time



Noisy average reference vs robust average reference (filtered)



Noisy average reference - robust average reference by time



Published with MATLAB® R2014a