

<u>Course</u> > <u>Week 7</u> > <u>Home</u>... > hw4_m...


hw4_mdps_q8_policy_iteration_cycle


Question 8: Policy Iteration: Cycle

0.0/16.0 points (graded)

We recommend you work out the solutions to the following questions on a sheet of scratch paper, and then enter your results into the answer boxes.

Consider the following transition diagram, transition function and reward function for an MDP.





S	a	s'	T(s,a,s')	R(s,a,s')
Α	Clockwise	В	0.8	0.0
Α	Clockwise	С	0.2	2.0
Α	Counterclockwise	В	0.2	-1.0
Α	Counterclockwise	С	0.8	1.0
В	Clockwise	Α	0.2	-1.0
В	Clockwise	С	0.8	0.0
В	Counterclockwise	Α	0.8	- 2.0
В	Counterclockwise	С	0.2	-1.0
С	Clockwise	Α	0.6	2.0
С	Clockwise	В	0.4	-1.0
С	Counterclockwise	В	1.0	0.0

Suppose we are doing policy evaluation, by following the policy given by the left-hand side table below. Our current estimates (at the end of some iteration of policy evaluation) of the value of states when following the current policy is given in the right-hand side table.

А	В	С
Clockwise	Clockwise	Counterclockwise

$V_{k}^{\pi}\left(A ight)$	$V_{k}^{\pi}\left(B ight)$	$V_{k}^{\pi}\left(C ight)$
0.320	-0.160	-0.100

Part 1: What is $V_{k+1}^{\pi}\left(A\right)$?

0.326

Answer: 0.326

Suppose that policy evaluation converges to the following value function, V^π_∞ .

$V^\pi_\infty\left(A ight)$	$V^\pi_\infty\left(B ight)$	$V^\pi_\infty\left(C ight)$
0.305	-0.212	-0.106

Now let's execute policy improvement.

Part 2: What is Q^π_∞ (A, clockwise)?

0.3046

Answer: 0.304635761589

Part 3: What is Q^π_∞ (A, counterclockwise)?

0.5364

Answer: 0.53642384106

Part 4: What is the updated action for state A? Enter clockwise or counterclockwise.

Counterclockwise

Answer: Counterclockwise

This question is randomized. Here are the general formulas to solve these problems.

Part 1: Here is the formula to calculate $V^\pi_{k+1}\left(A
ight)$.

$$V_{k+1}^{\pi}\left(A\right) = T\left(A, clockwise, B\right) \left[R\left(A, clockwise, B\right) + \gamma V_{k}^{\pi}\left(B\right)\right] + T\left(A, clockwise, C\right) \left[R\left(A, clockwise, C\right) + \gamma V_{k}^{\pi}\left(C\right)\right]$$

We only take into account the clockwise action from A, because that is the action according to our policy.

Part 2: Here is the formula to calculate Q^π_∞ (A, clockwise).

$$egin{aligned} Q_{\infty}^{\pi}\left(A, clockwise
ight) &= T\left(A, clockwise, B
ight) \left[R\left(A, clockwise, B
ight) + \gamma V_{\infty}^{\pi}\left(B
ight)
ight] + \ T\left(A, clockwise, C
ight) \left[R\left(A, clockwise, C
ight) + \gamma V_{\infty}^{\pi}\left(C
ight)
ight] \end{aligned}$$

Part 3: Here is the formula to calculate Q^π_∞ (A, counterclockwise).

$$Q_{\infty}^{\pi}\left(A, counterclockwise, B
ight) \left[R\left(A, counterclockwise, B
ight) + \gamma V_{\infty}^{\pi}\left(B
ight)
ight] + T\left(A, counterclockwise, C
ight) \left[R\left(A, counterclockwise, C
ight) + \gamma V_{\infty}^{\pi}\left(C
ight)
ight]$$

Part 4: The updated action for state A will be the action that results in the higher Q_∞^π .

Submit

© All Rights Reserved