

Table 1: Demographic and Baseline Characteristics
Safety Population; Table generated by r2rtf for RTF Reader Prototype

Subject ID	Age (years)	Sex	Race	Treatment Arm	不良反应术语 / Adverse Event Term
01-703-3368	78	F	WHITE	Placebo	头晕
01-703-6272	44	M	ASIAN	Placebo	恶心
01-703-2251	22	M	WHITE	Drug 10 mg	头痛
01-703-9825	37	M	WHITE	Placebo	头晕
01-703-1355	58	M	BLACK OR AFRICAN AMERICAN	Drug 20 mg	头晕
01-703-8699	28	F	WHITE	Drug 20 mg	头晕
01-703-4953	55	M	BLACK OR AFRICAN AMERICAN	Placebo	呕吐
01-703-6402	40	M	ASIAN	Drug 20 mg	呕吐
01-703-1931	28	F	ASIAN	Drug 20 mg	呕吐
01-703-6636	36	M	ASIAN	Drug 10 mg	头晕
01-703-5001	53	M	BLACK OR AFRICAN AMERICAN	Placebo	疲劳
01-703-1258	59	M	WHITE	Drug 20 mg	疲劳
01-703-6433	71	F	WHITE	Drug 20 mg	腹泻
01-703-1480	76	F	WHITE	Drug 20 mg	恶心

Table 1: Demographic and Baseline Characteristics
Safety Population; Table generated by r2rtf for RTF Reader Prototype

Subject ID	Age (years)	Sex	Race	Treatment Arm	不良反应术语 / Adverse Event Term
01-703-8325	47	F	ASIAN	Placebo	头晕
01-703-9490	76	M	ASIAN	Placebo	头痛
01-703-3453	38	M	WHITE	Drug 20 mg	头痛
01-703-8788	64	M	WHITE	Drug 20 mg	恶心
01-703-6467	72	F	ASIAN	Drug 20 mg	头晕
01-703-7340	24	M	WHITE	Drug 20 mg	腹泻
01-703-3273	31	M	WHITE	Placebo	腹泻
01-703-3551	29	M	BLACK OR AFRICAN AMERICAN	Drug 20 mg	恶心
01-703-1726	70	F	WHITE	Drug 10 mg	皮疹
01-703-1944	68	F	WHITE	Drug 10 mg	头痛
01-703-1625	27	F	ASIAN	Placebo	头晕
01-703-5357	54	M	ASIAN	Placebo	腹泻
01-703-7533	83	F	WHITE	Placebo	失眠
01-703-2395	52	M	WHITE	Drug 10 mg	腹泻
01-703-6122	51	F	WHITE	Placebo	呕吐
01-703-3817	44	F	WHITE	Drug 10 mg	恶心
01-703-1516	63	F	WHITE	Drug 10 mg	呕吐

Table 1: Demographic and Baseline Characteristics
Safety Population; Table generated by r2rtf for RTF Reader Prototype

Subject ID	Age (years)	Sex	Race	Treatment Arm	不良反应术语 / Adverse Event Term
01-703-9224	48	M	BLACK OR AFRICAN AMERICAN	Placebo	失眠
01-703-1944	70	F	WHITE	Drug 20 mg	失眠
01-703-1102	41	F	WHITE	Drug 10 mg	呕吐
01-703-6347	55	F	WHITE	Placebo	皮疹
01-703-8145	37	M	WHITE	Drug 20 mg	疲劳
01-703-2692	50	F	WHITE	Drug 10 mg	失眠
01-703-5171	53	M	WHITE	Placebo	呕吐
01-703-6896	62	M	BLACK OR AFRICAN AMERICAN	Drug 20 mg	皮疹
01-703-6610	39	M	BLACK OR AFRICAN AMERICAN	Drug 10 mg	头晕
01-703-4618	61	F	ASIAN	Drug 20 mg	皮疹
01-703-1015	81	F	ASIAN	Drug 10 mg	腹泻
01-703-6444	24	F	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	Placebo	头痛
01-703-1987	22	M	WHITE	Placebo	腹泻

Table 1: Demographic and Baseline Characteristics
Safety Population; Table generated by r2rtf for RTF Reader Prototype

Subject ID	Age (years)	Sex	Race	Treatment Arm	不良反应术语 / Adverse Event Term
01-703-8809	48	M	WHITE	Drug 20 mg	恶心
01-703-9273	49	M	WHITE	Drug 10 mg	疲劳
01-703-3343	56	M	ASIAN	Drug 20 mg	失眠
01-703-1148	30	M	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	Drug 10 mg	恶心
01-703-8139	47	M	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	Drug 10 mg	失眠
01-703-6688	71	M	WHITE	Placebo	失眠
01-703-1099	19	M	ASIAN	Drug 10 mg	皮疹
01-703-3345	45	F	BLACK OR AFRICAN AMERICAN	Drug 20 mg	皮疹
01-703-3449	20	F	WHITE	Drug 20 mg	呕吐
01-703-1090	50	M	WHITE	Drug 20 mg	恶心
01-703-7924	26	M	WHITE	Placebo	恶心
01-703-8348	71	F	WHITE	Drug 20 mg	呕吐
01-703-6173	27	F	WHITE	Drug 10 mg	恶心

Table 1: Demographic and Baseline Characteristics
Safety Population; Table generated by r2rtf for RTF Reader Prototype

Subject ID	Age (years)	Sex	Race	Treatment Arm	不良反应术语 / Adverse Event Term
01-703-7994	42	F	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	Drug 10 mg	失眠
01-703-5815	36	F	BLACK OR AFRICAN AMERICAN	Drug 20 mg	呕吐
01-703-6877	63	F	BLACK OR AFRICAN AMERICAN	Drug 20 mg	头痛
01-703-7781	20	F	ASIAN	Placebo	疲劳
01-703-9618	39	F	WHITE	Placebo	呕吐
01-703-7585	78	M	WHITE	Placebo	疲劳
01-703-6231	37	F	WHITE	Drug 10 mg	恶心
01-703-5679	59	M	WHITE	Placebo	头晕
01-703-8452	34	M	ASIAN	Drug 20 mg	皮疹
01-703-1950	63	M	WHITE	Placebo	头痛
01-703-9101	34	M	WHITE	Drug 20 mg	头痛
01-703-6260	54	F	WHITE	Placebo	头痛
01-703-2924	62	F	WHITE	Placebo	皮疹
01-703-5406	67	M	ASIAN	Drug 10 mg	头晕
01-703-3858	68	M	WHITE	Drug 20 mg	疲劳

Table 1: Demographic and Baseline Characteristics
Safety Population; Table generated by r2rtf for RTF Reader Prototype

Subject ID	Age (years)	Sex	Race	Treatment Arm	不良反应术语 / Adverse Event Term
01-703-5855	65	M	WHITE	Drug 10 mg	腹泻
01-703-2888	51	F	ASIAN	Placebo	头痛
01-703-2692	75	F	WHITE	Drug 20 mg	腹泻
01-703-2906	85	M	WHITE	Drug 10 mg	疲劳
01-703-9894	78	F	WHITE	Placebo	失眠
01-703-4309	50	F	WHITE	Placebo	皮疹
01-703-7669	36	F	WHITE	Drug 20 mg	腹泻
01-703-3309	47	F	ASIAN	Drug 20 mg	疲劳
01-703-5394	19	M	WHITE	Drug 10 mg	失眠
01-703-8613	55	F	ASIAN	Drug 10 mg	头晕
01-703-9945	26	M	ASIAN	Drug 10 mg	腹泻
01-703-5894	73	M	ASIAN	Drug 10 mg	皮疹
01-703-7049	23	M	ASIAN	Drug 20 mg	呕吐
01-703-3909	48	M	ASIAN	Drug 10 mg	皮疹
01-703-2247	31	M	WHITE	Placebo	失眠
01-703-8381	81	M	ASIAN	Placebo	皮疹
01-703-5389	64	F	WHITE	Drug 10 mg	腹泻
01-703-1606	82	F	ASIAN	Drug 20 mg	失眠
01-703-3830	58	M	WHITE	Drug 20 mg	疲劳

Table 1: Demographic and Baseline Characteristics
Safety Population; Table generated by r2rtf for RTF Reader Prototype

Subject ID	Age (years)	Sex	Race	Treatment Arm	不良反应术语 / Adverse Event Term
01-703-9737	27	F	BLACK OR AFRICAN AMERICAN	Drug 20 mg	呕吐
01-703-3473	66	F		Drug 20 mg	呕吐
01-703-3235	39	M	WHITE	Drug 10 mg	头痛
01-703-9445	18	F	ASIAN	Placebo	失眠
01-703-9459	21	F	WHITE	Drug 10 mg	呕吐
01-703-5735	84	M	WHITE	Drug 20 mg	失眠
01-703-4481	76	F	WHITE	Drug 20 mg	头晕
01-703-3088	70	M	ASIAN	Drug 10 mg	腹泻
01-703-8360	55	F	WHITE	Placebo	恶心
01-703-9855	76	M	WHITE	Drug 10 mg	头痛
01-703-2121	59	F	WHITE	Placebo	头晕
01-703-7680	79	F	WHITE	Drug 20 mg	疲劳
01-703-1161	37	F	WHITE	Drug 10 mg	皮疹
01-703-1635	51	M	ASIAN	Drug 10 mg	呕吐
01-703-3753	74	F	WHITE	Drug 10 mg	皮疹
01-703-6663	37	M	WHITE	Drug 20 mg	腹泻
01-703-4994	26	M	WHITE	Drug 20 mg	腹泻
01-703-6816	44	F	WHITE	Drug 10 mg	腹泻
01-703-5891	63	M	ASIAN	Placebo	头痛

Table 1: Demographic and Baseline Characteristics
Safety Population; Table generated by r2rtf for RTF Reader Prototype

Subject ID	Age (years)	Sex	Race	Treatment Arm	不良反应术语 / Adverse Event Term
01-703-7773	63	M	WHITE	Drug 20 mg	头痛
01-703-4108	20	F	WHITE	Drug 10 mg	头晕
01-703-3820	80	M	BLACK OR AFRICAN AMERICAN	Drug 10 mg	头痛
01-703-5173	35	F	WHITE	Drug 10 mg	呕吐
01-703-5621	27	F	WHITE	Drug 10 mg	恶心
01-703-4739	57	M	BLACK OR AFRICAN AMERICAN	Placebo	头晕
01-703-4168	70	F	ASIAN	Drug 10 mg	头痛
01-703-7626	46	M	WHITE	Placebo	失眠
01-703-4545	85	F	ASIAN	Placebo	头痛
01-703-2150	26	M	BLACK OR AFRICAN AMERICAN	Placebo	腹泻
01-703-4564	57	M	WHITE	Drug 10 mg	腹泻
01-703-6674	71	M	WHITE	Drug 10 mg	皮疹
01-703-8859	74	M	WHITE	Drug 20 mg	恶心
01-703-4577	44	F	WHITE	Drug 10 mg	恶心

Table 1: Demographic and Baseline Characteristics
Safety Population; Table generated by r2rtf for RTF Reader Prototype

Subject ID	Age (years)	Sex	Race	Treatment Arm	不良反应术语 / Adverse Event Term
01-703-5432	45	F	WHITE	Drug 10 mg	腹泻
01-703-5026	32	M	WHITE	Placebo	头痛
01-703-5634	40	F	ASIAN	Drug 10 mg	疲劳
01-703-4251	78	M	WHITE	Placebo	皮疹
01-703-6520	27	F	ASIAN	Drug 20 mg	恶心
01-703-2292	30	F	WHITE	Drug 20 mg	头痛
01-703-3014	79	F	WHITE	Placebo	腹泻
01-703-2405	18	M	WHITE	Drug 10 mg	皮疹
01-703-4195	28	F	WHITE	Placebo	头晕
01-703-8230	43	F	ASIAN	Drug 20 mg	皮疹
01-703-3608	25	F	WHITE	Placebo	呕吐
01-703-5668	42	F	ASIAN	Drug 20 mg	失眠
01-703-8795	41	F	WHITE	Drug 10 mg	疲劳
01-703-9080	33	F	WHITE	Placebo	头晕
01-703-5000	20	F	WHITE	Drug 10 mg	皮疹
01-703-1001	73	F	WHITE	Drug 10 mg	头痛
01-703-9862	38	M	WHITE	Drug 20 mg	疲劳
01-703-8815	84	M	ASIAN	Drug 10 mg	腹泻
01-703-9962	27	F	WHITE	Placebo	呕吐
01-703-9932	24	M	WHITE	Drug 20 mg	头晕

Table 1: Demographic and Baseline Characteristics
Safety Population; Table generated by r2rtf for RTF Reader Prototype

Subject ID	Age (years)	Sex	Race	Treatment Arm	不良反应术语 / Adverse Event Term
01-703-3316	36	M	ASIAN	Placebo	腹泻
01-703-9896	46	F	WHITE	Drug 10 mg	呕吐
01-703-9861	62	M	BLACK OR AFRICAN AMERICAN	Drug 10 mg	头痛
01-703-6682	59	M	WHITE	Drug 20 mg	失眠
01-703-5539	63	F	WHITE	Drug 20 mg	腹泻
01-703-8726	41	M	WHITE	Placebo	恶心
01-703-4269	47	M	WHITE	Placebo	头晕
01-703-6129	62	F	WHITE	Drug 20 mg	头晕
01-703-2224	59	F	WHITE	Drug 20 mg	呕吐
01-703-6864	56	F	WHITE	Drug 10 mg	恶心
01-703-2944	69	M	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	Drug 10 mg	皮疹
01-703-8682	70	F	BLACK OR AFRICAN AMERICAN	Drug 20 mg	恶心

Table 1: Demographic and Baseline Characteristics
Safety Population; Table generated by r2rtf for RTF Reader Prototype

Subject ID	Age (years)	Sex	Race	Treatment Arm	不良反应术语 / Adverse Event Term
01-703-5276	60	M	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	Drug 10 mg	恶心
01-703-9942	60	M	WHITE	Drug 10 mg	疲劳
01-703-6403	43	F	WHITE	Placebo	腹泻
01-703-6883	79	F	WHITE	Placebo	失眠
01-703-1462	23	M	WHITE	Placebo	头痛
01-703-7748	75	F	WHITE	Drug 10 mg	疲劳
01-703-3131	40	M	BLACK OR AFRICAN AMERICAN	Placebo	头痛
01-703-4957	59	M	ASIAN	Drug 10 mg	恶心
01-703-6079	58	F	WHITE	Placebo	头痛
01-703-9416	77	M	WHITE	Drug 20 mg	恶心
01-703-5584	62	M	BLACK OR AFRICAN AMERICAN	Drug 20 mg	恶心
01-703-4733	50	M	WHITE	Drug 10 mg	失眠
01-703-8065	28	F	WHITE	Placebo	头痛
01-703-7099	62	F	ASIAN	Drug 20 mg	呕吐
01-703-4070	31	F	ASIAN	Drug 10 mg	失眠
01-703-2953	19	M	WHITE	Placebo	皮疹

Table 1: Demographic and Baseline Characteristics
Safety Population; Table generated by r2rtf for RTF Reader Prototype

Subject ID	Age (years)	Sex	Race	Treatment Arm	不良反应术语 / Adverse Event Term
01-703-5248	62	F	WHITE	Drug 20 mg	失眠
01-703-8104	52	F	ASIAN	Placebo	腹泻
01-703-7029	45	F	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	Drug 20 mg	疲劳
01-703-1048	62	F	WHITE	Placebo	皮疹
01-703-1155	33	M	ASIAN	Placebo	头痛
01-703-3217	62	M	WHITE	Placebo	头痛
01-703-5387	25	F	WHITE	Drug 10 mg	头痛
01-703-5243	54	M	ASIAN	Drug 20 mg	头痛
注：此表为合成数据，仅用于 RTF 阅读器原型性能测试。Source: r2rtf.					