

```
// BootRunner.cs
using System.Collections;
using Sy.Core;
using UnityEngine;
using UnityEngine.SceneManagement;
using Logger = Sy.Core.Logger;
namespace Sy.P07.Boot
{
    public static class SceneIds
    {
        public const string Boot = "S00_Boot";
        public const string Main = "S07_Main";
    }
    /// <summary>
    /// S00_Boot      Mock → →      T001④
    ///      Boot      UI T001b  Boot      =
    /// </summary>
    public sealed class BootRunner : MonoBehaviour
    {
        IEnumerator Start()
        {
            BootServices.RegisterAll();
            var sequence = new BootSequence(SwitchToMain);
            if (!sequence.RunAll())
            {
                Logger.Error("BOOT", "boot sequence failed - stay on S00_Boot");
                yield break;
            }
            yield return null;
        }
        bool SwitchToMain()
        {
            StartCoroutine(LoadMainRoutine());
            return true;
        }
        IEnumerator LoadMainRoutine()
        {
            var op = SceneManager.LoadSceneAsync(SceneIds.Main, LoadSceneMode.Single);
            while (op != null && !op.isDone) yield return null;
        }
    }
}

// BootSequence.cs
using System;
using System.Collections.Generic;
using Sy.Core;
using Sy.Platform;
namespace Sy.P07.Boot
{
    /// <summary>
```

```

/// Boot      T001
/// ①Logger→② →③Config→④Save→⑤ILocale→⑥Ads.Preload→⑦      [BOOT] n/7
/// ⑦      Play  =SceneManager.LoadSceneAsync Editor dry-run=EditorSceneManager.OpenScene
/// X006      SY MOCK
/// &lt;/summary&gt;
public sealed class BootSequence
{
    public const int TotalSteps = 7;
    readonly Func&lt;bool&gt; _switchScene;
    readonly List&lt;string&gt; _lines = new();
    public BootSequence(Func&lt;bool&gt; switchScene)
    {
        _switchScene = switchScene;
    }
    public IReadOnlyList&lt;string&gt; Lines =&gt; _lines;
    public bool RunAll()
    {
        bool ok = true;
        ok &= Run(1, "Logger", LoggerStep);
        ok &= Run(2, "Time", TimeStep);
        ok &= Run(3, "Config", ConfigStep);
        ok &= Run(4, "Save", SaveStep);
        ok &= Run(5, "ILocale", LocaleStep);
        ok &= Run(6, "Ads.Preload", AdsStep);
        ok &= Run(7, "SwitchMain", () =&gt; _switchScene != null && _switchScene());
        return ok;
    }
    bool Run(int n, string name, Func&lt;bool&gt; step)
    {
        bool result;
        try
        {
            result = step();
        }
        catch (Exception e)
        {
            Logger.Error("BOOT", $"step {n} {name} exception: {e.Message}");
            result = false;
        }
        string line = $"[BOOT] {n}/{TotalSteps} {name} {(result ? "ok" : "FAIL")}";
        _lines.Add(line);
        Logger.Info("BOOT", line);
        return result;
    }
    static bool LoggerStep() =&gt; true; //      JS sink platform T001c
    static bool TimeStep()
    {
        var time = ServiceLocator.Get&lt;ITimeService&gt;();
        return time.ServerNowMs() &gt; 0 && !time.TimeCheated();
    }
}

```

```

        static bool ConfigStep()
        {
            var config = ServiceLocator.Get<IConfigService>();
            var update = config.CheckUpdate("mock://manifest");
            return update.NewVersion != null; // mock= X009 manifest
        }
        static bool SaveStep()
        {
            var save = ServiceLocator.Get<ISaveService>();
            save.Save("boot_probe", "{}");
            return !string.IsNullOrEmpty(save.Load("boot_probe"));
        }
        static bool LocaleStep()
        {
            var locale = ServiceLocator.Get<ILocaleService>();
            return !string.IsNullOrEmpty(locale.GetFontSet().NormalFont); // +
        }
        static bool AdsStep()
        {
            ServiceLocator.Get<IAdsService>().Preload("boot_warmup");
            return true;
        }
    }
}

// BootServices.cs
using System;
using System.Collections.Generic;
using System.Threading.Tasks;
using Sy.Core;
using Sy.Platform;
using UnityEngine;
using Logger = Sy.Core.Logger;
namespace Sy.P07.Boot
{
    /// <summary>
    /// Mock SY MOCK X006 Mock X002a AppID touristappid
    /// T001c WX/TT Channel Editor Boot
    /// </summary>
    public static class BootServices
    {
        public static void RegisterAll()
        {
            if (ServiceLocator.TryGet<ITimeService>(out _)) return; //
            ServiceLocator.Register<ITimeService>(new MockTimeService());
            ServiceLocator.Register<IConfigService>(new MockConfigService());
            ServiceLocator.Register<ISaveService>(new MockSaveService());
            ServiceLocator.Register<ILocaleService>(new MockLocaleService());
            ServiceLocator.Register<IAdsService>(new MockAdsService());
            Logger.Info("BOOT", "mock services registered (SY MOCK)");
        }
    }
}

```

```

}
public sealed class MockTimeService : ITimeService
{
    public TimeSource Source => TimeSource.Mock;
    public long ClientNowMs() => DateTimeOffset.UtcNow.ToUnixTimeMilliseconds();
    /// <summary>SY MOCK X006 TCB serverTime→HTTPS Date → T001b </summary>
    public long ServerNowMs() => ClientNowMs();
    public bool TimeCheated() => Math.Abs(ServerNowMs() - ClientNowMs()) > 120_000;
}
public sealed class MockConfigService : IConfigService
{
    public T GetTable<T>(string tableId) where T : class
        => throw new KeyNotFoundException("mock config table not loaded: " + tableId);
    public bool TryGetTable<T>(string tableId, out T table) where T : class
    {
        table = null;
        return false;
    }
    public ConfigUpdateResult CheckUpdate(string manifestUrl)
        => new ConfigUpdateResult(false, "mock-0.0.1");
    public void SwapPolicy(ConfigSwapPolicy policy) { }
    public string PinConfigVersion(string scope) => "mock-0.0.1";
}
public sealed class MockSaveService : ISaveService
{
    const string Prefix = "sy_save_";
    public void Save(string slot, string payloadJson) => PlayerPrefs.SetString(Prefix + slot, payloadJson);
    public string Load(string slot) => PlayerPrefs.GetString(Prefix + slot, string.Empty);
    /// <summary>X006 T001b v1→v2 </summary>
    public SyncResult CloudSync() => new SyncResult(false, null);
}
public sealed class MockLocaleService : ILocaleService
{
    public void SetLang(string lang) { }
    /// <summary>key key T001b cfg_i18n + NUnit </summary>
    public string GetText(string key, params string[] args)
    {
        Logger.Warn("LOCALE", "missing i18n key (fallback): " + key);
        return key;
    }
    public FontSet GetFontSet()
        => new FontSet("LegacyRuntime.ttf", "LegacyRuntime.ttf", "LegacyRuntime.ttf");
}
public sealed class MockAdsService : IAdsService
{
    public event Action<AdLifecycle> OnAdEvent;
    public Task<RewardResult> ShowRewarded(string pointId)
        => Task.FromResult(new RewardResult { Completed = true, Reason = "mock" });
    public void ShowInterstitial(string pointId) { }
    public void ShowBanner(string pointId) { }
}

```

```

        public void Preload(string pointId)
        {
            Logger.Info("ADS", "preload (mock): " + pointId);
            OnAdEvent?.Invoke(new AdLifecycle(AdLifecycleType.Fill, pointId, "mock"));
        }
    }
}

// MainUI.cs
using UnityEngine;
using UnityEngine.SceneManagement;
namespace Sy.P07.Newbie
{
    public static class NewbieSceneIds
    {
        public const string Main = "S07_Main";
        public const string Battle = "S07_Battle";
    }
    /// <summary>S07          →S07_Battle M5          —          </summary>
    public sealed class MainUI : MonoBehaviour
    {
        public void StartRestoration()
        {
            SceneManager.LoadScene(NewbieSceneIds.Battle);
        }
        void Awake()
        {
            Application.targetFrameRate = 30;
            Sy.Core.MainArtInjector.Apply(transform, "P07_scene_01", "P07_unit_01");
        }
    }
}

// BattleLauncher.cs
using System.Collections.Generic;
using UnityEngine;
namespace Sy.P07.Newbie
{
    /// <summary>
    /// S07_Battle      MuseumSim+TutorialFlow+MuseumView  Tick
    ///   Sy.Telemetry Editor =Debug sink T001e      +TCB
    /// HUD              6
    /// </summary>
    public sealed class BattleLauncher : MonoBehaviour
    {
        MuseumSim _sim;
        TutorialFlow _tutorial;
        MuseumView _view;
        Sy.Telemetry.TelemetryService _telemetry;
        int _lastEnergy = -1, _lastFragments = -1, _lastSeals = -1;
        void Awake()
        {

```

```
Application.targetFrameRate = 30;
var canvas = FindObjectOfType<Canvas>();
_sim = new MuseumSim(NewbieConfig.SimSeed);
_view = gameObject.AddComponent<MuseumView>();
_view.Initialize(canvas, _sim);
_telemetry = new Sy.Telemetry.TelemetryService();
_telemetry.AddSink(new TelemetryDebugSink());
_tutorial = new TutorialFlow(
    _sim,
    hint => {
        Debug.Log("[HINT] " + hint);
        _view.SetHint(hint);
    },
    step => { _telemetry.Track(Sy.Telemetry.EventIds.NewbieStep,
        new Dictionary<string, string> { { "step", step.ToString() } } });
    _view.CellTapped += OnCellTapped;
    _view.DigRequested += OnDigRequested;
    _view.DeliverRequested += OnDeliverRequested;
    _view.DecomposeRequested += OnDecomposeRequested;
    _view.RelayTapped += OnRelayTapped;
    _sim.Dug += OnDug;
    _sim.Merged += OnMerged;
    _sim.Decomposed += OnDecomposed;
}
void Update()
{
    _sim.Tick(Time.deltaTime);
    _view.SyncView(_sim);
    if (_sim.Energy != _lastEnergy) { _lastEnergy = _sim.Energy; _view.SetEnergy(_lastEnergy); }
    if (_sim.FragmentCount != _lastFragments) { _lastFragments = _sim.FragmentCount; _view.SetFragments(_lastFra
    if (_sim.SealCount != _lastSeals) { _lastSeals = _sim.SealCount; _view.SetSeals(_lastSeals); }
}
void OnCellTapped(int col, int row)
{
    _sim.SelectOrMerge(col, row);
}
void OnDigRequested()
{
    _sim.TryDig();
}
void OnDeliverRequested()
{
    _sim.DeliverOrder();
}
void OnDecomposeRequested()
{
    _sim.DecomposeBronze();
}
void OnRelayTapped()
```

```

        {
            _view.SetHint("      —      1      ");
        }
        void OnDug()
        {
            _view.PlayDigFx();
        }
        void OnMerged(MuseumSim.ItemInst a, MuseumSim.ItemInst b, MuseumSim.ItemInst product)
        {
            _view.PlayMergeFx(product.Id);
        }
        void OnDecomposed(MuseumSim.ItemInst bronze)
        {
            _view.PlayDecomposeFx();
        }
        sealed class TelemetryDebugSink : Sy.Telemetry.TelemetryService.ISink
        {
            public void Write(string evtId, Dictionary<string, string> fields)
            {
                var sb = new System.Text.StringBuilder(evtId);
                foreach (var kv in fields)
                {
                    sb.Append(' ').Append(kv.Key).Append('=').Append(kv.Value);
                }
                Debug.Log("[TELEMETRY] " + sb);
            }
        }
    }
}

// MuseumSim.cs
using System;
using System.Collections.Generic;
namespace Sy.P07.Newbie
{
    /// <summary>
    ///          C#      Play      Editor headless      NewbieFlowCheck
    ///          §4.2      ①      → →      2 1
    /// ②      +      → 1 2 ="      "
    /// ③      3      + /NPC +
    ///      06 07 M0 3 →M1 -1· · →M2 + =
    /// →M2.5 + = → → →M3 3 →
    /// →M4 #1+NPC →M5 + + +
    ///      3      3 —
    /// </summary>
    public sealed class MuseumSim
    {
        public enum MuseumPhase { Journal1, Journal2, Journal3, Playing, CardShow, WonderPreview, Settled }
        public sealed class ItemInst
        {
            public int Id;

```

```

        public int TypeId;    // 0 /1 /2
        public int Col, Row;
    }
    public MuseumPhase Phase { get; private set; } = MuseumPhase.Journal1;
    readonly List<ItemInst> _items = new();
    readonly Random _rng;
    int _nextId = 1;
    float _phaseTimer;
    int _selectedId = -1;
    public IReadOnlyList<ItemInst> Items => _items;
    public int Energy { get; private set; } = NewbieConfig.StartEnergy;
    public int SealCount { get; private set; } = NewbieConfig.StartSeals;
    public int DigCount { get; private set; }
    public int MergeCount { get; private set; }
    public int MisMergeCount { get; private set; }    // + —
    public int DecomposeCount { get; private set; }    //
    public int FragmentCount { get; private set; }
    public int BronzeCount { get; private set; }
    public bool OrderDelivered { get; private set; }
    public bool WonderUnlocked { get; private set; }
    public bool RelayUnlocked { get; private set; }
    public int SelectedItemId => _selectedId;
    public float PhaseTimer => _phaseTimer;
    public float RegionProgress { get; private set; } = NewbieConfig.RegionProgressStart;
    public int AdPopupCount => 0;    //
    public event Action<int> EnergyChanged;
    public event Action<int> SealChanged;
    public event Action Dug;    // -1.
    public event Action<ItemInst, ItemInst, ItemInst> Merged;    // (A, B, )
    public event Action<ItemInst> MisMerged;    // = —
    public event Action<ItemInst> Decomposed;    // →2
    public event Action OrderDeliveredDone;
    public event Action CardShown;
    public event Action WonderPreviewShown;
    public event Action Settled;
    public event Action<MuseumPhase> PhaseChanged;
    public MuseumSim(int seed)
    {
        _rng = new Random(seed);
    }
    public void Tick(float dt)
    {
        _phaseTimer += dt;
        switch (Phase)
        {
            case MuseumPhase.Journal1:
                if (_phaseTimer >= NewbieConfig.JournalPageSeconds) SetPhase(MuseumPhase.Journal2);
                break;
            case MuseumPhase.Journal2:
                if (_phaseTimer >= NewbieConfig.JournalPageSeconds) SetPhase(MuseumPhase.Journal3);

```

```

        break;
    case MuseumPhase.Journal3:
        if (_phaseTimer >= NewbieConfig.JournalPageSeconds) SetPhase(MuseumPhase.Playing);
        break;
    case MuseumPhase.CardShow:
        if (_phaseTimer >= NewbieConfig.CardShowSeconds) SetPhase(MuseumPhase.WonderPreview);
        break;
    case MuseumPhase.WonderPreview:
        //          0.40→0.75
        float k = Math.Min(1f, _phaseTimer / NewbieConfig.WonderPreviewSeconds);
        RegionProgress = Lerp(NewbieConfig.RegionProgressStart, NewbieConfig.RegionProgressEnd, k);
        if (_phaseTimer >= NewbieConfig.WonderPreviewSeconds)
        {
            Settled?.Invoke();
            SetPhase(MuseumPhase.Settled);
        }
        break;
    }
}

static float Lerp(float a, float b, float t) => a + (b - a) * t;
/// <summary>M1          -1          x2          = → →          </summary>
public bool TryDig()
{
    if (Phase != MuseumPhase.Playing) return false;
    if (Energy <= 0) return false;
    for (int n = 0; n <= NewbieConfig.ShardsPerDig; n++)
    {
        var cell = PickEmptyCell();
        if (cell == null) return false;
        _items.Add(new ItemInst { Id = _nextId++, TypeId = NewbieConfig.ShardTypeId, Col = cell.Value.Item1, Row
    }
    Energy--;
    DigCount++;
    EnergyChanged?.Invoke(Energy);
    Dug?.Invoke();
    return true;
}

(int, int)? PickEmptyCell()
{
    // 40      +      C#
    for (int attempt = 0; attempt < 40; attempt++)
    {
        int c = _rng.Next(NewbieConfig.Cols), r = _rng.Next(NewbieConfig.Rows);
        if (CellIsEmpty(c, r)) return (c, r);
    }
    for (int r = 0; r <= NewbieConfig.Rows; r++)
        for (int c = 0; c <= NewbieConfig.Cols; c++)
            if (CellIsEmpty(c, r)) return (c, r);
    return null;
}

```

```

bool CellIsEmpty(int col, int row)
{
    for (int i = 0; i < _items.Count; i++)
        if (_items[i].Col == col && _items[i].Row == row) return false;
    return true;
}

public ItemInst ItemAt(int col, int row)
{
    for (int i = 0; i < _items.Count; i++)
        if (_items[i].Col == col && _items[i].Row == row) return _items[i];
    return null;
}

public bool IsSelected(ItemInst item) => item != null && item.Id == _selectedId;
/// <summary>
/// /      2 1  ·  §4.2③"      "  + =  + =
///      =      =
/// </summary>
public bool SelectOrMerge(int col, int row)
{
    if (Phase != MuseumPhase.Playing) return false;
    var target = ItemAt(col, row);
    if (target == null) return false;
    if (_selectedId == -1)
    {
        _selectedId = target.Id;
        return true; //
    }
    if (_selectedId == target.Id)
    {
        _selectedId = -1; // =
        return true;
    }
    var selected = FindItem(_selectedId);
    if (selected == null) { _selectedId = -1; return false; }
    if (selected.TypeId != target.TypeId || selected.TypeId >= NewbieConfig.BronzeTypeId)
    {
        // —
        _selectedId = target.Id;
        return true;
    }
    // 2 1    Type+1 → →
    _items.Remove(selected);
    _items.Remove(target);
    var product = new ItemInst { Id = _nextId++, TypeId = selected.TypeId + 1, Col = target.Col, Row = target.Ro
    _items.Add(product);
    _selectedId = -1;
    MergeCount++;
    if (selected.TypeId == NewbieConfig.ShardTypeId)
    {
        FragmentCount++;
    }
}

```

```

    }
    else
    {
        // + = —
        FragmentCount -= 2;
        BronzeCount++;
        MisMergeCount++;
        MisMerged?.Invoke(product);
    }
    Merged?.Invoke(selected, target, product);
    return true;
}

ItemInst FindItem(int id)
{
    for (int i = 0; i < _items.Count; i++)
        if (_items[i].Id == id) return _items[i];
    return null;
}

/// <summary>
/// §4.2② — 2 1
/// </summary>
public bool DecomposeBronze()
{
    if (Phase != MuseumPhase.Playing) return false;
    if (SealCount <= 0) return false;
    var bronze = FindFirstBronze();
    if (bronze == null) return false;
    _items.Remove(bronze);
    BronzeCount--;
    for (int n = 0; n < 2; n++)
    {
        var cell = PickEmptyCell();
        if (cell == null) return false;
        _items.Add(new ItemInst { Id = _nextId++, TypeId = NewbieConfig.FragmentTypeId, Col = cell.Value.Item1,
            FragmentCount++});
    }
    SealCount--;
    DecomposeCount++;
    SealChanged?.Invoke(SealCount);
    Decomposed?.Invoke(bronze);
    return true;
}

ItemInst FindFirstBronze()
{
    for (int i = 0; i < _items.Count; i++)
        if (_items[i].TypeId == NewbieConfig.BronzeTypeId) return _items[i];
    return null;
}

/// <summary>M3 3 → </summary>
public bool DeliverOrder()

```

```

    {
        if (Phase != MuseumPhase.Playing) return false;
        if (FragmentCount < NewbieConfig.OrderFragments) return false;
        OrderDelivered = true;
        for (int i = 0; i < NewbieConfig.OrderFragments; i++)
        {
            var frag = FindFirstFragment();
            if (frag != null) _items.Remove(frag);
        }
        FragmentCount -= NewbieConfig.OrderFragments;
        OrderDeliveredDone?.Invoke();
        SetPhase(MuseumPhase.CardShow);
        return true;
    }
    ItemInst FindFirstFragment()
    {
        for (int i = 0; i < _items.Count; i++)
            if (_items[i].TypeId == NewbieConfig.FragmentTypeId) return _items[i];
        return null;
    }
    void SetPhase(MuseumPhase p)
    {
        if (Phase == p) return;
        Phase = p;
        _phaseTimer = 0f;
        switch (p)
        {
            case MuseumPhase.CardShow:
                CardShown?.Invoke();
                break;
            case MuseumPhase.WonderPreview:
                WonderUnlocked = true;
                RelayUnlocked = true;
                WonderPreviewShown?.Invoke();
                break;
        }
        PhaseChanged?.Invoke(p);
    }
}
}
// MuseumView.cs
using System;
using System.Collections;
using System.Collections.Generic;
using UnityEngine;
using UnityEngine.UI;
namespace Sy.P07.Newbie
{
    /// <summary>
    ///     UGUI—   x   x   x   x

```

```

///  UI Initialize      YAML      =      /      →      →      /
///      +      /      /      /      /      +NPC      /
///      +      /
///
///      =
/// &lt;/summary>
public sealed class MuseumView : MonoBehaviour
{
    const float CellW = 150f, CellH = 150f, Gap = 8f;
    Canvas _canvas;
    Sprite _square;
    RectTransform _board;
    Text _journalText, _energyText, _fragmentText, _sealText, _hintText, _progressText;
    RectTransform _journalOverlay, _cardOverlay, _wonderOverlay, _settlePanel;
    Button _digButton, _deliverButton, _relayButton, _decomposeButton;
    Image _digImage, _deliverImage, _decomposeImage;
    Image _progressFill;
    readonly Dictionary<int, ItemVisual> _items = new();
    readonly List<int> _scratch = new();
    MuseumSim.MuseumPhase _lastPhase;
    public event Action<int, int> CellTapped;
    public event Action DigRequested;
    public event Action DeliverRequested;
    public event Action DecomposeRequested;
    public event Action RelayTapped;
    static readonly Color DeepSeaBlue = new Color(0.039f, 0.141f, 0.388f); // #0A2463
    static readonly Color CoralOrange = new Color(0.957f, 0.376f, 0.212f); // #F46036
    static readonly Color PearlWhite = new Color(0.910f, 0.910f, 0.910f); // #E8E8E8
    static readonly Color Verdigris = new Color(0.243f, 0.533f, 0.357f); // #3E885B
    static readonly Color AbyssBlack = new Color(0.020f, 0.078f, 0.122f); // #05141F
    public void Initialize(Canvas canvas, MuseumSim sim)
    {
        _canvas = canvas;
        _square = MakeSquareSprite();
        BuildScene();
        BuildHud();
        BuildJournalOverlay();
        BuildCardOverlay();
        BuildWonderOverlay();
        BuildSettlePanel();
        SetHint("      .....");
    }
    // —— ——
    void BuildScene()
    {
        var bg = MakeCanvasChild("Bg", AbyssBlack);
        bg.anchorMin = Vector2.zero;
        bg.anchorMax = Vector2.one;
        bg.anchoredPosition = Vector2.zero;
        bg.sizeDelta = Vector2.zero;
        // X027 generated art: swap the solid Bg for the deep-sea painting when present.
    }
}

```

```

var bgImg = bg.GetComponent<Image>();
// 17 §1.2: L0 — U184
bgImg.raycastTarget = false;
var bgArt = Sy.Core.ArtRuntime.Get("P07_scene_01");
if (bgArt != null)
{
    bgImg.sprite = bgArt;
    bgImg.color = Color.white;
    bgImg.preserveAspect = true;
}
var boardGo = new GameObject("Board", typeof(RectTransform), typeof(Image));
boardGo.transform.SetParent(_canvas.transform, false);
_board = (RectTransform)boardGo.transform;
_board.anchorMin = _board.anchorMax = new Vector2(0.5f, 0.5f);
_board.anchoredPosition = new Vector2(0, 100);
_board.sizeDelta = new Vector2(NewbieConfig.Cols * (CellW + Gap), NewbieConfig.Rows * (CellH + Gap));
var boardImg = _board.GetComponent<Image>();
boardImg.sprite = _square;
boardImg.color = new Color(DeepSeaBlue.r, DeepSeaBlue.g, DeepSeaBlue.b, 0.35f);
for (int r = 0; r < NewbieConfig.Rows; r++)
{
    for (int c = 0; c < NewbieConfig.Cols; c++)
    {
        int col = c, row = r;
        var cellGo = new GameObject($"Cell_{c}_{r}", typeof(RectTransform), typeof(Image), typeof(Button));
        cellGo.transform.SetParent(_board, false);
        var rt = (RectTransform)cellGo.transform;
        rt.anchorMin = rt.anchorMax = new Vector2(0.5f, 0.5f);
        rt.anchoredPosition = CellCenter(c, r);
        rt.sizeDelta = new Vector2(CellW, CellH);
        var img = cellGo.GetComponent<Image>();
        img.sprite = _square;
        img.color = new Color(0.03f, 0.10f, 0.25f, 0.9f);
        cellGo.GetComponent<Button>().onClick.AddListener(() => CellTapped?.Invoke(col, row));
    }
}
}

void BuildHud()
{
    var root = _canvas.transform;
    _energyText = MakeText(root, " " + NewbieConfig.StartEnergy, 46, new Vector2(-370, 880), TextAnchor.UpperL);
    _energyText.color = CoralOrange;
    _fragmentText = MakeText(root, " 0/" + NewbieConfig.OrderFragments, 46, new Vector2(0, 880), TextAnchor.Up);
    _fragmentText.color = PearlWhite;
    _progressText = MakeText(root, " 40%", 44, new Vector2(0, 820), TextAnchor.UpperCenter, 500, 60);
    _progressText.color = Verdigris;
    _sealText = MakeText(root, " x" + NewbieConfig.StartSeals, 42, new Vector2(350, 820), TextAnchor.UpperRig);
    _sealText.color = CoralOrange;
    var barGo = new GameObject("Progress", typeof(RectTransform), typeof(Image));
    barGo.transform.SetParent(root, false);

```

```

    var barRt = (RectTransform)barGo.transform;
    barRt.anchorMin = barRt.anchorMax = new Vector2(0.5f, 0.5f);
    barRt.anchoredPosition = new Vector2(0, 760);
    barRt.sizeDelta = new Vector2(700, 18);
    var barImg = barGo.GetComponent<Image>();
    barImg.sprite = _square;
    barImg.color = new Color(0.1f, 0.15f, 0.25f);
    var fillGo = new GameObject("Fill", typeof(RectTransform), typeof(Image));
    fillGo.transform.SetParent(barGo.transform, false);
    var fillRt = (RectTransform)fillGo.transform;
    fillRt.anchorMin = new Vector2(0f, 0.5f);
    fillRt.anchorMax = new Vector2(1f, 0.5f);
    fillRt.anchoredPosition = Vector2.zero;
    fillRt.sizeDelta = new Vector2(0, 18);
    _progressFill = fillGo.GetComponent<Image>();
    _progressFill.sprite = _square;
    _progressFill.type = Image.Type.Filled;
    _progressFill.fillMethod = Image.FillMethod.Horizontal;
    _progressFill.color = Verdigris;
    _hintText = MakeText(root, "", 40, new Vector2(0, -840), TextAnchor.MiddleCenter, 1020, 150);
    _hintText.color = new Color(0.85f, 0.88f, 0.92f);
    _digButton = MakeBottomButton("    -1 ", new Vector2(-330, 100), DeepSeaBlue, () => DigRequested?.Invoke);
    _decomposeButton = MakeBottomButton("    ·  ", new Vector2(0, 100), DeepSeaBlue, () => DecomposeRequested?.Invoke);
    _deliverButton = MakeBottomButton("    ", new Vector2(330, 100), CoralOrange, () => DeliverRequested?.Invoke);
}

Button MakeBottomButton(string label, Vector2 pos, Color color, Action onClick, out Image image)
{
    var go = new GameObject(label, typeof(RectTransform), typeof(Image), typeof(Button));
    go.transform.SetParent(_canvas.transform, false);
    var rt = (RectTransform)go.transform;
    rt.anchorMin = rt.anchorMax = new Vector2(0.5f, 0f);
    rt.anchoredPosition = pos;
    rt.sizeDelta = new Vector2(310, 120);
    image = go.GetComponent<Image>();
    image.sprite = _square;
    image.color = color;
    // 17 § .7: pick the label color by background luminance (WCAG
    // relative-luma) so light CTA backgrounds always carry dark text.
    float lum = color.r * 0.2126f + color.g * 0.7152f + color.b * 0.0722f;
    MakeText(go.transform, label, 34, Vector2.zero, TextAnchor.MiddleCenter, 310, 120).color = lum > 0.45f ?
    var button = go.GetComponent<Button>();
    button.interactable = false;
    button.onClick.AddListener(() => onClick());
    return button;
}

void BuildJournalOverlay()
{
    _journalOverlay = MakeOverlayPanel("JournalOverlay", new Color(0.012f, 0.045f, 0.07f, 0.96f));
    _journalText = MakeText(_journalOverlay, "", 64, new Vector2(0, 0), TextAnchor.MiddleCenter, 1000, 200);
    _journalText.color = PearlWhite;
}

```

```

}
void BuildCardOverlay()
{
    _cardOverlay = MakeOverlayPanel("CardOverlay", new Color(0.012f, 0.045f, 0.07f, 0.94f));
    MakeText(_cardOverlay, "    #1", 76, new Vector2(0, 330), TextAnchor.MiddleCenter, 1000, 100).color = Coral0
    MakeText(_cardOverlay, NewbieConfig.CardText, 48, new Vector2(0, 140), TextAnchor.MiddleCenter, 1000, 120).c
    // NPC      §4.2③      —
    MakeText(_cardOverlay, "&lt;size=36&gt;" + NewbieConfig.NpcJournalText + "&lt;/size&gt;", 40, new Vector2(0,
    _cardOverlay.gameObject.SetActive(false);
}
void BuildWonderOverlay()
{
    _wonderOverlay = MakeOverlayPanel("WonderOverlay", new Color(0, 0, 0, 0f));
    _wonderOverlay.GetComponent&lt;Image&gt;().color = new Color(0, 0, 0, 0.55f); // 17 § .6      0.5 U184
    var silhouette = MakeChildOf(_wonderOverlay, "Silhouette", new Vector2(0, 420), new Vector2(360, 360));
    var silImg = silhouette.GetComponent&lt;Image&gt;();
    silImg.sprite = _square;
    silImg.color = new Color(DeepSeaBlue.r, DeepSeaBlue.g, DeepSeaBlue.b, 0.9f);
    MakeText(silhouette, " ", 90, Vector2.zero, TextAnchor.MiddleCenter, 360, 360).color = new Color(PearlWhite
    MakeText(_wonderOverlay, "      ·      ", 56, new Vector2(0, 160), TextAnchor.MiddleCenter, 1000, 90).colo
    var relayGo = new GameObject("RelayButton", typeof(RectTransform), typeof(Image), typeof(Button));
    relayGo.transform.SetParent(_wonderOverlay, false);
    var relayRt = (RectTransform)relayGo.transform;
    relayRt.anchorMin = relayRt.anchorMax = new Vector2(0.5f, 0.5f);
    relayRt.anchoredPosition = new Vector2(0, -60);
    relayRt.sizeDelta = new Vector2(460, 120);
    var relayImg = relayGo.GetComponent&lt;Image&gt;();
    relayImg.sprite = _square;
    relayImg.color = CoralOrange;
    MakeText(relayGo.transform, "      ·      1      ", 38, Vector2.zero, TextAnchor.MiddleCenter, 460, 120).color =
    _relayButton = relayGo.GetComponent&lt;Button&gt;();
    _relayButton.onClick.AddListener(() => RelayTapped?.Invoke());
    _wonderOverlay.gameObject.SetActive(false);
}
void BuildSettlePanel()
{
    _settlePanel = MakeOverlayPanel("SettlePanel", new Color(0.012f, 0.045f, 0.07f, 0.96f));
    MakeText(_settlePanel, "      ·      ", 90, new Vector2(0, 560), TextAnchor.MiddleCenter, 1040, 110).color = Ve
    MakeText(_settlePanel, $"      1      ·      4      1      ·      1      2      ·      1      \n&lt;size=40&gt;      —
    MakeActionButton(_settlePanel, "      ", new Vector2(-260, -260), () => UnityEngine.SceneManagement.SceneMa
    MakeActionButton(_settlePanel, "      ", new Vector2(260, -260), () => UnityEngine.SceneManagement.SceneMa
    _settlePanel.gameObject.SetActive(false);
}
// ———— ————
public void SyncView(MuseumSim sim)
{
    ReconcileItems(sim);
    foreach (var kv in _items)
    {
        var v = kv.Value;
    }
}

```

```

        bool selected = sim.IsSelected(v.Source);
        if (selected != v.LastSelected)
        {
            v.LastSelected = selected;
            v.Rt.localScale = selected ? Vector3.one * 1.15f : Vector3.one;
        }
    }
    float progress = sim.RegionProgress;
    _progressFill.fillAmount = progress;
    int pct = (int)(progress * 100f);
    if (_lastProgressPct != pct) { _lastProgressPct = pct; _progressText.text = "    " + pct + "%"; }
    bool playing = sim.Phase == MuseumSim.MuseumPhase.Playing;
    bool digOk = playing && sim.Energy > 0;
    if (_digButton.interactable != digOk)
    {
        _digButton.interactable = digOk;
        _digImage.color = digOk ? DeepSeaBlue : new Color(0.2f, 0.22f, 0.3f);
    }
    bool decomposeOk = playing && sim.BronzeCount > 0 && sim.SealCount > 0;
    if (_decomposeButton.interactable != decomposeOk)
    {
        _decomposeButton.interactable = decomposeOk;
        _decomposeImage.color = decomposeOk ? CoralOrange : new Color(0.2f, 0.22f, 0.3f);
    }
    bool deliverOk = playing && sim.FragmentCount >= NewbieConfig.OrderFragments;
    if (_deliverButton.interactable != deliverOk)
    {
        _deliverButton.interactable = deliverOk;
        _deliverImage.color = deliverOk ? CoralOrange : new Color(0.2f, 0.22f, 0.3f);
    }
    if (sim.Phase != _lastPhase)
    {
        _lastPhase = sim.Phase;
        OnPhaseVisual(sim.Phase);
    }
}
int _lastProgressPct = -1;
void OnPhaseVisual(MuseumSim.MuseumPhase phase)
{
    switch (phase)
    {
        case MuseumSim.MuseumPhase.Journal1:
            _journalOverlay.gameObject.SetActive(true);
            _journalText.text = "    · 1 \n<size=40>7    </size>";
            break;
        case MuseumSim.MuseumPhase.Journal2:
            _journalText.text = "    \n<size=40>—    </size>";
            break;
        case MuseumSim.MuseumPhase.Journal3:
            _journalText.text = "    \n<size=40>    </size>";
            break;
    }
}

```

```

        break;
    case MuseumSim.MuseumPhase.Playing:
        _journalOverlay.gameObject.SetActive(false);
        break;
    case MuseumSim.MuseumPhase.CardShow:
        _cardOverlay.gameObject.SetActive(true);
        break;
    case MuseumSim.MuseumPhase.WonderPreview:
        _cardOverlay.gameObject.SetActive(false);
        _wonderOverlay.gameObject.SetActive(true);
        StartCoroutine(RelayBreathingRoutine());
        break;
    case MuseumSim.MuseumPhase.Settled:
        _wonderOverlay.gameObject.SetActive(false);
        _settlePanel.gameObject.SetActive(true);
        break;
    }
}
/// <summary></summary>      —M5      </summary>
IEnumerator RelayBreathingRoutine()
{
    while (_wonderOverlay.gameObject.activeSelf)
    {
        float k = 0.5f + 0.5f * Mathf.Sin(Time.unscaledTime * 3f);
        _relayButton.transform.localScale = Vector3.one * (1f + 0.05f * k);
        yield return null;
    }
    _relayButton.transform.localScale = Vector3.one;
}
void ReconcileItems(MuseumSim sim)
{
    _scratch.Clear();
    foreach (var kv in _items)
        if (!ContainsItem(sim, kv.Key)) _scratch.Add(kv.Key);
    for (int i = 0; i < _scratch.Count; i++)
    {
        Destroy(_items[_scratch[i]].Go);
        _items.Remove(_scratch[i]);
    }
    for (int i = 0; i < sim.Items.Count; i++)
    {
        var item = sim.Items[i];
        if (!_items.TryGetValue(item.Id, out var v))
        {
            v = CreateItemVisual(item);
            _items[item.Id] = v;
        }
        v.Source = item;
    }
}
}

```

```

static bool ContainsItem(MuseumSim sim, int id)
{
    for (int i = 0; i < sim.Items.Count; i++)
        if (sim.Items[i].Id == id) return true;
    return false;
}

ItemVisual CreateItemVisual(MuseumSim.ItemInst item)
{
    var go = new GameObject("Item_" + item.Id, typeof(RectTransform), typeof(Image));
    go.transform.SetParent(_board, false);
    var rt = (RectTransform)go.transform;
    rt.anchorMin = rt.anchorMax = new Vector2(0.5f, 0.5f);
    rt.anchoredPosition = CellCenter(item.Col, item.Row);
    rt.sizeDelta = new Vector2(120, 120);
    var img = go.GetComponent<Image>();
    img.sprite = _square;
    string label;
    Color labelColor;
    switch (item.TypeId)
    {
        case NewbieConfig.BronzeTypeId: // —
            img.color = CoralOrange;
            label = " ";
            labelColor = AbyssBlack;
            break;
        case NewbieConfig.FragmentTypeId:
            img.color = Verdigris;
            label = " ";
            labelColor = PearlWhite;
            break;
        default:
            { // —X027 generated art when present
                var relicArt = Sy.Core.ArtRuntime.Get("P07_unit_01");
                if (relicArt != null)
                {
                    img.sprite = relicArt;
                    img.color = Color.white;
                    img.preserveAspect = true;
                }
                else img.color = PearlWhite;
                label = " ";
                labelColor = AbyssBlack;
                break;
            }
    }
    MakeText(go.transform, label, 52, Vector2.zero, TextAnchor.MiddleCenter, 120, 120).color = labelColor;
    return new ItemVisual { Go = go, Rt = rt, Source = item };
}

// — —
/// <summary> § → → — </summary>

```

```

public void PlayDigFx()
{
    StartCoroutine(DigFramesRoutine());
}
IEnumerator DigFramesRoutine()
{
    var go = new GameObject("DigFrames", typeof(RectTransform), typeof(Text));
    go.transform.SetParent(_canvas.transform, false);
    var rt = (RectTransform)go.transform;
    rt.anchorMin = rt.anchorMax = new Vector2(0.5f, 0.5f);
    rt.anchoredPosition = new Vector2(0, 300);
    rt.sizeDelta = new Vector2(600, 100);
    var t = go.GetComponent<Text>();
    t.font = Resources.GetBuiltinResource<Font>("LegacyRuntime.ttf");
    t.fontSize = 56;
    t.alignment = TextAnchor.MiddleCenter;
    t.color = CoralOrange;
    for (int i = 0; i < NewbieConfig.ExcavateStages.Length; i++)
    {
        t.text = NewbieConfig.ExcavateStages[i];
        yield return new WaitForSeconds(NewbieConfig.ExcavateFrameSeconds);
    }
    Destroy(go);
}
/// <summary> + —T006 </summary>
public void PlayMergeFx(int itemId)
{
    if (_items.TryGetValue(itemId, out var v))
        StartCoroutine(BounceRoutine(v.Rt));
    StartCoroutine(FlashRoutine(new Color(1f, 1f, 1f, 0.35f)));
}
/// <summary> " " </summary>
public void PlayDecomposeFx()
{
    StartCoroutine(FlashRoutine(new Color(Verdigris.r, Verdigris.g, Verdigris.b, 0.45f)));
}
IEnumerator BounceRoutine(RectTransform rt)
{
    float t = 0f;
    while (t < NewbieConfig.MergeBounceSeconds)
    {
        t += Time.deltaTime;
        float k = Mathf.Clamp01(t / NewbieConfig.MergeBounceSeconds);
        rt.localScale = Vector3.one * Mathf.Lerp(1.45f, 1f, k);
        yield return null;
    }
    rt.localScale = Vector3.one;
}
IEnumerator FlashRoutine(Color color)
{

```

```

        var go = new GameObject("MergeFlash", typeof(RectTransform), typeof(Image));
        go.transform.SetParent(_canvas.transform, false);
        var rt = (RectTransform)go.transform;
        rt.anchorMin = Vector2.zero;
        rt.anchorMax = Vector2.one;
        rt.anchoredPosition = Vector2.zero;
        rt.sizeDelta = Vector2.zero;
        var img = go.GetComponent<Image>();
        img.sprite = _square;
        img.color = color;
        img.raycastTarget = false;    // 17 §1.2      U184
        yield return new WaitForSeconds(NewbieConfig.MergeFlashSeconds);
        Destroy(go);
    }
    // —— HUD ——
    public void SetEnergy(int e) => _energyText.text = "    " + e;
    public void SetFragments(int n) => _fragmentText.text = "    " + n + "/" + NewbieConfig.OrderFragments;
    public void SetSeals(int s) => _sealText.text = "    x" + s;
    public void SetHint(string hint) => _hintText.text = hint;
    // —— ——
    static Vector2 CellCenter(int col, int row)
    {
        float x = (col - (NewbieConfig.Cols - 1) * 0.5f) * (CellW + Gap);
        float y = ((NewbieConfig.Rows - 1) * 0.5f - row) * (CellH + Gap);
        return new Vector2(x, y);
    }
    RectTransform MakeCanvasChild(string name, Color color)
    {
        var go = new GameObject(name, typeof(RectTransform), typeof(Image));
        go.transform.SetParent(_canvas.transform, false);
        var rt = (RectTransform)go.transform;
        rt.anchorMin = rt.anchorMax = new Vector2(0.5f, 0.5f);
        var img = rt.GetComponent<Image>();
        img.sprite = _square;
        img.color = color;
        return rt;
    }
    RectTransform MakeChildOf(RectTransform parent, string name, Vector2 pos, Vector2 size)
    {
        var go = new GameObject(name, typeof(RectTransform), typeof(Image));
        go.transform.SetParent(parent, false);
        var rt = (RectTransform)go.transform;
        rt.anchorMin = rt.anchorMax = new Vector2(0.5f, 0.5f);
        rt.anchoredPosition = pos;
        rt.sizeDelta = size;
        return rt;
    }
    RectTransform MakeOverlayPanel(string name, Color color)
    {
        var go = new GameObject(name, typeof(RectTransform), typeof(Image));

```

```

        go.transform.SetParent(_canvas.transform, false);
        var rt = (RectTransform)go.transform;
        rt.anchorMin = Vector2.zero;
        rt.anchorMax = Vector2.one;
        rt.offsetMin = rt.offsetMax = Vector2.zero;
        var image = go.GetComponent<Image>();
        image.sprite = _square;
        image.color = color;
        return rt;
    }

    void MakeActionButton(RectTransform parent, string text, Vector2 pos, Action onClick)
    {
        var go = new GameObject(text, typeof(RectTransform), typeof(Image), typeof(Button));
        go.transform.SetParent(parent, false);
        var rt = (RectTransform)go.transform;
        rt.anchorMin = rt.anchorMax = new Vector2(0.5f, 0.5f);
        rt.anchoredPosition = pos;
        rt.sizeDelta = new Vector2(420, 120);
        var image = go.GetComponent<Image>();
        image.sprite = _square;
        image.color = Verdigris;
        MakeText(go.transform, text, 44, Vector2.zero, TextAnchor.MiddleCenter, 420, 120).color = PearlWhite;
        go.GetComponent<Button>().onClick.AddListener(() => onClick());
    }

    static Text MakeText(Transform parent, string text, int size, Vector2 pos, TextAnchor anchor, float w, float h)
    {
        var go = new GameObject("Text", typeof(RectTransform), typeof(Text));
        go.transform.SetParent(parent, false);
        var rt = (RectTransform)go.transform;
        rt.anchorMin = rt.anchorMax = new Vector2(0.5f, 0.5f);
        rt.anchoredPosition = pos;
        rt.sizeDelta = new Vector2(w, h);
        var t = go.GetComponent<Text>();
        t.font = Resources.GetBuiltinResource<Font>("LegacyRuntime.ttf");
        t.text = text;
        t.fontSize = size;
        t.alignment = anchor;
        t.color = new Color(0.91f, 0.89f, 0.85f);
        t.supportRichText = true;
        t.raycastTarget = false; // 17 $1.2 U184
        return t;
    }

    static Sprite MakeSquareSprite()
    {
        var tex = new Texture2D(8, 8, TextureFormat.RGBA32, false);
        var px = tex.GetPixels32();
        for (int i = 0; i < px.Length; i++) px[i] = new Color32(255, 255, 255, 255);
        tex.SetPixels32(px);
        tex.Apply(false, false);
        return Sprite.Create(tex, new Rect(0, 0, 8, 8), new Vector2(0.5f, 0.5f), 8f);
    }

```

```

    }
    // ——
sealed class ItemVisual
{
    public GameObject Go;
    public RectTransform Rt;
    public MuseumSim.ItemInst Source;
    public bool LastSelected;
}
}
}
// NewbieConfig.cs
namespace Sy.P07.Newbie
{
    /// <summary>
    /// P07 . V0.2 — X009+IConfigService Design/configs/P07 JSON
    /// §4.2① + +NPC /② =" "[ 1 . 3 . ]/
    /// ③ = 06 07 M0-M5
    /// #0A2463 × #F46036 × #E8E8E8 × #3E885B × #05141F
    /// 3 =3 ×2 =6 →3 =3 = + →
    /// </summary>
    public static class NewbieConfig
    {
        public const string GameTitle = " ";
        public const string GameSlogan = " ";
        public const int Cols = 6; // 6×7
        public const int Rows = 7;
        public const int StartEnergy = 3; // 1 {regenSec:240}— 2-3
        public const int ShardsPerDig = 2; // 3 =6 =3 = 3
        public const int OrderFragments = 3; // ×3
        // — §4.2① —
        public const int ShardTypeId = 0; //
        public const int FragmentTypeId = 1; // . =
        public const int BronzeTypeId = 2; // + — 12 ×6
        public static readonly string[] ItemNames = { " ", " ", " " };
        // — §4.2② —
        public const int StartSeals = 3; // 3 1
        public const string SealRuleNote = " 1 . ";
        // — § → → —
        public static readonly string[] ExcavateStages = { " .....", " ", " — " };
        // — +NPC §4.2③ — —
        public const string CardText = " ..... ";
        public const string NpcJournalText =
            " . — ";
        public const float JournalPageSeconds = 0.8f; // M0 3 2= / 3= —U184 3 ×0.8=2.4s&lt; 3s 17 §
        public const float CardShowSeconds = 1.6f; // M4 +NPC
        public const float WonderPreviewSeconds = 1.6f; // M5 0.40→0.75
        public const float MergeBounceSeconds = 0.2f; //
        public const float MergeFlashSeconds = 0.1f; // =
        public const float ExcavateFrameSeconds = 0.15f; //
    }
}

```

```

        public const float MaxTutorialSeconds = 210f;    //    ≤3.5min 06 ②
        public const float RegionProgressStart = 0.40f;
        public const float RegionProgressEnd = 0.75f;
        public const int SimSeed = 20260916;
    }
}
// TutorialFlow.cs
using System;
namespace Sy.P07.Newbie
{
    /// <summary>
    ///     evt_newbie_step 1-5 ① ② ③ ④ ⑤ +
    ///     MuseumSim 3 / / / / —
    /// Play headless NewbieFlowCheck
    /// </summary>
    public sealed class TutorialFlow
    {
        public int Step { get; private set; }
        readonly Action<string> _hint;
        readonly Action<int> _onStep;
        bool _firstDigSeen;
        bool _firstMergeSeen;
        public TutorialFlow(MuseumSim sim, Action<string> hint, Action<int> onStep)
        {
            _hint = hint ?? delegate { };
            _onStep = onStep ?? delegate { };
            sim.Dug += OnDug;
            sim.Merged += OnMerged;
            sim.MisMerged += OnMisMerged;
            sim.Decomposed += OnDecomposed;
            sim.OrderDeliveredDone += OnOrderDelivered;
            sim.CardShown += OnCardShown;
            sim.Settled += OnSettled;
            sim.PhaseChanged += OnPhaseChanged;
            _hint("    —    ");
        }
        void Advance(int step)
        {
            if (Step >= step) return;
            Step = step;
            _onStep(step);
        }
        void OnDug()
        {
            if (!_firstDigSeen)
            {
                _firstDigSeen = true;
                Advance(1);
                _hint("    → →    x2    —    -1    ");
                return;
            }
        }
    }
}

```

```

    }
    _hint("    x2  →  →  — ");
}
void OnMerged(MuseumSim.ItemInst a, MuseumSim.ItemInst b, MuseumSim.ItemInst product)
{
    if (product.TypeId == NewbieConfig.BronzeTypeId) return; // OnMisMerged
    if (!_firstMergeSeen)
    {
        _firstMergeSeen = true;
        Advance(2);
        _hint("    + = — + ");
        return;
    }
    _hint(NewbieConfig.ItemNames[product.TypeId] + "+1— " + NewbieConfig.OrderFragments + " ");
}
void OnMisMerged(MuseumSim.ItemInst bronze)
{
    _hint("    + " + NewbieConfig.ItemNames[NewbieConfig.BronzeTypeId]
        + " — " + NewbieConfig.SealRuleNote);
}
void OnDecomposed(MuseumSim.ItemInst bronze)
{
    _hint("    2 — -1 ");
}
void OnOrderDelivered()
{
    Advance(3);
    _hint("    — ");
}
void OnCardShown()
{
    Advance(4);
    _hint(" #1 — " + NewbieConfig.CardText + "\n" + NewbieConfig.NpcJournalText);
}
void OnSettled()
{
    Advance(5);
    _hint("    — ");
}
void OnPhaseChanged(MuseumSim.MuseumPhase phase)
{
    switch (phase)
    {
        case MuseumSim.MuseumPhase.Journal2:
            _hint("    — ");
            break;
        case MuseumSim.MuseumPhase.Journal3:
            _hint("    — ");
            break;
        case MuseumSim.MuseumPhase.Playing:

```

```

        _hint("          3    -1 ");
        break;
    case MuseumSim.MuseumPhase.WonderPreview:
        _hint("    —          1          ");
        break;
    }
}
}
}
// DailyTide.cs
using System;
using System.Collections.Generic;
using UnityEngine;
namespace Sy.P07.Salvage
{
    /// <summary>
    ///          P03 TianmingPin/Gate          FNV-1a    →
    ///          2    =    ·    +    +    KV    p07_tide
    ///          12
    /// </summary>
    public static class DailyTide
    {
        public const string KvKey = "p07_tide";
        public const string RollKey = "p07_ab_tide";
        public const string BestCacheKey = "p07_tide_best";
        public const int GrayDenominator = 20;
        public static int SeedForDate(int year, int month, int day)
        {
            unchecked
            {
                uint h = 2166136261u;
                int date = year * 10000 + month * 100 + day;
                for (int i = 0; i < 8; i++)
                {
                    uint digit = (uint)(date % 10);
                    date /= 10;
                    h = (h ^ digit) * 16777619u;
                }
                return (int)(h & 0x7FFFFFFFu);
            }
        }
        public static int SeedForToday()
        {
            var now = DateTime.Now;
            return SeedForDate(now.Year, now.Month, now.Day);
        }
    }
    /// <summary>
    ///          </summary>
    public static bool IsHighTide(int seed) => seed % 2 == 0;
    public static int Roll()
    {

```

```

        int roll = PlayerPrefs.GetInt(RollKey, -1);
        if (roll < 0)
        {
            roll = UnityEngine.Random.Range(0, GrayDenominator);
            PlayerPrefs.SetInt(RollKey, roll);
        }
        return roll;
    }

    public static bool IsEligible() => Roll() == 0;
    public static string GroupLetter() => IsEligible() ? "b" : "a";
    public static void SetRollForTests(int roll) => PlayerPrefs.SetInt(RollKey, roll);
    public static void ClearRollForTests() => PlayerPrefs.DeleteKey(RollKey);
    public static Dictionary<string, string> EntryFields(string action)
        => new Dictionary<string, string>
        {
            { "action", action },
            { "abGroup", GroupLetter() },
            { "seed", SeedForToday().ToString() },
            { "highTide", IsHighTide(SeedForToday()) ? "true" : "false" },
        };
    }
}

// MuseumHall.cs
using System;
using System.Collections.Generic;
using UnityEngine;
namespace Sy.P07.Salvage
{
    /// <summary>
    /// + · C# 8 → →
    /// tick × = 12 PlayerPrefs
    /// </summary>
    public sealed class MuseumHall
    {
        public sealed class Exhibit
        {
            public int Category;
            public int Tier;
        }

        const string ExhibitsKey = "p07_exhibits";
        const string GoldKey = "p07_gold";
        const string CodexKey = "p07_codex";
        public List<Exhibit> Exhibits { get; } = new();
        public HashSet<int> Discovered { get; } = new();
        public float Gold { get; private set; }
        public static MuseumHall Load()
        {
            var h = new MuseumHall();
            string raw = PlayerPrefs.GetString(ExhibitsKey, "");
            if (raw.Length > 0)

```

```
{
    foreach (var part in raw.Split(';'))
    {
        var b = part.Split(',');
        if (b.Length != 2) continue;
        if (!int.TryParse(b[0], out int cat)) continue;
        if (!int.TryParse(b[1], out int tier)) continue;
        h.Exhibits.Add(new Exhibit { Category = cat, Tier = tier });
    }
}

string cx = PlayerPrefs.GetString(CodexKey, "");
if (cx.Length > 0)
    foreach (var part in cx.Split(','))
        if (int.TryParse(part, out int cat)) h.Discovered.Add(cat);
h.Gold = PlayerPrefs.GetFloat(GoldKey, 0f);
return h;
}

void Save()
{
    var sb = new System.Text.StringBuilder();
    for (int i = 0; i < Exhibits.Count; i++)
    {
        if (i > 0) sb.Append(';');
        sb.Append(Exhibits[i].Category).Append(',').Append(Exhibits[i].Tier);
    }
    PlayerPrefs.SetString(ExhibitsKey, sb.ToString());
    var cx = new System.Text.StringBuilder();
    int n = 0;
    foreach (int cat in Discovered)
    {
        if (n++ > 0) cx.Append(',');
        cx.Append(cat);
    }
    PlayerPrefs.SetString(CodexKey, cx.ToString());
    PlayerPrefs.SetFloat(GoldKey, Gold);
    PlayerPrefs.Save();
}

/// <summary> / false </summary>
public bool Place(int category, int tier)
{
    if (tier < 1 || tier > SalvageConfig.TierCount) return false;
    if (Exhibits.Count >= SalvageConfig.ExhibitSlots) return false;
    Exhibits.Add(new Exhibit { Category = category, Tier = tier });
    Discovered.Add(category);
    Save();
    return true;
}

public bool RemoveAt(int slot)
{
    if (slot < 0 || slot >= Exhibits.Count) return false;
```

```

        Exhibits.RemoveAt(slot);
        Save();
        return true;
    }
    /// <summary>          </summary>
    public int Attraction()
    {
        int sum = 0;
        foreach (var e in Exhibits) sum += SalvageConfig.TierAttraction[e.Tier];
        return sum;
    }
    /// <summary> /      ×      </summary>
    public float TicketGoldPerMinute()
        => SalvageConfig.TicketGoldPerMinute * (1f + Attraction() * SalvageConfig.AttractionTicketMul);
    /// <summary>tick      ·      </summary>
    public void Tick(float dtMinutes)
    {
        if (dtMinutes <= 0f) return;
        Gold += TicketGoldPerMinute() * dtMinutes;
        Save();
    }
    public bool TrySpendGold(float amount)
    {
        if (Gold < amount) return false;
        Gold -= amount;
        Save();
        return true;
    }
    public void AddGold(float amount)
    {
        Gold += amount;
        Save();
    }
    public static void ClearForTests()
    {
        PlayerPrefs.DeleteKey(ExhibitsKey);
        PlayerPrefs.DeleteKey(GoldKey);
        PlayerPrefs.DeleteKey(CodexKey);
    }
}

// RestoreMini.cs
using System;
using System.Collections.Generic;
using UnityEngine;
namespace Sy.P07.Salvage
{
    /// <summary>
    ///     merge      V1.4 merge      · C# sim
    ///     →      ×3→      →

```

```

///      TryMerge(slotA, slotB)          sim      headless
///      MuseumHall.Register      12 PlayerPrefs
/// </summary>
public sealed class RestoreMini
{
    public sealed class SlotItem
    {
        public int Category;
        public int Tier;
    }
    const string SlotsKey = "p07_restore_slots";
    public List<SlotItem> Slots { get; } = new();
    public event Action<int, SlotItem> ItemMerged; // ( , )
    public static RestoreMini Load()
    {
        var m = new RestoreMini();
        string raw = PlayerPrefs.GetString(SlotsKey, "");
        if (raw.Length > 0)
        {
            foreach (var part in raw.Split(';'))
            {
                var b = part.Split(',');
                if (b.Length != 2) continue;
                if (!int.TryParse(b[0], out int cat)) continue;
                if (!int.TryParse(b[1], out int tier)) continue;
                m.Slots.Add(new SlotItem { Category = cat, Tier = tier });
            }
        }
        return m;
    }
    void Save()
    {
        var sb = new System.Text.StringBuilder();
        for (int i = 0; i < Slots.Count; i++)
        {
            if (i > 0) sb.Append(';');
            sb.Append(Slots[i].Category).Append(',').Append(Slots[i].Tier);
        }
        PlayerPrefs.SetString(SlotsKey, sb.ToString());
        PlayerPrefs.Save();
    }
    </summary> / . false </summary>
    public bool Deposit(int category, int tier)
    {
        if (Slots.Count >= SalvageConfig.RestoreSlots) return false;
        if (tier >= SalvageConfig.TierTreasure) return false; //
        Slots.Add(new SlotItem { Category = category, Tier = tier });
        Save();
        return true;
    }
}

```

```

    /// <summary> A+B → A </summary>
    public bool TryMerge(int slotA, int slotB)
    {
        if (slotA < 0 || slotA >= Slots.Count) return false;
        if (slotB < 0 || slotB >= Slots.Count || slotA == slotB) return false;
        var a = Slots[slotA];
        var b = Slots[slotB];
        if (a.Category != b.Category || a.Tier != b.Tier) return false;
        if (a.Tier >= SalvageConfig.TierTreasure) return false; //
        int third = -1;
        for (int i = 0; i < Slots.Count; i++)
        {
            if (i == slotA || i == slotB) continue;
            if (Slots[i].Category == a.Category && Slots[i].Tier == a.Tier) { third = i; break; }
        }
        if (third < 0) return false;
        //
        int[] remove = { slotA, slotB, third };
        Array.Sort(remove);
        for (int i = remove.Length - 1; i >= 0; i--) Slots.RemoveAt(remove[i]);
        var product = new SlotItem { Category = a.Category, Tier = a.Tier + 1 };
        Slots.Insert(Math.Min(remove[0], Slots.Count), product);
        Save();
        ItemMerged?.Invoke(Math.Min(remove[0], Slots.Count - 1), product);
        return true;
    }
    /// <summary> </summary>
    public SlotItem TakeAt(int slot)
    {
        if (slot < 0 || slot >= Slots.Count) return null;
        var item = Slots[slot];
        Slots.RemoveAt(slot);
        Save();
        return item;
    }
    public static void ClearForTests()
    {
        PlayerPrefs.DeleteKey(SlotsKey);
    }
}

// SalvageConfig.cs
namespace Sy.P07.Salvage
{
    /// <summary>
    /// V1.4 X032 ·CEO 0-20261010-1245
    /// + · / / · · +
    /// · NewbieConfig #0A2463/#F46036/#E8E8E8/#3E885B/#05141F
    /// </summary>
    public static class SalvageConfig

```

```

{
    // —— . . . ——
    public sealed class DepthBand
    {
        public int Id;
        public string Name;
        public float VoyageHours;
        public float TreasureRate; //
        public float RestoredRate; //
        public int FragmentMin; //
        public int FragmentMax;
        public int UnlockGold; // 2
    }
    public static readonly DepthBand[] Depths =
    {
        new DepthBand { Id = 1, Name = " ", VoyageHours = 2f, TreasureRate = 0.02f, RestoredRate = 0.12f, Fragme
        new DepthBand { Id = 2, Name = " ", VoyageHours = 4f, TreasureRate = 0.05f, RestoredRate = 0.20f, Fragme
        new DepthBand { Id = 3, Name = " ", VoyageHours = 8f, TreasureRate = 0.10f, RestoredRate = 0.30f, Fragme
    };
    public const int FleetCount = 2; // 2
    public const int Fleet2UnlockGold = 300;
    public const float HighTideRarityMul = 1.5f; // /
    // —— 1/ 2/ 3 ——
    public const int TierFragment = 1;
    public const int TierRestored = 2;
    public const int TierTreasure = 3;
    public const int TierCount = 3;
    public static readonly string[] TierNames = { "", " ", " ", " ", " " };
    public static readonly int[] TierAttraction = { 0, 1, 3, 9 }; //
    public static readonly int[] TierValue = { 0, 20, 80, 300 }; //
    public const int ArtifactCategories = 8; // / / / / / / /
    // —— ——
    public const int TicketGoldPerMinute = 10; // /
    public const float AttractionTicketMul = 0.10f; // +10%
    public const int ExhibitSlots = 8; //
    public const int RestoreSlots = 6; //
    // —— P03 OfflinePay .8h ——
    public const int OfflineCapHours = 8;
}
}
// SalvageFleet.cs
using System;
using System.Collections.Generic;
using UnityEngine;
namespace Sy.P07.Salvage
{
    /// <summary>;
    /// C#· loot →
    /// System.Random(seed) loot + / .
    /// = =

```

```
/// 12 PlayerPrefs
/// &lt;/summary&gt;
public sealed class SalvageFleet
{
    public sealed class Voyage
    {
        public int FleetId;
        public int DepthId;
        public long DepartMs;
        public long ReturnMs;
        public int VoyageIndex;
        public bool Collected;
    }
    public sealed class Loot
    {
        public int Category;    // 1-8
        public int Tier;       // 1/ 2/ 3
        public int Count;
    }
    const string VoyagesKey = "p07_voyages";
    const string VoyIndexKey = "p07_voy_index";
    const string Fleet2Key = "p07_fleet2_unlocked";
    public List<Voyage> Voyages { get; } = new();
    int _voyIndexCounter;
    public bool Fleet2Unlocked { get; private set; }
    public static SalvageFleet Load()
    {
        var f = new SalvageFleet();
        string raw = PlayerPrefs.GetString(VoyagesKey, "");
        if (raw.Length > 0)
        {
            foreach (var part in raw.Split(';'))
            {
                var b = part.Split(',');
                if (b.Length != 6) continue;
                if (!int.TryParse(b[0], out int fleet)) continue;
                if (!int.TryParse(b[1], out int depth)) continue;
                if (!long.TryParse(b[2], out long dep)) continue;
                if (!long.TryParse(b[3], out long ret)) continue;
                if (!int.TryParse(b[4], out int idx)) continue;
                if (!bool.TryParse(b[5], out bool col)) continue;
                f.Voyages.Add(new Voyage { FleetId = fleet, DepthId = depth, DepartMs = dep, ReturnMs = ret, VoyageIndex = idx, Collected = col });
            }
        }
        f._voyIndexCounter = PlayerPrefs.GetInt(VoyIndexKey, 0);
        f.Fleet2Unlocked = PlayerPrefs.GetInt(Fleet2Key, 0) == 1;
        return f;
    }
    void Save()
    {

```

```
var sb = new System.Text.StringBuilder();
for (int i = 0; i < Voyages.Count; i++)
{
    var v = Voyages[i];
    if (i > 0) sb.Append(';');
    sb.Append(v.FleetId).Append(',').Append(v.DepthId).Append(',')
        .Append(v.DepartMs).Append(',').Append(v.ReturnMs).Append(',')
        .Append(v.VoyageIndex).Append(',').Append(v.Collectected);
}
PlayerPrefs.SetString(VoyagesKey, sb.ToString());
PlayerPrefs.SetInt(VoyIndexKey, _voyIndexCounter);
PlayerPrefs.SetInt(Fleet2Key, Fleet2Unlocked ? 1 : 0);
PlayerPrefs.Save();
}
public void UnlockFleet2(MuseumHall hall)
{
    if (Fleet2Unlocked) return;
    if (!hall.TrySpendGold(SalvageConfig.Fleet2UnlockGold)) return;
    Fleet2Unlocked = true;
    Save();
}
public bool IsFleetAvailable(int fleetId, long nowMs)
{
    foreach (var v in Voyages)
        if (v.FleetId == fleetId && !v.Collectected && nowMs < v.ReturnMs) return false;
    return true;
}
/// <summary> . </summary>
public bool Dispatch(int fleetId, int depthId, long nowMs)
{
    if (fleetId < 1 || fleetId > SalvageConfig.FleetCount) return false;
    if (fleetId == 2 && !Fleet2Unlocked) return false;
    if (!IsFleetAvailable(fleetId, nowMs)) return false;
    var band = Depth(depthId);
    if (band == null) return false;
    var v = new Voyage
    {
        FleetId = fleetId,
        DepthId = depthId,
        DepartMs = nowMs,
        ReturnMs = nowMs + (long)(band.VoyageHours * 3_600_000L),
        VoyageIndex = ++_voyIndexCounter,
    };
    Voyages.Add(v);
    Save();
    return true;
}
/// <summary> loot loot. </summary>
public List<Loot> TryCollect(int fleetId, long nowMs, bool highTide)
{

```

```

        var result = new List<Loot>();
        Voyage voyage = null;
        foreach (var v in Voyages)
            if (v.FleetId == fleetId && !v.Collectected && nowMs >= v.ReturnMs) { voyage = v; break; }
        if (voyage == null) return result;
        var band = Depth(voyage.DepthId);
        int seed = voyage.VoyageIndex * 7919 + voyage.DepartMs.GetHashCode();
        var rng = new System.Random(seed);
        float treasureRate = band.TreasureRate * (highTide ? SalvageConfig.HighTideRarityMul : 1f);
        float restoredRate = band.RestoredRate * (highTide ? SalvageConfig.HighTideRarityMul : 1f);
        int category = rng.Next(1, SalvageConfig.ArtifactCategories + 1);
        double roll = rng.NextDouble();
        if (roll < treasureRate)
            result.Add(new Loot { Category = category, Tier = SalvageConfig.TierTreasure, Count = 1 });
        else if (roll < treasureRate + restoredRate)
            result.Add(new Loot { Category = category, Tier = SalvageConfig.TierRestored, Count = 1 });
        else
            result.Add(new Loot
            {
                Category = category,
                Tier = SalvageConfig.TierFragment,
                Count = rng.Next(band.FragmentMin, band.FragmentMax + 1),
            });
        voyage.Collectected = true;
        Save();
        return result;
    }

    public static SalvageConfig.DepthBand Depth(int depthId)
    {
        foreach (var d in SalvageConfig.Depths)
            if (d.Id == depthId) return d;
        return null;
    }

    public static void ClearForTests()
    {
        PlayerPrefs.DeleteKey(VoyagesKey);
        PlayerPrefs.DeleteKey(VoyIndexKey);
        PlayerPrefs.DeleteKey(Fleet2Key);
    }
}

// SalvageHub.cs
using System.Collections.Generic;
using UnityEngine;
using UnityEngine.UI;
namespace Sy.P07.Salvage
{
    /// <summary>
    ///     V1.4 - UGUI · CEO 0-20261010-1245
    ///     / / · / +

```

```
/// / HUD/ =
/// HUD 6 30fps
/// Editor\SalvageSetup.cs MenuItem
/// &lt;/summary&gt;
public sealed class SalvageHub : MonoBehaviour
{
    static readonly Color DeepBlue = new Color(0.039f, 0.141f, 0.388f); // #0A2463
    static readonly Color CoralOrange = new Color(0.957f, 0.376f, 0.212f); // #F46036
    static readonly Color PearlWhite = new Color(0.910f, 0.910f, 0.910f); // #E8E8E8
    static readonly Color Verdigris = new Color(0.243f, 0.533f, 0.357f); // #3E885B
    static readonly Color AbyssBlack = new Color(0.020f, 0.078f, 0.122f); // #05141F
    Canvas _canvas;
    Sprite _square;
    SalvageFleet _fleet;
    RestoreMini _bench;
    MuseumHall _hall;
    Text _goldText, _tideText, _toastText;
    RectTransform _benchPanel, _hallPanel;
    readonly Text[] _benchLabels = new Text[SalvageConfig.RestoreSlots];
    readonly Text[] _hallLabels = new Text[SalvageConfig.ExhibitSlots];
    int _mergePickA = -1;
    int _lastGold = -1;
    float _tickAccum;
    void Awake()
    {
        Application.targetFrameRate = 30;
        _canvas = FindObjectOfType<Canvas>();
        _square = MakeSquareSprite();
        _fleet = SalvageFleet.Load();
        _bench = RestoreMini.Load();
        _hall = MuseumHall.Load();
        BuildHud();
        BuildFleetButtons();
        BuildBenchPanel();
        BuildHallPanel();
        BuildToastLine();
        SyncHud();
    }
    void Update()
    {
        _tickAccum += Time.unscaledDeltaTime;
        if (_tickAccum < 1f) return;
        float dtMinutes = _tickAccum / 60f;
        _tickAccum = 0f;
        _hall.Tick(dtMinutes);
        SyncHud();
    }
    void SyncHud()
    {
        int gold = (int)_hall.Gold;
```

```

        if (gold != _lastGold)
        {
            _lastGold = gold;
            _goldText.text = "    " + gold;
        }
    }

    void BuildHud()
    {
        var root = _canvas.transform;
        _goldText = MakeText(root, "    ", 46, new Vector2(0, 880), TextAnchor.UpperLeft, 400, 70);
        _goldText.color = PearlWhite;
        bool highTide = DailyTide.IsHighTide(DailyTide.SeedForToday());
        _tideText = MakeText(root, highTide ? "    .    " : "    ", 40, new Vector2(0, 810), TextAnchor.UpperLeft);
        _tideText.color = highTide ? CoralOrange : Verdigris;
        MakeButton("    ", new Vector2(0, -800), Verdigris, TryClaimOffline);
    }

    void BuildFleetButtons()
    {
        var root = _canvas.transform;
        MakeText(root, "    ", 56, new Vector2(0, 680), TextAnchor.MiddleCenter, 600, 70).color = PearlWhite;
        for (int i = 0; i < SalvageConfig.Depths.Length; i++)
        {
            int depthId = SalvageConfig.Depths[i].Id;
            var band = SalvageConfig.Depths[i];
            MakeButton(band.Name + " . " + band.VoyageHours + "h", new Vector2(-320, 540 - i * 160),
                DeepBlue, () => TryDispatch(1, depthId));
        }
        MakeButton(" 2    300    ", new Vector2(320, 540), CoralOrange, () => {
            {
                _fleet.UnlockFleet2(_hall);
                ShowToast(_fleet.Fleet2Unlocked ? " 2    " : "    ");
            });
            MakeButton("..... ", new Vector2(320, 380), CoralOrange, () => TryCollectAll(1));
            MakeButton(" 2    ", new Vector2(320, 220), CoralOrange, () => TryCollectAll(2));
            MakeButton("    ", new Vector2(-320, -320), AbyssBlack, ToggleBench);
            MakeButton("    ", new Vector2(320, -320), AbyssBlack, ToggleHall);
        });
    }

    void TryDispatch(int fleetId, int depthId)
    {
        long now = System.DateTimeOffset.Now.ToUnixTimeMilliseconds();
        if (_fleet.Dispatch(fleetId, depthId, now))
            ShowToast(" " + fleetId + " . " + SalvageFleet.Depth(depthId).Name);
        else if (fleetId == 2 && !_fleet.Fleet2Unlocked)
            ShowToast(" 2    ");
        else
            ShowToast("    ");
    }

    void TryCollectAll(int fleetId)

```

```

{
    long now = System.DateTimeOffset.Now.ToUnixTimeMilliseconds();
    bool highTide = DailyTide.IsHighTide(DailyTide.SeedForToday());
    var loot = _fleet.TryCollect(fleetId, now, highTide);
    if (loot.Count == 0)
    {
        ShowToast(" ");
        return;
    }
    foreach (var l in loot)
    {
        for (int i = 0; i < l.Count; i++)
        {
            if (l.Tier >= SalvageConfig.TierRestored) _hall.Place(l.Category, l.Tier);
            else _bench.Deposit(l.Category, l.Tier);
        }
        ShowToast(" " + SalvageConfig.TierNames[l.Tier] + " x" + l.Count);
    }
    RefreshBench();
    SyncHud();
}

void BuildBenchPanel()
{
    _benchPanel = MakeOverlayPanel();
    MakeText(_benchPanel, " ", 68, new Vector2(0, 800), TextAnchor.MiddleCenter, 900, 90).color = Pear
    for (int i = 0; i < SalvageConfig.RestoreSlots; i++)
    {
        int slot = i;
        var cell = new GameObject("Bench_" + i, typeof(RectTransform), typeof(Image), typeof(Button));
        cell.transform.SetParent(_benchPanel, false);
        var rt = (RectTransform)cell.transform;
        rt.anchorMin = rt.anchorMax = new Vector2(0.5f, 0.5f);
        rt.anchoredPosition = new Vector2(-420 + (i % 3) * 420, 420 - i / 3 * 260);
        rt.sizeDelta = new Vector2(380, 220);
        var img = cell.GetComponent<Image>();
        img.sprite = _square;
        img.color = new Color(0.08f, 0.16f, 0.30f, 0.95f);
        _benchLabels[i] = MakeText(cell.transform, " ", 42, Vector2.zero, TextAnchor.MiddleCenter, 380, 220);
        _benchLabels[i].color = PearlWhite;
        cell.GetComponent<Button>().onClick.AddListener(() => OnBenchTapped(slot));
    }
    MakeText(_benchPanel, " → ", 36, new Vector2(0, -180), TextAnchor.MiddleCenter, 900, 60).color = V
    var close = MakeButton(" ", new Vector2(0, -700), Verdigris, ToggleBench);
    close.transform.SetParent(_benchPanel, false);
    _benchPanel.gameObject.SetActive(false);
}

void OnBenchTapped(int slot)
{
    if (_mergePickA < 0)
    {

```

```

        if (slot &lt; _bench.Slots.Count) _mergePickA = slot;
        return;
    }
    if (_bench.TryMerge(_mergePickA, slot))
        ShowToast(" ");
    else
        ShowToast(" ");
    _mergePickA = -1;
    RefreshBench();
}
void RefreshBench()
{
    for (int i = 0; i &lt; _benchLabels.Length; i++)
    {
        _benchLabels[i].text = i &lt; _bench.Slots.Count
            ? " " + _bench.Slots[i].Category + " " + SalvageConfig.TierNames[_bench.Slots[i].Tier]
            : " ";
    }
}
void ToggleBench()
{
    bool show = !_benchPanel.gameObject.activeSelf;
    if (show) RefreshBench();
    _benchPanel.gameObject.SetActive(show);
}
void BuildHallPanel()
{
    _hallPanel = MakeOverlayPanel();
    MakeText(_hallPanel, " . ", 68, new Vector2(0, 800), TextAnchor.MiddleCenter, 900, 90).color = PearlW
    for (int i = 0; i &lt; SalvageConfig.ExhibitSlots; i++)
    {
        var cell = new GameObject("Hall_" + i, typeof(RectTransform), typeof(Image));
        cell.transform.SetParent(_hallPanel, false);
        var rt = (RectTransform)cell.transform;
        rt.anchorMin = rt.anchorMax = new Vector2(0.5f, 0.5f);
        rt.anchoredPosition = new Vector2(-420 + (i % 4) * 280, 420 - i / 4 * 300);
        rt.sizeDelta = new Vector2(260, 260);
        var img = cell.GetComponent<Image>();
        img.sprite = _square;
        img.color = new Color(0.06f, 0.20f, 0.36f, 0.95f);
        _hallLabels[i] = MakeText(cell.transform, " ", 34, Vector2.zero, TextAnchor.MiddleCenter, 260, 260);
        _hallLabels[i].color = new Color(0.6f, 0.68f, 0.78f);
    }
    var toBench = MakeButton(" ", new Vector2(0, -200), Verdigris, PlaceAllFromBench);
    toBench.transform.SetParent(_hallPanel, false);
    MakeText(_hallPanel, " " + 0 + " . " + SalvageConfig.TicketGoldPerMinute + "/ ", 40,
        new Vector2(0, -320), TextAnchor.MiddleCenter, 900, 70).color = CoralOrange;
    var close = MakeButton(" ", new Vector2(0, -700), Verdigris, ToggleHall);
    close.transform.SetParent(_hallPanel, false);
    _hallPanel.gameObject.SetActive(false);
}

```

```
}
void PlaceAllFromBench()
{
    int placed = 0;
    for (int i = _bench.Slots.Count - 1; i >= 0; i--)
    {
        var item = _bench.Slots[i];
        if (_hall.Place(item.Category, item.Tier))
        {
            _bench.TakeAt(i);
            placed++;
        }
    }
    ShowToast(placed > 0 ? " " + placed + " " : " / ");
    RefreshBench();
    RefreshHall();
    SyncHud();
}
void RefreshHall()
{
    for (int i = 0; i < _hallLabels.Length; i++)
    {
        _hallLabels[i].text = i < _hall.Exhibits.Count
            ? " " + _hall.Exhibits[i].Category + "\n" + SalvageConfig.TierNames[_hall.Exhibits[i].Tier]
            : " ";
    }
}
void ToggleHall()
{
    bool show = !_hallPanel.gameObject.activeSelf;
    if (show) RefreshHall();
    _hallPanel.gameObject.SetActive(show);
}
void TryClaimOffline()
{
    long now = System.DateTimeOffset.Now.ToUnixTimeMilliseconds();
    var claim = SalvageOffline.Claim.Open(now);
    if (!claim.Claimable)
    {
        ShowToast(" 1 ");
        return;
    }
    bool highTide = DailyTide.IsHighTide(DailyTide.SeedForToday());
    int minutes = claim.TryCollect(_fleet, _bench, _hall, highTide);
    if (minutes > 0)
    {
        ShowToast(" " + (minutes / 60) + " ");
        RefreshBench();
        SyncHud();
    }
}
```

```

    }
    void BuildToastLine()
    {
        _toastText = MakeText(_canvas.transform, "", 40, new Vector2(0, -880), TextAnchor.MiddleCenter, 1000, 70);
        _toastText.color = CoralOrange;
    }
    void ShowToast(string message)
    {
        _toastText.text = message;
        CancelInvoke(nameof(ClearToast));
        Invoke(nameof(ClearToast), 1.8f);
    }
    void ClearToast() => _toastText.text = "";
    // —— UI          UGUI ——
    Button MakeButton(string text, Vector2 pos, Color color, System.Action onClick)
    {
        var go = new GameObject("Btn_" + text, typeof(RectTransform), typeof(Image), typeof(Button));
        go.transform.SetParent(_canvas.transform, false);
        var rt = (RectTransform)go.transform;
        rt.anchorMin = rt.anchorMax = new Vector2(0.5f, 0.5f);
        rt.anchoredPosition = pos;
        rt.sizeDelta = new Vector2(560, 130);
        var img = go.GetComponent<Image>();
        img.sprite = _square;
        img.color = color;
        var label = MakeText(go.transform, text, 38, Vector2.zero, TextAnchor.MiddleCenter, 560, 130);
        label.color = color == CoralOrange || color == Verdigris ? AbyssBlack : PearlWhite;
        var btn = go.GetComponent<Button>();
        btn.onClick.AddListener(() => onClick());
        return btn;
    }
    RectTransform MakeOverlayPanel()
    {
        var go = new GameObject("SalvagePanel", typeof(RectTransform), typeof(Image));
        go.transform.SetParent(_canvas.transform, false);
        var rt = (RectTransform)go.transform;
        rt.anchorMin = Vector2.zero;
        rt.anchorMax = Vector2.one;
        rt.offsetMin = rt.offsetMax = Vector2.zero;
        var img = go.GetComponent<Image>();
        img.sprite = _square;
        img.color = new Color(0.02f, 0.078f, 0.122f, 0.96f);
        return rt;
    }
    static Text MakeText(Transform parent, string text, int size, Vector2 pos, TextAnchor anchor, float w, float h)
    {
        var go = new GameObject("Text", typeof(RectTransform), typeof(Text));
        go.transform.SetParent(parent, false);
        var rt = (RectTransform)go.transform;
        rt.anchorMin = rt.anchorMax = new Vector2(0.5f, 0.5f);
    }

```

```

        rt.anchoredPosition = pos;
        rt.sizeDelta = new Vector2(w, h);
        var t = go.GetComponent<Text>();
        t.font = Resources.GetBuiltinResource<Font>("LegacyRuntime.ttf");
        t.text = text;
        t.fontSize = size;
        t.alignment = anchor;
        t.color = new Color(0.91f, 0.91f, 0.91f);
        t.supportRichText = true;
        return t;
    }
    static Sprite MakeSquareSprite()
    {
        var tex = new Texture2D(8, 8, TextureFormat.RGBA32, false);
        var px = tex.GetPixels32();
        for (int i = 0; i < px.Length; i++) px[i] = new Color32(255, 255, 255, 255);
        tex.SetPixels32(px);
        tex.Apply(false, false);
        return Sprite.Create(tex, new Rect(0, 0, 8, 8), new Vector2(0.5f, 0.5f), 8f);
    }
}
}
// SalvageOffline.cs
using System;
namespace Sy.P07.Salvage
{
    /// <summary>
    ///     P03 OfflinePay      ·8h
    ///     /      MuseumHall
    /// 12 PlayerPrefs=
    /// </summary>
    public static class SalvageOffline
    {
        public const string SeenKey = "p07_offline_seen_ms";
        public const int MinClaimMinutes = 60;
        static readonly long MsPerMinute = 60_000L;
        public static void Stamp(long nowMs)
        {
            UnityEngine.PlayerPrefs.SetString(SeenKey, nowMs.ToString());
            UnityEngine.PlayerPrefs.Save();
        }
        public static long LastSeen()
        {
            var raw = UnityEngine.PlayerPrefs.GetString(SeenKey, "");
            return long.TryParse(raw, out long v) ? v : 0;
        }
        public static void ClearForTests()
        {
            UnityEngine.PlayerPrefs.DeleteKey(SeenKey);
        }
        public sealed class Claim
        {

```

```

public long ElapsedMs { get; }
public bool Claimable => ElapsedMs >= MinClaimMinutes * MsPerMinute;
public bool Consumed { get; private set; }
Claim(long elapsedMs) { ElapsedMs = elapsedMs; }
public static Claim Open(long nowMs)
{
    long seen = LastSeen();
    if (seen <= 0) return new Claim(0);
    return new Claim(nowMs - seen);
}
/// <summary>
///      8h +
///      -1= / </summary>
public int TryCollect(SalvageFleet fleet, RestoreMini bench, MuseumHall hall, bool highTide)
{
    if (Consumed || !Claimable) return -1;
    long minutes = ElapsedMs / MsPerMinute;
    const long Cap = SalvageConfig.OfflineCapHours * 60L;
    if (minutes > Cap) minutes = Cap;
    hall.Tick(minutes); //
    //      → /
    for (int fid = 1; fid <= SalvageConfig.FleetCount; fid++)
    {
        var loot = fleet.TryCollect(fid, long.MaxValue, highTide);
        foreach (var l in loot)
        {
            for (int i = 0; i < l.Count; i++)
            {
                if (l.Tier >= SalvageConfig.TierRestored) hall.Place(l.Category, l.Tier);
                else bench.Deposit(l.Category, l.Tier);
            }
        }
    }
    Stamp(LastSeen() + minutes * MsPerMinute);
    Consumed = true;
    return (int)minutes;
}
}
}
}

```