DnD Campaign Manager API (0.1.0)

Download OpenAPI specification: Download

campaigns

List Campaigns

Responses

> **200** Successful Response

GET /api/v1/campaigns

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
[
  - {
        "id": 0,
        "name": "string",
        "description": "string"
    }
]
```

Create Campaign

REQUEST BODY SCHEMA: application/json
required

name required	string (Name) [1 .. 200] characters
description >	Description (string) or Description (null) (Description)

Responses

> **201** Successful Response

> **422** Validation Error

POST /api/v1/campaigns

Request samples

Payload

Content type
application/json

Copy

```
{
    "name": "string",
```

```
    "description": "string"
}
```

Response samples

201 422

Content type
application/json

Copy

```
{
    "id": 0,
    "name": "string",
    "description": "string"
}
```

Get Campaign

PATH PARAMETERS

campaign_id required	integer (Campaign Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/campaigns/{campaign_id}

Response samples

200 422

Content type
application/json

Copy

```
{
    "id": 0,
    "name": "string",
    "description": "string"
}
```

Update Campaign

PATH PARAMETERS

campaign_id required	integer (Campaign Id)

REQUEST BODY SCHEMA: application/json
required

name >	Name (string) or Name (null) (Name)
description >	Description (string) or Description (null) (Description)

Responses

> **200** Successful Response

> **422** Validation Error

PUT /api/v1/campaigns/{campaign_id}

Request samples

Payload

Content type
application/json

Copy

```
{
    "name": "string",
    "description": "string"
}
```

Response samples

200 422

Content type
application/json

Copy

```
{
    "id": 0,
    "name": "string",
    "description": "string"
}
```

Delete Campaign

PATH PARAMETERS

campaign_id required	integer (Campaign Id)

Responses

— **204** Successful Response

> **422** Validation Error

DELETE /api/v1/campaigns/{campaign_id}

Response samples

422

Content type
application/json

Copy Expand all Collapse all

```
{
  - "detail": [
      + { … }
    ]
}
```

sessions

Create Session

PATH PARAMETERS

campaign_id required	integer (Campaign Id)

REQUEST BODY SCHEMA: application/json
required

date required	string (Date) [1 .. 32] characters
title >	Title (string) or Title (null) (Title)
notes >	Notes (string) or Notes (null) (Notes)
duration_minutes >	Duration Minutes (integer) or Duration Minutes (null) (Duration Minutes)

Responses

> **201** Successful Response

> **422** Validation Error

POST /api/v1/campaigns/{campaign_id}/sessions

Request samples

Payload

Content type
application/json

Copy

```
{
    "date": "string",
    "title": "string",
    "notes": "string",
    "duration_minutes": 0
}
```

Response samples

201 422

Content type
application/json

Copy

```
{
    "id": 0,
    "campaign_id": 0,
    "date": "string",
    "title": "string",
    "notes": "string",
    "duration_minutes": 0
}
```


List Sessions

PATH PARAMETERS

campaign_id required	integer (Campaign Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/campaigns/{campaign_id}/sessions

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all

```
[
  - {
        "id": 0,
        "campaign_id": 0,
        "date": "string",
        "title": "string",
        "notes": "string",
        "duration_minutes": 0
    }
]
```


Get Session

PATH PARAMETERS

session_id
required

integer (Session Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/sessions/{session_id}

Response samples

200 422

Content type
application/json

Copy


```
{
    "id": 0,
```

```
    "campaign_id": 0,
    "date": "string",
    "title": "string",
    "notes": "string",
    "duration_minutes": 0
}
```

Update Session

PATH PARAMETERS

session_id required	integer (Session Id)

REQUEST BODY SCHEMA: application/json
required

date >	Date (string) or Date (null) (Date)
title >	Title (string) or Title (null) (Title)
notes >	Notes (string) or Notes (null) (Notes)
duration_minutes >	Duration Minutes (integer) or Duration Minutes (null) (Duration Minutes)

Responses

> **200** Successful Response

> **422** Validation Error

PUT /api/v1/sessions/{session_id}

Request samples

Payload

Content type
application/json

Copy

```
{
    "date": "string",
    "title": "string",
    "notes": "string",
    "duration_minutes": 0
}
```

Response samples

200 422

Content type
application/json

Copy

```
{
    "id": 0,
    "campaign_id": 0,
    "date": "string",
    "title": "string",
    "notes": "string",
    "duration_minutes": 0
}
```

Delete Session

PATH PARAMETERS

session_id required	integer (Session Id)

Responses

— **204** Successful Response

> **422** Validation Error

DELETE /api/v1/sessions/{session_id}

Response samples

422

Content type
application/json

Copy Expand all Collapse all

```
{
  - "detail": [
      + { … }
    ]
}
```

encounters

Create Encounter

PATH PARAMETERS

session_id required	integer (Session Id)

REQUEST BODY SCHEMA: application/json
required

name required	string (Name)
expected_difficulty >	Expected Difficulty (string) or Expected Difficulty (null) (Expected Difficulty)

notes >	Notes (string) or Notes (null) (Notes)
is_simulated	boolean (Is Simulated) Default: `false`

Responses

> **201** Successful Response

> **422** Validation Error

POST /api/v1/sessions/{session_id}/encounters

Request samples

Payload

Content type
application/json

Copy

```
{
    "name": "string",
    "expected_difficulty": "string",
    "notes": "string",
    "is_simulated": false
}
```

Response samples

201 422

Content type
application/json

Copy

```
{
    "id": 0,
```

```
    "session_id": 0,
    "name": "string",
    "expected_difficulty": "string",
    "rounds": 0,
    "notes": "string",
    "is_simulated": true,
    "simulation_status": "string",
    "winner": "string"
}
```


List Encounters

PATH PARAMETERS

session_id
required

integer (Session Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/sessions/{session_id}/encounters

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all

```
[
  - {
        "id": 0,
        "session_id": 0,
        "name": "string",
        "expected_difficulty": "string",
        "rounds": 0,
        "notes": "string",
        "is_simulated": true,
        "simulation_status": "string",
        "winner": "string"
    }
]
```


Get Encounter

PATH PARAMETERS

encounter_id required	integer (Encounter Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/encounters/{encounter_id}

Response samples

200 422

Content type
application/json

Copy

```
{
    "id": 0,
    "session_id": 0,
    "name": "string",
    "expected_difficulty": "string",
    "rounds": 0,
    "notes": "string",
    "is_simulated": true,
    "simulation_status": "string",
    "winner": "string"
}
```

Update Encounter

PATH PARAMETERS

encounter_id required	integer (Encounter Id)

REQUEST BODY SCHEMA: application/json
required

name >	Name (string) or Name (null) (Name)
expected_difficulty >	Expected Difficulty (string) or Expected Difficulty (null) (Expected Difficulty)
notes >	Notes (string) or Notes (null) (Notes)
is_simulated >	Is Simulated (boolean) or Is Simulated (null) (Is Simulated)
simulation_status >	Simulation Status (string) or Simulation Status (null) (Simulation Status)
winner >	Winner (string) or Winner (null) (Winner)

Responses

> **200** Successful Response

> **422** Validation Error

PUT /api/v1/encounters/{encounter_id}

Request samples

Payload

Content type
application/json

Copy

```
{
    "name": "string",
    "expected_difficulty": "string",
    "notes": "string",
    "is_simulated": true,
    "simulation_status": "string",
    "winner": "string"
}
```

Response samples

200 422

Content type
application/json

Copy

```
{
    "id": 0,
    "session_id": 0,
    "name": "string",
    "expected_difficulty": "string",
    "rounds": 0,
    "notes": "string",
    "is_simulated": true,
    "simulation_status": "string",
    "winner": "string"
}
```

Delete Encounter

PATH PARAMETERS

encounter_id required	integer (Encounter Id)

Responses

— **204** Successful Response

> **422** Validation Error

DELETE /api/v1/encounters/{encounter_id}

Response samples

422

Content type
application/json

Copy Expand all Collapse all

```
{
  - "detail": [
      + { … }
    ]
}
```

Simulate Encounter

PATH PARAMETERS

encounter_id required	integer (Encounter Id)

Responses

> **200** Successful Response

> **422** Validation Error

POST /api/v1/encounters/{encounter_id}/simulate

Response samples

200 | 422

Content type
application/json

Copy

```
{
    "id": 0,
    "session_id": 0,
    "name": "string",
    "expected_difficulty": "string",
    "rounds": 0,
    "notes": "string",
    "is_simulated": true,
    "simulation_status": "string",
    "winner": "string"
}
```

events

Create Event

PATH PARAMETERS

encounter_id required	integer (Encounter Id)

REQUEST BODY SCHEMA: application/json
required

kind required	string (Kind) [1 .. 50] characters
source_participant_id >	Source Participant Id (integer) or Source Participant Id (null) (Source Participant Id)
target_participant_id >	Target Participant Id (integer) or Target Participant Id (null) (Target Participant Id)
amount >	Amount (integer) or Amount (null) (Amount)
action_type >	Action Type (string) or Action Type (null) (Action Type)
action_ref >	Action Ref (string) or Action Ref (null) (Action Ref)
detail >	Detail (string) or Detail (null) (Detail)

Responses

> **201** Successful Response

> **422** Validation Error

POST /api/v1/encounters/{encounter_id}/events

Request samples

Payload

Content type
application/json

Copy

```
{
    "kind": "string",
    "source_participant_id": 0,
    "target_participant_id": 0,
    "amount": 0,
    "action_type": "string",
    "action_ref": "string",
    "detail": "string"
}
```

Response samples

201 422

Content type
application/json

Copy

```
{
    "id": 0,
    "encounter_id": 0,
    "kind": "string",
    "source_participant_id": 0,
    "target_participant_id": 0,
    "amount": 0,
    "round_number": 0,
    "action_type": "string",
    "action_ref": "string",
    "action_name_snapshot": "string",
    "action_description_snapshot": "string",
    "detail": "string"
}
```

List Events

PATH PARAMETERS

encounter_id
required

integer (Encounter Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/encounters/{encounter_id}/events

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
[
 - {
       "id": 0,
       "encounter_id": 0,
       "kind": "string",
       "source_participant_id": 0,
       "target_participant_id": 0,
       "amount": 0,
       "round_number": 0,
       "action_type": "string",
       "action_ref": "string",
       "action_name_snapshot": "string",
       "action_description_snapshot": "string",
       "detail": "string"
   }
]
```

Update Event

PATH PARAMETERS

event_id required	integer (Event Id)

REQUEST BODY SCHEMA: application/json
required

kind >	Kind (string) or Kind (null) (Kind)
source_participant_id >	Source Participant Id (integer) or Source Participant Id (null) (Source Participant Id)
target_participant_id >	Target Participant Id (integer) or Target Participant Id (null) (Target Participant Id)
amount >	Amount (integer) or Amount (null) (Amount)
action_type >	Action Type (string) or Action Type (null) (Action Type)
action_ref >	Action Ref (string) or Action Ref (null) (Action Ref)
detail >	Detail (string) or Detail (null) (Detail)

Responses

> **200** Successful Response

> **422** Validation Error

PUT /api/v1/events/{event_id}

Request samples

Payload

Content type
application/json

Copy

```
{
    "kind": "string",
    "source_participant_id": 0,
    "target_participant_id": 0,
    "amount": 0,
    "action_type": "string",
    "action_ref": "string",
    "detail": "string"
}
```

Response samples

200 422

Content type
application/json

Copy

```
{
    "id": 0,
    "encounter_id": 0,
    "kind": "string",
    "source_participant_id": 0,
    "target_participant_id": 0,
    "amount": 0,
    "round_number": 0,
    "action_type": "string",
    "action_ref": "string",
    "action_name_snapshot": "string",
    "action_description_snapshot": "string",
    "detail": "string"
}
```

Delete Event

PATH PARAMETERS

event_id
required

integer (Event Id)

Responses

— **204** Successful Response

> **422** Validation Error

DELETE /api/v1/events/{event_id}

Response samples

422

Content type
application/json

Copy Expand all Collapse all

```
{
  - "detail": [
      + { … }
    ]
}
```

characters

Create Character

PATH PARAMETERS

campaign_id required	integer (Campaign Id)

REQUEST BODY SCHEMA: application/json
required

name required	string (Name) [1 .. 200] characters
role required	string (Role) [1 .. 50] characters
class_name >	Class Name (string) or Class Name (null) (Class Name)
level >	Level (integer) or Level (null) (Level)
max_hp >	Max Hp (integer) or Max Hp (null) (Max Hp)
current_hp >	Current Hp (integer) or Current Hp (null) (Current Hp)
armor_class >	Armor Class (integer) or Armor Class (null) (Armor Class)
spell_indices	Array of strings (Spell Indices)
equipment_indices	Array of strings (Equipment Indices)
spell_slots_1 >	Spell Slots 1 (integer) or Spell Slots 1 (null) (Spell Slots 1)
spell_slots_2 >	Spell Slots 2 (integer) or Spell Slots 2 (null) (Spell Slots 2)
spell_slots_3 >	Spell Slots 3 (integer) or Spell Slots 3 (null) (Spell Slots 3)
spell_slots_4 >	Spell Slots 4 (integer) or Spell Slots 4 (null) (Spell Slots 4)
spell_slots_5 >	Spell Slots 5 (integer) or Spell Slots 5 (null) (Spell Slots 5)
spell_slots_6 >	Spell Slots 6 (integer) or Spell Slots 6 (null) (Spell Slots 6)
spell_slots_7 >	Spell Slots 7 (integer) or Spell Slots 7 (null) (Spell Slots 7)
spell_slots_8 >	Spell Slots 8 (integer) or Spell Slots 8 (null) (Spell Slots 8)
spell_slots_9 >	Spell Slots 9 (integer) or Spell Slots 9 (null) (Spell Slots 9)
notes >	Notes (string) or Notes (null) (Notes)

Responses

> **201** Successful Response

> **422** Validation Error

POST /api/v1/campaigns/{campaign_id}/characters

Request samples

Payload

Content type
application/json

Copy Expand all Collapse all


```
{
    "name": "string",
    "role": "string",
    "class_name": "string",
    "level": 1,
    "max_hp": 0,
    "current_hp": 0,
    "armor_class": 0,
  - "spell_indices": [
        "string"
    ],
  - "equipment_indices": [
        "string"
    ],
    "spell_slots_1": 0,
    "spell_slots_2": 0,
    "spell_slots_3": 0,
    "spell_slots_4": 0,
    "spell_slots_5": 0,
    "spell_slots_6": 0,
    "spell_slots_7": 0,
    "spell_slots_8": 0,
    "spell_slots_9": 0,
    "notes": "string"
}
```


Response samples

201 422

Content type
application/json

Copy Expand all Collapse all


```
{
    "id": 0,
    "campaign_id": 0,
    "name": "string",
    "role": "string",
    "class_name": "string",
    "level": 0,
    "max_hp": 0,
    "current_hp": 0,
    "armor_class": 0,
  - "spell_indices": [
        "string"
    ],
  - "equipment_indices": [
        "string"
    ],
    "spell_slots_1": 0,
    "spell_slots_2": 0,
    "spell_slots_3": 0,
    "spell_slots_4": 0,
    "spell_slots_5": 0,
    "spell_slots_6": 0,
    "spell_slots_7": 0,
    "spell_slots_8": 0,
    "spell_slots_9": 0,
    "notes": "string"
}
```


List Characters

PATH PARAMETERS

campaign_id required	integer (Campaign Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/campaigns/{campaign_id}/characters

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
[
 - {
      "id": 0,
      "campaign_id": 0,
      "name": "string",
      "role": "string",
      "class_name": "string",
      "level": 0,
      "max_hp": 0,
      "current_hp": 0,
      "armor_class": 0,
    + "spell_indices": [ … ],
    + "equipment_indices": [ … ],
      "spell_slots_1": 0,
      "spell_slots_2": 0,
      "spell_slots_3": 0,
      "spell_slots_4": 0,
      "spell_slots_5": 0,
      "spell_slots_6": 0,
      "spell_slots_7": 0,
      "spell_slots_8": 0,
      "spell_slots_9": 0,
      "notes": "string"
   }
```

```
]
```

Get Character

PATH PARAMETERS

character_id required	integer (Character Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/characters/{character_id}

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
{
    "id": 0,
    "campaign_id": 0,
    "name": "string",
    "role": "string",
    "class_name": "string",
    "level": 0,
    "max_hp": 0,
    "current_hp": 0,
    "armor_class": 0,
```

```
  - "spell_indices": [
        "string"
    ],
  - "equipment_indices": [
        "string"
    ],
    "spell_slots_1": 0,
    "spell_slots_2": 0,
    "spell_slots_3": 0,
    "spell_slots_4": 0,
    "spell_slots_5": 0,
    "spell_slots_6": 0,
    "spell_slots_7": 0,
    "spell_slots_8": 0,
    "spell_slots_9": 0,
    "notes": "string"
}
```


Update Character

PATH PARAMETERS

character_id required	integer (Character Id)

REQUEST BODY SCHEMA: application/json
required

name >	Name (string) or Name (null) (Name)
role >	Role (string) or Role (null) (Role)
class_name >	Class Name (string) or Class Name (null) (Class Name)
level >	Level (integer) or Level (null) (Level)
max_hp >	Max Hp (integer) or Max Hp (null) (Max Hp)
current_hp >	Current Hp (integer) or Current Hp (null) (Current Hp)
armor_class >	Armor Class (integer) or Armor Class (null) (Armor Class)
spell_indices >	Array of Spell Indices (strings) or Spell Indices (null) (Spell Indices)

equipment_indices >	Array of Equipment Indices (strings) or Equipment Indices (null) (Equipment Indices)
spell_slots_1 >	Spell Slots 1 (integer) or Spell Slots 1 (null) (Spell Slots 1)
spell_slots_2 >	Spell Slots 2 (integer) or Spell Slots 2 (null) (Spell Slots 2)
spell_slots_3 >	Spell Slots 3 (integer) or Spell Slots 3 (null) (Spell Slots 3)
spell_slots_4 >	Spell Slots 4 (integer) or Spell Slots 4 (null) (Spell Slots 4)
spell_slots_5 >	Spell Slots 5 (integer) or Spell Slots 5 (null) (Spell Slots 5)
spell_slots_6 >	Spell Slots 6 (integer) or Spell Slots 6 (null) (Spell Slots 6)
spell_slots_7 >	Spell Slots 7 (integer) or Spell Slots 7 (null) (Spell Slots 7)
spell_slots_8 >	Spell Slots 8 (integer) or Spell Slots 8 (null) (Spell Slots 8)
spell_slots_9 >	Spell Slots 9 (integer) or Spell Slots 9 (null) (Spell Slots 9)
notes >	Notes (string) or Notes (null) (Notes)

Responses

> **200** Successful Response

> **422** Validation Error

PUT /api/v1/characters/{character_id}

Request samples

Payload

Content type
application/json

Copy Expand all Collapse all

```
{
    "name": "string",
    "role": "string",
    "class_name": "string",
    "level": 1,
    "max_hp": 0,
    "current_hp": 0,
    "armor_class": 0,
  - "spell_indices": [
        "string"
    ],
  - "equipment_indices": [
        "string"
    ],
    "spell_slots_1": 0,
    "spell_slots_2": 0,
    "spell_slots_3": 0,
    "spell_slots_4": 0,
    "spell_slots_5": 0,
    "spell_slots_6": 0,
    "spell_slots_7": 0,
    "spell_slots_8": 0,
    "spell_slots_9": 0,
    "notes": "string"
}
```


Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
{
    "id": 0,
    "campaign_id": 0,
    "name": "string",
    "role": "string",
    "class_name": "string",
    "level": 0,
    "max_hp": 0,
    "current_hp": 0,
    "armor_class": 0,
```

```
  - "spell_indices": [
        "string"
    ],
  - "equipment_indices": [
        "string"
    ],
    "spell_slots_1": 0,
    "spell_slots_2": 0,
    "spell_slots_3": 0,
    "spell_slots_4": 0,
    "spell_slots_5": 0,
    "spell_slots_6": 0,
    "spell_slots_7": 0,
    "spell_slots_8": 0,
    "spell_slots_9": 0,
    "notes": "string"
}
```


Delete Character

PATH PARAMETERS

character_id required	integer (Character Id)

Responses

— **204** Successful Response

> **422** Validation Error

DELETE /api/v1/characters/{character_id}

Response samples

422

Content type
application/json

Copy Expand all Collapse all


```
{
  - "detail": [
      + { … }
    ]
}
```


character-spells

List Character Spells

PATH PARAMETERS

character_id required	integer (Character Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/characters/{character_id}/spells

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
[
 - {
        "spell_index": "string",
        "spell_name_snapshot": "string",
        "spell_level": 0,
        "brief_description": "string"
    }
]
```


Add Character Spell

PATH PARAMETERS

character_id required	integer (Character Id)

REQUEST BODY SCHEMA: application/json
required

spell_index required	string (Spell Index) [1 .. 100] characters

Responses

> 201 Successful Response

> 422 Validation Error

POST /api/v1/characters/{character_id}/spells

Request samples

Payload

Content type
application/json

Copy

```
{
    "spell_index": "string"
}
```

Response samples

201 422

Content type
application/json

Copy Expand all Collapse all

```
[
 - {
        "spell_index": "string",
        "spell_name_snapshot": "string",
        "spell_level": 0,
        "brief_description": "string"
    }
]
```

Delete Character Spell

PATH PARAMETERS

character_id required	integer (Character Id)
spell_index required	string (Spell Index)

Responses

> **200** Successful Response

> **422** Validation Error

DELETE /api/v1/characters/{character_id}/spells/{spell_index}

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
[
 - {
       "spell_index": "string",
       "spell_name_snapshot": "string",
       "spell_level": 0,
       "brief_description": "string"
   }
]
```


character-equipment

List Character Equipment

PATH PARAMETERS

character_id required	integer (Character Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/characters/{character_id}/equipment

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
[
 - {
      "equipment_index": "string",
      "equipment_name_snapshot": "string",
      "category": "string",
      "weapon_category": "string",
      "damage_dice": "string",
      "damage_type": "string",
      "armor_category": "string",
      "armor_class_base": 0,
      "brief_description": "string"
   }
]
```


Add Character Equipment

PATH PARAMETERS

character_id required	integer (Character Id)

REQUEST BODY SCHEMA: application/json

required

equipment_index
required

string (Equipment Index) [1 .. 100] characters

Responses

> **201** Successful Response

> **422** Validation Error

POST /api/v1/characters/{character_id}/equipment

Request samples

Payload

Content type
application/json

Copy

```
{
    "equipment_index": "string"
}
```

Response samples

201 422

Content type
application/json

Copy Expand all Collapse all

```
[
  - {
        "equipment_index": "string",
        "equipment_name_snapshot": "string",
        "category": "string",
        "weapon_category": "string",
        "damage_dice": "string",
        "damage_type": "string",
        "armor_category": "string",
        "armor_class_base": 0,
        "brief_description": "string"
    }
]
```


Delete Character Equipment

PATH PARAMETERS

character_id required	integer (Character Id)
equipment_index required	string (Equipment Index)

Responses

> **200** Successful Response

> **422** Validation Error

DELETE /api/v1/characters/{character_id}/equipment/{equipment_index}

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
[
 - {
      "equipment_index": "string",
      "equipment_name_snapshot": "string",
      "category": "string",
      "weapon_category": "string",
      "damage_dice": "string",
      "damage_type": "string",
      "armor_category": "string",
      "armor_class_base": 0,
      "brief_description": "string"
   }
]
```


analytics

Damage Leaderboard

PATH PARAMETERS

campaign_id required	integer (Campaign Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/analytics/campaigns/{campaign_id}/damage-leaderboard

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
[
 - {
      "source": "string",
      "total_damage": 0
   }
]
```


Damage Taken

PATH PARAMETERS

campaign_id required	integer (Campaign Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/analytics/campaigns/{campaign_id}/damage-taken

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
[
 - {
       "target": "string",
       "total_damage_taken": 0
   }
]
```


Healing Received

PATH PARAMETERS

campaign_id required	integer (Campaign Id)

Responses

> 200 Successful Response

> 422 Validation Error

GET /api/v1/analytics/campaigns/{campaign_id}/healing-received

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all

```
[
  - {
        "target": "string",
        "total_healing_received": 0
    }
]
```


Spell Usage

PATH PARAMETERS

campaign_id required	integer (Campaign Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/analytics/campaigns/{campaign_id}/spell-usage

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all

```
[
 - {
        "source": "string",
        "total_spell_slots_used": 0
    }
]
```

Time Played

PATH PARAMETERS

campaign_id required	integer (Campaign Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/analytics/campaigns/{campaign_id}/time-played

Response samples

200 422

Content type
application/json

Copy

```
{
    "total_minutes": 0,
    "total_hours": 0
}
```

Encounter Review

PATH PARAMETERS

encounter_id required	integer (Encounter Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/analytics/encounters/{encounter_id}/review

Response samples

200 422

Content type
application/json

Copy


```
{
    "expected_difficulty": "string",
    "party_damage_taken": 0,
    "party_healing_received": 0,
    "party_spell_slots_used": 0,
    "party_zero_hp_count": 0,
    "party_max_hp_total": 0,
    "party_current_hp_total": 0
}
```


ai-review

Encounter Ai Review

PATH PARAMETERS

encounter_id required	integer (Encounter Id)

QUERY PARAMETERS

refresh	boolean (Refresh) Default: `false`

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/encounters/{encounter_id}/ai-review

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
{
    "observed_difficulty": "string",
    "did_meet_intent": "string",
    "resource_pressure": "string",
    "reasoning": "string",
    "dm_advice": "string",
```

```
  - "encounter_balance_suggestions": [
        "string"
    ]
}
```

spells

List Spells

QUERY PARAMETERS

q >	Q (string) or Q (null) (Q)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/spells

Response samples

200 422

Content type
application/json

Copy

```
null
```

Get Spell

PATH PARAMETERS

spell_index required	string (Spell Index)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/spells/{spell_index}

Response samples

200 422

Content type
application/json

Copy

```
null
```

equipment

List Equipment

QUERY PARAMETERS

q >	Q (string) or Q (null) (Q)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/equipment

Response samples

200 422

Content type
application/json

Copy

```
null
```

Get Equipment

PATH PARAMETERS

equipment_index required	string (Equipment Index)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/equipment/{equipment_index}

Response samples

200 422

Content type
application/json

Copy

```
null
```

monsters

Search Monsters

QUERY PARAMETERS

q > Q (string) or Q (null) (Q)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/monsters

Response samples

200 422

Content type
application/json

Copy

```
null
```

Get Monster

PATH PARAMETERS

monster_index
required

string (Monster Index)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/monsters/{monster_index}

Response samples

200 422

Content type
application/json

Copy

```
null
```

classes

List Classes

Responses

> **200** Successful Response

GET /api/v1/classes

Response samples

200

Content type
application/json

Copy

```
null
```

Get Class

PATH PARAMETERS

class_index
required

string (Class Index)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/classes/{class_index}

Response samples

200 422

Content type
application/json

Copy

```
null
```

participants

Create Participant

PATH PARAMETERS

encounter_id
required

integer (Encounter Id)

REQUEST BODY SCHEMA: application/json
required

character_id >	Character Id (integer) or Character Id (null) (Character Id)
name >	Name (string) or Name (null) (Name)
participant_type required	string (Participant Type) [1 .. 50] characters
monster_index >	Monster Index (string) or Monster Index (null) (Monster Index)
class_name >	Class Name (string) or Class Name (null) (Class Name)
level >	Level (integer) or Level (null) (Level)
max_hp >	Max Hp (integer) or Max Hp (null) (Max Hp)
current_hp >	Current Hp (integer) or Current Hp (null) (Current Hp)
armor_class >	Armor Class (integer) or Armor Class (null) (Armor Class)
spell_slots_1 >	Spell Slots 1 (integer) or Spell Slots 1 (null) (Spell Slots 1)
spell_slots_2 >	Spell Slots 2 (integer) or Spell Slots 2 (null) (Spell Slots 2)
spell_slots_3 >	Spell Slots 3 (integer) or Spell Slots 3 (null) (Spell Slots 3)
spell_slots_4 >	Spell Slots 4 (integer) or Spell Slots 4 (null) (Spell Slots 4)
spell_slots_5 >	Spell Slots 5 (integer) or Spell Slots 5 (null) (Spell Slots 5)
spell_slots_6 >	Spell Slots 6 (integer) or Spell Slots 6 (null) (Spell Slots 6)
spell_slots_7 >	Spell Slots 7 (integer) or Spell Slots 7 (null) (Spell Slots 7)
spell_slots_8 >	Spell Slots 8 (integer) or Spell Slots 8 (null) (Spell Slots 8)
spell_slots_9 >	Spell Slots 9 (integer) or Spell Slots 9 (null) (Spell Slots 9)
notes >	Notes (string) or Notes (null) (Notes)

Responses

> **201** Successful Response

> **422** Validation Error

POST /api/v1/encounters/{encounter_id}/participants

Request samples

Payload

Content type
application/json

Copy

```
{
    "character_id": 0,
    "name": "string",
    "participant_type": "string",
    "monster_index": "string",
    "class_name": "string",
    "level": 1,
    "max_hp": 0,
    "current_hp": 0,
    "armor_class": 0,
    "spell_slots_1": 0,
    "spell_slots_2": 0,
    "spell_slots_3": 0,
    "spell_slots_4": 0,
    "spell_slots_5": 0,
    "spell_slots_6": 0,
    "spell_slots_7": 0,
    "spell_slots_8": 0,
    "spell_slots_9": 0,
    "notes": "string"
}
```

Response samples

201 422

Content type
application/json

Copy


```
{
    "id": 0,
    "encounter_id": 0,
    "character_id": 0,
    "monster_index": "string",
    "name": "string",
    "participant_type": "string",
    "class_name": "string",
    "level": 0,
    "max_hp": 0,
    "current_hp": 0,
    "armor_class": 0,
    "spell_slots_1": 0,
    "spell_slots_2": 0,
    "spell_slots_3": 0,
    "spell_slots_4": 0,
    "spell_slots_5": 0,
    "spell_slots_6": 0,
    "spell_slots_7": 0,
    "spell_slots_8": 0,
    "spell_slots_9": 0,
    "notes": "string"
}
```


List Participants

PATH PARAMETERS

encounter_id required	integer (Encounter Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/encounters/{encounter_id}/participants

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
[
 - {
        "id": 0,
        "encounter_id": 0,
        "character_id": 0,
        "monster_index": "string",
        "name": "string",
        "participant_type": "string",
        "class_name": "string",
        "level": 0,
        "max_hp": 0,
        "current_hp": 0,
        "armor_class": 0,
        "spell_slots_1": 0,
        "spell_slots_2": 0,
        "spell_slots_3": 0,
        "spell_slots_4": 0,
        "spell_slots_5": 0,
        "spell_slots_6": 0,
        "spell_slots_7": 0,
        "spell_slots_8": 0,
        "spell_slots_9": 0,
        "notes": "string"
    }
]
```


Update Participant

PATH PARAMETERS

participant_id required	integer (Participant Id)

REQUEST BODY SCHEMA: application/json
required

character_id >	Character Id (integer) or Character Id (null) (Character Id)
monster_index >	Monster Index (string) or Monster Index (null) (Monster Index)
name >	Name (string) or Name (null) (Name)
participant_type >	Participant Type (string) or Participant Type (null) (Participant Type)
class_name >	Class Name (string) or Class Name (null) (Class Name)
level >	Level (integer) or Level (null) (Level)
max_hp >	Max Hp (integer) or Max Hp (null) (Max Hp)
current_hp >	Current Hp (integer) or Current Hp (null) (Current Hp)
armor_class >	Armor Class (integer) or Armor Class (null) (Armor Class)
spell_slots_1 >	Spell Slots 1 (integer) or Spell Slots 1 (null) (Spell Slots 1)
spell_slots_2 >	Spell Slots 2 (integer) or Spell Slots 2 (null) (Spell Slots 2)
spell_slots_3 >	Spell Slots 3 (integer) or Spell Slots 3 (null) (Spell Slots 3)
spell_slots_4 >	Spell Slots 4 (integer) or Spell Slots 4 (null) (Spell Slots 4)
spell_slots_5 >	Spell Slots 5 (integer) or Spell Slots 5 (null) (Spell Slots 5)
spell_slots_6 >	Spell Slots 6 (integer) or Spell Slots 6 (null) (Spell Slots 6)
spell_slots_7 >	Spell Slots 7 (integer) or Spell Slots 7 (null) (Spell Slots 7)
spell_slots_8 >	Spell Slots 8 (integer) or Spell Slots 8 (null) (Spell Slots 8)
spell_slots_9 >	Spell Slots 9 (integer) or Spell Slots 9 (null) (Spell Slots 9)
notes >	Notes (string) or Notes (null) (Notes)

Responses

> **200** Successful Response

> **422** Validation Error

PUT /api/v1/participants/{participant_id}

Request samples

Payload

Content type
application/json

Copy

```
{
    "character_id": 0,
    "monster_index": "string",
    "name": "string",
    "participant_type": "string",
    "class_name": "string",
    "level": 1,
    "max_hp": 0,
    "current_hp": 0,
    "armor_class": 0,
    "spell_slots_1": 0,
    "spell_slots_2": 0,
    "spell_slots_3": 0,
    "spell_slots_4": 0,
    "spell_slots_5": 0,
    "spell_slots_6": 0,
    "spell_slots_7": 0,
    "spell_slots_8": 0,
    "spell_slots_9": 0,
    "notes": "string"
}
```

Response samples

200 422

Content type
application/json

Copy


```
{
    "id": 0,
    "encounter_id": 0,
    "character_id": 0,
    "monster_index": "string",
    "name": "string",
    "participant_type": "string",
    "class_name": "string",
    "level": 0,
    "max_hp": 0,
    "current_hp": 0,
    "armor_class": 0,
    "spell_slots_1": 0,
    "spell_slots_2": 0,
    "spell_slots_3": 0,
    "spell_slots_4": 0,
    "spell_slots_5": 0,
    "spell_slots_6": 0,
    "spell_slots_7": 0,
    "spell_slots_8": 0,
    "spell_slots_9": 0,
    "notes": "string"
}
```


Delete Participant

PATH PARAMETERS

participant_id required	integer (Participant Id)

Responses

— **204** Successful Response

> **422** Validation Error

DELETE /api/v1/participants/{participant_id}

Response samples

422

Content type
application/json

Copy Expand all Collapse all

```
{
  - "detail": [
      + { … }
    ]
}
```

Get Participant Spells

PATH PARAMETERS

participant_id required	integer (Participant Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/participants/{participant_id}/spells

Response samples

200 422

Content type
application/json

Copy

```
null
```

participant-actions

List Actions

PATH PARAMETERS

participant_id required	integer (Participant Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/encounters/{encounter_id}/participants/{participant_id}/…

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
[
 - {
        "action_type": "string",
        "action_ref": "string",
        "name": "string",
        "description": "string",
        "kind_hint": "string",
        "spell_level": 0,
        "available": true
    }
]
```


Home

Responses

> **200** Successful Response

GET /

Campaign View

PATH PARAMETERS

campaign_id required	integer (Campaign Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /campaigns/{campaign_id}/view

Response samples

422

Content type
application/json

Copy Expand all Collapse all

```
{
  - "detail": [
      + { … }
    ]
}
```

Session View

PATH PARAMETERS

session_id required	integer (Session Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /sessions/{session_id}/view

Response samples

422

Content type
application/json

Copy Expand all Collapse all

```
{
  - "detail": [
      + { … }
    ]
}
```

Encounter View

PATH PARAMETERS

encounter_id required	integer (Encounter Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /encounters/{encounter_id}/view

Response samples

422

Content type
application/json

Copy Expand all Collapse all


```
{
  - "detail": [
      + { … }
    ]
}
```


Health

Responses

> **200** Successful Response

GET /health

Response samples

200

Content type
application/json

Copy


```
null
```