DnD Campaign Manager API (0.1.0)

Download OpenAPI specification: Download

campaigns

List Campaigns

Responses

> **200** Successful Response

GET /api/v1/campaigns

Response samples

200

Content type
application/json

Copy Expand all Collapse all

[

```
  - {
        "id": 0,
        "name": "string",
        "description": "string"
    }
]
```


Create Campaign

REQUEST BODY SCHEMA: application/json
required

name required	string (Name) [1 .. 200] characters
description >	Description (string) or Description (null) (Description)

Responses

> **201** Successful Response

> **422** Validation Error

POST /api/v1/campaigns

Request samples

Payload

Content type
application/json

Copy

```
{
    "name": "string",
    "description": "string"
}
```

Response samples

201 422

Content type
application/json

Copy

```
{
    "id": 0,
    "name": "string",
    "description": "string"
}
```

Get Campaign

PATH PARAMETERS

`campaign_id` required	integer (Campaign Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/campaigns/{campaign_id}

Response samples

200 422

Content type

application/json

Copy

```
{
    "id": 0,
    "name": "string",
    "description": "string"
}
```

Update Campaign

PATH PARAMETERS

`campaign_id` required	integer (Campaign Id)

REQUEST BODY SCHEMA: application/json
required

`name` >	Name (string) or Name (null) (Name)
`description` >	Description (string) or Description (null) (Description)

Responses

> **200** Successful Response

> **422** Validation Error

PUT `/api/v1/campaigns/{campaign_id}`

Request samples

Payload

Content type
application/json

Copy

```
{
    "name": "string",
    "description": "string"
}
```

Response samples

200 422

Content type
application/json

Copy

```
{
    "id": 0,
    "name": "string",
    "description": "string"
}
```

Delete Campaign

PATH PARAMETERS

`campaign_id` required	integer (Campaign Id)

Responses

— **204** Successful Response

> **422** Validation Error

DELETE `/api/v1/campaigns/{campaign_id}`

Response samples

422

Content type
application/json

Copy Expand all Collapse all


```
{
  - "detail": [
      + { … }
    ]
}
```


sessions

Create Session

PATH PARAMETERS

`campaign_id` required	integer (Campaign Id)

REQUEST BODY SCHEMA: application/json
required

`date` required	string (Date) [1 .. 32] characters
`title` >	Title (string) or Title (null) (Title)
`notes` >	Notes (string) or Notes (null) (Notes)
`duration_minutes` >	Duration Minutes (integer) or Duration Minutes (null) (Duration Minutes)

Responses

> **201** Successful Response

> **422** Validation Error

POST `/api/v1/campaigns/{campaign_id}/sessions`

Request samples

Payload

Content type
application/json

Copy

```
{
    "date": "string",
    "title": "string",
    "notes": "string",
    "duration_minutes": 0
}
```

Response samples

201 **422**

Content type

application/json

Copy

```
{
    "id": 0,
    "campaign_id": 0,
    "date": "string",
    "title": "string",
    "notes": "string",
    "duration_minutes": 0
}
```

List Sessions

PATH PARAMETERS

`campaign_id` required	integer (Campaign Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET `/api/v1/campaigns/{campaign_id}/sessions`

Response samples

200 422

Content type

application/json

Copy Expand all Collapse all


```
[
 - {
      "id": 0,
      "campaign_id": 0,
      "date": "string",
      "title": "string",
      "notes": "string",
      "duration_minutes": 0
   }
]
```


Get Session

PATH PARAMETERS

session_id required	integer (Session Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/sessions/{session_id}

Response samples

200 422

Content type
application/json

Copy


```
{
    "id": 0,
    "campaign_id": 0,
    "date": "string",
    "title": "string",
    "notes": "string",
    "duration_minutes": 0
}
```


Update Session

PATH PARAMETERS

session_id required	integer (Session Id)

REQUEST BODY SCHEMA: application/json
required

date >	Date (string) or Date (null) (Date)
title >	Title (string) or Title (null) (Title)
notes >	Notes (string) or Notes (null) (Notes)
duration_minutes >	Duration Minutes (integer) or Duration Minutes (null) (Duration Minutes)

Responses

> **200** Successful Response

> **422** Validation Error

PUT /api/v1/sessions/{session_id}

Request samples

Payload

Content type
application/json

Copy

```
{
    "date": "string",
    "title": "string",
    "notes": "string",
    "duration_minutes": 0
}
```

Response samples

200 **422**

Content type
application/json

Copy

```
{
    "id": 0,
    "campaign_id": 0,
    "date": "string",
    "title": "string",
    "notes": "string",
    "duration_minutes": 0
}
```

Delete Session

PATH PARAMETERS

session_id required	integer (Session Id)

Responses

— **204** Successful Response

> **422** Validation Error

DELETE /api/v1/sessions/{session_id}

Response samples

422

Content type
application/json

Copy Expand all Collapse all

```
{
  - "detail": [
      + { … }
    ]
}
```

encounters

Create Encounter

PATH PARAMETERS

session_id required	integer (Session Id)

REQUEST BODY SCHEMA: application/json
required

name required	string (Name) [1 .. 200] characters
expected_difficulty >	Expected Difficulty (string) or Expected Difficulty (null) (Expected Difficulty)
rounds >	Rounds (integer) or Rounds (null) (Rounds)
notes >	Notes (string) or Notes (null) (Notes)

Responses

> **201** Successful Response

> **422** Validation Error

POST /api/v1/sessions/{session_id}/encounters

Request samples

Payload

Content type
application/json

Copy

```
{
    "name": "string",
    "expected_difficulty": "string",
    "rounds": 0,
    "notes": "string"
}
```

Response samples

201 **422**

Content type
application/json

Copy

```
{
    "id": 0,
    "session_id": 0,
    "name": "string",
    "expected_difficulty": "string",
    "rounds": 0,
    "notes": "string"
}
```

List Encounters

PATH PARAMETERS

session_id required	integer (Session Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/sessions/{session_id}/encounters

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
[
  - {
      "id": 0,
      "session_id": 0,
      "name": "string",
      "expected_difficulty": "string",
      "rounds": 0,
      "notes": "string"
    }
]
```


Get Encounter

PATH PARAMETERS

encounter_id required	integer (Encounter Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/encounters/{encounter_id}

Response samples

200 422

Content type
application/json

Copy

```
{
    "id": 0,
    "session_id": 0,
    "name": "string",
    "expected_difficulty": "string",
    "rounds": 0,
    "notes": "string"
}
```

Update Encounter

PATH PARAMETERS

encounter_id required	integer (Encounter Id)

REQUEST BODY SCHEMA: application/json
required

name >	Name (string) or Name (null) (Name)
expected_difficulty >	Expected Difficulty (string) or Expected Difficulty (null) (Expected Difficulty)
rounds >	Rounds (integer) or Rounds (null) (Rounds)
notes >	Notes (string) or Notes (null) (Notes)

Responses

> **200** Successful Response

> **422** Validation Error

PUT /api/v1/encounters/{encounter_id}

Request samples

Payload

Content type
application/json

Copy

```
{
    "name": "string",
    "expected_difficulty": "string",
    "rounds": 0,
    "notes": "string"
}
```

Response samples

200 422

Content type
application/json

Copy

```
{
    "id": 0,
    "session_id": 0,
    "name": "string",
    "expected_difficulty": "string",
    "rounds": 0,
    "notes": "string"
}
```

Delete Encounter

PATH PARAMETERS

`encounter_id` required	integer (Encounter Id)

Responses

— **204** Successful Response

> **422** Validation Error

DELETE `/api/v1/encounters/{encounter_id}`

Response samples

422

Content type
application/json

Copy Expand all Collapse all

```
{
  - "detail": [
      + { … }
    ]
}
```

events

Create Event

PATH PARAMETERS

`encounter_id` required	integer (Encounter Id)

REQUEST BODY SCHEMA: application/json
required

`kind` required	string (Kind) [1 .. 50] characters
`source` >	Source (string) or Source (null) (Source)
`target` >	Target (string) or Target (null) (Target)
`amount` >	Amount (integer) or Amount (null) (Amount)

`detail >` Detail (string) or Detail (null) (Detail)

Responses

> **201** Successful Response

> **422** Validation Error

POST `/api/v1/encounters/{encounter_id}/events`

Request samples

Payload

Content type
application/json

Copy

```
{
    "kind": "string",
    "source": "string",
    "target": "string",
    "amount": 0,
    "detail": "string"
}
```

Response samples

201 **422**

Content type
application/json

Copy

```
{
```

```
    "id": 0,
    "encounter_id": 0,
    "kind": "string",
    "source": "string",
    "target": "string",
    "amount": 0,
    "detail": "string"
}
```


List Events

PATH PARAMETERS

encounter_id required	integer (Encounter Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/encounters/{encounter_id}/events

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
[
```

```
- {
      "id": 0,
      "encounter_id": 0,
      "kind": "string",
      "source": "string",
      "target": "string",
      "amount": 0,
      "detail": "string"
  }
]
```


Get Event

PATH PARAMETERS

event_id required	integer (Event Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/events/{event_id}

Response samples

200 422

Content type

application/json

Copy


```
{
    "id": 0,
    "encounter_id": 0,
    "kind": "string",
    "source": "string",
    "target": "string",
    "amount": 0,
    "detail": "string"
}
```

Update Event

PATH PARAMETERS

event_id required	integer (Event Id)

REQUEST BODY SCHEMA: application/json
required

kind >	Kind (string) or Kind (null) (Kind)
source >	Source (string) or Source (null) (Source)
target >	Target (string) or Target (null) (Target)
amount >	Amount (integer) or Amount (null) (Amount)
detail >	Detail (string) or Detail (null) (Detail)

Responses

> **200** Successful Response

> **422** Validation Error

PUT /api/v1/events/{event_id}

Request samples

Payload

Content type
application/json

Copy

```
{
    "kind": "string",
    "source": "string",
    "target": "string",
    "amount": 0,
    "detail": "string"
}
```

Response samples

200 422

Content type
application/json

Copy

```
{
    "id": 0,
    "encounter_id": 0,
    "kind": "string",
    "source": "string",
    "target": "string",
    "amount": 0,
    "detail": "string"
}
```

Delete Event

PATH PARAMETERS

event_id required	integer (Event Id)

Responses

— **204** Successful Response

> **422** Validation Error

DELETE /api/v1/events/{event_id}

Response samples

422

Content type
application/json

Copy Expand all Collapse all

```
{
  - "detail": [
      + { … }
    ]
}
```

analytics

Damage Leaderboard

PATH PARAMETERS

`campaign_id` required	integer (Campaign Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/analytics/campaigns/{campaign_id}/damage-leaderboard

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all

```
[
  - {
      "source": "string",
      "total_damage": 0
    }
]
```

Encounter Difficulty

PATH PARAMETERS

campaign_id required	integer (Campaign Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/analytics/campaigns/{campaign_id}/encounter-difficulty

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
[
  - {
      "encounter_id": 0,
      "encounter_name": "string",
      "rounds": 0,
      "total_damage": 0,
      "downs": 0
    }
]
```


Event Breakdown

PATH PARAMETERS

campaign_id required	integer (Campaign Id)

Responses

> **200** Successful Response

> **422** Validation Error

GET /api/v1/analytics/campaigns/{campaign_id}/event-breakdown

Response samples

200 422

Content type
application/json

Copy Expand all Collapse all


```
[
  - {
      "kind": "string",
      "count": 0
    }
]
```

Health

Responses

> **200** Successful Response

GET /health

Response samples

200

Content type
application/json

Copy

```
null
```