



Structured Administration & Supply Arrangement (SASA)

Emergency Administration of Adrenaline (Epinephrine) Auto-Injector (Epipen®)

Issuing Authority

Health Service	Sir Charles Gairdner Osborne Park Health Care Group (SCGOPHCG)
Address	Hospital Avenue, Nedlands, Western Australia
Contact	6457 2348

Authorisations

Practitioners:	SCGOPHCG Registered Medical Radiation Practitioners, Nurses, Occupational Therapists, Pharmacists, Physiotherapists Podiatrists and Speech Pathologists.
Practice Setting:	Treatment areas of the hospitals, listed in the Approved Sites section below, where there is no Medical Practitioner present , and/or a resus trolley is NOT readily accessible.
Qualification:	Registered Medical Radiation Practitioners, Nurses, Occupational Therapists, Pharmacists, Physiotherapists, Podiatrists and Speech Pathologists.
Authorisation:	Administer
Risk rating:	Low
Patients	Eligible patients as outlined in SCGOPHCG Acute Anaphylaxis, Management of (Anaphylaxis Pathway) Guidelines , who develops signs of anaphylaxis after treatment.

Approved Sites

Site	Site Address
1.	Sir Charles Gairdner Hospital, Hospital Avenue, Nedlands, WA
2.	Osborne Park Hospital, Osborne Place, Stirling, WA

Adrenaline (Epinephrine) – Emergency Administration

Route:	Intramuscular (IM)	Brand:	EpiPen®
Form:	Auto-Injector (Pre-filled Syringe)	Strength:	300microgram/0.3mL
Dose:	Adult: 300 microg	Quantity:	Repeat dosing, as required.
Instructions:	Refer to SCGOPHCG Acute Anaphylaxis, Management of (Anaphylaxis Pathway) Guidelines Repeat dose EVERY 5 MIN, as required.		
Administration Notes:	Give intramuscular injection (IM) adrenaline 300 micrograms in 0.3 mL (using auto-injector) into the lateral thigh (do not inject into buttocks). Refer to the Practitioner Training and Education section below for training and education resources available.		
Patient Inclusion:	Patient who develops signs of anaphylaxis after receiving treatment.		
Patient Exclusion:	There are no absolute contraindications to adrenaline in anaphylactic reactions; adrenaline is often lifesaving. <u>Use with Caution:</u> • In patients with a known allergy to sodium metabisulfite. ○ EpiPen® Auto-Injector contains sodium metabisulfite, a sulfite, which may itself cause allergic-type reactions including anaphylactic symptoms. ○ The presence of a sulfite in this product should not deter administration for serious allergic reactions, even if the patient is sulfite sensitive. • In patients with ventricular fibrillation, cerebral arteriosclerosis, pre-fibrillatory rhythm, tachycardia, myocardial infarction, phenothiazine-induced circulatory collapse, and prostatic hypertrophy.		
Documentation:	Complete the dose and time of administration in the Acute Anaphylaxis Pathway Chart		
Adverse Effects:	<i>Common:</i> Anxiety, apprehensiveness, restlessness, tachycardia, respiratory difficulty, tremor, weakness, dizziness, headache, dyspnoea, cold extremities, sweating, pallor, nausea, vomiting, sleeplessness, hallucinations, palpitations, fear and flushing or redness of face and skin. Psychomotor agitation, disorientation, impaired memory, and psychosis may occur.		

Practitioner Training and Education:	Ensure staff access available education on the use of an EpiPen®, the importance of patient positioning and consideration of repeated doses after 5 minutes, if required using EpiPen® training videos. Refer to educational materials How to give EpiPen - Allergy & Anaphylaxis Australia There are e-Learning resources available from the Australasian Society of Clinical Immunology and Allergy (ASCIA). • ASCIA anaphylaxis e-training for Health Professionals • ASCIA anaphylaxis e-training for pharmacists • ASCIA anaphylaxis e-training Refresher for Health Professionals
Clinical Guidelines	SCGOPHCG Acute Anaphylaxis, Management of (Anaphylaxis Pathway) Guidelines

Related policies, procedures, and guidelines

1. [SCGOPHCG Acute Anaphylaxis, Management of \(Anaphylaxis Pathway\) Guidelines](#)
2. [Acute Anaphylaxis Clinical Care Standard | Australian Commission on Safety and Quality in Health Care](#)
3. [Acute Anaphylaxis Clinical Care Standard 2021 \(safetyandquality.gov.au\)](#)
4. [Acute Anaphylaxis Pathway Chart](#)
5. [WA Clinical Alert MedAlert Policy \(health.wa.gov.au\)](#)
6. [SCGOPHCG Clinical Alerts Policy](#)
7. [Medical Alert / Clinical Alert Notification Form \(MR002\)](#)
8. [NMHS My Health Record \(MHR\): System Control, Administration, Access, Upload and Security Procedure.](#)

References

1. Structured Administration and Supply Arrangements (SASA), Department of Health. Available at [Structured Administration and Supply Arrangements \(SASA\), Department of Health](#)
2. Guidance Note on Working with Medicines – SASA for Hospitals and Permit Holders, Department of Health regulations. Available at [Guidance Note: Structured Administration and Supply Arrangements for Hospitals and Health Services](#)
3. ASCIA Guidelines Acute management of anaphylaxis - Australasian Society of Clinical Immunology and Allergy (ASCIA). Available at [ASCIA Guidelines Acute management of anaphylaxis - Australasian Society of Clinical Immunology and Allergy \(ASCIA\)](#)
4. Product information on EpiPen. Available at [EpiPen - AusDI \(health.wa.gov.au\)](#)
5. Australian Medical Handbook [January 2024]. Available at [Adrenaline \(epinephrine\) \(anaphylaxis\) - Australian Medicines Handbook \(health.wa.gov.au\)](#)

Document ID	SCGOPHCG.SASA.AdrenalineAutoInjectorEmergency Admin	Date of Issue:	13/09/2024
Record No.	MMS10	Date of Expiry:	13/09/2026
Poisons Permit Holder			
Name	Michael Petrovski	Endorsed	12/09/2024
Authorising Committee			
Committee	Medicines and Therapeutics Committee		
Chairperson	Dr George Eskander	Endorsed	09/09/2024
Nursing			
Name	Annie Thompson	Signed:	
Position	Area Director of Nursing	Date:	13/09/2024
Senior Medical Practitioner			
Name	Dr Deepan Krishnasivam	Signed:	
Position	Director of Clinical Services	Date:	13/09/2024
Executive			
Name	Dr Jodi Graham	Signed:	
Position	Executive Director	Date:	13/09/2024
Keywords:	Adrenaline auto-injector, EpiPen, anaphylaxis, SASA		
Owner:	Chief Pharmacist		
Standards	NSQHS Standards: 1  Governance, 4  Medication Safety		
Printed or personally saved electronic copies of this document are considered uncontrolled. Access the current version from the SCGOPHCG intranet. For any enquiries relating to this guideline, please email SCGOPHCG.MTC@health.wa.gov.au			