



Structured Administration & Supply Arrangement (SASA)

Chlorhexidine Body Wash 4% (WHS)

Issuing Authority

Health Service	Sir Charles Gardiner Osborne Park Health Care Group
Address	Hospital Avenue, Nedlands, Western Australia
Contact	6457 2348

Authorisations

Practitioners:	Nurses employed by SCGOPHCG
Practice Setting:	Work Health and Safety (WHS)
Qualification:	Nurse registered with the Nursing & Midwifery Board of Australia
Authorisation:	Supply
Patients:	Eligible Healthcare Workers as outlined in the SCGOPHCG Supply of chlorhexidine and mupirocin for MRSA eradication in new employees Procedure

Approved Sites

Site	Site Address
1.	Sir Charles Gardiner Hospital, Hospital Avenue, Nedlands, WA
2.	Osborne Park Hospital, Osborne Place, Stirling, WA

Chlorhexidine Body Wash 4%

Route:	Topical	Brand:	Any brand
Form:	Wash	Strength:	4% w/v
Dose:	25mL	Quantity:	200mL
Instructions:	<i>Apply approximately one third of the body wash to all areas, except your face. Make sure to apply to underarms, behind ears and knees, groin area and between skin folds including navel. Leave on your skin for 2 minutes then rinse well, dry thoroughly using clean towel; must wear clean garments afterwards.</i> <i>Repeat each day for 5 days.</i> <i>Shampoo your hair using the body wash on day 1, day 3 and day 5. Your normal conditioner can be used.</i> <i>Take care not to get any in your eyes or mouth.</i>		
Administration Notes:	Not to be mixed with other chemicals, detergents or soap Must wear clean garments afterwards.		
Patient Inclusion:	Healthcare workers with carriage of MRSA		
Patient Exclusion:	Known or documented allergy to Chlorhexidine		
Documentation:	Record supply into WHS Staff Health Database.		
Adverse Effects:	Skin sensitivity, dryness		
Clinical Guidelines:	MRSA Screening and Management of Healthcare Workers guideline Work Health Safety supply of chlorhexidine and mupirocin for MRSA eradication procedure		

Related policies, procedures and guidelines

[MP 0177/23 Screening and Management of Multi-resistant Organisms in Healthcare Facilities Policy](#)

[NMHS Pre-Employment Health Assessment \(PEHA\) Policy](#)

[SCGOPHCG Healthcare Worker Health and Immunisation Policy](#)

[MRSA Screening and Management of Healthcare Workers guideline](#)

[Work Health Safety supply of chlorhexidine and mupirocin for MRSA eradication procedure](#)

References

1. Structured Administration and Supply Arrangements, Department of Health. Available at https://ww2.health.wa.gov.au/Articles/S_T/Structured-Administration-and-Supply-Arrangements
2. [Structured Administration and Supply Arrangements \(health.wa.gov.au\)](https://www.health.wa.gov.au/structured-administration-and-supply-arrangements)

Document ID	SCGOPHCG.SASA.Chlorhexidine_WHS	Date of Issue:	17/06/2024
Record No.	MMS07	Date of Expiry:	17/06/2026
Poisons Permit Holder			
Name	Michael Petrovski	Endorsed	10/06/2024
Authorising Committee			
Committee	Medicines and Therapeutics Committee		
Chairperson	Dr Deepan Krishnasivam	Endorsed	10/06/2024
Nursing			
Name	Annie Thompson	Signed:	
Position	Area Director of Nursing	Date:	17/06/2024
Senior Medical Practitioner			
Name	Dr George Eskander	Signed	
Position	Director of Clinical Services	Date:	17/06/2024
Executive			
Name	Dr Jodi Graham	Signed:	
Position	Executive Director	Date:	17/06/2024
Keywords:	MRSA, chlorhexidine, decolonisation, staphylococcus aureus, staph, WHS, OSH, staff		
Owner:	Chief Pharmacist		
Standards	NSQHS Standards: 1  Governance, 4  Medication Safety		
Printed or personally saved electronic copies of this document are considered uncontrolled. Access the current version from the SCGOPHCG intranet. For any enquiries relating to this guideline, please email SCGOPHCG.MTC@health.wa.gov.au			