



Structured Administration & Supply Arrangement (SASA)

Loratadine (ED)

Issuing Authority

Health Service	Sir Charles Gairdner Osborne Park Health Care Group
Address	Hospital Avenue, Nedlands, Western Australia
Contact	6457 2348

Authorisations

Practitioners:	Registered nurses employed by SCGOPHCG
Practice Setting:	Emergency Department waiting room
Qualification:	Nurse registered with the Nursing and Midwifery Board of Australia.
Authorisation:	Administer
Risk rating:	Medium
Patients:	Eligible patients who have been triaged, presenting with mild to moderate allergic reactions

Approved Sites

Site	Site Address
1.	Sir Charles Gairdner Hospital, Hospital Avenue, Nedlands, WA

Loratadine (ED)


Route:	Oral	Brand:	Any brand
Form:	Tablet	Strength:	Tablet: 10mg
Dose:	10mg	Quantity:	One dose
Instructions:	Administer 10 mg as a single dose.		
Administration Notes:	Usual onset of effects within 30 - 60 minutes. Usual maximum dose is 10 mg/day.		
Patient Inclusion:	Mild to moderate allergic reactions (without signs of anaphylaxis). 16 to 65 years of age.		
Patient Exclusion:	Patient weighing < 40 kg. Recent antihistamine use within the previous 12 hours. Allergy to loratadine or other antihistamines. Patients presenting with drowsiness or signs/symptoms of anticholinergic effects from other medications. Severe hepatic or renal impairment.		
Documentation:	Administration MUST be legibly documented on the 'Once only, Pre-medication and Nurse Initiated medicines' section of the WA Hospital Short Stay Medication Chart (WA HMC) SCGH MR410/805 and comply with all legal requirements.		
Adverse Effects:	Dizziness, sedation, confusion, and hypotension (potential also for paradoxical hyperexcitability, agitation), all more common in the elderly. Anticholinergic effects: urinary retention, blurred vision, dry mouth – more common in the elderly. Headache, paraesthesia, skin rash. Raised liver enzymes.		

Related policies, procedures and guidelines

[Credentialing and Defining the Scope of Clinical Practice Policy](#)

References

1. Structured Administration and Supply Arrangements, Department of Health. Available at https://ww2.health.wa.gov.au/Articles/S_T/Structured-Administration-and-Supply-Arrangements Structured Administration and Supply Arrangements (health.wa.gov.au)
2. Australian Medicines Handbook at <https://amhonline.amh.net.au>
3. Therapeutic Guidelines at <https://app-tg-org-au>.

Document ID	SCGOPHCG.SASA.Loratadine_ED	Date of Issue:	13/10/2025
Record No.	MMS39	Date of Expiry:	13/10/2027
Poisons Permit Holder			
Name	Michael Petrovski	Endorsed	13/10/2025
Authorising Committee			
Committee	Medicines and Therapeutics Committee		
Chairperson	Dr Deepan Krishnasivam	Endorsed	13/10/2025
Nursing			
Name	Dr Suzanne Sinni	Signed:	
Position	Area Director of Nursing and Midwifery Services	Date:	28/10/2025
Senior Medical Practitioner			
Name	Dr Simon Wood	Signed:	
Position	Area Director Clinical Services	Date:	27/10/2025
Executive			
Name	Dr Jodi Graham	Signed:	
Position	Executive Director	Date:	28/10/2025
Keywords:	Loratadine, RN, Registered Nurse, Waiting Room, SASA, Claratyne, ED		
Owner:	Chief Pharmacist		
Standards	NSQHS Standards: 1  Governance, 4  Medication Safety,		
Printed or personally saved electronic copies of this document are considered uncontrolled. Access the current version from the SCGOPHCG intranet. For any enquiries relating to this guideline, please email SCGH.DTC@health.wa.gov.au			