Python

September 10, 2018


```
In [1]: import numpy as np
                    from uncertainties import ufloat
                    #Messwerte
                    x_0=np.array([ufloat(441,1/2),ufloat(479,1/2),ufloat(473,1/2),ufloat(463,1/2),ufloat(468,1/2))
                    x_1=np.array([ufloat(414,1/2),ufloat(453,1/2),ufloat(447,1/2),ufloat(436,1/2),ufloat(440,1/2))
                    x_2=np.array([ufloat(417,1/2),ufloat(456,1/2),ufloat(450,1/2),ufloat(439,1/2),ufloat(439,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2),ufloat(443,1/2
                    #Dichte von Wasser bei 20 Grad Celsius
                    rho_o2=998
                    #Formel fuer Dichte des Objektes
                    rho=rho_02*(x_1-x_0)/(x_1-x_2)
                   print(rho)
                    #Mittelwert (Bestwert) und Standardabweichung
                    print(sum(rho)/len(rho))
 [8982.0+/-2009.8133136078973 8649.33333333334+/-1931.8232097115533
  8649.333333333334+/-1931.8232097115533 8982.0+/-2009.8133136078973
  9314.66666666666+/-2087.8348936661337]
(8.9+/-0.9)e+03
In [2]: import numpy as np
                    from uncertainties import ufloat
                    #Messwerte
                    x_0=np.array([ufloat(449,1/2),ufloat(466,1/2),ufloat(440,1/2),ufloat(482,1/2)])
                    x_1=np.array([ufloat(424,1/2),ufloat(438,1/2),ufloat(414,1/2),ufloat(455,1/2)])
                    x_2=np.array([ufloat(427,1/2),ufloat(441,1/2),ufloat(417,1/2),ufloat(458,1/2)])
                    #Dichte von Objekt
                    rho_obj=ufloat(8900,1800)
                    #Formel fuer Dichte der Fluessigkeit
                    rho_fl=rho_obj*(x_1-x_2)/(x_1-x_0)
                   print(rho_fl)
                    #Mittelwert (Bestwert) und Standardabweichung
                    print(sum(rho_f1)/len(rho_f1))
 [1068.0+/-321.4534790603455 953.5714285714286+/-287.8851820302507
  1026.923076923077+/-309.4241593198329
```

```
988.8888888888889+/-298.265206056054]
(1.01+/-0.23)e+03
In [3]: n=np.array([8982,8649,8649,8982,9315])
        print(np.mean(n),'+/-',np.std(n,ddof=1))
8915.4 +/- 278.60778883584715
In [4]: n=np.array([1068,954,1027,989])
        print(np.mean(n), '+/-', np.std(n, ddof=1))
1009.5 +/- 49.08835571361773
In [5]: n=np.array([8982,8649,8649,8982,9315])
        ufloat(np.mean(n),np.std(n,ddof=1))/np.sqrt(5)
Out [5]: 3987.088089320325+/-124.59719097957223
In [6]: n=np.array([1068,954,1027,989])
        ufloat(np.mean(n),np.std(n,ddof=1))/np.sqrt(4)
Out[6]: 504.75+/-24.544177856808865
In [9]: #Wasser
        import matplotlib.pyplot as plt
        from scipy import interpolate
        import pylab
        from scipy.optimize import curve_fit
        from pylab import savefig
        import numpy as np
        def sigmoid(x,a,b,c,d):
            return d*(1/(1+np.exp(-c*(x-a))))+b
        h1=np.array([2,4,6,8,9])
        h2=np.array([2,4,5,6,8,9,10])
        r1=np.array([0.26,0.33,1.25,3.9,4.75])
        r2=np.array([0.23,0.25,0.3,0.83,3.85,4.6,4.7])
        popt,pvoc=curve_fit(sigmoid,h1,r1,method='dogbox')
        a,b,c,d=popt
        r1_fit=sigmoid(np.linspace(0,11,50),a,b,c,d)
        plt.plot(np.linspace(0,11,50),r1_fit,color='blue')
        plt.plot(h1,r1,color='blue',marker='o',LineStyle='none')
        print(sigmoid(10.5,a,b,c,d)*0.2)
        x = [10.5]
        y=[sigmoid(x,a,b,c,d)]
        o21=sigmoid(10.5,a,b,c,d)*0.2
        plt.errorbar(x,y,[0.2],capsize=5,elinewidth=2,markeredgewidth=2,ecolor='blue')
```

```
popt,pvoc=curve_fit(sigmoid,h2,r2,method='dogbox')
a,b,c,d=popt
r2_fit=sigmoid(np.linspace(0,11,50),a,b,c,d)
plt.plot(np.linspace(0,11,50),r2_fit,color='red')
plt.plot(h2,r2,color='red',marker='o',LineStyle='none')
x=[10.5]
y=[sigmoid(x,a,b,c,d)]
plt.errorbar(x,y,[0.2],capsize=5,elinewidth=2,markeredgewidth=2,ecolor='red')
plt.suptitle('Kraftverlauf Wasser')
plt.xlabel(r'$\mathrm{H\"ohe\ [mm]}$')
plt.ylabel(r'Kraft [mN]')
plt.grid()
plt.savefig(fname='Graph_1.png',dpi=300)
plt.show()
o22=sigmoid(10.5,a,b,c,d)*0.2
print(sigmoid(10.5,a,b,c,d)*0.2)
```

1.0324417381859667


Kraftverlauf Wasser



0.9498352409202234

```
In [10]: #Ethanol
         h1=np.array([0,1,3.75,5,7,8])
         h2=np.array([0,3.75,5,5.5,6,6.5])
         h3=np.array([3.5,4,4.5,5,5.5,6,6.2,6.4,6.6])
         r1=np.array([-0.35,-0.2,0,0.67,1.25,1.25])
         r2=np.array([-0.35,0,0.85,1.1,1.3,1.35])
         r3=np.array([0,0.15,0.46,1.1,1.25,1.4,1.43,1.4,1.3])
         popt,pvoc=curve_fit(sigmoid,h1,r1,method='dogbox')
         a,b,c,d=popt
         r1_fit=sigmoid(np.linspace(0,10,50),a,b,c,d)
         plt.plot(np.linspace(0,10,50),r1_fit,color='blue')
         plt.plot(h1,r1,color='blue',marker='o',LineStyle='none')
         x = [8.5]
         y=[sigmoid(x,a,b,c,d)]
         print('Erster Satz: ',y)
         plt.errorbar(x,y,[0.2],capsize=5,elinewidth=2,markeredgewidth=2,ecolor='blue')
         popt,pvoc=curve_fit(sigmoid,h2,r2,method='dogbox')
         a,b,c,d=popt
         r2_fit=sigmoid(np.linspace(0,10,50),a,b,c,d)
         plt.plot(np.linspace(0,10,50),r2_fit,color='red')
         plt.plot(h2,r2,color='red',marker='o',LineStyle='none')
         x = [8.5]
         y=[sigmoid(x,a,b,c,d)]
         print('Zweiter Satz: ',y)
         plt.errorbar(x,y,[0.2],capsize=5,elinewidth=2,markeredgewidth=2,ecolor='red')
         popt,pvoc=curve_fit(sigmoid,h3,r3,method='dogbox')
         a,b,c,d=popt
         r3_fit=sigmoid(np.linspace(0,10,50),a,b,c,d)
         plt.plot(np.linspace(0,10,50),r3_fit,color='green')
         plt.plot(h3,r3,color='green',marker='o',LineStyle='none')
         x = [8.5]
         y=[sigmoid(x,a,b,c,d)]
         print('Dritter Satz: ',y)
         plt.errorbar(x,y,[0.2],capsize=5,elinewidth=2,markeredgewidth=2,ecolor='green')
         plt.suptitle('Kraftverlauf Ethanol')
         plt.xlabel(r'$\mathrm{H\"ohe\ [mm]}$')
         plt.ylabel(r'Kraft [mN]')
         plt.grid()
         plt.savefig(fname='Graph_2.png',dpi=300)
         plt.show()
Erster Satz: [array([1.26982979])]
Zweiter Satz: [array([1.42229408])]
Dritter Satz: [array([1.37688351])]
```

Kraftverlauf Ethanol



In [11]: from uncertainties import ufloat

```
f1=1.27
f1e=1.27*0.2
f2=1.42
f2e=1.42*0.2
f3=1.38
f3e=1.38*0.2
F1=ufloat(f1,f1e)
F2=ufloat(f2,f2e)
F3=ufloat(f3,f3e)
fw1=5.16
fw1e=5.16*0.2
fw2=4.75
fw2e=4.75*0.2
Fw1=ufloat(fw1,fw1e)
Fw2=ufloat(fw2,fw2e)
print(f1,f1e,f2,f2e,f3,f3e)
print(Fw1,Fw2)
```

1.27 0.254 1.42 0.284 1.38 0.2759999999999995 5.2+/-1.0 4.8+/-1.0

```
In [12]: 0.3/1.3
Out[12]: 0.23076923076923075
In [13]: def sigcalc(F,1):
             return F/(2*1)
         l=ufloat(2.63,0.03)
         fs1=sigcalc(F1,1)
         fs2=sigcalc(F2,1)
         fs3=sigcalc(F3,1)
         print((fs1+fs2+fs3)/3)
0.258+/-0.030
In [14]: def sigcalc(F,1):
             return F/(2*1)
         l=ufloat(2.63,0.03)
         fs1=sigcalc(Fw1,1)
         print(fs1)
         fs2=sigcalc(Fw2,1)
         print(fs2)
         print((fs1+fs2)/2)
0.98+/-0.20
0.90+/-0.18
0.94+/-0.13
```