



## Abs Quant/2nd Derivative Max for GENE1 (Abs Quant/2nd Derivative Max)

### Results

Inc	Pos	Name	Type	CP	Concentration	Standard	Status
<input type="checkbox"/>	A1	KO1	Unknown	23.11			
<input type="checkbox"/>	A2	KO1	Unknown	23.88			
<input type="checkbox"/>	A3	KO1	Unknown	23.94			
<input type="checkbox"/>	B1	KO2	Unknown	23.54			
<input type="checkbox"/>	B2	KO2	Unknown	23.61			
<input type="checkbox"/>	B3	KO2	Unknown	23.61			
<input type="checkbox"/>	C1	WT1	Unknown	24.34			
<input type="checkbox"/>	C2	WT1	Unknown	24.33			
<input type="checkbox"/>	C3	WT1	Unknown	24.32			
<input type="checkbox"/>	D1	WT2	Unknown	24.71			
<input type="checkbox"/>	D2	WT2	Unknown	24.81			
<input type="checkbox"/>	D3	WT2	Unknown	25.03			
<input type="checkbox"/>	E1	KO3	Unknown	23.62			
<input type="checkbox"/>	E2	KO3	Unknown	23.55			
<input type="checkbox"/>	E3	KO3	Unknown	23.47			
<input type="checkbox"/>	F1	KO4	Unknown	23.50			
<input type="checkbox"/>	F2	KO4	Unknown	23.62			
<input type="checkbox"/>	F3	KO4	Unknown	23.65			
<input type="checkbox"/>	G1	WT3	Unknown	24.50			
<input type="checkbox"/>	G2	WT3	Unknown	24.51			
<input type="checkbox"/>	G3	WT3	Unknown	24.62			
<input type="checkbox"/>	H1	WT4	Unknown	25.04			
<input type="checkbox"/>	H2	WT4	Unknown	24.90			
<input type="checkbox"/>	H3	WT4	Unknown	25.22			
<input type="checkbox"/>	I1	H2O	Unknown				
<input type="checkbox"/>	I2	H2O	Unknown				
<input type="checkbox"/>	I3	H2O	Unknown				

## Abs Quant/2nd Derivative Max for GENE2 (Abs Quant/2nd Derivative Max)

### Results

Inc	Pos	Name	Type	CP	Concentration	Standard	Status
<input type="checkbox"/>	A4	KO1	Unknown	25.42			

---

**Results**

Inc	Pos	Name	Type	CP	Concentration	Standard	Status
<input type="checkbox"/>	A5	KO1	Unknown	24.96			
<input type="checkbox"/>	A6	KO1	Unknown	25.15			
<input type="checkbox"/>	B4	KO2	Unknown	24.65			
<input type="checkbox"/>	B5	KO2	Unknown	24.80			
<input type="checkbox"/>	B6	KO2	Unknown	24.79			
<input type="checkbox"/>	C4	WT1	Unknown	25.60			
<input type="checkbox"/>	C5	WT1	Unknown	25.80			
<input type="checkbox"/>	C6	WT1	Unknown	25.61			
<input type="checkbox"/>	D4	WT2	Unknown	25.73			
<input type="checkbox"/>	D5	WT2	Unknown	25.23			
<input type="checkbox"/>	D6	WT2	Unknown	25.78			
<input type="checkbox"/>	E4	KO3	Unknown	24.64			
<input type="checkbox"/>	E5	KO3	Unknown	24.48			
<input type="checkbox"/>	E6	KO3	Unknown	24.71			
<input type="checkbox"/>	F4	KO4	Unknown	24.67			
<input type="checkbox"/>	F5	KO4	Unknown	24.80			
<input type="checkbox"/>	F6	KO4	Unknown	24.65			
<input type="checkbox"/>	G4	WT3	Unknown	24.91			
<input type="checkbox"/>	G5	WT3	Unknown	24.95			
<input type="checkbox"/>	G6	WT3	Unknown	24.96			
<input type="checkbox"/>	H4	WT4	Unknown	26.01			
<input type="checkbox"/>	H5	WT4	Unknown	26.15			
<input type="checkbox"/>	H6	WT4	Unknown	25.92			
<input type="checkbox"/>	I4	H2O	Unknown				
<input type="checkbox"/>	I5	H2O	Unknown	26.89			
<input type="checkbox"/>	I6	H2O	Unknown	26.45			

**Abs Quant/2nd Derivative Max for GENE3 (Abs Quant/2nd Derivative Max)****Results**

Inc	Pos	Name	Type	CP	Concentration	Standard	Status
<input type="checkbox"/>	A7	KO1	Unknown	24.90			
<input type="checkbox"/>	A8	KO1	Unknown	24.72			
<input type="checkbox"/>	A9	KO1	Unknown	24.54			
<input type="checkbox"/>	B7	KO2	Unknown	24.64			
<input type="checkbox"/>	B8	KO2	Unknown	24.64			
<input type="checkbox"/>	B9	KO2	Unknown	24.91			

---

**Results**

Inc	Pos	Name	Type	CP	Concentration	Standard	Status
<input type="checkbox"/>	C7	WT1	Unknown	25.33			
<input type="checkbox"/>	C8	WT1	Unknown	25.62			
<input type="checkbox"/>	C9	WT1	Unknown	25.59			
<input type="checkbox"/>	D7	WT2	Unknown	25.43			
<input type="checkbox"/>	D8	WT2	Unknown	25.26			
<input type="checkbox"/>	D9	WT2	Unknown	25.53			
<input type="checkbox"/>	E7	KO3	Unknown	24.89			
<input type="checkbox"/>	E8	KO3	Unknown	24.48			
<input type="checkbox"/>	E9	KO3	Unknown	24.58			
<input type="checkbox"/>	F7	KO4	Unknown	25.14			
<input type="checkbox"/>	F8	KO4	Unknown	24.82			
<input type="checkbox"/>	F9	KO4	Unknown	24.75			
<input type="checkbox"/>	G7	WT3	Unknown	24.70			
<input type="checkbox"/>	G8	WT3	Unknown	25.02			
<input type="checkbox"/>	G9	WT3	Unknown	24.87			
<input type="checkbox"/>	H7	WT4	Unknown	25.75			
<input type="checkbox"/>	H8	WT4	Unknown	25.95			
<input type="checkbox"/>	H9	WT4	Unknown	25.83			
<input type="checkbox"/>	I7	H2O	Unknown				
<input type="checkbox"/>	I8	H2O	Unknown	26.46			
<input type="checkbox"/>	I9	H2O	Unknown				

**Abs Quant/2nd Derivative Max for GENE4 (Abs Quant/2nd Derivative Max)****Results**

Inc	Pos	Name	Type	CP	Concentration	Standard	Status
<input type="checkbox"/>	A10	KO1	Unknown	24.55			
<input type="checkbox"/>	A11	KO1	Unknown	24.45			
<input type="checkbox"/>	A12	KO1	Unknown	24.56			
<input type="checkbox"/>	B10	KO2	Unknown	24.43			
<input type="checkbox"/>	B11	KO2	Unknown	24.84			
<input type="checkbox"/>	B12	KO2	Unknown	24.36			
<input type="checkbox"/>	C10	WT1	Unknown	24.56			
<input type="checkbox"/>	C11	WT1	Unknown	24.46			
<input type="checkbox"/>	C12	WT1	Unknown	24.48			
<input type="checkbox"/>	D10	WT2	Unknown	24.45			
<input type="checkbox"/>	D11	WT2	Unknown	24.33			

---

**Results**

Inc	Pos	Name	Type	CP	Concentration	Standard	Status
<input type="checkbox"/>	D12	WT2	Unknown	24.47			
<input type="checkbox"/>	E10	KO3	Unknown	24.39			
<input type="checkbox"/>	E11	KO3	Unknown	24.09			
<input type="checkbox"/>	E12	KO3	Unknown	24.14			
<input type="checkbox"/>	F10	KO4	Unknown	24.10			
<input type="checkbox"/>	F11	KO4	Unknown	24.33			
<input type="checkbox"/>	F12	KO4	Unknown	24.10			
<input type="checkbox"/>	G10	WT3	Unknown	24.89			
<input type="checkbox"/>	G11	WT3	Unknown	25.02			
<input type="checkbox"/>	G12	WT3	Unknown	24.51			
<input type="checkbox"/>	H10	WT4	Unknown	24.92			
<input type="checkbox"/>	H11	WT4	Unknown	24.97			
<input type="checkbox"/>	H12	WT4	Unknown	24.82			
<input type="checkbox"/>	I10	H2O	Unknown				
<input type="checkbox"/>	I11	H2O	Unknown	24.99			
<input type="checkbox"/>	I12	H2O	Unknown				