

```
import React, { Suspense, lazy } from
'react';
import { BrowserRouter, Routes, Route,
Navigate, Link, useLocation } from 'react-
router-dom';
import { Toaster } from 'react-hot-toast';
import {
  FiHome, FiGrid, FiUser, FiDollarSign,
  FiShield, FiSettings, FiList
} from 'react-icons/fi';

/* — lazy pages — */
const Deposit      = lazy(() =>
import('./Deposit'));
const Profile      = lazy(() =>
import('./pages/Profile'));
const KYC          = lazy(() =>
import('./pages/KYC'));
const Games        = lazy(() =>
import('./pages/Games'));

/* — protected route — */
function Protected({ children }) {
  const token =
localStorage.getItem('token');
  return token ? children : <Navigate
to="/login" replace />;
}

/* — bottom nav — */
```

```

function BottomNav() {
  const { pathname } = useLocation();
  const links = [
    { to: '/', icon: FiHome,
label:'Home' },
    { to: '/games', icon: FiGrid,
label:'Games' },
    { to: '/deposit', icon:
FiDollarSign,label:'Deposit' },
    { to: '/profile', icon: FiUser,
label:'Profile' },
  ];
  return (
    <nav className="fixed bottom-0 left-0
right-0 bg-gray-900 border-t border-gray-
700
flex justify-around z-40 pb-safe">
      {links.map(l => (
        <Link key={l.to} to={l.to}
          className={`flex flex-col items-
center py-3 px-4 transition ${
            pathname === l.to ? 'text-
yellow-400' : 'text-gray-500 hover:text-
white'
          }`}>
          <l.icon size={22} />
          <span className="text-xs mt-1
font-bold">{l.label}</span>
        </Link>
      ))}
    </nav>
  );
}

```

```

/* — app shell — */
export default function App() {
  return (
    <BrowserRouter>
      <Toaster position="top-center"
toastOptions={{
  style: { background: '#1f2937',
color: '#fff', borderRadius: '12px' },
  success: { iconTheme: {
primary: '#f59e0b', secondary: '#000' } },
}} />

      <Suspense fallback={
        <div className="flex items-center
justify-center min-h-screen bg-gray-900">
          <div className="animate-spin
rounded-full h-12 w-12 border-b-2 border-
yellow-400" />
        </div>
      >
      <Routes>
        <Route path="/" element=
{<Games />} />
        <Route path="/games" element=
{<Games />} />
        <Route path="/deposit" element=
{<Protected><Deposit /></Protected>} />
        <Route path="/profile" element=
{<Protected><Profile /></Protected>} />
        <Route path="/kyc" element=
{<Protected><KYC /></Protected>} />
        <Route path="*" element=
{<Navigate to="/" replace />} />
      </Routes>
    </BrowserRouter>
  )
}

```

```
    </Suspense>

    <BottomNav />
  </BrowserRouter>
);
}
```