



Dairy for life

2024/25

WELCOME TO YOUR

Farm Insights Report

SUPPLY NO.
18108



Welcome

HOW TO USE THIS REPORT

The Farm Insights Report gives you an overview of your farm's performance in context, showing grass growth, herd condition and much more in one space, so you can identify what could help you get more out of the work you're putting in, now and into the future.

Your season in review

Your milk helps feed people all around the world - thanks for all your hard work to make this happen.

**YOUR CO-OPERATIVE
DIFFERENCE ACHIEVEMENT:**

Te Tihi (L3)

**AND THE QUALITY OF YOUR MILK
WAS KEY - YOU ACHIEVED:**

363
Excellence Days

**YOUR FARM'S MILESTONES FOR THE PAST YEAR
WERE:**


Grade Free

Lowest 25% for Emissions
(Intensity, regionally)

Top 25% Production (per kg
of Liveweight, regionally)

Your pathway to improving efficiency.

- A deep focus on improving the health and quality of your animals.
- Evolving our world class, pasture-based farm systems to meet feed demands.




Your farm's big picture view

Your farm is being compared to farms in the Northland region in the graphs below


Production per kg of liveweight

● Your farm
■ 50% of your benchmark group is within this range



Homegrown feed per hectare


● Your farm
■ 50% of your benchmark group is within this range



On-farm activity emissions per t FPCM

(tonnes of Fat and Protein Corrected Milk)

● Your farm
■ 50% of your benchmark group is within this range



Where are your farm's opportunities?

Animal opportunities

			Your farm	Your opportunity	Your potential productivity gains (kgMS/cow)
Better Bred	6 week in-calf %	page 7		78% target	
	Breeding worth upper-lower quartile range	page 7			
Healthy Cows	Mastitis %	page 8	24%	50% decrease	
	Lameness %	page 8	9%	50% decrease	
	Somatic cell count	page 11	95k	Great work	

The gains above for your farm require increased feed intake per cow.

Focusing on productivity from homegrown feed drives profitable and sustainable gains.

Some feed opportunities for your farm are shown below.

Feed opportunities

			Your farm	Your opportunity	Your potential productivity gains (kgMS/cow)
Better Fed	Homegrown feed eaten	page 5	11.5 tDM/ha	0.5 tDM/ha increase	
	Feed converted to milk	page 6	62%	1% increase	

Achieving all of these opportunities over time could lift your **productivity per cow by 6.3%, reduce your emissions intensity by -2.7% and improve your profitability**. The timeline for achieving these opportunities is up to you and what you choose to prioritize.

Production Increase

15,686 kgMS*

Revenue Increase

\$159,213*

Potential On Farm Footprint

822 kgCO₂e/tFPCM*

*these figures are based on your farms current production, herd size and emissions intensity (see page 12), and achieving all productivity gains within a \$10.15/kgMS farmgate milkprice. They do not factor in any additional costs, additional incentives or savings.

Homegrown feed

Improving homegrown feed can increase your productivity from the same imported feed and nitrogen inputs, or maintain your productivity from fewer imported feed and nitrogen inputs.

Your farm's homegrown feed eaten and fertiliser use compared to others.


This data shows an estimate of the amount of feed eaten and how much nitrogen fertiliser applied per effective dairy hectare.

● Your farm (actual)

○ Farms near you (20km radius)

What's your opportunity?

- Grow more feed?
- Improve quality and amount eaten?
- Same feed from less nitrogen?



	Your farm	Farms near you		Northland region	
		Average	Top 20%	Average	Top 20%
Homegrown feed eaten (tDM/ha)	11.5	9.0	11.9	8.9	11.9
Nitrogen fertiliser used to grow this homegrown feed (kgN/ha)	157	64	90	69	108
Imported feed eaten (incl winter grazing) (tDM/ha)	7.0	1.3	1.4	3.0	2.4

Top 20% represents the farms with the highest homegrown feed on your closest 100 farms and your region.

Increasing your homegrown feed eaten by

0.5 tDM/ha could result in $\uparrow 22$ kgMS/cow



Fertiliser



Pasture



Effluent



Irrigation



Cropping



Soil

Which pathways offer you an opportunity to grow and eat more home grown feed?

Consider and identify the areas of your farm which you may be able to improve the overall yield, quality or utilisation of your feed


[Find out more here](#)



Feed efficiency

For the amount of feed required to have a cow pregnant and ready to calve each year, the opportunity is in how much milk she is then able to produce on your farm.

Your farm's production/kgLWT



62% of your feed goes to milk, the other 38% is maintenance, pregnancy and walking.

How does your farm compare?

	Cow efficiency kgMS/kgLWT	Feed converted to Milk %
Your Farm	113	62
Average Northland System 5 farms	82	52
Average Northland region	72	49
Top 20% Northland region	98	57

Your farm's average herd liveweight for all calculations is currently based on your average breed mix at 495kg.

What impacts your feed efficiency?

Feeding efficiency opportunities

- Homegrown feed eaten/ha - see pg 5
- **Optimising feed use and type**
- **Impact of stock numbers**

Animal efficiency opportunities

- Herd Improvement - see pg 7
- Reproduction - see pg 7
- Herd health - see pg 8

You are in the top 5% in converting feed to milk. Do you have an opportunity to further consider optimising feed and the impact of stock numbers which could be worth

+1% proportion of feed converted to milk results in **↑9** kgMS/cow

How can you improve this number?

Many factors play a role in achieving better results. Explore our Efficiency Hub via the QR code for practical tips and guidance, or schedule an efficiency visit today to uncover opportunities tailored to your farm.




Animal efficiency




Enhancing herd genetics is a powerful way to make cumulative gains in production and functional traits. Prioritising replacements from high-performing cows helps accelerate genetic progress and improve overall herd efficiency.

Herd breeding worth (BW) spread




The graph above shows a typical spread of BW within a herd, and to the right the average gain in replacement BW that could happen if farmers preferentially selected replacement animals out of the top 75% of cows.



+22 replacement BW (national average)

Regional 6-week in-calf rate



Cows that cycle earlier will have more opportunities to conceive and more days in milk the following season.

But the biggest benefit of improved reproductive performance is the ability to make better culling decisions. Reproductive performance is also the key that allows you to selectively breed from your best performing cows to build a more efficient herd.

■ Your farm ■ Fonterra farms in the Northland region

! Your farm is outside this range, had no data or had data issues

Breeding company integration and aged pregnancy test data is needed to calculate this insight. The average benefit for improving repro performance is...

3 more days in milk which could result in ↑ 8 kgMS/cow

Reproductive opportunities


Discuss with your breeding company the steps you can take to get the best calves out of the best cows. Reproduction performance is impacted by more than just the mating period, discuss with your vet what you can be doing now to improve results.

[Find out more here](#)



Animal health challenges affect productivity through reduced production, and add costs through the time and resources required for diagnosis and treatment.


Your not in-calf rate and mating length




Mastitis & lameness

These health challenges are painful for affected cows and can cause a reduction in production and performance.

Your farm's mastitis cases as % of peak cows 2024/25



Your farm's lameness cases as % of peak cows 2024/25



Reducing clinical disease could mean

84 fewer cases to treat and 5 kgMS/cow more production

Dedicate staff time or utilise technology to help detect lameness and mastitis sooner.

Detecting and treating health challenges earlier reduces long-term impacts. Take advantage of animal health planning time to develop the best approach for your farm.

[Find out more here](#)




Emissions Efficiency

Even the smallest on-farm efficiency gains can boost profitability, productivity and they're also good for improving emissions efficiency. Your farm's opportunity is unique and how you get there depends on the goals of your business.

Your on-farm activity emissions

Northland region

This data shows the emissions that are created from your farming activities.



	Your Farm	Region average	Region top performers (10 th percentile)
Emissions (kgCO ₂ e/t FPCM)	845	943	805
Methane (biological)			
Dairy herd	424	484	462
Replacements	74	97	86
Effluent	42	47	44
Nitrous Oxide (biological)			
Livestock	68	94	89
Fertiliser	24	22	14
Manure and soil	4	8	6
Carbon Dioxide (non-biological)			
Imported feed	150	113	46
Fertiliser	35	46	29
Other	24	32	28

Where can I find more information?

Methane

Animals, page 5-8 of this report
Emissions booklet, pages 33 & 34


Nitrous Oxide

Nutrients, pages 5 & 10 of this report
Emissions booklet, pages 35 & 36

Carbon Dioxide

Nutrients, pages 5 & 10 of this report
Feed, pages 5 & 6 of this report
Emissions booklet, pages 37 & 38

We are now reporting your emissions as kgCO₂ e / t FPCM (kilograms of carbon dioxide equivalent per tonne of Fat and Protein Corrected Milk).
This unit aligns to Fonterra reporting – Find out more on FPCM here.



There are also other things that influence your farm's footprint - things like peat soil, land-use change and carbon removals. These aren't captured in the data above.

Click the QR code, and view the carbon removals tool, to confirm the vegetation on your farm.



Water quality

Fonterra farmers have worked hard to understand risks to Water Quality. We've fenced off waterways, carried out riparian planting, upgraded effluent systems and developed Farm Environment Plans. We need to keep monitoring and managing these risks.

 Stock Management	VERY HIGH	 Cropping & Cultivation	MEDIUM
 Nitrogen Fertiliser	VERY HIGH	 Effluent Management	VERY LOW
 Imported Feed	VERY HIGH	 Irrigation	VERY LOW

Purchased Nitrogen Surplus

NITROGEN FERTILISER	IMPORTED FEED	EXPORTED PRODUCT	PURCHASED NITROGEN SURPLUS
157	+ 217	- 114	= 260
kgN/ha	kgN/ha	kgN/ha	kgN/ha

What's the next step?

Your farm's full Nitrogen Risk Scorecard and Purchased Nitrogen Surplus benchmarking and trends can be found using the QR code here:



Biosecurity

New Zealand is free of many pests and diseases that exist in other parts of the world, which is why we can farm so efficiently. But there are still diseases you don't want on your farm, because they make animals sick and cost time, money and production to keep under control. The management practices to protect against Bovine Viral Diarrhoea (BVD) are a good base that will protect your herd against other harmful diseases.

BVD management opportunity

Bulk milk testing is a cheap and effective way to monitor the risk of BVD in your herd. Talk to your vet about test options for your herd.

Stock going off farm over mating are at risk of bringing disease back to your herd, especially if they're mixing with other animals while off grazing.

BVD monitoring

HIGH

Young stock grazing

HIGH

What's the next step?

Talk to your vet about reducing the BVD risks on your farm.


Ensure biosecurity management is included in grazing contracts.




Milking efficiency

Saving time in the shed means you can focus on other important farm jobs. We've used your milk vat monitoring data and DairyNZ research to estimate how much faster milking could be.

Average cows milked per hour



Litres per cluster per hour



We estimate you could save

0 - 2 hours per week

This is based on your farm reaching 80-100% of its potential milking efficiency using the maximum milking time (MaxT) strategy.

What's the next step?

Fonterra offers Milk Quality Service visits to help reduce bulk somatic cell counts.


Scan the QR code to learn more or book a visit now.




Somatic cell count

Somatic cell counts (SCC) over 100,000 cells/ml indicate sub-clinical infection in the herd. This diverts energy from milk production to fighting infection.

Monthly average somatic cell counts



Annual average somatic cell count



Your farm's somatic cell count averaged under 100,000

Awesome job managing SCC during the season – keep up the good work.

726th

Your farm's key information

Metric	Units	22/23	23/24	24/25
Dairy farm effective area	Ha	175	175	175
Maximum cow numbers	Cows (maximum numbers)	502	502	506
Stocking rate (dairy cows)	Cows/ha (maximum numbers)	2.9	2.9	2.9
Cows at peak milk	Cows	502	502	506
Production	kgMS	278,191	274,962	283,906
Production	t FPCM	3,670	3,606	3,737
Production per ha	kgMS/ha	1,590	1,571	1,622
Production per cow	kgMS/cow (peak milking)	554	548	561
Production per cow	kgMS/cow (maximum numbers)	554	548	561
Production per kg liveweight	%	112	111	113
Average somatic cell count	Cells/ml	80,960	88,726	94,940
Mastitis	Cases	128	181	121
Lameness	Cases	37	51	46
6-week in-calf rate	%	-	-	-
Not in-calf rate	%	-	-	-
Mating length	Days	-	-	-
Pasture & crop eaten (homegrown feed)	tDM/ha	12.2	11.4	11.5
Imported feed fed	tDM	1,193	1,356	1,417
Imported supplement per cow	tDM/cow (Maximum numbers)	2.4	2.7	2.8
Nitrogen fertiliser applied per ha	kgN/ha	146	161	157
Nitrogen fertiliser conversion efficiency	kgDM/kgN	83	71	73
Purchased Nitrogen Surplus	kgN/ha	205	255	260
Feed converted to milk	%	62	61	62
Greenhouse Gas Emissions per tFPCM	kgCO ₂ e/tFPCM	812	844	845
Biological emissions - Methane	kgCH ₄ /ha	391	421	433
Biological emissions - Nitrous Oxide	kgN ₂ O/ha	7	8	8

The information and insights provided to you in this report are sourced from information that you have provided through your Farm Dairy Records, together with milk quality and production data that we hold for you and other third party industry research and data. This data is indicative only and there will be ongoing on-farm verification and data checks throughout the season. While the information and insights provided may identify risks and opportunities, such information is general information only and is not in the nature of advice. We make no representations or warranties (whether express or implied) as to whether information or data provided in this report is accurate, reliable or complete. You are solely responsible for your own assessment and evaluation of the information and for the actions or decisions you take in reliance on the information or data generated. Accordingly, Fonterra shall not be liable for any loss arising from any actions or decisions taken by you in reliance on the information contained in this report.

Spot an issue with your data?

We've used your Farm Dairy Records and other data we hold for you.

Please check your farm's information for accuracy.

You can adjust the data we have by resubmitting your Farm Dairy Records

at nzfarmsource.co.nz/farmdairyrecords

