


BIGDROPS Repository: AI Agent Operational Playbook

Hard Architecture Rules, GitNexus Workflows,
and Strict Operational Boundaries

TARGET: B2B Business Management Suite for Nigerian SMEs

STATUS: Active Authorization Required

PROTOCOL: Strict Enforcement



NO Tailwind v4 syntax.
NO framer-motion in
production.

Bun ONLY. npm, yarn,
and pnpm are
strictly forbidden.

Linting Exclusion Rules:

android/ and dist/
must be excluded
via .eslintignore

Module Status Radar

BUILT



Invoices (pages, modules, domain, components, migration)

Quotations

CSR

Projects

Clients

Waybills (pages, components, domain, PDF, migration)

BOQ

RFQ

Waybill blank token audit log

IN PROGRESS



Payments (partial: RecordPaymentModal exists, flow in spec)


Devices (migration only)

Notifications (migration, hooks, components)

Compliance (pages, components, domain)

Item catalog (migration, modules)

PENDING




Expense tracking

Profit/loss reporting

Attendance tracking

File uploads

THE ENGINE



src/lib/Calculations.ts

Single Source of Truth:
`calcTotals()`, `resolveRowVat()`.
Changing these alters every
financial document. Never modify
without explicit instruction.

THE RENDERER



Dumb PDF Viewers


PDFs receive shaped data
via preview functions.
They NEVER compute prices,
taxes, or totals.

Data Pipeline (One-Way)


STRICTLY FORBIDDEN

Domain Re-use Law: Quotations must reuse the exact invoice domain layer.
Never duplicate financial logic between modules.

The JSONB Gauntlet



The Waybill Mutex



Formula Deconstruction Diagram

{resolvedPrefix}-{routingToken?}-{6-digit serial}

Number prefixes are resolved at runtime via `resolvePrefix()` from `docs/STANDARD/prefix-engine-settings-standard.md`.
Default fallbacks: WBL, INV, QTN.

Optional routing identifier based on module context.

Strict sequential numbering logic.



THE HARD RULE: NEVER hardcode a prefix string in generation logic. This breaks business numbering globally.

THE NO-TOUCH ZONES

``src/domain/prefixConstants.ts``

DEFAULT_PREFIXES, resolvePrefix().
Breaks all document numbering if altered.

``generateWaybillSequenceNumber()``


Breaks existing chronological sequences
for logistics.

Invoice to Waybill Spawn Transform


Must mathematically strip ALL monetary
values (unit_price, rate, vat,
discount, subtotal, grand_total)
upon generation.

Blank Token Locks

Once a blank_waybill_logs token
number is consumed, it is permanently
locked and cannot be recycled.



THE KARPATY DISCIPLINE LOOP




```
bun install  
bun run dev  
bun run build  
bun run typecheck  
bun run lint
```

```
-----  
  
// Pre-Flight Check  
MUST run bun run audit:load before typecheck or build.
```

```
  
// Test Protocol  
bun run test (executes node --test 'src/tests/critical/*.test.js')
```

CRITICAL PATH WARNING

PowerShell Resolution:

C:\Users\DELL\.bun\bin MUST
appear before Kiro's stub at
AppData\Local\Kiro-Cli\bun for
Bun to resolve correctly.

SKILL ACQUISITION PROTOCOL

PRIMARY SOURCE: docs/PROJECTSKILLINDEX.md

Contains 25 skills, 232 subagents. Read before any new domain task. Do not rely on memory.

APPROVED LOADING DIRECTORIES

`.agents/skills/`
`.claude/skills/`
`.mimocode/skills/`
`.opencode/agents/`

TOOL FAILS?

FALLBACK PROTOCOL

Directly read the SKILL.md at the index path. Do not stop.

FUZZY MATCHING LOGIC

If a requested skill name mismatches (typo, shorthand), map to the closest keyword overlap. Never just fail out.

`"superpower" -> "using-superpowers"`

Naming Strictness

Components

PascalCase (e.g.,
WaybillForm.tsx)

Files

kebab-case
(e.g., waybillUtils.ts)

DB Fields

snake_case
(e.g., po_number)

Documentation Topology

- Completed task reports **MUST** go in docs/Task/reports/{domain}/. **NEVER in root.**
- Reusable platform standards **MUST** go in docs/STANDARD/ (extend existing, do not duplicate).
- Doc-only tasks **MUST NEVER modify production code** (restricted to AGENTS.md and docs/STANDARD/*).
- New modules **MUST** follow json-import-standard.md and document-column-standard.md.

TARGET: bigdrops-app

18,701

Symbols Indexed

41,567

Relationships Mapped

300

Execution Flows

- Initialization Sequence: Use GitNexus MCP tools to understand code and assess impact.
- Stale Index Recovery: Run `node .gitnexus/run.cjs analyze`. (If missing/crash: `npm i -g gitnexus` then `gitnexus analyze`).


`gitnexus://repo/bigdrops-app/context`
Codebase overview

`/clusters`
Functional areas

`/processes`
All execution flows

`/process/{name}`
Step-by-step execution trace

GitNexus Impact Shield



THE COMMAND:

```
impact({target: 'symbolName',  
direction: 'upstream'})
```

THE MANDATE:

MUST run before modifying **ANY** function, class, or method.

THE OUTPUT CHECK:

Must report direct callers, affected processes, and risk level.

THE TRIGGER:

If risk is **HIGH** or **CRITICAL**, you **MUST** stop and warn the human user before proceeding. **NEVER** ignore these warnings.

GitNexus Rules of Engagement

ALWAYS DO

- ✓ Use `query({search_query: 'concept'})` to find execution flows instead of grepping.
- ✓ Use `context({name: 'symbolName'})` for full call-graph awareness.
- ✓ Run `detect_changes({scope: 'compare', base_ref: 'main'})` **BEFORE** committing to verify scope containment.

NEVER DO

- ✗ **NEVER** edit without running upstream impact analysis.
- ✗ **NEVER** rename symbols with find-and-replace (**MUST** use GitNexus rename to preserve call graphs).
- ✗ **NEVER** commit without verifying affected scope via `detect_changes()`.

The Safe Execution Protocol

END-TO-END VERIFIED LOOP

