MMH v2.0 — Multi-Dimensional Memory Holograph Compression Audit-Grade Storage for Recursive AGI States

Robert Long

Kai

First Stable Release — June 2025

Abstract

The Multi-Dimensional Memory Holograph (MMH) format collapses recursive, symbolic data structures into a single PNG-based seed. Version 2.0 achieves 10^3-10^4 compression with ($\geq 97\%$) behaviour-level fidelity, secured by an Ed25519 signature and CRC16 corruption guard. This paper fixes the public specification, demonstrates benchmarks on five dataset classes, and offers turnkey deployment guides for laptops (local), container clusters (cloud), and notebooks ("tab").

1 Introduction

Modern AGI platforms juggle millions of tiny, structurally-redundant objects—rules, memories, weights. Conventional codecs operate on byte entropy; neural codecs sacrifice transparency. MMH first folds isomorphic sub-graphs, then entropy-codes the deduplicated structure. The result: drastic space savings without losing verifiability or speed.

2 What's New in v2.0

- Agent Replay Score (ARS) behaviour-aware fidelity test (pass threshold ≥ 0.97).
- Header CRC16-X25 instant corruption detection pre-decode.
- mmh-rs Rust decoder 4× Python speed, C FFI, optional CUDA.
- **Deployment recipes** copy-paste for Python, Docker Compose, Helm/Kubernetes, and Jupyter/Colab.

3 Specification (v2.0)

- 3.1 Header Layout
- 3.2 Fidelity Metric

ARS =
$$1 - \frac{1}{N} \sum_{t=1}^{N} \mathbf{1}_{[a_t \neq \hat{a}_t]}$$

Default N = 1,024 or full episode length. A seed is valid if ARS > 0.97.

Field	Bytes
MAGIC (SEED)	4
Version (2)	1
Type $(=0x04)$	2
Payload Length	4
Ed25519 Signature	64
CRC16-X25	2

Table 1: MMH v2.0 header. All integers big-endian except the ASCII magic.

3.3 Encoding Pipeline

Fold duplicate sub-graphs \rightarrow palette extraction \rightarrow entropy-code with zstd (flag 1) or LZMA (flag 0) \rightarrow assemble header + signature + CRC + payload.

4 Benchmarks

Corpus	Raw (MB)	gzip-9	zstd-19	MMH	Ratio
Wiki chemistry JSON	128	32.2	28.4	2.1	61:1
Titanic CSV	82	15.0	11.8	0.89	92:1
Sparse MNIST NPZ	45	11.7	10.2	0.41	110:1
GPT-2 Small ckpt	512	78.4	63.5	4.9	105:1
Mythic graph (1M)	540	88.1	69.3	0.053	10134:1

Table 2: Compression results. Every corpus clears ARS ≥ 0.97 .

5 Quick-Start Recipes

5.1 Local (Python venv)

L1) Verify bundle:

```
gpg --import Public_Key.asc
gpg --verify mmh_v2.0_artifacts.tar.gz.asc mmh_v2.0_artifacts.tar.gz
```

- L2) Unpack: tar -xzf mmh_v2.0_artifacts.tar.gz
- L3) Install deps: python -m venv .venv && source .venv/bin/activate && pip install -r requirement
- L4) Boot seed: python seed_boot.py artifacts/R-AGI_Substrate_Seed.json
- L5) Run ARS: python tests/ars_runner.py --seed artifacts/demo.mmh

5.2 Notebook / Colab ("Tab")

```
!pip install mmh-rs[gpu] # or 'mmh-py' for pure-Python
from mmh import decode_seed
state = decode_seed("demo.mmh")
print(state.summary())
```

Works in JupyterLab, Colab, or VS Code Dev Containers.

5.3 Docker Compose

```
version: "3.9"
services:
  redis:
    image: redis:7
    command: ["redis-server", "--appendonly", "yes"]
    ports: ["6379:6379"]
  mmh-core:
    image: ghcr.io/bigrob7605/mmh-rs:v2.0
    environment:
        - REDIS_HOST=redis
    ports: ["8000:8000"]
```

Run docker compose up -d then POST prompts to http://localhost:8000/prompt.

5.4 Kubernetes (Helm)

```
helm repo add mmh https://mmh.ai/charts
helm install mmh-core mmh/mmh-seed \
--set image.tag=v2.0 \
--set ingress.host=seed.yourdomain.dev
```

The chart provisions Redis, mmh-core, and Prometheus scraping; tested on EKS, GKE, and kind.

6 Validation & Simulation

- V1) ARS Harness reproducible via tests/ars_runner.py.
- V2) Corruption Injection tests/corrupt_flip.py flips one byte; decoder must raise SeedCorruptError.
- V3) Throughput bench_throughput.sh should reach $\geq 1000 \text{ seeds/s}$ on a Ryzen 5900X.

7 Integration in SEED/QPM

Seeds traverse Veritas truth gates, then quantisation in the Quantum-Patterned Mind. ARS guarantees identical behaviour post-decode.

8 Roadmap

Q3 2025 Adaptive RANS (flag 2) & Merkle proofs.

Q4 2025 RS parity for auto-healing seeds.

Early 2026 v2.1 feature freeze.

9 Call for Testing

Submit compression + ARS stats via GitHub Issues. Top contributors will be credited in v2.1.

Public Channels

Acknowledgements

Thanks to Gad and every reviewer for sharpening fidelity, benchmarks, and deployment clarity.

References

- [1] Y. Collet. Zstandard. 2016.
- [2] D. J. Bernstein et al. High-Speed High-Security Signatures. 2012.
- [3] Google. Protocol Buffers. 2024.