	nesse/Tisket ID	Title	Casoriation	Power	Basicsmank	Expented Outcome	Chestria	Labella	disk3
	45.0074.001	Create Responsion Form.	Create a year friendly regulation form	France new years fill in their details to eign up for the application.	Face type faces for			Promised	
400		1	I		Follows	remeasy false.	in the freehand registration from UI resulted? . Are the required faith, indicated?	1	
		1	I	1	Seek age from toe	1		1	
		1	I	1		1	I	1	
inheritation	BEAUTH 664	Grade the Login Form	t	Tradition returning users (III in their details to larger legic formage Coult into the application	may finish for	Committee and the State	is the logic form University?  If the templated fields statemen in the user?	Provised	_
(ACH)			I		Sear di filia le	remeay link, or Fift a new	In the expension below students in the user?	4	
			1		- Control San	make that have been been been been been been been be	in the relevant sole relatation implemented? Are new users entirested in the registration	al .	
		1	I	1	- Paralismi	lan .	land.	1	
-				-		-			
after English	AT AUT Y AND	AND THE PARTY OF T	Salata in miles in our house in the Sala	Company for operioral however and solid	Constantination has be annual relation	The user treat data discounts	a byte one's and brown series from the	- Indiana	
WEN PRO					Validati promomentarial investi (sp., mod altimos nod in e radii limos).  Former passerali menta morphical specimento (sp., distribution (speciment), Implament confirmation specimento (sp. distribution in amenur passeranis models.  Jengiament confirmation passeranis (sele validation in amenur passeranis models.  Jengiament confirmation passeranis (sele validation in amenur passeranis models.  Jengiamento confirmation passeranis (sele validation in amenur passeranis models.	pure and by sent to the backers, or the user still motion an error message if	The contraction an error message?  Con the Passacotts sent by the user match share?  Does the user's Passacott meet the		
. 1					A minute plassación minute similaritally desponitations, p. g., montant integer, industrial regions, - implamment samifirmation passacioni facili calidation internance passacioni materia.	restrict an arran resease of	etal series?	1	
			1		. Display that are remarger for insulating in.	area resolui			
		1	I			1	and the same of th	1	
- description	MEAUTH 662	Implement People alon Form	Connect the registration form in the handword (Matahasa)	Compare the user's response are should in the delabate	Community datases bet by	The state and and the state of		Besteri	
(CP)					Contemporary destinate black for	should be sent to the backered	in the same make calculation senting?  Jose the user presentate sensorly showe?		
- 1			1		- Employee	pa harmond may speak	in the user's parameter the devalues		
- 1		1	I		- Contro Paramet	1	F	1	
_	$\overline{}$	-							
streetsein 1	NEAUTH AND	inplement Legin Form	Job the logic form to the harbord for server sale validation	In moure the user unusually accesses, backer profile for authorized pages	Composing delates Sein, to	The year should be redirected	to the same with california trappened?	Sectional	
UDH)		1	Notify users of leginusteepits.	Enhance security with legin notifications.	Ownerse (had blaken)  (Pensone)  (And) manual address in olive all olive adultions  (And) manual address in olive all olive adultions  (See ontification to be place all olive).	in the subsequent page if successful, or making an error message if unsuccessful bows are informed of logic.	Line the user's residentials barrantited securely in the flashess? Notification satisp. Email SSE integration	1	
- 1		1	I	1	(Art) small attitum is unique in the deletions	meage functionals	National Association Completel Internation	1	
		1	I		Sand notifications for legit altempts.	Share, are informed of legin.	1	1	
UD1	ME AUTH DET	replaced Passacoti Senati	front legaler consents by senting a parametrised int in two regions areal address.	Nine was to read that hopoten passworts	Bullet, Link for Torqui Passanori	- Dan should immediately	No. the feet has the use actually exhibited to the health of the health of the second hashed?	Santonia Frantisca	
		1			Administration for Programment Administration of the Administratio	matica a passared made into	Name that manife consisted parameters is based on the	4	
	BE AUTH GOS	Instance Ton Factor Authorization (25)	Femiles a secondary verification size become the separated, such as	<del>                                     </del>	- Encyptone persons	Complete and the	Nin a substitution selected?	Berland	
uherdisation (A	ALMOST SEE	reparent ran ranto lubertiration (201)	Require a secondary verification step terponolitie password, such as outerwest da ESES or generalisti by an authoritisation ago.	a come at come also a come al	TOTAL CONTROL	Committee and the action for a 2007 sturing larger	Fig. separate many selected?	The same of the sa	
		Optional				1	Pie session management beam regionarried? Pies SME delivery and most pi beam	1	
		1		1	I .				
UDO	NE AUTH AND	Section represent	Perior and improve how sensions are managed, including explosion solicies, token handlins, and propion injustions amounting.	securely authorizate users, mariain their stateful interactions, and protest against unauthorized access	description of numeri suspine management destribution of numeri suspine in an automatelities	The user should have an action seems.	Nin a senior-surrenduly mistished	Santonal	
		1	and a second second second	1	America consideration.		and matricines?  Did the over-matrix some sort of benthasis	4	
- 1		1	I		Amorty consideration.  In part of year experience.  Landon and platform.	1	Net Nather session is astur?	1	
		1			description of the second seco				
S/Dr)	NEAUTHAN	replaned reCOPTON certification in Residuation Form	Add or CAPSCPA, verification to the registration form to prevent external to tips upo.	In minarca security by presenting automated tests from creating lake accounts through the registration form.	discussionis speties  Principales (CAPTAN seelisation into the registration form  Values (CAPTAN seelisation into the registration form)	The registration form should be producted against submitted sign-ups using seCAPTOHA.	In the reCOPTO G. certification into	Santered	Period
						submitted sign ups using	espiration form integrated?  In the reGIPTONS certification response or form automation religions?	1	
- 1		1	I	1	I .		Printing printing and response	1	
SUPPL	MEAUTH DO	ephone of other transmission in Lagis	Additional PTCNA configuration to the logic form to precent automated to the additional or	Commission security by preventing automated tests from adempting to log in insuer accounts.	- Integrate in CAPTONS verification into the legis form Validate in CAPTONS responses territor alterating from automotion.	The registration form should be producted against externaled logic using	Familing potential error messages In the reCOPTCHS certification into legis form integrated? In the reCOPTCHS response on form	Santonal	Federal
No. Py		_	ole senie		- Values III. A TUTA Approve series according to the Samuelana.	automated logic using	In the reCOPTON Assessment on horse	1	
		<b>4</b>	lent er ermet erhelter i til in tre ver's met varn middeler.	L	L				
USDN	AANTAN	repartment community for further the Empli	construction and the contract of the contract	The reason that cannot config that are all additionance and activate that accounts accounty	Conside a unique advalue fels for each new user.  Send the application fels to the user's enter.	artisation ampliant by able to	In a unique activation bits generated?  In the activation bits sent us armain?  In the API analysis that Sentine the	Table 1	
- 1		1	I	1	Create an API embjoint in handle actuation into verification and actuate the account.	policely her assourt via the	In the API analysis that benden the	1	
		1					entration intranslationing the annual country.		
isheritation (I	MEAUTH 414	Create Sentent IP/Endpoint for Parameter	Develop the hardward API endpoint to handle password recovery	Entercrify process passacred recovery requests and send passacred exact emplis in users.	Consist an API endpoint in accept password recovery date.  Validate incoming data for areal forms.	The hartered should senurely	Eastern AN Endpoint for Passacral Security couldn't	Seriend	
W P7					Validate incoming data for email formal.  Seroi a parasseri monony amail with a reset into.	handa pasawari recovery requests and send recovery		1	
	NEAUTHAN	Implement Google Login Bullion	sidd y Conside look hudlen for social pulhantinglion.	Deprecial cases with the option to log in using their Energie accesses, effering a convenient and sensor		- Irosh	+	+	
Sulfare Contraction (Inc. Contraction Cont	**********	selection confine relative proper	ner a comprenge numer or secul authoritation.	To provide users with the option to log in using their Google accounts, offering a convenient and senses submittinglise method.	Gradjo, and implement a Gradje logic halion on the logic horn. Integrate Gradje Gluids for authorization.	users wouse be able to log in using their Google accounts.	Comple Citals for authoritisation     Implemented     Authoritisation over magic link requels     according	-	
- 1		1	I	1	I .	1	Industrial or napities repair	1	
		1	I			1		1	
to divide	NEAUTH AND	Control Resident of Control and Control	Service the hardwork AFT embodel to certly magin legis links and leg	In security authoritate state using a majoritis and by then into the application.	Control Management Control Con	The hardward day of annuals	regionaries	Total Control	
UTH T		Create Sentent AP Endpoint to Melly Magic Link	ment in		Couple on API analysish to varily the magic link. Validate the magic link and authoritishs has usen.	serily magin links and leg users	UV andpoint for magic link sanifoldion in . Magic link satisfaled		
-	NEAUTY AND	die Smaler Timend	+	+	Lagite com in upon successful conficulian.				
PD4							Authoritisate user and log from in		
	NEAUTY 654				L	ines are ingged out after	Authoritade user and leg them in Implement season handing with unique season Co., Emore seasons are shoul		
		AN ADDRESS TOWN	Automatically log and some after inserticity	Cohares securily with session inventor.	Configure service (mone) settings.	iners are ingged out after mentally	Indicate and an agreem in Implement session handing with unique session Dr. Emure sessions are shored personly	Sections	
		Shift Shifter Lagle Eugent	Administry by not own after inactivity.	Enhance security with session timesule.  Enhance user convenience with multi-denice support.	Configure analisi (intensi artings. Simplement multi dinina serasian management.	iners are ingoed and after markety iners can log in from multiple denices.	Judienticale user and log flore in implement services handleg with unique session Ds, Creura services are shreet sensety Session management, Contra hashing	Resistent Stational	
duration 8	NE AUTH ASS	Server Parameral Strange	Glora valencia inglia hara mulipia devives.	Enhance over conceivers with multi-device support.	replaneré multi decine session management.	inativity lines ser inginiten muliple linites	Continues as seen per ag early of implement servation handling self- unique presion Dr. Emure servations are whend servanity  Security Device basising	Reviews Reviews	
duration 8	NE AUTH ASS	Server Parameral Strange	ilikar usera in ing in ham mulipin desiana. Inglisment userus sensenti abasar inti bisarra.	Enhance convenience with multi-device support.  Enhance convenience with multi-device support.	replanent mell desta session management  Sortique accuse accuseré désage métents é a Maphina, suitros	Parenty or by a ton multiple decises.	Antoniana and an option of regional service handles with unique wealer Co. Ensure sealers are shoot service?  Section resuggement, Contine backing Strange action. Security configuration	Reviews Reviews Reviews	
Marindan MD1	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Glora valencia inglia hara mulipia devives.	Enhance over conceivers with multi-device support.	replaneré multi decine session management.	Parenty or by a ton multiple decises.	Antoniana and an option of regional service handles with unique wealer Co. Ensure sealers are shoot service?  Section resuggement, Contine backing Strange action. Security configuration	Sections Sections Sections Sections	
destrator USA destrator	NE AUTH ASS	Server Parameral Strange	ilikar usera in ing in ham mulipin desiana. Inglisment userus sensenti abasar inti bisarra.	Enhance user convenience with multi-decise tupped.  Coheren antucky with secure sineage.  Coheren antucky by securing old links.	enformer and desire season energyments.  Confinence season energyments (season energyments).  Confinence season energyments (season energyments).  Confinence desire energyments (season energyments).	Parenty or by a ton multiple decises.	Antoniana and an option of regional service handles with unique wealer Co. Ensure sealers are shoot service?  Section resuggement, Contine backing Strange action. Security configuration	Bankeral Bankeral Bankeral Bankeral	
destrator USA destrator	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars is ing in hom multiple devices.  Indicated to any assumed should be believed.  Det regiselers for account money belos.	Enhance convenience with multi-device support.  Enhance convenience with multi-device support.	replanent mell desta session management  Sortique accuse accuseré désage métents é a Maphina, suitros	Control of the subjection	Antoniana and an option of regional service handles with unique wealer Co. Ensure sealers are shoot service?  Section resuggement, Contine backing Strange action. Security configuration	Basinesi Basinesi Basinesi Basinesi	
destrator USA destrator	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars is ing in hom multiple devices.  Indicated to any assumed should be believed.  Det regiselers for account money belos.	Orbanes are non-relieve with mod design support.  To be a support of the control	webser for disks sensis seegand under some sensor desse mellet in select select under som sensor desse mellet in select under set sensis select under set sensis select under set sensis select under se	Parenty or by a ton multiple decises.	Antoniana and an option of regional service handles with unique wealer Co. Ensure sealers are shoot service?  Section resuggement, Contine backing Strange action. Security configuration	Barbard Sentend Sentend Sentend	
Marindan MD1	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars is ing in hom multiple devices.  Indicated to any assumed should be believed.  Det regiselers for account money belos.	Enhance user convenience with multi-decise tupped.  Coheren antucky with secure sineage.  Coheren antucky by securing old links.	webser for disks sensis seegand under some sensor desse mellet in select select under som sensor desse mellet in select under set sensis select under set sensis select under set sensis select under se	Parenty or by a ton multiple decises.	Antoniana and an option of regional service handles with unique wealer Co. Ensure sealers are shoot service?  Section resuggement, Contine backing Strange action. Security configuration	Resistant Sentent Sentent Sentent Sentent	
destrator USA destrator	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars in ing in hom muliple devices malement server assumed should believingen. Det reginaler for annuari monery briss.	Orbanes are non-relieve with mod design support.  To be a support of the control	Aments and district access granules for a control of the control o	Parenty or by a ton multiple decises.	Antoniana and an option of regional service handles with unique wealer Co. Ensure sealers are shoot service?  Section resuggement, Contine backing Strange action. Security configuration	Resisted Sectional Sectional Sectional	
Marindan MD1	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars in ing in hom muliple devices malement server assumed should believingen. Det reginaler for annuari monery briss.	Orbanes are non-relieve with mod design support.  To be a support of the control	webser for disks sensis seegand under some sensor desse mellet in select select under som sensor desse mellet in select under set sensis select under set sensis select under set sensis select under se	Parenty or by a ton multiple decises.	Antoniana and an option of regional service handles with unique wealer Co. Ensure sealers are shoot service?  Section resuggement, Contine backing Strange action. Security configuration	Related Related Related Related Related Related	
Marindan MD1	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars in ing in hom muliple devices malement server assumed should believingen. Det reginaler for annuari monery briss.	Orbanes are non-relieve with mod design support.  To be a support of the control	weeners du de sommer segrende  Année mat en segrende sommer de som	Parenty or by a ton multiple decises.	Antoniana and an option of regional service handles with unique wealer Co. Ensure sealers are shoot service?  Section resuggement, Contine backing Strange action. Security configuration	Radiand Radiand Radiand Radiand Radiand	
Marindan MD1	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars in ing in hom muliple devices malement server assumed should believingen. Det reginaler for annuari monery briss.	Orbanes are non-relieve with mod design support.  To be a support of the control	Aments and district access granules for a control of the control o	Parenty or by a ton multiple decises.	Antoniana and an option of regional service handles with unique wealer Co. Ensure sealers are shoot service?  Section resuggement, Contine backing Strange action. Security configuration	Redenied Redenied Redenied Redenied Redenied Redenied Redenied Redenied Redenied	
destrator USA destrator	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars in ing in hom muliple devices malement server assumed should believingen. Det reginaler for annuari monery briss.	Orbanes are non-relieve with mod design support.  To be a support of the control	weeners du de sommer segrende  Année mat en segrende sommer de som	Parenty or by a ton multiple decises.	Antoniana and an option of regional service handles with unique wealer Co. Ensure sealers are shoot service?  Section resuggement, Contine backing Strange action. Security configuration	Radiand Radiand Sedand Related Radiand Related Related	
destrator USA destrator	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars in ing in hom muliple devices malement server assumed should believingen. Det reginaler for annuari monery briss.	Orbanes are non-relieve with mod design support.  To be a support of the control	weeners du de sommer segrende  Année mat en segrende sommer de som	Parenty or by a ton multiple decises.	Antoniana and an option of regional service handles with unique wealer Co. Ensure sealers are shoot service?  Section resuggement, Contine backing Strange action. Security configuration	Revised Revised Revised Revised Revised Revised Revised	
Marindan MD1	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars in ing in hom muliple devices malement server assumed should believingen. Det reginaler for annuari monery briss.	Orbanes are non-relieve with mod design support.  To be a support of the control	weeners du de sommer segrende  Année mat en segrende sommer de som	Parenty or by a ton multiple decises.	Antoniana and an option of regional service handles with unique wealer Co. Ensure sealers are shoot service?  Section resuggement, Contine backing Strange action. Security configuration	Revised Sectional Revised Revised Revised Revised Revised Revised Revised	
destrator USA destrator	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars in ing in hom muliple devices malement server assumed should believingen. Det reginaler for annuari monery briss.	Orbanes are non-relieve with mod design support.  To be a support of the control	American Company (Company Company Comp	Parenty or by a ton multiple decises.	Commence of the commence of th	Reviewed Reviewed Selected	
destrator USA destrator	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars in ing in hom muliple devices malement server assumed should believingen. Det reginaler for annuari monery briss.	Orbanes are non-relieve with mod design support.  To be a support of the control	weeners du de sommer segrende  Année mat en segrende sommer de som	Parenty or by a ton multiple decises.	Commence of the commence of th	Andread  Parkerd  Jackerd  Jac	
ACH ACH	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars in ing in hom muliple devices malement server assumed should believingen. Det reginaler for annuari monery briss.	Orbanes are non-relieve with mod design support.  To be a support of the control	American Company (Company Company Comp	Parenty or by a ton multiple decises.	Antoniana and an option of regional service handles with unique wealer Co. Ensure sealers are shoot service?  Section resuggement, Contine backing Strange action. Security configuration	Andread  Springer	
ACH ACH	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars is ing in hom multiple devices.  Indicated to any assumed should be believed.  Det regisaler for account money below.	Orbanes are non-relieve with mod design support.  To be a support of the control	American Company (Company Company Comp	Parenty or by a ton multiple decises.	Commence of the commence of th	Section 1 Section 2 Section 3 Section 4 Section 4 Section 4 Section 4 Section 6 Section 6 Section 7 Sectio	
MON Mediator MON Mediator	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars is ing in hom multiple devices.  Indicated to any assumed should be believed.  Det regisaler for account money below.	Orbanes are non-relieve with mod design support.  To be a support of the control	American Company (Company Company Comp	Parenty or by a ton multiple decises.	Commence of the commence of th	Sections Section Sec	
Subsectivation (III) Subsectivation (III)	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars is ing in hom multiple devices.  Indicated to any assumed should be believed.  Det regisaler for account money below.	Orbanes are non-relieve with mod design support.  To be a support of the control	American Company (Company Company Comp	Seathing of the seathing of the control of the cont	Commence of the commence of th	Parliment  Statement	
Subsectivation (III) Subsectivation (III)	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars is ing in hom multiple devices.  Indicated to any assumed should be believed.  Det regisaler for account money below.	Orbanes are non-relieve with mod design support.  To be a support of the control	American Company (Company Company Comp	Parenty or by a ton multiple decises.	And the second s	Partiest Par	
ACH ACH	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars is ing in hom multiple devices.  Indicated to any assumed should be believed.  Det regisaler for account money below.	Orbanes are non-relieve with mod design support.  To be a support of the control	American Company (Company Company Comp	Seathing of the seathing of the control of the cont	Commence of the commence of th	Parimet  Andread  Parimet  Darkend  Andread  Andread  Andread  Andread	
ACH ACH	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars is ing in hom multiple devices.  Indicated to any assumed should be believed.  Det regisaler for account money below.	Orbanes are non-relieve with mod design support.  To be a support of the control	American Company (Company Company Comp	Seathing of the seathing of the control of the cont	And the second s	Tables  Address  Addr	
Marindan MD1	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars is ing in hom multiple devices.  Indicated to any assumed should be believed.  Det regisaler for account money below.	Orbanes are non-relieve with mod design support.  To be a support of the control	American Company (Company Company Comp	Seathing of the seathing of the control of the cont	And the second s	Parison di Antonio di	
destrator USA destrator	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars is ing in hom multiple devices.  Indicated to any assumed should be believed.  Det regisaler for account money below.	Orbanes are non-relieve with mod design support.  To be a support of the control	And the second s	Seasons of the control of the contro	And the second s	Parked Saland Sa	
Marindan MD1	ME AUTH ADS	Server Personni Sirrage Personny Link Espisation	Aller wars is ing in hom multiple devices.  Indicated to any assumed should be believed.  Det regisaler for account money below.	Orbanes are non-relieve with mod design support.  To be a support of the control	American Company (Company Company Comp	Seathing of the seathing of the control of the cont	And the second s	Animal An	

	I	T	I=	1-	I		I	
	Issue / Ticket ID		Description	Purpose	Requirements	Expected Outcome	Checklist / Acceptance Criteria	Labels
Authentication (AUTH)	FE-AUTH-001	Implement User Sign Up page	Implement the user registration	To enable users to easily sign up on the application	Implement the user registration flow with the following	The registration form includes fields for full name, email,	The form must include fields for full name, email. and password as well as a "Sign Up"	Frontend
(7.0111)		page	non-	фриссион	form Input fields:	password.	button, a "Log In" link for existing users, and	
					- Full Name	- Implementation adheres to	social signup buttons.	
					- Email Address - Password	the platform's branding guidelines.	The implementation of the form must adhere to the platform's branding guidelines.	
					- Submit button	- Upon successful input of valid	Upon successful input of valid data in all	
					-Implement specific errors for all fields.	data, a success message is	fields, a success message must be displayed to	
						displayed; otherwise, an error message appears.	the user. 4. An error message must appear if the user	
						- Users should receive clear.	inputs invalid data in any field and should the	
						actionable feedback for errors	password strength meter.	
							Implement specific errors for all fields.	
Authentication (AUTH)	FE-AUTH-002	Implement User Login Page	Implement the user login flow	To allow users to securely log in and manage their accounts.	Implement the user login flow to include Input fields for:	- Implementation should make users to be able to fill the	The login form must include email/username and password fields, a "Forgot Password?" link.	Frontend
(AOTT)		rage		tireir accounts.	- Username / Email Address	necessary fields, or if it's a new	a "Log In" button, and a "Sign Up" link.	
					- Password	user, that user will be	Appropriate messages must be displayed: a	
					- Google - Facebook	redirected to the registration form.	success message for valid data input and an error message for invalid data input.	
					- Magic Link	-Users should receive clear,	Social signup buttons must be present.	
					- Remember me	actionable feedback for errors	<ol> <li>Remember me check box must be present.</li> </ol>	
					-Implement specific errors for all fields.		Magic link button should be available.     Implement specific errors for all fields.	
Authentication	FE-AUTH-003	Implement Forgot	Implement the Forget Reseword	To allow users to reset their password if	- Implement Forgot Password form with fields	- The email address field is	Inperior specific errors for all fields.      Ensure that the email address field is	Frontend
(AUTH)	FE-AUTH-003	Password Page	flow	forgotten.	for:	included.	lincluded. 2.	Frontena
,				·	- Email Address	- A "Send Reset Link" button is	Add a "Send Reset Link" button.	
					- Send OTP	added.	3. Include a "Log In" link.	
					-New Password - Validate email format	- Implementation adheres to the platform's branding	Adhere to the platform's branding guidelines.	
	1			1	- Ensure new password meets complexity	guidelines.		
	1			1	requirements (e.g., minimum 8 characters,	-Users should receive clear,		
	1				uppercase, lowercase, number, special character).	actionable feedback for errors		
	1			1	- Display clear error messages for invalid			
	1			1	inputs (specific to email format, password			
	1				complexity, and password confirmation).			
	1				Hash user password before submission for security.			
	<u> </u>		<u> </u>		-Implement specific errors for all fields.		<u> </u>	
Authentication	FE-AUTH-004	Implement Logout	Implement the users logout flow	To allow users to log out of their accounts.	Implement the users logout flow	- Implementation includes a	UI should include a logout button that is	Frontend
(AUTH)	1	Functionality				logout button accessible from	easily accessible from "My Account" drop down	
	1			1		"My Account" drop down Confirmation prompt asks the	in the application.  2. UI should include a confirmation prompt	
	1			1		user if they are sure they want	asking the user if they are sure they want to log	
						to log out	out.	
	1					<ul> <li>Upon successful logout, the user is redirected to the landing</li> </ul>	Upon successful logout, the user should be redirected to the landing page.	
	1			1		page.	rounded to the landing page.	
	1					-Users should receive clear.		
			Instrument the Control			actionable feedback for errors		Front of
Authentication (AUTH)	FE-AUTH-005	Implement Account Deletion	Implement the account deletion	To allow users to delete their account	Implement "Delete Account" button with a confirmation modal and optional reason input;	<ul> <li>Users can initiate account deletion with clear explanations</li> </ul>	Users can initiate the account deletion	Frontend
(AUTH)		Deletion	now		update UI to reflect deleted status.	of consequences.	process, clearly explain the consequences of deleting the account.	
					- Provide loading indicators and success/error	- Confirmation options for	2. After initiating the deletion, the user should	
					messages throughout the deletion process.	deletion Clear instructions for deleted	be able to confirm their decision, include options for the user to cancel the deletion if	
						users.	desired.	
						- Error messages for failed	3. Users should be able to confirm that their	
						deletion attempts or network	account has been deleted, there should be clear instructions on what actions.	
						errors.	Error messages for scenarios such as failed	
							deleted attempts or network errors, ensure	
							users are informed of any issues that prevent	
							account deleted.	
Authenticaliae	EF_AITU ME	Implement Error Manuffred	Implementation to reference	To allow usages to have along fourthwest inseres of	Implement a plobal grow bootlet to cott-b	Bage should gendun play	1. The error message should be used file-of-	Evotant
Authentication (AUTH)	FE-AUTH-006	Implement Error Handling	Implementation to address error handling for potential issues.	To allow users to have clear feedback incase of errors	Implement a global error handler to catch unexpected errors and display user-friendly	Users should receive clear, actionable feedback for errors.	The error message should be user friendly and written in clear, consise language.	Frontend
Authentication (AUTH)	FE-AUTH-006	Implement Error Handling	Implementation to address error handling for potential issues.		unexpected errors and display user-friendly messages.	actionable feedback for errors, enhancing their overall	and written in clear, consise language.  2. The system should avoid generic error	Frontend
Authentication (AUTH)	FE-AUTH-006	Implement Error Handling	Implementation to address error handling for potential issues.		unexpected errors and display user-friendly messages. -Validate form inputs and display specific, clear	actionable feedback for errors, enhancing their overall experience and interaction with	and written in clear, consise language.  2. The system should avoid generic error messages like "verification failed"	Frontend
Authentication (AUTH)	FE-AUTH-006	Implement Error Handling	Implementation to address error handling for potential issues.		unexpected errors and display user-friendly messagesValidate form inputs and display specific, clear error messages for invalid fields.	actionable feedback for errors, enhancing their overall	and written in clear, consise language.  2. The system should avoid generic error messages like "verification failed"  3. Visual cues can be implemeted to guide	Frontend
Authentication (AUTH)	FE-AUTH-006	Implement Error Handling	Implementation to address error handling for potential issues.		unexpected errors and display user-friendly messages.  -Validate form inputs and display specific, clear error messages for invalid fields.  -Handle API response errors by providing appropriate user feedback and differentiating	actionable feedback for errors, enhancing their overall experience and interaction with	and written in clear, consise language.  2. The system should avoid generic error messages like "verification failed"	Frontend
Authentication (AUTH)	FE-AUTH-006	Implement Error Handling	Implementation to address error handling for potential issues.		unexpected errors and display user-friendly messages. -Validate form inputs and display specific, clear error messages for invalid fields. -Handle API response errors by providing appropriate user feedback and differentiating between client-side and server-side errors.	actionable feedback for errors, enhancing their overall experience and interaction with	and written in clear, consise language.  2. The system should avoid generic error messages like "verification failed"  3. Visual cues can be implemeted to guide users towards successful completion of the	Frontend
Authentication (AUTH)	FE-AUTH-006	Implement Error Handling	Implementation to address error handling for potential issues.		unexpected errors and display user-friendly messages.  -Validate form inputs and display specific, clear error messages for invalid fields.  -Handle API response errors by providing appropriate user feedback and differentiating	actionable feedback for errors, enhancing their overall experience and interaction with	and written in clear, consise language.  2. The system should avoid generic error messages like "verification failed"  3. Visual cues can be implemeted to guide users towards successful completion of the	Frontend

		Task Description		Acceptance Criteria	User Story									
1	Design System		@fa_dagns, @bel		As a user, I want all the									
		designs are in sync with the system		The design must adhere to the guidelines provided in the design system.	so that I don't get									
		provided			confused									
2	User	Design the user	@web3deus @Folowosele		As a new user, I want to									
	Registration	registration flow	Funke - (Desktop, Mobile,		easily sign up so that I									
	Page Design		Tablet)	password, and password confirmation, as well as a	can access the platform's features.									
					passorm's reasures.									
				and social signup buttons.  2. The design of the form must adhere to the										
				platform's branding guidelines. 3.Upon successful input of valid data in all fields, a										
				3.Upon successful input of valid data in all fields, a										
				success message must be displayed to the user.  4. An error message must access if the user incuts.										
				The password strength meter should be shown.     A checkbox agreeing to the terms and										
				conditions/privacy policy should be implemented										
				Conditionally pointy ancies on myemeness										
- 3	User Login	Dealers the user	@Muklab, @DesignBroke -	1. The login form must include email/username and	As a user I want to									
	Page Design	login flow	(Desktop, Tablet, Mobile)	password fields, a "Forgot Password?" link, a "log in"	securely log in and									
				button, and a "Sign Up" link.	manage my account.									
				Appropriate messages must be displayed: A success message for valid data input and an error										
				message for invalid data input.										
				Social signup buttons must be present.     A link for Terms of use and privacy policy should.										
				A sink for series of use and privacy poscy should be displayed										
4	Forgot	Design the Torqui	Office (Dealton Table)		As a user, I want to									
	Password Page	Password* flow		Ensure that the email address field is included.	reset my password if I									
	Design			Add a "Send Reset Password" button.     Include a "Log in" link.	forget it so that I can									
				Adhere to the platform's branding guidelines.	regain access to my account.									
5	Logout		@iamfavoureseosa, @ayo_sam (desktop, Tablet, Mobile)	Design should include a logout button that is easily accessible from any page in the application.	1									
	Design		(deskip, racies, Modes)											
		Design the users		asking the user if they are sure they want to log out.  3. Upon surpressful input the user should be	As a user I want to be									
		logout flow		Upon successful logout, the user should be redirected to the looin page with a confirmation	account									
				message.										
6	Account		@Evelyn @Emmanuel Nwoye	Users can initiate the account deactivation										
	deactivation/rea		(Desklop, Tablet, Mobile)	process, clearly explaining the consequences of deachivating the account.										
	cavanen													
				able to confirm their decision, include options for the										
		Design the account		user to cancel the deactivation if desired.  3. Users should be able to confirm that their account	As a user I want to									
		deactivation/reactiv		Users should be able to commit that their account     has been deactivated, there should be clear	effortlessly deactivate or									
		ation flow			activate my account									
				next (e.g., contact support for reactivation). 4. Error messages for scenarios such as falled										
				deadlyation attempts or network errors, ensure usen										
				are informed of any issues that prevent account										
				deadivation.										
7	Error handling	This ticket addresses error	@Moses.ux, @Nifemi that guy (Desktop, Tablet, Phone)		As a user I want the									
		handing for potential	(Desklop, Island, Pricing)	The error message should be user friendly and	avatem to provide clear									
		Issues encountered		written in clear, consise language.  2. The system should avoid generic error messages.	feedback incase of									
		during reCAPTCHA for we consider		like "verification failed"	errors so I can understand the issue									
		Honeyoot for a		Visual cues can be implemeted to guide users towards successful completion of the challenge.	and try again									
		better uper		towards successful competion of the challenge.	successfully.									
		experience)												
	Organization	This ticket addresses creation		The form must include Company's name, email address and password.	As a user, I want to be able to create my									
		of organizations.		2. An error message must appear if the user inputs										
		Users can create		an invalid data in any field.	that I can collaborate									
		organizations after authentication.		The password strength meter should be shown.     A checkbox agreeing to the terms and	with my team.									
				conditions/privacy policy should be implemented.										
8	Password Reset	Design the password reset flow	@Prince @Ternioluwa Bajomo (Deaklop, Tablet, Mobile)	The form includes fields for both "New Password" and "Confirm Password."	Settings ticket: As a user, I want to set									
	Page Design	passworp reset flow		2. The form includes a "Reset Password" button.										
				3. The form adheres to the platform's branding	resetting it so that I can									
					securely access my									
				If we are imperenting an OTP, create a page for the user to input the OTP (Optional)	account.									
	Session	Desire the session	@Olumide Adetifs - (Desktop,	When a user's session expires, the system must	Pattiers Salas									
	Expiration	expiration flow	Tablet, Mobile).	display an expiration page informing the user of the	As a user. I want a									
				messages about it.  2. The expiration page must include an option for the										
				<ol><li>The expiration page must include an option for the user to log in again and should maintain a consistent</li></ol>	so that I can easily									
				3. Upon selecting the log-in option, the user must be										
				redirected to the login page.										

AUTH-003	Enable Link-Based Access	Implement functionality to allow users to access the app via shared links without logging in or having an account	To provide seamless access for users through shared links	Implementation Details:  - Generate unique, secure access links - Implement access control via these link - Ensure links are time-bound or have a c - Provide fallback for expired or invalid lin	- Users should be able to access	Unique, secure access links generated     Access control implemented via links     Expired or invalid links handled approp	Backend, Security
AUTH-004	Monitor Link Usage	-Track and analyze the usage of shared access links -To ensure the security and effectiveness of link-based access	Implementation Details: - Implement logging for link access events - Store information such as access time, IP address, and user agent - Create reports or dashboards to visualise link usage data - Set up alerts for unusual activity	- Admins should be able to monitor and a	Link access events logged with relevant deta     Reports/dashboards available for usage data     Alerts configured for unusual activity		Monitoring, Analytics
AUTH-005	Expire Access Links	Implement expiration mechanism for shared access links	To enhance security by ensuring links are not indefinitely valid	Implementation Details:  - Define expiration criteria (e.g., time-bas  - Implement backend logic to check and i  - Notify users when a link is about to expi	- Expired links should not	Expiration criteria defined and documer     Backend logic for link expiration implem     User notification system in place	
AUTH-006	User Feedback for Link Acco	Collect user feedback on the experience of ac	To improve the user experience and identify potential issues		- Users should be able to provide feedback on their experience	Feedback form/survey implemented     Feedback data collected and analyzed     Actionable insights derived from feedback.	User Experience, Analytics

Ticket #	Feature	Task Description	Acceptance Criteria	User Story	Boilerplate										
2	User Registration Page Design	registration flow	users upon updates(e.g to terms and policies)	As a new user, I want to easily sign up so that I can access the platform's features.	should include sending emails to users upon updates (e.g to terms and policies)										
5	Password Reset Page Design	reset flow	The form includes fields for both "New Password" and "Confirm Password."     The form includes a "Reset Password" button.     The form adheres to the platform's branding guidelines.	new password after resetting it so that I can securely access my account.	should include sending a mail for either OTP or a reset link										
5	Password Reset Page Design	Design the password reset flow	@Prince @Ternilolawa Bajomo (Desktop, Tablet, Mobile)	The form includes field for both "New Password" and "Confirm Password."     The form includes a "Resset Password" button.     The form adheres to the platform's branding guidelines.     A. If we are impementing an OTP, create a page for the user to input the OTP (Optional).	As a user, I want to set a new password after resetting it so that I can securely										
6	Session Expiration	Design the session expiration flow	Tablet, Mobile).	When a user's session expires, the system must display an expiration pay informing the user of the session expiration and providing clear instituctions or messages treatment of the session expiration and providing clear instituctions or messages.  2. The expiration page must include an option for the user to log in again and should maintain a consistent design with threat of the application, one of the application of the providing the provided provided to the login page.	As a user, I want a e seamlest re- authentication process so that I can easily login.										

@Evelyn	
@iamfavoureseos	sa .
@ifa_dsgns	
@Moses.ux	
@Prince Chukwu	ımezie
@web3deus	
@bel	
@ayo_sam	
@Muklab	
@Nifemi that guy	У
@Ellsa	
@Temiloluwa Ba	jomo
@Emmanuel Nw	oye
@Folowosele Fur	ıke
@Olumide Adeti	fa
@DesignBroke	